



Mode	802.11ax-HE20	UNII Band	I
		Frequency	TX 5180MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5083.92	33.80	8.69	16.11	58.60	74.00	15.40	Peak
5150.00	33.90	8.73	13.12	55.75	74.00	18.25	Peak
@ 5186.12	34.04	8.75	47.21	90.00	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5080.98	33.80	8.69	3.73	46.22	54.00	7.78	Average
5150.00	33.90	8.73	3.17	45.80	54.00	8.20	Average
@ 5174.36	34.00	8.74	36.88	79.62	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	I
		Frequency	TX 5180MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5149.02	33.90	8.73	15.96	58.59	74.00	15.41	Peak
5150.00	33.90	8.73	14.37	57.00	74.00	17.00	Peak
@ 5185.84	34.04	8.75	56.25	99.04	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5082.94	33.80	8.69	3.73	46.22	54.00	7.78	Average
5150.00	33.90	8.73	3.33	45.96	54.00	8.04	Average
@ 5186.82	34.05	8.75	45.72	88.52	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
		Frequency	TX 5320MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5311.28	34.50	8.82	48.41	91.73	---	---	Peak
	5350.04	34.50	8.84	10.98	54.32	74.00	19.68	Peak
	5407.52	34.50	8.87	14.28	57.65	74.00	16.35	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5314.52	34.50	8.82	38.08	81.40	---	---	Average
	5350.04	34.50	8.84	1.30	44.64	54.00	9.36	Average
	5419.76	34.50	8.88	1.64	45.02	54.00	8.98	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
		Frequency	TX 5320MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5326.64	34.50	8.83	53.75	97.08	---	---	Peak
	5350.04	34.50	8.84	8.48	51.82	74.00	22.18	Peak
	5363.84	34.50	8.85	13.20	56.55	74.00	17.45	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5314.64	34.50	8.82	42.59	85.91	---	---	Average
	5350.04	34.50	8.84	1.37	44.71	54.00	9.29	Average
	5418.92	34.50	8.88	1.72	45.10	54.00	8.90	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
		Frequency	TX 5500MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5448.24	34.50	8.89	14.31	57.70	74.00	16.30	Peak
5469.96	34.50	8.91	10.48	53.89	74.00	20.11	Peak
@ 5507.64	34.52	8.93	46.16	89.61	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5459.76	34.50	8.90	2.00	45.40	54.00	8.60	Average
5469.96	34.50	8.91	2.10	45.51	54.00	8.49	Average
@ 5492.28	34.50	8.92	36.08	79.50	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
		Frequency	TX 5500MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5442.96	34.50	8.89	13.72	57.11	74.00	16.89	Peak
5469.96	34.50	8.91	12.52	55.93	74.00	18.07	Peak
@ 5503.20	34.51	8.92	55.50	98.93	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5458.20	34.50	8.90	2.13	45.53	54.00	8.47	Average
5469.96	34.50	8.91	2.23	45.64	54.00	8.36	Average
@ 5495.88	34.50	8.92	45.02	88.44	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
		Frequency	TX 5700MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5700.72	34.40	9.03	47.39	90.82	---	---	Peak
	5725.04	34.40	9.04	12.09	55.53	68.20	12.67	Peak
	5739.12	34.40	9.05	14.94	58.39	68.20	9.81	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5702.64	34.40	9.03	49.41	92.84	---	---	Peak
	5725.04	34.40	9.04	10.78	54.22	68.20	13.98	Peak
	5727.76	34.40	9.04	14.30	57.74	68.20	10.46	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
		Frequency	TX 5720MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5449.60	34.50	8.90	13.05	56.45	68.20	11.75	Peak
5470.06	34.50	8.91	10.89	54.30	68.20	13.90	Peak
@ 5726.14	34.40	9.04	50.40	93.84	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5448.94	34.50	8.89	15.32	58.71	68.20	9.49	Peak
5470.06	34.50	8.91	13.17	56.58	68.20	11.62	Peak
@ 5727.13	34.40	9.04	56.55	99.99	---	---	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
		Frequency	TX 5720MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5725.00	34.40	9.04	51.44	94.88	---	---	Peak
	5850.00	34.40	9.11	13.03	56.54	68.20	11.66	Peak
	5868.00	34.44	9.11	15.06	58.61	68.20	9.59	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5716.60	34.40	9.04	57.19	100.63	---	---	Peak
	5850.00	34.40	9.11	12.55	56.06	68.20	12.14	Peak
	5892.80	34.49	9.13	14.37	57.99	68.20	10.21	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	I
		Frequency	TX 5190MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5091.82	33.80	8.69	16.23	58.72	74.00	15.28	Peak
5150.06	33.90	8.73	11.95	54.58	74.00	19.42	Peak
@ 5182.40	34.03	8.75	44.96	87.74	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5097.00	33.80	8.70	3.66	46.16	54.00	7.84	Average
5150.06	33.90	8.73	3.21	45.84	54.00	8.16	Average
@ 5193.46	34.07	8.75	33.91	76.73	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	I
		Frequency	TX 5190MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5134.10	33.87	8.72	15.96	58.55	74.00	15.45	Peak
5150.06	33.90	8.73	13.41	56.04	74.00	17.96	Peak
@ 5193.74	34.07	8.75	54.13	96.95	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5092.10	33.80	8.69	3.67	46.16	54.00	7.84	Average
5150.06	33.90	8.73	3.45	46.08	54.00	7.92	Average
@ 5195.28	34.08	8.75	43.08	85.91	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2A
		Frequency	TX 5310MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5320.92	34.50	8.82	45.40	88.72	---	---	Peak
	5349.96	34.50	8.84	11.52	54.86	74.00	19.14	Peak
	5361.00	34.50	8.85	15.20	58.55	74.00	15.45	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5307.00	34.50	8.82	34.52	77.84	---	---	Average
	5349.96	34.50	8.84	1.35	44.69	54.00	9.31	Average
	5399.52	34.50	8.87	1.50	44.87	54.00	9.13	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2A
		Frequency	TX 5310MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5315.28	34.50	8.82	52.74	96.06	---	---	Peak
	5349.96	34.50	8.84	11.49	54.83	74.00	19.17	Peak
	5359.92	34.50	8.85	13.43	56.78	74.00	17.22	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5315.52	34.50	8.82	40.39	83.71	---	---	Average
	5349.96	34.50	8.84	1.66	45.00	54.00	9.00	Average
	5350.68	34.50	8.84	1.68	45.02	54.00	8.98	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
		Frequency	TX 5510MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
5428.59	34.50	8.88	14.35	57.73	74.00	16.27	Peak
5470.06	34.50	8.91	14.04	57.45	74.00	16.55	Peak
@ 5522.58	34.55	8.93	42.85	86.33	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
5458.62	34.50	8.90	2.05	45.45	54.00	8.55	Average
5470.06	34.50	8.91	2.18	45.59	54.00	8.41	Average
@ 5526.48	34.55	8.94	31.50	74.99	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
		Frequency	TX 5510MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5446.92	34.50	8.89	14.80	58.19	74.00	15.81	Peak
5470.06	34.50	8.91	12.93	56.34	74.00	17.66	Peak
@ 5518.81	34.54	8.93	52.31	95.78	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5459.14	34.50	8.90	2.25	45.65	54.00	8.35	Average
5470.06	34.50	8.91	2.87	46.28	54.00	7.72	Average
@ 5515.95	34.53	8.93	41.26	84.72	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
		Frequency	TX 5670MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5652.60	34.59	9.00	43.20	86.79	---	---	Peak
	5724.98	34.40	9.04	11.45	54.89	68.20	13.31	Peak
	5768.10	34.33	9.06	14.43	57.82	68.20	10.38	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5651.90	34.59	9.00	55.38	98.97	---	---	Peak
	5724.98	34.40	9.04	11.35	54.79	68.20	13.41	Peak
	5766.56	34.33	9.06	14.35	57.74	68.20	10.46	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
		Frequency	TX 5710MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5440.69	34.50	8.89	13.95	57.34	68.20	10.86	Peak
5470.06	34.50	8.91	9.87	53.28	68.20	14.92	Peak
@ 5697.76	34.41	9.03	46.03	89.47	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5449.60	34.50	8.90	12.90	56.30	68.20	11.90	Peak
5470.06	34.50	8.91	10.75	54.16	68.20	14.04	Peak
@ 5695.45	34.42	9.03	56.11	99.56	---	---	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
		Frequency	TX 5710MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5714.10	34.40	9.04	47.02	90.46	---	---	Peak
	5850.00	34.40	9.11	11.46	54.97	68.20	13.23	Peak
	5930.40	34.68	9.15	15.62	59.45	68.20	8.75	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5696.70	34.41	9.03	56.76	100.20	---	---	Peak
	5850.00	34.40	9.11	12.46	55.97	68.20	12.23	Peak
	5876.40	34.45	9.12	14.65	58.22	68.20	9.98	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	I
		Frequency	TX 5210MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5095.10	33.80	8.70	16.82	59.32	74.00	14.68	Peak
5150.01	33.90	8.73	13.13	55.76	74.00	18.24	Peak
@ 5212.06	34.17	8.76	42.93	85.86	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5107.00	33.81	8.70	3.66	46.17	54.00	7.83	Average
5150.01	33.90	8.73	3.23	45.86	54.00	8.14	Average
@ 5192.17	34.07	8.75	31.95	74.77	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	I
		Frequency	TX 5210MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5146.61	33.89	8.73	15.56	58.18	74.00	15.82	Peak
5150.01	33.90	8.73	12.12	54.75	74.00	19.25	Peak
@ 5186.05	34.04	8.75	52.24	95.03	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5146.44	33.89	8.73	3.73	46.35	54.00	7.65	Average
5150.01	33.90	8.73	3.70	46.33	54.00	7.67	Average
@ 5196.25	34.08	8.75	41.13	83.96	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2A
		Frequency	TX 5290MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5274.72	34.45	8.80	43.64	86.89	---	---	Peak
	5350.08	34.50	8.84	10.67	54.01	74.00	19.99	Peak
	5351.84	34.50	8.84	13.51	56.85	74.00	17.15	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5314.56	34.50	8.82	32.60	75.92	---	---	Average
	5350.08	34.50	8.84	1.33	44.67	54.00	9.33	Average
	5400.00	34.50	8.87	1.53	44.90	54.00	9.10	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2A
		Frequency	TX 5290MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5306.40	34.50	8.82	50.49	93.81	---	---	Peak
	5350.08	34.50	8.84	13.24	56.58	74.00	17.42	Peak
	5385.12	34.50	8.86	13.95	57.31	74.00	16.69	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5313.44	34.50	8.82	39.78	83.10	---	---	Average
	5350.08	34.50	8.84	1.60	44.94	54.00	9.06	Average
	5400.00	34.50	8.87	1.65	45.02	54.00	8.98	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2C
		Frequency	TX 5530MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5445.16	34.50	8.89	13.54	56.93	74.00	17.07	Peak
5469.98	34.50	8.91	11.63	55.04	74.00	18.96	Peak
@ 5515.71	34.53	8.93	41.51	84.97	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5458.76	34.50	8.90	2.07	45.47	54.00	8.53	Average
5469.98	34.50	8.91	2.19	45.60	54.00	8.40	Average
@ 5515.88	34.53	8.93	31.18	74.64	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2C
		Frequency	TX 5530MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5444.82	34.50	8.89	13.96	57.35	74.00	16.65	Peak
5469.98	34.50	8.91	11.93	55.34	74.00	18.66	Peak
@ 5519.11	34.54	8.93	49.34	92.81	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5459.44	34.50	8.90	2.51	45.91	54.00	8.09	Average
5469.98	34.50	8.91	2.79	46.20	54.00	7.80	Average
@ 5552.09	34.60	8.95	37.98	81.53	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2C
		Frequency	TX 5690MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5434.42	34.50	8.89	14.16	57.55	68.20	10.65	Peak
5470.06	34.50	8.91	11.06	54.47	68.20	13.73	Peak
@ 5675.32	34.50	9.02	45.06	88.58	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5417.35	34.50	8.88	12.96	56.34	68.20	11.86	Peak
5469.85	34.50	8.91	13.06	56.47	68.20	11.73	Peak
@ 5666.20	34.54	9.01	53.97	97.52	---	---	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2C
		Frequency	TX 5690MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5675.50	34.50	9.02	45.33	88.85	---	---	Peak
	5850.00	34.40	9.11	11.44	54.95	68.20	13.25	Peak
	5881.00	34.46	9.12	13.73	57.31	68.20	10.89	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5699.75	34.40	9.03	54.09	97.52	---	---	Peak
	5850.00	34.40	9.11	12.06	55.57	68.20	12.63	Peak
	5876.25	34.45	9.12	13.94	57.51	68.20	10.69	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
		Frequency	TX 5250MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5085.00	33.80	8.69	15.80	58.29	74.00	15.71	Peak
5150.00	33.90	8.73	12.59	55.22	74.00	18.78	Peak
@ 5301.00	34.50	8.81	36.61	79.92	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5080.00	33.80	8.69	3.70	46.19	54.00	7.81	Average
5150.00	33.90	8.73	3.14	45.77	54.00	8.23	Average
@ 5302.25	34.50	8.81	24.60	67.91	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
		Frequency	TX 5250MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5132.00	33.86	8.72	16.06	58.64	74.00	15.36	Peak
5150.00	33.90	8.73	11.96	54.59	74.00	19.41	Peak
@ 5298.00	34.50	8.81	45.40	88.71	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5080.25	33.80	8.69	3.73	46.22	54.00	7.78	Average
5150.00	33.90	8.73	3.27	45.90	54.00	8.10	Average
@ 5235.00	34.31	8.78	34.27	77.36	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
		Frequency	TX 5250MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5294.60	34.49	8.81	37.20	80.50	---	---	Peak
	5350.04	34.50	8.84	11.38	54.72	74.00	19.28	Peak
	5394.84	34.50	8.87	14.05	57.42	74.00	16.58	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5302.44	34.50	8.81	24.79	68.10	---	---	Average
	5350.04	34.50	8.84	1.31	44.65	54.00	9.35	Average
	5447.48	34.50	8.89	1.98	45.37	54.00	8.63	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
		Frequency	TX 5250MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5226.84	34.26	8.77	46.03	89.06	---	---	Peak
	5350.04	34.50	8.84	11.73	55.07	74.00	18.93	Peak
	5384.48	34.50	8.86	13.80	57.16	74.00	16.84	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5234.96	34.31	8.78	34.16	77.25	---	---	Average
	5350.04	34.50	8.84	1.39	44.73	54.00	9.27	Average
	5447.76	34.50	8.89	2.01	45.40	54.00	8.60	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	II-2C
		Frequency	TX 5570MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5445.00	34.50	8.89	14.74	58.13	74.00	15.87	Peak
5470.00	34.50	8.91	11.48	54.89	74.00	19.11	Peak
@ 5600.75	34.70	8.98	36.32	80.00	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5459.50	34.50	8.90	3.23	46.63	54.00	7.37	Average
5470.00	34.50	8.91	3.28	46.69	54.00	7.31	Average
@ 5621.25	34.66	8.99	24.39	68.04	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	II-2C
		Frequency	TX 5570MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5433.00	34.50	8.89	14.56	57.95	74.00	16.05	Peak
5470.00	34.50	8.91	13.34	56.75	74.00	17.25	Peak
@ 5595.50	34.69	8.97	46.84	90.50	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5459.50	34.50	8.90	2.09	45.49	54.00	8.51	Average
5470.00	34.50	8.91	2.19	45.60	54.00	8.40	Average
@ 5592.25	34.68	8.97	35.74	79.39	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	II-2C
		Frequency	TX 5570MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5620.56	34.66	8.99	36.99	80.64	---	---	Peak
	5725.20	34.40	9.04	13.61	57.05	68.20	11.15	Peak
	5884.56	34.47	9.12	15.29	58.88	68.20	9.32	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5593.20	34.69	8.97	47.50	91.16	---	---	Peak
	5725.20	34.40	9.04	12.95	56.39	68.20	11.81	Peak
	5953.20	34.80	9.16	14.97	58.93	68.20	9.27	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	I
RU Configuration	26/0	Frequency	TX 5180MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5114.08	33.83	8.71	16.21	58.75	74.00	15.25	Peak
5149.96	33.90	8.73	12.94	55.57	74.00	18.43	Peak
@ 5171.68	33.99	8.74	51.43	94.16	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5103.88	33.81	8.70	4.44	46.95	54.00	7.05	Average
5149.96	33.90	8.73	3.67	46.30	54.00	7.70	Average
@ 5171.80	33.99	8.74	43.86	86.59	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	I
RU Configuration	26/0	Frequency	TX 5180MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5101.24	33.80	8.70	16.40	58.90	74.00	15.10	Peak
5149.96	33.90	8.73	12.40	55.03	74.00	18.97	Peak
@ 5171.56	33.99	8.74	59.47	102.20	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5089.72	33.80	8.69	4.59	47.08	54.00	6.92	Average
5149.96	33.90	8.73	3.81	46.44	54.00	7.56	Average
@ 5171.56	33.99	8.74	52.01	94.74	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	I
RU Configuration	52/37	Frequency	TX 5180MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5125.72	33.85	8.71	16.41	58.97	74.00	15.03	Peak
5149.96	33.90	8.73	12.69	55.32	74.00	18.68	Peak
@ 5173.60	33.99	8.74	52.59	95.32	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5091.40	33.80	8.69	4.51	47.00	54.00	7.00	Average
5149.96	33.90	8.73	3.62	46.25	54.00	7.75	Average
@ 5172.64	33.99	8.74	43.17	85.90	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	I
RU Configuration	52/37	Frequency	TX 5180MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5109.04	33.82	8.70	15.51	58.03	74.00	15.97	Peak
5149.96	33.90	8.73	13.27	55.90	74.00	18.10	Peak
@ 5172.88	33.99	8.74	62.22	104.95	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5080.84	33.80	8.69	4.64	47.13	54.00	6.87	Average
5149.96	33.90	8.73	3.81	46.44	54.00	7.56	Average
@ 5172.76	33.99	8.74	51.70	94.43	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	I
RU Configuration	106/53	Frequency	TX 5180MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5120.68	33.84	8.71	15.21	57.76	74.00	16.24	Peak
5149.96	33.90	8.73	11.73	54.36	74.00	19.64	Peak
@ 5171.20	33.98	8.74	52.14	94.86	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5098.60	33.80	8.70	4.44	46.94	54.00	7.06	Average
5149.96	33.90	8.73	3.53	46.16	54.00	7.84	Average
@ 5175.04	34.00	8.74	41.87	84.61	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	I
RU Configuration	106/53	Frequency	TX 5180MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5083.72	33.80	8.69	15.94	58.43	74.00	15.57	Peak
5149.96	33.90	8.73	11.78	54.41	74.00	19.59	Peak
@ 5177.92	34.01	8.74	61.94	104.69	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5105.32	33.81	8.70	4.38	46.89	54.00	7.11	Average
5149.96	33.90	8.73	3.84	46.47	54.00	7.53	Average
@ 5172.76	33.99	8.74	49.91	92.64	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
RU Configuration	26/8	Frequency	TX 5320MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5328.20	34.50	8.83	49.58	92.91	---	---	Peak
	5350.04	34.50	8.84	11.55	54.89	74.00	19.11	Peak
	5411.72	34.50	8.87	14.60	57.97	74.00	16.03	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5328.44	34.50	8.83	42.36	85.69	---	---	Average
	5350.04	34.50	8.84	1.86	45.20	54.00	8.80	Average
	5410.16	34.50	8.87	2.45	45.82	54.00	8.18	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
RU Configuration	26/8	Frequency	TX 5320MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5328.20	34.50	8.83	59.46	102.79	---	---	Peak
	5350.04	34.50	8.84	11.80	55.14	74.00	18.86	Peak
	5410.52	34.50	8.87	13.99	57.36	74.00	16.64	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5328.68	34.50	8.83	51.90	95.23	---	---	Average
	5350.04	34.50	8.84	2.07	45.41	54.00	8.59	Average
	5420.00	34.50	8.88	2.59	45.97	54.00	8.03	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
RU Configuration	52/40	Frequency	TX 5320MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5327.96	34.50	8.83	50.25	93.58	---	---	Peak
	5350.04	34.50	8.84	11.33	54.67	74.00	19.33	Peak
	5385.20	34.50	8.86	13.45	56.81	74.00	17.19	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5327.00	34.50	8.83	41.53	84.86	---	---	Average
	5350.04	34.50	8.84	1.95	45.29	54.00	8.71	Average
	5417.72	34.50	8.88	2.46	45.84	54.00	8.16	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
RU Configuration	52/40	Frequency	TX 5320MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5327.96	34.50	8.83	57.40	100.73	---	---	Peak
	5350.04	34.50	8.84	11.57	54.91	74.00	19.09	Peak
	5374.40	34.50	8.85	14.17	57.52	74.00	16.48	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5328.44	34.50	8.83	49.00	92.33	---	---	Average
	5350.04	34.50	8.84	2.19	45.53	54.00	8.47	Average
	5407.64	34.50	8.87	2.62	45.99	54.00	8.01	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
RU Configuration	106/54	Frequency	TX 5320MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5323.40	34.50	8.83	52.16	95.49	---	---	Peak
	5350.04	34.50	8.84	11.07	54.41	74.00	19.59	Peak
	5395.64	34.50	8.87	13.79	57.16	74.00	16.84	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5328.44	34.50	8.83	42.64	85.97	---	---	Average
	5350.04	34.50	8.84	2.01	45.35	54.00	8.65	Average
	5403.92	34.50	8.87	2.61	45.98	54.00	8.02	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2A
RU Configuration	106/54	Frequency	TX 5320MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5326.40	34.50	8.83	57.70	101.03	---	---	Peak
	5350.04	34.50	8.84	9.97	53.31	74.00	20.69	Peak
	5398.76	34.50	8.87	12.66	56.03	74.00	17.97	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5323.88	34.50	8.83	49.35	92.68	---	---	Average
	5350.04	34.50	8.84	2.05	45.39	54.00	8.61	Average
	5411.84	34.50	8.87	2.70	46.07	54.00	7.93	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	26/0	Frequency	TX 5500MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5448.36	34.50	8.89	13.28	56.67	74.00	17.33	Peak
5469.96	34.50	8.91	12.82	56.23	74.00	17.77	Peak
@ 5491.68	34.50	8.92	48.88	92.30	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5446.80	34.50	8.89	2.79	46.18	54.00	7.82	Average
5469.96	34.50	8.91	2.49	45.90	54.00	8.10	Average
@ 5491.68	34.50	8.92	41.65	85.07	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	26/0	Frequency	TX 5500MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5437.92	34.50	8.89	14.41	57.80	74.00	16.20	Peak
5469.96	34.50	8.91	11.25	54.66	74.00	19.34	Peak
@ 5492.04	34.50	8.92	58.58	102.00	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5442.24	34.50	8.89	2.99	46.38	54.00	7.62	Average
5469.96	34.50	8.91	2.66	46.07	54.00	7.93	Average
@ 5491.68	34.50	8.92	52.09	95.51	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	52/37	Frequency	TX 5500MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5444.40	34.50	8.89	13.62	57.01	74.00	16.99	Peak
5469.96	34.50	8.91	12.29	55.70	74.00	18.30	Peak
@ 5494.20	34.50	8.92	52.13	95.55	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5454.60	34.50	8.90	2.89	46.29	54.00	7.71	Average
5469.96	34.50	8.91	2.85	46.26	54.00	7.74	Average
@ 5493.72	34.50	8.92	43.82	87.24	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	52/37	Frequency	TX 5500MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5457.48	34.50	8.90	14.26	57.66	74.00	16.34	Peak
5469.96	34.50	8.91	10.65	54.06	74.00	19.94	Peak
@ 5493.60	34.50	8.92	60.88	104.30	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5453.40	34.50	8.90	3.06	46.46	54.00	7.54	Average
5469.96	34.50	8.91	2.52	45.93	54.00	8.07	Average
@ 5493.00	34.50	8.92	53.16	96.58	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	106/53	Frequency	TX 5500MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5450.88	34.50	8.90	13.35	56.75	74.00	17.25	Peak
5469.96	34.50	8.91	11.12	54.53	74.00	19.47	Peak
@ 5495.28	34.50	8.92	51.16	94.58	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5452.08	34.50	8.90	2.84	46.24	54.00	7.76	Average
5469.96	34.50	8.91	2.57	45.98	54.00	8.02	Average
@ 5496.12	34.50	8.92	42.47	85.89	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	106/53	Frequency	TX 5500MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5438.64	34.50	8.89	13.50	56.89	74.00	17.11	Peak
5469.96	34.50	8.91	12.79	56.20	74.00	17.80	Peak
@ 5497.20	34.50	8.92	60.97	104.39	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5459.76	34.50	8.90	2.89	46.29	54.00	7.71	Average
5469.96	34.50	8.91	2.78	46.19	54.00	7.81	Average
@ 5494.68	34.50	8.92	51.52	94.94	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	26/8	Frequency	TX 5700MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5707.68	34.40	9.03	51.88	95.31	---	---	Peak
	5725.04	34.40	9.04	12.81	56.25	68.20	11.95	Peak
	5731.28	34.40	9.04	14.18	57.62	68.20	10.58	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5708.24	34.40	9.03	60.25	103.68	---	---	Peak
	5725.04	34.40	9.04	7.85	51.29	68.20	16.91	Peak
	5740.08	34.40	9.05	13.43	56.88	68.20	11.32	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	52/40	Frequency	TX 5700MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5707.52	34.40	9.03	51.02	94.45	---	---	Peak
	5725.04	34.40	9.04	11.61	55.05	68.20	13.15	Peak
	5733.92	34.40	9.05	13.51	56.96	68.20	11.24	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5706.08	34.40	9.03	59.45	102.88	---	---	Peak
	5725.04	34.40	9.04	11.63	55.07	68.20	13.13	Peak
	5745.60	34.40	9.05	14.15	57.60	68.20	10.60	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	UNII Band	II-2C
RU Configuration	106/54	Frequency	TX 5700MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5707.92	34.40	9.03	50.93	94.36	---	---	Peak
	5725.04	34.40	9.04	11.64	55.08	68.20	13.12	Peak
	5755.44	34.38	9.06	14.19	57.63	68.20	10.57	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5704.32	34.40	9.03	59.14	102.57	---	---	Peak
	5725.04	34.40	9.04	8.20	51.64	68.20	16.56	Peak
	5747.44	34.40	9.05	13.41	56.86	68.20	11.34	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	I
RU Configuration	242/61	Frequency	TX 5190MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5104.50	33.81	8.70	16.03	58.54	74.00	15.46	Peak
5150.00	33.90	8.73	12.02	54.65	74.00	19.35	Peak
@ 5174.64	34.00	8.74	50.22	92.96	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5089.80	33.80	8.69	4.46	46.95	54.00	7.05	Average
5150.00	33.90	8.73	3.48	46.11	54.00	7.89	Average
@ 5179.12	34.02	8.74	38.77	81.53	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	I
RU Configuration	242/61	Frequency	TX 5190MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5091.20	33.80	8.69	16.25	58.74	74.00	15.26	Peak
5150.00	33.90	8.73	14.57	57.20	74.00	16.80	Peak
@ 5185.28	34.04	8.75	57.53	100.32	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5108.00	33.82	8.70	4.42	46.94	54.00	7.06	Average
5150.00	33.90	8.73	3.72	46.35	54.00	7.65	Average
@ 5187.52	34.05	8.75	48.07	90.87	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2A
RU Configuration	242/62	Frequency	TX 5310MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5314.76	34.50	8.82	46.15	89.47	---	---	Peak
	5350.04	34.50	8.84	10.04	53.38	74.00	20.62	Peak
	5419.04	34.50	8.88	13.75	57.13	74.00	16.87	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5315.84	34.50	8.82	36.67	79.99	---	---	Average
	5350.04	34.50	8.84	1.98	45.32	54.00	8.68	Average
	5418.68	34.50	8.88	2.49	45.87	54.00	8.13	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2A
RU Configuration	242/62	Frequency	TX 5310MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5314.64	34.50	8.82	53.86	97.18	---	---	Peak
	5350.04	34.50	8.84	9.19	52.53	74.00	21.47	Peak
	5352.08	34.50	8.84	13.94	57.28	74.00	16.72	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5313.32	34.50	8.82	44.03	87.35	---	---	Average
	5350.04	34.50	8.84	2.10	45.44	54.00	8.56	Average
	5413.88	34.50	8.88	2.41	45.79	54.00	8.21	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
RU Configuration	242/61	Frequency	TX 5510MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5453.16	34.50	8.90	14.05	57.45	74.00	16.55	Peak
5470.06	34.50	8.91	10.87	54.28	74.00	19.72	Peak
@ 5508.80	34.52	8.93	48.52	91.97	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5455.89	34.50	8.90	2.83	46.23	54.00	7.77	Average
5470.06	34.50	8.91	2.54	45.95	54.00	8.05	Average
@ 5507.89	34.52	8.93	38.26	81.71	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
RU Configuration	242/61	Frequency	TX 5510MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
5450.30	34.50	8.90	14.04	57.44	74.00	16.56	Peak
5470.06	34.50	8.91	12.28	55.69	74.00	18.31	Peak
@ 5497.49	34.50	8.92	57.25	100.67	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
5454.07	34.50	8.90	3.08	46.48	54.00	7.52	Average
5470.06	34.50	8.91	2.95	46.36	54.00	7.64	Average
@ 5496.71	34.50	8.92	48.23	91.65	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	UNII Band	II-2C
RU Configuration	242/62	Frequency	TX 5670MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5681.72	34.47	9.02	46.68	90.17	---	---	Peak
	5724.98	34.40	9.04	10.53	53.97	68.20	14.23	Peak
	5762.64	34.35	9.06	13.52	56.93	68.20	11.27	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5678.08	34.49	9.02	57.22	100.73	---	---	Peak
	5724.98	34.40	9.04	13.20	56.64	68.20	11.56	Peak
	5741.92	34.40	9.05	14.62	58.07	68.20	10.13	Peak


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	I
RU Configuration	484/65	Frequency	TX 5210MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5141.85	33.88	8.72	14.61	57.21	74.00	16.79	Peak
5150.01	33.90	8.73	12.85	55.48	74.00	18.52	Peak
@ 5192.68	34.07	8.75	44.28	87.10	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5091.36	33.80	8.69	4.48	46.97	54.00	7.03	Average
5150.01	33.90	8.73	3.94	46.57	54.00	7.43	Average
@ 5206.79	34.14	8.76	35.14	78.04	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	I
RU Configuration	484/65	Frequency	TX 5210MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5120.60	33.84	8.71	15.87	58.42	74.00	15.58	Peak
5150.01	33.90	8.73	13.06	55.69	74.00	18.31	Peak
@ 5204.58	34.13	8.76	53.63	96.52	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5149.33	33.90	8.73	5.01	47.64	54.00	6.36	Average
5150.01	33.90	8.73	5.21	47.84	54.00	6.16	Average
@ 5192.68	34.07	8.75	44.00	86.82	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2A
RU Configuration	484/66	Frequency	TX 5290MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
@	5308.48	34.50	8.82	44.26	87.58	---	---	Peak
	5350.08	34.50	8.84	10.61	53.95	74.00	20.05	Peak
	5392.32	34.50	8.86	13.36	56.72	74.00	17.28	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
@	5318.24	34.50	8.82	33.83	77.15	---	---	Average
	5350.08	34.50	8.84	1.94	45.28	54.00	8.72	Average
	5392.32	34.50	8.86	2.35	45.71	54.00	8.29	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2A
RU Configuration	484/66	Frequency	TX 5290MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5300.16	34.50	8.81	45.78	89.09	---	---	Peak
	5350.08	34.50	8.84	9.47	52.81	74.00	21.19	Peak
	5387.20	34.50	8.86	13.38	56.74	74.00	17.26	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5297.12	34.49	8.81	37.09	80.39	---	---	Average
	5350.08	34.50	8.84	1.89	45.23	54.00	8.77	Average
	5359.52	34.50	8.85	2.45	45.80	54.00	8.20	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2C
RU Configuration	484/65	Frequency	TX 5530MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5420.68	34.50	8.88	13.07	56.45	74.00	17.55	Peak
5469.98	34.50	8.91	10.58	53.99	74.00	20.01	Peak
@ 5525.40	34.55	8.94	43.69	87.18	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5459.78	34.50	8.90	2.90	46.30	54.00	7.70	Average
5469.98	34.50	8.91	2.97	46.38	54.00	7.62	Average
@ 5527.61	34.56	8.94	33.43	76.93	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE80	UNII Band	II-2C
RU Configuration	484/65	Frequency	TX 5530MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5441.08	34.50	8.89	14.25	57.64	74.00	16.36	Peak
5469.98	34.50	8.91	11.74	55.15	74.00	18.85	Peak
@ 5524.38	34.55	8.94	52.96	96.45	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5452.30	34.50	8.90	2.92	46.32	54.00	7.68	Average
5469.98	34.50	8.91	3.42	46.83	54.00	7.17	Average
@ 5527.27	34.55	8.94	43.26	86.75	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
RU Configuration	996/67	Frequency	TX 5250MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5134.25	33.87	8.72	15.89	58.48	74.00	15.52	Peak
5150.00	33.90	8.73	12.32	54.95	74.00	19.05	Peak
@ 5235.25	34.31	8.78	40.58	83.67	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5103.00	33.81	8.70	4.57	47.08	54.00	6.92	Average
5150.00	33.90	8.73	3.91	46.54	54.00	7.46	Average
@ 5235.00	34.31	8.78	30.85	73.94	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
RU Configuration	996/67	Frequency	TX 5250MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5110.50	33.82	8.70	14.97	57.49	74.00	16.51	Peak
5150.00	33.90	8.73	13.27	55.90	74.00	18.10	Peak
@ 5227.75	34.27	8.77	48.80	91.84	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5112.50	33.83	8.71	4.60	47.14	54.00	6.86	Average
5150.00	33.90	8.73	3.99	46.62	54.00	7.38	Average
@ 5235.25	34.31	8.78	39.17	82.26	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
RU Configuration	996/S67	Frequency	TX 5250MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5299.64	34.50	8.81	40.92	84.23	---	---	Peak
	5350.04	34.50	8.84	9.40	52.74	74.00	21.26	Peak
	5420.60	34.50	8.88	13.17	56.55	74.00	17.45	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5297.40	34.49	8.81	29.49	72.79	---	---	Average
	5350.04	34.50	8.84	1.91	45.25	54.00	8.75	Average
	5448.60	34.50	8.89	2.74	46.13	54.00	7.87	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	I & II-2A
RU Configuration	996/S67	Frequency	TX 5250MHz



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5304.40	34.50	8.82	48.44	91.76	---	---	Peak
	5350.04	34.50	8.84	11.92	55.26	74.00	18.74	Peak
	5444.68	34.50	8.89	14.42	57.81	74.00	16.19	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5311.12	34.50	8.82	37.04	80.36	---	---	Average
	5350.04	34.50	8.84	1.96	45.30	54.00	8.70	Average
	5448.32	34.50	8.89	2.79	46.18	54.00	7.82	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	II-2C
RU Configuration	996/67	Frequency	TX 5570MHz



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5448.25	34.50	8.89	14.21	57.60	74.00	16.40	Peak
5470.00	34.50	8.91	10.05	53.46	74.00	20.54	Peak
@ 5533.50	34.57	8.94	38.71	82.22	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5454.00	34.50	8.90	3.03	46.43	54.00	7.57	Average
5470.00	34.50	8.91	2.93	46.34	54.00	7.66	Average
@ 5554.25	34.61	8.95	29.21	72.77	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	II-2C
RU Configuration	996/67	Frequency	TX 5570MHz



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5401.50	34.50	8.87	13.39	56.76	74.00	17.24	Peak
5470.00	34.50	8.91	9.68	53.09	74.00	20.91	Peak
@ 5515.50	34.53	8.93	47.12	90.58	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
5452.50	34.50	8.90	2.92	46.32	54.00	7.68	Average
5470.00	34.50	8.91	2.94	46.35	54.00	7.65	Average
@ 5547.75	34.60	8.95	37.06	80.61	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE160	UNII Band	II-2C
RU Configuration	996/S67	Frequency	TX 5570MHz



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5599.35	34.70	8.98	43.13	86.81	---	---	Peak
	5724.90	34.40	9.04	10.60	54.04	68.20	14.16	Peak
	5912.10	34.57	9.14	14.20	57.91	68.20	10.29	Peak



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	5586.75	34.67	8.97	53.52	97.16	---	---	Peak
	5724.90	34.40	9.04	11.48	54.92	68.20	13.28	Peak
	5838.75	34.35	9.10	14.52	57.97	68.20	10.23	Peak

Remark: The “@” means fundamental frequency, it is ignored in this section.