






A.4.2 Measurement Plots





















802.11ac-VHT80

UNII Band III


Chain 0	Chain 1
---------	---------


5775MHz


RU Configuration: 484/65



RU Configuration: 484/66















A.5 CONDUCTED BAND EDGES



Test Date	2020/01/07	Temp./Hum.	23°C/60%
Cable Loss	1.8dB	Tested By	Kuper Hsu
Test Voltage	AC 120V 60Hz (Via AC Adapter)	Test Model	17Z995
Simultaneous Factor 10 log(n) (Note: “n” is antenna number)		802.11a: 0 802.11n-HT20/40: 3 802.11ac-VHT80/160: 3 802.11ax-HE80/160: 3	











A.6 POWER SPECTRAL DENSITY

Test Date	2019/09/23~10/3	Temp./Hum.	24°C/47~53%
Cable Loss	1dB	Tested By	Martin Chen
Test Voltage	AC 120V 60Hz (Via AC Adapter)		
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)	802.11a: 0 802.11n-HT20/40: 3 802.11ac-VHT80/160: 3 802.11ax-HE80/160: 3		

A.6.1 Power Spectral Density Result

Mode	UNII Band	Centre Frequency (MHz)	Power Spectral Density (dBm)	Limit
802.11a	I	5180	7.304	11 dBm/MHz
		5200	8.070	
		5240	8.864	
	II-2A	5260	8.770	
		5300	7.407	
		5320	6.531	
	II-2C	5500	6.744	
		5580	8.860	
		5700	6.507	
		5720	8.838	
	III ^{Note2}	5745	6.604	30dBm/500 kHz
		5785	6.672	
5825		6.616		

Note 1: All results have been included cable loss and Simultaneous Factor and correct duty factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.

Mode	UNII Band	Centre Frequency (MHz)	Power Spectral Density (dBm)	Limit	
802.11n-HT20	I	5180	7.207	11 dBm/MHz	
		5200	7.751		
		5240	8.948		
	II-2A	5260	9.014		
		5300	7.552		
		5320	6.079		
	II-2C	5500	6.477		
		5580	8.936		
		5700	6.287		
		5720	8.803		
	III ^{Note2}	5745	6.562		30dBm/500 kHz
5785		7.103			
5825		6.825			
802.11n-HT40	I	5190	4.124	11 dBm/MHz	
		5230	5.601		
	II-2A	5270	4.613		
		5310	2.175		
	II-2C	5510	2.677		
		5550	3.714		
		5670	5.746		
		5710	6.437		
	III ^{Note2}	5755	3.771		30dBm/500 kHz
		5795	3.783		
802.11ac-VHT80	I	5210	1.109	11 dBm/MHz	
	II-2A	5290	-0.078		
		5530	1.630		
		5610	3.978		
	II-2C	5690	1.682		
		III ^{Note2}	5775	-0.372	30dBm/500 kHz
802.11ac-VHT160	I/II-2A	5250	-5.753	11 dBm/MHz	
	II-2C	5570	-5.638		

Note 1: All results have been included cable loss and Simultaneous Factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.

Mode	UNII Band	Centre Frequency (MHz)	Power Spectral Density (dBm)	Limit	
802.11ax-HE20	I	5180	6.955	11 dBm/MHz	
		5200	7.579		
		5240	8.661		
	II-2A	5260	9.004		
		5300	6.932		
		5320	6.014		
	II-2C	5500	6.177		
		5580	8.680		
		5700	6.106		
		5720	8.779		
	III ^{Note2}	5745	5.230		30dBm/500 kHz
5785		5.201			
5825		5.344			
802.11ax-HE40	I	5190	3.664	11 dBm/MHz	
		5230	5.246		
	II-2A	5270	4.226		
		5310	1.608		
	II-2C	5510	2.252		
		5550	3.309		
		5670	5.314		
		5710	5.871		
	III ^{Note2}	5755	2.431		30dBm/500 kHz
		5795	2.550		
802.11ax-HE80	I	5210	0.831	11 dBm/MHz	
	II-2A	5290	-0.441		
		5530	1.185		
		5610	3.570		
	II-2C	5690	3.682		
		III ^{Note2}	5775	-1.398	30dBm/500 kHz
802.11ax-HE160	I/II-2A	5250	-6.145	11 dBm/MHz	
	II-2C	5570	-6.191		

Note 1: All results have been included cable loss and Simultaneous Factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.

Mode	UNII Band	Centre Frequency (MHz)	RU Configuration	Power Spectral Density (dBm)	Limit
802.11ax-HE20	I	5180	26/10	10.204	11 dBm/MHz
			52/37	10.844	
			106/53	9.840	
	II-2A	5320	26/8	10.090	
			52/40	7.383	
			106/54	8.675	
	II-2C	5500	26/10	10.522	
			52/37	10.852	
			106/53	9.587	
		5700	26/8	9.841	
			52/40	8.772	
			106/54	8.214	
III ^{Note2}	5745	26/10	7.675	30dBm/500 kHz	
		52/37	7.773		
		106/53	7.986		
	5825	26/8	13.528		
		52/40	10.901		
		106/54	8.154		
802.11ax-HE40	I	5190	242/61	6.586	11 dBm/MHz
	II-2A	5310	242/62	4.462	
	II-2C	5510	242/61	5.450	
		5670	242/62	6.834	
	III ^{Note2}	5755	242/61	4.064	30dBm/500 kHz
		5795	242/62	4.563	
802.11ax-HE80	I	5210	484/65	3.093	11 dBm/MHz
	II-2A	5290	484/66	1.752	
	II-2C	5530	484/65	2.010	
		5610	484/66	4.301	
	III ^{Note2}	5775	484/65	0.411	30dBm/500 kHz
			484/66	0.620	
802.11ax-HE160	I/II-2A	5250	996/67	-3.198	11 dBm/MHz
			996/S67	-3.453	
	II-2C	5570	996/67	-4.063	
			996/S67	-3.809	

Note 1: All results have been included cable loss and Simultaneous Factor.

Note 2: BWCF 6.99dB (100kHz converted to 500kHz) has been included in the test result.