



Mode	802.11ax-HE20	Frequency	TX 2412MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2388.72	28.31	6.02	16.40	50.73	74.00	23.27	Peak
2390.04	28.32	6.03	14.73	49.08	74.00	24.92	Peak
@ 2419.44	28.44	6.06	65.00	99.50	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	3.31	37.65	54.00	16.35	Average
2390.04	28.32	6.03	3.40	37.75	54.00	16.25	Average
@ 2419.08	28.44	6.06	44.91	79.41	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2412MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.08	28.31	6.02	19.19	53.52	74.00	20.48	Peak
2390.04	28.32	6.03	16.47	50.82	74.00	23.18	Peak
@ 2414.16	28.43	6.05	67.05	101.53	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	4.73	39.07	54.00	14.93	Average
2390.04	28.32	6.03	4.87	39.22	54.00	14.78	Average
@ 2418.96	28.44	6.06	46.78	81.28	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2417MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.30	28.31	6.02	15.11	49.44	74.00	24.56	Peak
2389.95	28.32	6.02	14.71	49.05	74.00	24.95	Peak
@ 2426.09	28.45	6.07	67.63	102.15	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.56	28.32	6.02	2.50	36.84	54.00	17.16	Average
2389.95	28.32	6.02	2.56	36.90	54.00	17.10	Average
@ 2424.01	28.45	6.06	46.78	81.29	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2417MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.30	28.31	6.02	15.75	50.08	74.00	23.92	Peak
2389.95	28.32	6.02	16.18	50.52	74.00	23.48	Peak
@ 2418.42	28.44	6.06	68.61	103.11	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.56	28.32	6.02	3.46	37.80	54.00	16.20	Average
2389.95	28.32	6.02	3.64	37.98	54.00	16.02	Average
@ 2424.27	28.45	6.06	48.39	82.90	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2457MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2463.37	28.58	6.11	68.14	102.83	---	---	Peak
2483.58	28.70	6.13	17.20	52.03	74.00	21.97	Peak
2486.40	28.72	6.13	15.02	49.87	74.00	24.13	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2464.78	28.59	6.11	47.49	82.19	---	---	Average
2483.58	28.70	6.13	4.89	39.72	54.00	14.28	Average
2484.52	28.71	6.13	4.10	38.94	54.00	15.06	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2457MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2463.37	28.58	6.11	67.36	102.05	---	---	Peak
2483.58	28.70	6.13	19.53	54.36	74.00	19.64	Peak
2484.52	28.71	6.13	17.49	52.33	74.00	21.67	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2465.25	28.59	6.11	48.31	83.01	---	---	Average
2483.58	28.70	6.13	5.27	40.10	54.00	13.90	Average
2484.52	28.71	6.13	4.44	39.28	54.00	14.72	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2462MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2468.52	28.61	6.11	66.37	101.09	---	---	Peak
	2483.70	28.70	6.13	20.43	55.26	74.00	18.74	Peak
	2485.08	28.71	6.13	20.43	55.27	74.00	18.73	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2467.60	28.61	6.11	54.98	89.70	---	---	Average
	2483.70	28.70	6.13	7.42	42.25	54.00	11.75	Average
	2485.08	28.71	6.13	6.61	41.45	54.00	12.55	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2462MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2470.36	28.62	6.12	67.27	102.01	---	---	Peak
	2483.70	28.70	6.13	19.27	54.10	74.00	19.90	Peak
	2486.00	28.72	6.13	20.65	55.50	74.00	18.50	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2469.90	28.62	6.12	56.33	91.07	---	---	Average
	2483.70	28.70	6.13	8.47	43.30	54.00	10.70	Average
	2485.08	28.71	6.13	7.26	42.10	54.00	11.90	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2467MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2466.65	28.60	6.11	64.02	98.73	---	---	Peak
	2483.30	28.70	6.13	21.00	55.83	74.00	18.17	Peak
	2484.65	28.71	6.13	16.30	51.14	74.00	22.86	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2472.95	28.64	6.12	51.98	86.74	---	---	Average
	2483.30	28.70	6.13	8.03	42.86	54.00	11.14	Average
	2484.65	28.71	6.13	4.32	39.16	54.00	14.84	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2467MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2469.80	28.62	6.12	65.08	99.82	---	---	Peak
	2483.30	28.70	6.13	22.65	57.48	74.00	16.52	Peak
	2496.35	28.78	6.15	17.29	52.22	74.00	21.78	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2474.30	28.65	6.12	53.30	88.07	---	---	Average
	2483.30	28.70	6.13	9.27	44.10	54.00	9.90	Average
	2484.65	28.71	6.13	4.91	39.75	54.00	14.25	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2469.35	28.62	6.12	52.61	87.35	---	---	Peak
	2483.30	28.70	6.13	27.65	62.48	74.00	11.52	Peak
	2589.05	29.06	6.27	15.01	50.34	74.00	23.66	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2470.25	28.62	6.12	40.41	75.15	---	---	Average
	2483.30	28.70	6.13	4.69	39.52	54.00	14.48	Average
	2598.05	29.09	6.28	1.86	37.23	54.00	16.77	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2477.00	28.66	6.12	55.69	90.47	---	---	Peak
	2483.30	28.70	6.13	28.59	63.42	74.00	10.58	Peak
	2486.00	28.72	6.13	21.60	56.45	74.00	17.55	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2476.10	28.66	6.12	42.33	77.11	---	---	Average
	2483.30	28.70	6.13	5.66	40.49	54.00	13.51	Average
	2597.15	29.09	6.28	1.90	37.27	54.00	16.73	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2422MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2388.96	28.31	6.02	17.84	52.17	74.00	21.83	Peak
2389.94	28.32	6.02	16.85	51.19	74.00	22.81	Peak
@ 2409.68	28.42	6.05	62.46	96.93	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.52	28.32	6.02	5.20	39.54	54.00	14.46	Average
2389.94	28.32	6.02	5.37	39.71	54.00	14.29	Average
@ 2415.56	28.43	6.05	49.97	84.45	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2422MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.10	28.31	6.02	19.04	53.37	74.00	20.63	Peak
2389.94	28.32	6.02	18.45	52.79	74.00	21.21	Peak
@ 2426.06	28.45	6.07	64.47	98.99	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.52	28.32	6.02	6.53	40.87	54.00	13.13	Average
2389.94	28.32	6.02	6.67	41.01	54.00	12.99	Average
@ 2419.20	28.44	6.06	51.22	85.72	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2427MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2387.14	28.30	6.02	15.78	50.10	74.00	23.90	Peak
2389.94	28.32	6.02	14.59	48.93	74.00	25.07	Peak
@ 2420.04	28.44	6.06	61.86	96.36	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.52	28.32	6.02	3.22	37.56	54.00	16.44	Average
2389.94	28.32	6.02	3.31	37.65	54.00	16.35	Average
@ 2429.28	28.46	6.07	48.80	83.33	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2427MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.10	28.31	6.02	17.22	51.55	74.00	22.45	Peak
2389.94	28.32	6.02	16.14	50.48	74.00	23.52	Peak
@ 2414.44	28.43	6.05	63.31	97.79	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.38	28.32	6.02	4.56	38.90	54.00	15.10	Average
2389.94	28.32	6.02	4.60	38.94	54.00	15.06	Average
@ 2424.10	28.45	6.06	50.54	85.05	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2447MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2452.16	28.51	6.10	63.93	98.54	---	---	Peak
2483.36	28.70	6.13	20.88	55.71	74.00	18.29	Peak
2486.72	28.72	6.14	22.67	57.53	74.00	16.47	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2449.76	28.50	6.09	51.51	86.10	---	---	Average
2483.36	28.70	6.13	8.88	43.71	54.00	10.29	Average
2484.80	28.71	6.13	8.51	43.35	54.00	10.65	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2447MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2435.36	28.47	6.08	65.31	99.86	---	---	Peak
	2483.36	28.70	6.13	23.32	58.15	74.00	15.85	Peak
	2485.28	28.71	6.13	24.23	59.07	74.00	14.93	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2431.04	28.46	6.07	52.98	87.51	---	---	Average
	2483.36	28.70	6.13	10.94	45.77	54.00	8.23	Average
	2484.80	28.71	6.13	10.66	45.50	54.00	8.50	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2452MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2449.27	28.50	6.09	62.04	96.63	---	---	Peak
2483.58	28.70	6.13	18.59	53.42	74.00	20.58	Peak
2490.16	28.74	6.14	16.74	51.62	74.00	22.38	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2454.91	28.53	6.10	48.57	83.20	---	---	Average
2483.58	28.70	6.13	5.00	39.83	54.00	14.17	Average
2484.52	28.71	6.13	4.81	39.65	54.00	14.35	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2452MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2439.87	28.48	6.08	62.93	97.49	---	---	Peak
	2483.58	28.70	6.13	19.40	54.23	74.00	19.77	Peak
	2484.52	28.71	6.13	20.32	55.16	74.00	18.84	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2435.64	28.47	6.08	51.12	85.67	---	---	Average
	2483.58	28.70	6.13	7.98	42.81	54.00	11.19	Average
	2484.52	28.71	6.13	7.74	42.58	54.00	11.42	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2457MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2471.83	28.63	6.12	57.73	92.48	---	---	Peak
	2483.58	28.70	6.13	17.21	52.04	74.00	21.96	Peak
	2484.52	28.71	6.13	15.73	50.57	74.00	23.43	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2453.50	28.52	6.10	45.20	79.82	---	---	Average
	2483.58	28.70	6.13	5.80	40.63	54.00	13.37	Average
	2484.52	28.71	6.13	4.38	39.22	54.00	14.78	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2457MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2466.66	28.60	6.11	58.68	93.39	---	---	Peak
	2483.58	28.70	6.13	19.49	54.32	74.00	19.68	Peak
	2484.52	28.71	6.13	18.29	53.13	74.00	20.87	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2465.25	28.59	6.11	46.31	81.01	---	---	Average
	2483.58	28.70	6.13	7.18	42.01	54.00	11.99	Average
	2484.52	28.71	6.13	5.61	40.45	54.00	13.55	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2462MHz
------	---------------	-----------	------------



Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2451.04	28.51	6.10	49.75	84.36	---	---	Peak
	2483.70	28.70	6.13	19.08	53.91	74.00	20.09	Peak
	2588.12	29.05	6.27	14.83	50.15	74.00	23.85	Peak




Antenna at Horizontal Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2455.64	28.53	6.10	37.21	71.84	---	---	Average
	2483.70	28.70	6.13	2.49	37.32	54.00	16.68	Average
	2596.40	29.09	6.28	1.88	37.25	54.00	16.75	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2462MHz
------	---------------	-----------	------------



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2474.96	28.65	6.12	51.33	86.10	---	---	Peak
2483.70	28.70	6.13	17.56	52.39	74.00	21.61	Peak
2565.58	28.96	6.24	15.64	50.84	74.00	23.16	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2469.90	28.62	6.12	38.53	73.27	---	---	Average
2483.70	28.70	6.13	2.91	37.74	54.00	16.26	Average
2597.78	29.09	6.28	1.90	37.27	54.00	16.73	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	BLE	Frequency	TX 2402MHz
------	-----	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2387.76	28.30	6.02	22.83	57.15	74.00	16.85	Peak
2390.04	28.32	6.03	20.92	55.27	74.00	18.73	Peak
@ 2401.80	28.40	6.04	54.24	88.68	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.56	28.32	6.02	11.76	46.10	54.00	7.90	Average
2390.04	28.32	6.03	11.46	45.81	54.00	8.19	Average
@ 2402.04	28.40	6.04	53.56	88.00	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	BLE	Frequency	TX 2402MHz
------	-----	-----------	------------



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2378.76	28.23	6.01	23.66	57.90	74.00	16.10	Peak
2390.04	28.32	6.03	20.91	55.26	74.00	18.74	Peak
@ 2402.28	28.40	6.04	62.15	96.59	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2386.80	28.29	6.02	11.85	46.16	54.00	7.84	Average
2390.04	28.32	6.03	11.61	45.96	54.00	8.04	Average
@ 2402.04	28.40	6.04	61.57	96.01	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	BLE	Frequency	TX 2480MHz
------	-----	-----------	------------



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2480.60	28.68	6.13	60.82	95.63	---	---	Peak
2483.30	28.70	6.13	20.87	55.70	74.00	18.30	Peak
2560.70	28.94	6.23	22.90	58.07	74.00	15.93	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2480.15	28.68	6.13	60.09	94.90	---	---	Average
2483.30	28.70	6.13	11.71	46.54	54.00	7.46	Average
2584.10	29.04	6.26	12.27	47.57	54.00	6.43	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	BLE	Frequency	TX 2480MHz
------	-----	-----------	------------



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2480.15	28.68	6.13	65.92	100.73	---	---	Peak
	2483.30	28.70	6.13	22.44	57.27	74.00	16.73	Peak
	2594.45	29.08	6.27	24.74	60.09	74.00	13.91	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2480.15	28.68	6.13	65.22	100.03	---	---	Average
	2483.30	28.70	6.13	12.78	47.61	54.00	6.39	Average
	2576.00	29.00	6.25	12.13	47.38	54.00	6.62	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2412MHz
		RU Configuration	26/0



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2388.84	28.31	6.02	19.45	53.78	74.00	20.22	Peak
2390.04	28.32	6.03	15.65	50.00	74.00	24.00	Peak
@ 2403.96	28.41	6.04	74.59	109.04	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	3.69	38.03	54.00	15.97	Average
2390.04	28.32	6.03	6.13	40.48	54.00	13.52	Average
@ 2403.72	28.41	6.04	66.72	101.17	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2412MHz
		RU Configuration	26/0



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2388.96	28.31	6.02	22.12	56.45	74.00	17.55	Peak
2390.04	28.32	6.03	18.62	52.97	74.00	21.03	Peak
@ 2404.08	28.41	6.04	74.81	109.26	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	3.89	38.23	54.00	15.77	Average
2390.04	28.32	6.03	6.38	40.73	54.00	13.27	Average
@ 2403.72	28.41	6.04	66.46	100.91	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2412MHz
		RU Configuration	52/37



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.44	28.32	6.02	31.46	65.80	74.00	8.20	Peak
2390.04	28.32	6.03	31.92	66.27	74.00	7.73	Peak
@ 2405.88	28.41	6.04	74.51	108.96	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	3.01	37.35	54.00	16.65	Average
2390.04	28.32	6.03	4.14	38.49	54.00	15.51	Average
@ 2404.68	28.41	6.04	61.73	96.18	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2412MHz
		RU Configuration	52/37



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	33.41	67.75	74.00	6.25	Peak
2390.04	28.32	6.03	34.26	68.61	74.00	5.39	Peak
@ 2404.20	28.41	6.04	74.21	108.66	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	3.07	37.41	54.00	16.59	Average
2390.04	28.32	6.03	4.20	38.55	54.00	15.45	Average
@ 2405.40	28.41	6.04	62.12	96.57	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2412MHz
		RU Configuration	106/53



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.32	28.31	6.02	19.67	54.00	74.00	20.00	Peak
2390.04	28.32	6.03	15.00	49.35	74.00	24.65	Peak
@ 2406.72	28.41	6.04	72.49	106.94	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	3.81	38.15	54.00	15.85	Average
2390.04	28.32	6.03	4.55	38.90	54.00	15.10	Average
@ 2409.48	28.42	6.05	60.10	94.57	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2412MHz
		RU Configuration	106/53



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2388.96	28.31	6.02	19.66	53.99	74.00	20.01	Peak
2390.04	28.32	6.03	15.48	49.83	74.00	24.17	Peak
@ 2407.68	28.42	6.05	71.57	106.04	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	3.98	38.32	54.00	15.68	Average
2390.04	28.32	6.03	4.83	39.18	54.00	14.82	Average
@ 2409.84	28.42	6.05	60.34	94.81	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
		RU Configuration	26/8



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2480.48	28.68	6.13	60.40	95.21	---	---	Peak
2483.70	28.70	6.13	24.10	58.93	74.00	15.07	Peak
2486.00	28.72	6.13	16.46	51.31	74.00	22.69	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2480.02	28.68	6.13	49.65	84.46	---	---	Average
2483.70	28.70	6.13	3.60	38.43	54.00	15.57	Average
2596.40	29.09	6.28	2.44	37.81	54.00	16.19	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
		RU Configuration	26/8



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2480.02	28.68	6.13	61.38	96.19	---	---	Peak
	2483.70	28.70	6.13	27.59	62.42	74.00	11.58	Peak
	2486.46	28.72	6.13	19.38	54.23	74.00	19.77	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2480.02	28.68	6.13	49.98	84.79	---	---	Average
	2483.70	28.70	6.13	3.63	38.46	54.00	15.54	Average
	2597.32	29.09	6.28	2.61	37.98	54.00	16.02	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
		RU Configuration	52/40



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2479.56	28.68	6.13	59.40	94.21	---	---	Peak
2483.70	28.70	6.13	23.70	58.53	74.00	15.47	Peak
2486.00	28.72	6.13	19.88	54.73	74.00	19.27	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2479.10	28.67	6.13	47.48	82.28	---	---	Average
2483.70	28.70	6.13	3.39	38.22	54.00	15.78	Average
2596.40	29.09	6.28	2.53	37.90	54.00	16.10	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
		RU Configuration	52/40



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2479.56	28.68	6.13	59.50	94.31	---	---	Peak
	2483.70	28.70	6.13	23.29	58.12	74.00	15.88	Peak
	2485.08	28.71	6.13	19.68	54.52	74.00	19.48	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2479.10	28.67	6.13	48.09	82.89	---	---	Average
	2483.70	28.70	6.13	3.44	38.27	54.00	15.73	Average
	2589.04	29.06	6.27	2.55	37.88	54.00	16.12	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
		RU Configuration	106/54



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2480.02	28.68	6.13	56.55	91.36	---	---	Peak
2483.70	28.70	6.13	24.81	59.64	74.00	14.36	Peak
2485.08	28.71	6.13	19.69	54.53	74.00	19.47	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2474.96	28.65	6.12	44.76	79.53	---	---	Average
2483.70	28.70	6.13	3.09	37.92	54.00	16.08	Average
2587.20	29.05	6.26	2.68	37.99	54.00	16.01	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE20	Frequency	TX 2472MHz
		RU Configuration	106/54



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2474.96	28.65	6.12	57.57	92.34	---	---	Peak
	2483.70	28.70	6.13	22.49	57.32	74.00	16.68	Peak
	2485.08	28.71	6.13	20.69	55.53	74.00	18.47	Peak




Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2479.56	28.68	6.13	45.12	79.93	---	---	Average
	2483.70	28.70	6.13	3.42	38.25	54.00	15.75	Average
	2599.16	29.10	6.28	2.55	37.93	54.00	16.07	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2422MHz
		RU Configuration	242/61



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.32	28.31	6.02	29.43	63.76	74.00	10.24	Peak
2390.04	28.32	6.03	30.16	64.51	74.00	9.49	Peak
@ 2416.64	28.43	6.05	66.99	101.47	---	---	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	4.93	39.27	54.00	14.73	Average
2390.04	28.32	6.03	5.07	39.42	54.00	14.58	Average
@ 2416.44	28.43	6.06	52.49	86.98	---	---	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2422MHz
		RU Configuration	242/61



Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	29.05	63.39	74.00	10.61	Peak
2390.04	28.32	6.03	29.31	63.66	74.00	10.34	Peak
@ 2413.92	28.43	6.05	67.44	101.92	---	---	Peak




Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
2389.68	28.32	6.02	6.16	40.50	54.00	13.50	Average
2390.04	28.32	6.03	6.42	40.77	54.00	13.23	Average
@ 2418.00	28.44	6.06	54.23	88.73	---	---	Average


Remark: The "@" means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2462MHz
		RU Configuration	242/62



Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2472.30	28.63	6.12	53.60	88.35	---	---	Peak
2483.58	28.70	6.13	21.94	56.77	74.00	17.23	Peak
2485.46	28.71	6.13	20.61	55.45	74.00	18.55	Peak




Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@ 2464.78	28.59	6.11	40.23	74.93	---	---	Average
2483.58	28.70	6.13	3.02	37.85	54.00	16.15	Average
2484.52	28.71	6.13	2.76	37.60	54.00	16.40	Average


Remark: The “@” means fundamental frequency, it is ignored in this section.

Mode	802.11ax-HE40	Frequency	TX 2462MHz
		RU Configuration	242/62



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2464.31	28.59	6.11	54.18	88.88	---	---	Peak
	2483.58	28.70	6.13	22.01	56.84	74.00	17.16	Peak
	2484.99	28.71	6.13	22.02	56.86	74.00	17.14	Peak



Antenna at Vertical Polarization

	Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
@	2469.01	28.61	6.12	41.33	76.06	---	---	Average
	2483.58	28.70	6.13	3.67	38.50	54.00	15.50	Average
	2484.52	28.71	6.13	3.28	38.12	54.00	15.88	Average

Remark: The “@” means fundamental frequency, it is ignored in this section.

A.2.2 Emissions outside the frequency band:

The emissions (up to 25GHz) not reported for there is no emission be found.

Mode	802.11b	Frequency	TX 2417MHz
------	---------	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4834.00	33.37	8.47	4.45	46.29	54.00	7.71	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4834.00	33.37	8.47	7.27	49.11	54.00	4.89	Peak

Mode	802.11g	Frequency	TX 2424MHz
------	---------	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4914.00	33.63	8.55	-1.64	40.54	54.00	13.46	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4914.00	33.63	8.55	1.10	43.28	54.00	10.72	Peak

Mode	802.11n-HT20	Frequency	TX 2442MHz
------	--------------	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
4884.00	33.54	8.52	-2.01	40.05	54.00	13.95	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
4884.00	33.54	8.52	0.23	42.29	54.00	11.71	Peak

Mode	802.11n-HT40	Frequency	TX 2442MHz
------	--------------	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
4884.00	33.54	8.52	-1.37	40.69	54.00	13.31	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dBμV)	Emission Level (dBμV/m)	Limits (dBμV/m)	Margin (dB)	Detector
4884.00	33.54	8.52	-0.62	41.44	54.00	12.56	Peak

Mode	802.11ax-HE20	Frequency	TX 2442MHz
------	---------------	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4884.00	33.54	8.52	-0.40	41.66	54.00	12.34	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4884.00	33.54	8.52	0.91	42.97	54.00	11.03	Peak

Mode	802.11ax-HE40	Frequency	TX 2442MHz
------	---------------	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4884.00	33.54	8.52	-0.68	41.38	54.00	12.62	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4884.00	33.54	8.52	-1.55	40.51	54.00	13.49	Peak

Mode	BLE	Frequency	TX 2402MHz
------	-----	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4804.00	33.31	8.44	-1.11	40.64	54.00	13.36	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4804.00	33.31	8.44	-0.25	41.50	54.00	12.50	Peak

Mode	BLE	Frequency	TX 2440MHz
------	-----	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4880.00	33.52	8.52	-1.36	40.68	54.00	13.32	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4880.00	33.52	8.52	-2.11	39.93	54.00	14.07	Peak

Mode	BLE	Frequency	TX 2480MHz
------	-----	-----------	------------

Antenna at Horizontal Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4960.00	33.72	8.60	-1.93	40.39	54.00	13.61	Peak

Antenna at Vertical Polarization

Emission Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Meter Reading (dB μ V)	Emission Level (dB μ V/m)	Limits (dB μ V/m)	Margin (dB)	Detector
4960.00	33.72	8.60	-1.03	41.29	54.00	12.71	Peak

A.2.3 Emissions in Non-restricted Frequency Bands:

Pursuant to ANSI C63.10:2013 that emission levels below the FCC 15.209(a)/RSS-Gen Section 8.9 table 4 general radiated emissions limits is not required.

A.3 6dB/OCCUPIED BANDWIDTH

Test Date	2019/09/19 ~ 25	Temp./Hum.	24~25°C/50~54%
Cable Loss	0.5dB	Tested By	Martin Chen
Test Voltage	AC 120V, 60Hz (via AC Adapter)		

A.3.1 Emission Bandwidth Result

Mode	Centre Frequency (MHz)	6 dB Bandwidth (MHz)	Occupied (99%) Bandwidth (MHz)	Limit
802.11b	2412	10.14	13.386	>500kHz
	2442	10.14	13.444	
	2462	10.14	13.398	
	2472	10.14	13.854	
802.11g	2412	16.38	16.607	
	2442	16.40	16.800	
	2462	16.38	16.678	
	2472	16.38	16.370	
802.11n-HT20	2412	17.62	17.781	
	2442	17.62	17.812	
	2462	17.62	17.794	
	2472	17.62	17.594	
802.11n-HT40	2422	36.40	36.208	
	2442	36.40	36.231	
	2452	36.36	36.187	
	2462	36.36	36.106	
802.11ax-HE20	2412	18.98	18.978	
	2442	18.85	18.988	
	2462	18.85	19.011	
	2472	18.63	18.708	
802.11ax-HE40	2422	38.01	37.753	
	2442	38.02	37.729	
	2452	38.03	37.740	
	2462	37.77	37.474	

Mode	RU Configuration	Centre Frequency (MHz)	6 dB Bandwidth (MHz)	Occupied (99%) Bandwidth (MHz)	Limit
802.11ax-HE20	26/0	2412	2.063	18.272	>500kHz
	52/37		14.48	18.129	
	106/53		17.19	18.198	
	26/8	2472	2.032	18.036	
	52/40		16.96	17.940	
	106/54		17.04	17.965	
802.11ax-HE40	242/61	2422	18.88	18.740	
	242/62	2462	18.58	18.513	

Mode	Centre Frequency (MHz)	6 dB Bandwidth (MHz)	Occupied (99%) Bandwidth (MHz)	Limit
BLE	2402	0.6760	1.0648	>500kHz
	2440	0.6844	1.0613	
	2480	0.6956	1.0633	

A.3.2 Measurement Plots

