

**11ax\_HE20\_SU (Band 7)**

A. Low Channel (6 535 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 695 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 855 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
7 125.00	15.48	Peak	V	35.75	10.86	62.09	88.23	26.14
7 134.15	17.34	Peak	V	35.77	10.87	63.98	88.23	24.25
7 125.00	6.24	Average	V	35.75	10.86	52.85	68.23	15.38
7 141.59	7.38	Average	V	35.78	10.88	<b>54.04</b>	68.23	14.19

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE40\_26T (Band 5)**

A. Low Channel (5 965 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
5 864.40	17.63	Peak	H	34.43	9.88	61.94	88.23	26.29
5 925.00	15.68	Peak	H	34.55	9.91	60.14	88.23	28.09
5 884.70	7.51	Average	H	34.47	9.86	<b>51.84</b>	68.23	16.39
5 925.00	6.70	Average	H	34.55	9.91	51.16	68.23	17.07

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 205 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 405 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE40\_26T (Band 7)**

A. Low Channel (6 565 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 685 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 845 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
7 125.00	16.42	Peak	V	35.75	10.86	63.03	88.23	25.20
7 131.36	18.14	Peak	V	35.76	10.87	64.77	88.23	23.46
7 125.00	7.52	Average	V	35.75	10.86	<b>54.13</b>	68.23	14.10
7 129.96	7.25	Average	V	35.76	10.87	53.88	68.23	14.35

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE40\_SU (Band 5)**

A. Low Channel (5 965 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
5 784.60	18.40	Peak	H	34.27	9.78	62.45	88.23	25.78
5 925.00	16.54	Peak	H	34.55	9.91	61.00	88.23	27.23
5 822.75	7.51	Average	H	34.35	9.81	<b>51.67</b>	68.23	16.56
5 925.00	6.87	Average	H	34.55	9.91	51.33	68.23	16.90

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 205 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 405 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE40\_SU (Band 7)**

A. Low Channel (6 565 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 685 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 845 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
7 125.00	16.21	Peak	V	35.75	10.86	62.82	88.23	25.41
7 151.30	19.14	Peak	V	35.80	10.89	65.83	88.23	22.40
7 125.00	7.41	Average	V	35.75	10.86	54.02	68.23	14.21
7 137.30	7.47	Average	V	35.77	10.88	<b>54.12</b>	68.23	14.11

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE80\_26T (Band 5)**

A. Low Channel (5 985 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
5 790.20	18.51	Peak	H	34.28	9.79	62.58	88.23	25.65
5 925.00	14.83	Peak	H	34.55	9.91	59.29	88.23	28.94
5 902.20	7.61	Average	H	34.50	9.88	<b>51.99</b>	68.23	16.24
5 925.00	7.00	Average	H	34.55	9.91	51.46	68.23	16.77

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 145 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 385 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE80\_26T (Band 7)**

A. Low Channel (6 625 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 705 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 785 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
7 125.00	15.52	Peak	V	35.75	10.86	62.13	88.23	26.10
7 135.50	17.39	Peak	V	35.77	10.87	64.03	88.23	24.20
7 125.00	7.27	Average	V	35.75	10.86	53.88	68.23	14.35
7 127.51	7.65	Average	V	35.76	10.87	<b>54.28</b>	68.23	13.95

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE80\_SU (Band 5)**

A. Low Channel (5 985 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
5 812.60	17.86	Peak	H	34.33	9.81	62.00	88.23	26.23
5 925.00	15.59	Peak	H	34.55	9.91	60.05	88.23	28.18
5 814.70	7.85	Average	H	34.33	9.81	<b>51.99</b>	68.23	16.24
5 925.00	6.64	Average	H	34.55	9.91	51.10	68.23	17.13

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 145 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 385 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-



**11ax\_HE80\_SU (Band 7)**

A. Low Channel (6 625 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 705 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 785 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
7 125.00	14.34	Peak	V	35.75	10.86	60.95	88.23	27.28
7 155.16	17.86	Peak	V	35.81	10.90	64.57	88.23	23.66
7 125.00	7.14	Average	V	35.75	10.86	53.75	68.23	14.48
7 135.42	7.79	Average	V	35.77	10.87	<b>54.43</b>	68.23	13.80

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE80L\_26T (Band 5)**

A. Low Channel (6 025 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
5 806.30	18.67	Peak	H	34.31	9.81	62.79	88.23	25.44
5 925.00	15.57	Peak	H	34.55	9.91	60.03	88.23	28.20
5 843.40	7.64	Average	H	34.39	9.90	<b>51.93</b>	68.23	16.30
5 925.00	6.75	Average	H	34.55	9.91	51.21	68.23	17.02

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 185 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 345 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE80U\_26T (Band 7)**

A. Middle Channel (6 665 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
7 125.00	16.15	Peak	V	35.75	10.86	62.76	88.23	25.47
7 233.26	18.24	Peak	V	35.97	10.96	65.17	88.23	23.06
7 125.00	6.54	Average	V	35.75	10.86	53.15	68.23	15.08
7 136.70	7.54	Average	V	35.77	10.88	<b>54.19</b>	68.23	14.04

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE160\_SU (Band 5)**

A. Low Channel (6 025 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
5 882.95	18.67	Peak	H	34.47	9.86	63.00	88.23	25.23
5 925.00	15.96	Peak	H	34.55	9.91	60.42	88.23	27.81
5 892.75	7.51	Average	H	34.49	9.87	<b>51.87</b>	68.23	16.36
5 925.00	6.89	Average	H	34.55	9.91	51.35	68.23	16.88

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (6 185 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (6 345 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**11ax\_HE160\_SU (Band 7)**

A. Middle Channel (6 665 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
7 125.00	13.86	Peak	V	35.75	10.86	60.47	88.23	27.76
7 231.84	17.67	Peak	V	35.96	10.95	64.58	88.23	23.65
7 125.00	6.59	Average	V	35.75	10.86	53.20	68.23	15.03
7 133.86	7.27	Average	V	35.77	10.87	<b>53.91</b>	68.23	14.32

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB $\mu$ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

**Remark;**


1. “\*” means the restricted band.
2. Radiated emissions measured in frequency above 1 000 MHz were made with an instrument using Peak / Average detector mode if frequency was in restricted band. Otherwise the frequency was out of restricted band, only RMS detector should be used.
3. Actual = Reading + AF + CL + (DF) or Reading + AF + AMP + CL + (DF).
4. If frequency was out of restricted band, the calculation method for peak limit is same as below.  
 $68.23 \text{ dB}\mu\text{V/m} = \text{EIRP} - 20 \log(d) + 104.77 = -27 - 20 \log(3) + 104.77$
6. According to § 15.31(o), emission levels are not reported much lower than the limits by over 20 dB.
7. The maximized peak measured value complies with the average limit, to perform an average measurement is unnecessary.

**- Test plots**


**Ant. 1 + Ant. 2**

**11a**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE20\_26T**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE20\_SU**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7






**11ax\_HE40\_26T**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE40\_SU**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE80\_26T**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE80\_SU**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE80L\_26T**

Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5




**11ax\_HE80U\_26T**

High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE160\_SU**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**Ant. 1 + Ant. 3**

**11a**


Low channel Band edge (Peak) – Band 5




Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7




High channel Band edge (Average) - Band 7




**11ax\_HE20\_26T**


Low channel Band edge (Peak) – Band 5



Low channel Band edge (Average) - Band 5



High channel Band edge (Peak) - Band 7



High channel Band edge (Average) - Band 7

