

Report Number: F690501/RF-RTL013115 Page: 129 257

5. Peak-Average Ratio

5.1. Limit

- §22.913(d) Measurement of the ERP of Cellular base transmitters and repeaters must be made using an average power measurement technique. The peak-to-average ratio (PAR) of the transmission must not exceed 13 dB.


- §24.232(d), power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.
- §27.50(d)(5), power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (d)(6) of this section. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

5.2. Test Procedure

The test follows section 5.7.2 of FCC KDB Publication 971168 D01 v03r01.

See instrumentation-specific application literature for further guidance regarding use of the CCDF capability. The following guidelines are offered for performing a CCDF measurement.

- a. Set resolution/measurement bandwidth ≥ OBW or specified reference bandwidth.
- b. Set the number of counts to a value that stabilizes the measured CCDF curve.
- c. Set the measurement interval as follows:
 - 1) For continuous transmissions, set to greater of [10 x (number of points in sweep) x (transmission symbol
 - 2) For burst transmissions, employ an external trigger that is synchronized with the EUT burst timing sequence, or use the internal burst trigger with a trigger level that allows the burst to stabilize. Set the measurement interval to a time that is less than or equal to the burst duration.
 - 3) If there are several carriers in a single antenna port, the peak power shall be determined for each individual carrier (by disabling the other carriers while measuring the required carrier) and the total peak power calculated from the sum of the individual carrier peak powers.
- d. Record the maximum PAPR level associated with a probability of 0.1 %.
- e. The peak power level is calculated form the sum of the PAPR value from step d) to the measured average power.





Report Number: F690501/RF-RTL013115 Page: 130 of 257

5.3 Test Results

Ambient temperature : **(23** ± **1)** ℃ Relative humidity : 47 % R.H.

Band	Mode	Frequency (艦)	PAR (dB)
2 (1.4 贴)	QPSK	1 850.7	4.67
		1 880.0	4.99
		1 909.3	4.78
	QPSK	1 851.5	4.61
2 (3 吨)		1 880.0	4.90
		1 908.5	4.70
	QPSK	1 852.5	4.70
2 (5 M±)		1 880.0	4.81
		1 907.5	4.72
2 (10 Mz)	QPSK	1 855.0	4.75
		1 880.0	4.93
		1 905.0	4.93
2 (15 吨)	QPSK	1 857.5	4.84
		1 880.0	5.07
		1 902.5	5.07
2 (20 吨)	QPSK	1 860.0	4.52
		1 880.0	4.93
		1 900.0	4.93



Report Number: F690501/RF-RTL013115 Page: 131 of 257

Band	Mode	Frequency (Mb)	PAR (dB)
		1 710.7	4.81
4 (1.4 Mb)	QPSK	1 732.5	4.81
		1 754.3	4.46
4 (3 Mb)	QPSK	1 711.5	4.70
		1 732.5	4.72
		1 753.5	4.41
	QPSK	1 712.5	4.72
4 (5 MHz)		1 732.5	4.75
		1 752.5	4.41
4 (10 Mb)	QPSK	1 715.0	4.87
		1 732.5	4.75
		1 750.0	4.43
4 (15 Mb)	QPSK	1 717.5	5.10
		1 732.5	4.93
		1 747.5	4.58
	QPSK	1 720.0	4.84
4 (20 Mb)		1 732.5	4.64
		1 745.0	4.38

Band	Mode	Frequency (쌘)	PAR (dB)
5 (1.4 Mb)	QPSK	824.7	4.96
		836.5	5.07
		848.3	5.19
5 (3 Mb)	QPSK	825.5	4.81
		836.5	5.04
		847.5	5.10
5 (5 Mb)	QPSK	826.5	4.96
		836.5	5.04
		846.5	5.10
5 (10 吨)	QPSK	829.0	4.93
		836.5	5.04
		844.0	5.07

Band	Mode	Frequency (쌘)	PAR (dB)
13 (5 吨)	QPSK	779.5	5.01
		782.0	4.99
		784.5	4.96
13 (10 MHz)	QPSK	-	-
		782.0	4.96
		-	-


The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This test report cannot be reproduced, except in full, without prior written permission of the Company. This test report does not assure KOLAS accreditation.




Report Number: F690501/RF-RTL013115 Page: 132 of 257

LTE band 2 (1.4 \mathbb{Mb} - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 133 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 134 of 257

LTE band 2 (3 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 135 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 136 of 257

LTE band 2 (5 胍 - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 137 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 138 of 257

LTE band 2 (10 脏 - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 139 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 140 of 257

LTE band 2 (15 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 141 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 142 of 257

LTE band 2 (20 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 143 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 144 of 257

LTE band 4 (1.4 \m - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 145 of 257


High Channel






Report Number: F690501/RF-RTL013115 Page: 146 of 257

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 147 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 148 of 257

LTE band 4 (5 脏 - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 149 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 150 of 257

LTE band 4 (10 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 151 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 152 of 257

LTE band 4 (15 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 153 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 154 of 257

LTE band 4 (20 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 155 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 156 of 257

LTE band 5 (1.4 \mathbb{Mb} - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 157 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 158 of 257

LTE band 5 (3 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 159 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 160 of 257

LTE band 5 (5 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 161 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 162 of 257

LTE band 5 (10 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 163 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 164 of 257

LTE band 13 (5 Mb - QPSK)

Low Channel




Middle Channel






Report Number: F690501/RF-RTL013115 Page: 165 of 257

High Channel



LTE band 13 (10 Mb - QPSK)

Middle Channel





Report Number: F690501/RF-RTL013115 Page: 166 257

6. Spurious Emissions at Antenna Terminal

6.1. Limit

- <u>\$22.917(a)</u>, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10log(P) dB.
- <u>\$24.238(a)</u>, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.
- §27.53(c)(2), on any frequency outside the 776-788 № band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB.
- §27.53(h)(1), for operations in the 1 695-1 710 Mb, 1 710-1 755 Mb, 1 755-1 780 Mb, 1 915-1 920 Mb, 1 995-2 000 Mb, 2 000-2 020 Mb, 2 110-2 155 Mb, 2 155-2 180 Mb, and 2 180-2 200 Mb bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 \log_{10} (P) dB.




Report Number: F690501/RF-RTL013115 Page: 167 of 257

6.2. Test Procedure

The test follows section 6.1 of FCC KDB Publication 971168 D01 v03r01.

- a. Start frequency was set to 30 Mb and stop frequency was set to at least 10* the fundamental frequency.
- b. Detector = Peak.
- c. Trace mode = Max hold.
- d. Sweep time = Auto couple.
- e. The trace was allowed to stabilize.
- f. Please see notes below for RBW and VBW settings.
- g. For plots showing conducted spurious emissions from 30 Mb to 26 Gb, all path loss of wide frequency range was investigated and compensated to spectrum analyzer as TDF function.



Notes;

Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 & or greater for frequencies less than 1 & and frequencies greater than 1 & However, in the 1 & bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two point, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.



Report Number: F690501/RF-RTL013115 Page: 168 of 257


6.3. Test Results


: **(23** ± **1)** ℃ Ambient temperature Relative humidity % R.H. : 47

Please refer to the following plots.

LTE band 2 (1.4 Mb - QPSK)

Low Channel






The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This test report cannot be reproduced, except in full, without prior written permission of the Company. This test report does not assure KOLAS accreditation.


SGS Korea Co., Ltd. (Gunpo Laboratory) 4, LS-ro 182beon-gil, Gunpo-si, Gyeonggi-do, Korea, 15807 http://www.sgsgroup.kr



Report Number: F690501/RF-RTL013115 Page: 169 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 170 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 171 of 257

LTE band 2 (3 胍 - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 172 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 173 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 174 of 257

LTE band 2 (5 胍 - QPSK)

Low Channel






The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This test report cannot be reproduced, except in full, without prior written permission of the Company. This test report does not assure KOLAS accreditation.


RTT5041-19(2017.07.10)(0)



Report Number: F690501/RF-RTL013115 Page: 175 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 176 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 177 of 257

LTE band 2 (10 脏 - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 178 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 179 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 180 of 257

LTE band 2 (15 Mb - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 181 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 182 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 183 of 257

LTE band 2 (20 Mb - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 184 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 185 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 186 of 257

LTE band 4 (1.4 \m - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 187 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 188 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 189 of 257

Low Channel









Report Number: F690501/RF-RTL013115 Page: 190 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 191 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 192 of 257

LTE band 4 (5 胍 - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 193 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 194 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 195 of 257

LTE band 4 (10 Mb - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 196 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 197 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 198 of 257

LTE band 4 (15 上 - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 199 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 200 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 201 of 257

LTE band 4 (20 Mb - QPSK)

Low Channel









Report Number: F690501/RF-RTL013115 Page: 202 of 257

Middle Channel









Report Number: F690501/RF-RTL013115 Page: 203 of 257

High Channel









Report Number: F690501/RF-RTL013115 Page: 204 of 257

LTE band 5 (1.4 胍 - QPSK)

Low Channel



Middle Channel




The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This test report cannot be reproduced, except in full, without prior written permission of the Company. This test report does not assure KOLAS accreditation.

RTT5041-19(2017.07.10)(0)



Report Number: F690501/RF-RTL013115 Page: 205 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 206 of 257

LTE band 5 (3 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 207 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 208 of 257

LTE band 5 (5 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 209 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 210 of 257

LTE band 5 (10 Mb - QPSK)

Low Channel




Middle Channel





Report Number: F690501/RF-RTL013115 Page: 211 of 257

High Channel







Report Number: F690501/RF-RTL013115 Page: 212 of 257

LTE band 13 (5 账 - QPSK)

Low Channel




Middle Channel






Report Number: F690501/RF-RTL013115 Page: 213 of 257

High Channel



LTE band 13 (10 Mb - QPSK)

Middle Channel





Report Number: F690501/RF-RTL013115 Page: 214 of 257

7. Band Edge

7.1. Limit

- §22.917(a), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10log(P) dB.
- §24.238(a), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.
- §27.53(c)(2), on any frequency outside the 776-788 Mb band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB.
- \$27.53(h)(1), for operations in the 1 695-1 710 Mb, 1 710-1 755 Mb, 1 755-1 780 Mb, 1 915-1 920 Mb, 1 995-2 000 Mb, 2 000-2 020 Mb, 2 110-2 155 Mb, 2 155-2 180 Mb, and 2 180-2 200 Mb bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}$ (P) dB.




Report Number: F690501/RF-RTL013115 Page: 215 of 257

7.2. Test Procedure

The test follows section 6.0 of FCC KDB Publication 971168 D01 v03r01.

- a. Span was set large enough so as to capture all out of band emissions near the band edge.
- b. RBW ≥ 1 % of OBW
- c. $VBW \ge 3 \times RBW$.
- d. Detector = RMS.
- e. Trace mode = Average.
- f. Sweep time = Auto.
- g. The trace was allowed to stabilize.
- h. All path loss of frequency range was investigated and compensated to spectrum analyzer as TDF function.





Report Number: F690501/RF-RTL013115 Page: 216 of 257


7.3. Test Results

Ambient temperature : **(23** ± **1)** ℃ Relative humidity : 47 % R.H.

Please refer to the following plots.

LTE band 2 (1.4 \https://doi.org/10.1016

Low Channel



Low Channel






Page: 217 Report Number: F690501/RF-RTL013115 of 257

LTE band 2 (1.4 \m - QPSK_RB 6)

High Channel




High Channel






Report Number: F690501/RF-RTL013115 Page: 218 of 257

Low Channel



LTE band 2 (3 Mb - QPSK_RB 1)


Low Channel






Page: 219 Report Number: F690501/RF-RTL013115 of 257

High Channel



LTE band 2 (3 Mb - QPSK_RB 1)


High Channel






Report Number: F690501/RF-RTL013115 Page: 220 of 257

Low Channel



LTE band 2 (5 Mb - QPSK_RB 1)

Low Channel




The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This test report cannot be reproduced, except in full, without prior written permission of the Company. This test report does not assure KOLAS accreditation.

RTT5041-19(2017.07.10)(0)




Page: 221 Report Number: F690501/RF-RTL013115 of 257

High Channel



LTE band 2 (5 Mb - QPSK_RB 1)

High Channel






Report Number: F690501/RF-RTL013115 Page: 222 of 257


LTE band 2 (10 Mb - QPSK_RB 50)

Low Channel



LTE band 2 (10 \https://doi.org/10.1011/10.10

Low Channel






Page: 223 Report Number: F690501/RF-RTL013115 of 257


LTE band 2 (10 Mb - QPSK_RB 50)

High Channel



LTE band 2 (10 \https://doi.org/10.1011/10.10

High Channel






Report Number: F690501/RF-RTL013115 Page: 224 of 257


LTE band 2 (15 Mb - QPSK_RB 75)

Low Channel



LTE band 2 (15 \https://doi.org/10.1016/10.10

Low Channel






Page: 225 Report Number: F690501/RF-RTL013115 of 257


LTE band 2 (15 Mb - QPSK_RB 75)

High Channel



LTE band 2 (15 \https://doi.org/10.1016/10.10

High Channel






Report Number: F690501/RF-RTL013115 Page: 226 of 257


LTE band 2 (20 Mb - QPSK_RB 100)

Low Channel



LTE band 2 (20 \https://doi.org/10.1016/10.10

Low Channel






Page: 227 Report Number: F690501/RF-RTL013115 of 257


LTE band 2 (20 Mb - QPSK_RB 100)

High Channel



LTE band 2 (20 \https://doi.org/10.1016/10.10

High Channel







Page: 228 Report Number: F690501/RF-RTL013115 of 257

LTE band 4 (1.4 \(\mu \) - QPSK_RB 6)

Low Channel



Low Channel







Page: 229 Report Number: F690501/RF-RTL013115 of 257

LTE band 4 (1.4 \(\mu \) - QPSK_RB 6)

High Channel




High Channel






Page: 230 Report Number: F690501/RF-RTL013115 of 257

Low Channel



LTE band 4 (3 Mb - QPSK_RB 1)


Low Channel






Page: 231 Report Number: F690501/RF-RTL013115 of 257

High Channel



LTE band 4 (3 Mb - QPSK_RB 1)


High Channel






Report Number: F690501/RF-RTL013115 Page: 232 of 257

Low Channel



LTE band 4 (5 Mb - QPSK_RB 1)


Low Channel






Page: 233 Report Number: F690501/RF-RTL013115 of 257

High Channel



LTE band 4 (5 Mb - QPSK_RB 1)

High Channel






Page: 234 Report Number: F690501/RF-RTL013115 of 257


LTE band 4 (10 Mb - QPSK_RB 50)

Low Channel



LTE band 4 (10 \(\mathbb{M}\mathbb{L} - QPSK_RB 1 \)

Low Channel





Page: 235 Report Number: F690501/RF-RTL013115 of 257


LTE band 4 (10 Mb - QPSK_RB 50)

High Channel



LTE band 4 (10 \(\mathbb{M}\mathbb{L} - QPSK_RB 1 \)

High Channel






Page: 236 Report Number: F690501/RF-RTL013115 of 257


LTE band 4 (15 Mb - QPSK_RB 75)

Low Channel



LTE band 4 (15 \(\mu \) - QPSK_RB 1)

Low Channel






Page: 237 Report Number: F690501/RF-RTL013115 of 257


LTE band 4 (15 Mb - QPSK_RB 75)

High Channel



LTE band 4 (15 \(\mu \) - QPSK_RB 1)

High Channel






Page: 238 Report Number: F690501/RF-RTL013115 of 257


LTE band 4 (20 Mb - QPSK_RB 100)

Low Channel



LTE band 4 (20 \https://doi.org/10.1016/10.10

Low Channel






Page: 239 Report Number: F690501/RF-RTL013115 of 257


LTE band 4 (20 Mb - QPSK_RB 100)

High Channel



LTE band 4 (20 \https://doi.org/10.1016/10.10

High Channel







Page: 240 Report Number: F690501/RF-RTL013115 of 257

LTE band 5 (1.4 \mathbb{Mb} - QPSK_RB 6)

Low Channel



Low Channel







Page: 241 Report Number: F690501/RF-RTL013115 of 257

LTE band 5 (1.4 \mathbb{Mb} - QPSK_RB 6)

High Channel




High Channel






Report Number: F690501/RF-RTL013115 Page: 242 of 257

Low Channel



LTE band 5 (3 Mb - QPSK_RB 1)


Low Channel






Page: 243 Report Number: F690501/RF-RTL013115 of 257

High Channel



LTE band 5 (3 Mb - QPSK_RB 1)

High Channel






Report Number: F690501/RF-RTL013115 Page: 244 of 257


LTE band 5 (5 版 - QPSK_RB 25)

Low Channel



LTE band 5 (5 Mb - QPSK_RB 1)

Low Channel






Page: 245 Report Number: F690501/RF-RTL013115 of 257


LTE band 5 (5 版 - QPSK_RB 25)

High Channel



LTE band 5 (5 Mb - QPSK_RB 1)

High Channel






Page: 246 Report Number: F690501/RF-RTL013115 of 257


LTE band 5 (10 Mb - QPSK_RB 50)

Low Channel



LTE band 5 (10 \(\mathbb{M}\mathbb{L} - QPSK_RB 1 \)

Low Channel






Page: 247 Report Number: F690501/RF-RTL013115 of 257


LTE band 5 (10 Mb - QPSK_RB 50)

High Channel



LTE band 5 (10 \(\mathbb{M}\mathbb{L} - QPSK_RB 1 \)

High Channel






Page: 248 Report Number: F690501/RF-RTL013115 of 257


LTE band 13 (5 Mb - QPSK_RB 25)

Low Channel



LTE band 13 (5 版 - QPSK_RB 1)

Low Channel






Page: 249 Report Number: F690501/RF-RTL013115 of 257


LTE band 13 (5 Mb - QPSK_RB 25)

High Channel



LTE band 13 (5 版 - QPSK_RB 1)

High Channel






Page: 250 Report Number: F690501/RF-RTL013115 of 257


LTE band 13 (10 \(\mu \) - QPSK_RB 50)

Low Channel



LTE band 13 (10 \(\mu \) - QPSK_RB 1)

Low Channel






Page: 251 Report Number: F690501/RF-RTL013115 of 257


LTE band 13 (10 \(\mu \) - QPSK_RB 50)

High Channel



LTE band 13 (10 \(\mu \) - QPSK_RB 1)

High Channel





Report Number: F690501/RF-RTL013115 Page: 252 257

8. Frequency Stability

8.1. Limit

- §2.1055 (a), The frequency stability shall be measured with variation of ambient temperature as follows:
- (1) From -30° to +50° centigrade for all equipment except that specified in paragraphs (a)(2) and (3) of this
- (2) From -20° to + 50° centigrade for equipment to be licensed for use in the Maritime Services under part 80 of this chapter, except for Class A, B, and S Emergency Position Indicating Radiobeacons (EPIRBS), and equipment to be licensed for use above 952 MHz at operational fixed stations in all services, stations in the Local Television Transmission Service and Point-to-Point Microwave Radio Service under part 21 of this chapter, equipment licensed for use aboard aircraft in the Aviation Services under part 87 of this chapter. and equipment authorized for use in the Family Radio Service under part 95 of this chapter.
- (3) From 0° to + 50° centigrade for equipment to be licensed for use in the Radio Broadcast Services under part 73 of this chapter.
- §2.1055 (d), The frequency stability shall be measured with variation of primary supply voltage as follows:
- (1) Vary primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried battery equipment.
- (2) For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.
- (3) The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided. Effects on frequency of transmitter keying (except for broadcast transmitters) and any heating element cycling at the nominal supply voltage and at each extreme also shall be shown.
- §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table of this section.

For Mobile devices operating in the 824 to 849 Mb band at a power level less than or equal to 3 Watts, the limit specified in Table C-1 is +/- 2.5 ppm.


- §24.235, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.
- §27.54, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.



Report Number: F690501/RF-RTL013115 Page: 253 of 257

8.2. Test Procedure

- 1. Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to a Mobile Test Unit via feed-through attenuators.
- 2. The EUT was placed inside the temperature chamber.
- 3. After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from Mobile Test Unit.





Report Number: F690501/RF-RTL013115 Page: 254 of 257

8.3. Test Results

Ambient temperature : **(23** ± **1)** ℃ Relative humidity : 47 % R.H.

LTE band 2 at middle channel

Reference Frequency: 1 880.0 Mb

Frequency Stability versus Temperature

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50		-4	-0.002 1
40		-2	-0.001 1
30	4.0	1	0.000 5
23		-3	-0.001 6
10		2	0.001 1
0		4	0.002 1
-10		-1	-0.000 5
-20		-3	-0.001 6
-30		-2	-0.001 1

Frequency Stability versus Power Supply

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	4.6	-3	-0.001 6
	3.4	-2	-0.001 1



Report Number: F690501/RF-RTL013115 Page: 255 of 257

LTE band 4 at middle channel

Reference Frequency: 1 732.5 Mb

Frequency Stability versus Temperature

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50		2	0.001 2
40		2	0.001 2
30		1	0.000 6
23		-1	-0.000 6
10	4.0	1	0.000 6
0		2	0.001 2
-10		3	0.001 7
-20		1	0.000 6
-30		-1	-0.000 6

Frequency Stability versus Power Supply

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	4.6	1	0.000 6
	3.4	2	0.001 2



Report Number: F690501/RF-RTL013115 Page: 256 of 257

LTE band 5 at middle channel

Reference Frequency: 836.5 Mb

Frequency Stability versus Temperature

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50		2	0.002 4
40		1	0.001 2
30		3	0.003 6
23		1	0.001 2
10	4	4	0.004 8
0		-2	-0.002 4
-10		3	0.003 6
-20		2	0.002 4
-30		-1	-0.001 2

Frequency Stability versus Power Supply

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	4.6	-1	-0.001 2
	3.4	3	0.003 6



Report Number: F690501/RF-RTL013115 Page: 257 of 257

LTE band 13 at middle channel

Reference Frequency: 782.0 Mb

Frequency Stability versus Temperature

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50		-4	-0.005 1
40		-2	-0.002 6
30		-1	-0.001 3
23		-2	-0.002 6
10	4	-1	-0.001 3
0		1	0.001 3
-10		-2	-0.002 6
-20		-2	-0.002 6
-30		1	0.001 3

Frequency Stability versus Power Supply

Environment Temperature (℃)	Power Supplied (V _{dc})	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
23	4.6	-3	-0.003 8
	3.4	-1	-0.001 3

- End of the Test Report -