

LGE FCC ID:BEJTM510 -- FM Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.470 mW/g, SAR (10g): 0.325 mW/g

LG Electronics Tri-Mode Model:LG-TM510


FM Mode, Ch.0991 [824.04MHz]

Conducted Power = 27.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- FM Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.20 mW/g, SAR (10g): 0.829 mW/g

LG Electronics Tri-Mode Model:LG-TM510


FM Mode, Ch.0991 [824.04MHz]

Conducted Power = 27.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- FM Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.23 mW/g, SAR (10g): 0.845 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0383 [836.49MHz]

Conducted Power = 27.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



LGE FCC ID:BEJTM510 -- FM Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.01 mW/g, SAR (10g): 0.694 mW/g

LG Electronics Tri-Mode Model:LG-TM510


FM Mode, Ch.0383 [836.49MHz]

Conducted Power = 27.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- FM Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.685 mW/g, SAR (10g): 0.468 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 27.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



LGE FCC ID:BEJTM510 -- FM Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.333 mW/g, SAR (10g): 0.229 mW/g

LG Electronics Tri-Mode Model:LG-TM510


FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 27.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- FM Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.406 mW/g, SAR (10g): 0.296 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0991 [824.04MHz]; Flip = closed

Conducted Power = 27.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- FM Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.819 mW/g, SAR (10g): 0.596 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0991 [824.04MHz]; Flip = closed

Conducted Power = 27.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- FM Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.989 mW/g, SAR (10g): 0.718 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0383 [836.49MHz]; Flip = closed

Conducted Power = 27.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- FM Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.642 mW/g, SAR (10g): 0.464 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0383 [836.49MHz]; Flip = closed

Conducted Power = 27.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- FM Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.604 mW/g, SAR (10g): 0.438 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0799 [848.97MHz]; Flip = closed

Conducted Power = 27.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- FM Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.234 mW/g, SAR (10g): 0.169 mW/g

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0799 [848.97MHz]; Flip = closed

Conducted Power = 27.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- FM Hand SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 3.11 mW/g, **SAR (10g): 1.97 mW/g**

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0383 [836.49MHz]; Flip = open

Conducted Power = 27.0dBm; Spacing = Touch [rear of phone against flat phantom]

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- FM Hand SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 3.36 mW/g, **SAR (10g): 2.16 mW/g**

LG Electronics Tri-Mode Model:LG-TM510

FM Mode, Ch.0383 [836.49MHz]; Flip = open

Conducted Power = 27.0dBm; Spacing = Touch [rear of phone against flat phantom]

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- Cellular CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.409 mW/g, SAR (10g): 0.281 mW/g

LG Electronics Tri-Mode Model:LG-TM510


Cellular CDMA Mode, Ch.1013 [824.70MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- Cellular CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.86$ mho/m $\epsilon_r = 42.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.989 mW/g, SAR (10g): 0.681 mW/g

LG Electronics Tri-Mode Model:LG-TM510


Cellular CDMA Mode, Ch.1013 [824.70MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- Cellular CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.625 mW/g, SAR (10g): 0.452 mW/g

LG Electronics Tri-Mode Model:LG-TM510

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- Cellular CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.817 mW/g, SAR (10g): 0.593 mW/g

LG Electronics Tri-Mode Model:LG-TM510

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- Cellular CDMA Hand SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.86 mW/g, **SAR (10g): 1.81 mW/g**

LG Electronics Tri-Mode Model:LG-TM510

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = open

Conducted Power = 25.0dBm; Spacing = Touch [rear of phone against flat phantom]

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- Cellular CDMA Hand SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 3.28 mW/g, **SAR (10g): 2.13 mW/g**

LG Electronics Tri-Mode Model:LG-TM510

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = open

Conducted Power = 25.0dBm; Spacing = Touch [rear of phone against flat phantom]

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.18 mW/g, SAR (10g): 0.680 mW/g

LG Electronics Tri-Mode Model:LG-TM510


PCS CDMA Mode, Ch.0025 [1851.25MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- PCS CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.226 mW/g, SAR (10g): 0.128 mW/g

LG Electronics Tri-Mode Model:LG-TM510


PCS CDMA Mode, Ch.0025 [1851.25MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- PCS CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.28 mW/g, SAR (10g): 0.728 mW/g

LG Electronics Tri-Mode Model:LG-TM510


PCS CDMA Mode, Ch.0600 [1880.00MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- PCS CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.163 mW/g, SAR (10g): 0.0934 mW/g

LG Electronics Tri-Mode Model:LG-TM510


PCS CDMA Mode, Ch.0600 [1880.00MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- PCS CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.24 mW/g, SAR (10g): 0.712 mW/g

LG Electronics Tri-Mode Model:LG-TM510


PCS CDMA Mode, Ch.1175 [1908.75MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- PCS CDMA Head SAR [Class II Permissive Change]

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.154 mW/g, SAR (10g): 0.0860 mW/g

LG Electronics Tri-Mode Model:LG-TM510


PCS CDMA Mode, Ch.1175 [1908.75MHz]

Conducted Power = 25.0dBm; Flip = open; Left Head Phantom

Test Date -- 08-13-2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM510 -- PCS CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.347 mW/g, SAR (10g): 0.214 mW/g

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.433 mW/g, SAR (10g): 0.255 mW/g

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.348 mW/g, SAR (10g): 0.217 mW/g

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.492 mW/g, SAR (10g): 0.276 mW/g

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.328 mW/g, SAR (10g): 0.204 mW/g

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Body SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.659 mW/g, SAR (10g): 0.379 mW/g

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = closed

Conducted Power = 25.0dBm; Spacing = 2.5cm from flat phantom to phone, w/Beltclip

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Hand SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.99 mW/g, **SAR (10g): 1.37 mW/g**

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.0600 [1880.00MHz] Flip = open

Conducted Power = 25.0dBm; Spacing = Touch [rear of phone against flat phantom]

Test Date -- 08-14-2001



LGE FCC ID:BEJTM510 -- PCS CDMA Hand SAR [Class II Permissive Change]

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 2.06 mW/g, **SAR (10g): 1.44 mW/g**

LG Electronics Tri-Mode Model:LG-TM510

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = open

Conducted Power = 25.0dBm; Spacing = Touch [rear of phone against flat phantom]

Test Date -- 08-14-2001

