


LGE FCC ID:BEJTM910B -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.321 mW/g, SAR (10g): 0.219 mW/g


LGE TriMode Phone Model:LG-TM910B
FM Mode, Ch.0991[824.04MHz]; Flip = Closed
Conducted Power = 26.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001




LGE FCC ID:BEJTM910B -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.977 mW/g, SAR (10g): 0.702 mW/g

LGE TriMode Phone Model:LG-TM910B
FM Mode, Ch.0991 [824.04MHz]; Flip = Closed
Conducted Power = 26.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910B -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.509 mW/g, SAR (10g): 0.348 mW/g


LGE TriMode Phone Model:LG-TM910B
FM Mode, Ch.0383 [836.49MHz]; Flip = Closed
Conducted Power = 26.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001




LGE FCC ID:BEJTM910B -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.29 mW/g, SAR (10g): 0.899 mW/g

LGE TriMode Phone Model:LG-TM910B
FM Mode, Ch.0383 [836.49MHz]; Flip = Closed
Conducted Power = 26.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910B -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.459 mW/g, SAR (10g): 0.324 mW/g


LGE TriMode Phone Model:LG-TM910B
FM Mode, Ch.0799 [848.97MHz]; Flip = Closed
Conducted Power = 26.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001




LGE FCC ID:BEJTM910B -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.12 mW/g, SAR (10g): 0.771 mW/g

LGE TriMode Phone Model:LG-TM910B
FM Mode, Ch.0799 [848.97MHz]; Flip = Closed
Conducted Power = 26.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910B -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.409 mW/g, SAR (10g): 0.285 mW/g


LGE TriMode Phone Model:LG-TM910B
Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed
Conducted Power = 25.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001




LGE FCC ID:BEJTM910B -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.915 mW/g, SAR (10g): 0.657 mW/g

LGE TriMode Phone Model:LG-TM910B
Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed
Conducted Power = 25.0dBm; BlueTooth = 2.5mW
Test Date -- 09/24/2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910B -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.945 mW/g, SAR (10g): 0.512 mW/g

LGE TriMode Phone Model:LG-TM910B


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed

Conducted Power = 23.0dBm; BlueTooth = 2.5mW

Test Date -- 09/25/2001




SAR_{Tot} [mW/g]




LGE FCC ID:BEJTM910B -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.314 mW/g, SAR (10g): 0.169 mW/g

LGE TriMode Phone Model:LG-TM910B
PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed
Conducted Power = 23.0dBm; BlueTooth = 2.5mW
Test Date -- 09/25/2001




SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910B -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.33 mW/g, SAR (10g): 0.691 mW/g


LGE TriMode Phone Model:LG-TM910B
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed
Conducted Power = 23.0dBm; BlueTooth = 2.5mW
Test Date -- 09/25/2001




LGE FCC ID:BEJTM910B -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.422 mW/g, SAR (10g): 0.221 mW/g

LGE TriMode Phone Model:LG-TM910B
PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed
Conducted Power = 23.0dBm; BlueTooth = 2.5mW
Test Date -- 09/25/2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910B -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.944 mW/g, SAR (10g): 0.511 mW/g

LGE TriMode Phone Model:LG-TM910B


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed

Conducted Power = 23.0dBm; BlueTooth = 2.5mW

Test Date -- 09/25/2001




SAR_{Tot} [mW/g]




LGE FCC ID:BEJTM910B -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 1900 MHz Brain: $\sigma = 1.62$ mho/m $\epsilon_r = 40.0$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.309 mW/g, SAR (10g): 0.162 mW/g

LGE TriMode Phone Model:LG-TM910B
PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed
Conducted Power = 23.0dBm; BlueTooth = 2.5mW
Test Date -- 09/25/2001



SAR_{Tot} [mW/g]



LGE FCC ID:BEJTM910B -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.255 mW/g, SAR (10g): 0.182 mW/g

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0991 [824.04MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.408 mW/g, SAR (10g): 0.293 mW/g

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0991 [824.04MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.333 mW/g, SAR (10g): 0.237 mW/g

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0383 [836.49MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/262001



LGE FCC ID:BEJTM910B -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.472 mW/g, SAR (10g): 0.336 mW/g

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0383 [836.49MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.261 mW/g, SAR (10g): 0.185 mW/g

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.340 mW/g, SAR (10g): 0.242 mW/g

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.310 mW/g, SAR (10g): 0.220 mW/g

LGE TriMode Phone Model:LG-TM910B

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 25.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.355 mW/g, SAR (10g): 0.257 mW/g

LGE TriMode Phone Model:LG-TM910B

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 25.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.418 mW/g, SAR (10g): 0.240 mW/g

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.522 mW/g, SAR (10g): 0.274 mW/g

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.327 mW/g, SAR (10g): 0.189 mW/g

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.527 mW/g, SAR (10g): 0.279 mW/g

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.408 mW/g, SAR (10g): 0.312 mW/g

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.502 mW/g, SAR (10g): 0.386 mW/g

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = 2.0cm from flat phantom to phone, w/o beltclip or holster

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.97 mW/g, **SAR (10g): 1.68 mW/g**

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0991 [824.04MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.45 mW/g, **SAR (10g): 0.679 mW/g**

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0991 [824.04MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 3.08 mW/g, **SAR (10g): 1.74 mW/g**

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0383 [836.49MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.65 mW/g, **SAR (10g): 0.981 mW/g**

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0383 [836.49MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.77 mW/g, **SAR (10g): 1.61 mW/g**

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0799 [848.97MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.79 mW/g, **SAR (10g): 0.900 mW/g**

LGE TriMode Phone Model:LG-TM910B

FM Mode, Ch.0799 [848.97MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 26.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- Cellular CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.21 mW/g, **SAR (10g): 1.24 mW/g**

LGE TriMode Phone Model:LG-TM910B

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 25.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- Cellular CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.48 mW/g, **SAR (10g): 0.815 mW/g**

LGE TriMode Phone Model:LG-TM910B

Cellular CDMA Mode, Ch.0363 [835.89MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 25.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.05 mW/g, **SAR (10g): 1.03 mW/g**

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 2.41 mW/g, **SAR (10g): 1.20 mW/g**

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.66 mW/g, **SAR (10g): 1.33 mW/g**

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 2.58 mW/g, **SAR (10g): 1.27 mW/g**

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 2.30 mW/g, **SAR (10g): 1.16 mW/g**

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001



LGE FCC ID:BEJTM910B -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.58 mW/g, **SAR (10g): 0.798 mW/g**

LGE TriMode Phone Model:LG-TM910B

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open; BlueTooth = 2.5mW

Conducted Power = 23.0dBm; Spacing = touching flat phantom to phone

Test Date -- 09/26/2001

