

LG Electronics USA, Inc.

MPE ASSESSMENT REPORT

Report Type:

FCC Part §2.1091, §2.1093 and §1.1307(b) assessment report

Model:

MVEM1721#

REPORT NUMBER:

231000612SHA-002

ISSUE DATE:

October 31, 2023

DOCUMENT CONTROL NUMBER:

TTRFFCCMPE-01_V1 © 2018 Intertek





Intertek Testing Services Shanghai Building No.86, 1198 Qinzhou Road (North) Caohejing Development Zone Shanghai 200233, China

Telephone: 86 21 6127 8200

www.intertek.com

Report no.: 231000612SHA-002

Applicant: LG Electronics USA, Inc.

111 Sylvan Avenue North Building, Englewood Cliffs, New Jersey, United

States

Manufacturing Site: LG Electronics Tianjin Appliances Co., Ltd.

No.9 Jinwei Road, Bei Chen Dist., Tianjin 300402, People's Republic of

China

Product Name: Microwave oven

Type/Model: MVEM1721#

(#- Represent any alphanumeric code for color of Control panel/door

panel.)

FCC ID: BEJV1722NAF

SUMMARY:


The equipment complies with the requirements according to the following standard(s) or Specification:

47CFR Part 18 (2018) FCC/OET MP-5 (1986)

FCC Part2.1093 FCC Part1.1307(b), 1.1310, 2.1091

PREPARED BY:	REVIEWED BY:	
Tylan tang	Wakeyou	
Project Engineer	Reviewer	
Dylan Tang	Wakeyou Wang	


This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.





Revision History

Report No.	Version	Description	Issued Date
231000612SHA-002	Rev. 01	Initial issue of report	October 31, 2023






1 GENERAL INFORMATION

1.1 Description of Equipment Under Test (EUT)

Product name:	Microwave oven
	MVEM1721#
	(#- Represent any alphanumeric code for color of Control panel/door
Type/Model:	panel.)
Brand Name:	LG
	The EUT is a Microwave oven which have series models, and they are
Description of EUT:	electric identical. The model MVEM1721F were chosen to testing.
Rating:	AC 120V 60Hz Output: 1000W
Frequency:	2450MHz
EUT type:	☐ Table top ☐ Floor standing
Software Version:	/
Hardware Version:	/
Sample received date:	October 10, 2023
Date of test:	October 10, 2023 ~ October 27, 2023






1.2 Description of Test Facility

Name:	Intertek Testing Services Shanghai			
Address:	Building 86, No. 1198 Qinzhou Road(North), Shanghai 200233, P.R. China			
Telephone:	86 21 61278200			
Telefax:	86 21 54262353			

The test facility is recognized,	CNAS Accreditation Lab Registration No. CNAS L0139
certified, or accredited by these organizations:	FCC Accredited Lab Designation Number: CN0175
	IC Registration Lab CAB identifier.: CN0014
	VCCI Registration Lab Registration No.: R-14243, G-10845, C-14723, T-12252
	A2LA Accreditation Lab Certificate Number: 3309.02





2 Radiation Hazard Measurement

Test result: Pass

2.1 Limit


A maximum of 1.0mW/cm² is allowed in accordance with the applicable FCC standards. Hence, microwave leakage in the as-received condition with the oven door closed was below the maximum allowed.

2.2 Radiation Hazard (Health) Requirement

For ISM equipment operating on higher frequencies (above 900 MHz), in particulars microwave ovens and medical diathermy equipment, radiation leakage should be measured in accordance with the current Bureau of Radiological Health standard, employing an electromagnetic radiation monitor. This test is made primarily to assure that personnel will not be exposed to radiation hazard in testing the equipment. Equipment submitted to the FCC which have radiation leakage apparently in excess of BRH limit will be reported to BRH for their evaluation. See FCC Bulletin OST 56, "Questions and Answers about Biological Effects and Potential Hazards of Radiofrequency Radiation".

2.3 Measurement Procedure

The EUT was set-up according to the FCC MP-5 and FCC Part 18 for Radiation Hazard Measurement. The measurement was using a microwave leakage meter to measure the Radiation leakage in the as-received condition with the oven door closed. A 1000ml water load in a beaker was located in the center of the oven and the Microwave Oven was set to maximum power. While the oven operating, the microwave meter will check the leakage and then record the maximum leakage.





2.4 MPE Assessment Limit

Mobile device exposure for standalone operations:

According to §1.1310, the limit for general population/uncontrolled exposures

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)
Limits For General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f2)	30
30-300	27.5	0.073	0.2	30
300-1500	1	1	f/1500	30
1500-100,000	1	1	1.0	30

F=Frequency in MHz; *Plane-wave equivalent power density

A maximum of 1.0mW/cm² is allowed in accordance with the applicable FCC standards. Hence, microwave leakage in the as-received condition with the oven door closed was below the maximum allowed.

2.3 Test Results

There was no microwave leakage exceeding a power level of 0.15mW/cm² observed at any point 5cm or more from the external surface of the oven.