


Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	311.300	29.09	-16.91	46.00	38.59	3.89	13.98	27.37	Peak	---	---
2	602.300	27.73	-18.27	46.00	30.81	5.26	20.06	28.40	Peak	---	---
3	893.300	34.68	-11.32	46.00	36.37	6.04	19.90	27.63	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	31.88	-8.12	40.00	44.36	1.33	14.43	28.24	Peak	---	---
2	59.100	30.63	-9.37	40.00	49.57	1.84	7.40	28.18	Peak	---	---
3	307.420	29.57	-16.43	46.00	39.12	3.88	13.92	27.35	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMP05
 Memo : FCC ID:BGA-XMP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	315.180	27.37	-18.63	46.00	36.83	3.90	14.04	27.40	Peak	---	---
2	533.430	29.59	-16.41	46.00	34.84	4.90	18.25	28.40	Peak	---	---
3	893.300	32.84	-13.16	46.00	34.53	6.04	19.90	27.63	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	32.54	-7.46	40.00	45.02	1.33	14.43	28.24	Peak	---	---
2	288.020	30.44	-15.56	46.00	40.47	3.75	13.56	27.34	Peak	---	---
3	427.700	28.64	-17.36	46.00	36.45	4.41	15.89	28.11	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	299.660	29.29	-16.71	46.00	38.94	3.85	13.80	27.30	Peak	---	---
2	582.900	30.19	-15.81	46.00	33.81	5.18	19.60	28.40	Peak	---	---
3	894.270	33.92	-12.08	46.00	35.60	6.04	19.90	27.62	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	30.88	-9.12	40.00	43.36	1.33	14.43	28.24	Peak	---	---
2	59.100	27.90	-12.10	40.00	46.84	1.84	7.40	28.18	Peak	---	---
3	291.900	26.08	-19.92	46.00	35.98	3.79	13.64	27.33	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 135° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMP05
 Memo : FCC ID:BGA-XMP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	28.46	-11.54	40.00	47.40	1.84	7.40	28.18	Peak	---	---
2	299.660	28.70	-17.30	46.00	38.35	3.85	13.80	27.30	Peak	---	---
3	590.660	30.96	-15.04	46.00	34.33	5.22	19.81	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	31.70	-8.30	40.00	44.18	1.33	14.43	28.24	Peak	---	---
2	59.100	28.99	-11.01	40.00	47.93	1.84	7.40	28.18	Peak	---	---
3	295.780	28.96	-17.04	46.00	38.74	3.82	13.72	27.32	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	63.950	21.97	-18.03	40.00	41.11	1.96	7.07	28.17	Peak	---	---
2	303.540	27.44	-18.56	46.00	37.03	3.87	13.86	27.32	Peak	---	---
3	617.820	27.87	-18.13	46.00	31.12	5.25	19.88	28.38	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	33.99	-6.01	40.00	46.47	1.33	14.43	28.24	Peak	---	---
2	288.990	26.94	-19.06	46.00	36.94	3.76	13.58	27.34	Peak	---	---
3	397.630	26.43	-19.57	46.00	34.85	4.27	15.29	27.98	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	36.790	35.64	-4.36	40.00	48.28	1.36	14.23	28.23	Peak	---	---
2	296.750	27.71	-18.29	46.00	37.45	3.83	13.74	27.31	Peak	---	---
3	587.750	29.47	-16.53	46.00	32.93	5.20	19.74	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	32.70	-7.30	40.00	45.18	1.33	14.43	28.24	Peak	---	---
2	47.460	28.22	-11.78	40.00	43.78	1.60	11.05	28.21	Peak	---	---
3	291.900	28.83	-17.17	46.00	38.73	3.79	13.64	27.33	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	29.23	-10.77	40.00	41.71	1.33	14.43	28.24	Peak	---	---
2	299.660	32.34	-13.66	46.00	41.99	3.85	13.80	27.30	Peak	---	---
3	901.060	32.77	-13.23	46.00	34.39	6.06	19.91	27.59	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMP05
 Memo : FCC ID:BGA-XMP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	34.21	-5.79	40.00	46.69	1.33	14.43	28.24	Peak	---	---
2	47.460	33.36	-6.64	40.00	48.92	1.60	11.05	28.21	Peak	---	---
3	311.300	31.51	-14.49	46.00	41.01	3.89	13.98	27.37	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	118.270	25.99	-17.51	43.50	38.11	2.51	13.38	28.01	Peak	---	---
2	300.630	29.88	-16.12	46.00	39.51	3.86	13.81	27.30	Peak	---	---
3	599.390	27.77	-18.23	46.00	30.87	5.25	20.05	28.40	Peak	---	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度


	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	34.06	-5.94	40.00	46.54	1.33	14.43	28.24	Peak	---	---
2	47.460	31.80	-8.20	40.00	47.36	1.60	11.05	28.21	Peak	---	---
3	292.870	32.80	-13.20	46.00	42.67	3.79	13.66	27.32	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

3.2 Test Result of Field Strength of Fundamental Emissions

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	22.02	-45.98	68.00	36.91	2.26	10.96	28.11	Peak	304	---
2	96.880	16.12	-31.88	48.00	31.01	2.26	10.96	28.11	Average	304	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	29.21	-38.79	68.00	44.10	2.26	10.96	28.11	Peak	113	---
2	96.880	27.20	-20.80	48.00	42.09	2.26	10.96	28.11	Average	113	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	21.62	-46.38	68.00	36.51	2.26	10.96	28.11	Peak	346	---
2	96.890	19.34	-28.66	48.00	34.23	2.26	10.96	28.11	Average	346	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	26.79	-41.21	68.00	41.68	2.26	10.96	28.11	Peak	126	---
2	96.880	24.92	-23.08	48.00	39.81	2.26	10.96	28.11	Average	126	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	23.02	-44.98	68.00	37.91	2.26	10.96	28.11	Peak	331	---
2	96.880	19.92	-28.08	48.00	34.81	2.26	10.96	28.11	Average	331	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	22.53	-45.47	68.00	37.42	2.26	10.96	28.11	Peak	100	---
2	96.880	17.10	-30.90	48.00	31.99	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 135° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	19.99	-48.01	68.00	34.88	2.26	10.96	28.11	Peak	385	135
2	96.880	13.92	-34.08	48.00	28.81	2.26	10.96	28.11	Average	385	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	26.48	-41.52	68.00	41.37	2.26	10.96	28.11	Peak	167	135
2	96.880	24.47	-23.53	48.00	39.36	2.26	10.96	28.11	Average	167	135

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	22.58	-45.42	68.00	37.47	2.26	10.96	28.11	Peak	302	90
2	96.880	19.35	-28.65	48.00	34.24	2.26	10.96	28.11	Average	302	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Rnt	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	25.24	-42.76	68.00	40.13	2.26	10.96	28.11	Peak	143	90
2	96.880	22.68	-25.32	48.00	37.57	2.26	10.96	28.11	Average	143	90

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	23.54	-44.46	68.00	38.43	2.26	10.96	28.11	Peak	301	45
2	96.880	19.68	-28.32	48.00	34.57	2.26	10.96	28.11	Average	301	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	21.42	-46.58	68.00	36.31	2.26	10.96	28.11	Peak	109	45
2	96.880	18.14	-29.86	48.00	33.03	2.26	10.96	28.11	Average	109	45

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	22.01	-45.99	68.00	36.90	2.26	10.96	28.11	Peak	289	0
2	96.880	17.58	-30.42	48.00	32.47	2.26	10.96	28.11	Average	289	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	24.58	-43.42	68.00	39.47	2.26	10.96	28.11	Peak	130	0
2	96.890	21.77	-26.23	48.00	36.66	2.26	10.96	28.11	Average	130	0

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	26.72	-41.28	68.00	41.61	2.26	10.96	28.11	Peak	313	---
2	96.880	23.02	-24.98	48.00	37.91	2.26	10.96	28.11	Average	313	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	25.93	-42.07	68.00	40.82	2.26	10.96	28.11	Peak	150	---
2	96.880	25.11	-22.89	48.00	40.00	2.26	10.96	28.11	Average	150	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	21.92	-46.08	68.00	36.81	2.26	10.96	28.11	Peak	333	---
2	96.880	19.92	-28.08	48.00	34.81	2.26	10.96	28.11	Average	333	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	28.73	-39.27	68.00	43.62	2.26	10.96	28.11	Peak	100	---
2	96.880	27.14	-20.86	48.00	42.03	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	23.17	-44.83	68.00	38.06	2.26	10.96	28.11	Peak	391	---
2	96.880	19.76	-28.24	48.00	34.65	2.26	10.96	28.11	Average	391	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : XMXP05
 Memo : FCC ID:BGA-XMXP05
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	28.93	-39.07	68.00	43.82	2.26	10.96	28.11	Peak	100	---
2	96.880	27.45	-20.55	48.00	42.34	2.26	10.96	28.11	Average	100	---