


Data#: 1 File#: 00t0221.emi

Date: 05-02-2000 Time: 14:05:40



(Compliance)


Trace:

Ref Trace:

Condition: FCC CLASS-B 3m B_BILOG (CBL6112B) HORIZONTAL
Report NO. : 00T0221
Test Engr : Thu
Company : Audiovox Corp.
EUT : 302MHz Car Alarm Rx
Test Config: EUT/Battery/Signal Generator
Test Target: FCC Class B
Test Mode : Rx

Data#: 4 File#: 00t0221.emi

Date: 05-02-2000 Time: 16:06:20



(Compliance)

Trace: 1

Ref Trace:


Condition: FCC CLASS-B 3m B_BILOG (CBL6112B) HORIZONTAL
 Report NO. : 00T0221
 Test Engr : Thu
 Company : Audiovox Corp.
 EUT : 302MHz Car Alarm Rx
 Test Config: EUT/Battery/Signal Generator
 Test Target: FCC Class B
 Test Mode : Rx

Page: 1

	Read Freq	Probe Level	Probe Factor	Cable Loss	Preamp Factor	Factor	Level	Limit	Over
	MHz	dBuV	dB	dB	dB	dB	dBuV/m	dBuV/m	dB
1	289.445	44.60	13.68	3.75	26.58	-9.15	35.45	46.00	-10.55
2	290.145	45.00	13.69	3.74	26.58	-9.15	35.85	46.00	-10.15
3	290.770	44.60	13.71	3.73	26.58	-9.14	35.46	46.00	-10.54
4	291.420	44.60	13.72	3.72	26.58	-9.14	35.46	46.00	-10.54
5	292.070	44.20	13.74	3.72	26.58	-9.12	35.08	46.00	-10.92
6	292.745	44.80	13.75	3.73	26.59	-9.10	35.70	46.00	-10.30
7	293.395	44.30	13.77	3.74	26.59	-9.08	35.22	46.00	-10.78
8	294.070	44.50	13.78	3.74	26.60	-9.07	35.43	46.00	-10.57
9	294.720	44.80	13.80	3.75	26.60	-9.05	35.75	46.00	-10.25
10	295.395	44.30	13.82	3.76	26.59	-9.02	35.28	46.00	-10.72
11	296.045	44.90	13.83	3.76	26.59	-8.99	35.91	46.00	-10.09
12	296.695	44.30	13.85	3.77	26.58	-8.96	35.34	46.00	-10.66
13	297.395	44.90	13.86	3.78	26.58	-8.94	35.96	46.00	-10.04
14	298.095	44.20	13.88	3.78	26.59	-8.93	35.27	46.00	-10.73
15	298.695	44.10	13.89	3.79	26.59	-8.91	35.19	46.00	-10.81
16	299.395	45.70	13.91	3.80	26.60	-8.89	36.81	46.00	-9.19
17	300.070	45.90	13.93	3.80	26.60	-8.87	37.03	46.00	-8.97
18	300.720	45.20	13.95	3.81	26.60	-8.84	36.36	46.00	-9.64
19	301.445	45.60	13.97	3.81	26.60	-8.82	36.78	46.00	-9.22
20	302.745	46.50	14.00	3.82	26.60	-8.77	37.73	46.00	-8.27
21	303.420	46.50	14.02	3.83	26.60	-8.75	37.75	46.00	-8.25
22	304.095	45.50	14.04	3.83	26.60	-8.73	36.77	46.00	-9.23
23	304.795	45.30	14.05	3.84	26.60	-8.71	36.59	46.00	-9.41
24	305.470	45.40	14.07	3.84	26.60	-8.68	36.72	46.00	-9.28
25	306.120	45.00	14.09	3.84	26.60	-8.66	36.34	46.00	-9.66

Data#: 2 File#: 00t0221.emi

Date: 05-02-2000 Time: 14:09:31



(Compliance)


Trace:

Ref Trace:

Condition: FCC CLASS-B 3m B_BILOG (CBL6112B) VERTICAL
 Report NO. : 00T0221
 Test Engr : Thu
 Company : Audiovox Corp.
 EUT : 302MHz Car Alarm Rx
 Test Config: EUT/Battery/Signal Generator
 Test Target: FCC Class B
 Test Mode : Rx

Data#: 6 File#: 00t0221.emi

Date: 05-02-2000 Time: 16:47:48



(Compliance)

Trace: 2

Ref Trace:


Condition: FCC CLASS-B 3m B_BILOG (CBL6112B) VERTICAL
 Report NO. : 00T0221
 Test Engr : Thu
 Company : Audiovox Corp.
 EUT : 302MHz Car Alarm Rx
 Test Config: EUT/Battery/Signal Generator
 Test Target: FCC Class B
 Test Mode : Rx

Page: 1

	Freq MHz	Read Level dBuV	Probe Factor dB	Cable Loss dB	Preamp Factor dB	Level dB	Limit		
							Line	Over	Limit
1	296.690	44.00	13.44	3.77	26.58	-9.37	34.63	46.00	-11.37
2	298.360	45.20	13.48	3.79	26.59	-9.33	35.87	46.00	-10.13
3	299.660	44.40	13.50	3.80	26.60	-9.30	35.10	46.00	-10.90
4	302.830	43.90	13.59	3.83	26.60	-9.18	34.72	46.00	-11.28

Data#: 3 File#: 00t0221.emi

Date: 05-02-2000 Time: 15:59:55



(Compliance)

Trace: 1

Ref Trace:

Condition: FCC CLASS-B 3m B_BILOG (CBL6112B) HORIZONTAL
 Report NO. : 00T0221
 Test Engr : Thu
 Company : Audiovox Corp.
 EUT : 302MHz Car Alarm Rx
 Test Config: EUT/Battery/Signal Generator
 Test Target: FCC Class B
 Test Mode : Rx

Page: 1

	Read	Probe	Cable	Preamp		
Freq	Level	Factor	Loss	Factor	Factor	Level
MHz	dBuV	dB	dB	dB	dB	dBuV/m
1 *	302.070	79.40	13.98	3.82	26.60	-8.80 70.60



1366 Bordeaux Drive
 Sunnyvale, CA 94089-1005
 Tel: (408) 752-8166
 Fax: (408) 752-8168

Data#: 5 File#: 00t0221.emi
 Compliance

Date: 05-02-2000 Time: 16:07:50

Condition: FCC CLASS-B 3m E_BILOG (CBL6112B) HORIZONTAL
 Report NO. : 00T0221
 Test Engr : Thu
 Company : Audiovox Corp.
 EUT : 302MHz Car Alarm Rx
 Test Config: EUT/Battery/Signal Generator
 Test Target: FCC Class B
 Test Mode : Rx
 : 6 Worst Data Readings

Page: 1

	Freq	Read Level	Probe Factor	Cable Loss	Preamp Factor	Factor	Level	Limit Line	Over Limit
	MHz	dBuV	dB	dB	dB	dB	dBuV/m	dBuV/m	dB
1	299.395	45.70	13.91	3.80	26.60	-8.89	36.81	46.00	-9.19
2	300.070	45.90	13.93	3.80	26.60	-8.87	37.03	46.00	-8.97
3	301.395	45.90	13.96	3.81	26.60	-8.82	37.08	46.00	-8.92
4	302.745	46.50	14.00	3.82	26.60	-8.77	37.73	46.00	-8.27
5	303.420	46.50	14.02	3.83	26.60	-8.75	37.75	46.00	-8.25
6	312.870	44.60	14.27	3.89	26.61	-8.45	36.15	46.00	-9.85

	Freq	Read Level	Probe Factor	Cable Loss	Preamp Factor	Factor	Level	Limit Line	Over Limit
	MHz	dBuV	dB	dB	dB	dB	dBuV/m	dBuV/m	dB
26	306.770	44.60	14.11	3.85	26.59	-8.64	35.96	46.00	-10.04
27	307.470	44.70	14.13	3.85	26.59	-8.61	36.09	46.00	-9.91
28	308.145	44.70	14.14	3.86	26.60	-8.59	36.11	46.00	-9.89
29	308.845	44.10	14.16	3.87	26.60	-8.57	35.53	46.00	-10.47
30	309.495	44.20	14.18	3.88	26.61	-8.55	35.65	46.00	-10.35
31	310.170	44.00	14.20	3.89	26.62	-8.53	35.47	46.00	-10.53
32	310.845	44.30	14.22	3.89	26.62	-8.51	35.79	46.00	-10.21
33	311.520	44.10	14.23	3.89	26.62	-8.49	35.61	46.00	-10.39
34	312.195	43.40	14.25	3.89	26.61	-8.47	34.93	46.00	-11.07
35	312.870	44.60	14.27	3.89	26.61	-8.45	36.15	46.00	-9.85
36	313.595	41.90	14.27	3.90	26.62	-8.45	33.45	46.00	-12.55