


Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax40 Full
 Frequency :2452 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :12.25

Test Date :2023-08-24
 Temp./Humi. :25.7/57
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBμV	Factor dB	Actual FS dBμV/m	Limit dBμV/m	Margin dB
2389.03	Average	40.21	4.80	45.01	54.00	-8.99
2390.00	Peak	48.99	4.80	53.80	74.00	-20.20
2452.00	Peak	100.41	4.56	104.97	--	--
2452.00	Average	90.25	4.56	94.81	--	--
2483.57	Peak	56.28	4.61	60.90	74.00	-13.10
2484.82	Average	44.54	4.60	49.13	54.00	-4.87

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-24
Operation Band	:802.11ax40 RU242/62	Temp./Humi.	:25.7/57
Frequency	:2452 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.25		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
2347.27	Peak	49.61	4.85	54.47	74.00	-19.53
2386.28	Average	40.46	4.80	45.26	54.00	-8.74
2457.56	Peak	106.76	4.62	111.38	--	--
2464.82	Average	97.52	4.69	102.21	--	--
2483.82	Peak	59.52	4.61	64.13	74.00	-9.87
2483.82	Average	48.46	4.61	53.07	54.00	-0.93

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax40 RU242/62
 Frequency :2452 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :13.25

Test Date :2023-08-24
 Temp./Humi. :25.7/57
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
2379.28	Peak	49.27	4.79	54.06	74.00	-19.94
2380.03	Average	39.95	4.80	44.75	54.00	-9.25
2457.06	Peak	103.19	4.61	107.80	--	--
2457.56	Average	93.63	4.62	98.25	--	--
2483.57	Average	44.40	4.61	49.01	54.00	-4.99
2483.82	Peak	55.79	4.61	60.40	74.00	-13.60

Report No.: TMWK2307002435KR

Rev.: 00

TX Test Data

Report Number	:TMWK2307002435KR	Test Date	:2023-08-30
Operation Band	:802.11n40	Temp./Humi.	:25.3/56
Frequency	:2422 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
76.37	Peak	41.97	-16.74	25.23	40.00	-14.77
159.88	Peak	40.03	-12.82	27.21	43.50	-16.29
250.38	Peak	39.53	-13.99	25.53	46.00	-20.47
342.24	Peak	37.92	-11.18	26.74	46.00	-19.26
499.58	Peak	35.37	-7.53	27.84	46.00	-18.16
531.39	Peak	38.67	-6.88	31.79	46.00	-14.21

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-30
Operation Band	:802.11n40	Temp./Humi.	:25.3/56
Frequency	:2422 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
159.50	Peak	37.52	-12.78	24.74	43.50	-18.76
263.96	Peak	41.52	-13.53	27.99	46.00	-18.01
335.16	Peak	40.17	-11.24	28.93	46.00	-17.07
408.01	Peak	35.90	-9.59	26.32	46.00	-19.68
499.00	Peak	35.21	-7.55	27.66	46.00	-18.34
626.65	Peak	30.87	-4.68	26.19	46.00	-19.81

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-24
Operation Band	:802.11b	Temp./Humi.	:24.6/60
Frequency	:2412 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4824.00	Peak	46.74	0.40	47.14	74.00	-26.86
4824.00	Average	40.78	0.40	41.18	54.00	-12.82
7236.00	Peak	47.68	5.36	53.05	74.00	-20.95
7236.00	Average	40.51	5.36	45.87	54.00	-8.13

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11b
 Frequency :2412 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :16

Test Date :2023-08-24
 Temp./Humi. :24.6/60
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4824.00	Peak	45.55	0.40	45.95	74.00	-28.05
4824.00	Average	37.05	0.40	37.45	54.00	-16.55
7236.00	Peak	45.98	5.36	51.34	74.00	-22.66
7236.00	Average	37.88	5.36	43.24	54.00	-10.76

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-24
Operation Band	:802.11b	Temp./Humi.	:24.6/60
Frequency	:2437 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4874.00	Peak	47.16	0.47	47.64	74.00	-26.36
4874.00	Average	42.89	0.47	43.36	54.00	-10.64
7311.00	Peak	52.08	5.49	57.57	74.00	-16.43
7311.00	Average	47.66	5.49	53.15	54.00	-0.85

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11b
 Frequency :2437 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :19.5

Test Date :2023-08-24
 Temp./Humi. :24.6/60
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBμV	Factor dB	Actual FS dBμV/m	Limit dBμV/m	Margin dB
4874.00	Peak	46.59	0.47	47.06	74.00	-26.94
4874.00	Average	40.00	0.47	40.47	54.00	-13.53
7311.00	Peak	45.32	5.49	50.82	74.00	-23.18
7311.00	Average	39.69	5.49	45.18	54.00	-8.82

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-24
Operation Band	:802.11b	Temp./Humi.	:24.6/60
Frequency	:2462 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4924.00	Peak	44.49	0.56	45.05	74.00	-28.95
4924.00	Average	40.18	0.56	40.74	54.00	-13.26
7386.00	Peak	46.69	5.63	52.32	74.00	-21.68
7386.00	Average	40.32	5.63	45.95	54.00	-8.05

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11b
 Frequency :2462 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17

Test Date :2023-08-24
 Temp./Humi. :24.6/60
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4924.00	Peak	43.40	0.56	43.96	74.00	-30.04
4924.00	Average	38.73	0.56	39.29	54.00	-14.71
7386.00	Peak	40.98	5.63	46.61	74.00	-27.39
7386.00	Average	35.44	5.63	41.07	54.00	-12.93

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-24
Operation Band	:802.11g	Temp./Humi.	:24.6/60
Frequency	:2412 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4824.00	Peak	42.99	0.40	43.40	74.00	-30.60
4824.00	Average	33.69	0.40	34.09	54.00	-19.91
7236.00	Peak	41.24	5.36	46.61	74.00	-27.39
7236.00	Average	33.42	5.36	38.79	54.00	-15.21

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11g
 Frequency :2412 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :14

Test Date :2023-08-24
 Temp./Humi. :24.6/60
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBμV	Factor dB	Actual FS dBμV/m	Limit dBμV/m	Margin dB
4824.00	Peak	42.51	0.40	42.92	74.00	-31.08
4824.00	Average	33.59	0.40	34.00	54.00	-20.01
7236.00	Peak	40.71	5.36	46.07	74.00	-27.93
7236.00	Average	33.39	5.36	38.76	54.00	-15.24

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-24
Operation Band	:802.11g	Temp./Humi.	:24.6/60
Frequency	:2437 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4874.00	Peak	42.66	0.47	43.13	74.00	-30.87
4874.00	Average	33.11	0.47	33.58	54.00	-20.42
7311.00	Peak	50.21	5.49	55.70	74.00	-18.30
7311.00	Average	43.45	5.49	48.95	54.00	-5.05

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11g
 Frequency :2437 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :19.5

Test Date :2023-08-24
 Temp./Humi. :24.6/60
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4874.00	Peak	43.24	0.47	43.71	74.00	-30.29
4874.00	Average	33.59	0.47	34.07	54.00	-19.93
7311.00	Peak	45.85	5.49	51.34	74.00	-22.66
7311.00	Average	37.89	5.49	43.38	54.00	-10.62

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-24
Operation Band	:802.11g	Temp./Humi.	:24.6/60
Frequency	:2462 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBUV	Factor dB	Actual FS dBUV/m	Limit dBUV/m	Margin dB
4924.00	Peak	43.50	0.56	44.06	74.00	-29.94
4924.00	Average	33.76	0.56	34.31	54.00	-19.69
7386.00	Peak	44.63	5.63	50.26	74.00	-23.74
7386.00	Average	37.93	5.63	43.55	54.00	-10.45

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11g
 Frequency :2462 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17

Test Date :2023-08-24
 Temp./Humi. :24.6/60
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBμV	Factor dB	Actual FS dBμV/m	Limit dBμV/m	Margin dB
4924.00	Peak	42.52	0.56	43.08	74.00	-30.92
4924.00	Average	33.73	0.56	34.29	54.00	-19.71
7386.00	Peak	41.48	5.63	47.10	74.00	-26.90
7386.00	Average	32.58	5.63	38.20	54.00	-15.80

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n20	Temp./Humi.	:26.0/54
Frequency	:2412 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4824.00	Peak	43.73	0.40	44.14	74.00	-29.86
4824.00	Average	34.06	0.40	34.46	54.00	-19.54
7236.00	Peak	45.45	5.36	50.81	74.00	-23.19
7236.00	Average	36.97	5.36	42.34	54.00	-11.66

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11n20
 Frequency :2412 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :14

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4824.00	Peak	42.79	0.40	43.20	74.00	-30.80
4824.00	Average	33.98	0.40	34.38	54.00	-19.62
7236.00	Peak	42.10	5.36	47.46	74.00	-26.54
7236.00	Average	33.00	5.36	38.36	54.00	-15.64

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n20	Temp./Humi.	:26.0/54
Frequency	:2437 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4874.00	Peak	42.99	0.47	43.46	74.00	-30.54
4874.00	Average	34.11	0.47	34.58	54.00	-19.42
7311.00	Peak	50.75	5.49	56.24	74.00	-17.76
7311.00	Average	43.41	5.49	48.90	54.00	-5.10

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11n20
 Frequency :2437 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :19.5

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4874.00	Peak	42.85	0.47	43.32	74.00	-30.68
4874.00	Average	34.23	0.47	34.70	54.00	-19.30
7311.00	Peak	44.99	5.49	50.48	74.00	-23.52
7311.00	Average	37.78	5.49	43.27	54.00	-10.73

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n20	Temp./Humi.	:26.0/54
Frequency	:2462 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBUV	Factor dB	Actual FS dBUV/m	Limit dBUV/m	Margin dB
4924.00	Peak	42.84	0.56	43.40	74.00	-30.60
4924.00	Average	33.49	0.56	34.05	54.00	-19.95
7386.00	Peak	41.62	5.63	47.24	74.00	-26.76
7386.00	Average	33.57	5.63	39.19	54.00	-14.81

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11n20
 Frequency :2462 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :14

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4924.00	Peak	42.46	0.56	43.02	74.00	-30.98
4924.00	Average	33.45	0.56	34.01	54.00	-19.99
7386.00	Peak	42.33	5.63	47.95	74.00	-26.05
7386.00	Average	33.49	5.63	39.11	54.00	-14.89

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n40	Temp./Humi.	:26.0/54
Frequency	:2422 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4844.00	Peak	43.30	0.42	43.73	74.00	-30.27
4844.00	Average	33.43	0.42	33.86	54.00	-20.15
7266.00	Peak	43.66	5.42	49.08	74.00	-24.92
7266.00	Average	35.68	5.42	41.10	54.00	-12.90

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n40	Temp./Humi.	:26.0/54
Frequency	:2422 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4844.00	Peak	43.60	0.42	44.02	74.00	-29.98
4844.00	Average	33.30	0.42	33.73	54.00	-20.27
7266.00	Peak	42.52	5.42	47.94	74.00	-26.06
7266.00	Average	33.00	5.42	38.42	54.00	-15.58

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n40	Temp./Humi.	:26.0/54
Frequency	:2437 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4874.00	Peak	42.51	0.47	42.99	74.00	-31.01
4874.00	Average	33.16	0.47	33.63	54.00	-20.37
7311.00	Peak	41.54	5.49	47.04	74.00	-26.96
7311.00	Average	33.82	5.49	39.31	54.00	-14.69

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n40	Temp./Humi.	:26.0/54
Frequency	:2437 MHz	Antenna Pol.	:Horizontal
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBμV	Factor dB	Actual FS dBμV/m	Limit dBμV/m	Margin dB
4874.00	Peak	42.20	0.47	42.68	74.00	-31.32
4874.00	Average	32.93	0.47	33.40	54.00	-20.60
7311.00	Peak	42.36	5.49	47.85	74.00	-26.15
7311.00	Average	32.88	5.49	38.37	54.00	-15.63

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11n40	Temp./Humi.	:26.0/54
Frequency	:2452 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4904.00	Peak	42.45	0.53	42.98	74.00	-31.02
4904.00	Average	33.37	0.53	33.89	54.00	-20.11
7356.00	Peak	40.80	5.49	46.29	74.00	-27.71
7356.00	Average	33.01	5.49	38.50	54.00	-15.50

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11n40
 Frequency :2452 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :12

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4904.00	Peak	43.31	0.53	43.84	74.00	-30.16
4904.00	Average	33.33	0.53	33.86	54.00	-20.14
7356.00	Peak	42.28	5.49	47.77	74.00	-26.23
7356.00	Average	32.70	5.49	38.19	54.00	-15.81

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax20 Full	Temp./Humi.	:26.0/54
Frequency	:2412 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4824.00	Peak	43.46	0.40	43.86	74.00	-30.14
4824.00	Average	33.99	0.40	34.39	54.00	-19.61
7236.00	Peak	44.66	5.36	50.02	74.00	-23.98
7236.00	Average	36.85	5.36	42.21	54.00	-11.79

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax20 Full
 Frequency :2412 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13.5

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level d μ V	Factor dB	Actual FS d μ V/m	Limit d μ V/m	Margin dB
4824.00	Peak	42.51	0.40	42.91	74.00	-31.09
4824.00	Average	33.98	0.40	34.38	54.00	-19.62
7236.00	Peak	40.79	5.36	46.15	74.00	-27.85
7236.00	Average	33.17	5.36	38.53	54.00	-15.47

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax20 RU106/53	Temp./Humi.	:26.0/54
Frequency	:2412 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4824.00	Peak	44.39	0.40	44.80	74.00	-29.20
4824.00	Average	35.69	0.40	36.10	54.00	-17.90
7236.00	Peak	48.28	5.36	53.64	74.00	-20.36
7236.00	Average	40.75	5.36	46.11	54.00	-7.89

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax20 RU106/53
 Frequency :2412 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17.25

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4824.00	Peak	42.24	0.40	42.64	74.00	-31.36
4824.00	Average	34.03	0.40	34.44	54.00	-19.56
7236.00	Peak	44.83	5.36	50.19	74.00	-23.81
7236.00	Average	38.13	5.36	43.49	54.00	-10.51

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax20 Full	Temp./Humi.	:26.0/54
Frequency	:2437 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4874.00	Peak	42.80	0.47	43.27	74.00	-30.73
4874.00	Average	33.79	0.47	34.27	54.00	-19.73
7311.00	Peak	50.22	5.49	55.71	74.00	-18.29
7311.00	Average	42.77	5.49	48.26	54.00	-5.74

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax20 Full
 Frequency :2437 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :19.5

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4874.00	Peak	43.47	0.47	43.94	74.00	-30.06
4874.00	Average	33.28	0.47	33.75	54.00	-20.25
7311.00	Peak	45.24	5.49	50.73	74.00	-23.27
7311.00	Average	36.68	5.49	42.17	54.00	-11.83

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax20 Full	Temp./Humi.	:26.0/54
Frequency	:2462 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4924.00	Peak	41.77	0.56	42.33	74.00	-31.67
4924.00	Average	32.94	0.56	33.50	54.00	-20.50
7386.00	Peak	42.12	5.63	47.74	74.00	-26.26
7386.00	Average	33.81	5.63	39.43	54.00	-14.57

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax20 Full
 Frequency :2462 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13.5

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4924.00	Peak	41.94	0.56	42.50	74.00	-31.50
4924.00	Average	32.93	0.56	33.49	54.00	-20.51
7386.00	Peak	42.10	5.63	47.73	74.00	-26.27
7386.00	Average	32.40	5.63	38.02	54.00	-15.98

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax20 RU106/54
 Frequency :2462 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :15

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :VERTICAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4924.00	Peak	42.38	0.56	42.94	74.00	-31.06
4924.00	Average	33.47	0.56	34.03	54.00	-19.97
7386.00	Peak	47.25	5.63	52.88	74.00	-21.12
7386.00	Average	37.96	5.63	43.58	54.00	-10.42

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax20 RU106/54
 Frequency :2462 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :15

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBμV	Factor dB	Actual FS dBμV/m	Limit dBμV/m	Margin dB
4924.00	Peak	42.71	0.56	43.27	74.00	-30.73
4924.00	Average	33.16	0.56	33.72	54.00	-20.28
7386.00	Peak	41.73	5.63	47.36	74.00	-26.64
7386.00	Average	33.76	5.63	39.39	54.00	-14.61

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax40 Full	Temp./Humi.	:26.0/54
Frequency	:2422 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBμV	Factor dB	Actual FS dBμV/m	Limit dBμV/m	Margin dB
4844.00	Peak	42.32	0.42	42.74	74.00	-31.26
4844.00	Average	33.91	0.42	34.34	54.00	-19.67
7266.00	Peak	43.71	5.42	49.13	74.00	-24.87
7266.00	Average	34.31	5.42	39.73	54.00	-14.27

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax40 Full
 Frequency :2422 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13.5

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4844.00	Peak	43.33	0.42	43.75	74.00	-30.25
4844.00	Average	33.88	0.42	34.30	54.00	-19.70
7266.00	Peak	41.24	5.42	46.66	74.00	-27.34
7266.00	Average	33.10	5.42	38.52	54.00	-15.48

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax40 RU242/61	Temp./Humi.	:26.0/54
Frequency	:2422 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4844.00	Peak	43.35	0.42	43.77	74.00	-30.23
4844.00	Average	33.90	0.42	34.32	54.00	-19.68
7266.00	Peak	41.62	5.42	47.04	74.00	-26.96
7266.00	Average	35.35	5.42	40.77	54.00	-13.23

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax40 RU242/61
 Frequency :2422 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13.25

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4844.00	Peak	43.18	0.42	43.61	74.00	-30.39
4844.00	Average	34.00	0.42	34.43	54.00	-19.58
7266.00	Peak	41.38	5.42	46.80	74.00	-27.20
7266.00	Average	33.08	5.42	38.50	54.00	-15.50

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax40 Full	Temp./Humi.	:26.0/54
Frequency	:2437 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4874.00	Peak	41.97	0.47	42.44	74.00	-31.56
4874.00	Average	33.64	0.47	34.12	54.00	-19.88
7311.00	Peak	41.49	5.49	46.98	74.00	-27.02
7311.00	Average	33.00	5.49	38.49	54.00	-15.51

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax40 Full
 Frequency :2437 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13.5

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4874.00	Peak	44.11	0.47	44.58	74.00	-29.42
4874.00	Average	33.52	0.47	33.99	54.00	-20.01
7311.00	Peak	41.66	5.49	47.15	74.00	-26.85
7311.00	Average	33.01	5.49	38.50	54.00	-15.50

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax40 Full	Temp./Humi.	:26.0/54
Frequency	:2452 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4904.00	Peak	42.06	0.53	42.59	74.00	-31.41
4904.00	Average	33.29	0.53	33.82	54.00	-20.18
7356.00	Peak	41.37	5.49	46.85	74.00	-27.15
7356.00	Average	33.09	5.49	38.58	54.00	-15.42

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax40 Full
 Frequency :2452 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :12.25

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level d μ V	Factor dB	Actual FS d μ V/m	Limit d μ V/m	Margin dB
4904.00	Peak	42.60	0.53	43.13	74.00	-30.87
4904.00	Average	33.28	0.53	33.81	54.00	-20.19
7356.00	Peak	41.66	5.49	47.15	74.00	-26.85
7356.00	Average	32.83	5.49	38.32	54.00	-15.68

Report No.: TMWK2307002435KR

Rev.: 00

Report Number	:TMWK2307002435KR	Test Date	:2023-08-25
Operation Band	:802.11ax40 RU2462/62	Temp./Humi.	:26.0/54
Frequency	:2452 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4904.00	Peak	43.34	0.53	43.86	74.00	-30.14
4904.00	Average	33.12	0.53	33.65	54.00	-20.35
7356.00	Peak	42.16	5.49	47.65	74.00	-26.35
7356.00	Average	32.81	5.49	38.30	54.00	-15.70

Report No.: TMWK2307002435KR

Rev.: 00

Report Number :TMWK2307002435KR
 Operation Band :802.11ax40 RU2462/62
 Frequency :2452 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13.25

Test Date :2023-08-25
 Temp./Humi. :26.0/54
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4904.00	Peak	43.17	0.53	43.69	74.00	-30.31
4904.00	Average	33.13	0.53	33.66	54.00	-20.34
7356.00	Peak	42.12	5.49	47.60	74.00	-26.40
7356.00	Average	32.90	5.49	38.39	54.00	-15.61

- End of Test Report -