




4.5.2 Test Procedure

Test method Refer as KDB 789033 D02.


1. The EUT is placed on a turntable, Above 1 GHz is 1.5m and below 1 GHz is 0.8m above ground plane. The EUT Configured un accordance with ANSI C63.10: 2013, and the EUT set in a continuous mode.
2. The turntable shall be rotated for 360 degrees to determine the position of maximum emission level. And EUT is set 3m away from the receiving antenna, which is scanned from 1m to 4m above the ground plane to find out the highest emissions. Measurement are made polarized in both the vertical and the horizontal positions with antenna.
3. Span shall wide enough to full capture the emission measured. The SA from 9kHz to 40GHz set to the low, Mid and High channels with the EUT transmit.
4. No emission found between lowest internal used/generated frequency to 30MHz (9KHz~30MHz)
5. The SA setting following :
 - (1) Below 1G : RBW = 100kHz, VBW \geq 3*RBW, Sweep = Auto, Detector = Peak, Trace = Max hold.
 - (2) Above 1G :
 - (2.1) For Peak measurement : RBW = 1MHz, VBW \geq 3 RBW, Sweep = Auto, Detector = Peak, Trace = Max hold.
 - (2.2) For Average measurement : RBW = 1MHz, VBW
 - 'If Duty Cycle \geq 98%, VBW=10Hz.
 - 'If Duty Cycle < 98%, VBW=1/T.

4.5.3 Test Setup


9kHz ~ 30MHz



30MHz ~ 1GHz



Above 1 GHz






Report No.: TMWK2307002437KR

4.5.4 Test Result

Test Data

Band Edge

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5149.61	Peak	57.94	10.89	68.83	74.00	-5.17
5150.00	Average	42.19	10.89	53.08	54.00	-0.92
5180.00	Peak	100.87	10.81	111.68	--	--
5180.00	Average	94.35	10.81	105.16	--	--
5414.40	Peak	42.31	10.69	53.00	74.00	-21.00
5459.16	Average	32.55	10.86	43.41	54.00	-10.59



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5180 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5149.86	Peak	55.78	10.89	66.67	74.00	-7.33
5150.00	Average	39.58	10.89	50.47	54.00	-3.53
5180.00	Peak	98.32	10.81	109.12	--	--
5180.00	Average	91.57	10.81	102.38	--	--
5449.91	Peak	42.52	10.85	53.37	74.00	-20.63
5452.16	Average	32.62	10.85	43.47	54.00	-10.53



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band1	Temp./Humi.	:26.7/58
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5148.86	Peak	55.99	10.89	66.88	74.00	-7.12
5149.86	Average	42.17	10.89	53.06	54.00	-0.94
5180.00	Peak	100.28	10.81	111.09	--	--
5180.00	Average	92.95	10.81	103.75	--	--
5370.15	Peak	42.81	10.71	53.52	74.00	-20.48
5453.16	Average	32.96	10.85	43.81	54.00	-10.19



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band1	Temp./Humi.	:26.7/58
Frequency	:5180 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5149.86	Peak	54.93	10.89	65.82	74.00	-8.18
5149.86	Average	40.58	10.89	51.47	54.00	-2.53
5180.00	Peak	99.76	10.81	110.57	--	--
5180.00	Average	92.17	10.81	102.97	--	--
5450.16	Average	32.94	10.85	43.79	54.00	-10.21
5457.41	Peak	43.19	10.86	54.05	74.00	-19.95



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band1	Temp./Humi.	:25.9/56
Frequency	:5190 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5142.36	Peak	53.90	10.90	64.80	74.00	-9.20
5150.00	Average	42.23	10.89	53.12	54.00	-0.88
5190.00	Peak	94.85	10.78	105.63	--	--
5190.00	Average	87.44	10.78	98.22	--	--
5408.65	Peak	43.50	10.67	54.16	74.00	-19.84
5450.16	Average	33.40	10.85	44.25	54.00	-9.75



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band1	Temp./Humi.	:25.9/56
Frequency	:5190 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5148.36	Peak	54.31	10.89	65.20	74.00	-8.80
5150.00	Average	38.41	10.89	49.30	54.00	-4.70
5190.00	Peak	93.62	10.78	104.40	--	--
5190.00	Average	86.33	10.78	97.11	--	--
5403.90	Peak	43.74	10.65	54.39	74.00	-19.61
5443.66	Average	33.53	10.82	44.35	54.00	-9.65



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band1	Temp./Humi.	:25.9/56
Frequency	:5210 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.75		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5120.85	Peak	55.99	10.92	66.92	74.00	-7.08
5143.11	Average	42.01	10.90	52.90	54.00	-1.10
5210.00	Peak	90.86	10.73	101.59	--	--
5210.00	Average	81.80	10.73	92.54	--	--
5440.91	Peak	43.31	10.81	54.12	74.00	-19.88
5459.16	Average	33.05	10.86	43.90	54.00	-10.10



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band1	Temp./Humi.	:25.9/56
Frequency	:5210 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5120.60	Peak	52.90	10.93	63.82	74.00	-10.18
5140.61	Average	37.47	10.90	48.37	54.00	-5.63
5210.00	Peak	88.06	10.73	98.79	--	--
5210.00	Average	80.92	10.73	91.65	--	--
5354.89	Peak	44.01	10.75	54.75	74.00	-19.25
5444.16	Average	33.15	10.82	43.98	54.00	-10.02



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band1 Full	Temp./Humi.	:24.1/59
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5149.36	Peak	53.41	10.89	64.30	74.00	-9.70
5150.00	Average	42.56	10.89	53.45	54.00	-0.55
5180.00	Peak	100.00	10.81	110.80	--	--
5180.00	Average	91.13	10.81	101.94	--	--
5375.15	Peak	42.49	10.69	53.18	74.00	-20.82
5455.41	Average	32.48	10.86	43.34	54.00	-10.66



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band1 Full
 Frequency :5180 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :16.5

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5144.86	Peak	48.51	10.90	59.41	74.00	-14.59
5150.00	Average	37.97	10.89	48.86	54.00	-5.14
5180.00	Peak	97.16	10.81	107.97	--	--
5180.00	Average	89.75	10.81	100.55	--	--
5433.16	Peak	42.78	10.78	53.56	74.00	-20.44
5450.16	Average	32.60	10.85	43.46	54.00	-10.54



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band1 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5131.11	Average	33.59	10.91	44.51	54.00	-9.49
5147.36	Peak	43.57	10.89	54.46	74.00	-19.54
5176.86	Average	91.87	10.81	102.68	--	--
5177.86	Peak	101.48	10.81	112.29	--	--
5390.65	Peak	42.72	10.65	53.37	74.00	-20.63
5454.16	Average	32.47	10.85	43.33	54.00	-10.67



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band1 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5180 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4640.52	Average	33.88	10.31	44.19	54.00	-9.81
5149.61	Peak	43.10	10.89	53.99	74.00	-20.01
5175.36	Peak	98.31	10.82	109.13	--	--
5176.86	Average	90.00	10.81	100.82	--	--
5424.65	Average	32.58	10.74	43.32	54.00	-10.68
5438.91	Peak	43.39	10.80	54.19	74.00	-19.81



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band1 Full	Temp./Humi.	:24.1/59
Frequency	:5190 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5146.86	Peak	52.35	10.89	63.24	74.00	-10.76
5150.00	Average	42.42	10.89	53.31	54.00	-0.69
5190.00	Peak	99.41	10.78	110.19	--	--
5190.00	Average	90.03	10.78	100.81	--	--
5411.90	Average	33.28	10.68	43.96	54.00	-10.04
5449.16	Peak	42.69	10.85	53.54	74.00	-20.46



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band1 Full
 Frequency :5190 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :14.5

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5149.61	Peak	47.67	10.89	58.56	74.00	-15.44
5150.00	Average	36.88	10.89	47.77	54.00	-6.23
5190.00	Peak	96.32	10.78	107.09	--	--
5190.00	Average	88.18	10.78	98.95	--	--
5398.40	Peak	43.29	10.63	53.93	74.00	-20.07
5451.91	Average	33.20	10.85	44.05	54.00	-9.95



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band1 RU242/61	Temp./Humi.	:24.1/59
Frequency	:5190 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5148.36	Average	37.04	10.89	47.93	54.00	-6.07
5150.00	Peak	51.01	10.89	61.90	68.20	-6.30
5178.86	Peak	101.91	10.81	112.71	--	--
5179.86	Average	92.75	10.81	103.56	--	--
5390.65	Peak	43.16	10.65	53.81	74.00	-20.19
5450.41	Average	32.98	10.85	43.83	54.00	-10.17



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band1 RU242/61	Temp./Humi.	:24.1/59
Frequency	:5190 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5142.86	Average	35.29	10.90	46.18	54.00	-7.82
5149.11	Peak	43.87	10.89	54.76	74.00	-19.24
5179.86	Average	91.05	10.81	101.85	--	--
5183.11	Peak	100.26	10.80	111.06	--	--
5425.15	Peak	43.40	10.74	54.14	74.00	-19.86
5447.41	Average	33.36	10.84	44.20	54.00	-9.80



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band1 Full	Temp./Humi.	:25.3/56
Frequency	:5210 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5145.86	Peak	49.95	10.89	60.85	74.00	-13.15
5149.86	Average	42.10	10.89	52.99	54.00	-1.01
5210.00	Peak	92.72	10.73	103.45	--	--
5210.00	Average	82.09	10.73	92.83	--	--
5449.16	Average	33.57	10.85	44.42	54.00	-9.58
5451.66	Peak	42.98	10.85	53.83	74.00	-20.17



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band1 Full
 Frequency :5210 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :12.25

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5130.11	Peak	46.44	10.91	57.36	74.00	-16.64
5146.61	Average	36.88	10.89	47.78	54.00	-6.22
5210.00	Peak	90.18	10.73	100.91	--	--
5210.00	Average	81.75	10.73	92.48	--	--
5424.65	Average	33.86	10.74	44.60	54.00	-9.40
5452.16	Peak	43.00	10.85	53.85	74.00	-20.15



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band1 RU484/65	Temp./Humi.	:25.3/56
Frequency	:5210 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5145.36	Peak	50.01	10.90	60.90	74.00	-13.10
5148.86	Average	42.15	10.89	53.04	54.00	-0.96
5177.36	Average	85.91	10.81	96.73	--	--
5178.61	Peak	95.06	10.81	105.87	--	--
5433.16	Average	33.77	10.78	44.55	54.00	-9.45
5440.91	Peak	42.57	10.81	53.38	74.00	-20.62



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band1 RU484/65	Temp./Humi.	:25.3/56
Frequency	:5210 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5149.36	Peak	45.70	10.89	56.59	74.00	-17.41
5149.36	Average	37.14	10.89	48.03	54.00	-5.97
5183.86	Average	84.48	10.80	95.28	--	--
5204.62	Peak	94.34	10.74	105.09	--	--
5374.90	Average	33.77	10.70	44.47	54.00	-9.53
5447.91	Peak	42.70	10.84	53.54	74.00	-20.46



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band2	Temp./Humi.	:26.7/58
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5039.84	Average	33.63	10.87	44.50	54.00	-9.50
5062.59	Peak	43.01	10.90	53.91	74.00	-20.09
5320.00	Peak	100.35	10.69	111.03	--	--
5320.00	Average	92.80	10.69	103.49	--	--
5350.14	Average	36.49	10.76	47.25	54.00	-6.75
5352.39	Peak	48.51	10.75	59.27	74.00	-14.73



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band2	Temp./Humi.	:26.7/58
Frequency	:5320 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4642.02	Average	33.81	10.31	44.12	54.00	-9.88
4656.28	Peak	43.56	10.32	53.88	74.00	-20.12
5320.00	Peak	99.13	10.69	109.82	--	--
5320.00	Average	91.97	10.69	102.66	--	--
5350.39	Peak	49.96	10.76	60.72	74.00	-13.28
5350.39	Average	36.55	10.76	47.31	54.00	-6.69



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band2	Temp./Humi.	:26.7/58
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5067.35	Average	33.97	10.90	44.87	54.00	-9.13
5120.10	Peak	43.69	10.93	54.62	74.00	-19.38
5320.00	Peak	101.16	10.69	111.85	--	--
5320.00	Average	93.07	10.69	103.76	--	--
5350.00	Average	40.12	10.76	50.88	54.00	-3.12
5353.39	Peak	51.39	10.75	62.15	74.00	-11.85



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band2	Temp./Humi.	:26.7/58
Frequency	:5320 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4854.06	Peak	44.47	10.44	54.91	74.00	-19.09
5057.84	Average	34.10	10.89	44.99	54.00	-9.01
5320.00	Peak	101.07	10.69	111.75	--	--
5320.00	Average	93.02	10.69	103.71	--	--
5350.14	Peak	54.90	10.76	65.66	74.00	-8.34
5350.14	Average	41.79	10.76	52.55	54.00	-1.45



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band2	Temp./Humi.	:25.9/56
Frequency	:5310 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5028.09	Average	34.24	10.86	45.10	54.00	-8.90
5037.09	Peak	43.91	10.87	54.78	74.00	-19.22
5310.00	Peak	95.23	10.66	105.90	--	--
5310.00	Average	87.89	10.66	98.55	--	--
5350.00	Average	42.16	10.76	52.92	54.00	-1.08
5354.89	Peak	55.14	10.75	65.88	74.00	-8.12



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band2	Temp./Humi.	:25.9/56
Frequency	:5310 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5055.59	Peak	44.16	10.89	55.05	74.00	-18.95
5098.10	Average	34.27	10.95	45.22	54.00	-8.78
5310.00	Peak	94.69	10.66	105.35	--	--
5310.00	Average	87.18	10.66	97.85	--	--
5350.00	Average	41.57	10.76	52.33	54.00	-1.67
5351.14	Peak	55.94	10.76	66.69	74.00	-7.31



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band2	Temp./Humi.	:25.9/56
Frequency	:5290 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5025.34	Average	33.82	10.86	44.68	54.00	-9.32
5034.59	Peak	44.14	10.86	55.00	74.00	-19.00
5290.00	Peak	92.51	10.64	103.15	--	--
5290.00	Average	83.95	10.64	94.60	--	--
5360.39	Average	41.05	10.73	51.79	54.00	-2.21
5381.15	Peak	56.56	10.68	67.24	74.00	-6.76



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band2	Temp./Humi.	:25.9/56
Frequency	:5290 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4662.03	Peak	44.63	10.32	54.94	74.00	-19.06
4700.53	Average	34.60	10.27	44.87	54.00	-9.13
5290.00	Peak	92.17	10.64	102.81	--	--
5290.00	Average	83.65	10.64	94.29	--	--
5381.65	Peak	58.13	10.68	68.81	74.00	-5.19
5385.40	Average	42.80	10.67	53.47	54.00	-0.53



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band2 Full	Temp./Humi.	:24.1/59
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4997.58	Peak	44.16	10.82	54.98	74.00	-19.02
5019.59	Average	33.46	10.85	44.31	54.00	-9.69
5320.00	Peak	100.34	10.69	111.03	--	--
5320.00	Average	92.47	10.69	103.16	--	--
5350.00	Peak	50.25	10.76	61.01	68.20	-7.19
5350.14	Average	38.53	10.76	49.29	54.00	-4.71



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band2 Full
 Frequency :5320 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5066.84	Peak	43.68	10.90	54.58	74.00	-19.42
5098.35	Average	33.22	10.95	44.17	54.00	-9.83
5320.00	Peak	99.40	10.69	110.09	--	--
5320.00	Average	91.90	10.69	102.59	--	--
5351.39	Average	37.09	10.76	47.85	54.00	-6.15
5353.64	Peak	48.11	10.75	58.86	74.00	-15.14



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band2 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4635.52	Average	33.87	10.30	44.17	54.00	-9.83
4650.03	Peak	44.88	10.33	55.21	74.00	-18.79
5322.89	Average	92.18	10.69	102.88	--	--
5326.39	Peak	100.48	10.70	111.18	--	--
5351.39	Peak	44.16	10.76	54.92	74.00	-19.08
5353.14	Average	33.53	10.75	44.28	54.00	-9.72



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band2 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5320 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4641.02	Average	33.84	10.31	44.15	54.00	-9.85
5146.11	Peak	43.26	10.89	54.16	74.00	-19.84
5322.64	Average	91.79	10.69	102.49	--	--
5325.89	Peak	100.14	10.70	110.84	--	--
5350.89	Average	33.64	10.76	44.40	54.00	-9.60
5351.64	Peak	46.15	10.76	56.90	74.00	-17.10



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band2 Full	Temp./Humi.	:24.1/59
Frequency	:5310 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4662.53	Average	34.36	10.31	44.67	54.00	-9.33
4801.80	Peak	44.12	10.38	54.51	74.00	-19.49
5310.00	Peak	98.47	10.66	109.14	--	--
5310.00	Average	88.05	10.66	98.72	--	--
5351.64	Peak	54.50	10.76	65.26	74.00	-8.74
5352.89	Average	42.66	10.75	53.41	54.00	-0.59



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band2 Full
 Frequency :5310 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :15.25

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4625.52	Peak	43.96	10.28	54.24	74.00	-19.76
4632.52	Average	34.45	10.30	44.75	54.00	-9.26
5310.00	Peak	97.31	10.66	107.97	--	--
5310.00	Average	86.58	10.66	97.24	--	--
5350.00	Average	40.52	10.76	51.28	54.00	-2.72
5350.14	Peak	53.51	10.76	64.27	74.00	-9.73



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band2 RU242/62	Temp./Humi.	:24.1/59
Frequency	:5310 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4635.27	Average	34.36	10.30	44.66	54.00	-9.34
4871.56	Peak	43.83	10.47	54.30	74.00	-19.70
5312.39	Peak	99.83	10.67	110.50	--	--
5316.14	Average	89.88	10.68	100.56	--	--
5355.39	Average	34.43	10.75	45.18	54.00	-8.82
5362.64	Peak	43.13	10.73	53.85	74.00	-20.15



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band2 RU242/62	Temp./Humi.	:24.1/59
Frequency	:5310 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4641.77	Average	34.54	10.31	44.85	54.00	-9.15
4749.29	Peak	43.85	10.40	54.25	74.00	-19.75
5315.14	Peak	97.44	10.68	108.11	--	--
5315.39	Average	88.28	10.68	98.96	--	--
5350.14	Average	34.36	10.76	45.12	54.00	-8.88
5360.89	Peak	44.21	10.73	54.94	74.00	-19.06



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band2 Full	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4651.03	Peak	44.01	10.33	54.34	74.00	-19.66
5045.09	Average	34.38	10.88	45.26	54.00	-8.74
5290.00	Peak	92.33	10.64	102.97	--	--
5290.00	Average	84.23	10.64	94.87	--	--
5359.64	Peak	52.38	10.73	63.12	74.00	-10.88
5384.90	Average	42.46	10.67	53.13	54.00	-0.87



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band2 Full
 Frequency :5290 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :13

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
4653.78	Average	35.44	10.33	45.77	54.00	-8.23
4703.78	Peak	43.97	10.28	54.25	74.00	-19.75
5290.00	Peak	90.00	10.64	100.65	--	--
5290.00	Average	81.86	10.64	92.50	--	--
5376.15	Average	41.35	10.69	52.04	54.00	-1.96
5378.65	Peak	51.98	10.69	62.66	74.00	-11.34



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band2 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4631.02	Average	35.07	10.29	45.37	54.00	-8.63
5104.60	Peak	43.53	10.94	54.48	74.00	-19.52
5325.39	Peak	97.25	10.70	107.95	--	--
5327.39	Average	88.72	10.71	99.42	--	--
5351.39	Average	42.14	10.76	52.90	54.00	-1.10
5352.14	Peak	52.61	10.75	63.36	74.00	-10.64



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band2 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
4637.52	Average	35.10	10.31	45.41	54.00	-8.59
4648.53	Peak	44.27	10.33	54.59	74.00	-19.41
5311.14	Peak	94.89	10.67	105.55	--	--
5326.39	Average	86.87	10.70	97.57	--	--
5350.64	Average	39.03	10.76	49.79	54.00	-4.21
5351.89	Peak	50.92	10.76	61.68	74.00	-12.32



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5454.41	Peak	42.94	10.85	53.79	74.00	-20.21
5458.41	Average	34.31	10.86	45.17	54.00	-8.83
5469.66	Peak	52.41	10.87	63.28	68.20	-4.92
5500.00	Peak	100.90	10.90	111.80	--	--
5500.00	Average	93.25	10.90	104.15	--	--
5919.49	Peak	43.65	12.36	56.00	68.20	-12.20



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5500 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5452.16	Average	34.20	10.85	45.05	54.00	-8.95
5453.41	Peak	42.69	10.85	53.54	74.00	-20.46
5469.41	Peak	51.50	10.87	62.36	68.20	-5.84
5500.00	Peak	99.05	10.90	109.95	--	--
5500.00	Average	92.04	10.90	102.94	--	--
5986.25	Peak	42.31	12.38	54.69	68.20	-13.51



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5420.65	Peak	42.42	10.72	53.14	74.00	-20.86
5443.41	Average	32.58	10.82	43.40	54.00	-10.60
5463.91	Peak	42.44	10.86	53.30	68.20	-14.90
5700.00	Peak	95.73	12.16	107.89	--	--
5700.00	Average	88.95	12.16	101.11	--	--
5727.21	Peak	49.57	12.31	61.88	68.20	-6.32



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11a/Band3
 Frequency :5700 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :16.75

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5444.91	Peak	42.71	10.83	53.54	74.00	-20.46
5449.91	Average	32.70	10.85	43.55	54.00	-10.45
5463.91	Peak	41.93	10.86	52.79	68.20	-15.41
5700.00	Peak	94.05	12.16	106.21	--	--
5700.00	Average	87.07	12.16	99.23	--	--
5726.71	Peak	45.80	12.30	58.10	68.20	-10.10



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5452.16	Peak	49.66	10.85	60.52	74.00	-13.48
5459.66	Average	40.10	10.86	50.96	54.00	-3.04
5468.41	Peak	56.07	10.87	66.94	68.20	-1.26
5500.00	Peak	101.12	10.90	112.02	--	--
5500.00	Average	93.24	10.90	104.14	--	--
5804.22	Peak	50.03	12.65	62.68	68.20	-5.52



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n20/Band3
 Frequency :5500 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17.5

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5457.41	Average	39.90	10.86	50.75	54.00	-3.25
5458.41	Peak	49.68	10.86	60.54	74.00	-13.46
5469.91	Peak	55.03	10.87	65.90	68.20	-2.30
5500.00	Peak	100.40	10.90	111.30	--	--
5500.00	Average	93.19	10.90	104.09	--	--
5988.00	Peak	51.08	12.38	63.46	68.20	-4.74



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5361.39	Peak	50.14	10.73	60.87	74.00	-13.13
5445.91	Average	39.52	10.83	50.35	54.00	-3.65
5463.66	Peak	48.58	10.86	59.45	68.20	-8.75
5700.00	Peak	100.01	12.16	112.17	--	--
5700.00	Average	92.32	12.16	104.48	--	--
5726.96	Peak	51.48	12.31	63.78	68.20	-4.42



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5700 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5427.66	Peak	49.67	10.75	60.42	74.00	-13.58
5447.66	Average	39.69	10.84	50.53	54.00	-3.47
5468.91	Peak	49.27	10.87	60.14	68.20	-8.06
5700.00	Peak	96.77	12.16	108.93	--	--
5700.00	Average	89.11	12.16	101.27	--	--
5899.73	Peak	50.64	12.36	63.01	68.20	-5.19



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band3	Temp./Humi.	:25.9/56
Frequency	:5510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5454.41	Peak	45.61	10.85	56.46	74.00	-17.54
5459.41	Average	36.21	10.86	47.07	54.00	-6.93
5469.16	Peak	56.44	10.87	67.31	68.20	-0.89
5510.00	Peak	95.44	10.96	106.40	--	--
5510.00	Average	87.65	10.96	98.61	--	--
5999.75	Peak	43.60	12.39	55.99	68.20	-12.21



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band3	Temp./Humi.	:25.9/56
Frequency	:5510 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5457.41	Peak	46.31	10.86	57.17	74.00	-16.83
5459.41	Average	35.71	10.86	46.57	54.00	-7.43
5469.16	Peak	55.11	10.87	65.98	68.20	-2.22
5510.00	Peak	95.27	10.96	106.23	--	--
5510.00	Average	87.09	10.96	98.05	--	--
5982.50	Peak	44.82	12.38	57.20	68.20	-11.00



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band3	Temp./Humi.	:25.9/56
Frequency	:5670 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5443.66	Peak	43.13	10.82	53.96	74.00	-20.04
5448.16	Average	33.68	10.84	44.52	54.00	-9.48
5463.16	Peak	43.07	10.86	53.93	68.20	-14.27
5670.00	Peak	98.43	11.89	110.32	--	--
5670.00	Average	90.67	11.89	102.56	--	--
5726.46	Peak	48.38	12.30	60.68	68.20	-7.52



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n40/Band3
 Frequency :5670 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5426.65	Peak	42.88	10.75	53.62	74.00	-20.38
5447.66	Average	33.66	10.84	44.50	54.00	-9.50
5461.91	Peak	42.91	10.86	53.78	68.20	-14.42
5670.00	Peak	93.82	11.89	105.71	--	--
5670.00	Average	86.04	11.89	97.93	--	--
5725.00	Peak	47.28	12.29	59.57	68.20	-8.63



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5530 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5438.16	Average	40.00	10.80	50.80	54.00	-3.20
5440.66	Peak	57.46	10.81	68.27	74.00	-5.73
5460.41	Peak	54.35	10.86	65.21	68.20	-2.99
5530.00	Peak	94.73	11.07	105.81	--	--
5530.00	Average	86.33	11.07	97.41	--	--
5725.00	Peak	40.67	12.30	52.97	68.20	-15.23



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5530 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5440.91	Peak	58.67	10.81	69.48	74.00	-4.52
5444.91	Average	40.99	10.83	51.82	54.00	-2.18
5461.16	Peak	56.45	10.86	67.31	68.20	-0.89
5530.00	Peak	92.91	11.07	103.98	--	--
5530.00	Average	85.25	11.07	96.32	--	--
5942.74	Peak	42.70	12.35	55.05	68.20	-13.15



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5610 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5456.41	Average	37.55	10.86	48.40	54.00	-5.60
5458.66	Peak	48.19	10.86	59.05	74.00	-14.95
5460.16	Peak	49.18	10.86	60.04	68.20	-8.16
5610.00	Peak	95.53	11.50	107.03	--	--
5610.00	Average	87.63	11.50	99.13	--	--
5725.00	Peak	54.48	12.30	66.77	68.20	-1.43



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5610 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5458.91	Average	36.71	10.86	47.56	54.00	-6.44
5459.41	Peak	46.99	10.86	57.85	74.00	-16.15
5462.66	Peak	45.93	10.86	56.79	68.20	-11.41
5610.00	Peak	94.01	11.50	105.52	--	--
5610.00	Average	86.33	11.50	97.84	--	--
5725.00	Peak	53.20	12.30	65.50	68.20	-2.70



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band3 Full	Temp./Humi.	:24.1/59
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5451.16	Average	34.53	10.85	45.38	54.00	-8.62
5455.91	Peak	44.57	10.86	55.42	74.00	-18.58
5468.91	Peak	50.25	10.87	61.12	68.20	-7.08
5500.00	Peak	101.82	10.90	112.72	--	--
5500.00	Average	92.32	10.90	103.22	--	--
5981.50	Peak	43.55	12.38	55.93	68.20	-12.27



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band3 Full
 Frequency :5500 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5453.16	Average	33.97	10.85	44.83	54.00	-9.17
5455.41	Peak	43.15	10.86	54.00	74.00	-20.00
5465.41	Peak	47.09	10.87	57.96	68.20	-10.24
5500.00	Peak	99.73	10.90	110.63	--	--
5500.00	Average	90.65	10.90	101.55	--	--
5862.48	Peak	42.85	12.44	55.29	68.20	-12.91



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax20/Band3 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5383.65	Peak	42.35	10.67	53.02	74.00	-20.98
5451.41	Average	34.12	10.85	44.97	54.00	-9.03
5468.41	Peak	42.34	10.87	53.21	68.20	-14.99
5496.92	Average	92.42	10.90	103.32	--	--
5497.66	Peak	101.46	10.90	112.36	--	--
5889.73	Peak	42.92	12.38	55.30	68.20	-12.90



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax20/Band3 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5500 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5417.40	Peak	42.95	10.71	53.65	74.00	-20.35
5450.66	Average	33.62	10.85	44.47	54.00	-9.53
5465.66	Peak	43.55	10.87	54.41	68.20	-13.79
5494.67	Peak	98.77	10.89	109.66	--	--
5496.66	Average	90.52	10.90	101.42	--	--
5887.73	Peak	42.72	12.39	55.11	68.20	-13.09



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band3 Full	Temp./Humi.	:24.1/59
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5370.40	Peak	43.09	10.71	53.80	74.00	-20.20
5445.16	Average	33.11	10.83	43.94	54.00	-10.06
5459.91	Peak	42.07	10.86	52.93	74.00	-21.07
5700.00	Peak	99.75	12.16	111.91	--	--
5700.00	Average	91.76	12.16	103.92	--	--
5727.21	Peak	52.88	12.31	65.19	68.20	-3.01



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band3 Full
 Frequency :5700 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17.5

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :Horizontal
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5358.14	Peak	43.15	10.74	53.89	74.00	-20.11
5456.91	Average	33.03	10.86	43.89	54.00	-10.11
5462.41	Peak	42.13	10.86	52.99	68.20	-15.21
5700.00	Peak	97.25	12.16	109.41	--	--
5700.00	Average	88.73	12.16	100.89	--	--
5729.46	Peak	46.63	12.32	58.95	68.20	-9.25



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band3 RU160/54	Temp./Humi.	:24.1/59
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.25		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5424.65	Peak	42.40	10.74	53.14	74.00	-20.86
5455.66	Average	32.65	10.86	43.50	54.00	-10.50
5466.16	Peak	42.41	10.87	53.28	68.20	-14.92
5701.95	Peak	97.94	12.17	110.11	--	--
5703.20	Average	89.91	12.18	102.09	--	--
5725.20	Peak	48.03	12.30	60.33	68.20	-7.87



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band3 RU160/54	Temp./Humi.	:24.1/59
Frequency	:5700 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.25		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5451.66	Average	32.66	10.85	43.51	54.00	-10.49
5457.66	Peak	43.35	10.86	54.20	74.00	-19.80
5465.91	Peak	42.54	10.87	53.40	68.20	-14.80
5702.45	Average	87.28	12.17	99.45	--	--
5705.95	Peak	96.18	12.19	108.37	--	--
5725.00	Peak	42.92	12.30	55.22	68.20	-12.98



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band3 Full	Temp./Humi.	:24.1/59
Frequency	:5510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5456.66	Peak	47.08	10.86	57.94	74.00	-16.06
5458.41	Average	36.82	10.86	47.68	54.00	-6.32
5466.91	Peak	54.26	10.87	65.12	68.20	-3.08
5510.00	Peak	98.17	10.96	109.13	--	--
5510.00	Average	88.57	10.96	99.52	--	--
5906.48	Peak	42.72	12.36	55.08	68.20	-13.12



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band3 Full
 Frequency :5510 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :15.75

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5459.41	Average	37.20	10.86	48.06	54.00	-5.94
5459.66	Peak	50.08	10.86	60.94	74.00	-13.06
5467.41	Peak	56.79	10.87	67.65	68.20	-0.55
5510.00	Peak	97.74	10.96	108.69	--	--
5510.00	Average	88.09	10.96	99.05	--	--
5978.75	Peak	43.39	12.37	55.76	68.20	-12.44



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band3 RU242/61	Temp./Humi.	:24.1/59
Frequency	:5510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5425.40	Peak	42.90	10.74	53.65	74.00	-20.35
5459.16	Average	34.73	10.86	45.59	54.00	-8.41
5467.41	Peak	45.19	10.87	56.06	68.20	-12.14
5502.42	Peak	98.12	10.91	109.04	--	--
5503.17	Average	90.83	10.92	101.75	--	--
5971.75	Peak	43.30	12.37	55.67	68.20	-12.53



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band3 RU242/61	Temp./Humi.	:24.1/59
Frequency	:5510 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5455.66	Peak	43.58	10.86	54.43	74.00	-19.57
5456.91	Average	35.44	10.86	46.30	54.00	-7.70
5469.91	Peak	43.72	10.87	54.59	68.20	-13.61
5503.67	Average	89.47	10.92	100.39	--	--
5503.92	Peak	97.30	10.92	108.23	--	--
5904.98	Peak	43.13	12.36	55.49	68.20	-12.71



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band3 Full
 Frequency :5670 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :VERTICAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5404.65	Peak	42.94	10.65	53.59	74.00	-20.41
5448.66	Average	33.54	10.84	44.39	54.00	-9.61
5463.41	Peak	42.42	10.86	53.28	68.20	-14.92
5670.00	Peak	98.50	11.89	110.39	--	--
5670.00	Average	90.52	11.89	102.41	--	--
5731.46	Peak	48.13	12.33	60.46	68.20	-7.74



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band3 Full
 Frequency :5670 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5443.91	Average	33.55	10.82	44.37	54.00	-9.63
5459.16	Peak	43.02	10.86	53.88	74.00	-20.12
5469.16	Peak	42.96	10.87	53.83	68.20	-14.37
5670.00	Peak	96.83	11.89	108.72	--	--
5670.00	Average	88.06	11.89	99.95	--	--
5735.96	Peak	46.34	12.35	58.69	68.20	-9.51



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band3 RU242/62	Temp./Humi.	:24.1/59
Frequency	:5670 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5384.40	Peak	43.36	10.67	54.03	74.00	-19.97
5421.90	Average	33.27	10.73	43.99	54.00	-10.01
5464.16	Peak	42.53	10.86	53.40	68.20	-14.80
5675.45	Average	89.57	11.94	101.51	--	--
5678.20	Peak	97.75	11.96	109.72	--	--
5950.74	Peak	43.49	12.35	55.84	68.20	-12.36



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band3 RU242/62	Temp./Humi.	:24.1/59
Frequency	:5670 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5414.40	Peak	42.74	10.69	53.43	74.00	-20.57
5452.16	Average	33.27	10.85	44.12	54.00	-9.88
5463.16	Peak	42.07	10.86	52.93	68.20	-15.27
5672.45	Peak	96.19	11.91	108.10	--	--
5675.47	Average	87.93	11.94	99.87	--	--
5971.75	Peak	43.01	12.37	55.38	68.20	-12.82



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 Full	Temp./Humi.	:25.3/56
Frequency	:5530 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5434.91	Peak	51.61	10.78	62.40	74.00	-11.60
5451.41	Average	40.01	10.85	50.86	54.00	-3.14
5466.66	Peak	53.09	10.87	63.96	68.20	-4.24
5530.00	Peak	96.12	11.07	107.20	--	--
5530.00	Average	87.13	11.07	98.21	--	--
5784.96	Peak	42.95	12.60	55.55	68.20	-12.65



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band3 Full
 Frequency :5530 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :15.5

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5448.91	Peak	52.73	10.85	63.58	74.00	-10.42
5459.66	Average	42.09	10.86	52.94	54.00	-1.06
5469.16	Peak	53.92	10.87	64.79	68.20	-3.41
5530.00	Peak	94.57	11.07	105.64	--	--
5530.00	Average	85.75	11.07	96.82	--	--
5897.48	Peak	43.26	12.37	55.63	68.20	-12.57



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 RU484/65	Temp./Humi.	:25.3/56
Frequency	:5530 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5458.66	Average	38.89	10.86	49.75	54.00	-4.25
5459.66	Peak	47.62	10.86	58.48	74.00	-15.52
5468.41	Peak	53.74	10.87	64.61	68.20	-3.59
5496.67	Average	90.01	10.90	100.90	--	--
5498.67	Peak	100.25	10.90	111.15	--	--
5725.00	Peak	41.10	12.30	53.40	68.20	-14.80



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 RU484/65	Temp./Humi.	:25.3/56
Frequency	:5530 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5458.91	Average	40.13	10.86	50.98	54.00	-3.02
5459.41	Peak	47.86	10.86	58.72	74.00	-15.28
5469.91	Peak	56.37	10.87	67.24	68.20	-0.96
5503.17	Average	89.18	10.92	100.10	--	--
5524.92	Peak	99.76	11.04	110.80	--	--
5940.74	Peak	43.06	12.35	55.41	68.20	-12.79



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band3 Full
 Frequency :5610 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :19.5

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :VERTICAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5453.16	Peak	50.83	10.85	61.68	74.00	-12.32
5455.16	Average	41.42	10.86	52.28	54.00	-1.72
5461.41	Peak	51.44	10.86	62.31	68.20	-5.89
5610.00	Peak	98.44	11.50	109.95	--	--
5610.00	Average	90.47	11.50	101.97	--	--
5734.71	Peak	55.22	12.35	67.57	68.20	-0.63



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band3 Full
 Frequency :5610 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :19.5

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5455.41	Peak	49.92	10.86	60.77	74.00	-13.23
5455.91	Average	41.44	10.86	52.30	54.00	-1.70
5461.16	Peak	51.12	10.86	61.99	68.20	-6.21
5610.00	Peak	95.79	11.50	107.30	--	--
5610.00	Average	88.46	11.50	99.96	--	--
5726.71	Peak	53.97	12.30	66.28	68.20	-1.92



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5610 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.75		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5405.15	Peak	43.26	10.65	53.91	74.00	-20.09
5455.41	Average	33.74	10.86	44.59	54.00	-9.41
5468.91	Peak	42.79	10.87	53.66	68.20	-14.54
5633.19	Peak	100.02	11.62	111.64	--	--
5647.44	Average	90.76	11.70	102.46	--	--
5798.22	Peak	42.77	12.66	55.43	68.20	-12.77



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5610 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.75		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5406.90	Average	34.17	10.66	44.83	54.00	-9.17
5438.66	Peak	42.88	10.80	53.68	74.00	-20.32
5468.16	Peak	42.43	10.87	53.30	68.20	-14.90
5645.19	Peak	98.11	11.69	109.80	--	--
5647.44	Average	88.80	11.70	100.50	--	--
5753.46	Peak	43.33	12.45	55.78	68.20	-12.42



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5745 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5577.00	Peak	42.46	11.33	53.79	68.20	-14.41
5685.75	Peak	41.33	12.03	53.37	94.69	-41.32
5720.25	Peak	48.66	12.27	60.93	111.37	-50.44
5724.75	Peak	49.08	12.29	61.38	121.63	-60.25
5745.00	Peak	98.98	12.40	111.38	--	--
5745.00	Average	90.94	12.40	103.34	--	--
5853.00	Peak	41.95	12.46	54.41	115.36	-60.95
5868.00	Peak	42.82	12.43	55.25	107.16	-51.91
5892.00	Peak	42.20	12.38	54.57	92.58	-38.01
5943.00	Peak	42.20	12.35	54.55	68.20	-13.65



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11a/Band4
 Frequency :5745 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :16.5

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5629.50	Peak	41.76	11.60	53.37	68.20	-14.83
5691.75	Peak	42.97	12.09	55.06	99.12	-44.06
5717.25	Peak	45.71	12.25	57.96	110.03	-52.07
5724.00	Peak	47.63	12.29	59.92	119.92	-60.00
5745.00	Peak	97.16	12.40	109.56	--	--
5745.00	Average	89.42	12.40	101.82	--	--
5851.50	Peak	40.84	12.47	53.31	118.78	-65.47
5857.50	Peak	41.97	12.45	54.43	110.10	-55.67
5885.25	Peak	42.37	12.39	54.77	97.59	-42.82
5928.00	Peak	42.18	12.35	54.53	68.20	-13.67



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5825 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5628.75	Peak	42.01	11.60	53.61	68.20	-14.59
5682.75	Peak	40.56	12.00	52.57	92.47	-39.91
5707.50	Peak	40.91	12.20	53.11	107.30	-54.20
5724.75	Peak	40.84	12.29	53.13	121.63	-68.50
5825.00	Peak	98.74	12.57	111.31	--	--
5825.00	Average	91.73	12.57	104.30	--	--
5850.75	Peak	44.46	12.47	56.93	120.49	-63.56
5856.00	Peak	45.26	12.46	57.72	110.52	-52.80
5875.50	Peak	42.52	12.41	54.93	104.83	-49.90
5925.75	Peak	42.26	12.35	54.61	68.20	-13.59



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5825 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5649.00	Peak	41.55	11.70	53.26	68.20	-14.94
5685.00	Peak	42.63	12.03	54.65	94.13	-39.48
5718.75	Peak	41.15	12.26	53.41	110.45	-57.04
5724.75	Peak	40.84	12.29	53.14	121.63	-68.49
5825.00	Peak	97.64	12.57	110.21	--	--
5825.00	Average	89.42	12.57	101.99	--	--
5850.75	Peak	44.30	12.47	56.77	120.49	-63.72
5856.00	Peak	44.51	12.46	56.97	110.52	-53.55
5918.25	Peak	41.77	12.36	54.12	73.18	-19.05
5951.25	Peak	43.28	12.35	55.63	68.20	-12.57



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5745 MHz	Antenna Pol.	:Vertical
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5631.94	Peak	43.13	11.62	54.74	68.20	-13.46
5697.45	Peak	42.86	12.14	55.00	103.32	-48.32
5719.45	Peak	48.92	12.27	61.18	110.65	-49.47
5724.70	Peak	50.74	12.29	63.03	121.53	-58.49
5745.00	Peak	98.81	12.40	111.21	--	--
5745.00	Average	91.37	12.40	103.77	--	--
5850.48	Peak	42.18	12.47	54.65	121.12	-66.47
5870.23	Peak	42.79	12.43	55.22	106.53	-51.32
5906.98	Peak	43.47	12.36	55.83	81.50	-25.66
5977.00	Peak	43.10	12.37	55.47	68.20	-12.73



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n20/Band4
 Frequency :5745 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :15.5

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5477.41	Peak	44.83	10.88	55.70	68.20	-12.50
5683.95	Peak	42.73	12.02	54.74	93.36	-38.61
5718.20	Peak	46.13	12.26	58.39	110.30	-51.91
5723.95	Peak	49.02	12.29	61.30	119.82	-58.51
5745.00	Peak	96.32	12.40	108.72	--	--
5745.00	Average	89.19	12.40	101.60	--	--
5854.48	Peak	42.08	12.46	54.54	111.99	-57.45
5874.48	Peak	42.57	12.42	54.98	105.35	-50.36
5905.48	Peak	43.83	12.36	56.19	82.60	-26.41
5989.75	Peak	42.95	12.38	55.33	68.20	-12.87



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5825 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5641.19	Peak	42.93	11.66	54.60	68.20	-13.60
5667.44	Peak	42.96	11.87	54.83	81.15	-26.32
5715.70	Peak	42.72	12.24	54.97	109.60	-54.63
5720.95	Peak	41.32	12.27	53.59	112.98	-59.39
5825.00	Peak	98.37	12.57	110.94	--	--
5825.00	Average	91.40	12.57	103.97	--	--
5850.98	Peak	48.95	12.47	61.42	119.98	-58.56
5854.98	Peak	45.55	12.46	58.01	110.86	-52.85
5883.23	Peak	43.39	12.40	55.78	99.09	-43.30
5945.74	Peak	43.48	12.35	55.83	68.20	-12.37



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5825 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5546.42	Peak	44.39	11.17	55.56	68.20	-12.64
5659.44	Peak	43.58	11.79	55.38	75.21	-19.84
5707.45	Peak	42.82	12.20	55.02	107.29	-52.27
5721.20	Peak	41.61	12.27	53.88	113.55	-59.66
5825.00	Peak	97.71	12.57	110.28	--	--
5825.00	Average	90.68	12.57	103.25	--	--
5850.48	Peak	48.93	12.47	61.40	121.12	-59.72
5855.48	Peak	46.98	12.46	59.44	110.67	-51.23
5888.23	Peak	43.17	12.39	55.56	95.38	-39.82
5985.50	Peak	42.89	12.38	55.27	68.20	-12.93



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band4	Temp./Humi.	:25.9/56
Frequency	:5755 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5589.93	Peak	43.05	11.40	54.44	68.20	-13.76
5687.45	Peak	47.90	12.05	59.95	95.94	-35.99
5718.70	Peak	60.26	12.26	72.52	110.44	-37.92
5724.20	Peak	61.29	12.29	73.58	120.39	-46.80
5755.00	Peak	96.57	12.45	109.02	--	--
5755.00	Average	89.02	12.45	101.48	--	--
5853.48	Peak	41.53	12.46	54.00	114.27	-60.28
5870.23	Peak	42.17	12.43	54.59	106.53	-51.94
5923.24	Peak	42.05	12.36	54.40	69.50	-15.10
5974.00	Peak	42.53	12.37	54.90	68.20	-13.30



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n40/Band4
 Frequency :5755 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17.75

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5531.42	Peak	42.27	11.08	53.36	68.20	-14.84
5683.20	Peak	45.76	12.01	57.77	92.80	-35.03
5719.45	Peak	58.53	12.27	70.80	110.65	-39.85
5720.70	Peak	61.02	12.27	73.29	112.41	-39.12
5755.00	Peak	94.27	12.45	106.73	--	--
5755.00	Average	86.55	12.45	99.00	--	--
5853.98	Peak	40.91	12.46	53.37	113.13	-59.77
5859.48	Peak	40.93	12.45	53.37	109.54	-56.17
5909.49	Peak	42.28	12.36	54.64	79.65	-25.01
5950.99	Peak	42.63	12.35	54.98	68.20	-13.22



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band4	Temp./Humi.	:25.9/56
Frequency	:5795 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5469.41	Peak	43.27	10.87	54.13	68.20	-14.07
5649.94	Peak	42.25	11.71	53.96	68.20	-14.24
5718.95	Peak	40.93	12.26	53.19	110.51	-57.32
5724.70	Peak	40.34	12.29	52.63	121.53	-68.90
5795.00	Peak	94.93	12.65	107.58	--	--
5795.00	Average	87.80	12.65	100.44	--	--
5853.73	Peak	46.46	12.46	58.92	113.70	-54.79
5856.48	Peak	43.90	12.46	56.35	110.39	-54.03
5914.24	Peak	42.09	12.36	54.45	76.14	-21.69
5931.74	Peak	42.59	12.35	54.95	68.20	-13.25



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n40/Band4
 Frequency :5795 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17.75

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5507.67	Peak	42.44	10.94	53.38	68.20	-14.82
5682.95	Peak	42.42	12.01	54.42	92.62	-38.20
5718.95	Peak	42.04	12.26	54.30	110.51	-56.20
5721.20	Peak	40.56	12.27	52.84	113.55	-60.71
5795.00	Peak	93.41	12.65	106.06	--	--
5795.00	Average	85.67	12.65	98.32	--	--
5853.73	Peak	45.49	12.46	57.95	113.70	-55.76
5858.23	Peak	45.38	12.45	57.83	109.90	-52.06
5892.23	Peak	41.92	12.38	54.30	92.41	-38.12
5935.49	Peak	42.53	12.35	54.88	68.20	-13.32



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band4	Temp./Humi.	:25.9/56
Frequency	:5775 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:20		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5625.94	Peak	55.94	11.58	67.53	68.20	-0.67
5681.70	Peak	68.05	12.00	80.04	91.69	-11.65
5701.95	Peak	67.48	12.17	79.65	105.75	-26.09
5722.45	Peak	64.94	12.28	77.22	116.40	-39.17
5775.00	Peak	96.13	12.55	108.68	--	--
5775.00	Average	87.73	12.55	100.28	--	--
5850.48	Peak	60.49	12.47	72.96	121.12	-48.15
5867.73	Peak	65.84	12.43	78.27	107.23	-28.96
5874.98	Peak	64.30	12.42	76.71	105.21	-28.49
5929.24	Peak	51.55	12.35	63.90	68.20	-4.30



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ac80/Band4
 Frequency :5775 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :20

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5625.69	Peak	52.56	11.58	64.14	68.20	-4.06
5685.95	Peak	65.94	12.03	77.98	94.83	-16.86
5701.20	Peak	64.85	12.17	77.02	105.54	-28.52
5722.45	Peak	63.46	12.28	75.74	116.40	-40.65
5775.00	Peak	94.30	12.55	106.85	--	--
5775.00	Average	85.90	12.55	98.45	--	--
5850.48	Peak	59.13	12.47	71.60	121.12	-49.52
5868.73	Peak	64.57	12.43	76.99	106.95	-29.96
5875.48	Peak	61.64	12.41	74.06	104.84	-30.79
5946.24	Peak	49.23	12.35	61.58	68.20	-6.62



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band4 Full
 Frequency :5745 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :16.75

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :Vertical
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5613.69	Peak	42.84	11.52	54.36	68.20	-13.84
5697.70	Peak	43.70	12.14	55.84	103.50	-47.66
5719.45	Peak	50.69	12.27	62.95	110.65	-47.69
5724.70	Peak	53.14	12.29	65.43	121.53	-56.10
5745.00	Peak	100.04	12.40	112.44	--	--
5745.00	Average	90.89	12.40	103.29	--	--
5853.48	Peak	42.36	12.46	54.82	114.27	-59.45
5858.73	Peak	43.58	12.45	56.03	109.76	-53.72
5891.23	Peak	43.19	12.38	55.57	93.15	-37.58
5965.49	Peak	42.99	12.36	55.36	68.20	-12.84



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band4 Full
 Frequency :5745 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :16.75

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5592.93	Peak	42.85	11.41	54.27	68.20	-13.93
5659.69	Peak	42.84	11.80	54.64	75.40	-20.76
5718.70	Peak	47.37	12.26	59.63	110.44	-50.81
5724.70	Peak	49.81	12.29	62.10	121.53	-59.43
5745.00	Peak	97.92	12.40	110.32	--	--
5745.00	Average	88.58	12.40	100.98	--	--
5850.00	Peak	41.29	12.47	53.76	122.20	-68.44
5859.98	Peak	42.59	12.45	55.04	109.40	-54.37
5890.98	Peak	42.64	12.38	55.02	93.34	-38.32
5997.50	Peak	42.65	12.39	55.04	68.20	-13.16