




Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band4 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5745 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5582.68	Peak	43.04	11.36	54.40	68.20	-13.80
5691.70	Peak	42.58	12.09	54.67	99.08	-44.41
5713.95	Peak	42.14	12.24	54.38	109.11	-54.73
5724.45	Peak	43.49	12.29	55.78	120.96	-65.17
5742.21	Peak	99.69	12.39	112.08	--	--
5745.21	Average	91.22	12.40	103.62	--	--
5854.23	Peak	41.83	12.46	54.29	112.56	-58.28
5870.98	Peak	42.62	12.42	55.05	106.32	-51.28
5910.74	Peak	42.98	12.36	55.34	78.72	-23.39
5931.74	Peak	42.63	12.35	54.99	68.20	-13.21



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band4 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5745 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5501.17	Peak	43.08	10.91	53.99	68.20	-14.21
5654.19	Peak	42.95	11.75	54.69	71.31	-16.62
5718.45	Peak	42.34	12.26	54.60	110.37	-55.76
5720.45	Peak	43.01	12.27	55.28	111.84	-56.55
5740.21	Peak	97.36	12.38	109.73	--	--
5742.46	Average	88.88	12.39	101.27	--	--
5851.73	Peak	41.43	12.47	53.89	118.27	-64.37
5873.48	Peak	43.73	12.42	56.15	105.63	-49.47
5891.48	Peak	42.63	12.38	55.01	92.97	-37.96
5973.50	Peak	43.08	12.37	55.45	68.20	-12.75



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band4 Full
 Frequency :5825 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :VERTICAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5507.67	Peak	43.48	10.94	54.42	68.20	-13.78
5687.45	Peak	42.31	12.05	54.36	95.94	-41.59
5715.95	Peak	43.13	12.25	55.38	109.67	-54.29
5721.95	Peak	41.44	12.28	53.72	115.26	-61.53
5825.00	Peak	100.72	12.57	113.29	--	--
5825.00	Average	92.12	12.57	104.69	--	--
5850.98	Peak	53.22	12.47	65.68	119.98	-54.29
5857.23	Peak	49.11	12.45	61.56	110.18	-48.61
5878.98	Peak	42.64	12.41	55.04	102.24	-47.20
5967.75	Peak	42.98	12.36	55.34	68.20	-12.86



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band4 Full
 Frequency :5825 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5644.19	Peak	42.53	11.68	54.21	68.20	-13.99
5685.45	Peak	42.24	12.03	54.27	94.46	-40.20
5711.20	Peak	42.68	12.22	54.90	108.34	-53.44
5722.95	Peak	41.42	12.28	53.71	117.54	-63.83
5825.00	Peak	98.33	12.57	110.90	--	--
5825.00	Average	89.84	12.57	102.41	--	--
5851.73	Peak	51.43	12.47	63.90	118.27	-54.37
5856.98	Peak	47.80	12.45	60.26	110.25	-49.99
5921.99	Peak	43.90	12.36	56.26	70.42	-14.17
5975.00	Peak	43.04	12.37	55.41	68.20	-12.79



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band4 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5825 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5594.93	Peak	42.63	11.42	54.06	68.20	-14.14
5673.95	Peak	42.75	11.93	54.68	85.96	-31.28
5709.95	Peak	42.02	12.21	54.23	107.99	-53.75
5723.20	Peak	41.67	12.29	53.95	118.11	-64.15
5825.00	Peak	100.26	12.57	112.83	--	--
5825.00	Average	91.55	12.57	104.12	--	--
5850.98	Peak	49.20	12.47	61.67	119.98	-58.31
5855.23	Peak	45.87	12.46	58.33	110.74	-52.41
5918.99	Peak	43.33	12.36	55.68	72.63	-16.95
5975.50	Peak	43.90	12.37	56.27	68.20	-11.93



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band4 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5825 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5489.67	Peak	43.67	10.89	54.56	68.20	-13.64
5678.45	Peak	42.07	11.97	54.03	89.29	-35.26
5716.95	Peak	42.46	12.25	54.72	109.95	-55.23
5723.70	Peak	41.80	12.29	54.08	119.25	-65.16
5825.00	Peak	97.77	12.57	110.34	--	--
5825.00	Average	89.77	12.57	102.34	--	--
5850.00	Peak	46.03	12.47	58.50	122.20	-63.70
5856.98	Peak	43.63	12.45	56.08	110.25	-54.17
5892.98	Peak	42.49	12.38	54.87	91.86	-36.99
5957.99	Peak	42.91	12.36	55.27	68.20	-12.93



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band4 Full
 Frequency :5755 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :VERTICAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5634.44	Peak	43.78	11.63	55.41	68.20	-12.79
5697.20	Peak	49.69	12.13	61.82	103.14	-41.32
5717.45	Peak	57.87	12.25	70.12	110.09	-39.97
5722.20	Peak	56.67	12.28	68.95	115.83	-46.87
5755.00	Peak	98.23	12.45	110.68	--	--
5755.00	Average	89.02	12.45	101.47	--	--
5851.48	Peak	43.93	12.47	56.39	118.84	-62.44
5869.23	Peak	42.66	12.43	55.09	106.81	-51.73
5886.98	Peak	43.62	12.39	56.01	96.31	-40.29
5999.25	Peak	43.82	12.39	56.21	68.20	-11.99



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band4 Full
 Frequency :5755 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :17

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5696.95	Peak	46.75	12.13	58.88	102.95	-44.07
5717.95	Peak	54.16	12.26	66.42	110.23	-43.81
5721.70	Peak	53.96	12.28	66.24	114.69	-48.45
5743.96	Peak	95.88	12.40	108.28	122.20	-13.92
5755.00	Peak	95.82	12.45	108.28	--	--
5755.00	Average	86.58	12.45	99.03	--	--
5852.73	Peak	43.19	12.46	55.65	115.98	-60.33
5871.73	Peak	42.98	12.42	55.41	106.11	-50.71
5903.73	Peak	43.12	12.36	55.48	83.90	-28.42
5973.00	Peak	43.35	12.37	55.71	68.20	-12.49



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band4 RU242/61	Temp./Humi.	:24.1/59
Frequency	:5755 MHz	Antenna Pol.	:Vertical
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5577.18	Peak	43.87	11.33	55.20	68.20	-13.00
5695.20	Peak	43.97	12.12	56.08	101.66	-45.58
5719.95	Peak	50.11	12.27	62.38	110.79	-48.41
5721.45	Peak	51.65	12.28	63.93	114.12	-50.19
5748.46	Average	89.75	12.42	102.17	--	--
5751.46	Peak	99.41	12.44	111.84	--	--
5851.98	Peak	42.66	12.47	55.12	117.70	-62.57
5863.23	Peak	43.01	12.44	55.45	108.49	-53.05
5897.48	Peak	43.44	12.37	55.81	88.52	-32.72
5968.25	Peak	42.89	12.36	55.26	68.20	-12.94



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band4 RU242/61	Temp./Humi.	:24.1/59
Frequency	:5755 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5537.17	Peak	43.73	11.12	54.84	68.20	-13.36
5698.45	Peak	43.94	12.15	56.09	104.06	-47.97
5716.20	Peak	44.34	12.25	56.59	109.74	-53.15
5721.95	Peak	48.13	12.28	60.41	115.26	-54.84
5748.46	Average	86.35	12.42	98.77	--	--
5751.21	Peak	95.92	12.44	108.35	--	--
5850.73	Peak	42.34	12.47	54.81	120.55	-65.74
5868.23	Peak	42.47	12.43	54.90	107.09	-52.19
5875.98	Peak	43.52	12.41	55.94	104.47	-48.54
5979.75	Peak	43.30	12.37	55.67	68.20	-12.53



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band4 Full
 Frequency :5795 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :Vertical
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5610.94	Peak	43.71	11.51	55.21	68.20	-12.99
5672.45	Peak	43.20	11.91	55.11	84.85	-29.74
5712.70	Peak	46.45	12.23	58.67	108.76	-50.09
5724.70	Peak	46.76	12.29	59.05	121.53	-62.47
5795.00	Peak	99.79	12.65	112.44	--	--
5795.00	Average	90.10	12.65	102.75	--	--
5851.73	Peak	54.36	12.47	66.83	118.27	-51.44
5856.73	Peak	50.87	12.46	63.33	110.32	-46.99
5880.48	Peak	44.80	12.40	57.20	101.13	-43.93
5983.50	Peak	44.78	12.38	57.16	68.20	-11.04



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band4 Full
 Frequency :5795 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5523.17	Peak	43.98	11.03	55.02	68.20	-13.18
5663.69	Peak	44.18	11.83	56.02	78.37	-22.35
5712.95	Peak	46.74	12.23	58.97	108.83	-49.85
5723.95	Peak	45.71	12.29	58.00	119.82	-61.82
5795.00	Peak	95.79	12.65	108.43	--	--
5795.00	Average	87.00	12.65	99.65	--	--
5850.73	Peak	52.04	12.47	64.51	120.55	-56.04
5855.23	Peak	49.07	12.46	61.53	110.74	-49.21
5874.98	Peak	44.55	12.42	56.97	105.21	-48.24
5986.50	Peak	43.30	12.38	55.68	68.20	-12.52



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band4 RU242/62	Temp./Humi.	:24.1/59
Frequency	:5795 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5638.94	Peak	43.57	11.65	55.23	68.20	-12.97
5689.70	Peak	43.78	12.07	55.85	97.60	-41.76
5714.95	Peak	43.17	12.24	55.42	109.39	-53.97
5723.95	Peak	43.23	12.29	55.52	119.82	-64.30
5799.97	Peak	99.44	12.67	112.11	--	--
5800.22	Average	89.57	12.67	102.24	--	--
5851.98	Peak	43.02	12.47	55.49	117.70	-62.21
5858.73	Peak	43.61	12.45	56.06	109.76	-53.70
5889.23	Peak	43.98	12.38	56.36	94.64	-38.28
5961.49	Peak	44.03	12.36	56.39	68.20	-11.81



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax40/Band4 RU242/62	Temp./Humi.	:24.1/59
Frequency	:5795 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5592.68	Peak	43.82	11.41	55.24	68.20	-12.96
5676.95	Peak	43.38	11.95	55.34	88.18	-32.85
5706.70	Peak	42.60	12.20	54.80	107.08	-52.28
5722.20	Peak	43.05	12.28	55.33	115.83	-60.50
5800.47	Peak	96.70	12.67	109.37	--	--
5807.47	Average	86.94	12.64	99.58	--	--
5853.48	Peak	43.22	12.46	55.68	114.27	-58.60
5861.23	Peak	43.62	12.45	56.07	109.05	-52.99
5887.48	Peak	43.02	12.39	55.41	95.93	-40.53
5993.50	Peak	43.34	12.38	55.73	68.20	-12.47



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band4 Full
 Frequency :5775 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :20

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :VERTICAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5648.44	Peak	55.58	11.70	67.28	68.20	-0.92
5675.95	Peak	67.50	11.94	79.45	87.44	-7.99
5715.95	Peak	65.05	12.25	77.29	109.67	-32.38
5724.70	Peak	63.56	12.29	75.85	121.53	-45.68
5775.00	Peak	98.33	12.55	110.88	--	--
5775.00	Average	89.26	12.55	101.81	--	--
5851.98	Peak	62.61	12.47	75.08	117.70	-42.62
5864.23	Peak	61.88	12.44	74.32	108.21	-33.89
5875.23	Peak	62.12	12.41	74.54	105.03	-30.49
5943.49	Peak	47.68	12.35	60.03	68.20	-8.17



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band4 Full
 Frequency :5775 MHz
 Operation Mode :Bandedge
 EUT Pol :E2
 Setting :20

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
5620.69	Peak	49.88	11.56	61.43	68.20	-6.77
5675.70	Peak	62.83	11.94	74.77	87.26	-12.49
5715.95	Peak	61.28	12.25	73.52	109.67	-36.15
5720.70	Peak	61.13	12.27	73.40	112.41	-39.00
5775.00	Peak	94.87	12.55	107.42	--	--
5775.00	Average	85.93	12.55	98.48	--	--
5850.48	Peak	56.27	12.47	68.74	121.12	-52.38
5869.98	Peak	55.96	12.43	68.38	106.60	-38.22
5878.48	Peak	54.65	12.41	67.06	102.61	-35.56
5928.99	Peak	45.84	12.35	58.19	68.20	-10.01



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band4 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5775 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.25		




Trace: 1

Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5545.17	Peak	43.57	11.16	54.73	68.20	-13.47
5699.70	Peak	46.11	12.16	58.27	104.98	-46.71
5715.70	Peak	46.13	12.24	58.37	109.60	-51.23
5720.95	Peak	47.36	12.27	59.63	112.98	-53.35
5802.97	Average	90.41	12.66	103.07	--	--
5809.97	Peak	100.62	12.63	113.25	--	--
5854.73	Peak	51.43	12.46	63.89	111.42	-47.53
5859.23	Peak	52.26	12.45	64.71	109.62	-44.90
5874.98	Peak	46.03	12.42	58.45	105.21	-46.76
5976.50	Peak	42.57	12.37	54.94	68.20	-13.26



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band4 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5775 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:Bandedge	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.25		



Trace: 1


Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
5631.69	Peak	42.54	11.61	54.16	68.20	-14.04
5694.20	Peak	43.99	12.11	56.10	100.92	-44.83
5709.95	Peak	44.84	12.21	57.05	107.99	-50.94
5722.20	Peak	46.86	12.28	59.14	115.83	-56.69
5810.22	Peak	96.13	12.63	108.76	--	--
5811.72	Average	87.36	12.62	99.99	--	--
5854.23	Peak	47.80	12.46	60.26	112.56	-52.31
5858.73	Peak	50.15	12.45	62.60	109.76	-47.16
5876.73	Peak	43.38	12.41	55.80	103.91	-48.12
5929.99	Peak	43.13	12.35	55.48	68.20	-12.72



Report No.: TMWK2307002437KR

TX Test Data

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax20/Band1 Full	Temp./Humi.	:25.3/56
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
31.55	Peak	40.32	-14.14	26.18	40.00	-13.82
154.65	Peak	39.58	-12.69	26.89	43.50	-16.61
254.26	Peak	38.90	-13.94	24.96	46.00	-21.04
345.64	Peak	37.66	-11.18	26.48	46.00	-19.52
478.33	Peak	35.41	-7.86	27.55	46.00	-18.45
568.06	Peak	32.03	-5.98	26.05	46.00	-19.95



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band1 Full
 Frequency :5180 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :16.5

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
158.72	Peak	37.73	-12.74	24.99	43.50	-18.51
215.95	Peak	39.85	-16.06	23.79	43.50	-19.71
264.06	Peak	42.16	-13.53	28.62	46.00	-17.38
335.94	Peak	40.35	-11.23	29.12	46.00	-16.88
502.20	Peak	32.46	-7.42	25.04	46.00	-20.96
646.44	Peak	31.81	-4.32	27.49	46.00	-18.51



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10360.00	Peak	53.61	4.45	58.05	68.20	-10.15
15540.00	Peak	49.97	7.11	57.09	74.00	-16.92
15540.00	Average	38.27	7.11	45.39	54.00	-8.61



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5180 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10360.00	Peak	45.12	4.45	49.56	68.20	-18.64
15540.00	Peak	43.90	7.11	51.01	74.00	-22.99
15540.00	Average	37.84	7.11	44.95	54.00	-9.05



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5220 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10440.00	Peak	54.46	4.15	58.61	68.20	-9.59
15660.00	Peak	51.94	7.33	59.27	74.00	-14.73
15660.00	Average	42.07	7.33	49.40	54.00	-4.60



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5220 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10440.00	Peak	51.09	4.15	55.24	68.20	-12.97
15660.00	Peak	45.51	7.33	52.84	74.00	-21.16
15660.00	Average	38.32	7.33	45.65	54.00	-8.35



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5240 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10480.00	Peak	49.89	4.05	53.94	68.20	-14.26
15720.00	Peak	51.10	7.53	58.63	74.00	-15.37
15720.00	Average	42.66	7.53	50.20	54.00	-3.81



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band1	Temp./Humi.	:26.7/58
Frequency	:5240 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10480.00	Peak	47.54	4.05	51.59	68.20	-16.61
15720.00	Peak	47.64	7.53	55.17	74.00	-18.83
15720.00	Average	39.75	7.53	47.28	54.00	-6.72



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band1	Temp./Humi.	:26.7/58
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10360.00	Peak	54.46	4.45	58.91	68.20	-9.29
15540.00	Peak	46.30	7.11	53.41	74.00	-20.59
15540.00	Average	37.99	7.11	45.10	54.00	-8.90



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n20/Band1
 Frequency :5180 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :16

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10360.00	Peak	43.72	4.45	48.16	68.20	-20.04
15540.00	Peak	44.71	7.11	51.82	74.00	-22.18
15540.00	Average	35.68	7.11	42.80	54.00	-11.21



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band1	Temp./Humi.	:26.7/58
Frequency	:5220 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10440.00	Peak	56.66	4.15	60.81	68.20	-7.39
15660.00	Peak	50.39	7.33	57.72	74.00	-16.28
15660.00	Average	41.11	7.33	48.44	54.00	-5.56



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n20/Band1
 Frequency :5220 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10440.00	Peak	50.11	4.15	54.26	68.20	-13.94
15660.00	Peak	48.04	7.33	55.37	74.00	-18.63
15660.00	Average	39.45	7.33	46.78	54.00	-7.22



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band1	Temp./Humi.	:26.7/58
Frequency	:5240 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10480.00	Peak	55.36	4.05	59.41	68.20	-8.79
15720.00	Peak	53.16	7.53	60.69	74.00	-13.31
15720.00	Average	41.62	7.53	49.16	54.00	-4.85



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band1	Temp./Humi.	:26.7/58
Frequency	:5240 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10480.00	Peak	49.66	4.05	53.71	68.20	-14.49
15720.00	Peak	48.81	7.53	56.34	74.00	-17.66
15720.00	Average	38.66	7.53	46.19	54.00	-7.81



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band1	Temp./Humi.	:25.9/56
Frequency	:5190 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10380.00	Peak	44.49	4.44	48.93	68.20	-19.27
15570.00	Peak	45.76	7.11	52.87	74.00	-21.13
15570.00	Average	34.38	7.11	41.49	54.00	-12.51



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n40/Band1
 Frequency :5190 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13.5

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10380.00	Peak	43.62	4.44	48.06	68.20	-20.14
15570.00	Peak	44.82	7.11	51.94	74.00	-22.06
15570.00	Average	34.14	7.11	41.26	54.00	-12.74



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band1	Temp./Humi.	:25.9/56
Frequency	:5230 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10460.00	Peak	52.42	4.07	56.49	68.20	-11.71
15690.00	Peak	51.90	7.29	59.19	74.00	-14.81
15690.00	Average	41.27	7.29	48.55	54.00	-5.45



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band1	Temp./Humi.	:25.9/56
Frequency	:5230 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10460.00	Peak	47.39	4.07	51.46	68.20	-16.74
15690.00	Peak	48.92	7.29	56.20	74.00	-17.80
15690.00	Average	38.09	7.29	45.38	54.00	-8.62



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band1	Temp./Humi.	:25.9/56
Frequency	:5210 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10420.00	Peak	45.07	4.29	49.36	68.20	-18.84
15630.00	Peak	43.32	7.27	50.59	74.00	-23.41
15630.00	Average	35.70	7.27	42.97	54.00	-11.03



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band1	Temp./Humi.	:25.9/56
Frequency	:5210 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10420.00	Peak	45.14	4.29	49.43	68.20	-18.77
15630.00	Peak	44.71	7.27	51.98	74.00	-22.02
15630.00	Average	35.41	7.27	42.68	54.00	-11.33



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ax20/Band1 Full	Temp./Humi.	:25.9/56
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10360.00	Peak	52.13	4.45	56.58	68.20	-11.62
15540.00	Peak	47.03	7.11	54.15	74.00	-19.85
15540.00	Average	37.91	7.11	45.02	54.00	-8.98



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band1 Full
 Frequency :5180 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :16.5

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10360.00	Peak	48.23	4.45	52.68	68.20	-15.52
15540.00	Peak	45.63	7.11	52.75	74.00	-21.25
15540.00	Average	36.77	7.11	43.88	54.00	-10.12



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band1 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5180 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10360.00	Peak	49.53	4.45	53.98	68.20	-14.22
15540.00	Peak	46.03	7.11	53.15	74.00	-20.85
15540.00	Average	36.56	7.11	43.67	54.00	-10.33



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band1 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5180 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10360.00	Peak	44.97	4.45	49.42	68.20	-18.78
15540.00	Peak	44.75	7.11	51.87	74.00	-22.13
15540.00	Average	35.19	7.11	42.31	54.00	-11.69



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band1 Full	Temp./Humi.	:24.1/59
Frequency	:5220 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10440.00	Peak	54.14	4.15	58.29	68.20	-9.91
15660.00	Peak	53.35	7.33	60.68	74.00	-13.32
15660.00	Average	42.63	7.33	49.96	54.00	-4.04



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band1 Full
 Frequency :5220 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :19

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10440.00	Peak	48.03	4.15	52.18	68.20	-16.02
15660.00	Peak	50.44	7.33	57.77	74.00	-16.23
15660.00	Average	40.63	7.33	47.96	54.00	-6.04



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band1 Full	Temp./Humi.	:24.1/59
Frequency	:5240 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10480.00	Peak	51.56	4.05	55.61	68.20	-12.59
15720.00	Peak	52.11	7.53	59.64	74.00	-14.36
15720.00	Average	41.42	7.53	48.96	54.00	-5.04



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band1 Full
 Frequency :5240 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :19

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10480.00	Peak	50.67	4.05	54.72	68.20	-13.48
15720.00	Peak	49.61	7.53	57.14	74.00	-16.86
15720.00	Average	39.39	7.53	46.93	54.00	-7.07



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band1 Full	Temp./Humi.	:25.3/56
Frequency	:5190 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10380.00	Peak	50.98	4.44	55.42	68.20	-12.79
15570.00	Peak	45.77	7.11	52.88	74.00	-21.12
15570.00	Average	37.39	7.11	44.51	54.00	-9.49



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band1 Full
 Frequency :5190 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :14.5

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10380.00	Peak	48.85	4.44	53.29	68.20	-14.91
15570.00	Peak	45.99	7.11	53.10	74.00	-20.90
15570.00	Average	36.66	7.11	43.77	54.00	-10.23



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band1 RU242/61	Temp./Humi.	:25.3/56
Frequency	:5190 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10380.00	Peak	46.22	4.44	50.66	68.20	-17.54
15570.00	Peak	47.54	7.11	54.65	74.00	-19.35
15570.00	Average	38.08	7.11	45.20	54.00	-8.81



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band1 RU242/61	Temp./Humi.	:25.3/56
Frequency	:5190 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10380.00	Peak	45.44	4.44	49.88	68.20	-18.32
15570.00	Peak	46.31	7.11	53.42	74.00	-20.58
15570.00	Average	36.64	7.11	43.75	54.00	-10.25



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band1 Full	Temp./Humi.	:25.3/56
Frequency	:5230 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10460.00	Peak	51.01	4.07	55.08	68.20	-13.12
15690.00	Peak	51.60	7.29	58.89	74.00	-15.11
15690.00	Average	42.67	7.29	49.96	54.00	-4.04



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band1 Full
 Frequency :5230 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :19

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10460.00	Peak	49.77	4.07	53.84	68.20	-14.36
15690.00	Peak	49.77	7.29	57.06	74.00	-16.94
15690.00	Average	39.90	7.29	47.19	54.00	-6.81



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band1 Full	Temp./Humi.	:25.3/56
Frequency	:5210 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10420.00	Peak	45.51	4.29	49.80	68.20	-18.40
15630.00	Peak	45.03	7.27	52.30	74.00	-21.70
15630.00	Average	36.85	7.27	44.12	54.00	-9.88



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band1 Full
 Frequency :5210 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :12.25

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10420.00	Peak	45.32	4.29	49.61	68.20	-18.59
15630.00	Peak	45.99	7.27	53.26	74.00	-20.74
15630.00	Average	36.53	7.27	43.80	54.00	-10.20



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11 ax80/Band1 RU484/65	Temp./Humi.	:25.3/56
Frequency	:5210 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10420.00	Peak	45.17	4.29	49.46	68.20	-18.74
15630.00	Peak	45.96	7.27	53.23	74.00	-20.77
15630.00	Average	36.36	7.27	43.63	54.00	-10.37



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band1 RU484/65	Temp./Humi.	:25.3/56
Frequency	:5210 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10420.00	Peak	45.35	4.29	49.64	68.20	-18.56
15630.00	Peak	45.59	7.27	52.86	74.00	-21.14
15630.00	Average	36.48	7.27	43.75	54.00	-10.26



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ac80/Band2	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
32.23	Peak	39.95	-14.15	25.80	40.00	-14.20
150.47	Peak	39.95	-12.86	27.09	43.50	-16.41
239.33	Peak	40.27	-14.33	25.93	46.00	-20.07
345.64	Peak	37.12	-11.18	25.94	46.00	-20.06
471.64	Peak	35.54	-7.95	27.59	46.00	-18.41
593.67	Peak	32.01	-5.47	26.54	46.00	-19.46



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ac80/Band2	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
155.23	Peak	37.34	-12.69	24.65	43.50	-18.85
264.06	Peak	41.34	-13.53	27.81	46.00	-18.19
339.04	Peak	39.71	-11.19	28.52	46.00	-17.48
408.01	Peak	34.92	-9.59	25.33	46.00	-20.67
499.58	Peak	33.42	-7.53	25.89	46.00	-20.11
612.49	Peak	31.51	-4.60	26.91	46.00	-19.09



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band2	Temp./Humi.	:26.7/58
Frequency	:5260 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10520.00	Peak	49.82	4.04	53.86	68.20	-14.34
15780.00	Peak	51.71	7.89	59.60	74.00	-14.40
15780.00	Average	40.24	7.89	48.12	54.00	-5.88



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band2	Temp./Humi.	:26.7/58
Frequency	:5260 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10520.00	Peak	43.88	4.04	47.92	68.20	-20.28
15780.00	Peak	45.56	7.89	53.45	74.00	-20.55
15780.00	Average	37.81	7.89	45.70	54.00	-8.30



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band2	Temp./Humi.	:26.7/58
Frequency	:5300 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10600.00	Peak	53.46	4.12	57.58	74.00	-16.42
10600.00	Average	43.60	4.12	47.72	54.00	-6.28
15900.00	Peak	48.36	7.99	56.35	74.00	-17.65
15900.00	Average	40.64	7.99	48.63	54.00	-5.37



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band2	Temp./Humi.	:26.7/58
Frequency	:5300 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10600.00	Peak	50.24	4.12	54.36	74.00	-19.64
10600.00	Average	41.14	4.12	45.26	54.00	-8.74
15900.00	Peak	45.05	7.99	53.04	74.00	-20.96
15900.00	Average	37.93	7.99	45.92	54.00	-8.08



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band2	Temp./Humi.	:26.7/58
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10640.00	Peak	54.17	4.10	58.27	74.00	-15.73
10640.00	Average	44.36	4.10	48.47	54.00	-5.54
15960.00	Peak	48.21	7.59	55.80	74.00	-18.20
15960.00	Average	40.40	7.59	47.99	54.00	-6.01



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11a/Band2
 Frequency :5320 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :18.5

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10640.00	Peak	49.45	4.10	53.55	74.00	-20.45
10640.00	Average	41.96	4.10	46.07	54.00	-7.93
15960.00	Peak	45.79	7.59	53.38	74.00	-20.62
15960.00	Average	36.19	7.59	43.78	54.00	-10.22



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band2	Temp./Humi.	:26.7/58
Frequency	:5260 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10520.00	Peak	54.14	4.04	58.18	68.20	-10.02
15780.00	Peak	51.12	7.89	59.01	74.00	-14.99
15780.00	Average	42.17	7.89	50.06	54.00	-3.94



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band2	Temp./Humi.	:26.7/58
Frequency	:5260 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10520.00	Peak	48.38	4.04	52.42	68.20	-15.78
15780.00	Peak	48.30	7.89	56.19	74.00	-17.81
15780.00	Average	38.98	7.89	46.87	54.00	-7.13



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band2	Temp./Humi.	:26.7/58
Frequency	:5300 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10600.00	Peak	49.73	4.12	53.85	74.00	-20.15
10600.00	Average	40.04	4.12	44.16	54.00	-9.84
15900.00	Peak	50.83	7.99	58.82	74.00	-15.18
15900.00	Average	41.35	7.99	49.34	54.00	-4.66



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n20/Band2
 Frequency :5300 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10600.00	Peak	44.32	4.12	48.44	74.00	-25.56
10600.00	Average	36.75	4.12	40.87	54.00	-13.13
15900.00	Peak	47.85	7.99	55.84	74.00	-18.16
15900.00	Average	38.65	7.99	46.64	54.00	-7.36



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band2	Temp./Humi.	:26.7/58
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10640.00	Peak	47.02	4.10	51.12	74.00	-22.88
10640.00	Average	38.61	4.10	42.71	54.00	-11.29
15960.00	Peak	49.70	7.59	57.29	74.00	-16.71
15960.00	Average	40.30	7.59	47.89	54.00	-6.11



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band2	Temp./Humi.	:26.7/58
Frequency	:5320 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10640.00	Peak	43.26	4.10	47.37	74.00	-26.63
10640.00	Average	35.76	4.10	39.86	54.00	-14.14
15960.00	Peak	44.24	7.59	51.83	74.00	-22.17
15960.00	Average	36.97	7.59	44.56	54.00	-9.44



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band2	Temp./Humi.	:25.9/56
Frequency	:5270 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10540.00	Peak	48.88	4.05	52.93	68.20	-15.27
15810.00	Peak	49.69	7.91	57.60	74.00	-16.40
15810.00	Average	39.45	7.91	47.36	54.00	-6.64



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band2	Temp./Humi.	:25.9/56
Frequency	:5270 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10540.00	Peak	45.15	4.05	49.20	68.20	-19.00
15810.00	Peak	47.98	7.91	55.89	74.00	-18.11
15810.00	Average	37.13	7.91	45.04	54.00	-8.96



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band2	Temp./Humi.	:25.9/56
Frequency	:5310 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10620.00	Peak	46.00	4.11	50.12	74.00	-23.88
10620.00	Average	36.70	4.11	40.81	54.00	-13.19
15930.00	Peak	45.32	7.75	53.07	74.00	-20.93
15930.00	Average	36.13	7.75	43.88	54.00	-10.12



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band2	Temp./Humi.	:25.9/56
Frequency	:5310 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10620.00	Peak	44.80	4.11	48.91	74.00	-25.09
10620.00	Average	35.53	4.11	39.64	54.00	-14.36
15930.00	Peak	44.75	7.75	52.50	74.00	-21.50
15930.00	Average	35.55	7.75	43.30	54.00	-10.71



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band2	Temp./Humi.	:25.9/56
Frequency	:5290 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10580.00	Peak	43.98	4.10	48.08	68.20	-20.12
15870.00	Peak	44.77	8.06	52.83	74.00	-21.17
15870.00	Average	36.34	8.06	44.40	54.00	-9.60



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band2	Temp./Humi.	:25.9/56
Frequency	:5290 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10580.00	Peak	42.20	4.10	46.30	68.20	-21.90
15870.00	Peak	43.65	8.06	51.72	74.00	-22.28
15870.00	Average	36.35	8.06	44.41	54.00	-9.59



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band2 Full	Temp./Humi.	:24.1/59
Frequency	:5260 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10520.00	Peak	50.62	4.04	54.66	68.20	-13.54
15780.00	Peak	50.23	7.89	58.12	74.00	-15.88
15780.00	Average	41.68	7.89	49.57	54.00	-4.44



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band2 Full
 Frequency :5260 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17.5

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10520.00	Peak	45.57	4.04	49.62	68.20	-18.58
15780.00	Peak	46.57	7.89	54.46	74.00	-19.54
15780.00	Average	38.39	7.89	46.28	54.00	-7.72



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band2 Full	Temp./Humi.	:24.1/59
Frequency	:5300 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10600.00	Peak	48.46	4.12	52.58	74.00	-21.42
10600.00	Average	38.58	4.12	42.70	54.00	-11.30
15900.00	Peak	50.12	7.99	58.11	74.00	-15.89
15900.00	Average	40.38	7.99	48.37	54.00	-5.63



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band2 Full
 Frequency :5300 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :18

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10600.00	Peak	46.99	4.12	51.11	74.00	-22.89
10600.00	Average	36.15	4.12	40.27	54.00	-13.73
15900.00	Peak	47.69	7.99	55.68	74.00	-18.32
15900.00	Average	37.91	7.99	45.90	54.00	-8.10



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band2 Full	Temp./Humi.	:24.1/59
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10640.00	Peak	48.44	4.10	52.55	74.00	-21.45
10640.00	Average	38.48	4.10	42.58	54.00	-11.42
15960.00	Peak	48.36	7.59	55.95	74.00	-18.05
15960.00	Average	39.37	7.59	46.96	54.00	-7.04



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax20/Band2 Full
 Frequency :5320 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :18.25

Test Date :2023-08-29
 Temp./Humi. :24.1/59
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10640.00	Peak	43.45	4.10	47.55	74.00	-26.45
10640.00	Average	35.67	4.10	39.77	54.00	-14.23
15960.00	Peak	45.73	7.59	53.32	74.00	-20.68
15960.00	Average	36.93	7.59	44.52	54.00	-9.48



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band2 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5320 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10640.00	Peak	43.20	4.10	47.31	74.00	-26.69
10640.00	Average	36.26	4.10	40.37	54.00	-13.63
15960.00	Peak	44.60	7.59	52.19	74.00	-21.81
15960.00	Average	36.13	7.59	43.72	54.00	-10.28



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11 ax20/Band2 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5320 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10640.00	Peak	45.91	4.10	50.01	74.00	-23.99
10640.00	Average	35.85	4.10	39.95	54.00	-14.05
15960.00	Peak	44.66	7.59	52.25	74.00	-21.75
15960.00	Average	34.92	7.59	42.51	54.00	-11.49



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band2 Full	Temp./Humi.	:25.3/56
Frequency	:5270 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10540.00	Peak	46.86	4.05	50.91	68.20	-17.29
15810.00	Peak	48.56	7.91	56.47	74.00	-17.53
15810.00	Average	38.29	7.91	46.20	54.00	-7.80



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band2 Full
 Frequency :5270 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17.5

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10540.00	Peak	46.56	4.05	50.62	68.20	-17.59
15810.00	Peak	47.51	7.91	55.42	74.00	-18.58
15810.00	Average	38.01	7.91	45.92	54.00	-8.08



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band2 Full	Temp./Humi.	:25.3/56
Frequency	:5310 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10620.00	Peak	47.56	4.11	51.67	74.00	-22.33
10620.00	Average	37.87	4.11	41.99	54.00	-12.01
15930.00	Peak	44.91	7.75	52.66	74.00	-21.34
15930.00	Average	35.99	7.75	43.74	54.00	-10.27



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band2 Full
 Frequency :5310 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :15.25

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10620.00	Peak	45.85	4.11	49.96	74.00	-24.04
10620.00	Average	35.48	4.11	39.59	54.00	-14.41
15930.00	Peak	46.84	7.75	54.59	74.00	-19.41
15930.00	Average	36.02	7.75	43.77	54.00	-10.23



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band2 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5310 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10620.00	Peak	45.04	4.11	49.15	74.00	-24.85
10620.00	Average	36.15	4.11	40.26	54.00	-13.74
15930.00	Peak	44.65	7.75	52.40	74.00	-21.60
15930.00	Average	35.13	7.75	42.88	54.00	-11.12



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band2 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5310 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10620.00	Peak	43.48	4.11	47.60	74.00	-26.40
10620.00	Average	34.40	4.11	38.51	54.00	-15.49
15930.00	Peak	45.55	7.75	53.30	74.00	-20.70
15930.00	Average	35.31	7.75	43.06	54.00	-10.94



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band2 Full	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10580.00	Peak	44.91	4.10	49.00	68.20	-19.20
15870.00	Peak	45.48	8.06	53.54	74.00	-20.46
15870.00	Average	36.59	8.06	44.65	54.00	-9.35



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax80/Band2 Full
 Frequency :5290 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :13

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
10580.00	Peak	45.45	4.10	49.55	68.20	-18.65
15870.00	Peak	45.15	8.06	53.21	74.00	-20.79
15870.00	Average	36.32	8.06	44.38	54.00	-9.62



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band2 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10580.00	Peak	45.17	4.10	49.26	68.20	-18.94
15870.00	Peak	44.05	8.06	52.12	74.00	-21.88
15870.00	Average	36.77	8.06	44.83	54.00	-9.17



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band2 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5290 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
10580.00	Peak	45.02	4.10	49.12	68.20	-19.08
15870.00	Peak	44.54	8.06	52.61	74.00	-21.39
15870.00	Average	36.95	8.06	45.01	54.00	-8.99



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band3 Full	Temp./Humi.	:25.3/56
Frequency	:5510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
32.04	Peak	40.23	-14.11	26.12	40.00	-13.88
154.84	Peak	40.10	-12.67	27.44	43.50	-16.06
248.64	Peak	39.74	-14.00	25.74	46.00	-20.26
345.64	Peak	36.24	-11.18	25.06	46.00	-20.94
498.61	Peak	36.30	-7.56	28.74	46.00	-17.26
604.82	Peak	31.72	-4.85	26.87	46.00	-19.13



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11ax40/Band3 Full
 Frequency :5510 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :15.75

Test Date :2023-08-30
 Temp./Humi. :25.3/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
155.03	Peak	37.10	-12.66	24.44	43.50	-19.06
216.05	Peak	39.99	-16.06	23.93	46.00	-22.07
263.96	Peak	42.03	-13.53	28.50	46.00	-17.50
337.68	Peak	40.51	-11.21	29.31	46.00	-16.69
479.89	Peak	33.24	-7.82	25.42	46.00	-20.58
592.60	Peak	31.44	-5.49	25.95	46.00	-20.05



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11000.00	Peak	56.96	4.50	61.46	74.00	-12.54
11000.00	Average	47.65	4.50	52.15	54.00	-1.86
16500.00	Peak	54.69	6.45	61.14	68.20	-7.06



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5500 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11000.00	Peak	55.42	4.50	59.92	74.00	-14.08
11000.00	Average	46.05	4.50	50.55	54.00	-3.45
16500.00	Peak	46.12	6.45	52.57	68.20	-15.63



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5580 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11160.00	Peak	55.38	4.78	60.16	74.00	-13.84
11160.00	Average	46.85	4.78	51.63	54.00	-2.37
16740.00	Peak	55.21	5.74	60.95	68.20	-7.25



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5580 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11160.00	Peak	52.37	4.78	57.14	74.00	-16.86
11160.00	Average	42.40	4.78	47.18	54.00	-6.82
16740.00	Peak	52.36	5.74	58.11	68.20	-10.09



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band3	Temp./Humi.	:26.7/58
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11400.00	Peak	53.29	4.97	58.26	74.00	-15.74
11400.00	Average	46.54	4.97	51.51	54.00	-2.49
17100.00	Peak	58.39	4.69	63.08	68.20	-5.12



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11a/Band3
 Frequency :5700 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :16.75

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
11400.00	Peak	56.67	4.97	61.64	74.00	-12.36
11400.00	Average	46.01	4.97	50.98	54.00	-3.02
17100.00	Peak	54.10	4.69	58.79	68.20	-9.41



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11000.00	Peak	56.32	4.50	60.82	74.00	-13.18
11000.00	Average	46.86	4.50	51.36	54.00	-2.64
16500.00	Peak	54.35	6.45	60.80	68.20	-7.40



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5500 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11000.00	Peak	52.62	4.50	57.12	74.00	-16.88
11000.00	Average	43.78	4.50	48.28	54.00	-5.72
16500.00	Peak	47.05	6.45	53.50	68.20	-14.70



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5580 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
11160.00	Peak	56.94	4.78	61.72	74.00	-12.28
11160.00	Average	46.94	4.78	51.72	54.00	-2.28
16740.00	Peak	57.26	5.74	63.01	68.20	-5.19



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n20/Band3
 Frequency :5580 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17.25

Test Date :2023-08-26
 Temp./Humi. :26.7/58
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11160.00	Peak	51.00	4.78	55.77	74.00	-18.23
11160.00	Average	42.11	4.78	46.89	54.00	-7.11
16740.00	Peak	53.32	5.74	59.07	68.20	-9.13



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
11400.00	Peak	54.66	4.97	59.63	74.00	-14.37
11400.00	Average	45.86	4.97	50.83	54.00	-3.17
17100.00	Peak	58.38	4.69	63.07	68.20	-5.13



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band3	Temp./Humi.	:26.7/58
Frequency	:5700 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
11400.00	Peak	54.62	4.97	59.59	74.00	-14.41
11400.00	Average	44.49	4.97	49.46	54.00	-4.54
17100.00	Peak	52.42	4.69	57.11	68.20	-11.09



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band3	Temp./Humi.	:25.9/56
Frequency	:5510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11020.00	Peak	50.23	4.54	54.78	74.00	-19.22
11020.00	Average	40.50	4.54	45.05	54.00	-8.95
16530.00	Peak	47.61	6.24	53.85	68.20	-14.35



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band3	Temp./Humi.	:25.9/56
Frequency	:5510 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
11020.00	Peak	48.04	4.54	52.58	74.00	-21.42
11020.00	Average	38.02	4.54	42.57	54.00	-11.43
16530.00	Peak	45.83	6.24	52.07	68.20	-16.13



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band3	Temp./Humi.	:25.9/56
Frequency	:5550 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11100.00	Peak	54.43	4.54	58.97	74.00	-15.03
11100.00	Average	44.51	4.54	49.05	54.00	-4.95
16650.00	Peak	50.41	5.92	56.33	68.20	-11.87



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n40/Band3
 Frequency :5550 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11100.00	Peak	49.14	4.54	53.68	74.00	-20.32
11100.00	Average	39.68	4.54	44.22	54.00	-9.79
16650.00	Peak	48.00	5.92	53.92	68.20	-14.28



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band3	Temp./Humi.	:25.9/56
Frequency	:5670 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit dB μ V/m	Margin dB
11340.00	Peak	55.10	4.68	59.79	74.00	-14.21
11340.00	Average	45.19	4.68	49.88	54.00	-4.12
17010.00	Peak	53.00	5.33	58.33	68.20	-9.87



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR
 Operation Band :802.11n40/Band3
 Frequency :5670 MHz
 Operation Mode :TX
 EUT Pol :E2
 Setting :17

Test Date :2023-08-28
 Temp./Humi. :25.9/56
 Antenna Pol. :HORIZONTAL
 Engineer :Czerny Lin
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11340.00	Peak	52.17	4.68	56.85	74.00	-17.15
11340.00	Average	41.34	4.68	46.02	54.00	-7.98
17010.00	Peak	48.14	5.33	53.47	68.20	-14.73



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5530 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11060.00	Peak	48.41	4.60	53.01	74.00	-20.99
11060.00	Average	39.83	4.60	44.42	54.00	-9.58
16590.00	Peak	46.22	6.28	52.51	68.20	-15.69



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5530 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11060.00	Peak	46.85	4.60	51.45	74.00	-22.55
11060.00	Average	37.67	4.60	42.27	54.00	-11.73
16590.00	Peak	44.71	6.28	50.99	68.20	-17.21



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5610 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11220.00	Peak	52.88	4.56	57.44	74.00	-16.56
11220.00	Average	44.63	4.56	49.19	54.00	-4.81
16830.00	Peak	51.30	5.47	56.77	68.20	-11.43



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ac80/Band3	Temp./Humi.	:25.9/56
Frequency	:5610 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11220.00	Peak	46.47	4.56	51.04	74.00	-22.96
11220.00	Average	38.68	4.56	43.24	54.00	-10.76
16830.00	Peak	45.58	5.47	51.05	68.20	-17.15