




Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band3 Full	Temp./Humi.	:24.1/59
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11000.00	Peak	53.99	4.50	58.49	74.00	-15.51
11000.00	Average	43.90	4.50	48.40	54.00	-5.60
16500.00	Peak	51.58	6.45	58.03	68.20	-10.17



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11 ax20/Band3 Full  
 Frequency :5500 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17

Test Date :2023-08-29  
 Temp./Humi. :24.1/59  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11000.00	Peak	52.19	4.50	56.69	74.00	-17.31
11000.00	Average	42.26	4.50	46.76	54.00	-7.24
16500.00	Peak	48.46	6.45	54.91	68.20	-13.29



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11 ax20/Band3 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5500 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11000.00	Peak	51.70	4.50	56.20	74.00	-17.80
11000.00	Average	41.04	4.50	45.54	54.00	-8.46
16500.00	Peak	49.54	6.45	55.99	68.20	-12.21



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11 ax20/Band3 RU106/53	Temp./Humi.	:24.1/59
Frequency	:5500 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11000.00	Peak	48.42	4.50	52.92	74.00	-21.09
11000.00	Average	39.27	4.50	43.77	54.00	-10.24
16500.00	Peak	46.88	6.45	53.33	68.20	-14.88



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band3 Full	Temp./Humi.	:24.1/59
Frequency	:5580 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11160.00	Peak	55.68	4.78	60.45	74.00	-13.55
11160.00	Average	45.56	4.78	50.33	54.00	-3.67
16740.00	Peak	52.88	5.74	58.63	68.20	-9.57



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax20/Band3 Full  
 Frequency :5580 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17.5

Test Date :2023-08-29  
 Temp./Humi. :24.1/59  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11160.00	Peak	51.07	4.78	55.84	74.00	-18.16
11160.00	Average	41.59	4.78	46.37	54.00	-7.63
16740.00	Peak	49.93	5.74	55.67	68.20	-12.53



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11ax20/Band3 Full	Temp./Humi.	:24.1/59
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11400.00	Peak	56.74	4.97	61.71	74.00	-12.29
11400.00	Average	46.70	4.97	51.67	54.00	-2.33
17100.00	Peak	57.27	4.69	61.96	68.20	-6.24



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax20/Band3 Full  
 Frequency :5700 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17.5

Test Date :2023-08-29  
 Temp./Humi. :24.1/59  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11400.00	Peak	53.95	4.97	58.92	74.00	-15.08
11400.00	Average	43.74	4.97	48.71	54.00	-5.29
17100.00	Peak	53.01	4.69	57.70	68.20	-10.50





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11 ax20/Band3 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5700 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11400.00	Peak	54.85	4.97	59.82	74.00	-14.18
11400.00	Average	44.29	4.97	49.26	54.00	-4.74
17100.00	Peak	55.56	4.69	60.25	68.20	-7.95



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-29
Operation Band	:802.11 ax20/Band3 RU106/54	Temp./Humi.	:24.1/59
Frequency	:5700 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:12.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11400.00	Peak	51.54	4.97	56.51	74.00	-17.49
11400.00	Average	41.56	4.97	46.53	54.00	-7.47
17100.00	Peak	51.61	4.69	56.30	68.20	-11.90



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band3 Full	Temp./Humi.	:25.3/56
Frequency	:5510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11020.00	Peak	51.46	4.54	56.00	74.00	-18.00
11020.00	Average	42.64	4.54	47.18	54.00	-6.82
16530.00	Peak	50.39	6.24	56.63	68.20	-11.57



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax40/Band3 Full  
 Frequency :5510 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :15.75

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11020.00	Peak	48.50	4.54	53.05	74.00	-20.95
11020.00	Average	39.94	4.54	44.48	54.00	-9.52
16530.00	Peak	47.18	6.24	53.42	68.20	-14.78



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band3 RU242/61	Temp./Humi.	:25.3/56
Frequency	:5510 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11020.00	Peak	52.07	4.54	56.61	74.00	-17.39
11020.00	Average	42.97	4.54	47.51	54.00	-6.49
16530.00	Peak	51.37	6.24	57.61	68.20	-10.59



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band3 RU242/61	Temp./Humi.	:25.3/56
Frequency	:5510 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11020.00	Peak	49.50	4.54	54.05	74.00	-19.95
11020.00	Average	39.57	4.54	44.12	54.00	-9.88
16530.00	Peak	48.18	6.24	54.42	68.20	-13.78



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band3 Full	Temp./Humi.	:25.3/56
Frequency	:5550 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.25		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11100.00	Peak	54.79	4.54	59.33	74.00	-14.67
11100.00	Average	44.60	4.54	49.14	54.00	-4.86
16650.00	Peak	51.12	5.92	57.04	68.20	-11.16



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax40/Band3 Full  
 Frequency :5550 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17.25

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11100.00	Peak	51.32	4.54	55.86	74.00	-18.14
11100.00	Average	41.45	4.54	45.99	54.00	-8.01
16650.00	Peak	48.51	5.92	54.43	68.20	-13.77





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band3 Full	Temp./Humi.	:25.3/56
Frequency	:5670 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11340.00	Peak	54.81	4.68	59.50	74.00	-14.50
11340.00	Average	45.45	4.68	50.14	54.00	-3.87
17010.00	Peak	53.92	5.33	59.25	68.20	-8.95



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax40/Band3 Full  
 Frequency :5670 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11340.00	Peak	51.66	4.68	56.34	74.00	-17.66
11340.00	Average	42.15	4.68	46.83	54.00	-7.17
17010.00	Peak	50.73	5.33	56.06	68.20	-12.14



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11 ax40/Band3 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5670 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11340.00	Peak	53.57	4.68	58.25	74.00	-15.75
11340.00	Average	44.39	4.68	49.07	54.00	-4.93
17010.00	Peak	52.52	5.33	57.85	68.20	-10.35



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band3 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5670 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11340.00	Peak	51.85	4.68	56.54	74.00	-17.47
11340.00	Average	42.37	4.68	47.05	54.00	-6.95
17010.00	Peak	50.16	5.33	55.49	68.20	-12.71



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 Full	Temp./Humi.	:25.3/56
Frequency	:5530 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11060.00	Peak	50.38	4.60	54.98	74.00	-19.02
11060.00	Average	41.34	4.60	45.93	54.00	-8.07
16590.00	Peak	49.08	6.28	55.37	68.20	-12.84



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax80/Band3 Full  
 Frequency :5530 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :15.5

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11060.00	Peak	46.22	4.60	50.82	74.00	-23.18
11060.00	Average	36.61	4.60	41.21	54.00	-12.79
16590.00	Peak	45.56	6.28	51.85	68.20	-16.35



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11 ax80/Band3 RU464/65	Temp./Humi.	:25.3/56
Frequency	:5530 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11060.00	Peak	52.86	4.60	57.45	74.00	-16.55
11060.00	Average	43.93	4.60	48.53	54.00	-5.47
16590.00	Peak	51.65	6.28	57.94	68.20	-10.26



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11 ax80/Band3 RU464/65	Temp./Humi.	:25.3/56
Frequency	:5530 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11060.00	Peak	49.49	4.60	54.09	74.00	-19.91
11060.00	Average	40.10	4.60	44.70	54.00	-9.31
16590.00	Peak	48.98	6.28	55.27	68.20	-12.93





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 Full	Temp./Humi.	:25.3/56
Frequency	:5610 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11220.00	Peak	53.11	4.56	57.68	74.00	-16.32
11220.00	Average	44.48	4.56	49.04	54.00	-4.96
16830.00	Peak	53.51	5.47	58.98	68.20	-9.22



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax80/Band3 Full  
 Frequency :5610 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :19.5

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11220.00	Peak	49.89	4.56	54.45	74.00	-19.55
11220.00	Average	40.43	4.56	45.00	54.00	-9.01
16830.00	Peak	49.17	5.47	54.64	68.20	-13.56



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5610 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11220.00	Peak	53.94	4.56	58.51	74.00	-15.49
11220.00	Average	44.93	4.56	49.49	54.00	-4.51
16830.00	Peak	52.94	5.47	58.41	68.20	-9.79



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band3 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5610 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11220.00	Peak	49.40	4.56	53.97	74.00	-20.03
11220.00	Average	40.20	4.56	44.77	54.00	-9.23
16830.00	Peak	49.72	5.47	55.20	68.20	-13.00



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band4 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5795 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
31.94	Peak	40.00	-14.10	25.89	40.00	-14.11
148.83	Peak	40.19	-13.06	27.13	43.50	-16.37
251.06	Peak	39.65	-13.99	25.67	46.00	-20.33
345.64	Peak	37.48	-11.18	26.30	46.00	-19.70
499.19	Peak	35.96	-7.54	28.42	46.00	-17.58
604.82	Peak	32.53	-4.85	27.68	46.00	-18.32



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band4 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5795 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
154.94	Peak	37.81	-12.66	25.15	43.50	-18.35
183.84	Peak	40.22	-14.92	25.30	43.50	-18.20
263.96	Peak	41.64	-13.53	28.11	46.00	-17.89
337.30	Peak	39.91	-11.21	28.70	46.00	-17.30
499.67	Peak	32.78	-7.53	25.25	46.00	-20.75
600.55	Peak	30.87	-5.04	25.82	46.00	-20.18



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5745 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11490.00	Peak	54.11	4.99	59.11	74.00	-14.89
11490.00	Average	48.55	4.99	53.54	54.00	-0.46
17235.00	Peak	59.63	4.52	64.15	68.20	-4.05



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5745 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11490.00	Peak	58.48	4.99	63.47	74.00	-10.53
11490.00	Average	46.93	4.99	51.92	54.00	-2.08
17235.00	Peak	57.21	4.52	61.73	68.20	-6.47





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5785 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11570.00	Peak	55.58	5.05	60.62	74.00	-13.38
11570.00	Average	48.32	5.05	53.37	54.00	-0.63
17355.00	Peak	55.86	4.61	60.47	68.20	-7.73



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5785 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11570.00	Peak	55.75	5.05	60.80	74.00	-13.20
11570.00	Average	46.37	5.05	51.42	54.00	-2.58
17355.00	Peak	51.70	4.61	56.31	68.20	-11.90



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11a/Band4	Temp./Humi.	:26.7/58
Frequency	:5825 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11650.00	Peak	56.41	5.03	61.44	74.00	-12.56
11650.00	Average	48.25	5.03	53.28	54.00	-0.72
17475.00	Peak	59.36	4.37	63.73	68.20	-4.47



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11a/Band4  
 Frequency :5825 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17.5

Test Date :2023-08-26  
 Temp./Humi. :26.7/58  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11650.00	Peak	54.36	5.03	59.39	74.00	-14.61
11650.00	Average	44.71	5.03	49.74	54.00	-4.26
17475.00	Peak	56.30	4.37	60.67	68.20	-7.53



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5745 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11490.00	Peak	58.30	4.99	63.29	74.00	-10.71
11490.00	Average	48.35	4.99	53.35	54.00	-0.65
17235.00	Peak	60.52	4.52	65.04	68.20	-3.16



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5745 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11490.00	Peak	57.12	4.99	62.11	74.00	-11.89
11490.00	Average	47.14	4.99	52.14	54.00	-1.86
17235.00	Peak	57.55	4.52	62.07	68.20	-6.13



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5785 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11570.00	Peak	58.48	5.05	63.53	74.00	-10.47
11570.00	Average	48.16	5.05	53.21	54.00	-0.79
17355.00	Peak	60.32	4.61	64.93	68.20	-3.27



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5785 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11570.00	Peak	56.34	5.05	61.38	74.00	-12.62
11570.00	Average	46.46	5.05	51.51	54.00	-2.49
17355.00	Peak	57.12	4.61	61.73	68.20	-6.47





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5825 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11650.00	Peak	58.78	5.03	63.81	74.00	-10.19
11650.00	Average	48.08	5.03	53.11	54.00	-0.89
17475.00	Peak	60.72	4.37	65.09	68.20	-3.11



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-26
Operation Band	:802.11n20/Band4	Temp./Humi.	:26.7/58
Frequency	:5825 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11650.00	Peak	49.78	5.03	54.81	74.00	-19.19
11650.00	Average	43.12	5.03	48.15	54.00	-5.85
17475.00	Peak	55.98	4.37	60.35	68.20	-7.85



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band4	Temp./Humi.	:26.7/58
Frequency	:5755 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11510.00	Peak	57.94	5.00	62.94	74.00	-11.06
11510.00	Average	48.38	5.00	53.38	54.00	-0.62
17265.00	Peak	59.69	4.53	64.22	68.20	-3.98



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11n40/Band4  
 Frequency :5755 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17.75

Test Date :2023-08-28  
 Temp./Humi. :26.7/58  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11510.00	Peak	55.93	5.00	60.93	74.00	-13.07
11510.00	Average	45.77	5.00	50.77	54.00	-3.23
17265.00	Peak	57.34	4.53	61.87	68.20	-6.33



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11n40/Band4	Temp./Humi.	:26.7/58
Frequency	:5795 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11590.00	Peak	56.24	5.10	61.34	74.00	-12.66
11590.00	Average	48.03	5.10	53.13	54.00	-0.87
17385.00	Peak	59.01	4.54	63.54	68.20	-4.66



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11n40/Band4  
 Frequency :5795 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17.75

Test Date :2023-08-28  
 Temp./Humi. :26.7/58  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11590.00	Peak	53.65	5.10	58.75	74.00	-15.25
11590.00	Average	45.68	5.10	50.77	54.00	-3.23
17385.00	Peak	55.38	4.54	59.92	68.20	-8.28



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ac80/Band4	Temp./Humi.	:25.9/56
Frequency	:5775 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:20		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11550.00	Peak	57.29	5.00	62.29	74.00	-11.72
11550.00	Average	48.21	5.00	53.21	54.00	-0.79
17325.00	Peak	59.67	4.52	64.19	68.20	-4.01



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ac80/Band4	Temp./Humi.	:25.9/56
Frequency	:5775 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:20		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11550.00	Peak	54.13	5.00	59.13	74.00	-14.87
11550.00	Average	45.03	5.00	50.03	54.00	-3.97
17325.00	Peak	56.88	4.52	61.40	68.20	-6.80





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ax20/Band4 Full	Temp./Humi.	:25.9/56
Frequency	:5745 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:16.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11490.00	Peak	59.09	4.99	64.08	74.00	-9.92
11490.00	Average	48.30	4.99	53.29	54.00	-0.71
17235.00	Peak	59.28	4.52	63.80	68.20	-4.40



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax20/Band4 Full  
 Frequency :5745 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :16.75

Test Date :2023-08-28  
 Temp./Humi. :25.9/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11490.00	Peak	56.05	4.99	61.05	74.00	-12.95
11490.00	Average	46.65	4.99	51.65	54.00	-2.35
17235.00	Peak	54.97	4.52	59.49	68.20	-8.71



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ax20/Band4 RU106/53	Temp./Humi.	:25.9/56
Frequency	:5745 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11490.00	Peak	59.54	4.99	64.53	74.00	-9.47
11490.00	Average	48.26	4.99	53.25	54.00	-0.75
17235.00	Peak	59.11	4.52	63.63	68.20	-4.57



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ax20/Band4 RU106/53	Temp./Humi.	:25.9/56
Frequency	:5745 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:13.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11490.00	Peak	55.04	4.99	60.04	74.00	-13.96
11490.00	Average	45.21	4.99	50.20	54.00	-3.80
17235.00	Peak	55.34	4.52	59.86	68.20	-8.34



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ax20/Band4 Full	Temp./Humi.	:25.9/56
Frequency	:5785 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11570.00	Peak	57.78	5.05	62.83	74.00	-11.17
11570.00	Average	48.24	5.05	53.28	54.00	-0.72
17355.00	Peak	56.43	4.61	61.04	68.20	-7.16



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax20/Band4 Full  
 Frequency :5785 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :15.25

Test Date :2023-08-28  
 Temp./Humi. :25.9/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11570.00	Peak	55.24	5.05	60.29	74.00	-13.71
11570.00	Average	45.04	5.05	50.08	54.00	-3.92
17355.00	Peak	54.54	4.61	59.15	68.20	-9.05



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11ax20/Band4 Full	Temp./Humi.	:25.9/56
Frequency	:5825 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11650.00	Peak	58.99	5.03	64.02	74.00	-9.98
11650.00	Average	48.49	5.03	53.52	54.00	-0.48
17475.00	Peak	60.22	4.37	64.59	68.20	-3.61



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax20/Band4 Full  
 Frequency :5825 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :18.25

Test Date :2023-08-28  
 Temp./Humi. :25.9/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11650.00	Peak	53.29	5.03	58.32	74.00	-15.68
11650.00	Average	43.61	5.03	48.64	54.00	-5.36
17475.00	Peak	56.42	4.37	60.79	68.20	-7.41





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ax20/Band4 RU106/54	Temp./Humi.	:25.9/56
Frequency	:5825 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11650.00	Peak	58.76	5.03	63.79	74.00	-10.21
11650.00	Average	48.33	5.03	53.36	54.00	-0.64
17475.00	Peak	60.68	4.37	65.05	68.20	-3.15



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-28
Operation Band	:802.11 ax20/Band4 RU106/54	Temp./Humi.	:25.9/56
Frequency	:5825 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.5		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11650.00	Peak	51.40	5.03	56.43	74.00	-17.57
11650.00	Average	41.72	5.03	46.75	54.00	-7.25
17475.00	Peak	53.42	4.37	57.79	68.20	-10.41



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band4 Full	Temp./Humi.	:25.3/56
Frequency	:5755 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:17		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11510.00	Peak	57.05	5.00	62.05	74.00	-11.95
11510.00	Average	48.13	5.00	53.13	54.00	-0.87
17265.00	Peak	55.90	4.53	60.43	68.20	-7.77



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax40/Band4 Full  
 Frequency :5755 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :17

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11510.00	Peak	55.79	5.00	60.79	74.00	-13.21
11510.00	Average	45.28	5.00	50.28	54.00	-3.72
17265.00	Peak	53.04	4.53	57.57	68.20	-10.63



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band4 RU242/61	Temp./Humi.	:25.3/56
Frequency	:5755 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11510.00	Peak	57.25	5.00	62.25	74.00	-11.75
11510.00	Average	48.29	5.00	53.29	54.00	-0.71
17265.00	Peak	55.32	4.53	59.85	68.20	-8.35



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band4 RU242/61	Temp./Humi.	:25.3/56
Frequency	:5755 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:14.75		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11510.00	Peak	55.85	5.00	60.85	74.00	-13.15
11510.00	Average	45.46	5.00	50.46	54.00	-3.54
17265.00	Peak	54.56	4.53	59.09	68.20	-9.11



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax40/Band4 Full	Temp./Humi.	:25.3/56
Frequency	:5795 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:18.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11590.00	Peak	58.53	5.10	63.62	74.00	-10.38
11590.00	Average	48.26	5.10	53.36	54.00	-0.64
17385.00	Peak	59.61	4.54	64.15	68.20	-4.05



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax40/Band4 Full  
 Frequency :5795 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :18.25

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11590.00	Peak	55.59	5.10	60.69	74.00	-13.31
11590.00	Average	45.56	5.10	50.66	54.00	-3.34
17385.00	Peak	53.56	4.54	58.10	68.20	-10.10





Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11 ax40/Band4 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5795 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11590.00	Peak	58.15	5.10	63.25	74.00	-10.75
11590.00	Average	48.50	5.10	53.60	54.00	-0.40
17385.00	Peak	56.52	4.54	61.05	68.20	-7.15



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11 ax40/Band4 RU242/62	Temp./Humi.	:25.3/56
Frequency	:5795 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:15		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11590.00	Peak	53.60	5.10	58.70	74.00	-15.31
11590.00	Average	43.78	5.10	48.88	54.00	-5.12
17385.00	Peak	51.21	4.54	55.75	68.20	-12.46



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band4 Full	Temp./Humi.	:25.3/56
Frequency	:5775 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:20		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dBuV	Factor dB	Actual FS dBuV/m	Limit dBuV/m	Margin dB
11550.00	Peak	55.68	5.00	60.68	74.00	-13.32
11550.00	Average	46.98	5.00	51.98	54.00	-2.02
17325.00	Peak	57.19	4.52	61.71	68.20	-6.49



Report No.: TMWK2307002437KR

Report Number :TMWK2307002437KR  
 Operation Band :802.11ax80/Band4 Full  
 Frequency :5775 MHz  
 Operation Mode :TX  
 EUT Pol :E2  
 Setting :20

Test Date :2023-08-30  
 Temp./Humi. :25.3/56  
 Antenna Pol. :HORIZONTAL  
 Engineer :Czerny Lin  
 Test Chamber : 966D




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11550.00	Peak	54.05	5.00	59.05	74.00	-14.95
11550.00	Average	45.85	5.00	50.85	54.00	-3.15
17325.00	Peak	56.66	4.52	61.18	68.20	-7.02



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11ax80/Band4 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5775 MHz	Antenna Pol.	:VERTICAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.25		




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11550.00	Peak	56.03	5.00	61.03	74.00	-12.97
11550.00	Average	47.55	5.00	52.55	54.00	-1.45
17325.00	Peak	57.68	4.52	62.20	68.20	-6.00



Report No.: TMWK2307002437KR

Report Number	:TMWK2307002437KR	Test Date	:2023-08-30
Operation Band	:802.11 ax80/Band4 RU484/66	Temp./Humi.	:25.3/56
Frequency	:5775 MHz	Antenna Pol.	:HORIZONTAL
Operation Mode	:TX	Engineer	:Czerny Lin
EUT Pol	:E2	Test Chamber	: 966D
Setting	:19.25		



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Read Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit dB $\mu$ V/m	Margin dB
11550.00	Peak	56.23	5.00	61.23	74.00	-12.77
11550.00	Average	47.04	5.00	52.04	54.00	-1.96
17325.00	Peak	57.92	4.52	62.44	68.20	-5.76

--End of Test Report--