


802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.607G | 63.21 | 68.20 | -4.99 | 7.96 | 3 | Vertical | 291 | 1.01 | - |
| PK | 5.818G | 104.27 | Inf | -Inf | 8.31 | 3 | Vertical | 291 | 1.01 | - |
| AV | 5.819G | 94.39 | Inf | -Inf | 8.31 | 3 | Vertical | 291 | 1.01 | - |
| PK | 5.984G | 61.11 | 68.20 | -7.09 | 8.69 | 3 | Vertical | 291 | 1.01 | - |

802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.591G | 61.58 | 68.20 | -6.62 | 7.93 | 3 | Horizontal | 163 | 1.01 | - |
| PK | 5.819G | 111.03 | Inf | -Inf | 8.31 | 3 | Horizontal | 163 | 1.01 | - |
| AV | 5.831G | 101.12 | Inf | -Inf | 8.34 | 3 | Horizontal | 163 | 1.01 | - |
| PK | 5.982G | 61.59 | 68.20 | -6.61 | 8.68 | 3 | Horizontal | 163 | 1.01 | - |

802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX



EUT Z_1TX ANT 2
 Setting 79
 06-S-5
 FSP


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.65564G | 58.44 | 74.00 | -15.56 | 16.73 | 3 | Vertical | 28 | 1.65 | - |
| AV | 11.6514G | 45.28 | 54.00 | -8.72 | 16.74 | 3 | Vertical | 28 | 1.65 | - |



802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX




EUT Z_1TX ANT 2
 Setting 79
 06-S-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 11.65956G | 58.22 | 74.00 | -15.78 | 16.72 | 3 | Horizontal | 234 | 1.81 | - |
| AV | 11.65216G | 45.28 | 54.00 | -8.72 | 16.74 | 3 | Horizontal | 234 | 1.81 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT_Z_1TX ANT 2
Setting 43
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.15G | 61.80 | 74.00 | -12.20 | 7.32 | 3 | Vertical | 99 | 1.02 | - |
| AV | 5.1496G | 49.08 | 54.00 | -4.92 | 7.32 | 3 | Vertical | 99 | 1.02 | - |
| PK | 5.2024G | 94.81 | Inf | -Inf | 7.37 | 3 | Vertical | 99 | 1.02 | - |
| AV | 5.2032G | 85.01 | Inf | -Inf | 7.37 | 3 | Vertical | 99 | 1.02 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT_Z_1TX ANT 2
Setting 43
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.1456G | 70.03 | 74.00 | -3.97 | 7.32 | 3 | Horizontal | 316 | 1.01 | - |
| AV | 5.15G | 52.89 | 54.00 | -1.11 | 7.32 | 3 | Horizontal | 316 | 1.01 | - |
| PK | 5.1956G | 101.16 | Inf | -Inf | 7.37 | 3 | Horizontal | 316 | 1.01 | - |
| AV | 5.1768G | 90.78 | Inf | -Inf | 7.35 | 3 | Horizontal | 316 | 1.01 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT_Z_1TX ANT 2
Setting 43
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 15.5592G | 59.24 | 74.00 | -14.76 | 15.18 | 3 | Vertical | 166 | 2.32 | - |
| AV | 15.555G | 47.17 | 54.00 | -6.83 | 15.19 | 3 | Vertical | 166 | 2.32 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT Z_1TX ANT 2
Setting 43
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 15.58326G | 59.27 | 74.00 | -14.73 | 15.10 | 3 | Horizontal | 68 | 1.03 | - |
| AV | 15.55728G | 47.08 | 54.00 | -6.92 | 15.19 | 3 | Horizontal | 68 | 1.03 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT_Z_1TX ANT 2
Setting 69
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.149G | 60.24 | 74.00 | -13.76 | 7.27 | 3 | Vertical | 297 | 2.72 | - |
| AV | 5.15G | 48.13 | 54.00 | -5.87 | 7.27 | 3 | Vertical | 297 | 2.72 | - |
| PK | 5.227G | 102.13 | Inf | -Inf | 7.40 | 3 | Vertical | 297 | 2.72 | - |
| AV | 5.2246G | 91.59 | Inf | -Inf | 7.38 | 3 | Vertical | 297 | 2.72 | - |
| PK | 5.3662G | 60.26 | 74.00 | -13.74 | 7.57 | 3 | Vertical | 297 | 2.72 | - |
| AV | 5.377G | 48.47 | 54.00 | -5.53 | 7.59 | 3 | Vertical | 297 | 2.72 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT_Z_1TX ANT 2
Setting 69
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.149G | 66.99 | 74.00 | -7.01 | 7.27 | 3 | Horizontal | 141 | 1.02 | - |
| AV | 5.149G | 52.89 | 54.00 | -1.11 | 7.27 | 3 | Horizontal | 141 | 1.02 | - |
| PK | 5.2162G | 106.76 | Inf | -Inf | 7.38 | 3 | Horizontal | 141 | 1.02 | - |
| AV | 5.2432G | 97.06 | Inf | -Inf | 7.42 | 3 | Horizontal | 141 | 1.02 | - |
| PK | 5.3704G | 60.00 | 74.00 | -14.00 | 7.57 | 3 | Horizontal | 141 | 1.02 | - |
| AV | 5.3626G | 48.85 | 54.00 | -5.15 | 7.57 | 3 | Horizontal | 141 | 1.02 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT Z_1TX ANT 2
 Setting 69
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 15.67704G | 61.95 | 74.00 | -12.05 | 16.99 | 3 | Vertical | 191 | 2.19 | - |
| AV | 15.66G | 48.96 | 54.00 | -5.04 | 17.02 | 3 | Vertical | 191 | 2.19 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT_Z_1TX ANT 2
Setting 69
06-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 15.70968G | 61.27 | 74.00 | -12.73 | 16.92 | 3 | Horizontal | 39 | 1.32 | - |
| AV | 15.66024G | 48.99 | 54.00 | -5.01 | 17.02 | 3 | Horizontal | 39 | 1.32 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.1338G | 60.61 | 74.00 | -13.39 | 7.25 | 3 | Vertical | 290 | 2.99 | - |
| AV | 5.135G | 47.51 | 54.00 | -6.49 | 7.25 | 3 | Vertical | 290 | 2.99 | - |
| PK | 5.2718G | 103.41 | Inf | -Inf | 7.44 | 3 | Vertical | 290 | 2.99 | - |
| AV | 5.2604G | 93.54 | Inf | -Inf | 7.44 | 3 | Vertical | 290 | 2.99 | - |
| PK | 5.3648G | 60.89 | 74.00 | -13.11 | 7.57 | 3 | Vertical | 290 | 2.99 | - |
| AV | 5.3528G | 48.92 | 54.00 | -5.08 | 7.55 | 3 | Vertical | 290 | 2.99 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.1476G | 60.47 | 74.00 | -13.53 | 7.27 | 3 | Horizontal | 143 | 1.04 | - |
| AV | 5.15G | 48.25 | 54.00 | -5.75 | 7.27 | 3 | Horizontal | 143 | 1.04 | - |
| PK | 5.2568G | 108.11 | Inf | -Inf | 7.42 | 3 | Horizontal | 143 | 1.04 | - |
| AV | 5.255G | 98.55 | Inf | -Inf | 7.42 | 3 | Horizontal | 143 | 1.04 | - |
| PK | 5.3522G | 66.26 | 74.00 | -7.74 | 7.55 | 3 | Horizontal | 143 | 1.04 | - |
| AV | 5.35G | 52.88 | 54.00 | -1.12 | 7.55 | 3 | Horizontal | 143 | 1.04 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX




EUT Z_1TX ANT 2
 Setting 79
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 15.83208G | 61.69 | 74.00 | -12.31 | 16.78 | 3 | Vertical | 86 | 2.06 | - |
| AV | 15.80616G | 48.82 | 54.00 | -5.18 | 16.81 | 3 | Vertical | 86 | 2.06 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX




EUT Z_1TX ANT 2
 Setting 79
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 15.79176G | 61.63 | 74.00 | -12.37 | 16.82 | 3 | Horizontal | 98 | 2.13 | - |
| AV | 15.78288G | 48.72 | 54.00 | -5.28 | 16.84 | 3 | Horizontal | 98 | 2.13 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT_Z_1TX ANT 2
Setting 55
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.2968G | 97.67 | Inf | -Inf | 7.44 | 3 | Vertical | 99 | 1.07 | - |
| AV | 5.2972G | 87.62 | Inf | -Inf | 7.44 | 3 | Vertical | 99 | 1.07 | - |
| PK | 5.3552G | 67.67 | 74.00 | -6.33 | 7.47 | 3 | Vertical | 99 | 1.07 | - |
| AV | 5.3508G | 49.52 | 54.00 | -4.48 | 7.47 | 3 | Vertical | 99 | 1.07 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT_Z_1TX ANT 2
Setting 55
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.2964G | 102.77 | Inf | -Inf | 7.44 | 3 | Horizontal | 316 | 1.03 | - |
| AV | 5.2968G | 92.25 | Inf | -Inf | 7.44 | 3 | Horizontal | 316 | 1.03 | - |
| PK | 5.3544G | 72.78 | 74.00 | -1.22 | 7.47 | 3 | Horizontal | 316 | 1.03 | - |
| AV | 5.3508G | 52.42 | 54.00 | -1.58 | 7.47 | 3 | Horizontal | 316 | 1.03 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT_Z_1TX ANT 2
 Setting 55
 03-W-3
 FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 15.94422G | 58.03 | 74.00 | -15.97 | 13.74 | 3 | Vertical | 278 | 2.02 | - |
| AV | 15.92904G | 45.46 | 54.00 | -8.54 | 13.78 | 3 | Vertical | 278 | 2.02 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT_Z_1TX ANT 2
 Setting 55
 03-W-3
 FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 15.93708G | 57.76 | 74.00 | -16.24 | 13.76 | 3 | Horizontal | 185 | 2.43 | - |
| AV | 15.93162G | 45.21 | 54.00 | -8.79 | 13.78 | 3 | Horizontal | 185 | 2.43 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX




EUT_Z_1TX ANT 2
Setting 53
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.46G | 60.72 | 74.00 | -13.28 | 7.57 | 3 | Vertical | 93 | 1.01 | - |
| AV | 5.4596G | 48.69 | 54.00 | -5.31 | 7.57 | 3 | Vertical | 93 | 1.01 | - |
| PK | 5.47G | 63.97 | 68.20 | -4.23 | 7.58 | 3 | Vertical | 93 | 1.01 | - |
| PK | 5.5164G | 97.74 | Inf | -Inf | 7.62 | 3 | Vertical | 93 | 1.01 | - |
| AV | 5.4984G | 87.36 | Inf | -Inf | 7.60 | 3 | Vertical | 93 | 1.01 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX




EUT_Z_1TX ANT 2
Setting 53
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.4592G | 62.98 | 74.00 | -11.02 | 7.57 | 3 | Horizontal | 323 | 1.00 | - |
| AV | 5.4596G | 49.90 | 54.00 | -4.10 | 7.57 | 3 | Horizontal | 323 | 1.00 | - |
| PK | 5.4684G | 66.99 | 68.20 | -1.21 | 7.57 | 3 | Horizontal | 323 | 1.00 | - |
| PK | 5.508G | 101.62 | Inf | -Inf | 7.62 | 3 | Horizontal | 323 | 1.00 | - |
| AV | 5.5232G | 91.93 | Inf | -Inf | 7.64 | 3 | Horizontal | 323 | 1.00 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX




EUT Z_1TX ANT 2
Setting 53
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.01454G | 55.47 | 74.00 | -18.53 | 13.96 | 3 | Vertical | 355 | 1.65 | - |
| AV | 11.01406G | 42.96 | 54.00 | -11.04 | 13.96 | 3 | Vertical | 355 | 1.65 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX




EUT_Z_1TX ANT 2
Setting 53
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 11.00614G | 55.36 | 74.00 | -18.64 | 13.94 | 3 | Horizontal | 85 | 1.96 | - |
| AV | 11.02504G | 42.78 | 54.00 | -11.22 | 13.97 | 3 | Horizontal | 85 | 1.96 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.4534G | 62.13 | 74.00 | -11.87 | 7.69 | 3 | Vertical | 276 | 1.94 | - |
| AV | 5.4594G | 49.27 | 54.00 | -4.73 | 7.71 | 3 | Vertical | 276 | 1.94 | - |
| PK | 5.4672G | 61.74 | 68.20 | -6.46 | 7.71 | 3 | Vertical | 276 | 1.94 | - |
| PK | 5.5404G | 102.38 | Inf | -Inf | 7.84 | 3 | Vertical | 276 | 1.94 | - |
| AV | 5.5332G | 91.98 | Inf | -Inf | 7.83 | 3 | Vertical | 276 | 1.94 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.457G | 64.07 | 74.00 | -9.93 | 7.70 | 3 | Horizontal | 151 | 1.01 | - |
| AV | 5.46G | 51.22 | 54.00 | -2.78 | 7.71 | 3 | Horizontal | 151 | 1.01 | - |
| PK | 5.47G | 67.04 | 68.20 | -1.16 | 7.72 | 3 | Horizontal | 151 | 1.01 | - |
| PK | 5.5416G | 108.95 | Inf | -Inf | 7.84 | 3 | Horizontal | 151 | 1.01 | - |
| AV | 5.5362G | 97.89 | Inf | -Inf | 7.83 | 3 | Horizontal | 151 | 1.01 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT_Z_1TX ANT 2
 Setting 71
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.09856G | 59.11 | 74.00 | -14.89 | 17.05 | 3 | Vertical | 199 | 1.53 | - |
| AV | 11.07528G | 46.94 | 54.00 | -7.06 | 17.06 | 3 | Vertical | 199 | 1.53 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT Z_1TX ANT 2
 Setting 71
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 11.07216G | 59.07 | 74.00 | -14.93 | 17.06 | 3 | Horizontal | 30 | 1.91 | - |
| AV | 11.08824G | 46.76 | 54.00 | -7.24 | 17.05 | 3 | Horizontal | 30 | 1.91 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT Z_1TX ANT 2
Setting 71
06-S-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 5.6592G | 99.95 | Inf | -Inf | 7.88 | 3 | Vertical | 91 | 1.00 | - |
| AV | 5.656G | 90.02 | Inf | -Inf | 7.88 | 3 | Vertical | 91 | 1.00 | - |
| PK | 5.7408G | 63.82 | 68.20 | -4.38 | 8.00 | 3 | Vertical | 91 | 1.00 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT Z_1TX ANT 2
Setting 71
06-S-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.6576G | 106.34 | Inf | -Inf | 7.88 | 3 | Horizontal | 323 | 1.01 | - |
| AV | 5.6524G | 96.02 | Inf | -Inf | 7.87 | 3 | Horizontal | 323 | 1.01 | - |
| PK | 5.7356G | 66.97 | 68.20 | -1.23 | 7.99 | 3 | Horizontal | 323 | 1.01 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT Z_1TX ANT 2
Setting 71
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.3409G | 56.29 | 74.00 | -17.71 | 14.28 | 3 | Vertical | 3 | 2.16 | - |
| AV | 11.33124G | 43.40 | 54.00 | -10.60 | 14.26 | 3 | Vertical | 3 | 2.16 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT_Z_1TX ANT 2
Setting 71
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.33982G | 55.61 | 74.00 | -18.39 | 14.28 | 3 | Horizontal | 289 | 1.62 | - |
| AV | 11.33286G | 43.30 | 54.00 | -10.70 | 14.26 | 3 | Horizontal | 289 | 1.62 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.625G | 60.96 | 68.20 | -7.24 | 7.99 | 3 | Vertical | 255 | 2.95 | - |
| PK | 5.761G | 103.46 | Inf | -Inf | 8.22 | 3 | Vertical | 255 | 2.95 | - |
| AV | 5.748G | 93.81 | Inf | -Inf | 8.19 | 3 | Vertical | 255 | 2.95 | - |
| PK | 5.937G | 60.95 | 68.20 | -7.25 | 8.58 | 3 | Vertical | 255 | 2.95 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.649G | 66.67 | 68.20 | -1.53 | 8.03 | 3 | Horizontal | 152 | 1.02 | - |
| PK | 5.75G | 108.86 | Inf | -Inf | 8.19 | 3 | Horizontal | 152 | 1.02 | - |
| AV | 5.746G | 99.33 | Inf | -Inf | 8.18 | 3 | Horizontal | 152 | 1.02 | - |
| PK | 5.971G | 60.94 | 68.20 | -7.26 | 8.66 | 3 | Horizontal | 152 | 1.02 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 11.52956G | 58.34 | 74.00 | -15.66 | 16.90 | 3 | Vertical | 328 | 2.38 | - |
| AV | 11.48492G | 45.66 | 54.00 | -8.34 | 16.95 | 3 | Vertical | 328 | 2.38 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.50868G | 58.93 | 74.00 | -15.07 | 16.93 | 3 | Horizontal | 149 | 1.31 | - |
| AV | 11.51408G | 45.84 | 54.00 | -8.16 | 16.93 | 3 | Horizontal | 149 | 1.31 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.597G | 60.68 | 68.20 | -7.52 | 7.95 | 3 | Vertical | 253 | 2.91 | - |
| PK | 5.785G | 103.12 | Inf | -Inf | 8.25 | 3 | Vertical | 253 | 2.91 | - |
| AV | 5.782G | 93.62 | Inf | -Inf | 8.24 | 3 | Vertical | 253 | 2.91 | - |
| PK | 5.977G | 61.00 | 68.20 | -7.20 | 8.67 | 3 | Vertical | 253 | 2.91 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.628G | 61.45 | 68.20 | -6.75 | 7.99 | 3 | Horizontal | 150 | 1.06 | - |
| PK | 5.791G | 108.33 | Inf | -Inf | 8.25 | 3 | Horizontal | 150 | 1.06 | - |
| AV | 5.783G | 98.43 | Inf | -Inf | 8.25 | 3 | Horizontal | 150 | 1.06 | - |
| PK | 5.931G | 61.72 | 68.20 | -6.48 | 8.57 | 3 | Horizontal | 150 | 1.06 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT Z_1TX ANT 2
 Setting 79
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.59216G | 58.59 | 74.00 | -15.41 | 16.82 | 3 | Vertical | 106 | 2.34 | - |
| AV | 11.60572G | 45.95 | 54.00 | -8.05 | 16.79 | 3 | Vertical | 106 | 2.34 | - |

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.58112G | 59.10 | 74.00 | -14.90 | 16.83 | 3 | Horizontal | 210 | 2.35 | - |
| AV | 11.60656G | 46.22 | 54.00 | -7.78 | 16.79 | 3 | Horizontal | 210 | 2.35 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT_Z_1TX ANT 2
Setting 46
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.129G | 60.19 | 74.00 | -13.81 | 7.31 | 3 | Vertical | 96 | 1.01 | - |
| AV | 5.148G | 48.79 | 54.00 | -5.21 | 7.32 | 3 | Vertical | 96 | 1.01 | - |
| PK | 5.194G | 91.88 | Inf | -Inf | 7.36 | 3 | Vertical | 96 | 1.01 | - |
| AV | 5.22G | 82.09 | Inf | -Inf | 7.38 | 3 | Vertical | 96 | 1.01 | - |
| PK | 5.419G | 59.40 | 74.00 | -14.60 | 7.53 | 3 | Vertical | 96 | 1.01 | - |
| AV | 5.453G | 48.38 | 54.00 | -5.62 | 7.55 | 3 | Vertical | 96 | 1.01 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT_Z_1TX ANT 2
Setting 46
06-5-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.129G | 65.32 | 74.00 | -8.68 | 7.31 | 3 | Horizontal | 317 | 1.00 | - |
| AV | 5.15G | 52.86 | 54.00 | -1.14 | 7.32 | 3 | Horizontal | 317 | 1.00 | - |
| PK | 5.187G | 98.44 | Inf | -Inf | 7.36 | 3 | Horizontal | 317 | 1.00 | - |
| AV | 5.202G | 88.13 | Inf | -Inf | 7.37 | 3 | Horizontal | 317 | 1.00 | - |
| PK | 5.394G | 60.03 | 74.00 | -13.97 | 7.51 | 3 | Horizontal | 317 | 1.00 | - |
| AV | 5.442G | 48.39 | 54.00 | -5.61 | 7.55 | 3 | Horizontal | 317 | 1.00 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT_Z_1TX ANT 2
Setting 46
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 15.62376G | 59.58 | 74.00 | -14.42 | 14.95 | 3 | Vertical | 264 | 1.28 | - |
| AV | 15.62742G | 47.63 | 54.00 | -6.37 | 14.93 | 3 | Vertical | 264 | 1.28 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT Z_1TX ANT 2
 Setting 46
 03-W-3
 FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 15.6321G | 60.04 | 74.00 | -13.96 | 14.91 | 3 | Horizontal | 55 | 1.89 | - |
| AV | 15.62958G | 47.48 | 54.00 | -6.52 | 14.92 | 3 | Horizontal | 55 | 1.89 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX




EUT_Z_1TX ANT 2
Setting 57
06-W-3-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.084G | 60.20 | 74.00 | -13.80 | 7.25 | 3 | Vertical | 95 | 1.11 | - |
| AV | 5.077G | 48.31 | 54.00 | -5.69 | 7.25 | 3 | Vertical | 95 | 1.11 | - |
| PK | 5.274G | 95.78 | Inf | -Inf | 7.41 | 3 | Vertical | 95 | 1.11 | - |
| AV | 5.272G | 85.10 | Inf | -Inf | 7.41 | 3 | Vertical | 95 | 1.11 | - |
| PK | 5.375G | 66.94 | 74.00 | -7.06 | 7.49 | 3 | Vertical | 95 | 1.11 | - |
| AV | 5.366G | 51.31 | 54.00 | -2.69 | 7.49 | 3 | Vertical | 95 | 1.11 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX




EUT_Z_1TX ANT 2
Setting 57
06-W-3-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.069G | 60.26 | 74.00 | -13.74 | 7.24 | 3 | Horizontal | 277 | 1.01 | - |
| AV | 5.075G | 48.67 | 54.00 | -5.33 | 7.23 | 3 | Horizontal | 277 | 1.01 | - |
| PK | 5.263G | 100.55 | Inf | -Inf | 7.42 | 3 | Horizontal | 277 | 1.01 | - |
| AV | 5.263G | 90.86 | Inf | -Inf | 7.42 | 3 | Horizontal | 277 | 1.01 | - |
| PK | 5.373G | 67.95 | 74.00 | -6.05 | 7.48 | 3 | Horizontal | 277 | 1.01 | - |
| AV | 5.361G | 52.96 | 54.00 | -1.04 | 7.49 | 3 | Horizontal | 277 | 1.01 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX




EUT_Z_1TX ANT 2
Setting 57
03-W-3
FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK | 15.85896G | 58.38 | 74.00 | -15.62 | 14.05 | 3 | Vertical | 159 | 1.47 | - |
| AV | 15.85632G | 46.07 | 54.00 | -7.93 | 14.06 | 3 | Vertical | 159 | 1.47 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX



EUT_Z_1TX ANT 2
 Setting 57
 03-W-3
 FSP(100080)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 15.85932G | 58.32 | 74.00 | -15.68 | 14.05 | 3 | Horizontal | 243 | 1.94 | - |
| AV | 15.87528G | 45.76 | 54.00 | -8.24 | 13.98 | 3 | Horizontal | 243 | 1.94 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT_Z_1TX ANT 2
Setting 54
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.458G | 62.66 | 74.00 | -11.34 | 7.70 | 3 | Vertical | 278 | 1.95 | - |
| AV | 5.46G | 50.38 | 54.00 | -3.62 | 7.71 | 3 | Vertical | 278 | 1.95 | - |
| PK | 5.469G | 63.51 | 68.20 | -4.69 | 7.72 | 3 | Vertical | 278 | 1.95 | - |
| PK | 5.496G | 95.54 | Inf | -Inf | 7.76 | 3 | Vertical | 278 | 1.95 | - |
| AV | 5.502G | 85.51 | Inf | -Inf | 7.76 | 3 | Vertical | 278 | 1.95 | - |
| PK | 5.749G | 60.61 | 68.20 | -7.59 | 8.19 | 3 | Vertical | 278 | 1.95 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT_Z_1TX ANT 2
Setting 54
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.458G | 64.54 | 74.00 | -9.46 | 7.70 | 3 | Horizontal | 152 | 1.02 | - |
| AV | 5.46G | 52.78 | 54.00 | -1.22 | 7.71 | 3 | Horizontal | 152 | 1.02 | - |
| PK | 5.467G | 65.89 | 68.20 | -2.31 | 7.71 | 3 | Horizontal | 152 | 1.02 | - |
| PK | 5.515G | 101.28 | Inf | -Inf | 7.78 | 3 | Horizontal | 152 | 1.02 | - |
| AV | 5.539G | 90.55 | Inf | -Inf | 7.83 | 3 | Horizontal | 152 | 1.02 | - |
| PK | 5.757G | 60.55 | 68.20 | -7.65 | 8.20 | 3 | Horizontal | 152 | 1.02 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT_Z_1TX ANT 2
Setting 54
06-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 10.877G | 59.82 | 74.00 | -14.18 | 16.96 | 3 | Vertical | 256 | 1.02 | - |
| AV | 10.902G | 46.95 | 54.00 | -7.05 | 16.98 | 3 | Vertical | 256 | 1.02 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT Z_1TX ANT 2
 Setting 54
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 10.915G | 58.89 | 74.00 | -15.11 | 16.99 | 3 | Horizontal | 324 | 2.31 | - |
| AV | 10.925G | 46.96 | 54.00 | -7.04 | 17.00 | 3 | Horizontal | 324 | 2.31 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT_Z_1TX ANT 2
Setting 75
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.448G | 62.78 | 74.00 | -11.22 | 7.68 | 3 | Vertical | 302 | 2.97 | - |
| AV | 5.459G | 50.39 | 54.00 | -3.61 | 7.71 | 3 | Vertical | 302 | 2.97 | - |
| PK | 5.465G | 62.17 | 68.20 | -6.03 | 7.71 | 3 | Vertical | 302 | 2.97 | - |
| PK | 5.582G | 101.00 | Inf | -Inf | 7.91 | 3 | Vertical | 302 | 2.97 | - |
| AV | 5.579G | 90.42 | Inf | -Inf | 7.91 | 3 | Vertical | 302 | 2.97 | - |
| PK | 5.74G | 62.85 | 68.20 | -5.35 | 8.17 | 3 | Vertical | 302 | 2.97 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT_Z_1TX ANT 2
Setting 75
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.457G | 66.95 | 74.00 | -7.05 | 7.70 | 3 | Horizontal | 153 | 1.10 | - |
| AV | 5.46G | 52.86 | 54.00 | -1.14 | 7.71 | 3 | Horizontal | 153 | 1.10 | - |
| PK | 5.47G | 66.47 | 68.20 | -1.73 | 7.72 | 3 | Horizontal | 153 | 1.10 | - |
| PK | 5.62G | 104.75 | Inf | -Inf | 7.98 | 3 | Horizontal | 153 | 1.10 | - |
| AV | 5.58G | 94.54 | Inf | -Inf | 7.91 | 3 | Horizontal | 153 | 1.10 | - |
| PK | 5.764G | 67.07 | 68.20 | -1.13 | 8.21 | 3 | Horizontal | 153 | 1.10 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT Z_1TX ANT 2
 Setting 75
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.21808G | 59.10 | 74.00 | -14.90 | 17.03 | 3 | Vertical | 48 | 2.00 | - |
| AV | 11.23848G | 46.69 | 54.00 | -7.31 | 17.02 | 3 | Vertical | 48 | 2.00 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT Z_1TX ANT 2
Setting 75
06-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK | 11.23404G | 59.08 | 74.00 | -14.92 | 17.02 | 3 | Horizontal | 243 | 2.02 | - |
| AV | 11.21808G | 46.42 | 54.00 | -7.58 | 17.03 | 3 | Horizontal | 243 | 2.02 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX



EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 5.604G | 61.52 | 68.20 | -6.68 | 7.96 | 3 | Vertical | 298 | 2.82 | - |
| PK | 5.748G | 97.60 | Inf | -Inf | 8.19 | 3 | Vertical | 298 | 2.82 | - |
| AV | 5.747G | 87.67 | Inf | -Inf | 8.19 | 3 | Vertical | 298 | 2.82 | - |
| PK | 5.929G | 61.32 | 68.20 | -6.88 | 8.56 | 3 | Vertical | 298 | 2.82 | - |



802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX




EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 5.642G | 67.02 | 68.20 | -1.18 | 8.02 | 3 | Horizontal | 150 | 1.01 | - |
| PK | 5.752G | 103.98 | Inf | -Inf | 8.19 | 3 | Horizontal | 150 | 1.01 | - |
| AV | 5.748G | 93.99 | Inf | -Inf | 8.19 | 3 | Horizontal | 150 | 1.01 | - |
| PK | 5.928G | 62.07 | 68.20 | -6.13 | 8.56 | 3 | Horizontal | 150 | 1.01 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX




EUT Z_1TX ANT 2
 Setting 71
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|----------|
| PK | 11.57424G | 58.66 | 74.00 | -15.34 | 16.84 | 3 | Vertical | 357 | 1.95 | - |
| AV | 11.57484G | 46.00 | 54.00 | -8.00 | 16.84 | 3 | Vertical | 357 | 1.95 | - |

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX



EUT Z_1TX ANT 2
 Setting 71
 06-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|----------|
| PK | 11.55264G | 58.41 | 74.00 | -15.59 | 16.87 | 3 | Horizontal | 134 | 2.21 | - |
| AV | 11.52552G | 45.77 | 54.00 | -8.23 | 16.91 | 3 | Horizontal | 134 | 2.21 | - |