



A D T

RF EXPOSURE REPORT (FOR BLUETOOTH)

REPORT NO.: SA120203C30

MODEL NO.: DBUB-E207

FCC ID: BKMAE-E207

RECEIVED: Feb. 03, 2012

TESTED: Feb. 06 ~ 14, 2012

ISSUED: Feb. 16, 2012

APPLICANT: Seiko Epson Corporation

ADDRESS: 3-3-5 Owa Suwa-shi Nagano-Ken 392-8502 Japan

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)
Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Vil., Lin Kou Dist., New
Taipei City, Taiwan (R.O.C)

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.

This test report consists of 5 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product certification, approval or endorsement by any government agency. The test results in the report only apply to the tested sample.



A D T

TABLE OF CONTENTS

RELEASE CONTROL RECORD.....	3
1. CERTIFICATION	4
2. REDUCED CONDITION FOR SAR.....	5
3. MAXIMUM MEASURED POWER OF EUT	5
4. CONCLUSION.....	5



A D T

RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Feb. 16, 2012

1. CERTIFICATION

PRODUCT: Bluetooth Module
MODEL: DBUB-E207
BRAND: Epson
APPLICANT: Seiko Epson Corporation
TESTED: Feb. 06 ~ 14, 2012
TEST SAMPLE: ENGINEERING SAMPLE
STANDARDS: **FCC Part 2 (Section 2.1093)**
FCC OET Bulletin 65, Supplement C (01-01)
IEEE C95.1

The above equipment (model: DBUB-E207) have been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY : Evelyn Wu , DATE: Feb. 16, 2012
Evelyn Wu / Specialist

APPROVED BY : Gary Chang , DATE: Feb. 16, 2012
Gary Chang / Technical Manager

2. REDUCED CONDITION FOR SAR

When output power is $\leq 60/f(\text{GHz})$ mW, SAR evaluation is not required.

3. MAXIMUM MEASURED POWER OF EUT

Maximum measured transmitter power:

Pout (dBm)		Pout (mW)
Bluetooth		
Conducted Power	2.55	1.799
EIRP Power	7.35	5.433

***Note:** The antenna is Monopole line, printed on PCB antenna with 4.80dBi gain.

4. CONCLUSION

No SAR evaluation is required since output power of EUT is less than threshold of SAR.