



Regulatory Compliance Information

Product Name:	WLAN / BT Module
Model:	STI6290-D101

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.

For product available in the USA/Canada market, only channel 1~11 can be operated. Selection of other channels is not possible.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance **20cm** between the radiator & your body.

List of applicable FCC rules

This module has been tested and found to comply with part 15.247, Part 15.407 requirements for Modular Approval. The modular transmitter is only FCC authorized for the specific rule parts (i.e., FCC transmitter rules) listed on the grant, and that the host product manufacturer is responsible for compliance to any other FCC rules that apply to the host not covered by the modular transmitter grant of certification. If the grantee markets their product as being Part 15 Subpart B compliant (when it also contains unintentional-radiator digital circuitry), then the grantee shall provide a notice stating that the final host product still requires Part 15 Subpart B compliance testing with the modular transmitter installed.

This device is intended only for OEM integrators under the following conditions: (For module device use)

- 1) The antenna must be installed such that 20 cm is maintained between the antenna and users, and
- 2) The transmitter module may not be co-located with any other transmitter or antenna.

As long as 2 conditions above are met, further transmitter test will not be required. However, the OEM integrator is still responsible for testing their end-product for any additional compliance requirements required with this module

installed.

Antenna

- 1) The antenna must be installed such that 20 cm is maintained between the antenna and users,
- 2) The transmitter module may not be co-located with any other transmitter or antenna.

In the event that these conditions cannot be met (for example certain laptop configurations or co-location with another transmitter), then the FCC authorization is no longer considered valid, and the FCC ID cannot be used on the final product. In these circumstances, the OEM integrator will be responsible for re-evaluating the end product (including the transmitter) and obtaining a separate FCC authorization.

To comply with FCC regulations limiting both maximum RF output power and human exposure to RF radiation, maximum antenna gain (including cable loss) must not exceed.

Antenna Type	Frequency Band (MHz)	Ant 1 Gain (dBi)	Ant 2 Gain (dBi)
Wi-Fi Antenna			
PIFA	2400 ~ 2483.5	2.34	2.74
	5150 ~ 5250	3.58	3.39
	5725 ~ 5850	5.29	4.50
Bluetooth Antenna			
PIFA	2400 ~ 2483.5	--	2.74

Important Note

Notice that any deviation(s) from the defined parameters of the antenna trace, as described by the instructions, require that the host product manufacturer must notify to EPSON that they wish to change the antenna trace design. In this case, a Class II permissive change application is required to be filed by the USI, or the host manufacturer can take responsibility through the change in FCC ID (new application) procedure followed by a Class II permissive change application

Label of the end product:

The host product must be labeled in a visible area with the following:

" **Contains FCC ID: BKMAE-STI6290** ".

The end product shall bear the following 15.19 statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This module is restricted to integration into hosts for indoor use only.

OEM integrator has be limited the operation channels in **channel 1-11** for 2.4GHz band.

The separate approval is required for all other operating configurations, including portable configurations with respect to Part 2.1093 and different antenna configurations

The information on how to configure test modes for host product evaluation for different operational conditions for a stand-alone modular transmitter in a host, , versus with multiple, simultaneously transmitting modules or other transmitters in a host can be found at KDB Publication 996369 D04

The user manual of the end product should include:

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance **20cm** between the radiator & your body.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

The antenna(s) used for this transmitter must be installed to provide a separation distance of at least **20 cm** from all persons.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device is restricted to **indoor** use.

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.

ISED

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1. *L'appareil ne doit pas produire de brouillage;*
2. *L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.*

The device shall automatically discontinue transmission in cases of absence of information to transmit, or operational failure.

This device is restricted to **indoor** use.

The transmitter module may not be co-located with any other transmitter or antenna.

Le module émetteur peut ne pas être coïmplanté avec un autre émetteur ou antenne.

IC Radiation Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance **20cm** between the radiator & your body.

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé.

*Cet équipement doit être installé et utilisé avec un minimum de **20cm** de distance entre la source de rayonnement et votre corps*

OEM integrator is still responsible for testing their end product for any additional compliance requirements required with this module installed (for example, digital device emissions, PC peripheral requirements, etc.).

IMPORTANT NOTE: In the event that these conditions cannot be met (for example certain laptop configurations or co-location with another transmitter), then the IC authorization is no longer considered valid and the IC No. cannot be used on the final product. In these circumstances, the OEM integrator will be responsible for re-evaluating the end product (including the transmitter) and obtaining a separate IC authorization.

Label of the end product:

This transmitter module is authorized only for use in device where the antenna may be installed such that **20 cm** may be maintained between the antenna and users.

The final end product must be labeled in a visible area with the following:

"Contains transmitter module IC: 1052D-STI6290".

Contient le module d'émission IC: 1052D-STI6290

The Host Model Number (HMN) must be indicated at any location on the exterior of **the end product** or product packaging or product literature which shall be available with **the end product** or online.

This device is intended only for OEM integrators under the following conditions:

- 1) The antenna must be installed such that **20cm** is maintained between the antenna and users, and
- 2) The transmitter module may not be co-located with any other transmitter or antenna.

Cet appareil est conçu uniquement pour les intégrateurs OEM dans les conditions suivantes: (Pour utilisation de dispositif module)

- 1) L'antenne doit être installée de telle sorte qu'une distance de **20cm** est respectée entre l'antenne et les utilisateurs, et*
- 2) Le module émetteur peut ne pas être coïmplanté avec un autre émetteur ou antenne.*

CAN ICES-003(B) / NMB-003(B)

The Country Code Selection feature is disabled for products marketed in the US/Canada

For product available in the USA/Canada market, only **channel 1~11** can be operated. Selection of other channels is not possible.

*Pour les produits disponibles aux États-Unis / Canada du marché, seul le **canal 1 à 11** peuvent être exploités. Sélection d'autres canaux n'est pas possible.*

1. RF power

Compliance with 2014/53/EU Radio Equipment Directive (RED)

In accordance with Article 10.8(a) and 10.8(b) of the RED, the following table provides information on the frequency bands used and the maximum RF transmit power of the product for sale in the EU:

Frequency range (MHz)	Max. Transmit Power (dBm/mW)
2400-2483.5	19.57 dBm (90.6mW)
5150-5250	19.66 dBm (92.5mW)
Bluetooth: 2402-2480	9.43 dBm (8.77mW)

2. RF Exposure Information (MPE)

This equipment should be installed and operated with minimum distance **20cm** between the radiator & your body.

3. The device for operation in the band 5150–5250 MHz is only for indoor use.

	AT	BE	BG	CH	CY	CZ	DE	DK
	EE	EL	ES	FI	FR	HR	HU	IE
	IS	IT	LI	LT	LU	LV	MT	NL
	NO	PL	PT	RO	SE	SI	SK	

4. Information of Importer:

EU Importer:

Name : EPSON EUROPE B.V.

Address : Atlas Arena, Asia Building, Hoogoorddreef 5,1101 BA Amsterdam

Zuidoost The Netherlands

TEL : 31-20-314-5000

FAX : 31-20-314-5010

Web : <http://www.epson.eu/>

5. Information of Manufacturer:

Manufacturer:

Name: SEIKO EPSON CORPORATION

Address: 3-3-5, Owa, Suwa-shi, Nagano-ken 392-8502 Japan

TEL: 81-263-87-5824 (ex.733-80485)

6. Declaration of Conformity

1. RF power

Compliance with the Radio Equipment Regulations 2017

In accordance with 13 (2) (a) and 13 (2) (b) of the Radio Equipment Regulations 2017, the following table provides information on the frequency bands used and the maximum RF transmit power of the product for sale in the UK:

Frequency range (MHz)	Max. Transmit Power (dBm/mW)
2400-2483.5	19.57 dBm (90.6mW)
5150-5250	19.66 dBm (92.5mW)
Bluetooth: 2402-2480	9.43 dBm (8.77mW)

2. RF Exposure Information (MPE)

This equipment should be installed and operated with minimum distance **20cm** between the radiator & your body.

3. The device for operation in the band 5150–5250 MHz is only for indoor use.



4. Information of Importer:

UK Importer:

Name : Epson (UK) Ltd.

Address : Westside, London Road, Hemel Hempstead, Hertfordshire, HP3 9TD, United Kingdom

TEL : 44-1442-261144

FAX : 44-1442-227227

Web : <http://www.epson.co.uk>

5. Information of Manufacturer:

Manufacturer:

Name: SEIKO EPSON CORPORATION

Address: 3-3-5, Owa, Suwa-shi, Nagano-ken 392-8502 Japan

TEL: 81-263-87-5824 (ex.733-80485)

6. Declaration of Conformity