


Page: 74 of 451



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 75 of 451

802.11ax_80MHz_Chain0_7025MHz_RU484_66 802.11ax 80MHz Chain1 6145MHz Frequency v Spectrum Analyzer 1 Occupied BW Frequency v Ö Ö KEYSIGHT Input RF nput 2: 50 0 Atten: 20 dB KEYSIGHT Input RF Settings 7.02500 эран 120 00 МНэ 1 Graph 1 Graph 120.00 MH: Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 40.016 MHz Occupied Bandwidth 76.792 MHz 11.7 dBm Total Power 12.5 dBm Total Power Transmit Freq Error % of OBW Power x dB Transmit Freq Error % of OBW Power x dB 99.00 % -26.00 dB 4:34:26 PM 1 5 C 1 7 Jul 18, 2024 9 3:17:08 PM .# 👺 🖁 💢 .:: 👺 ::: 💢 802.11ax_80MHz_Chain1_5985MHz 802.11ax_80MHz_Chain1_6385MHz Spectrum Analyzer 1 Occupied BW Frequency • Spectrum Analyzer 1 Occupied BW ¢ ¢ Frequency • KEYSIGHT Input RF KEYSIGHT Input RF Align: Auto Freq Ref: Int (S) Align: Auto Ļū ĻXI 1 Graph Scale/Div 10.0 dB 120.00 MHz Ref Lvi Offset 8.66 dB Ref Value 18.66 dBm 120.00 MHz Ref Lvl Offset 8.66 dB Ref Value 18.66 dBm Scale/Div 10.0 dB CF Step CF Step 12.000000 MHz 12.000000 MHz Auto Man Auto Man Freq Offset Freq Offse 0 Hz Center 5.98500 GHz #Res BW 910.00 kHz #Video BW 3,0000 MHz Span 120 MHz Sweep 1.00 ms (1001 pts) Center 6.38500 GHz #Res BW 910.00 kHz #Video BW 3,0000 MHz Span 120 MHz Sweep 1.00 ms (1001 pts) Occupied Bandwidth 76.378 MHz Occupied Bandwidth 76.804 MHz Total Power 11.8 dBm Total Power 12 9 dRm Transmit Freq Error x dB Bandwidth % of OBW Power x dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB 1 5 C 1 ? Jul 18, 2024 9 .:: 👺 ::: X 1 5 C 1 ? Jul 18, 2024 9 ... 🖫 ⋍ 💢 802.11ax 80MHz Chain1 6385MHz RU484 66 802.11ax 80MHz Chain1 5985MHz RU484 65 Frequency • Ö ♡ KEYSIGHT Input RF KEYSIGHT Input RF Center Frequency 6.385000000 GHz Freq Ref: Int (S) Frea Ref: Int (S) 1 Graph 120.00 MHz 120.00 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 12.000000 MHz Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 38.615 MHz Occupied Bandwidth 38.499 MHz 9.87 dBm Total Power Total Power 12.1 dBm % of OBW Power x dB 99.00 % -26.00 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

.: 🖫 🖁 X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

1 5 C 1 ? Jul 22, 2024 9

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

4:42:09 PM

.: 🖫 🖁 X



Page: 76 of 451

802.11ax 80MHz Chain1 6465MHz 802.11ax 80MHz Chain1 6545MHz Spectrum Analyzer 1 Occupied BW Frequency • Spectrum Analyzer 1 Occupied BW Frequency v Ö Ö KEYSIGHT Input RF ut 7: 50 O KEYSIGHT Input RF 1 Graph 120.00 MHz 1 Graph 120.00 MH: Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Occupied Bandwidth 76.767 MHz Occupied Bandwidth 76.599 MHz 12.1 dBm Total Power 12.5 dBm Total Power Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB 99.00 % -26.00 dB 1 5 C 1 7 Jul 18, 2024 9 1 5 C 1 7 Jul 18, 2024 9 3:44:56 PM .# 👺 🖁 💢 .:: 👺 ::: 💢 802.11ax_80MHz_Chain1_6465MHz_RU484_65 802.11ax_80MHz_Chain1_6625MHz ♡ Spectrum Analyzer 1 ¢ Frequency • KEYSIGHT Input RF KEYSIGHT Input RF Align: Auto Freq Ref: Int (S) Align: Auto ĻXI 1 Graph Scale/Div 10.0 dB 120.00 MHz Ref Lvi Offset 8.66 dB Ref Value 18.66 dBm 120.00 MHz Ref Lvl Offset 8.66 dB Ref Value 18.66 dBm Scale/Div 10.0 dB CF Step CF Step 12.000000 MHz 12.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset Center 6.46500 GHz #Res BW 910.00 kHz #Video BW 3,0000 MHz Span 120 MHz Sweep 1.00 ms (1001 pts) Center 6.62500 GHz #Res BW 910.00 kHz #Video BW 3,0000 MHz Span 120 MHz Sweep 1.00 ms (1001 pts) Occupied Bandwidth 76.817 MHz Occupied Bandwidth 38.652 MHz Total Power 11.3 dBm Total Power 12.5 dRm Transmit Freq Error x dB Bandwidth -19.587 MHz 79.74 MHz % of OBW Power x dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB ■ ? Jul 22, 2024 ■ ? 3:50:17 PM .:: 👺 ::: X ■ ? Jul 18, 2024 ■ ? 3:48:28 PM ... 🖫 ⋍ 💢 802.11ax 80MHz Chain1 6625MHz RU484 65 802.11ax 80MHz Chain1 6465MHz RU484 66 Frequency • Ö ♡ KEYSIGHT Input RF KEYSIGHT Input RF Center Frequency 6.625000000 GHz Freq Ref: Int (S) Frea Ref: Int (S) 1 Graph 120.00 MHz 120.00 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 12.000000 MHz Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 38.542 MHz Occupied Bandwidth 38.739 MHz Total Power 11.8 dBm Total Power 11.0 dBm % of OBW Power x dB % of OBW Power x dB 99.00 % -26.00 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

.: 🖫 🖁 X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 5 C 1 7 Jul 22, 2024 9 3:54:36 PM

1 5 C 1 ? Jul 22, 2024

.# 👺 🖁 💢



Page: 77 of 451

802.11ax 80MHz Chain1 6705MHz 802.11ax 80MHz Chain1 6865MHz Spectrum Analyzer 1 Occupied BW Frequency • Spectrum Analyzer 1 Occupied BW Frequency v Ö Ö KEYSIGHT Input RF ut 7: 50 O KEYSIGHT Input RF Settings 1 Graph 120.00 MHz 1 Graph 120.00 MH: Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Occupied Bandwidth 76.955 MHz Occupied Bandwidth 76.708 MHz 12.3 dBm Total Power 12.6 dBm Total Power Transmit Freq Error x dB Bandwidth Transmit Freq Error % of OBW Power x dB % of OBW Power x dB 99.00 % -26.00 dB 1 5 C 1 7 Jul 18, 2024 9 3:51:12 PM 4:06:33 PM .# 👺 🖁 💢 .:: 👺 ::: 💢 802.11ax_80MHz_Chain1_6785MHz 802.11ax_80MHz_Chain1_6945MHz Spectrum Analyzer 1 Occupied BW Frequency • Spectrum Analyzer 1 ¢ ¢ Frequency • KEYSIGHT Input RF KEYSIGHT Input RF Align: Auto Freq Ref: Int (S) Align: Auto Ļū ĻXI 120.00 MHz Ref Lvi Offset 8.66 dB Ref Value 18.66 dBm 120.00 MHz Ref Lvl Offset 8.66 dB Ref Value 18.66 dBm Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step CF Step 12.000000 MHz 12.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset Center 6.78500 GHz #Res BW 910.00 kHz #Video BW 3,0000 MHz Span 120 MHz Sweep 1.00 ms (1001 pts) Center 6.94500 GHz #Res BW 910.00 kHz #Video BW 3,0000 MHz Span 120 MHz Sweep 1.00 ms (1001 pts) Occupied Bandwidth 76.515 MHz Occupied Bandwidth 76.472 MHz Total Power 12.7 dBm Total Power 12.2 dBm Transmit Freq Error x dB Bandwidth % of OBW Power x dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB ■ ? Jul 18, 2024 ■ ? 3:54:17 PM .:: 👺 ::: X ■ ? Jul 18, 2024 ■ ? 3:59:38 PM ... 🖫 ⋍ 💢 802.11ax 80MHz Chain1 6785MHz RU484 66 802.11ax 80MHz Chain1 6945MHz RU484 65 Frequency • Ö ♡ KEYSIGHT Input RF KEYSIGHT Input RF Center Frequency 6.945000000 GHz Freq Ref: Int (S) Frea Ref: Int (S) 1 Graph 120.00 MHz 1 Graph 120.00 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 12.000000 MHz Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 39.070 MHz Occupied Bandwidth 38.268 MHz Total Power 10.8 dBm Total Power 10.6 dBm % of OBW Power x dB 99.00 % -26.00 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

.: 🖫 🖁 X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

1 5 C 1 ? Jul 22, 2024 9

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

4 9 6 1 ? Jul 22, 2024 9

.# 👺 🖁 💢




Transmit Freq Error

4:35:08 PM

Report No.: TERF2406001652E2

Page: 78 of 451



% of OBW Power x dB

99.00 % -26.00 dB

.: 👺 :: X

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 79 of 451

9 MAXIMUM OUTPUT POWER

9.1 Standard Applicable

9.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

9.1.2 Output Power

§15.407(a)

- (4) For a standard power access point and fixed client device operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 36 dBm.
 - For outdoor devices, the maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).
- (5) For an indoor access point operating in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.
- (6) For a subordinate device operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.
- (7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm and the device must limit its power to no more than 6 dB below its associated standard power access point's authorized transmit power.
- (8) For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 80 of 451

	EUT CATEGORY	Equipment Class	§15.407(a)
	Very low power devices	VLP	EIRP < 14dBm
	Standard Access Point	6SD	EIRP < 36dBm and antenna angle above 30 degrees < 21dBm EIRP for outdoor use
	indoor Access Point	6ID	EIRP < 30dBm
	Subordinate Device	6PP	EIRP < 30dBm
	Fixed Client	6FC	EIRP < 36dBm and antenna angle above 30 degrees < 21dBm EIRP for outdoor use
٧	Indoor Client	6XD	EIRP < 24dBm
	Standard Client	6FX	EIRP < 30dBm no more than 6 dB below its associated standard power access point's authorized trans-mit power
	Dual Client	6CD	Compliance both indoor clinet and standard client

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 81 of 451




Test Setup

9.2.1 **Duty Cycle**



9.2.2 **Output Power**



Note:

When the antenna gain is greater than 6 dBi, the power limit attenuated accordingly.

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{i,k} = 10^{Gk/20}$ if the kth antenna is being fed by spatial stream j, or zero if it is not;

G_k is the gain in dBi of the kth antenna.

9.3 **Measurement Procedure**

9.3.1 **Duty Cycle**

- 1. Set span = Zero
- 2. RBW = 8MHz
- VBW = 8MHz,
- 4. Detector = Peak

9.3.2 **Output Power**

Place the EUT on the table and set it in transmitting mode.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 82 of 451

- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- Record the max. reading and add 10 log(1/duty cycle).
- 6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
- 7. MIMO mode: offset is set with "measure and add 10 Log (N)" to measurement for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna, cable loss is specified below.

9.4 Duty Cycle Measurement Result

	Mode	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
	802.11a		1.04	0.72	1.00
8	02.11n_20	77.11	1.13	0.77	1.00
8	02.11ac_20	76.91	1.14	0.76	1.00
8	02.11n_40	77.47	1.11	0.77	1.00
8	02.11ac_40	62.81	2.02	1.53	2.00
802.11ac_80		46.29	3.35	3.09	4.00
Mode	RU Config	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
	Full	72.51	1.40	0.98	1.00
802.11ax_20	26 RU	82.09	0.86	0.62	1.00
002.11ax_20	52 RU	80.55	0.94	0.66	1.00
	106 RU	79.07	1.02	0.72	1.00
902 11av 40	Full	58.64	2.32	1.87	2.00
802.11ax_40	242 RU	76.23	1.18	0.83	1.00
802.11ax_80	Full	43.54	3.61	3.45	4.00
002.11ax_00	484 RU	61.92	2.08	1.55	2.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔器抓到之样只有害,同时他接只属是你的手,不可可以推到。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 83 of 451



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 84 of 451



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.




Page: 85 of 451

802.11ax 80MHz Chain0 5985MHz



802.11ax_80MHz_Chain0_5985MHz_RU484_65



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 86 of 451

9.5 Conducted output power

802 11a Ch0

802.11a_Cr	iv					
СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	0.83	3.07	3.90	24	PASS
45	6175	0.89	3.07	3.96	24	PASS
93	6415	0.80	3.07	3.87	24	PASS
97	6435	0.34	1.78	2.13	24	PASS
105	6475	0.15	1.78	1.94	24	PASS
113	6515	0.70	1.78	2.49	24	PASS
117	6535	0.86	1.78	2.65	24	PASS
149	6695	0.63	1.78	2.42	24	PASS
181	6855	1.21	1.78	3.00	24	PASS
185	6875(U-NII 7)	-1.76	1.78	0.03	24	PASS
185	6875(U-NII 8)	-1.76	1.43	-0.32	24	PASS
189	6895	1.30	1.43	2.74	24	PASS
209	6995	1.09	1.43	2.53	24	PASS
233	7115	0.63	1.43	2.07	24	PASS

802.11a Ch1

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	0.47	0.83	1.31	24	PASS
45	6175	0.71	0.83	1.55	24	PASS
93	6415	0.69	0.83	1.53	24	PASS
97	6435	0.15	-0.21	-0.06	24	PASS
105	6475	0.09	-0.21	-0.12	24	PASS
113	6515	0.59	-0.21	0.38	24	PASS
117	6535	0.65	-0.21	0.44	24	PASS
149	6695	0.60	-0.21	0.39	24	PASS
181	6855	0.78	-0.21	0.57	24	PASS
185	6875(U-NII 7)	-2.25	-0.21	-2.46	24	PASS
185	6875(U-NII 8)	-2.25	1.71	-0.54	24	PASS
189	6895	1.27	1.71	2.98	24	PASS
209	6995	0.73	1.71	2.44	24	PASS
233	7115	0.32	1.71	2.03	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 87 of 451

802.11a_2TX

CII	Frequency	_	Output r(dBm)	TOTAL	Antenna	EIRP	REQUIRED	DECLUT
СН	(MHz)	CH 0	CH 1	POWER (dBm)	Gain (dBi)	(dBm)	EIRP LIMIT (dBm)	RESULT
1	5955	0.86	0.49	3.69	2.09	5.79	24	PASS
45	6175	0.93	0.75	3.85	2.09	5.95	24	PASS
93	6415	0.85	0.76	3.82	2.09	5.91	24	PASS
97	6435	0.36	0.19	3.29	0.90	4.19	24	PASS
105	6475	0.19	0.13	3.17	0.90	4.07	24	PASS
113	6515	0.73	0.61	3.68	0.90	4.58	24	PASS
117	6535	0.90	0.67	3.80	0.90	4.70	24	PASS
149	6695	0.68	0.63	3.67	0.90	4.57	24	PASS
181	6855	1.25	0.85	4.07	0.90	4.97	24	PASS
185	6875(U-NII 7)	-1.74	-2.19	1.05	0.90	1.95	24	PASS
185	6875(U-NII 8)	-1.74	-2.19	1.05	1.57	2.63	24	PASS
189	6895	1.35	1.32	4.35	1.57	5.92	24	PASS
209	6995	1.15	0.78	3.98	1.57	5.56	24	PASS
233	7115	0.68	0.36	3.54	1.57	5.11	24	PASS

802.11n HT20 Ch0

002.1111_11	120_0110					
СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	1.16	3.07	4.23	24	PASS
45	6175	2.72	3.07	5.79	24	PASS
93	6415	1.67	3.07	4.74	24	PASS
97	6435	0.70	1.78	2.48	24	PASS
105	6475	1.88	1.78	3.66	24	PASS
113	6515	1.24	1.78	3.02	24	PASS
117	6535	1.55	1.78	3.33	24	PASS
149	6695	3.55	1.78	5.33	24	PASS
181	6855	3.43	1.78	5.21	24	PASS
185	6875(U-NII 7)	0.63	1.78	2.41	24	PASS
185	6875(U-NII 8)	0.63	1.43	2.06	24	PASS
189	6895	3.79	1.43	5.22	24	PASS
209	6995	3.77	1.43	5.20	24	PASS
233	7115	3.42	1.43	4.85	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 88 of 451

802.11n_HT20_Ch1

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	0.80	0.83	1.63	24	PASS
45	6175	2.41	0.83	3.24	24	PASS
93	6415	1.42	0.83	2.25	24	PASS
97	6435	0.62	-0.21	0.41	24	PASS
105	6475	1.60	-0.21	1.39	24	PASS
113	6515	1.19	-0.21	0.98	24	PASS
117	6535	1.48	-0.21	1.27	24	PASS
149	6695	3.40	-0.21	3.19	24	PASS
181	6855	3.35	-0.21	3.14	24	PASS
185	6875(U-NII 7)	0.38	-0.21	0.17	24	PASS
185	6875(U-NII 8)	0.38	1.71	2.09	24	PASS
189	6895	3.61	1.71	5.32	24	PASS
209	6995	3.50	1.71	5.21	24	PASS
233	7115	3.09	1.71	4.80	24	PASS

802.11n HT20 2TX

СН	Frequency	_	Output (dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
GII	(MHz)	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	RESULT
1	5955	1.19	0.85	4.03	2.09	6.13	24	PASS
45	6175	2.77	2.45	5.62	2.09	7.72	24	PASS
93	6415	1.71	1.46	4.60	2.09	6.69	24	PASS
97	6435	0.75	0.67	3.72	0.90	4.62	24	PASS
105	6475	1.92	1.65	4.80	0.90	5.70	24	PASS
113	6515	1.30	1.23	4.27	0.90	5.17	24	PASS
117	6535	1.59	1.51	4.56	0.90	5.46	24	PASS
149	6695	3.60	3.45	6.53	0.90	7.43	24	PASS
181	6855	3.48	3.41	6.45	0.90	7.35	24	PASS
185	6875(U-NII 7)	0.67	0.47	3.58	0.90	4.48	24	PASS
185	6875(U-NII 8)	0.67	0.47	3.58	1.57	5.15	24	PASS
189	6895	3.82	3.67	6.75	1.57	8.33	24	PASS
209	6995	3.85	3.56	6.72	1.57	8.29	24	PASS
233	7115	3.46	3.16	6.32	1.57	7.90	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 89 of 451

802.11ac_VHT20_Ch0

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	1.04	3.07	4.11	24	PASS
45	6175	2.62	3.07	5.69	24	PASS
93	6415	1.56	3.07	4.63	24	PASS
97	6435	0.60	1.78	2.38	24	PASS
105	6475	1.77	1.78	3.55	24	PASS
113	6515	1.15	1.78	2.93	24	PASS
117	6535	1.44	1.78	3.22	24	PASS
149	6695	3.45	1.78	5.23	24	PASS
181	6855	3.33	1.78	5.11	24	PASS
185	6875	3.53	1.78	5.31	24	PASS
189	6895	3.67	1.43	5.10	24	PASS
209	6995	3.70	1.43	5.13	24	PASS
233	7115	3.31	1.43	4.74	24	PASS

802.11ac_VHT20_Ch1

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	0.71	0.83	1.54	24	PASS
45	6175	2.31	0.83	3.14	24	PASS
93	6415	1.32	0.83	2.15	24	PASS
97	6435	0.53	-0.21	0.32	24	PASS
105	6475	1.51	-0.21	1.30	24	PASS
113	6515	1.09	-0.21	0.88	24	PASS
117	6535	1.37	-0.21	1.16	24	PASS
149	6695	3.31	-0.21	3.10	24	PASS
181	6855	3.27	-0.21	3.06	24	PASS
185	6875	3.34	-0.21	3.13	24	PASS
189	6895	3.53	1.71	5.24	24	PASS
209	6995	3.42	1.71	5.13	24	PASS
233	7115	3.02	1.71	4.73	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 90 of 451

802.11ac_VHT20_2TX

СН	Frequency		Output (dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
	(MHz)	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	142021
1	5955	1.16	0.79	3.99	2.09	6.08	24	PASS
45	6175	2.74	2.39	5.58	2.09	7.67	24	PASS
93	6415	1.68	1.40	4.55	2.09	6.65	24	PASS
97	6435	0.72	0.61	3.68	0.90	4.57	24	PASS
105	6475	1.89	1.59	4.75	0.90	5.65	24	PASS
113	6515	1.27	1.17	4.23	0.90	5.13	24	PASS
117	6535	1.56	1.45	4.52	0.90	5.41	24	PASS
149	6695	3.57	3.39	6.49	0.90	7.39	24	PASS
181	6855	3.45	3.35	6.41	0.90	7.31	24	PASS
185	6875	3.65	3.42	6.55	0.90	7.44	24	PASS
189	6895	3.79	3.61	6.71	1.57	8.28	24	PASS
209	6995	3.82	3.50	6.67	1.57	8.25	24	PASS
233	7115	3.43	3.10	6.28	1.57	7.85	24	PASS

802.11n_HT40_Ch0

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	4.79	3.07	7.86	24	PASS
43	6165	4.75	3.07	7.82	24	PASS
91	6405	4.52	3.07	7.59	24	PASS
99	6445	4.36	1.78	6.14	24	PASS
107	6485	4.24	1.78	6.02	24	PASS
115	6525(U-NII 6)	1.00	1.78	2.78	24	PASS
115	6525(U-NII 7)	1.00	1.78	2.78	24	PASS
123	6565	4.07	1.78	5.85	24	PASS
147	6685	4.55	1.78	6.33	24	PASS
179	6845	4.50	1.78	6.28	24	PASS
187	6885(U-NII 7)	-1.74	1.78	0.04	24	PASS
187	6885(U-NII 8)	3.72	1.43	5.16	24	PASS
195	6925	3.88	1.43	5.31	24	PASS
211	7005	4.91	1.43	6.34	24	PASS
227	7085	4.27	1.43	5.70	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 91 of 451

802.11n_HT40_Ch1

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	4.68	0.83	5.51	24	PASS
43	6165	4.63	0.83	5.46	24	PASS
91	6405	4.27	0.83	5.10	24	PASS
99	6445	4.20	-0.21	3.99	24	PASS
107	6485	4.03	-0.21	3.82	24	PASS
115	6525(U-NII 6)	0.73	-0.21	0.52	24	PASS
115	6525(U-NII 7)	0.73	-0.21	0.52	24	PASS
123	6565	3.96	-0.21	3.75	24	PASS
147	6685	4.22	-0.21	4.01	24	PASS
179	6845	4.35	-0.21	4.14	24	PASS
187	6885(U-NII 7)	-1.95	-0.21	-2.16	24	PASS
187	6885(U-NII 8)	3.54	1.71	5.25	24	PASS
195	6925	3.77	1.71	5.48	24	PASS
211	7005	4.64	1.71	6.35	24	PASS
227	7085	4.08	1.71	5.79	24	PASS

802.11n_HT40_2TX

СН	Frequency	_	Output r(dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
СП	(MHz)	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	RESULT
3	5965	4.83	4.73	7.79	2.09	9.88	24	PASS
43	6165	4.78	4.70	7.75	2.09	9.84	24	PASS
91	6405	4.56	4.32	7.45	2.09	9.54	24	PASS
99	6445	4.40	4.26	7.34	0.90	8.24	24	PASS
107	6485	4.28	4.09	7.20	0.90	8.09	24	PASS
115	6525(U-NII 6)	1.04	0.77	3.92	0.90	4.82	24	PASS
115	6525(U-NII 7)	1.04	0.77	3.92	0.90	4.82	24	PASS
123	6565	4.13	4.02	7.08	0.90	7.98	24	PASS
147	6685	4.58	4.29	7.45	0.90	8.35	24	PASS
179	6845	4.53	4.40	7.47	0.90	8.37	24	PASS
187	6885(U-NII 7)	-1.67	-1.89	1.23	0.90	2.13	24	PASS
187	6885(U-NII 8)	3.79	3.60	6.71	1.57	8.28	24	PASS
195	6925	3.94	3.82	6.89	1.57	8.46	24	PASS
211	7005	4.94	4.67	7.82	1.57	9.39	24	PASS
227	7085	4.32	4.19	7.26	1.57	8.84	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 92 of 451

802.11ac_VHT40_Ch0

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	4.60	3.07	7.67	24	PASS
43	6165	4.23	3.07	7.30	24	PASS
91	6405	4.34	3.07	7.41	24	PASS
99	6445	4.13	1.78	5.91	24	PASS
107	6485	4.04	1.78	5.82	24	PASS
115	6525	3.82	1.78	5.60	24	PASS
123	6565	3.89	1.78	5.67	24	PASS
147	6685	4.33	1.78	6.11	24	PASS
179	6845	4.29	1.78	6.07	24	PASS
187	6885	4.64	1.43	6.07	24	PASS
195	6925	3.67	1.43	5.10	24	PASS
211	7005	4.70	1.43	6.13	24	PASS
227	7085	4.06	1.43	5.49	24	PASS

802.11ac_VHT40_Ch1

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	4.42	0.83	5.25	24	PASS
43	6165	4.39	0.83	5.22	24	PASS
91	6405	4.01	0.83	4.84	24	PASS
99	6445	3.95	-0.21	3.74	24	PASS
107	6485	3.78	-0.21	3.57	24	PASS
115	6525	3.47	-0.21	3.26	24	PASS
123	6565	3.71	-0.21	3.50	24	PASS
147	6685	3.98	-0.21	3.77	24	PASS
179	6845	4.09	-0.21	3.88	24	PASS
187	6885	4.37	1.71	6.08	24	PASS
195	6925	3.51	1.71	5.22	24	PASS
211	7005	4.36	1.71	6.07	24	PASS
227	7085	3.88	1.71	5.59	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 93 of 451

802.11ac_VHT40_2TX

СН	Frequency	_	Output (dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
5	(MHz)	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	1420021
3	5965	4.62	4.49	7.57	2.09	9.66	24	PASS
43	6165	4.57	4.46	7.53	2.09	9.62	24	PASS
91	6405	4.35	4.08	7.23	2.09	9.32	24	PASS
99	6445	4.19	4.02	7.12	0.90	8.02	24	PASS
107	6485	4.07	3.85	6.97	0.90	7.87	24	PASS
115	6525	3.84	3.54	6.70	0.90	7.60	24	PASS
123	6565	3.92	3.78	6.86	0.90	7.76	24	PASS
147	6685	4.37	4.05	7.22	0.90	8.12	24	PASS
179	6845	4.32	4.16	7.25	0.90	8.15	24	PASS
187	6885	4.67	4.44	7.57	0.90	8.47	24	PASS
195	6925	3.73	3.58	6.67	1.57	8.24	24	PASS
211	7005	4.73	4.43	7.59	1.57	9.17	24	PASS
227	7085	4.11	3.95	7.04	1.57	8.61	24	PASS

802.11ac_VHT80_Ch0

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	8.12	3.07	11.19	24	PASS
39	6145	7.92	3.07	10.99	24	PASS
87	6385	6.61	3.07	9.68	24	PASS
103	6465	6.84	1.78	8.62	24	PASS
119	6545(U-NII 6)	0.82	1.78	2.61	24	PASS
119	6545(U-NII 7)	6.00	1.78	7.79	24	PASS
135	6625	7.19	1.78	8.97	24	PASS
151	6705	7.13	1.78	8.91	24	PASS
167	6785	6.95	1.78	8.73	24	PASS
183	6865(U-NII 7)	7.13	1.78	8.91	24	PASS
183	6865(U-NII 8)	4.76	1.43	6.20	24	PASS
199	6945	7.51	1.43	8.94	24	PASS
215	7025	7.38	1.43	8.81	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 94 of 451

802.11ac_VHT80_Ch1

СН	Frequency (MHz)	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	7.86	0.83	8.69	24	PASS
39	6145	7.80	0.83	8.63	24	PASS
87	6385	6.51	0.83	7.34	24	PASS
103	6465	6.37	-0.21	6.15	24	PASS
119	6545(U-NII 6)	0.54	-0.21	0.33	24	PASS
119	6545(U-NII 7)	5.71	-0.21	5.50	24	PASS
135	6625	7.02	-0.21	6.80	24	PASS
151	6705	7.06	-0.21	6.84	24	PASS
167	6785	6.73	-0.21	6.51	24	PASS
183	6865(U-NII 7)	6.82	-0.21	6.61	24	PASS
183	6865(U-NII 8)	4.45	1.71	6.16	24	PASS
199	6945	6.86	1.71	8.57	24	PASS
215	7025	6.99	1.71	8.70	24	PASS

802.11ac_VHT80_2TX

СН	Frequency	_	Output (dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
OII	(MHz)	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	REGOLI
7	5985	8.20	7.97	11.09	2.09	13.19	24	PASS
39	6145	7.99	7.82	10.91	2.09	13.01	24	PASS
87	6385	6.67	6.59	9.64	2.09	11.73	24	PASS
103	6465	6.89	6.58	9.74	0.90	10.64	24	PASS
119	6545(U-NII 6)	0.86	0.68	3.78	0.90	4.68	24	PASS
119	6545(U-NII 7)	6.04	5.85	8.96	0.90	9.86	24	PASS
135	6625	7.24	7.11	10.18	0.90	11.08	24	PASS
151	6705	7.19	7.13	10.17	0.90	11.07	24	PASS
167	6785	7.01	6.80	9.91	0.90	10.81	24	PASS
183	6865(U-NII 7)	7.19	7.02	10.12	0.90	11.02	24	PASS
183	6865(U-NII 8)	4.82	4.65	7.75	1.57	9.32	24	PASS
199	6945	7.53	7.20	10.37	1.57	11.95	24	PASS
215	7025	7.46	7.31	10.39	1.57	11.96	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 95 of 451

202	11 ₂ v	HE3U	Ch0

СН	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		full	3.35	3.07	6.42	24	PASS
4	5055	26/0	-5.04	3.07	-1.97	24	PASS
1	5955	52/37	-2.31	3.07	0.76	24	PASS
		106/53	1.08	3.07	4.15	24	PASS
45	6175	full	3.51	3.07	6.58	24	PASS
		full	2.42	3.07	5.49	24	PASS
02	6415	26/8	-5.46	3.07	-2.39	24	PASS
93	6415	52/40	-2.89	3.07	0.18	24	PASS
		106/54	0.17	3.07	3.24	24	PASS
		full	2.29	1.78	4.07	24	PASS
07	6425	26/0	-4.98	1.78	-3.20	24	PASS
97	6435	52/37	-2.85	1.78	-1.07	24	PASS
		106/53	-0.05	1.78	1.73	24	PASS
105	6475	full	2.24	1.78	4.02	24	PASS
		full	2.66	1.78	4.44	24	PASS
113	6515	26/8	-5.71	1.78	-3.93	24	PASS
113	0010	52/40	-3.00	1.78	-1.22	24	PASS
		106/54	0.51	1.78	2.29	24	PASS
		full	2.32	1.78	4.10	24	PASS
117	6535	26/0	-5.59	1.78	-3.81	24	PASS
117	0333	52/37	-2.99	1.78	-1.21	24	PASS
		106/53	-0.29	1.78	1.49	24	PASS
149	6695	full	3.90	1.78	5.68	24	PASS
		full	3.96	1.78	5.74	24	PASS
181	6855	26/8	-2.99	1.78	-1.21	24	PASS
101	0033	52/40	-1.22	1.78	0.56	24	PASS
		106/54	1.90	1.78	3.68	24	PASS
185	6875(U-NII 7)	full	4.79	1.78	6.57	24	PASS
185	6875(U-NII 8)	full	4.79	1.43	6.22	24	PASS
		full	4.26	1.43	5.69	24	PASS
189	6895	26/0	-3.91	1.43	-2.48	24	PASS
103	0030	52/37	-1.45	1.43	-0.02	24	PASS
		106/53	0.73	1.43	2.16	24	PASS
209	6995	full	2.90	1.43	4.33	24	PASS
		full	3.69	1.43	5.12	24	PASS
233	7115	26/8	-6.70	1.43	-5.27	24	PASS
200	7110	52/40	-8.98	1.43	-7.55	24	PASS
		106/54	-4.52	1.43	-3.09	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 96 of 451

802.11ax HE20 Ch1

СН	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		full	2.95	0.83	3.78	24	PASS
4	5055	26/0	-6.01	0.83	-5.18	24	PASS
1	5955	52/37	-3.32	0.83	-2.49	24	PASS
		106/53	0.51	0.83	1.34	24	PASS
45	6175	full	3.20	0.83	4.03	24	PASS
		full	2.16	0.83	2.99	24	PASS
02	G44F	26/8	-6.15	0.83	-5.32	24	PASS
93	6415	52/40	-3.45	0.83	-2.62	24	PASS
		106/54	-0.28	0.83	0.55	24	PASS
		full	2.08	-0.21	1.87	24	PASS
07	CADE	26/0	-5.58	-0.21	-5.79	24	PASS
97	6435	52/37	-3.44	-0.21	-3.65	24	PASS
		106/53	-0.44	-0.21	-0.65	24	PASS
105	6475	full	2.04	-0.21	1.83	24	PASS
		full	2.25	-0.21	2.04	24	PASS
113	GE4E	26/8	-6.06	-0.21	-6.27	24	PASS
113	6515	52/40	-3.36	-0.21	-3.57	24	PASS
		106/54	-0.04	-0.21	-0.25	24	PASS
		full	2.17	-0.21	1.96	24	PASS
117	6535	26/0	-5.96	-0.21	-6.17	24	PASS
117	0000	52/37	-3.32	-0.21	-3.53	24	PASS
		106/53	-0.70	-0.21	-0.91	24	PASS
149	6695	full	3.75	-0.21	3.54	24	PASS
		full	3.80	-0.21	3.59	24	PASS
181	6855	26/8	-3.77	-0.21	-3.98	24	PASS
101	0000	52/40	-1.77	-0.21	-1.98	24	PASS
		106/54	1.40	-0.21	1.19	24	PASS
185	6875(U-NII 7)	full	4.46	-0.21	4.25	24	PASS
185	6875(U-NII 8)	full	4.46	1.71	6.17	24	PASS
		full	3.99	1.71	5.70	24	PASS
180	6895	26/0	-4.66	1.71	-2.95	24	PASS
189	0090	52/37	-2.32	1.71	-0.61	24	PASS
		106/53	-0.12	1.71	1.59	24	PASS
209	6995	full	2.60	1.71	4.31	24	PASS
		full	3.59	1.71	5.30	24	PASS
233	7115	26/8	-6.90	1.71	-5.19	24	PASS
200	7115	52/40	-9.07	1.71	-7.36	24	PASS
		106/54	-4.73	1.71	-3.02	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 97 of 451

802.11ax_20_2TX

CH	Frequency	RU config.		Output r(dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
O.I.	(MHz)	rto comig.	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	I TEGOLI
		full	3.42	3.11	6.27	2.09	8.37	24	PASS
4	5955	26/0	-4.97	-5.93	-2.42	2.09	-0.32	24	PASS
1	1 3933	52/37	-2.25	-3.20	0.31	2.09	2.40	24	PASS
		106/53	1.14	0.67	3.92	2.09	6.02	24	PASS
45	6175	full	3.55	3.38	6.47	2.09	8.57	24	PASS
		full	2.47	2.36	5.42	2.09	7.52	24	PASS
93	6415	26/8	-5.42	-6.01	-2.70	2.09	-0.60	24	PASS
93	0415	52/40	-2.83	-3.11	0.04	2.09	2.14	24	PASS
		106/54	0.24	-0.11	3.08	2.09	5.17	24	PASS
		full	2.33	2.22	5.28	0.90	6.18	24	PASS
07	6425	26/0	-4.92	-5.45	-2.17	0.90	-1.27	24	PASS
97	6435	52/37	-2.80	-3.17	0.03	0.90	0.93	24	PASS
		106/53	0.04	-0.29	2.89	0.90	3.79	24	PASS
105	6475	full	2.35	2.13	5.25	0.90	6.15	24	PASS
		full	2.74	2.48	5.62	0.90	6.52	24	PASS
112	6515	26/8	-5.66	-5.90	-2.77	0.90	-1.87	24	PASS
113	6515	52/40	-2.87	-3.13	0.01	0.90	0.91	24	PASS
		106/54	0.65	0.14	3.41	0.90	4.31	24	PASS
		full	2.37	2.29	5.34	0.90	6.24	24	PASS
117	6525	26/0	-5.55	-5.78	-2.66	0.90	-1.76	24	PASS
117	6535	52/37	-2.87	-3.12	0.02	0.90	0.92	24	PASS
		106/53	-0.17	-0.61	2.63	0.90	3.53	24	PASS
149	6695	full	3.97	3.83	6.91	0.90	7.81	24	PASS
		full	4.03	3.86	6.95	0.90	7.85	24	PASS
181	6855	26/8	-2.91	-3.61	-0.24	0.90	0.66	24	PASS
101	0000	52/40	-1.13	-1.57	1.67	0.90	2.57	24	PASS
		106/54	1.96	1.54	4.77	0.90	5.67	24	PASS
185	6875(U-NII 7)	full	4.88	4.63	7.76	0.90	8.66	24	PASS
185	6875(U-NII 8)	full	4.88	4.63	7.76	1.57	9.34	24	PASS
		full	4.39	4.16	7.28	1.57	8.86	24	PASS
189	6895	26/0	-3.85	-4.48	-1.15	1.57	0.43	24	PASS
109	0095	52/37	-1.37	-2.11	1.29	1.57	2.86	24	PASS
		106/53	0.90	0.10	3.53	1.57	5.10	24	PASS
209	6995	full	2.97	2.77	5.88	1.57	7.45	24	PASS
		full	3.72	3.61	6.67	1.57	8.25	24	PASS
233	7115	26/8	-6.68	-6.86	-3.76	1.57	-2.19	24	PASS
233	7115	52/40	-8.94	-9.03	-5.98	1.57	-4.40	24	PASS
		106/54	-4.49	-4.70	-1.58	1.57	-0.01	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 98 of 451

802.11ax HE40 Ch0

СН	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	full	5.66	3.07	8.73	24	PASS
3	5905	242/61	3.58	3.07	6.65	24	PASS
43	6165	full	5.81	3.07	8.88	24	PASS
91	6405	full	5.03	3.07	8.10	24	PASS
91	0405	242/62	2.47	3.07	5.54	24	PASS
00	6445	full	4.65	1.78	6.43	24	PASS
99	0445	242/61	2.04	1.78	3.82	24	PASS
107	CADE	full	4.69	1.78	6.47	24	PASS
107	6485	242/62	2.34	1.78	4.12	24	PASS
115	6525(U-NII 6)	full	4.65	1.78	6.43	24	PASS
115	6525(U-NII 7)	full	4.65	1.78	6.43	24	PASS
100	CECE	full	5.41	1.78	7.19	24	PASS
123	6565	242/61	3.58	1.78	5.36	24	PASS
147	6685	full	5.94	1.78	7.72	24	PASS
179	6845	full	5.96	1.78	7.74	24	PASS
179	0040	242/62	3.34	1.78	5.12	24	PASS
187	6885(U-NII 7)	full	0.51	1.78	2.30	24	PASS
187	6885(U-NII 8)	full	5.69	1.43	7.12	24	PASS
105	6005	full	5.93	1.43	7.36	24	PASS
195	6925	242/61	3.52	1.43	4.95	24	PASS
211	7005	full	6.00	1.43	7.43	24	PASS
227	7005	full	4.47	1.43	5.90	24	PASS
227	7085	242/62	2.31	1.43	3.74	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有書,同時此幾乎攝展例の干。大報华主極大公司書面對可,不可可以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 99 of 451

802.11ax HE40 Ch1

СН	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	full	4.88	0.83	5.71	24	PASS
3	3903	242/61	2.87	0.83	3.70	24	PASS
43	6165	full	5.16	0.83	5.99	24	PASS
91	6405	full	4.68	0.83	5.51	24	PASS
91	6405	242/62	1.98	0.83	2.81	24	PASS
00	CAAE	full	4.04	-0.21	3.83	24	PASS
99	6445	242/61	1.14	-0.21	0.93	24	PASS
407	C40F	full	3.84	-0.21	3.63	24	PASS
107	6485	242/62	1.22	-0.21	1.01	24	PASS
115	6525(U-NII 6)	full	4.05	-0.21	3.84	24	PASS
115	6525(U-NII 7)	full	4.05	-0.21	3.84	24	PASS
400	CECE	full	4.72	-0.21	4.51	24	PASS
123	6565	242/61	3.00	-0.21	2.79	24	PASS
147	6685	full	5.59	-0.21	5.38	24	PASS
170	6045	full	5.75	-0.21	5.54	24	PASS
179	6845	242/62	2.85	-0.21	2.64	24	PASS
187	6885(U-NII 7)	full	0.47	-0.21	0.26	24	PASS
187	6885(U-NII 8)	full	5.65	1.71	7.36	24	PASS
105	6025	full	5.52	1.71	7.23	24	PASS
195	6925	242/61	2.92	1.71	4.63	24	PASS
211	7005	full	5.44	1.71	7.15	24	PASS
227	7005	full	4.05	1.71	5.76	24	PASS
227	7085	242/62	1.83	1.71	3.54	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 100 of 451

802.11ax_40_2TX

CH	Frequency	RU config.		Output r(dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
5	(MHz)	110 001111g1	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	1120021
3	5965	full	5.82	5.11	8.49	2.09	10.58	24	PASS
3	5905	242/61	3.66	3.04	6.37	2.09	8.46	24	PASS
43	6165	full	5.94	5.28	8.63	2.09	10.72	24	PASS
91	6405	full	5.10	4.92	8.02	2.09	10.11	24	PASS
91	0400	242/62	2.55	2.14	5.36	2.09	7.45	24	PASS
99	6445	full	4.69	4.07	7.40	0.90	8.30	24	PASS
99	0440	242/61	2.19	1.24	4.75	0.90	5.65	24	PASS
107	6485	full	4.82	3.99	7.43	0.90	8.33	24	PASS
107	0400	242/62	2.46	1.50	5.02	0.90	5.92	24	PASS
115	6525(U-NII 6)	full	4.91	4.38	7.66	0.90	8.56	24	PASS
115	6525(U-NII 7)	full	4.91	4.38	7.66	0.90	8.56	24	PASS
123	GEGE	full	5.54	4.91	8.24	0.90	9.14	24	PASS
123	6565	242/61	3.73	3.19	6.48	0.90	7.38	24	PASS
147	6685	full	6.00	5.69	8.86	0.90	9.76	24	PASS
179	COAE	full	6.07	6.02	9.05	0.90	9.95	24	PASS
179	6845	242/62	3.45	3.16	6.32	0.90	7.22	24	PASS
187	6885(U-NII 7)	full	0.76	0.68	3.73	0.90	4.63	24	PASS
187	6885(U-NII 8)	full	5.94	5.86	8.91	1.57	10.48	24	PASS
195	6005	full	6.06	5.69	8.89	1.57	10.46	24	PASS
195	6925	242/61	3.66	3.15	6.42	1.57	8.00	24	PASS
211	7005	full	6.16	5.62	8.91	1.57	10.48	24	PASS
227	7005	full	4.65	4.37	7.52	1.57	9.09	24	PASS
227	7085	242/62	2.44	2.10	5.28	1.57	6.86	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 101 of 451

802.11ax_HE80_Ch0

СН	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	full	8.68	3.07	11.75	24	PASS
1	3903	484/65	5.67	3.07	8.74	24	PASS
39	6145	full	8.75	3.07	11.82	24	PASS
87	6385	full	6.98	3.07	10.05	24	PASS
07	0303	484/66	5.37	3.07	8.44	24	PASS
		full	6.86	1.78	8.64	24	PASS
103	6465	484/65	4.92	1.78	6.70	24	PASS
		484/66	5.09	1.78	6.87	24	PASS
119	6545(U-NII 6)	full	1.65	1.78	3.43	24	PASS
119	6545(U-NII 7)	full	6.69	1.78	8.47	24	PASS
125	CCOE	full	7.92	1.78	9.70	24	PASS
135	6625	484/65	5.74	1.78	7.52	24	PASS
151	6705	full	8.89	1.78	10.67	24	PASS
167	6785	full	8.64	1.78	10.42	24	PASS
107	0/00	484/66	5.36	1.78	7.14	24	PASS
183	6865(U-NII 7)	full	7.32	1.78	9.10	24	PASS
183	6865(U-NII 8)	full	5.00	1.43	6.43	24	PASS
100	COAF	full	7.21	1.43	8.64	24	PASS
199	6945	484/65	5.76	1.43	7.19	24	PASS
045	7005	full	7.87	1.43	9.30	24	PASS
215	7025	484/66	6.27	1.43	7.70	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 102 of 451

802.11ax HE80 Ch1

СН	Frequency (MHz)	RU config.	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	full	8.22	0.83	9.05	24	PASS
,	3903	484/65	4.78	0.83	5.61	24	PASS
39	6145	full	8.14	0.83	8.97	24	PASS
87	6385	full	6.79	0.83	7.62	24	PASS
01	0303	484/66	5.24	0.83	6.07	24	PASS
		full	6.66	-0.21	6.45	24	PASS
103	6465	484/65	4.73	-0.21	4.52	24	PASS
		484/66	4.49	-0.21	4.28	24	PASS
119	6545(U-NII 6)	full	1.36	-0.21	1.15	24	PASS
119	6545(U-NII 7)	full	6.40	-0.21	6.19	24	PASS
125	CCOE	full	7.64	-0.21	7.43	24	PASS
135	6625	484/65	5.46	-0.21	5.25	24	PASS
151	6705	full	8.26	-0.21	8.05	24	PASS
167	6705	full	8.31	-0.21	8.10	24	PASS
167	6785	484/66	5.12	-0.21	4.91	24	PASS
183	6865(U-NII 7)	full	7.12	-0.21	6.91	24	PASS
183	6865(U-NII 8)	full	4.80	1.71	6.51	24	PASS
100	COAF	full	7.16	1.71	8.87	24	PASS
199	6945	484/65	5.10	1.71	6.81	24	PASS
215	7025	full	7.30	1.71	9.01	24	PASS
215	7025	484/66	5.71	1.71	7.42	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 103 of 451

802.11ax 80 2TX

СН	Frequency	RU config.	_	Output r(dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
	(MHz)		CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	
7	5985	full	8.82	8.36	11.61	2.09	13.70	24	PASS
1	3903	484/65	5.82	4.93	8.41	2.09	10.50	24	PASS
39	6145	full	8.85	8.40	11.64	2.09	13.74	24	PASS
87	6385	full	7.15	6.89	10.03	2.09	12.13	24	PASS
0/	0300	484/66	5.59	5.42	8.52	2.09	10.61	24	PASS
		full	7.03	6.74	9.90	0.90	10.80	24	PASS
103	6465	484/65	5.10	4.86	7.99	0.90	8.89	24	PASS
		484/66	5.22	4.70	7.98	0.90	8.88	24	PASS
119	6545(U-NII 6)	full	1.80	1.55	4.69	0.90	5.59	24	PASS
119	6545(U-NII 7)	full	6.84	6.59	9.72	0.90	10.62	24	PASS
125	CCOE	full	8.08	7.81	10.96	0.90	11.86	24	PASS
135	6625	484/65	5.87	5.54	8.72	0.90	9.62	24	PASS
151	6705	full	9.07	8.39	11.75	0.90	12.65	24	PASS
167	6705	full	8.86	8.45	11.67	0.90	12.57	24	PASS
167	6785	484/66	5.68	5.29	8.50	0.90	9.40	24	PASS
183	6865(U-NII 7)	full	7.40	7.19	10.30	0.90	11.20	24	PASS
183	6865(U-NII 8)	full	5.08	4.87	7.99	1.57	9.56	24	PASS
100	6045	full	7.63	7.28	10.47	1.57	12.04	24	PASS
199	6945	484/65	6.03	5.35	8.72	1.57	10.29	24	PASS
215	7025	full	8.18	7.46	10.85	1.57	12.42	24	PASS
210	1023	484/66	6.51	5.81	9.19	1.57	10.76	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 104 of 451

10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

§15.407(a)

- (4) For a standard power access point and fixed client device operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 23 dBm e.i.r.p in any 1-megahertz band.
- (5) For an indoor access point operating in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p. in any 1-megahertz band.
- (6) For a subordinate device operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p in any 1-megahertz band.
- (7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 17 dBm e.i.r.p. in any 1- megahertz band.
- (8) For client devices operating under the control of an indoor access point in the 5.925- 7.125 GHz bands, the maximum power spectral density must not exceed −1 dBm e.i.r.p. in any 1-megahertz band.

	EUT CATEGORY	Equipment Class	§15.407(a)
	Very low power devices	VLP	EIRP < -5dBm/MHz
	Standard Access Point	6SD	EIRP < 23dBm/MHz
	indoor Access Point	6ID	EIRP < 5dBm/MHz
	Subordinate Device	6PP	EIRP < 5dBm/MHz
	Fixed Client	6FC	EIRP < 23dBm/MHz
٧	Indoor Client	6XD	EIRP < -1dBm/MHz
	Standard Client	6FX	EIRP < 17dBm/MHz
	Dual Client	6CD	Compliance both indoor clinet and standard client limits

Note:

When the antenna gain is greater than 6 dBi, the power spectral density limit attenuated accordingly.

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 105 of 451

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where


Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{j,k} = /20$ 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; \hat{G}_k is the gain in dBi of the kth antenna.

10.2 Test Setup



10.3 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 4. Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (1001 pts), detector = power averaging (rms), if available. Otherwise, use sample detector mode, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW
- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. (1) Duty cycle \geq 98%: Record the max. reading. (2) Duty cycle < 98%: Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.
- 8. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure the PSD for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antennas.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 106 of 451

10.4 Measurement Result

10 4 1 Power spectral density

10.4.1	Power spectral	densit	y						
			POWE	ER DENSITY	802.11a MODE				
	Evenuency	PSD (dl	Bm/MHz)	Duty	Total Corr'd	Directional	EIRP PSD	Limit	Mousin
	Frequency (MHz)	Ch0 meas	Ch1 meas	Factor (dB)	PSD(dBm/MHz)	Gain(dBi)	(dBm/MHz)	(dBm/MHz)	Margin (dB)
	5955	-10.063	-10.998	1.04	-6.46	5.03	-1.43	-1.00	-0.43
	6175	-10.978	-10.927	1.04	-6.90	5.03	-1.87	-1.00	-0.87
	6415	-11.547	-10.762	1.04	-7.09	5.03	-2.06	-1.00	-1.06
	6435	-11.054	-10.269	1.04	-6.59	3.85	-2.74	-1.00	-1.74
	6475	-10.687	-11.594	1.04	-7.07	3.85	-3.22	-1.00	-2.22
	6515	-11.413	-11.065	1.04	-7.19	3.85	-3.34	-1.00	-2.34
	6535	-10.500	-10.600	1.04	-6.50	3.85	-2.65	-1.00	-1.65
	6695	-10.771	-10.610	1.04	-6.64	3.85	-2.79	-1.00	-1.79
	6855	-10.851	-11.001	1.04	-6.88	3.85	-3.03	-1.00	-2.03
	6875(U-NII 7)	-13.432	-13.165	1.04	-10.29	3.85	-6.44	-1.00	-5.44
	6875(U-NII 8)	-13.432	-13.165	1.04	-10.29	4.58	-5.71	-1.00	-4.71
	6895	-11.064	-10.363	1.04	-6.65	4.58	-2.07	-1.00	-1.07
	6995	-11.035	-10.863	1.04	-6.90	4.58	-2.32	-1.00	-1.32
	7115	-10.702	-11.122	1.04	-6.86	4.58	-2.28	-1.00	-1.28
			POWER	DENSITY 802	2.11n HT20 MODE				
		PSD (dl	Bm/MHz)						
	Frequency (MHz)	Ch0 meas	Ch1 meas	Duty Factor (dB)	Maxmum Corr'd PSD(dBm/MHz)	Maxmum Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	5955	-11.671	-12.301	1.13	-10.54	3.07	-7.47	-1.00	-6.47
	6175	-12.095	-11.954	1.13	-10.82	3.07	-7.75	-1.00	-6.75
	6415	-12.388	-11.172	1.13	-10.04	3.07	-6.97	-1.00	-5.97
	6435	-12.791	-11.277	1.13	-10.15	1.78	-8.37	-1.00	-7.37
	6475	-11.614	-10.896	1.13	-9.77	1.78	-7.99	-1.00	-6.99
	6515	-11.401	-11.099	1.13	-9.97	1.78	-8.19	-1.00	-7.19
	6535	-11.690	-11.512	1.13	-10.38	1.78	-8.60	-1.00	-7.60
	6695	-11.562	-11.504	1.13	-10.37	1.78	-8.59	-1.00	-7.59
	6855	-11.926	-11.783	1.13	-10.65	1.78	-8.87	-1.00	-7.87
	6875(U-NII 7)	-13.984	-13.920	1.13	-13.92	1.78	-12.14	-1.00	-11.14
	6875(U-NII 8)	-13.984	-13.920	1.13	-13.92	1.71	-12.21	-1.00	-11.21
	6895	-11.075	-11.397	1.13	-9.95	1.71	-8.24	-1.00	-7.24
	6995	-11.387	-10.748	1.13	-9.62	1.71	-7.91	-1.00	-6.91
	7115	-10.711	-11.239	1.13	-9.58	1.71	-7.87	-1.00	-6.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 107 of 451

		POWER	DENSITY 802	2.11n HT40 MODE				
_	PSD (dl	Bm/MHz)	Duty	T (10 11	D: (: 1	FIRE DOD	11. 14	
Frequency (MHz)	Ch0 meas	Ch1 meas	Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	(dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
5965	-12.131	-12.664	1.11	-8.27	5.03	-3.24	-1.00	-2.24
6165	-12.316	-11.655	1.11	-7.85	5.03	-2.82	-1.00	-1.82
6405	-11.643	-10.108	1.11	-6.69	5.03	-1.66	-1.00	-0.66
6445	-12.690	-11.326	1.11	-7.83	3.85	-3.98	-1.00	-2.98
6485	-11.952	-10.700	1.11	-7.16	3.85	-3.31	-1.00	-2.31
6525(U-NII 6)	-13.636	-12.880	1.11	-10.23	3.85	-6.38	-1.00	-5.38
6525(U-NII 7)	-13.636	-12.880	1.11	-10.23	3.85	-6.38	-1.00	-5.38
6565	-12.217	-11.513	1.11	-7.73	3.85	-3.88	-1.00	-2.88
6685	-13.087	-11.943	1.11	-8.36	3.85	-4.51	-1.00	-3.51
6845	-12.869	-13.144	1.11	-8.88	3.85	-5.03	-1.00	-4.03
6885(U-NII 7)	-17.173	-17.187	1.11	-14.17	3.85	-10.32	-1.00	-9.32
6885(U-NII 8)	-11.705	-11.699	1.11	-8.69	4.58	-4.11	-1.00	-3.11
6925	-11.953	-12.743	1.11	-8.21	4.58	-3.63	-1.00	-2.63
7005	-11.625	-11.222	1.11	-7.30	4.58	-2.72	-1.00	-1.72
7085	-12.042	-10.785	1.11	-7.25	4.58	-2.67	-1.00	-1.67
		POWER D	ENSITY 802.	11ac VHT80 MODE				
	PSD (dl	Bm/MHz)						
Frequency (MHz)	Ch0 meas	Ch1 meas	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
5985	-13.658	-14.490	3.35	-7.69	5.03	-2.66	-1.00	-1.66
6145	-14.669	-13.505	3.35	-7.69	5.03	-2.66	-1.00	-1.66
6385	-13.488	-13.073	3.35	-6.92	5.03	-1.89	-1.00	-0.89
6465	-14.589	-12.628	3.35	-7.14	3.85	-3.29	-1.00	-2.29
6545(U-NII 6)	-16.578	-16.817	3.35	-13.69	3.85	-9.84	-1.00	-8.84
6545(U-NII 7)	-11.399	-11.646	3.35	-8.51	3.85	-4.66	-1.00	-3.66
6625	-13.327	-13.328	3.35	-6.97	3.85	-3.12	-1.00	-2.12
0020		45 400	3.35	-9.04	3.85	-5.19	-1.00	-4.19
6705	-15.652	-15.168	3.33	-3.04		0.10	1.00	
	-15.652 -13.764	-15.168 -15.545	3.35	-8.20	3.85	-4.35	-1.00	-3.35
6705								
6705 6785	-13.764	-15.545	3.35	-8.20	3.85	-4.35	-1.00	-3.35
6705 6785 6865(U-NII 7)	-13.764 -11.884	-15.545 -11.988	3.35 3.35	-8.20 -8.93	3.85 3.85	-4.35 -5.08	-1.00 -1.00	-3.35 -4.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 108 of 451

			POWER D	ENSITY 802	1.11ax HE20 MODE				
Frequency (MHz)	RU config.	PSD (dl Ch0 meas	Ch1 meas	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margii (dB)
	full	-11.423	-11.930	1.40	-7.26	5.03	-2.23	-1.00	-1.23
5055	26/0	-9.650	-11.360	0.86	-6.55	5.03	-1.52	-1.00	-0.52
5955	52/37	-9.768	-11.608	0.94	-6.64	5.03	-1.61	-1.00	-0.61
	106/53	-10.507	-11.109	1.02	-6.77	5.03	-1.74	-1.00	-0.74
6175	full	-11.447	-11.058	1.40	-6.84	5.03	-1.81	-1.00	-0.81
	full	-11.526	-11.106	1.40	-6.90	5.03	-1.87	-1.00	-0.87
2445	26/8	-11.470	-9.635	0.86	-6.59	5.03	-1.56	-1.00	-0.56
6415	52/40	-11.312	-10.484	0.94	-6.93	5.03	-1.90	-1.00	-0.90
	106/54	-11.320	-10.108	1.02	-6.64	5.03	-1.61	-1.00	-0.61
	full	-12.057	-11.163	1.40	-7.18	3.85	-3.33	-1.00	-2.33
	26/0	-11.458	-9.878	0.86	-6.73	3.85	-2.88	-1.00	-1.88
6435	52/37	-11.503	-10.123	0.94	-6.81	3.85	-2.96	-1.00	-1.96
	106/53	-11.828	-10.323	1.02	-6.98	3.85	-3.13	-1.00	-2.13
6475	full	-11.172	-10.659	1.40	-6.50	3.85	-2.65	-1.00	-1.65
	full	-11.133	-11.158	1.40	-6.74	3.85	-2.89	-1.00	-1.89
	26/8	-10.545	-10.791	0.86	-6.80	3.85	-2.95	-1.00	-1.95
6515	52/40	-10.573	-10.923	0.94	-6.79	3.85	-2.94	-1.00	-1.94
	106/54	-10.787	-10.262	1.02	-6.49	3.85	-2.64	-1.00	-1.64
	full	-11.498	-11.905	1.40	-7.29	3.85	-3.44	-1.00	-2.44
	26/0	-10.559	-10.964	0.86	-6.89	3.85	-3.04	-1.00	-2.04
6535	52/37	-10.268	-11.043	0.94	-6.69	3.85	-2.84	-1.00	-1.84
	106/53	-10.903	-10.298	1.02	-6.56	3.85	-2.71	-1.00	-1.71
6695	full	-11.369	-11.790	1.40	-7.16	3.85	-3.31	-1.00	-2.31
0033	full	-11.505	-11.757	1.40	-7.22	3.85	-3.37	-1.00	-2.37
	26/8	-9.918	-10.884	0.86	-6.50	3.85	-2.65	-1.00	-1.65
6855	52/40	-10.720	-10.794	0.94	-6.81	3.85	-2.96	-1.00	-1.96
	106/54	-10.751	-10.762	1.02	-6.73	3.85	-2.88	-1.00	-1.88
6875(U-NII 7)	full	-9.226	-10.782	1.40	-6.67	3.85	-2.82	-1.00	-1.82
6875(U-NII 8)	full	-9.226	-10.184	1.40	-6.67	4.58	-2.09	-1.00	-1.02
0073(0-14110)	full	-10.178	-12.436	1.40	-6.75	4.58	-2.03	-1.00	-1.17
	26/0	-11.886	-12.430	0.86	-7.82	4.58	-3.24	-1.00	-2.24
6895	52/37	-12.300	-11.650	0.94	-8.01	4.58	-3.43	-1.00	-2.43
	106/53	-10.440	-11.030	1.02	-6.72	4.58	-3.43	-1.00	-1.14
6995	full	-10.440	-10.612	1.40	-6.41	4.58	-2.14	-1.00	-0.83
0990	full	-11.049	-10.612	1.40	-0.41 -7.33	4.58	-1.83 -2.75	-1.00	
	26/8		-10.800	0.86	-7.33 -6.59	4.58	-2.75 -2.01		-1.75 -1.01
7115	** *	-10.139		0.00				-1.00	
						1			-7.11 -5.90
	52/40 106/54	-16.502 -15.416	-16.793 -15.601	0.94 1.02	-12.69 -11.48	4.58 4.58	-8.11 -6.90	-1.00 -1.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 109 of 451

			POWER I	DENSITY 802	.11ax HE40 MODE				
_		PSD (di	Bm/MHz)	Duty					
Frequency (MHz)	RU config.	Ch0 meas	Ch1 meas	Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
5965	full	-11.499	-13.047	2.32	-6.87	5.03	-1.84	-1.00	-0.84
3903	242/61	-12.315	-12.171	1.18	-8.05	5.03	-3.02	-1.00	-2.02
6165	full	-12.479	-12.506	2.32	-7.16	5.03	-2.13	-1.00	-1.13
6405	full	-12.275	-11.266	2.32	-6.41	5.03	-1.38	-1.00	-0.38
0405	242/62	-11.194	-12.784	1.18	-7.73	5.03	-2.70	-1.00	-1.70
6445	full	-12.983	-12.231	2.32	-7.26	3.85	-3.41	-1.00	-2.41
0445	242/61	-13.208	-11.530	1.18	-8.10	3.85	-4.25	-1.00	-3.25
6485	full	-11.956	-11.600	2.32	-6.44	3.85	-2.59	-1.00	-1.59
0400	242/62	-12.372	-11.458	1.18	-7.70	3.85	-3.85	-1.00	-2.85
6525(U-NII 6)	full	-10.228	-9.048	2.32	-6.59	3.85	-2.74	-1.00	-1.74
6525(U-NII 7)	full	-10.228	-9.048	2.32	-6.59	3.85	-2.74	-1.00	-1.74
0505	full	-12.960	-12.259	2.32	-7.27	3.85	-3.42	-1.00	-2.42
6565	242/61	-11.436	-11.113	1.18	-7.08	3.85	-3.23	-1.00	-2.23
6685	full	-12.731	-12.216	2.32	-7.14	3.85	-3.29	-1.00	-2.29
0045	full	-12.912	-12.215	2.32	-7.22	3.85	-3.37	-1.00	-2.37
6845	242/62	-13.302	-12.755	1.18	-8.83	3.85	-4.98	-1.00	-3.98
6885(U-NII 7)	full	-14.978	-15.480	2.32	-12.21	3.85	-8.36	-1.00	-7.36
6885(U-NII 8)	full	-9.807	-10.306	2.32	-7.04	4.58	-2.46	-1.00	-1.46
6005	full	-11.876	-11.973	2.32	-6.59	4.58	-2.01	-1.00	-1.01
6925	242/61	-10.970	-11.322	1.18	-6.95	4.58	-2.37	-1.00	-1.37
7005	full	-12.061	-11.753	2.32	-6.57	4.58	-1.99	-1.00	-0.99
7005	full	-12.311	-12.380	2.32	-7.02	4.58	-2.44	-1.00	-1.44
7085	242/62	-12.074	-11.512	1.18	-7.59	4.58	-3.01	-1.00	-2.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝風如何主。大報生主概太公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 110 of 451

			POWER I	DENSITY 802	.11ax HE80 MODE				
_		PSD (de	Bm/MHz)	Duty					
Frequency (MHz)	RU config.	Ch0 meas	Ch1 meas	Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
5985	full	-13.932	-14.039	3.61	-7.36	5.03	-2.33	-1.00	-1.33
3903	484/65	-12.841	-13.500	2.08	-8.07	5.03	-3.04	-1.00	-2.04
6145	full	-15.062	-12.772	3.61	-7.15	5.03	-2.12	-1.00	-1.12
6385	full	-13.987	-13.391	3.61	-7.06	5.03	-2.03	-1.00	-1.03
0303	484/66	-12.392	-11.493	2.08	-6.83	5.03	-1.80	-1.00	-0.80
	full	-14.263	-13.143	3.61	-7.05	3.85	-3.20	-1.00	-2.20
6465	484/65	-13.293	-11.130	2.08	-6.99	3.85	-3.14	-1.00	-2.14
	484/66	-11.211	-11.858	2.08	-6.43	3.85	-2.58	-1.00	-1.58
6545	full	-12.669	-14.153	3.61	-6.73	3.85	-2.88	-1.00	-1.88
6545(U-NII 6)	full	-15.281	-16.761	3.61	-12.95	3.85	-9.10	-1.00	-8.10
6545(U-NII 7)	full	-10.243	-11.729	3.61	-7.91	3.85	-4.06	-1.00	-3.06
CCOF	full	-14.163	-12.492	3.61	-6.63	3.85	-2.78	-1.00	-1.78
6625	484/65	-12.601	-14.100	2.08	-8.20	3.85	-4.35	-1.00	-3.35
6705	full	-13.720	-13.124	3.61	-6.79	3.85	-2.94	-1.00	-1.94
6785	full	-13.176	-13.366	3.61	-6.65	3.85	-2.80	-1.00	-1.80
0/00	484/66	-13.998	-13.929	2.08	-8.87	3.85	-5.02	-1.00	-4.02
6865	full	-13.741	-13.164	3.61	-6.82	3.85	-2.97	-1.00	-1.97
6865(U-NII 7)	full	-12.137	-11.558	3.61	-8.83	3.85	-4.98	-1.00	-3.98
6865(U-NII 8)	full	-14.450	-13.876	3.61	-11.14	4.58	-6.56	-1.00	-5.56
6945	full	-13.348	-13.919	3.61	-7.00	4.58	-2.42	-1.00	-1.42
0940	484/65	-11.820	-12.631	2.08	-7.12	4.58	-2.54	-1.00	-1.54
7005	full	-13.534	-13.632	3.61	-6.96	4.58	-2.38	-1.00	-1.38
7025	484/66	-11.791	-11.620	2.08	-6.61	4.58	-2.03	-1.00	-1.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝風如何主。大報生主概太公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 111 of 451



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 112 of 451




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右铃阳,此都先结单属秦州阳岭之梯是台青,同时此样是薛星安的子。木都先来领太公司事而碎可,不可驾岭海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 113 of 451




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 114 of 451



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.