

# **Bluetooth Interface Board User's Manual**

## **Features**

The Bluetooth Interface board has the following features:

- 1) A built-in Bluetooth module
- 2) Bluetooth 2.1+EDR compatible
- 3) Power class: Class 2
- 4) External dimensions: 50 mm × 70 mm

Manufacturer: Seiko Epson Corporation

Model Name: M224B

Product Name: Bluetooth Interface board for printer

## **Integration to the end product**

The Bluetooth Interface Board has to be installed and used in accordance with the technical description/installation instructions provided by the manufacturer.

The system may only be implemented in the configuration that was authorized. Note that any changes or modifications to this equipment not expressly approved by the manufacturer could void the user's authority to operate this equipment.

## **Regulatory Information**

### **USA-Federal Communications Commission (FCC)**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy. If not installed and used in accordance with the instructions, it may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by tuning the equipment off and on, the user is encouraged to try and correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the distance between the equipment and the receiver.
- Connect the equipment to outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

## **Labelling**

The Bluetooth Interface board labelled as below.

FCC ID:BKMFBM224B

The proposed FCC ID label format is to be placed on the module. If FCC ID is not visible when the module is installed into the system, "Contains FCC ID: BKMFBM224B" shall be placed on the outside of final host system.

## **Caution: Exposure to Radio Frequency Radiation.**

To comply with FCC RF exposure compliance requirements, a separation distance of at least 20 cm must be maintained between the antenna of this device and all persons. This device must not be co-located or operating in conjunction with any other antenna or transmitter.

## **Canada-Industry Canada (IC)**

This device complies with RSS 210 of Industry Canada.

Operation is subject to the following two conditions:

- (1) This device may not cause interference, and
- (2) This device must accept any interference, including interference that may cause undesired operation of this device.

L' utilisation de ce dispositif est autorisée seulement aux conditions suivantes :

- (1) il ne doit pas produire de brouillage et
- (2) l' utilisateur du dispositif doit être prêt à accepter tout brouillage radioélectrique reçu, même si ce brouillage est susceptible de compromettre le fonctionnement du dispositif.

The term "IC" before the equipment certification number only signifies that the Industry Canada technical specifications were met.

## **Caution: Exposure to Radio Frequency Radiation.**

To comply with IC RF exposure compliance requirements, a separation distance of at least 20 cm must be maintained between the antenna of this device and all persons. This device must not be co-located or operating in conjunction with any other antenna or transmitter.

## **Instructions to OEM Integrators**

A User manual provided to the end user must indicate the operating requirements and conditions that must be observed to ensure compliance with the above-mentioned FCC /IC RF Exposure guideline.

If this module is intended for use in a portable device, integrators are responsible for separate evaluation and/or approval to satisfy FCC/IC RF Exposure requirements.

If other radio devices are to be integrated with this module, an additional evaluation and FCC/IC submission may be required. Integrators are responsible for such additional evaluation and FCC/IC submission.

## **Labelling**

The Bluetooth Interface board labelled as below.

IC: 1052C-M224B

The proposed IC ID label format is to be placed on the module. If IC ID is not visible when the module is installed into the system, "Contains IC: 1052C-M224B" shall be placed on the outside of final host system.