



November 5, 2007

Broadcast Communications Division 3200 Wismann Lane Post Office Box 4290 Quincy, IL USA 62305-4290 telephone 1-217-222-8200

www.harris.com

Compliance Certification Services 47174 Benicia Street Fremont. CA 94538

Attn: Mr. Mike Kuo

Dear Mike,

This letter and the accompanying test report and documents are in application for FCC Certification of a series of Digital Television transmitters to be operated under the requirements of FCC Part 27.53 (f).

Four models of the ATLAS Mobile DVF series of transmitters are included in this application, with power output ratings from 900 watts to 5000 watts, before the output filter. All models use the identical subassemblies, with the only significant difference between them being the number of output amplifier modules used to produce the required power.

The ATLAS Mobile DVF series of transmitters are an advanced modular design, using the same components and assemblies in a building-block approach to create transmitters with output power ratings from 900 watts to 5000 watts at the cabinet output connection. The number of PA (Power Amplifier) modules used is governed by the power output of each model. 2 PA modules are used in the DVF900 transmitter, 4 modules in the 1700 watt DVF1700, 8 modules in the 3400 watt DVF3400, and 12 modules in the DVF5000.

A single cabinet houses all models up to and including the DVF3400. The DVF5000 uses two cabinets.

Tests were conducted on a 5000 watt model, the DVF5000.

Photos in the test report give details of the various parts of the transmitter.

These data are submitted in support of the application for FCC authorization of these four models of the ATLAS Mobile product, under the required Certification method. We respectfully request these products be certified.

Yours sincerely,

Carl B Williams Systems Engineer

Harris Broadcast Communications

(217) 221-7334