

4


3

2

DWG NO. 8172350188

B

B



A

A

MATL: ALUM 0.03 THK, BRIGHT ANODIZED
MATL CONTENT: MUST COMPLY TO ROHS 2002/95/EC DIRECTIVE
BLACK LETTERING & LINES ON SILVER BACKGROUND

HARRIS P/N: 6461355000

NOTES

ROHS COMPLIANT PER DIRECTIVE 2002/95/EC

MATERIAL:	R E V I S I O N	LTR	ZONE	DATE	DFTM	ENG	ECO NBR		HARRIS CORPORATION BROADCAST COMMUNICATIONS 5300 KINGS ISLAND DR, SUITE 101 MASON, OHIO 45040	DRAWN BY	S ROSENBALM	TITLE SPEC, NAMEPLATE XMTR EQUIPMENT		
		C	.	Nov 1, 2011	SEC	SEC	P51422			DATE	09-15-2011			
		CORRECTED SPELLING AND ALIGNMENT PROBLEM								ENG CHK	S ROSENBALM			
FINISH:	R E V I S I O N	B	.	10-07-11	DSR	.	P51221	THIS DOCUMENT CONTAINS PROPRIETARY DATA OF HARRIS CORPORATION. NO DISCLOSURE, REPRODUCTION, OR USE OF ANY PART THEREOF MAY BE MADE EXCEPT BY WRITTEN PERMISSION.	PROJ ENG	-	MFG ENG	-	DWG NO. 8172350188	REV C
		REMOVED "FCC" REFERENCE							B	SHEET 1 OF 1				

4

3

2

1



HARRIS GATES®

MODEL: _____	DATE: _____
PART NO: _____	ID: _____
SERIAL NO: _____	OTHER ID: _____
FREQUENCY: _____	
CHANNEL: _____	
POWER OUT: _____	WV _____ AVG _____ PK _____
VAC: _____	PHASE: _____ PE _____ OFF MARK _____

HARRIS CORPORATION
BROADCAST COMMUNICATIONS DIVISION, QUINCY, ILLINOIS, USA

MODEL:	UAX-80AT-C	DATE:	4/4/2013
PART NO:	995-0318-001G	FCC ID:	BOIUAXCC
SERIAL NO:	KH10003264-1-09	OTHER ID:	
FREQUENCY:	683 MHZ		
CHANNEL:	49		
POWER OUT:	.100	KW	☒ AVG ☐ PK
	100-240	VAC	1 PHASE 50/60 HZ
WORK ORDER#:	PRD0441278		
OPERATION#:	10		

Use small plate