

File name: J25577C1.RES  
Date: 06. May 05 12:21


Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
3	100k	30M	COND_CF

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 30dB

Mode: CD



File name: J25577C1.RES  
Date: 06. May 05 12:21



Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase	PE
0.32000	32.3	-27.4	L1	gnd
0.41000	30.1	-27.5	L1	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase	PE
			-	-

no Results

\* limit exceeded

File name: J25577C4.RES  
Date: 06. May 05 14:24




Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
3	100k	30M	COND_CF

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 30dB

Mode: Radio



File name: J25577C4.RES  
Date: 06. May 05 14:24

Prescan Measurement Results:

no Results