

File name: J49247C1.RES  
Date: 16. Jan 06 13:45




Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
12	9k	30M	T_CONDCF

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 30dB

Mode: Radio



File name: J49247C1.RES  
Date: 16. Jan 06 13:45



Final Measurement Results:

no Results

File name: J49247C3.RES  
Date: 16. Jan 06 12:45




Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
12	9k	30M	T_CONDCF

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 30dB

Mode: CD



File name: J49247C3.RES  
Date: 16. Jan 06 12:45

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
------------------	------------------	-------------------	------------	---------

no Results

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
16.91000	27.9	-22.0	L1	gnd

\* limit exceeded