


Produkte
Products


Wi-Fi 802.11 n(HT20) mode

Low channel

80.0 dBuV/m



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	52.68	-18.86	33.82	40.00	-6.18	QP
2	100.9340	56.90	-20.13	36.77	43.50	-6.73	QP
3	138.8735	57.13	-18.93	38.20	43.50	-5.30	QP
4	229.2931	47.94	-19.38	28.56	46.00	-17.44	QP
5	440.1963	43.72	-13.57	30.15	46.00	-15.85	QP
6	734.4913	35.41	-5.74	29.67	46.00	-16.33	QP




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	54.75	-19.76	34.99	40.00	-5.01	QP
2	66.2660	61.45	-25.33	36.12	40.00	-3.88	QP
3	94.4282	59.46	-21.33	38.13	43.50	-5.37	QP
4	129.4677	51.25	-19.26	31.99	43.50	-11.51	QP
5	309.9977	46.03	-16.59	29.44	46.00	-16.56	QP
6	446.4141	43.13	-13.05	30.08	46.00	-15.92	QP


Produkte
Products

Wi-Fi 802.11 n(HT20) mode
Middle channel

80.0 dBuV/m




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	53.68	-18.86	34.82	40.00	-5.18	QP
2	100.9340	58.40	-20.13	38.27	43.50	-5.23	QP
3	138.8735	59.13	-18.93	40.20	43.50	-3.30	QP
4	229.2931	49.94	-19.38	30.56	46.00	-15.44	QP
5	440.1963	43.72	-13.57	30.15	46.00	-15.85	QP
6	734.4913	34.41	-5.74	28.67	46.00	-17.33	QP




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	55.25	-19.76	35.49	40.00	-4.51	QP
2	66.2660	62.45	-25.33	37.12	40.00	-2.88	QP
3	94.4282	59.96	-21.33	38.63	43.50	-4.87	QP
4	140.3420	51.18	-19.23	31.95	43.50	-11.55	QP
5	309.9977	46.03	-16.59	29.44	46.00	-16.56	QP
6	446.4141	43.13	-13.05	30.08	46.00	-15.92	QP

Wi-Fi 802.11 n(HT20) mode
High channel

80.0 dBuV/m



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	53.18	-18.86	34.32	40.00	-5.68	QP
2	105.2716	55.42	-19.94	35.48	43.50	-8.02	QP
3	138.8735	59.13	-18.93	40.20	43.50	-3.30	QP
4	229.2931	48.94	-19.38	29.56	46.00	-16.44	QP
5	440.1963	42.22	-13.57	28.65	46.00	-17.35	QP
6	734.4913	33.91	-5.74	28.17	46.00	-17.83	QP




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	55.25	-19.76	35.49	40.00	-4.51	QP
2	66.2660	60.95	-25.33	35.62	40.00	-4.38	QP
3	94.4282	58.96	-21.33	37.63	43.50	-5.87	QP
4	309.9977	46.03	-16.59	29.44	46.00	-16.56	QP
5	446.4141	43.13	-13.05	30.08	46.00	-15.92	QP
6	815.9678	33.02	-6.76	26.26	46.00	-19.74	QP

Produkte
Products


Wi-Fi 802.11 n(HT40) mode

Low channel

80.0 dBuV/m



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	52.18	-18.86	33.32	40.00	-6.68	QP
2	100.9340	57.40	-20.13	37.27	43.50	-6.23	QP
3	138.8735	58.63	-18.93	39.70	43.50	-3.80	QP
4	229.2931	47.94	-19.38	28.56	46.00	-17.44	QP
5	440.1963	43.22	-13.57	29.65	46.00	-16.35	QP
6	734.4913	33.91	-5.74	28.17	46.00	-17.83	QP




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	55.25	-19.76	35.49	40.00	-4.51	QP
2	66.2660	61.95	-25.33	36.62	40.00	-3.38	QP
3	94.4282	59.46	-21.33	38.13	43.50	-5.37	QP
4	227.6904	49.50	-20.47	29.03	46.00	-16.97	QP
5	309.9977	46.53	-16.59	29.94	46.00	-16.06	QP
6	446.4141	43.13	-13.05	30.08	46.00	-15.92	QP


Produkte
Products

Wi-Fi 802.11 n(HT40) mode
Middle channel

80.0 dBuV/m



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	53.18	-18.86	34.32	40.00	-5.68	QP
2	100.9340	56.90	-20.13	36.77	43.50	-6.73	QP
3	138.8735	58.13	-18.93	39.20	43.50	-4.30	QP
4	229.2931	48.94	-19.38	29.56	46.00	-16.44	QP
5	440.1963	42.22	-13.57	28.65	46.00	-17.35	QP
6	734.4913	33.91	-5.74	28.17	46.00	-17.83	QP




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	55.25	-19.76	35.49	40.00	-4.51	QP
2	66.2660	61.45	-25.33	36.12	40.00	-3.88	QP
3	94.4282	59.46	-21.33	38.13	43.50	-5.37	QP
4	309.9977	46.53	-16.59	29.94	46.00	-16.06	QP
5	446.4141	44.13	-13.05	31.08	46.00	-14.92	QP
6	815.9678	33.52	-6.76	26.76	46.00	-19.24	QP


Produkte
Products

Wi-Fi 802.11 n(HT40) mode
High channel

80.0 dBuV/m



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	53.68	-18.86	34.82	40.00	-5.18	QP
2	100.9340	56.40	-20.13	36.27	43.50	-7.23	QP
3	138.8735	56.63	-18.93	37.70	43.50	-5.80	QP
4	229.2931	47.94	-19.38	28.56	46.00	-17.44	QP
5	440.1963	42.72	-13.57	29.15	46.00	-16.85	QP
6	734.4913	33.91	-5.74	28.17	46.00	-17.83	QP




No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	44.2751	55.75	-19.76	35.99	40.00	-4.01	QP
2	66.2660	61.95	-25.33	36.62	40.00	-3.38	QP
3	94.4282	58.96	-21.33	37.63	43.50	-5.87	QP
4	309.9977	47.03	-16.59	30.44	46.00	-15.56	QP
5	446.4141	43.63	-13.05	30.58	46.00	-15.42	QP
6	815.9678	34.02	-6.76	27.26	46.00	-18.74	QP

Produkte
Products

1GHz - 18GHz
Wi-Fi 802.11 b mode
Low channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2198.000	35.40	-7.32	54.0	-18.60	AV	H	Pass
1	2198.000	45.35	-7.32	74.0	-28.65	Peak	H	Pass
2**	7650.000	40.86	4.87	54.0	-13.14	AV	H	Pass
2	7650.000	50.30	4.87	74.0	-23.70	Peak	H	Pass
3**	11017.500	47.55	10.89	54.0	-6.45	AV	H	Pass
3	11017.500	56.67	10.89	74.0	-17.33	Peak	H	Pass
4**	15020.000	48.64	12.03	54.0	-5.36	AV	H	Pass
4	15020.000	57.73	12.03	74.0	-16.27	Peak	H	Pass
5**	22059.999	48.12	9.88	54.0	-5.88	AV	H	Pass
5	22059.999	59.06	9.88	74.0	-14.94	Peak	H	Pass
6**	24074.250	47.88	15.09	54.0	-6.12	AV	H	Pass
6	24074.250	58.09	15.09	74.0	-15.91	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2193.500	35.50	-7.55	54.0	-18.50	AV	V	Pass
1	2193.500	45.51	-7.55	74.0	-28.49	Peak	V	Pass
2**	5000.000	33.43	-2.53	54.0	-20.57	AV	V	Pass
2	5000.000	43.33	-2.53	74.0	-30.67	Peak	V	Pass
3**	7470.000	40.40	4.50	54.0	-13.60	AV	V	Pass
3	7470.000	50.08	4.50	74.0	-23.92	Peak	V	Pass
4**	11077.500	47.67	10.64	54.0	-6.33	AV	V	Pass
4	11077.500	56.97	10.64	74.0	-17.03	Peak	V	Pass
5**	17722.499	47.58	11.80	54.0	-6.42	AV	V	Pass
5	17722.499	57.72	11.80	74.0	-16.28	Peak	V	Pass
6**	20539.251	50.25	14.09	54.0	-3.75	AV	V	Pass
6	20539.251	59.11	14.09	74.0	-14.89	Peak	V	Pass

Produkte
Products

Wi-Fi 802.11 b mode
Middle channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2205.000	34.76	-7.45	54.0	-19.24	AV	H	Pass
1	2205.000	45.26	-7.45	74.0	-28.74	Peak	H	Pass
2**	8555.000	41.51	5.00	54.0	-12.49	AV	H	Pass
2	8555.000	51.62	5.00	74.0	-22.38	Peak	H	Pass
3**	10952.500	47.37	10.78	54.0	-6.63	AV	H	Pass
3	10952.500	55.97	10.78	74.0	-18.03	Peak	H	Pass
4**	15055.000	48.22	11.46	54.0	-5.78	AV	H	Pass
4	15055.000	58.44	11.46	74.0	-15.56	Peak	H	Pass
5**	20532.251	50.66	14.07	54.0	-3.34	AV	H	Pass
5	20532.251	58.74	14.07	74.0	-15.26	Peak	H	Pass
6**	22123.000	49.51	9.88	54.0	-4.49	AV	H	Pass
6	22123.000	58.04	9.88	74.0	-15.96	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2202.000	34.94	-7.31	54.0	-19.06	AV	V	Pass
1	2202.000	45.50	-7.31	74.0	-28.50	Peak	V	Pass
2**	6900.000	38.80	3.20	54.0	-15.20	AV	V	Pass
2	6900.000	48.84	3.20	74.0	-25.16	Peak	V	Pass
3**	11079.999	46.79	10.63	54.0	-7.21	AV	V	Pass
3	11079.999	56.06	10.63	74.0	-17.94	Peak	V	Pass
4**	15555.000	48.18	11.34	54.0	-5.82	AV	V	Pass
4	15555.000	58.13	11.34	74.0	-15.87	Peak	V	Pass
5**	19981.001	48.60	15.34	54.0	-5.40	AV	V	Pass
5	19981.001	59.02	15.34	74.0	-14.98	Peak	V	Pass
6**	23248.251	46.42	15.08	54.0	-7.58	AV	V	Pass
6	23248.251	57.87	15.08	74.0	-16.13	Peak	V	Pass

Produkte
Products

Wi-Fi 802.11 b mode
High channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2185.500	35.08	-7.98	54.0	-18.92	AV	H	Pass
1	2185.500	44.74	-7.98	74.0	-29.26	Peak	H	Pass
2**	5610.000	34.32	-1.15	54.0	-19.68	AV	H	Pass
2	5610.000	45.12	-1.15	74.0	-28.88	Peak	H	Pass
3**	11097.500	46.34	10.55	54.0	-7.66	AV	H	Pass
3	11097.500	56.21	10.55	74.0	-17.79	Peak	H	Pass
4**	14967.500	48.41	12.44	54.0	-5.59	AV	H	Pass
4	14967.500	58.41	12.44	74.0	-15.59	Peak	H	Pass
5**	20548.000	49.59	14.10	54.0	-4.41	AV	H	Pass
5	20548.000	59.69	14.10	74.0	-14.31	Peak	H	Pass
6**	24189.749	48.07	15.09	54.0	-5.93	AV	H	Pass
6	24189.749	58.06	15.09	74.0	-15.94	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2192.000	35.11	-7.63	54.0	-18.89	AV	V	Pass
1	2192.000	45.04	-7.63	74.0	-28.96	Peak	V	Pass
2**	5425.000	34.38	-1.39	54.0	-19.62	AV	V	Pass
2	5425.000	44.71	-1.39	74.0	-29.29	Peak	V	Pass
3**	11327.500	46.47	10.42	54.0	-7.53	AV	V	Pass
3	11327.500	57.46	10.42	74.0	-16.54	Peak	V	Pass
4**	14981.250	48.78	12.40	54.0	-5.22	AV	V	Pass
4	14981.250	58.10	12.40	74.0	-15.90	Peak	V	Pass
5**	20537.500	50.53	14.08	54.0	-3.47	AV	V	Pass
5	20537.500	59.10	14.08	74.0	-14.90	Peak	V	Pass
6**	24175.749	48.87	15.09	54.0	-5.13	AV	V	Pass
6	24175.749	58.00	15.09	74.0	-16.00	Peak	V	Pass

Produkte
Products

Wi-Fi 802.11 g mode
Low channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2194.500	35.16	-7.50	54.0	-18.84	AV	H	Pass
1	2194.500	45.17	-7.50	74.0	-28.83	Peak	H	Pass
2**	7612.500	40.30	4.74	54.0	-13.70	AV	H	Pass
2	7612.500	49.67	4.74	74.0	-24.33	Peak	H	Pass
3**	11012.500	46.53	10.92	54.0	-7.47	AV	H	Pass
3	11012.500	56.21	10.92	74.0	-17.79	Peak	H	Pass
4**	14953.750	48.87	12.48	54.0	-5.13	AV	H	Pass
4	14953.750	58.14	12.48	74.0	-15.86	Peak	H	Pass
5**	20255.750	48.46	11.49	54.0	-5.54	AV	H	Pass
5	20255.750	58.86	11.49	74.0	-15.14	Peak	H	Pass
6**	22061.750	48.74	9.88	54.0	-5.26	AV	H	Pass
6	22061.750	58.29	9.88	74.0	-15.71	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2204.000	35.08	-7.41	54.0	-18.92	AV	V	Pass
1	2204.000	44.94	-7.41	74.0	-29.06	Peak	V	Pass
2**	6585.000	36.70	1.68	54.0	-17.30	AV	V	Pass
2	6585.000	47.64	1.68	74.0	-26.36	Peak	V	Pass
3**	11012.500	47.47	10.92	54.0	-6.53	AV	V	Pass
3	11012.500	56.44	10.92	74.0	-17.56	Peak	V	Pass
4**	14995.000	49.42	12.36	54.0	-4.58	AV	V	Pass
4	14995.000	58.45	12.36	74.0	-15.55	Peak	V	Pass
5**	20541.000	50.08	14.09	54.0	-3.92	AV	V	Pass
5	20541.000	58.68	14.09	74.0	-15.32	Peak	V	Pass
6**	23834.499	47.54	15.08	54.0	-6.46	AV	V	Pass
6	23834.499	57.30	15.08	74.0	-16.70	Peak	V	Pass

Produkte
Products

Wi-Fi 802.11 g mode
Middle channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2198.000	35.26	-7.32	54.0	-18.74	AV	H	Pass
1	2198.000	45.60	-7.32	74.0	-28.40	Peak	H	Pass
2**	5575.000	34.55	-1.22	54.0	-19.45	AV	H	Pass
2	5575.000	44.50	-1.22	74.0	-29.50	Peak	H	Pass
3**	10967.500	47.02	10.84	54.0	-6.98	AV	H	Pass
3	10967.500	56.39	10.84	74.0	-17.61	Peak	H	Pass
4**	14913.750	48.52	12.59	54.0	-5.48	AV	H	Pass
4	14913.750	57.69	12.59	74.0	-16.31	Peak	H	Pass
5**	18923.999	48.52	13.58	54.0	-5.48	AV	H	Pass
5	18923.999	58.30	13.58	74.0	-15.70	Peak	H	Pass
6**	24060.250	48.14	15.09	54.0	-5.86	AV	H	Pass
6	24060.250	58.32	15.09	74.0	-15.68	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2199.000	35.20	-7.26	54.0	-18.80	AV	V	Pass
1	2199.000	45.30	-7.26	74.0	-28.70	Peak	V	Pass
2**	7360.000	40.97	4.44	54.0	-13.03	AV	V	Pass
2	7360.000	49.87	4.44	74.0	-24.13	Peak	V	Pass
3**	10957.500	46.62	10.80	54.0	-7.38	AV	V	Pass
3	10957.500	56.28	10.80	74.0	-17.72	Peak	V	Pass
4**	14936.250	47.87	12.53	54.0	-6.13	AV	V	Pass
4	14936.250	58.13	12.53	74.0	-15.87	Peak	V	Pass
5**	20535.751	50.22	14.08	54.0	-3.78	AV	V	Pass
5	20535.751	59.70	14.08	74.0	-14.30	Peak	V	Pass
6**	23957.000	49.02	15.09	54.0	-4.98	AV	V	Pass
6	23957.000	57.97	15.09	74.0	-16.03	Peak	V	Pass

Produkte
Products

Wi-Fi 802.11 g mode
High channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2222.000	34.49	-8.28	54.0	-19.51	AV	H	Pass
1	2222.000	44.96	-8.28	74.0	-29.04	Peak	H	Pass
2**	5437.500	34.67	-1.42	54.0	-19.33	AV	H	Pass
2	5437.500	44.07	-1.42	74.0	-29.93	Peak	H	Pass
3**	10940.000	46.57	10.72	54.0	-7.43	AV	H	Pass
3	10940.000	56.52	10.72	74.0	-17.48	Peak	H	Pass
4**	14866.250	48.30	12.19	54.0	-5.70	AV	H	Pass
4	14866.250	58.37	12.19	74.0	-15.63	Peak	H	Pass
5**	19002.751	48.56	15.38	54.0	-5.44	AV	H	Pass
5	19002.751	58.52	15.38	74.0	-15.48	Peak	H	Pass
6**	23804.750	47.03	15.08	54.0	-6.97	AV	H	Pass
6	23804.750	57.95	15.08	74.0	-16.05	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2201.000	35.36	-7.26	54.0	-18.64	AV	V	Pass
1	2201.000	45.46	-7.26	74.0	-28.54	Peak	V	Pass
2**	5520.000	34.90	-1.47	54.0	-19.10	AV	V	Pass
2	5520.000	45.07	-1.47	74.0	-28.93	Peak	V	Pass
3**	11070.000	46.60	10.67	54.0	-7.40	AV	V	Pass
3	11070.000	56.58	10.67	74.0	-17.42	Peak	V	Pass
4**	14912.500	48.37	12.59	54.0	-5.63	AV	V	Pass
4	14912.500	58.18	12.59	74.0	-15.82	Peak	V	Pass
5**	20535.751	50.19	14.08	54.0	-3.81	AV	V	Pass
5	20535.751	59.58	14.08	74.0	-14.42	Peak	V	Pass
6**	24035.750	48.98	15.09	54.0	-5.02	AV	V	Pass
6	24035.750	58.27	15.09	74.0	-15.73	Peak	V	Pass

Produkte
Products

Wi-Fi 802.11 n(HT20) mode
Low channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2196.000	34.91	-7.42	54.0	-19.09	AV	H	Pass
1	2196.000	45.33	-7.42	74.0	-28.67	Peak	H	Pass
2**	5132.500	34.08	-1.84	54.0	-19.92	AV	H	Pass
2	5132.500	43.26	-1.84	74.0	-30.74	Peak	H	Pass
3**	10990.000	46.85	10.93	54.0	-7.15	AV	H	Pass
3	10990.000	56.87	10.93	74.0	-17.13	Peak	H	Pass
4**	14956.250	48.49	12.47	54.0	-5.51	AV	H	Pass
4	14956.250	57.70	12.47	74.0	-16.30	Peak	H	Pass
5**	20075.500	48.39	14.01	54.0	-5.61	AV	H	Pass
5	20075.500	58.88	14.01	74.0	-15.12	Peak	H	Pass
6**	24048.001	48.37	15.09	54.0	-5.63	AV	H	Pass
6	24048.001	58.10	15.09	74.0	-15.90	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2220.500	34.04	-8.21	54.0	-19.96	AV	V	Pass
1	2220.500	45.02	-8.21	74.0	-28.98	Peak	V	Pass
2**	4817.500	31.79	-4.16	54.0	-22.21	AV	V	Pass
2	4817.500	43.25	-4.16	74.0	-30.75	Peak	V	Pass
3**	11022.500	47.31	10.87	54.0	-6.69	AV	V	Pass
3	11022.500	56.18	10.87	74.0	-17.82	Peak	V	Pass
4**	15050.000	47.72	11.54	54.0	-6.28	AV	V	Pass
4	15050.000	58.19	11.54	74.0	-15.81	Peak	V	Pass
5**	18920.499	48.23	13.50	54.0	-5.77	AV	V	Pass
5	18920.499	58.48	13.50	74.0	-15.52	Peak	V	Pass
6**	22425.750	47.33	9.88	54.0	-6.67	AV	V	Pass
6	22425.750	58.65	9.88	74.0	-15.35	Peak	V	Pass

Produkte
Products


Wi-Fi 802.11 n(HT20) mode
Middle channel

RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2201.000	35.42	-7.26	54.0	-18.58	AV	H	Pass
1	2201.000	45.52	-7.26	74.0	-28.48	Peak	H	Pass
2**	8387.500	40.90	4.65	54.0	-13.10	AV	H	Pass
2	8387.500	51.63	4.65	74.0	-22.37	Peak	H	Pass
3**	11017.500	48.31	10.89	54.0	-5.69	AV	H	Pass
3	11017.500	56.50	10.89	74.0	-17.50	Peak	H	Pass
4**	15025.000	48.29	11.94	54.0	-5.71	AV	H	Pass
4	15025.000	58.62	11.94	74.0	-15.38	Peak	H	Pass
5**	20553.251	49.33	14.11	54.0	-4.67	AV	H	Pass
5	20553.251	59.27	14.11	74.0	-14.73	Peak	H	Pass
6**	23918.500	49.29	15.09	54.0	-4.71	AV	H	Pass
6	23918.500	57.64	15.09	74.0	-16.36	Peak	H	Pass

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2199.000	35.23	-7.26	54.0	-18.77	AV	V	Pass
1	2199.000	45.92	-7.26	74.0	-28.08	Peak	V	Pass
2**	5082.500	34.31	-1.97	54.0	-19.69	AV	V	Pass
2	5082.500	44.28	-1.97	74.0	-29.72	Peak	V	Pass
3**	11022.500	46.78	10.87	54.0	-7.22	AV	V	Pass
3	11022.500	56.47	10.87	74.0	-17.53	Peak	V	Pass
4**	15056.250	48.44	11.44	54.0	-5.56	AV	V	Pass
4	15056.250	57.91	11.44	74.0	-16.09	Peak	V	Pass
5**	20541.000	49.90	14.09	54.0	-4.10	AV	V	Pass
5	20541.000	58.76	14.09	74.0	-15.24	Peak	V	Pass
6**	23853.750	48.26	15.08	54.0	-5.74	AV	V	Pass
6	23853.750	58.90	15.08	74.0	-15.10	Peak	V	Pass

Produkte
Products

Wi-Fi 802.11 n(HT20) mode
High channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2194.000	35.89	-7.53	54.0	-18.11	AV	H	Pass
1	2194.000	45.17	-7.53	74.0	-28.83	Peak	H	Pass
2**	5067.500	33.98	-2.07	54.0	-20.02	AV	H	Pass
2	5067.500	44.30	-2.07	74.0	-29.70	Peak	H	Pass
3**	11617.500	46.72	11.08	54.0	-7.28	AV	H	Pass
3	11617.500	56.25	11.08	74.0	-17.75	Peak	H	Pass
4**	14988.750	48.32	12.38	54.0	-5.68	AV	H	Pass
4	14988.750	58.18	12.38	74.0	-15.82	Peak	H	Pass
5**	20562.000	49.71	14.12	54.0	-4.29	AV	H	Pass
5	20562.000	59.28	14.12	74.0	-14.72	Peak	H	Pass
6**	23953.500	48.38	15.09	54.0	-5.62	AV	H	Pass
6	23953.500	58.60	15.09	74.0	-15.40	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2208.500	34.89	-7.62	54.0	-19.11	AV	V	Pass
1	2208.500	45.35	-7.62	74.0	-28.65	Peak	V	Pass
2**	5387.500	35.01	-1.43	54.0	-18.99	AV	V	Pass
2	5387.500	44.51	-1.43	74.0	-29.49	Peak	V	Pass
3**	11552.500	46.73	11.02	54.0	-7.27	AV	V	Pass
3	11552.500	56.39	11.02	74.0	-17.61	Peak	V	Pass
4**	15031.250	49.28	11.84	54.0	-4.72	AV	V	Pass
4	15031.250	58.31	11.84	74.0	-15.69	Peak	V	Pass
5**	20530.500	51.40	14.07	54.0	-2.60	AV	V	Pass
5	20530.500	58.98	14.07	74.0	-15.02	Peak	V	Pass
6**	24032.250	49.32	15.09	54.0	-4.68	AV	V	Pass
6	24032.250	58.34	15.09	74.0	-15.66	Peak	V	Pass

Produkte
Products


Wi-Fi 802.11 n(HT40) mode
Low channel

RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2207.000	35.19	-7.55	54.0	-18.81	AV	H	Pass
1	2207.000	45.25	-7.55	74.0	-28.75	Peak	H	Pass
2**	5505.000	35.15	-1.54	54.0	-18.85	AV	H	Pass
2	5505.000	44.34	-1.54	74.0	-29.66	Peak	H	Pass
3**	9017.500	41.69	5.22	54.0	-12.31	AV	H	Pass
3	9017.500	51.84	5.22	74.0	-22.16	Peak	H	Pass
4**	11617.500	46.86	11.08	54.0	-7.14	AV	H	Pass
4	11617.500	56.69	11.08	74.0	-17.31	Peak	H	Pass
5**	14961.250	48.55	12.46	54.0	-5.45	AV	H	Pass
5	14961.250	57.79	12.46	74.0	-16.21	Peak	H	Pass
6**	20534.000	50.20	14.08	54.0	-3.80	AV	H	Pass
6	20534.000	59.29	14.08	74.0	-14.71	Peak	H	Pass


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2194.500	35.33	-7.50	54.0	-18.67	AV	V	Pass
1	2194.500	45.60	-7.50	74.0	-28.40	Peak	V	Pass
2**	7472.500	40.23	4.50	54.0	-13.77	AV	V	Pass
2	7472.500	50.09	4.50	74.0	-23.91	Peak	V	Pass
3**	11047.500	47.13	10.77	54.0	-6.87	AV	V	Pass
3	11047.500	55.81	10.77	74.0	-18.19	Peak	V	Pass
4**	14877.500	48.34	12.33	54.0	-5.66	AV	V	Pass
4	14877.500	57.82	12.33	74.0	-16.18	Peak	V	Pass
5**	19501.500	49.20	17.41	54.0	-4.80	AV	V	Pass
5	19501.500	58.56	17.41	74.0	-15.44	Peak	V	Pass
6**	24020.001	48.75	15.09	54.0	-5.25	AV	V	Pass
6	24020.001	58.15	15.09	74.0	-15.85	Peak	V	Pass

Wi-Fi 802.11 n(HT40) mode
Middle channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2194.500	35.09	-7.50	54.0	-18.91	AV	H	Pass
1	2194.500	45.17	-7.50	74.0	-28.83	Peak	H	Pass
2**	5440.000	35.02	-1.42	54.0	-18.98	AV	H	Pass
2	5440.000	43.87	-1.42	74.0	-30.13	Peak	H	Pass
3**	11002.500	47.71	10.96	54.0	-6.29	AV	H	Pass
3	11002.500	56.55	10.96	74.0	-17.45	Peak	H	Pass
4**	14930.000	47.88	12.54	54.0	-6.12	AV	H	Pass
4	14930.000	58.03	12.54	74.0	-15.97	Peak	H	Pass
5**	19013.249	49.67	15.28	54.0	-4.33	AV	H	Pass
5	19013.249	58.52	15.28	74.0	-15.48	Peak	H	Pass
6**	22052.999	48.69	9.88	54.0	-5.31	AV	H	Pass
6	22052.999	58.35	9.88	74.0	-15.65	Peak	H	Pass

Produkte
Products


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2215.500	34.45	-7.96	54.0	-19.55	AV	V	Pass
1	2215.500	45.80	-7.96	74.0	-28.20	Peak	V	Pass
2**	5750.000	34.12	-1.45	54.0	-19.88	AV	V	Pass
2	5750.000	45.20	-1.45	74.0	-28.80	Peak	V	Pass
3**	11635.000	47.65	10.93	54.0	-6.35	AV	V	Pass
3	11635.000	56.73	10.93	74.0	-17.27	Peak	V	Pass
4**	14882.500	48.83	12.40	54.0	-5.17	AV	V	Pass
4	14882.500	58.15	12.40	74.0	-15.85	Peak	V	Pass
5**	19009.749	49.40	15.31	54.0	-4.60	AV	V	Pass
5	19009.749	58.48	15.31	74.0	-15.52	Peak	V	Pass
6**	23960.500	50.06	15.09	54.0	-3.94	AV	V	Pass
6	23960.500	58.03	15.09	74.0	-15.97	Peak	V	Pass

Wi-Fi 802.11 n(HT40) mode
High channel


RE_FCC Test Case_FCC 15C 1GHz-25GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2206.000	35.27	-7.50	54.0	-18.73	AV	H	Pass
1	2206.000	45.19	-7.50	74.0	-28.81	Peak	H	Pass
2**	5602.500	35.39	-1.12	54.0	-18.61	AV	H	Pass
2	5602.500	44.83	-1.12	74.0	-29.17	Peak	H	Pass
3**	11082.500	46.50	10.62	54.0	-7.50	AV	H	Pass
3	11082.500	56.50	10.62	74.0	-17.50	Peak	H	Pass
4**	14987.500	49.00	12.38	54.0	-5.00	AV	H	Pass
4	14987.500	58.06	12.38	74.0	-15.94	Peak	H	Pass
5**	20539.251	50.78	14.09	54.0	-3.22	AV	H	Pass
5	20539.251	59.36	14.09	74.0	-14.64	Peak	H	Pass
6**	24137.251	48.20	15.09	54.0	-5.80	AV	H	Pass
6	24137.251	58.27	15.09	74.0	-15.73	Peak	H	Pass

Produkte
Products

RE_FCC Test Case_FCC 15C 1GHz-25GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	ANT	Verdict
1**	2203.500	35.22	-7.38	54.0	-18.78	AV	V	Pass
1	2203.500	45.62	-7.38	74.0	-28.38	Peak	V	Pass
2**	5410.000	35.10	-1.35	54.0	-18.90	AV	V	Pass
2	5410.000	44.89	-1.35	74.0	-29.11	Peak	V	Pass
3**	11160.001	46.98	10.51	54.0	-7.02	AV	V	Pass
3	11160.001	57.27	10.51	74.0	-16.73	Peak	V	Pass
4**	17092.500	47.16	11.51	54.0	-6.84	AV	V	Pass
4	17092.500	57.87	11.51	74.0	-16.13	Peak	V	Pass
5**	20530.500	50.86	14.07	54.0	-3.14	AV	V	Pass
5	20530.500	60.46	14.07	74.0	-13.54	Peak	V	Pass
6**	24153.000	48.75	15.09	54.0	-5.25	AV	V	Pass
6	24153.000	58.23	15.09	74.0	-15.77	Peak	V	Pass

Appendix C.7: Test Results of Radiated Emissions in Restricted Bands

Wi-Fi 802.11 b mode


Low channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2354.778	23.81	27.11	50.92	74.00	-23.08	peak
2	2390.000	22.71	27.23	49.94	74.00	-24.06	peak


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2321.228	22.61	26.99	49.60	74.00	-24.40	peak
2	2390.000	22.60	27.23	49.83	74.00	-24.17	peak


High channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	22.37	27.54	49.91	74.00	-24.09	peak
2	2511.192	25.08	27.61	52.69	74.00	-21.31	peak


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	23.18	27.54	50.72	74.00	-23.28	peak
2	2522.952	24.90	27.63	52.53	74.00	-21.47	peak


Wi-Fi 802.11 g mode
Low channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2370.150	21.97	27.16	49.13	74.00	-24.87	peak
2	2390.000	21.60	27.23	48.83	74.00	-25.17	peak


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2354.412	24.07	27.11	51.18	74.00	-22.82	peak
2	2390.000	21.80	27.23	49.03	74.00	-24.97	peak


High channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	22.87	27.54	50.41	74.00	-23.59	peak
2	2514.132	25.14	27.62	52.76	74.00	-21.24	peak


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	24.45	27.54	51.99	74.00	-22.01	peak
2	2520.600	24.05	27.62	51.67	74.00	-22.33	peak


Wi-Fi 802.11 n(HT20) mode
Low channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2359.414	22.87	27.12	49.99	74.00	-24.01	peak
2	2390.000	21.98	27.23	49.21	74.00	-24.79	peak


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2342.090	24.08	27.06	51.14	74.00	-22.86	peak
2	2390.000	21.46	27.23	48.69	74.00	-25.31	peak


High channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	22.53	27.54	50.07	74.00	-23.93	peak
2	2522.266	24.73	27.63	52.36	74.00	-21.64	peak


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	21.91	27.54	49.45	74.00	-24.55	peak
2	2512.564	23.04	27.62	50.66	74.00	-23.34	peak


Wi-Fi 802.11 n(HT40) mode
Low channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2339.528	21.37	27.05	48.42	74.00	-25.58	peak
2	2390.000	20.61	27.23	47.84	74.00	-26.16	peak


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2353.436	22.71	27.10	49.81	74.00	-24.19	peak
2	2390.000	22.07	27.23	49.30	74.00	-24.70	peak


High channel

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	21.34	27.54	48.88	74.00	-25.12	peak
2	2518.640	25.44	27.62	53.06	74.00	-20.94	peak

Vertical



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	21.56	27.54	49.10	74.00	-24.90	peak
2	2499.628	23.46	27.60	51.06	74.00	-22.94	peak