

$V \sim$   
**VOLTAGE SYMBOL**  
 PRINT SYMBOL AS SHOWN

NOTES:

- 1 MATERIAL: MAKE FROM 2402-0357-08. (SEE B/M)
- 2. FIELD VARIABLES ARE SHOWN AS HEXAGONS. SEE ATTACHED LISTING FOR DESCRIPTIONS.

THIS DRAWING MAY CONTAIN PATENTED OR PROPRIETARY INFORMATION AND MUST NOT BE USED FOR MANUFACTURING OR ANY PURPOSE DETRIMENTAL TO SENSORMATIC ELECTRONICS. ACCEPTANCE OF THIS DRAWING WILL BE CONSTRUED AS AN AGREEMENT TO AND ACCEPTANCE OF THE FOREGOING.



DIMENSIONS ARE SHOWN IN <b>MIL I MMETERS</b>	
TOLERANCES ARE:	
DECIMALS X.X = +/- .5mm	ANGLES +/- 1/2 DEGREE
X.XX = +/- .3mm	
X.XXX = +/- .1mm	
MATERIAL	1
FINISH	N/A

<b>APPROVALS</b>	<b>DATE</b>
DRAWN R. CERASINI	5-23-94
CHECKED	
ENGR	
APP'D	
RELEASE	

<b>SENSORMATIC ELECTRONICS CORP.</b> DEERFIELD BEACH, FLORIDA
TITLE <b>LABEL, UNIVERSAL</b>
SIZE <b>A</b>

DRAWING NUMBER <b>2402-0469-00</b>		REV BV
SHEET <b>2</b> OF <b>73</b>		

Figure A



Figure B




Figure C



Figure D




Figure E



Figure F



SIZE <b>A</b>	DRAWING NUMBER <b>2402-0469-00</b>	REV <b>BV</b>
SCALE: NONE	SHEET <b>3</b> OF <b>73</b>	

PART NO.	NO.	DESCRIPTION
2402-0469-71		PRINT THE FOLLOWING FIELD INFORMATION

PRODUCT CODES	1	ZEADS216
REG ID	2	REG ID: UM ADSDAAA
PART NUMBER	3	P/N: 0309-0069-01            REV (CURRENT)
SERIAL NUMBER	4	S/N: (CURRENT)
RATING	5	100-120/220-240V~    4.0/2.0A    50-60HZ (PRINT "V~" PER SHEET 2)
UL LOGO	6	( PRINT AS SHOWN ON PAGE 3 FIG. C )
C-UL LOGO	7	( PRINT AS SHOWN ON PAGE 3 FIG. F )
COUNTRY OF MANUF	8	MADE IN (COUNTRY OF ORIGIN) (FOR COUNTRY OF ORIGIN PRODUCTION CONTROL TO INSERT COUNTRY BASED UPON MANUFACTURING LOCATION)
TUV LOGO	9	
FCC STATEMENT	10	FCC ID: BVCUMADSNE THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTER- FERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE D OPERATION.
MFG BARCODE	11	(LOCATE AS SHOWN)
S.E.C. LOGO	12	(LOCATE AS SHOWN)
CE	13	(PRINT WHERE SHOWN, VERTICAL DIMENSION AT LEAST 5 mm)
NOTES/COMMENTS		VARIABLES ARE DEFINED IN THE "DESCRIPTION" COLUMN. ITEMS LISTED IN PARENTHESIS ARE NOT VARIABLES, BUT DEFINE THE VARIABLE FOR THE RESPECTIVE LINE ITEM.  DOMESTIC/INTERNATIONAL VERSION

LABEL PART NO.	REV	BP
2402-0469-71		