

V ~ <u>VOLTAGE SYMBOL</u>

PRINT SYMBOL AS SHOWN

NOTES:

1 MATERIAL: MAKE FROM 2402-0357-08. (SEE B/M)

2. FIELD VARIABLES ARE SHOWN AS HEXAGONS. SEE ATTACHED LISTING FOR DESCRIPTIONS.

| THIS DRAWING MAY CONTAIN PATENTED OR PROPRIETARY INFORMATION AND MUST NOT BE USED FOR MANUFACTUR- ING OR ANY PURPOSE DETRI- MENTAL TO SENSORMATIC ELECTRONICS. ACCEPTANCE OF THIS DRAWING WILL BE CONSTRUED AS AN AGREE- MENT TO AND ACCEPTANCE OF THE FOREGOING. | DIMENSIONS ARE SHOWN IN | APPROVALS | DATE | SENSORMATIC ELECTRONICS CORP. | |
|---|---|----------------------|---------|-------------------------------|--|
| | TOLERANCES ARE: DECIMALS ANGLES X.X = +/5mm | DRAWN R. CERASINI | 5-23-94 | DEERFIELD BEACH, FLORIDA | |
| | | CHECKED | | | |
| | | ENGR | | | |
| | | APP'D | | BH 2402-0469-00 | |
| | FINISH N/A | RELEASE | | A SHEET 2 OF 60 | |

| PART NO. | NO. | DESCRIPTION | |
|------------------|-----|---|--|
| 2402-0469-55 | | PRINT THE FOLLOWING FIELD INFORMATION | |
| PRODUCT CODES | 1 | ZEUPPLUS | |
| REG ID | 2 | REG ID: UM UPPLUS | |
| PART NUMBER | 3 | P/N:0309-0070-01 REV (CURRENT) | |
| SERIAL NUMBER | 4 | S/N: (CURRENT) | |
| RATING | 5 | 100-120/220-240V~ 2.0/1.0A 50-60HZ (PRINT "V~" PER SHEET 2) | |
| UL LOGO | 6 | (PRINT AS SHOWN ON PAGE 3 FIG. C) | |
| C-UL LOGO | 7 | (PRINT AS SHOWN ON PAGE 3 FIG. F) | |
| COUNTRY OF MANUF | 8 | MADE IN (COUNTRY OF ORIGIN) (FOR COUNTRY OF ORIGIN PRODUCTION CONTROL TO INSERT COUNTRY BASED UPON MANUFACTURING LOCATION) | |
| TUV LOGO | 9 | | |
| FCC STATEMENT | 10 | FCC ID: BVCUMUPPLUS | |
| | | THIS DEVICE COMPLIES WITH PART 15 OF THE | |
| | | FCC RULES. OPERATION IS SUBJECT TO THE | |
| | | FOLLOWING TWO CONDITIONS: (1) THIS DEVICE | |
| | | MAY NOT CAUSE HARMFUL INTERFERENCE, AND | |
| | | (2) THIS DEVICE MUST ACCEPT ANY INTER- | |
| | | FERENCE RECEIVED, INCLUDING INTERFERENCE | |
| | | THAT MAY CAUSE UNDESIRED OPERATION. | |
| | | "SUITABLE FOR USE IN ENVIRONMENTAL AIR | |
| | | HANDLING SPACE OTHER THAN DUCTS OR | |
| MFG BARCODE | 11 | | |
| S.E.C. LOGO | 12 | (LOCATE AS SHOWN) (LOCATE AS SHOWN) | |
| | | | |
| CE | 13 | (PRINT WHERE SHOWN, VERTICAL DIMENSION | |
| | | AT LEAST 5 mm) | |
| | | | |
| | | | |
| NOTES/COMMENTS | | VARIABLES ARE DEFINED IN THE "DESCRIPTION" | |
| | | COLUMN. ITEMS LISTED IN PARENTHESIS ARE | |
| | | NOT VARIABLES, BUT DEFINE THE VARIABLE FOR | |
| | | THE RESPECTIVE LINE ITEM. | |
| | | US VERSION | |
| LABEL PART NO. | | | |
| 2402-0469-55 | REV | ВН | |
| | | | |