

PSD NVNT n40 2452MHz Ant1 MIMO



PSD NVNT n40 2452MHz Ant2 MIMO





PSD NVNT ac20 2412MHz Ant1 SISO




PSD NVNT ac20 2437MHz Ant1 SISO



PSD NVNT ac20 2462MHz Ant1 SISO




PSD NVNT ac20 2412MHz Ant2 SISO





PSD NVNT ac20 2437MHz Ant2 SISO



PSD NVNT ac20 2462MHz Ant2 SISO



PSD NVNT ac20 2412MHz Ant1 MIMO




PSD NVNT ac20 2412MHz Ant2 MIMO






PSD NVNT ac20 2437MHz Ant1 MIMO



PSD NVNT ac20 2437MHz Ant2 MIMO



PSD NVNT ac20 2462MHz Ant1 MIMO



PSD NVNT ac20 2462MHz Ant2 MIMO



PSD NVNT ac40 2422MHz Ant1 SISO



PSD NVNT ac40 2437MHz Ant1 SISO





PSD NVNT ac40 2452MHz Ant1 SISO



PSD NVNT ac40 2422MHz Ant2 SISO





PSD NVNT ac40 2437MHz Ant2 SISO



PSD NVNT ac40 2452MHz Ant2 SISO



PSD NVNT ac40 2422MHz Ant1 MIMO




PSD NVNT ac40 2422MHz Ant2 MIMO



PSD NVNT ac40 2437MHz Ant1 MIMO



PSD NVNT ac40 2437MHz Ant2 MIMO



PSD NVNT ac40 2452MHz Ant1 MIMO




PSD NVNT ac40 2452MHz Ant2 MIMO





PSD NVNT ax20 2412MHz Ant1 SISO



PSD NVNT ax20 2437MHz Ant1 SISO



PSD NVNT ax20 2462MHz Ant1 SISO



PSD NVNT ax20 2412MHz Ant2 SISO





PSD NVNT ax20 2437MHz Ant2 SISO



PSD NVNT ax20 2462MHz Ant2 SISO





PSD NVNT ax20 2412MHz Ant1 MIMO




PSD NVNT ax20 2412MHz Ant2 MIMO



PSD NVNT ax20 2437MHz Ant1 MIMO



PSD NVNT ax20 2437MHz Ant2 MIMO





PSD NVNT ax20 2462MHz Ant1 MIMO



PSD NVNT ax20 2462MHz Ant2 MIMO



PSD NVNT ax40 2422MHz Ant1 SISO



PSD NVNT ax40 2437MHz Ant1 SISO



PSD NVNT ax40 2452MHz Ant1 SISO



PSD NVNT ax40 2422MHz Ant2 SISO





PSD NVNT ax40 2437MHz Ant2 SISO



PSD NVNT ax40 2452MHz Ant2 SISO



PSD NVNT ax40 2422MHz Ant1 MIMO



PSD NVNT ax40 2422MHz Ant2 MIMO





PSD NVNT ax40 2437MHz Ant1 MIMO



PSD NVNT ax40 2437MHz Ant2 MIMO



PSD NVNT ax40 2452MHz Ant1 MIMO



PSD NVNT ax40 2452MHz Ant2 MIMO



PSD NVNT ax20 26@0 2412MHz Ant1 SISO



PSD NVNT ax20 26@0 2437MHz Ant1 SISO



PSD NVNT ax20 26@0 2462MHz Ant1 SISO



PSD NVNT ax20 26@0 2412MHz Ant2 SISO



PSD NVNT ax20 26@0 2437MHz Ant2 SISO



PSD NVNT ax20 26@0 2462MHz Ant2 SISO





PSD NVNT ax20 26@0 2412MHz Ant1 MIMO



PSD NVNT ax20 26@0 2412MHz Ant2 MIMO





PSD NVNT ax20 26@0 2437MHz Ant1 MIMO



PSD NVNT ax20 26@0 2437MHz Ant2 MIMO





PSD NVNT ax20 26@0 2462MHz Ant1 MIMO



PSD NVNT ax20 26@0 2462MHz Ant2 MIMO






PSD NVNT ax20 52@37 2412MHz Ant1 SISO



PSD NVNT ax20 52@37 2437MHz Ant1 SISO






PSD NVNT ax20 52@37 2462MHz Ant1 SISO



PSD NVNT ax20 52@37 2412MHz Ant2 SISO




PSD NVNT ax20 52@37 2437MHz Ant2 SISO



PSD NVNT ax20 52@37 2462MHz Ant2 SISO



PSD NVNT ax20 52@37 2412MHz Ant1 MIMO




PSD NVNT ax20 52@37 2412MHz Ant2 MIMO



PSD NVNT ax20 52@37 2437MHz Ant1 MIMO



PSD NVNT ax20 52@37 2437MHz Ant2 MIMO



PSD NVNT ax20 52@37 2462MHz Ant1 MIMO



PSD NVNT ax20 52@37 2462MHz Ant2 MIMO






PSD NVNT ax20 106@53 2412MHz Ant1 SISO




PSD NVNT ax20 106@53 2437MHz Ant1 SISO



PSD NVNT ax20 106@53 2462MHz Ant1 SISO



PSD NVNT ax20 106@53 2412MHz Ant2 SISO





PSD NVNT ax20 106@53 2437MHz Ant2 SISO




PSD NVNT ax20 106@53 2462MHz Ant2 SISO



PSD NVNT ax20 106@53 2412MHz Ant1 MIMO




PSD NVNT ax20 106@53 2412MHz Ant2 MIMO



PSD NVNT ax20 106@53 2437MHz Ant1 MIMO



PSD NVNT ax20 106@53 2437MHz Ant2 MIMO





PSD NVNT ax20 106@53 2462MHz Ant1 MIMO



PSD NVNT ax20 106@53 2462MHz Ant2 MIMO





PSD NVNT ax40 26@0 2422MHz Ant1 SISO



PSD NVNT ax40 26@0 2437MHz Ant1 SISO





PSD NVNT ax40 26@0 2452MHz Ant1 SISO



PSD NVNT ax40 26@0 2422MHz Ant2 SISO





PSD NVNT ax40 26@0 2437MHz Ant2 SISO



PSD NVNT ax40 26@0 2452MHz Ant2 SISO





PSD NVNT ax40 26@0 2422MHz Ant1 MIMO



PSD NVNT ax40 26@0 2422MHz Ant2 MIMO





PSD NVNT ax40 26@0 2437MHz Ant1 MIMO



PSD NVNT ax40 26@0 2437MHz Ant2 MIMO





PSD NVNT ax40 26@0 2452MHz Ant1 MIMO



PSD NVNT ax40 26@0 2452MHz Ant2 MIMO





PSD NVNT ax40 52@37 2422MHz Ant1 SISO



PSD NVNT ax40 52@37 2437MHz Ant1 SISO





PSD NVNT ax40 52@37 2452MHz Ant1 SISO



PSD NVNT ax40 52@37 2422MHz Ant2 SISO





PSD NVNT ax40 52@37 2437MHz Ant2 SISO



PSD NVNT ax40 52@37 2452MHz Ant2 SISO



PSD NVNT ax40 52@37 2422MHz Ant1 MIMO



PSD NVNT ax40 52@37 2422MHz Ant2 MIMO





PSD NVNT ax40 52@37 2437MHz Ant1 MIMO




PSD NVNT ax40 52@37 2437MHz Ant2 MIMO



PSD NVNT ax40 52@37 2452MHz Ant1 MIMO



PSD NVNT ax40 52@37 2452MHz Ant2 MIMO



PSD NVNT ax40 106@53 2422MHz Ant1 SISO




PSD NVNT ax40 106@53 2437MHz Ant1 SISO



PSD NVNT ax40 106@53 2452MHz Ant1 SISO



PSD NVNT ax40 106@53 2422MHz Ant2 SISO



PSD NVNT ax40 106@53 2437MHz Ant2 SISO



PSD NVNT ax40 106@53 2452MHz Ant2 SISO



PSD NVNT ax40 106@53 2422MHz Ant1 MIMO



PSD NVNT ax40 106@53 2422MHz Ant2 MIMO



PSD NVNT ax40 106@53 2437MHz Ant1 MIMO



PSD NVNT ax40 106@53 2437MHz Ant2 MIMO





PSD NVNT ax40 106@53 2452MHz Ant1 MIMO



PSD NVNT ax40 106@53 2452MHz Ant2 MIMO





A.8. Conducted Emission

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Set RBW=9kHz, VBW=30kHz. Refer to recorded points and plots below.

Note: Both of the test voltage AC 120V/60Hz and AC 230V/50Hz were considered and tested respectively, only the results of the worst case AC 120V/60Hz were recorded in this report.

A. Test Setup:

Test Mode: EUT+Adapter+Charging base+Data line+WIFI TX

Test voltage: AC 120V/60Hz


The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V]} = U_R + L_{\text{Cable loss}} \text{ [dB]} + A_{\text{Factor}}$$

U_R : Receiver Reading


A_{Factor} : Voltage division factor of LISN

B. Test Plot:



(L Phase)

No.	Fre. (MHz)	Emission Level (dBμV)		Limit (dBμV)		Power-line	Verdict
		Quai-peak	Average	Quai-peak	Average		
1	0.1772	35.36	27.65	64.62	54.62	Line	PASS
2	0.4482	34.02	27.58	56.91	46.91		PASS
3	1.9682	31.28	21.53	56.00	46.00		PASS
4	5.2517	22.12	13.94	60.00	50.00		PASS
5	13.5597	43.52	39.98	60.00	50.00		PASS
6	27.1214	38.78	36.52	60.00	50.00		PASS



(N Phase)

No.	Fre. (MHz)	Emission Level (dBμV)		Limit (dBμV)		Power-line	Verdict
		Quai-peak	Average	Quai-peak	Average		
1	0.1959	35.06	27.68	63.78	53.78	Neutral	PASS
2	0.4477	36.14	28.84	56.92	46.92		PASS
3	1.0311	27.50	21.77	56.00	46.00		PASS
4	2.5719	23.78	16.64	56.00	46.00		PASS
5	13.5605	46.98	43.02	60.00	50.00		PASS
6	27.1214	38.23	36.45	60.00	50.00		PASS



A.9. Restricted Frequency Bands

The lowest and highest channels are tested to verify the Restricted Frequency Bands.

The measurement results are obtained as below:

$$E [\text{dB}\mu\text{V/m}] = U_R + A_T + A_{\text{Factor}} [\text{dB}]; A_T = L_{\text{Cable loss}} [\text{dB}] - G_{\text{preamp}} [\text{dB}]$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain


A_{Factor} : Antenna Factor at 3m

Note 1: Restricted Frequency Bands were performed when antenna was at vertical and horizontal polarity, and only the worse test condition (vertical) was recorded in this test report.


Note 2 All test modes and bandwidth were considered and evaluated respectively by performing full test, only the worst data were recorded for each bandwidth.

802.11b Mode

Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dB μ V)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dB μ V/m)	Limit (dB μ V/m)	Verdict
		PK/ AV						
1	2386.90	PK	24.23	7.2	28.80	60.23	74	PASS
1	2389.60	AV	10.95	7.2	28.80	46.95	54	PASS
11	2484.38	PK	24.75	7.2	28.80	60.75	74	PASS
11	2483.50	AV	12.93	7.2	28.80	48.93	54	PASS



(PEAK, Channel 1, 802.11b)



(AVERAGE, Channel 1, 802.11b)




(PEAK, Channel 11, 802.11b)




(AVERAGE, Channel 11, 802.11b)

**802.11ax (HEW40) Mode**

Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dB μ V)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dB μ V/m)	Limit (dB μ V/m)	Verdict
		PK/ AV						
3	2386.86	PK	24.93	7.2	28.80	60.93	74	PASS
3	2390.00	AV	13.45	7.2	28.80	49.45	54	PASS
9	2496/74	PK	24.58	7.2	28.80	60.58	74	PASS
9	2483.50	AV	13.376	7.2	28.80	49.38	54	PASS



(PEAK, Channel 3, 802.11ax (HEW40))



(AVERAGE, Channel 3, 802.11ax (HEW40))



(PEAK, Channel 11, 802.11ax (HEW40))




(AVERAGE, Channel 9, 802.11ax (HEW40))

**802.11ax (HEW20) RU26 Mode**


Channel	Frequency (MHz)	Detector	Receiver Reading U_R (dB μ V)	A_T (dB)	A_{Factor} (dB@3m)	Max. Emission E (dB μ V/m)	Limit (dB μ V/m)	Verdict
		PK/ AV						
1	2390.00	PK	30.95	6.74	27.20	66.95	74	PASS
1	2390.00	AV	13.33	6.74	27.20	49.33	54	PASS
11	2483.50	PK	32.95	6.74	27.20	68.95	74	PASS
11	2483.73	AV	13.13	6.74	27.20	49.13	54	PASS




(PEAK, Channel 1, 802.11ax (HEW20) RU26)



(AVERAGE, Channel 1, 802.11ax (HEW20) RU26)



(PEAK, Channel 11, 802.11ax (HEW20) RU26)



(AVERAGE, Channel 11, 802.11ax (HEW20) RU26)



A.10. Radiated Emission

According to ANSI C63.10, because of peak detection will yield amplitudes equal to or greater than amplitudes measured with the quasi-peak (or average) detector, the measurement data from a spectrum analyzer peak detector will represent the worst-case results, if the peak measured value complies with the quasi-peak (or average) limit, it is unnecessary to perform an quasi-peak measurement (or average).

The measurement results are obtained as below:

$$E \text{ [dB}\mu\text{V/m]} = U_R + A_T + A_{\text{Factor}} \text{ [dB]}; A_T = L_{\text{Cable loss}} \text{ [dB]} - G_{\text{preamp}} \text{ [dB]}$$

A_T : Total correction Factor except Antenna

U_R : Receiver Reading

G_{preamp} : Preamplifier Gain

A_{Factor} : Antenna Factor at 3m

During the test, the total correction Factor A_T and A_{Factor} were built in test software.

Note1: All radiated emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note2: For the frequency, which started from 9kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit was not recorded.

Note3: For the frequency, which started from 18GHz to 10th harmonic of the highest frequency, was pre-scanned and the result which was 20dB lower than the limit was not recorded.

Note 4: All test modes were considered and evaluated respectively by performing full test, only the worst data were recorded.


Field strength of fundamental:

Frequency (MHz)	Reading_Peak (dB μ V/m)	Antenna Factor (dB)	Path Loss (dB)	Final_Peak (dB μ V/m)	Antenna Polarity
2422.00	72.00	27.20	6.74	105.94	Horizontal

The field strength (the lowest) of fundamenta is more than 20dB higher than the unwanted emissions, in accordance with FCC part 15.215(b).


**802.11b Mode**

Plot for Channel 1



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
109.540	32.87	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2402.667	48.67	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4737.520	47.11	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
6108.120	48.49	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
10284.600	46.82	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
14824.520	48.28	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
109.540	33.95	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2410.133	49.48	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
4743.680	47.51	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6597.840	48.02	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
11796.880	48.70	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14732.120	47.76	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 6



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
112.450	32.94	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2410.133	49.21	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4737.520	47.51	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5975.680	48.96	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
9643.960	46.32	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
11778.400	48.20	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
110.510	32.51	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2413.867	50.34	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
4737.520	47.55	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6055.760	48.22	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
8689.160	46.93	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14205.44	47.42	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 11



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
103.720	32.39	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2461.333	51.55	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
3117.440	44.91	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4734.440	47.75	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
5898.680	48.55	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
11818.44	48.02	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
109.540	32.69	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2414.400	50.18	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5214.920	47.43	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5898.680	48.27	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
8045.440	48.75	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14251.64	47.81	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)

**802.11ax (HEW40) Mode**

Plot for Channel 3



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	32.58	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2410.667	49.92	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4737.520	47.94	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
6172.800	47.95	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
9200.440	47.41	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
14812.200	47.83	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)




Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	32.53	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2413.333	49.77	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
3135.920	45.12	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
4743.680	48.34	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6092.720	47.80	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
13583.280	48.52	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)




Plot for Channel 6



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
111.480	32.13	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2456.533	49.87	N/A	41.18	74.00	N/A	54.00	Horizontal	PASS
4749.840	48.04	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
6496.200	48.31	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
10330.800	47.00	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
13500.120	49.27	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS


(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	32.62	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2409.067	49.47	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
3135.920	44.16	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
4728.280	47.78	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
6751.840	47.39	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
14183.880	48.68	N/A	N/A	74.00	N/A	54.00	Vertical	PASS


(Antenna Vertical, 30MHz to 18GHz)

Plot for Channel 9



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
111.480	32.02	N/A	N/A	N/A	43.50	N/A	Horizontal	PASS
2386.667	50.06	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
3126.680	45.42	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
4746.760	48.14	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
8030.040	48.28	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS
14759.840	49.24	N/A	N/A	74.00	N/A	54.00	Horizontal	PASS

(Antenna Horizontal, 30MHz to 18GHz)



Fre. (MHz)	PK (dBμV/m)	QP (dBμV/m)	AV (dBμV/m)	Limit-PK (dBμV/m)	Limit-QP (dBμV/m)	Limit-AV (dBμV/m)	Antenna	Verdict
108.570	32.60	N/A	N/A	N/A	43.50	N/A	Vertical	PASS
2413.867	50.33	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
4731.360	47.01	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
5984.920	47.93	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
11821.520	48.59	N/A	N/A	74.00	N/A	54.00	Vertical	PASS
13484.720	48.83	N/A	N/A	74.00	N/A	54.00	Vertical	PASS

(Antenna Vertical, 30MHz to 18GHz)

END OF REPORT