

Test Report ETS 300 224

On-site paging service

LIST OF MEASUREMENTS

The list of measurements called for in ETS 300 224 is given below.

CLAUSE	PARAMETER TO BE MEASURED	PAGE
	Pocket Paging Receiver parameters	
9.1.1	Spurious radiations (erp)	

BUNDESAMT FÜR ZULASSUNGEN IN DER TELEKOMMUNIKATION

Prüfgegenstand : U912T

Umgebungstemperatur : 21°C

Relative Luftfeuchte : 40%

Prüfbericht Nr. 1350h/00026/96

ETS 300224

Erstellt am 10. Juli 1996

Seite 12 von 39

SPURIOUS RADIATIONS (erp) SUBCLAUSE 9.1.1
(Pocket Paging Receivers)

SPURIOUS EMISSIONS LEVEL (nW)									
Orientation	419.5 MHz			434.5 MHz			449.5 MHz		
	f (MHz)	Band-width	Level (nW)	f (MHz)	Band-width	Level (nW)	f (MHz)	Band-width	Level (nW)
N	656.73	10	0.10				331.00	10	0.07
90°	544.30	10	0.04	no other signals from EUT ascertained			331.00	10	0.07
N							730.60	10	0.14
90°							680.49	10	0.13
N									
90°									
N									
90°									
N									
90°									
Measurement uncertainty						±3 dB			

LIMITS SUBCLAUSE 9.1.1.3

25 MHz to 1 GHz	2.0 nW
> 1 GHz to 4 GHz	20.0 nW

FCC ID: BxZu912T

BUNDESAMT FÜR ZULASSUNGEN IN DER TELEKOMMUNIKATION

Prüfgegenstand : U912T

Umgebungstemperatur : 21°C

Relative Luftfeuchte : 40%

Prüfbericht Nr. 1350h/00026/96

ETS 300224

Erstellt am 10. Juli 1996

Seite 13 von 39

SPURIOUS RADIATIONS (erp) SUBCLAUSE 9.1.1 (Pocket Paging Receivers)

SPURIOUS EMISSIONS LEVEL (nW)									
Orientation	464.5 MHz			479.5 MHz			f (MHz)	Band-width	Level (nW)
	f (MHz)	Band-width	Level (nW)	f (MHz)	Band-width	Level (nW)			
N									
90°	no other signals from EUT ascertained			no other signals from EUT ascertained					
N									
90°									
N									
90°									
N									
90°									
N									
90°									
Measurement uncertainty				±3 dB					

LIMITS SUBCLAUSE 9.1.1.3

25 MHz to 1 GHz	2.0 nW
> 1 GHz to 4 GHz	20.0 nW

FCC ID: BxZu912T