



APPLICATION FOR FCC CERTIFICATION
BZ5MX20U
MODULATOR INPUT
20 WATT UHF TRANSLATOR

EXHIBIT 3



APPLICATION FOR FCC CERTIFICATION
BZ5MX20U
MODULATOR INPUT
20 WATT UHF TRANSLATOR

EXHIBIT 4b




NOTES AND EQUIPMENT LIST

1. POWER SUPPLY - HP6012A - SERIAL NUMBER 2329A-02181
2. FREQUENCY COUNTER - HP5334B - SERIAL NUMBER 2937A05503
3. THERMOMETER - FLUKE 77/80T-150U
4. THERMOSTATICALLY CONTROLLED TEMPERATURE CHAMBER, ASSOCIATED

APPLICATION FOR FCC CERTIFICATION
BZ5MX20U
MODULATOR INPUT
20 WATT UHF TRANSLATOR

EXHIBIT 5
AURAL SET-UP



NOTES AND EQUIPMENT LIST

1. AUDIO TEST SET - HP339A - SERIAL NUMBER 1730A00691
2. POWER METER - BIRD MODEL 43 - SERIAL NUMBER 216291
3. DIRECTIONAL COUPLER - CONNECTICUT MICROWAVE - PART NUMBER 250006
4. LOAD - DIELECTRIC 5750 - SERIAL NUMBER 2354
5. MODULATION ANALYZER - HP8901A - SERIAL NUMBER 2911A05212
6. DEMODULATOR - TEKTRONIX 1450-1 - SERIAL NUMBER B020559