

EMC-TRF-03 Rev 1.0

Report No.: GZCR211102143202

Page: 1 of 13 FCC ID:C3D-AZ1000022

RF EXPOSURE EVALUATION REPORT

Application No.: GZCR2111021432AT

Applicant: Winegard Company

Address of Applicant: 3000 Kirkwood Street, Burlington, Iowa, 52601 United States

Manufacturer: Winegard Company

Address of Manufacturer: 3000 Kirkwood Street, Burlington, IA 52601, USA

Factory: 1. Aztech Communication Device (DG) Ltd.

2. IOT Manufacturing SDN.BHD

Address of Factory:

1. Jiu Jiang Shui Village Chang Ping Town, Dong Guan City Guang Dong

Province, China

2. No,8&10, Setia Business Park, Jalan Laman Setia 7/4, Taman Laman

Setia, 81550 Gelang Patah, Johor Bahru, Malaysia

Equipment Under Test (EUT):

EUT Name: Basic Gateway 2x2

Model No.: WG06

Trade Mark: Winegard

Standard(s): 47 CFR Part 2.1091

47 CFR Part 1.1310, 47 CFR Part 1.1307

Date of Receipt: 2021-11-15

Date of Evaluation: 2021-11-16 to 2021-11-22

Date of Issue: 2021-11-26

Test Result: Pass*

Kobe Jian EMC Laboratory Manager

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expended extended extended to the full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:* To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75):8307-1443.

or small: CN. Ooccheck@sgs.com Na:98 Page 10 Page 10 Page 12 Page 12

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: GZCR211102143202

Page: 2 of 13

EMC-TRF-03 Rev 1.0

Revision Record							
Version Chapter Date Modifier Remark							
01		2021-11-26		Original			

Authorized for issue by:		
	Cof Vhu	
	Curry Wu/Project Engineer	
	Riday Liu	
	Ricky Liu/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-C

No.196 Kachu Road, Scandach Park, Guangdhou Economic & Technology Development District, Guangdhou, China. 510,663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510,663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102143202

Page: 3 of 13

EMC-TRF-03 Rev 1.0

2 Evaluation Summary

Radio Spectrum Technical Requirement							
Item	Standard	Requirement	Method	Result			
RF Exposure	47 CFR Part 2.1091 47 CFR Part 1.1310 47 CFR Part 1.1307	47 CFR Part 1.1310	47 CFR Part 1.1310	PASS			

Note:

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.

This report is prepared for FCC class II permissive change.

The Original grant approval by TCB, FCC ID:C3D-AZ1000022, Granted on 07/08/2021.

Review this report and original report, this report just adding channel 12(2467MHz), channel13(2472MHz) of 802.11b/g/n HT20, adding channel 10(2457MHz), channel 12(2462MHz) of 802.11n HT40 via software.

According to the declaration from the applicant, the model in this report and the model in original report is identical in electrical circuit design, layout, components used, antenna type, antenna gain and internal wiring, with only difference on channel number of 802.11b/g/n.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75):8307-1443.



Report No.: GZCR211102143202

Page: 4 of 13

3 Contents

EMC-TRF-03 Rev 1.0

1	Cove	ers Page	
2	Eval	luation Summary	3
3	Con	tents	4
4	Gen	eral Information	5
	4.1	Details of E.U.T.	5
	4.2	Details of WCDMA/LTE module*:	
	4.3	Description of Support Units	
	4.4	Test Location	6
	4.5	Test Facility	7
	4.6	Deviation from Standards	8
	4.7	Abnormalities from Standard Conditions	
5	Radi	io Spectrum Technical Requirement	9
	5.1	RF Exposure	9
	5.1.1		
	5.1.2	·	
	5.1.3	3 Conclusion	11
	5.2	FUT Constructional Details	13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/enr/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/enr/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection report & certificate, please contact us at telephone (85-755)8307-1443.

| Ma.186 Kechu Road, Sciented Park, Guargatou Economic L Technology Development District, Guargatou, China 510663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102143202

Page: 5 of 13

EMC-TRF-03 Rev 1.0

4 General Information

4.1 Details of E.U.T.

Power supply: DC 12V

Type of Modulation: 802.11b: DSSS (CCK, DQPSK, DBPSK)

802.11g: OFDM (64QAM, 16QAM, QPSK, BPSK)

802.11n (HT20/HT40): OFDM (64QAM, 16QAM, QPSK, BPSK)

Operating Frequency: 802.11b/g/n(HT20): 2412MHz to 2472MHz

802.11n(HT40): 2422MHz to 2462MHz

Channel Number: 802.11b/g/11n(HT20): 13 Channels

802.11n(HT40): 9 Channels

Channels Step: Channels with 5MHz step

Sample Type: Fixed devices
Antenna Type: PCB antenna

Antenna Gain: Antenna1/Antenna2: 3.2dBi

Note: MIMO for 802.11n

4.2 Details of WCDMA/LTE module*:

WCDMA Band II,IV,V;

Operation Frequency Band: LTE FDD Band 2,4,5,12,13,14,66,71

WCDMA: QPSK

Modulation Type: LTE: QPSK, 16QAM

HSDPA UE Category: 24
HSUPA UE Category: 6
LTE Category: 4

Antenna Type: PCB Antenna

Antenna Ports: Tx & Rx Port 1

Rx-only Port 1

Antenna Gain: 2dBi

4.3 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75):8307-1443.

No.186 Kechu Road, Scentach Part, Guargahou Economic & Technology Development District, Clima 5 100663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

^{*:} The WCDMA/LTE single module approval by TCB(FCC ID:C3D-201808EC25AF), Grant at 05/18/2021.



Report No.: GZCR211102143202

Page: 6 of 13

EMC-TRF-03 Rev 1.0

4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory, 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663

Tel: +86 20 82155555 Fax: +86 20 82075059



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.egs.com/enr/Terms-and-Conditions appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.egs.com/enr/Terms-and-Conditions/Terms-en-Conditions/Terms-e

or email: CN. <u>Boocheck@sgs.com</u> No.08 Kedru Foad, Scarlect Park, Guargatro: Economic & Technology Development District, Guargatro: Clina 510663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102143202

Page: 7 of 13

EMC-TRF-03 Rev 1.0

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

NVLAP (Lab Code: 200611-0)

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian C-Tick mark as a result of our NVLAP accreditation.

• SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

• CNAS (Lab Code: L0167)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to

ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

• FCC Recognized 2.948 Listed Test Firm(Registration No.: 282399)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 282399, May 31, 2002.

FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818, Jul 13, 2017.

Industry Canada (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

VCCI (Registration No.: R-12460, C-12584, G-10449 and T-11179)

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-10449 and T-11179 respectively.

CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2005, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/enr/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/enr/Terms-and-Conditions/Terms-and-C



Report No.: GZCR211102143202

Page: 8 of 13

EMC-TRF-03 Rev 1.0

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-755)8307-1443.

No.196 Kachu Road, Scandach Park, Guangdhou Economic & Technology Development District, Guangdhou, China. 510,663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510,663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102143202

Page: 9 of 13

EMC-TRF-03 Rev 1.0

5 Radio Spectrum Technical Requirement

5.1 RF Exposure

5.1.1 Requirement

In accordance with 47 CFR FCC Part 2.1091, this device has been defined as a mobile device whereby a distance of 0.2m normally can be maintained between the user and the device.

According to 47 CFR FCC Part 1310, the criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in Part1.1307(b).

TABLE 1 TO §1.1310(E)(1)—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)	
	(i) Limits for	Occupational/Contr	olled Exposure		
3-3.0	614	1.63	*(100)	≤6	
3.0-30	1842/f	4.89/f	*(900/f ²)	<6	
30-300	61.4	0.163	1.0	<6	
300-1,500			f/300	<6	
1,500-100,000			5	<6	
	(ii) Limits for Ger	neral Population/Unc	ontrolled Exposure		
0.3-1.34	614	1.63	*(100)	<30	
1.34-30	824/f	2.19/f	*(180/f ²)	<30	
30-300	27.5	0.073	0.2	<30	
300-1,500			f/1500	<30	
1,500-100,000			1.0	<30	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/enr/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/enr/Terms-and-Conditions/Terms-en-Con

No.196 KechuRood, Scentack Park, Quangstou Economic & Technology Development District, Clara 5100663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102143202

Page: 10 of 13

EMC-TRF-03 Rev 1.0

5.1.2 Method

According to IEEE C95.3:2002 section 5.5.1.1, the power density S at a point on the axis at a distance d from a transmitting antenna is given by the Friis free-space transmission formula:

$$S = \frac{PG}{4\pi d^2}$$

 $S = power density (mW/cm^2)$

P = the net power delivered to the antenna (mW)

G = gain of the antenna in linear scale

d = distance between observation point and center of the radiator (cm)

From the maximum EUT RF output power, as well as the gain of the used antenna, according toe the RF power density limit stated in above table, the mimimum distance between the antenna and human body will be calculated.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/enr/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/enr/Terms-and-Conditions/Terms-en-Con

No.196 Kachu Road, Scandach Park, Guangdhou Economic & Technology Development District, Guangdhou, China. 510,663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510,663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102143202

Page: 11 of 13

EMC-TRF-03 Rev 1.0

5.1.3 Conclusion

For 2.4G WiFi(Channel 1~11)

- 1. According to the test report SZCR210502121202, the tested maximum conducted power for 2x2 MIMO is 25.30dBm = 0.33884W = 338.84mW.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 3.2dBi for single antenna, the Directional gain is 6.21dBi.
- 3. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Total conducted power (Numeric) (mW)		Limit of Power Density (S) (mW/cm²)	Power Density at R=20cm (mW/cm²)		
2.09	338.84	1	0.1408		

For 2.4G WiFi(Channel 11~13)

- 1. According to the test report GZCR211102143201, the tested maximum conducted power for 2x2 MIMO is 21.61dBm = 0.14488W = 144.88mW.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 3.2dBi for single antenna, the Directional gain is 6.21dBi.
- 3. The limit of Power Density $(S)(mW/cm^2) = 1mW/cm^2$

Maximum Antenna Gain (Numeric) Total conducted power (mW)		Limit of Power Density (S) (mW/cm²)	Power Density at R=20cm (mW/cm²)	
2.09	144.88	1	0.0602	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75):8307-1443.



Report No.: GZCR211102143202

Page: 12 of 13

EMC-TRF-03 Rev 1.0

For WCDMA/LTE module:

The max tune-up tolerance power Into Antenna & RF Exposure Evaluation Distance:

Туре	Test Freq. (MHz)	Max Antenna Gain (dBi)	Max Antenna Gain (Numeric)	Max tune-up tolerance power (dBm)	Max tune-up Tolerance power to Antenna	Power Density at R =20cm (mW/cm²)	Limit (mW/cm²)	MPE Ratios	Result
WCDMA Band II	1852.4	2	1.58	25	(mW) 316.23	0.0997	1	0.0997	PASS
WCDMA Band IV	1712.4	2	1.58	25	316.23	0.0997	1	0.0997	PASS
WCDMA Band V	826.4	2	1.58	25	316.23	0.0997	0.5509	0.1810	PASS
LTE Band2	1850.7	2	1.58	25	316.23	0.0997	1	0.0997	PASS
LTE Band4	1710.7	2	1.58	25	316.23	0.0997	1	0.0997	PASS
LTE Band5	824.7	2	1.58	25	316.23	0.0997	0.5498	0.1814	PASS
LTE Band12	699.7	2	1.58	25	316.23	0.0997	0.4665	0.2138	PASS
LTE Band13	779.5	2	1.58	25	316.23	0.0997	0.5197	0.1919	PASS
LTE Band14	790.5	2	1.58	25	316.23	0.0997	0.5270	0.1892	PASS
LTE Band66	1710.7	2	1.58	25	316.23	0.0997	1.0000	0.0997	PASS
LTE Band71	665.5	2	1.58	25	316.23	0.0997	0.4437	0.2247	PASS

Note: Refer to report No. R1806A0301 or EUT test Max Conducted Peak Output Power value.

The distancer (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement, the MPE limit of 300MHz to 1500MHz is f/1500 mW/cm², the MPE limit of 1500MHz to 100000MHz is 1.0 mW/cm².

Note: the 2.4G's antenna and WCDMA/LTE's antenna can synchronous transmission at the same time.

The simultaneous transmission result between of WLAN and WCDMA/LTE module:

The SAR Exclusion Threshold Level:

=CPD1 / LPD1 + CPD2 / LPD2

(CPD = Calculation power density, LPD = Limit of power density)

= (0.1408/1) + (0.0997/0.4437) = 0.3655 < 1

Since the SAR Exclusion Threshold Level is well below the SAR low threshold level, so the EUT is considered to comply with SAR requirement without testing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75):8307-1443.

No.186 Kechu Road, Scentach Part, Guargahou Economic & Technology Development District, Clima 5 100663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR211102143202

Page: 13 of 13

EMC-TRF-03 Rev 1.0

5.2 EUT Constructional Details

Refer to Appendix - external and internal photos for GZCR2111021432AT.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/enr/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/enr/Terms-and-Conditions/Terms-en-Con

No.198 Kachu Road, Scientech Park, Guangdhou Economic & Technology Development District, Guangdhou, China 510663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学域科珠路198号 邮编: 510663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com