


Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Limit Level | Over Limit | Pol/Phase | Remark |
|---|-----------|---------------|--------------|-------------|---------------|-------------|------------|-----------|---------------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dB | | |
| 1 | 5646.426 | 62.92 | 31.95 | 6.35 | 36.89 | 64.33 | 68.20 | -3.87 | VERTICAL Peak |
| 2 | 5715.000 | 62.18 | 32.04 | 6.33 | 36.89 | 63.66 | 109.40 | -45.74 | VERTICAL Peak |
| 3 | 5725.000 | 65.01 | 32.07 | 6.25 | 36.89 | 66.44 | 122.20 | -55.76 | VERTICAL Peak |
| 4 | 5755.000 | 107.60 | 32.10 | 6.20 | 36.89 | 109.01 | 125.20 | -16.19 | VERTICAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|-----------|--------|-----------------|
| Freq | Level | Factor | Loss | Factor | Line | Limit | Pol/Phase | Remark | |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5795.000 | 97.69 | 32.19 | 6.10 | 36.89 | 99.09 | 125.20 | -26.11 | HORIZONTAL Peak |
| 2 | 5850.000 | 62.42 | 32.25 | 6.00 | 36.90 | 63.77 | 122.20 | -58.43 | HORIZONTAL Peak |
| 3 | 5860.000 | 62.44 | 32.27 | 5.96 | 36.90 | 63.77 | 109.40 | -45.63 | HORIZONTAL Peak |
| 4 | 5942.559 | 63.42 | 32.36 | 6.05 | 36.90 | 64.93 | 68.20 | -3.27 | HORIZONTAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|--------|-----------|---------------|
| Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5795.000 | 107.25 | 32.19 | 6.10 | 36.89 | 108.65 | 125.20 | -16.55 | VERTICAL Peak |
| 2 | 5850.000 | 61.75 | 32.25 | 6.00 | 36.90 | 63.10 | 122.20 | -59.10 | VERTICAL Peak |
| 3 | 5860.000 | 63.33 | 32.27 | 5.96 | 36.90 | 64.66 | 109.40 | -44.74 | VERTICAL Peak |
| 4 | 5930.167 | 63.50 | 32.34 | 6.00 | 36.90 | 64.94 | 68.20 | -3.26 | VERTICAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Limit Level | Over Limit | Pol/Phase | Remark |
|---|-----------|---------------|--------------|-------------|---------------|-------------|------------|-----------|-----------------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dB | | |
| 1 | 5646.088 | 61.86 | 31.95 | 6.35 | 36.89 | 63.27 | 68.20 | -4.93 | HORIZONTAL Peak |
| 2 | 5715.000 | 60.35 | 32.04 | 6.33 | 36.89 | 61.83 | 109.40 | -47.57 | HORIZONTAL Peak |
| 3 | 5725.000 | 61.49 | 32.07 | 6.25 | 36.89 | 62.92 | 122.20 | -59.28 | HORIZONTAL Peak |
| 4 | 5745.000 | 102.84 | 32.10 | 6.20 | 36.89 | 104.25 | 125.20 | -20.95 | HORIZONTAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Limit Level | Over Limit | Pol/Phase | Remark |
|---|-----------|---------------|--------------|-------------|---------------|-------------|------------|-----------|---------------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dB | | |
| 1 | 5645.257 | 62.26 | 31.95 | 6.35 | 36.89 | 63.67 | 68.20 | -4.53 | VERTICAL Peak |
| 2 | 5715.000 | 61.26 | 32.04 | 6.33 | 36.89 | 62.74 | 109.40 | -46.66 | VERTICAL Peak |
| 3 | 5725.000 | 63.59 | 32.07 | 6.25 | 36.89 | 65.02 | 122.20 | -57.18 | VERTICAL Peak |
| 4 | 5745.000 | 111.37 | 32.10 | 6.20 | 36.89 | 112.78 | 125.20 | -12.42 | VERTICAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|--------|-----------|-----------------|
| Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5825.000 | 100.69 | 32.23 | 6.04 | 36.90 | 102.06 | 125.20 | -23.14 | HORIZONTAL Peak |
| 2 | 5850.000 | 62.19 | 32.25 | 6.00 | 36.90 | 63.54 | 122.20 | -58.66 | HORIZONTAL Peak |
| 3 | 5860.000 | 63.09 | 32.27 | 5.96 | 36.90 | 64.42 | 109.40 | -44.98 | HORIZONTAL Peak |
| 4 | 5941.546 | 63.50 | 32.36 | 6.05 | 36.90 | 65.01 | 68.20 | -3.19 | HORIZONTAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Limit Level | Over Limit | Pol/Phase | Remark |
|---|-----------|---------------|--------------|-------------|---------------|-------------|------------|-----------|--------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dB | | |
| 1 | 5825.000 | 110.83 | 32.23 | 6.04 | 36.90 | 112.20 | -13.00 | VERTICAL | Peak |
| 2 | 5850.000 | 62.68 | 32.25 | 6.00 | 36.90 | 64.03 | -58.17 | VERTICAL | Peak |
| 3 | 5860.000 | 62.80 | 32.27 | 5.96 | 36.90 | 64.13 | -45.27 | VERTICAL | Peak |
| 4 | 5926.496 | 64.61 | 32.34 | 6.00 | 36.90 | 66.05 | -2.15 | VERTICAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Limit Level | Over Limit | Pol/Phase | Remark |
|---|-----------|---------------|--------------|-------------|---------------|-------------|------------|-----------|-----------------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dB | | |
| 1 | 5646.885 | 61.72 | 31.95 | 6.35 | 36.89 | 63.13 | 68.20 | -5.07 | HORIZONTAL Peak |
| 2 | 5715.000 | 60.89 | 32.04 | 6.33 | 36.89 | 62.37 | 109.40 | -47.03 | HORIZONTAL Peak |
| 3 | 5725.000 | 61.50 | 32.07 | 6.25 | 36.89 | 62.93 | 122.20 | -59.27 | HORIZONTAL Peak |
| 4 | 5755.000 | 98.25 | 32.10 | 6.20 | 36.89 | 99.66 | 125.20 | -25.54 | HORIZONTAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|--------|-----------|---------------|
| Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5645.354 | 62.47 | 31.95 | 6.35 | 36.89 | 63.88 | 68.20 | -4.32 | VERTICAL Peak |
| 2 | 5715.000 | 62.66 | 32.04 | 6.33 | 36.89 | 64.14 | 109.40 | -45.26 | VERTICAL Peak |
| 3 | 5725.000 | 67.16 | 32.07 | 6.25 | 36.89 | 68.59 | 122.20 | -53.61 | VERTICAL Peak |
| 4 | 5755.000 | 107.53 | 32.10 | 6.20 | 36.89 | 108.94 | 125.20 | -16.26 | VERTICAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|-----------|--------|-----------------|
| Freq | Level | Factor | Loss | Factor | Line | Limit | Pol/Phase | Remark | |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5795.000 | 97.03 | 32.19 | 6.10 | 36.89 | 98.43 | 125.20 | -26.77 | HORIZONTAL Peak |
| 2 | 5850.000 | 62.43 | 32.25 | 6.00 | 36.90 | 63.78 | 122.20 | -58.42 | HORIZONTAL Peak |
| 3 | 5860.000 | 61.64 | 32.27 | 5.96 | 36.90 | 62.97 | 109.40 | -46.43 | HORIZONTAL Peak |
| 4 | 5942.559 | 63.36 | 32.36 | 6.05 | 36.90 | 64.87 | 68.20 | -3.33 | HORIZONTAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|--------|-----------|---------------|
| Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5795.000 | 107.12 | 32.19 | 6.10 | 36.89 | 108.52 | 125.20 | -16.68 | VERTICAL Peak |
| 2 | 5850.000 | 62.36 | 32.25 | 6.00 | 36.90 | 63.71 | 122.20 | -58.49 | VERTICAL Peak |
| 3 | 5860.000 | 63.27 | 32.27 | 5.96 | 36.90 | 64.60 | 109.40 | -44.80 | VERTICAL Peak |
| 4 | 5928.747 | 63.22 | 32.34 | 6.00 | 36.90 | 64.66 | 68.20 | -3.54 | VERTICAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | | Limit | Over | | |
|------|----------|---------|-------|--------|--------|--------|--------|-----------|-----------------|
| Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5724.088 | 61.52 | 32.07 | 6.25 | 36.89 | 62.95 | 120.12 | -57.17 | HORIZONTAL Peak |
| 2 | 5775.000 | 94.22 | 32.16 | 6.10 | 36.89 | 95.59 | 125.20 | -29.61 | HORIZONTAL Peak |
| 3 | 5855.199 | 62.17 | 32.25 | 6.00 | 36.90 | 63.52 | 110.74 | -47.22 | HORIZONTAL Peak |
| 4 | 5937.803 | 62.24 | 32.34 | 6.00 | 36.90 | 63.68 | 68.20 | -4.52 | HORIZONTAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Trace: (Discrete)


| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|--------|-----------|---------------|
| Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5722.280 | 64.07 | 32.07 | 6.25 | 36.89 | 65.50 | 116.00 | -50.50 | VERTICAL Peak |
| 2 | 5775.000 | 103.92 | 32.16 | 6.10 | 36.89 | 105.29 | 125.20 | -19.91 | VERTICAL Peak |
| 3 | 5856.741 | 62.86 | 32.27 | 5.96 | 36.90 | 64.19 | 110.31 | -46.12 | VERTICAL Peak |
| 4 | 5932.802 | 63.32 | 32.34 | 6.00 | 36.90 | 64.76 | 68.20 | -3.44 | VERTICAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test data for GW-5G01

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|------------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5101.783 | 48.91 | 31.72 | 5.65 | 36.86 | 49.42 | 54.00 | -4.58 | HORIZONTAL | Average |
| 2 | 5101.783 | 61.96 | 31.72 | 5.65 | 36.86 | 62.47 | 74.00 | -11.53 | HORIZONTAL | Peak |
| 3 | 5149.980 | 48.66 | 31.72 | 5.62 | 36.86 | 49.14 | 54.00 | -4.86 | HORIZONTAL | Average |
| 4 | 5149.980 | 60.76 | 31.72 | 5.62 | 36.86 | 61.24 | 74.00 | -12.76 | HORIZONTAL | Peak |
| 5 | 5180.000 | 94.10 | 31.73 | 5.61 | 36.87 | 94.57 | ----- | ----- | HORIZONTAL | Average |
| 6 * | 5180.000 | 102.99 | 31.73 | 5.61 | 36.87 | 103.46 | 68.20 | 35.26 | HORIZONTAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|-----------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5123.425 | 49.36 | 31.72 | 5.64 | 36.86 | 49.86 | 54.00 | -4.14 | VERTICAL | Average |
| 2 | 5123.425 | 61.72 | 31.72 | 5.64 | 36.86 | 62.22 | 74.00 | -11.78 | VERTICAL | Peak |
| 3 | 5149.980 | 49.19 | 31.72 | 5.62 | 36.86 | 49.67 | 54.00 | -4.33 | VERTICAL | Average |
| 4 | 5149.980 | 61.19 | 31.72 | 5.62 | 36.86 | 61.67 | 74.00 | -12.33 | VERTICAL | Peak |
| 5 | 5180.000 | 97.03 | 31.73 | 5.61 | 36.87 | 97.50 | ----- | ----- | VERTICAL | Average |
| 6 * | 5180.000 | 106.34 | 31.73 | 5.61 | 36.87 | 106.81 | 68.20 | 38.61 | VERTICAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

| | Read Freq | Antenna Level | Antenna Factor | Cable Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|----------------|------------|---------------|--------|------------|------------|------------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5240.000 | 92.67 | 31.75 | 5.74 | 36.87 | 93.29 | ----- | ----- | HORIZONTAL | Average |
| 2 * | 5240.000 | 101.42 | 31.75 | 5.74 | 36.87 | 102.04 | 68.20 | 33.84 | HORIZONTAL | Peak |
| 3 | 5350.020 | 48.66 | 31.77 | 6.05 | 36.88 | 49.60 | 54.00 | -4.40 | HORIZONTAL | Average |
| 4 | 5350.020 | 60.41 | 31.77 | 6.05 | 36.88 | 61.35 | 74.00 | -12.65 | HORIZONTAL | Peak |
| 5 | 5352.487 | 61.02 | 31.77 | 6.05 | 36.88 | 61.96 | 74.00 | -12.04 | HORIZONTAL | Peak |
| 6 | 5356.029 | 48.73 | 31.78 | 6.03 | 36.88 | 49.66 | 54.00 | -4.34 | HORIZONTAL | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|-----------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5240.000 | 96.91 | 31.75 | 5.74 | 36.87 | 97.53 | ----- | ----- | VERTICAL | Average |
| 2 * | 5240.000 | 105.89 | 31.75 | 5.74 | 36.87 | 106.51 | 68.20 | 38.31 | VERTICAL | Peak |
| 3 | 5350.020 | 48.72 | 31.77 | 6.05 | 36.88 | 49.66 | 54.00 | -4.34 | VERTICAL | Average |
| 4 | 5350.020 | 60.79 | 31.77 | 6.05 | 36.88 | 61.73 | 74.00 | -12.27 | VERTICAL | Peak |
| 5 | 5351.070 | 49.04 | 31.77 | 6.05 | 36.88 | 49.98 | 54.00 | -4.02 | VERTICAL | Average |
| 6 | 5351.920 | 61.09 | 31.77 | 6.05 | 36.88 | 62.03 | 74.00 | -11.97 | VERTICAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | | |
|-----|----------|---------|--------|--------|--------|--------|--------|--------|------------|---------|
| | Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5101.089 | 48.87 | 31.72 | 5.65 | 36.86 | 49.38 | 54.00 | -4.62 | HORIZONTAL | Average |
| 2 | 5101.089 | 61.44 | 31.72 | 5.65 | 36.86 | 61.95 | 74.00 | -12.05 | HORIZONTAL | Peak |
| 3 | 5149.980 | 48.67 | 31.72 | 5.62 | 36.86 | 49.15 | 54.00 | -4.85 | HORIZONTAL | Average |
| 4 | 5149.980 | 61.08 | 31.72 | 5.62 | 36.86 | 61.56 | 74.00 | -12.44 | HORIZONTAL | Peak |
| 5 | 5180.000 | 87.41 | 31.73 | 5.61 | 36.87 | 87.88 | ----- | ----- | HORIZONTAL | Average |
| 6 * | 5180.000 | 100.25 | 31.73 | 5.61 | 36.87 | 100.72 | 68.20 | 32.52 | HORIZONTAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|-----------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5131.689 | 49.20 | 31.72 | 5.63 | 36.86 | 49.69 | 54.00 | -4.31 | VERTICAL | Average |
| 2 | 5131.689 | 62.11 | 31.72 | 5.63 | 36.86 | 62.60 | 74.00 | -11.40 | VERTICAL | Peak |
| 3 | 5149.980 | 49.19 | 31.72 | 5.62 | 36.86 | 49.67 | 54.00 | -4.33 | VERTICAL | Average |
| 4 | 5149.980 | 61.07 | 31.72 | 5.62 | 36.86 | 61.55 | 74.00 | -12.45 | VERTICAL | Peak |
| 5 | 5180.000 | 91.94 | 31.73 | 5.61 | 36.87 | 92.41 | ----- | ----- | VERTICAL | Average |
| 6 * | 5180.000 | 105.01 | 31.73 | 5.61 | 36.87 | 105.48 | 68.20 | 37.28 | VERTICAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | |
|------|----------|---------|-------|--------|--------|--------|-------|-----------|--------------------|
| Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5240.000 | 86.80 | 31.75 | 5.74 | 36.87 | 87.42 | ----- | ----- | HORIZONTAL Average |
| 2 * | 5240.000 | 100.05 | 31.75 | 5.74 | 36.87 | 100.67 | 68.20 | 32.47 | HORIZONTAL Peak |
| 3 | 5350.020 | 48.39 | 31.77 | 6.05 | 36.88 | 49.33 | 54.00 | -4.67 | HORIZONTAL Average |
| 4 | 5350.020 | 60.23 | 31.77 | 6.05 | 36.88 | 61.17 | 74.00 | -12.83 | HORIZONTAL Peak |
| 5 | 5358.582 | 48.65 | 31.78 | 6.03 | 36.88 | 49.58 | 54.00 | -4.42 | HORIZONTAL Average |
| 6 | 5358.582 | 60.79 | 31.78 | 6.03 | 36.88 | 61.72 | 74.00 | -12.28 | HORIZONTAL Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|-----------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5240.000 | 91.74 | 31.75 | 5.74 | 36.87 | 92.36 | ----- | ----- | VERTICAL | Average |
| 2 * | 5240.000 | 104.52 | 31.75 | 5.74 | 36.87 | 105.14 | 68.20 | 36.94 | VERTICAL | Peak |
| 3 | 5350.020 | 48.73 | 31.77 | 6.05 | 36.88 | 49.67 | 54.00 | -4.33 | VERTICAL | Average |
| 4 | 5350.020 | 60.39 | 31.77 | 6.05 | 36.88 | 61.33 | 74.00 | -12.67 | VERTICAL | Peak |
| 5 | 5351.778 | 48.80 | 31.77 | 6.05 | 36.88 | 49.74 | 54.00 | -4.26 | VERTICAL | Average |
| 6 | 5359.858 | 61.60 | 31.78 | 6.03 | 36.88 | 62.53 | 74.00 | -11.47 | VERTICAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|------------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5101.423 | 49.04 | 31.72 | 5.65 | 36.86 | 49.55 | 54.00 | -4.45 | HORIZONTAL | Average |
| 2 | 5101.423 | 61.91 | 31.72 | 5.65 | 36.86 | 62.42 | 74.00 | -11.58 | HORIZONTAL | Peak |
| 3 | 5149.980 | 48.49 | 31.72 | 5.62 | 36.86 | 48.97 | 54.00 | -5.03 | HORIZONTAL | Average |
| 4 | 5149.980 | 60.86 | 31.72 | 5.62 | 36.86 | 61.34 | 74.00 | -12.66 | HORIZONTAL | Peak |
| 5 | 5190.000 | 79.83 | 31.73 | 5.60 | 36.87 | 80.29 | ----- | ----- | HORIZONTAL | Average |
| 6 * | 5190.000 | 98.60 | 31.73 | 5.60 | 36.87 | 99.06 | 68.20 | 30.86 | HORIZONTAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | | |
|-----|----------|---------|--------|--------|--------|--------|--------|--------|-----------|---------|
| | Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5147.067 | 61.48 | 31.72 | 5.62 | 36.86 | 61.96 | 74.00 | -12.04 | VERTICAL | Peak |
| 2 | 5149.461 | 49.41 | 31.72 | 5.62 | 36.86 | 49.89 | 54.00 | -4.11 | VERTICAL | Average |
| 3 | 5149.980 | 48.87 | 31.72 | 5.62 | 36.86 | 49.35 | 54.00 | -4.65 | VERTICAL | Average |
| 4 | 5149.980 | 60.72 | 31.72 | 5.62 | 36.86 | 61.20 | 74.00 | -12.80 | VERTICAL | Peak |
| 5 | 5190.000 | 82.97 | 31.73 | 5.60 | 36.87 | 83.43 | ----- | ----- | VERTICAL | Average |
| 6 * | 5190.000 | 102.15 | 31.73 | 5.60 | 36.87 | 102.61 | 68.20 | 34.41 | VERTICAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|------------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5230.000 | 78.50 | 31.74 | 5.70 | 36.87 | 79.07 | ----- | ----- | HORIZONTAL | Average |
| 2 * | 5230.000 | 97.14 | 31.74 | 5.70 | 36.87 | 97.71 | 68.20 | 29.51 | HORIZONTAL | Peak |
| 3 | 5350.020 | 48.41 | 31.77 | 6.05 | 36.88 | 49.35 | 54.00 | -4.65 | HORIZONTAL | Average |
| 4 | 5350.020 | 59.97 | 31.77 | 6.05 | 36.88 | 60.91 | 74.00 | -13.09 | HORIZONTAL | Peak |
| 5 | 5352.857 | 61.09 | 31.77 | 6.05 | 36.88 | 62.03 | 74.00 | -11.97 | HORIZONTAL | Peak |
| 6 | 5358.051 | 48.65 | 31.78 | 6.03 | 36.88 | 49.58 | 54.00 | -4.42 | HORIZONTAL | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

| | Read | Antenna | Cable | Preamp | Limit | Over | | | | |
|-----|----------|---------|--------|--------|--------|--------|--------|--------|-----------|---------|
| | Freq | Level | Factor | Loss | Factor | Level | Line | Limit | Pol/Phase | Remark |
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5230.000 | 83.01 | 31.74 | 5.70 | 36.87 | 83.58 | ----- | ----- | VERTICAL | Average |
| 2 * | 5230.000 | 102.36 | 31.74 | 5.70 | 36.87 | 102.93 | 68.20 | 34.73 | VERTICAL | Peak |
| 3 | 5350.020 | 48.65 | 31.77 | 6.05 | 36.88 | 49.59 | 54.00 | -4.41 | VERTICAL | Average |
| 4 | 5350.020 | 60.39 | 31.77 | 6.05 | 36.88 | 61.33 | 74.00 | -12.67 | VERTICAL | Peak |
| 5 | 5354.155 | 61.25 | 31.78 | 6.03 | 36.88 | 62.18 | 74.00 | -11.82 | VERTICAL | Peak |
| 6 | 5360.000 | 48.73 | 31.78 | 6.03 | 36.88 | 49.66 | 54.00 | -4.34 | VERTICAL | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Factor | Cable Loss | Preamp Factor | Level | Limit | Over | Pol/Phase | Remark |
|-----|-----------|---------------|--------|------------|---------------|--------|--------|--------|------------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5129.896 | 48.99 | 31.72 | 5.63 | 36.86 | 49.48 | 54.00 | -4.52 | HORIZONTAL | Average |
| 2 | 5129.896 | 61.98 | 31.72 | 5.63 | 36.86 | 62.47 | 74.00 | -11.53 | HORIZONTAL | Peak |
| 3 | 5149.980 | 48.56 | 31.72 | 5.62 | 36.86 | 49.04 | 54.00 | -4.96 | HORIZONTAL | Average |
| 4 | 5149.980 | 60.58 | 31.72 | 5.62 | 36.86 | 61.06 | 74.00 | -12.94 | HORIZONTAL | Peak |
| 5 | 5180.000 | 77.96 | 31.73 | 5.61 | 36.87 | 78.43 | ----- | ----- | HORIZONTAL | Average |
| 6 * | 5180.000 | 101.01 | 31.73 | 5.61 | 36.87 | 101.48 | 68.20 | 33.28 | HORIZONTAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|-----------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5105.351 | 62.27 | 31.72 | 5.65 | 36.86 | 62.78 | 74.00 | -11.22 | VERTICAL | Peak |
| 2 | 5105.450 | 49.12 | 31.72 | 5.65 | 36.86 | 49.63 | 54.00 | -4.37 | VERTICAL | Average |
| 3 | 5149.980 | 48.65 | 31.72 | 5.62 | 36.86 | 49.13 | 54.00 | -4.87 | VERTICAL | Average |
| 4 | 5149.980 | 60.19 | 31.72 | 5.62 | 36.86 | 60.67 | 74.00 | -13.33 | VERTICAL | Peak |
| 5 | 5180.000 | 80.94 | 31.73 | 5.61 | 36.87 | 81.41 | ----- | ----- | VERTICAL | Average |
| 6 * | 5180.000 | 104.12 | 31.73 | 5.61 | 36.87 | 104.59 | 68.20 | 36.39 | VERTICAL | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|------------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5240.000 | 77.12 | 31.75 | 5.74 | 36.87 | 77.74 | ----- | ----- | HORIZONTAL | Average |
| 2 * | 5240.000 | 99.27 | 31.75 | 5.74 | 36.87 | 99.89 | 68.20 | 31.69 | HORIZONTAL | Peak |
| 3 | 5350.020 | 48.39 | 31.77 | 6.05 | 36.88 | 49.33 | 54.00 | -4.67 | HORIZONTAL | Average |
| 4 | 5350.020 | 60.52 | 31.77 | 6.05 | 36.88 | 61.46 | 74.00 | -12.54 | HORIZONTAL | Peak |
| 5 | 5355.179 | 61.36 | 31.78 | 6.03 | 36.88 | 62.29 | 74.00 | -11.71 | HORIZONTAL | Peak |
| 6 | 5359.716 | 48.69 | 31.78 | 6.03 | 36.88 | 49.62 | 54.00 | -4.38 | HORIZONTAL | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

| | Read Freq | Antenna Level | Cable Factor | Preamp Loss | Preamp Factor | Level | Limit Line | Over Limit | Pol/Phase | Remark |
|-----|-----------|---------------|--------------|-------------|---------------|--------|------------|------------|-----------|---------|
| | MHz | dBuV | dB/m | dB | dB | dBuV/m | dBuV/m | dB | | |
| 1 | 5240.000 | 81.37 | 31.75 | 5.74 | 36.87 | 81.99 | ----- | ----- | VERTICAL | Average |
| 2 * | 5240.000 | 104.05 | 31.75 | 5.74 | 36.87 | 104.67 | 68.20 | 36.47 | VERTICAL | Peak |
| 3 | 5350.020 | 48.61 | 31.77 | 6.05 | 36.88 | 49.55 | 54.00 | -4.45 | VERTICAL | Average |
| 4 | 5350.020 | 60.34 | 31.77 | 6.05 | 36.88 | 61.28 | 74.00 | -12.72 | VERTICAL | Peak |
| 5 | 5353.762 | 61.35 | 31.77 | 6.05 | 36.88 | 62.29 | 74.00 | -11.71 | VERTICAL | Peak |
| 6 | 5359.007 | 48.72 | 31.78 | 6.03 | 36.88 | 49.65 | 54.00 | -4.35 | VERTICAL | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.