

# **8 SAR MEASURMENT RESULTS**

# 8.1 LCD FACING DOWN





**Without Headset** 


With Headset

802.11b (1Mbps)							
Channel	f (MHz)	Measured SAR 1g (mW/g)	Power Drift (dB)	Extrapolated <sup>1)</sup> SAR 1g (mW/g)			
1	2412						
6	2437	0.076	0.000	0.076			
11	2462	0.098	-0.123	0.101			
11 <sup>4)</sup>	2462	0.091	-0.045	0.092			
802.11g (6 Mbps)							
Channel	f (MHz)	Measured SAR 1g (mW/g)	Power Drift (dB)	Extrapolated <sup>1)</sup> SAR 1g (mW/g)			
1	2412						
6	2437	0.057	-0.169	0.060			
11	2462						

### Notes:

- 1) The exact method of extrapolation is Measured SAR x 10^(-drift/10). The SAR reported at the end of the measurement process by the DASY4 system can be scaled up by the Power drift to determine the SAR at the beginning of the measurement process.
- 2) Please see attachments for the detailed measurement data and plots showing the maximum SAR location of the EUT.
- The battery was fully charged in accordance with manufacturer's instructions prior to SAR measurements.
- 4) With standard headset connected.

# 8.2 LCD FACING UP



802.11b (1Mbps)							
Channel	f (MHz)	Measured SAR 1g (mW/g)	Power Drift (dB)	Extrapolated1) SAR 1g (mW/g)			
1 6 11	2412 2437 2462	0.076	-0.043	0.076			
802.11g (6 Mbps)							
Channel	f (MHz)	Measured SAR 1g (mW/g)	Power Drift (dB)	Extrapolated1) SAR 1g (mW/g)			
1 6 11	2412 2437 2462	0.055	0.000	0.055			

### Notes:

- 1) The exact method of extrapolation is Measured SAR x 10^(-drift/10). The SAR reported at the end of the measurement process by the DASY4 system can be scaled up by the Power drift to determine the SAR at the beginning of the measurement process.
- 2) Please see attachments for the detailed measurement data and plots showing the maximum SAR location of the EUT.
- 3) The battery was fully charged in accordance with manufacture's instructions prior to SAR measurements.

# 11 PHOTOS

EUT - Front



EUT - Back

