



RF EXPOSURE REPORT

REPORT NO.: SA960531L09

MODEL NO.: 1116

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: Microsoft Corporation

ADDRESS: One Microsoft Way, Redmond WA 98052-6399,
U.S.A

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou
Hsiang 244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd., Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

	Pout (dBm)	Pout (mW)
Conducted Power	3.67	2.328
EIRP Power	3.01	2.000

***Note:** The antenna is PCB antenna with -0.66dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 2.328mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold