

Page: 89 of 274

10 PEAK POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERZTION Band	EUT CATEGORY		LIMIT
U-NII-1		Access Point (Mater device)	17dBm/ MHz
		Fixed point-to-point Acess Ponit	
		Mobile and portable clinet device	11dBm/ MHz
U-NII-2A			11dBm/ MHz
U-NII-2C	√		11dBm/ MHz
U-NII-3	√		30dBm/ 500kHz

IC

OPERZTION FREQUENCY BAND	LIMIT
5150~5250 MHz	EIRP spectral density 10 dBm / MHz
5250~5350 MHz	11dBm / MHz
5470-5600 MHz and 5650-5725 MHz	11dBm / MHz
5725~5850 MHz	30dBm / 500 kHz

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. │No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 90 of 274

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)


- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Main that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

10.3 **Measurement Equipment Used**

SGS Conducted Room						
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due	
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018	
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018	
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018	
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018	
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2018	05/01/2019	

Test Set-up 10.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for south sample(s) are retained for sample(s) are re Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 91 of 274

10.5 **Measurement Result**

	POWER D	ENSITY 8	302.11a MODE		
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	3.45	0.21	3.66	11	-7.34
5220	3.22	0.21	3.43	11	-7.57
5240	2.14	0.21	2.35	11	-8.65
5260	1.37	0.21	1.58	11	-9.42
5300	3.78	0.21	3.99	11	-7.01
5320	2.21	0.21	2.42	11	-8.58
5500	3.19	0.21	3.40	11	-7.60
5580	3.79	0.21	4.00	11	-7.00
5700	2.41	0.21	2.62	11	-8.38
5745	9.22	0.21	9.22	30	-20.78
5785	10.25	0.21	10.25	30	-19.75
5825	9.29	0.21	9.29	30	-20.71

	POWER DENSITY 802.11n HT20 MODE						
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5180	4.12	0.24	4.36	11	-6.64		
5220	3.30	0.24	3.54	11	-7.46		
5240	2.22	0.24	2.46	11	-8.54		
5260	4.30	0.24	4.54	11	-6.46		
5300	4.30	0.24	4.54	11	-6.46		
5320	1.44	0.24	1.68	11	-9.32		
5500	1.84	0.24	2.08	11	-8.92		
5580	0.46	0.24	0.70	11	-10.30		
5700	1.70	0.24	1.94	11	-9.06		
5720 (band 3)	-1.37	0.20	-1.18	11	-12.18		
5720 (band 4)	-3.34	0.20	-3.15	11	-14.15		
5745	11.31	0.24	11.31	30	-18.69		
5785	11.38	0.24	11.38	30	-18.62		
5825	10.80	0.24	10.80	30	-19.20		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 92 of 274

POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5190	-3.78	0.44	-3.34	11	-14.34		
5230	-3.21	0.44	-2.77	11	-13.77		
5270	-2.63	0.44	-2.19	11	-13.19		
5310	-3.28	0.44	-2.84	11	-13.84		
5510	-3.88	0.44	-3.44	11	-14.44		
5550	-0.35	0.44	0.09	11	-10.91		
5670	-3.11	0.44	-2.67	11	-13.67		
5710 (band 3)	-0.54	0.74	0.20	11	-10.80		
5710 (band 4)	-4.99	0.73	-4.26	11	-15.26		
5755	7.97	0.44	7.97	30	-22.03		
5795	8.26	0.44	8.26	30	-21.74		

	POWER DENSITY 802.11ac VHT80 MODE						
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5210	-6.24	0.87	-5.37	11	-16.37		
5290	-5.17	0.87	-4.30	11	-15.30		
5530	-7.82	0.87	-6.95	11	-17.95		
5610	-2.91	0.87	-2.04	11	-13.04		
5690 (band 3)	-7.76	0.76	-7.00	11	-18.00		
5690 (band 4)	-13.63	0.00	-13.63	11	-24.63		
5775	6.31	0.87	6.31	30	-23.69		

E	EIRP spectral density 802.11a MODE					
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)	
5180	3.66	3.57	7.23	10	-6.34	
5220	3.43	3.57	7.00	10	-6.57	
5240	2.35	3.57	5.92	10	-7.65	

EIRI	EIRP spectral density 802.11n HT20 MODE					
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)	
5180	4.36	3.57	7.92	10	-5.64	
5220	3.54	3.57	7.10	10	-6.46	
5240	2.46	3.57	6.02	10	-7.54	

EIR	EIRP spectral density 802.11n HT40 MODE					
Freq. (MHz)		Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)	
5180	-3.34	3.57	0.23	10	-13.34	
5220	-2.77	3.57	0.80	10	-12.77	

EIRP spectral density 802.11ac VHT80 MODE					
	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5210	-5.37	3.57	-1.80	10	-15.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 93 of 274

802.11a 20MHz 5180MHz


802.11a 20MHz 5260MHz






802.11a 20MHz 5220MHz


802.11a_20MHz_5300MHz





802.11a 20MHz 5240MHz

802.11a 20MHz 5320MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 94 of 274

802.11a 20MHz 5500MHz

802.11a 20MHz 5745MHz






802.11a_20MHz_5580MHz

802.11a_20MHz_5785MHz






802.11a 20MHz 5700MHz

802.11a 20MHz 5825MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 95 of 274


802.11n 20MHz 5180MHz




802.11n 20MHz 5260MHz




802.11n 20MHz 5220MHz



802.11n_20MHz_5300MHz



802.11n 20MHz 5240MHz



802.11n 20MHz 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 96 of 274

802.11n 20MHz 5500MHz



802.11n 20MHz 5720MHz



802.11n_20MHz_5580MHz



802.11n 20MHz 5700MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 97 of 274

802.11n 20MHz 5745MHz



802.11n_20MHz_5785MHz



802.11n 20MHz 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 98 of 274


802.11n 40MHz 5190MHz




802.11n 40MHz 5310MHz



802.11n 40MHz 5230MHz



802.11n_40MHz_5510MHz



802.11n 40MHz 5270MHz



802.11n 40MHz 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 99 of 274


802.11n 40MHz 5670MHz



802.11n 40MHz 5795MHz



802.11n_40MHz_5710MHz



802.11n 40MHz 5755MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 100 of 274

802.11ac 80MHz 5210MHz



802.11ac 80MHz 5610MHz



802.11ac 80MHz 5290MHz



802.11ac_80MHz_5690MHz



802.11ac 80MHz 5530MHz



802.11ac 80MHz 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對調試之樣品負責。同時此樣品僅保留的反。 本粮号结果心可書面許可,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cleint's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fuller extent of the law. cuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 101 of 274

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

11.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT		
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m		
	PK: 74 (dBμV/m)	AV 54 (dBµV/m)	
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m	
15.407(b)(1) RSS-247 6.2.1.2			
15.407(b)(2) RSS-247 6.2.2.2	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)	
15.407(b)(3) RSS-247 6.2.3.2			
	PK:-27 (dBm/MHz) *1	PK: 68.2(dBµV/m) *1	
15.407(b)(4)(i)	PK:10 (dBm/MHz) *2	PK:105.2 (dBµV/m) *2	
RSS-247 6.2.4.2	PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4	

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = ((E*d)^2) / 30, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) desired and such sample(s) are retained for so days only. 除非另有說明,此概告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 102 of 274

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

•		
Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level (dB μ V/m) = 20 log Emission level (μ V/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 103 of 274

11.2 Measurement Equipment Used

SGS SAC-III											
Name of Equipment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due						
EMI Test Receiver	R&S	ESU 40	100363	04/11/2018	04/10/2019						
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2017	12/22/2018						
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2017	11/02/2018						
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2017	12/16/2018						
Horn Antenna	Schwarzbeck	BBHA9170	185	08/01/2017	07/31/2018						
Pre Amplifier	EMC Instru- ments	EMC330	980096	12/24/2017	12/23/2018						
Pre Amplifier	EMC Instru- ments	ents EMC0011830 980199		12/24/2017	12/23/2018						
Pre Amplifier	R&S	SCU-18	10204	12/24/2017	12/23/2018						
Pre Amplifier	EMC Instru- ments	EMC184045B 980135		12/24/2017	12/23/2018						
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/24/2017	12/23/2018						
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/24/2017	12/23/2018						
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/24/2017	12/23/2018						
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/24/2017	12/23/2018						
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/24/2017	12/23/2018						
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/24/2017	12/23/2018						
Attenuator	WOKEN	218FS-10	RF27	12/24/2017	12/23/2018						
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2018	03/01/2019						
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2018	03/01/2019						
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2018	05/03/2019						
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.						
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.						
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.						
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




Page: 104 of 274

11.3 **Test SET-UP**


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 105 of 274

11.4 **Measurement Procedure**

- The EUT was placed on a turn table which is 0.8m above ground plane. 1.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 3. 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level. 4.
- 5. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T 8. (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Fie	<u> </u>	CL = Cable Attenuation Factor (Cable Loss)				
RA = Rea	ading Amplitude	AG = Amplifier Gain				
AF = Ant	enna Factor					

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 106 of 274

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site. And there is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

After Pre-scanned the low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 Measurement Result

Note: WLAN/BT coexistence cases were investigated and there are no new emissions to report. Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根告未起本公司書面하可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be presented to the fullest extent of the law. may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




Page: 107 of 274

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data: 802.11a 5150~5250 MHz

Operation Mode: 802.11aB1 Test Date: 2018/5/22

Fundamental Frequency: Temp. / Humi. : 5220 MHz 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
70.74	S	Peak	53.21	-19.45	33.76	40	-6.24
125.06	S	Peak	55.45	-18.16	37.29	43.5	-6.21
467.47	S	Peak	46.12	-11.15	34.98	46	-11.02
545.07	S	Peak	42.04	-10.51	31.52	46	-14.48
730.34	S	Peak	45.98	-7.73	38.25	46	-7.75
969.93	S	Peak	42.41	-4.07	38.35	54	-15.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 108 of 274

Test Date: Operation Mode: 802.11aB1 2018/5/22

Fundamental Frequency: 5220 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
56.19	S	Peak	50.50	-17.69	32.81	40	-7.19
188.11	S	Peak	55.19	-18.60	36.59	43.5	-6.91
477.17	S	Peak	46.60	-11.09	35.50	46	-10.50
687.66	S	Peak	46.46	-8.08	38.37	46	-7.63
793.39	S	Peak	46.68	-6.88	39.80	46	-6.20
959.26	S	Peak	40.66	-4.48	36.18	46	-9.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 109 of 274

802.11a 5250~5350 MHz

Operation Mode: 802.11aB2 Test Date: 2018/5/22 Fundamental Frequency: 5300 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
83.35	S	Peak	55.60	-21.66	33.94	40	-6.06
226.91	S	Peak	54.68	-18.01	36.67	46	-9.33
388.90	S	Peak	46.85	-13.13	33.72	46	-12.28
475.23	S	Peak	42.04	-11.09	30.94	46	-15.06
741.01	S	Peak	43.94	-7.44	36.50	46	-9.50
944.71	S	Peak	40.01	-4.59	35.42	46	-10.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



EUT Pol.:

Report No.: E2/2018/10172

Horizontal


Page: 110 of 274

Test Date: Operation Mode: 802.11aB2 2018/5/22

E2

Fundamental Frequency: 5300 MHz Temp. / Humi. : 25deg_C/65RH Operation Band: Tx CH Mid Test Engineer: Jerry

Measurement Antenna Pol.:



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
85.29	S	Peak	53.97	-21.99	31.98	40	-8.02
188.11	S	Peak	53.96	-18.60	35.36	43.5	-8.14
375.32	S	Peak	49.69	-13.52	36.17	46	-9.83
714.22	S	Peak	47.07	-7.41	39.66	46	-6.34
889.17	S	Peak	44.93	-5.67	39.26	46	-6.74
973.44	S	Peak	42.09	-4.06	38.03	54	-15.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 111 of 274

802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 2018/5/22 Fundamental Frequency: 5580 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
42.61	S	Peak	50.27	-17.18	33.10	40	-6.90
250.19	S	Peak	55.84	-17.05	38.79	46	-7.21
684.75	S	Peak	44.81	-8.30	36.51	46	-9.49
747.20	S	Peak	46.72	-7.02	39.71	46	-6.29
847.03	S	Peak	45.64	-5.93	39.71	46	-6.29
993.21	S	Peak	43.73	-3.97	39.76	54	-14.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


www.tw.sgs.com



Page: 112 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22 Fundamental Frequency: 5580 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
125.06	S	Peak	54.76	-18.16	36.60	43.5	-6.90
226.91	S	Peak	54.37	-18.01	36.37	46	-9.63
356.89	S	Peak	53.19	-14.10	39.09	46	-6.91
477.17	S	Peak	48.73	-11.09	37.64	46	-8.36
597.45	S	Peak	46.43	-9.22	37.21	46	-8.79
975.75	S	Peak	48.08	-4.06	44.02	54	-9.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 113 of 274

802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 2018/5/22 Fundamental Frequency: 5785 MHz Temp. / Humi.: 25deg_C/65RH

Tx CH Mid Operation Band: Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
58.13	S	Peak	49.98	-17.84	32.14	40	-7.86
161.92	S	Peak	50.34	-15.71	34.63	43.5	-8.87
291.90	S	Peak	51.83	-15.45	36.39	46	-9.61
349.13	S	Peak	45.29	-14.27	31.03	46	-14.97
467.47	S	Peak	47.62	-11.15	36.47	46	-9.53
925.31	S	Peak	42.40	-4.88	37.52	46	-8.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com




Page: 114 of 274

Test Date: Operation Mode: 802.11aB4 2018/5/22

Fundamental Frequency: 5785 MHz Temp. / Humi. : 25deg_C/65RH Operation Band: Tx CH Mid Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
56.19	S	Peak	51.22	-17.69	33.53	40	-6.47
154.16	S	Peak	50.64	-15.70	34.93	43.5	-8.57
522.76	S	Peak	49.15	-10.43	38.73	46	-7.27
597.45	S	Peak	44.26	-9.22	35.05	46	-10.95
686.69	S	Peak	47.63	-8.15	39.48	46	-6.52
997.09	S	Peak	43.72	-3.83	39.90	54	-14.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 115 of 274


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Operation Mode: 802.11aB1 Test Date: 2018/5/22

Fundamental Frequency: 5180 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	40.64	9.27	49.91	68.3	-18.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Page: 116 of 274

Test Date: Operation Mode: 802.11aB1 2018/5/22

Fundamental Frequency: 5180 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry





Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	39.28	9.27	48.55	68.3	-19.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 117 of 274

Test Date: Operation Mode: 802.11aB1 2018/5/22

Fundamental Frequency: 5220 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	41.07	9.57	50.64	68.3	-17.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 118 of 274

Test Date: Operation Mode: 802.11aB1 2018/5/22

Fundamental Frequency: 5220 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	39.27	9.57	48.84	68.3	-19.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 119 of 274

Operation Mode: 802.11aB1 Test Date: 2018/5/22

Fundamental Frequency: 5240 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10480.00	Н	Peak	41.33	9.64	50.97	68.3	-17.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 120 of 274

Operation Mode: 802.11aB1 Test Date: 2018/5/22

Fundamental Frequency: 5240 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
-	10480.00	Н	Peak	39.54	9.64	49.18	68.3	-19.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 121 of 274

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode: 802.11aB2 Test Date: 2018/5/22 Fundamental Frequency: 5260 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	40.83	9.77	50.61	68.3	-17.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 122 of 274

Test Date: Operation Mode: 802.11aB2 2018/5/22

Fundamental Frequency: 5260 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10520.00	Н	Peak	39.23	9.77	49.00	68.3	-19.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 123 of 274

Test Date: Operation Mode: 802.11aB2 2018/5/22

Fundamental Frequency: 5300 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	41.64	10.15	51.79	74	-22.21
10600.00	Н	Average	26.59	10.15	36.74	54	-17.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 124 of 274

Test Date: Operation Mode: 802.11aB2 2018/5/22

Fundamental Frequency: 5300 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	39.63	10.15	49.78	74	-24.22
10600.00	Н	Average	25.77	10.15	35.92	54	-18.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 125 of 274

Operation Mode: 802.11aB2 Test Date: 2018/5/22

Fundamental Frequency: 5320 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
10640.00	Н	Peak	41.87	10.07	51.94	74	-22.06
10640.00	Н	Average	27.65	10.07	37.72	54	-16.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 126 of 274

Operation Mode: 802.11aB2 Test Date: 2018/5/22

Fundamental Frequency: 5320 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
10640.00	Н	Peak	40.94	10.07	51.01	74	-22.99
10640.00	Н	Average	26.13	10.07	36.20	54	-17.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 127 of 274

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 2018/5/22 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	11000.00	Н	Peak	44.59	11.71	56.30	74	-17.70
	11000.00	Н	Average	29.80	11.71	41.51	54	-12.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 128 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22

Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
11000.00	Н	Peak	43.87	11.71	55.58	74	-18.42	•
11000.00	Н	Average	28.79	11.71	40.50	54	-13.50	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 129 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22

Fundamental Frequency: 5580 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Peak	45.24	11.51	56.75	74	-17.25
11160.00	Н	Average	30.05	11.51	41.56	54	-12.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 130 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22

Fundamental Frequency: 5580 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Peak	42.69	11.51	54.20	74	-19.80
11160.00	Н	Average	28.89	11.51	40.40	54	-13.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 131 of 274

Operation Mode: 802.11aB3 Test Date: 2018/5/22

Fundamental Frequency: 5700 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	45.99	11.60	57.59	74	-16.41
11400.00	Н	Average	30.24	11.60	41.84	54	-12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 132 of 274

Operation Mode: 802.11aB3 Test Date: 2018/5/22

Fundamental Frequency: 5700 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	43.72	11.60	55.32	74	-18.68
11400.00	Н	Average	29.03	11.60	40.63	54	-13.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 133 of 274

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 2018/5/22 Fundamental Frequency: 5745 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	46.85	11.18	58.03	74	-15.97
11490.00	Н	Average	31.14	11.18	42.31	54	-11.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 134 of 274

Operation Mode: 802.11aB4 Test Date: 2018/5/22

Fundamental Frequency: 5745 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	43.97	11.18	55.15	74	-18.85
11490.00	Н	Average	29.54	11.18	40.71	54	-13.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 135 of 274

Test Date: Operation Mode: 802.11aB4 2018/5/22

Fundamental Frequency: 5785 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	46.89	11.06	57.96	74	-16.04
11570.00	Н	Average	32.33	11.06	43.39	54	-10.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 136 of 274

Test Date: Operation Mode: 802.11aB4 2018/5/22

Fundamental Frequency: 5785 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
				Reading Level		_		
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11570.00	Н	Peak	45.29	11.06	56.35	74	-17.65
	11570.00	Н	Average	30.34	11.06	41.40	54	-12.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 137 of 274

Operation Mode: 802.11aB4 Test Date: 2018/5/22

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	46.25	10.69	56.94	74	-17.06
11650.00	Н	Average	31.97	10.69	42.65	54	-11.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 138 of 274

Operation Mode: 802.11aB4 Test Date: 2018/5/22

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
•	11650.00	Н	Peak	43.88	10.69	54.57	74	-19.43	
	11650.00	Н	Average	30.13	10.69	40.82	54	-13.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 139 of 274

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Mode: 802.11n20B1 Test Date: 2018/2/26 Fundamental Frequency: 5180 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10360.00	Н	Peak	40.72	9.27	49.99	68.3	-18.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 140 of 274

802.11n20B1 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5180 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10360.00	Н	Peak	39.72	9.27	48.99	68.3	-19.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 141 of 274

802.11n20B1 Test Date: Operation Mode: 2018/2/26

Fundamental Frequency: 5220 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	40.72	9.57	50.29	68.3	-18.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




Page: 142 of 274

802.11n20B1 Test Date: Operation Mode: 2018/2/26

Fundamental Frequency: 5220 MHz Temp. / Humi. : 25deg_C/65RH Operation Band: Tx CH Mid Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	39.94	9.57	49.51	68.3	-18.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 143 of 274

802.11n20B1 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5240 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480 00	Н	Peak	40 94	9 64	50.58	68.3	-17 72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 144 of 274

802.11n20B1 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5240 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10480.00	Н	Peak	38.82	9.64	48.47	68.3	-19.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 145 of 274

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

Operation Mode: 802.11n20B2 Test Date: 2018/2/26 Fundamental Frequency: 5260 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10520.00	Н	Peak	40.69	9.77	50.47	68.3	-17.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 146 of 274

802.11n20B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5260 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	39.41	9.77	49.19	68.3	-19.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 147 of 274

802.11n20B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5300 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Fre	q. Note	e Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Lev	el el	FS	@3m	
MH	lz F/H/E/	/S PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600).00 H	Peak	41.22	10.15	51.36	74	-22.64
10600	D.00 H	Average	26.96	10.15	37.11	54	-16.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 148 of 274

802.11n20B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5300 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
10600.00	Н	Peak	39.84	10.15	49.98	74	-24.02
10600.00	Н	Average	26.12	10.15	36.27	54	-17.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 149 of 274

802.11n20B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5320 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
10640.00	Н	Peak	41.33	10.07	51.40	74	-22.60
10640.00	Н	Average	26.97	10.07	37.04	54	-16.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 150 of 274

802.11n20B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5320 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10	0640.00	Н	Peak	39.88	10.07	49.95	74	-24.05
10	0640.00	Н	Average	26.24	10.07	36.31	54	-17.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 151 of 274

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Mode: 802.11n20B3 Test Date: 2018/2/26 Fundamental Frequency: 5500 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	41.39	11.71	53.10	74	-20.91
11000.00	Н	Average	27.02	11.71	38.73	54	-15.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 152 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
11000.00	Н	Peak	40.11	11.71	51.82	74	-22.18	•
11000.00	Н	Average	26.38	11.71	38.09	54	-15.91	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 153 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5580 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11160.00	S	Peak	42.84	11.51	54.35	74	-19.66
11160.00	S	Average	27.38	11.51	38.89	54	-15.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 154 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5580 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	11160.00	Н	Peak	40.31	11.51	51.82	74	-22.18
	11160.00	Н	Average	27.11	11.51	38.62	54	-15.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488



Page: 155 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5700 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	11400.00	Н	Peak	40.98	11.60	52.58	74	-21.42
	11400.00	Н	Average	26.83	11.60	38.43	54	-15.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 156 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5700 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
11400.00	Н	Peak	39.54	11.60	51.14	74	-22.86
11400.00	Н	Average	26.09	11.60	37.69	54	-16.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 157 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5720 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11440.00	Н	Peak	40.59	11.41	52.00	74	-22.00
11440.00	Н	Average	26.53	11.41	37.94	54	-16.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 158 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5720 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11440.00	Н	Peak	39.24	11.41	50.65	74	-23.35
11440.00	Н	Average	26.01	11.41	37.42	54	-16.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 159 of 274

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Mode: 802.11n20B4 Test Date: 2018/2/26

Fundamental Frequency: 5745 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
•	11490.00	Н	Peak	41.39	11.18	52.56	74	-21.44
	11490.00	Н	Average	27.16	11.18	38.34	54	-15.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 160 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5745 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11490.00) H	Peak	40.10	11.18	51.28	74	-22.72
11490.00) H	Average	26.23	11.18	37.41	54	-16.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 161 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/26

Fundamental Frequency: 5785 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
			Reading Level		1 3	@ 3111	
 MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	41.34	11.06	52.40	74	-21.60
11570.00	Н	Average	27.01	11.06	38.08	54	-15.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 162 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5785 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.0	00 H	Peak	39.99	11.06	51.05	74	-22.95
11570.0	00 H	Average	26.23	11.06	37.30	54	-16.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 163 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5825 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
11650.00	Н	Peak	42.39	10.69	53.08	74	-20.92
11650.00	Н	Average	27.53	10.69	38.22	54	-15.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 164 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5825 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	40.32	10.69	51.01	74	-22.99
11650.00	Н	Average	26.63	10.69	37.32	54	-16.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 165 of 274

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Mode: 802.11n40B1 Test Date: 2018/2/26 Fundamental Frequency: 5190 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Н	Peak	41.54	9.38	50.93	68.3	-17.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 166 of 274

802.11n40B1 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5190 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
10380.00	Н	Peak	40.45	9.38	49.84	68.3	-18.46	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 167 of 274

Test Date: Operation Mode: 802.11n40B1 2018/2/26

Fundamental Frequency: 5230 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10460.00	Н	Peak	41.34	9.61	50.95	68.3	-17.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 168 of 274

802.11n40B1 Test Date: Operation Mode: 2018/2/26

Fundamental Frequency: 5230 MHz Temp. / Humi. : 25deg_C/65RH Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10460 00	H	Peak	40.55	9.61	50 15	68.3	-18 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 169 of 274

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Mode: 802.11n40B2 Test Date: 2018/2/26 Fundamental Frequency: 5270 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10540.00	Н	Peak	37.05	9.87	46.92	68.3	-21.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 170 of 274

802.11n40B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5270 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10540.00	Н	Peak	40.21	9.87	50.08	68.3	-18.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 171 of 274

802.11n40B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5310 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
 MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10620.00	Н	Peak	40.84	10.11	50.95	74	-23.05
10620.00	Н	Average	26.77	10.11	36.88	54	-17.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 172 of 274

802.11n40B2 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5310 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10620.00	Н	Peak	39.34	10.11	49.45	74	-24.55
	10620.00	Н	Average	25.74	10.11	35.85	54	-18.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 173 of 274

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Mode: 802.11n40B3 Test Date: 2018/2/26 Fundamental Frequency: 5510 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	11020.00	Н	Peak	41.54	11.60	53.14	74	-20.86
	11020.00	Н	Average	27.04	11.60	38.64	54	-15.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 174 of 274

802.11n40B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5510 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11020.00	Н	Peak	40.24	11.60	51.84	74	-22.16
11020.00	Н	Average	26.14	11.60	37.73	54	-16.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 175 of 274

802.11n40B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5550 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Н	Peak	41.38	11.15	52.53	74	-21.47
11100.00	Н	Average	26.97	11.15	38.12	54	-15.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 176 of 274

802.11n40B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5550 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11100.00	Н	Peak	40.02	11.15	51.17	74	-22.83
11100.00	Н	Average	26.22	11.15	37.37	54	-16.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 177 of 274

802.11n40B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5670 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11340.00	Н	Peak	41.84	11.37	53.21	74	-20.79
11340.00	Н	Average	27.40	11.37	38.77	54	-15.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 178 of 274

802.11n40B3 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5670 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	11340.00	Н	Peak	40.54	11.37	51.91	74	-22.09
	11340.00	Н	Average	26.63	11.37	38.00	54	-16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 179 of 274

Operation Mode: 802.11n40B3 Test Date: 2018/2/26 Fundamental Frequency: 5710 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	_
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11420.00	Н	Peak	41.56	11.51	53.07	74	-20.93
11420.00	Н	Average	27.26	11.51	38.76	54	-15.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 180 of 274

Operation Mode: 802.11n40B3 Test Date: 2018/2/26 Fundamental Frequency: 5710 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11420.00	Н	Peak	40.28	11.51	51.78	74	-22.22
11420.00	Н	Average	26.36	11.51	37.86	54	-16.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 181 of 274

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

802.11n40B4 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5755 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
	11510.00	Н	Peak	40.24	11.12	51.36	74	-22.64
	11510.00	Н	Average	26.38	11.12	37.50	54	-16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 182 of 274

802.11n40B4 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5755 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
 11510.00	Н	Peak	38.23	11.12	49.35	74	-24.65
11510.00	Н	Average	25.68	11.12	36.80	54	-17.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 183 of 274

802.11n40B4 Test Date: Operation Mode: 2018/2/26 Fundamental Frequency: 5795 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Peak	40.83	11.05	48.45	74	-25.55
11590.00	Н	Average	26.71	11.05	37.76	54	-16.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 184 of 274

Test Date: Operation Mode: 802.11n40B4 2018/2/26 Fundamental Frequency: 5795 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
11590.00	Н	Peak	39.10	11.05	50.15	74	-23.85
11590.00	Н	Average	25.53	11.05	36.58	54	-17.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 185 of 274

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Mode: 802.11ac80B1 Test Date: 2018/2/26

Fundamental Frequency: 5210 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10420.00	Н	Peak	41.26	9.53	50.79	68.3	-17.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 186 of 274

Operation Mode: 802.11ac80B1 Test Date: 2018/2/26

Fundamental Frequency: 5210 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10420.00	Н	Peak	40.24	9.53	49.77	68.3	-18.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 187 of 274

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Mode: 802.11ac80B2 Test Date: 2018/2/26

Fundamental Frequency: 5290 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10580.00	Н	Peak	41.20	10.05	51.25	68.3	-17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 188 of 274

802.11ac80B2 Test Date: Operation Mode: 2018/2/26

Fundamental Frequency: 5290 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10580.00	Н	Peak	39.33	10.05	49.38	68.3	-18.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 189 of 274

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Mode: 802.11ac80B3 Test Date: 2018/2/26

Fundamental Frequency: 5530 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11060.00	Н	Peak	41.89	11.37	53.27	74	-20.73
11060.00	Н	Average	27.97	11.37	39.34	54	-14.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 190 of 274

Operation Mode: 802.11ac80B3 Test Date: 2018/2/26

Fundamental Frequency: 5530 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
-	11060.00	Н	Peak	41.33	11.37	53.71	74	-20.29
	11060.00	Н	Average	27.30	11.37	38.67	54	-15.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 191 of 274

Operation Mode: 802.11ac80B3 Test Date: 2018/2/26

Fundamental Frequency: 5610 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11220.00	Н	Peak	41.38	11.64	53.03	74	-20.97
11220.00	Н	Average	27.24	11.64	38.88	54	-15.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 192 of 274

Operation Mode: 802.11ac80B3 Test Date: 2018/2/26

Fundamental Frequency: 5610 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11220.00) Н	Peak	40.12	11.64	51.77	74	-22.23
11220.00	H C	Average	26.37	11.64	38.01	54	-15.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 193 of 274

802.11ac80B3 Test Date: Operation Mode: 2018/2/26

Fundamental Frequency: 5690 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
11380.00	Н	Peak	41.10	11.52	52.62	74	-21.38
11380.00	Н	Average	26.84	11.52	38.36	54	-15.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 194 of 274

802.11ac80B3 Test Date: Operation Mode: 2018/2/26

Fundamental Frequency: 5690 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
				Reading Level		_		
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	<u>dB</u>
_	11380.00	Н	Peak	39.76	11.52	51.28	74	-22.72
	11380.00	Н	Average	26.03	11.52	37.56	54	-16.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 195 of 274

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Mode: Test Date: 2018/2/26 802.11ac80B4

Fundamental Frequency: 5775 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Peak	41.53	11.08	52.62	74	-21.39
11550.00	Н	Average	27.18	11.08	38.27	54	-15.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 196 of 274

Operation Mode: 802.11ac80B4 Test Date: 2018/2/26

Fundamental Frequency: 5775 MHz 25deg_C/65RH Temp. / Humi.:

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Peak	40.12	11.08	51.20	74	-22.80
11550.00	Н	Average	26.34	11.08	37.42	54	-16.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 197 of 274

Band edge falling to restricted band 802.11a mode

Operation Mode: 802.11aB1 Test Date: 2018/5/22

25deg_C/65RH Fundamental Frequency: 5180 MHz Temp. / Humi. :

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5150.00	E	Peak	61.46	-0.17	61.29	74	-12.71
5150.00	Е	Average	47.79	-0.17	47.62	54	-6.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 198 of 274

Test Date: 2018/5/22 Operation Mode: 802.11aB1 Fundamental Frequency: 5180 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5150.00	E	Peak	65.77	-0.17	65.60	74	-8.40
5150.00	E	Average	49.89	-0.17	49.72	54	-4.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 199 of 274

Operation Mode: 802.11aB2 Test Date: 2018/5/22 Fundamental Frequency: 5320 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
5350.00	Е	Peak	59.66	-0.15	59.51	74	-14.49	-
5350.00	E	Average	46.52	-0.15	46.36	54	-7.64	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 200 of 274

Operation Mode: Test Date: 802.11aB2 2018/5/22 Fundamental Frequency: 5320 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry

EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	66.27	-0.15	66.11	74	-7.89
5350.00	E	Average	50.11	-0.15	49.95	54	-4.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 201 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22

Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5460.00	Е	Peak	59.60	0.06	59.66	74	-14.34
5460.00	E	Average	46.21	0.06	46.27	54	-7.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 202 of 274

Test Date: 2018/5/22 Operation Mode: 802.11aB3 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5460.00	Е	Peak	61.04	0.06	61.09	74	-12.91
5460.00	E	Average	47.56	0.06	47.62	54	-6.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 203 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22

Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5470.00) E	Peak	60.95	0.08	61.03	68.3	-7.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 204 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5469.20	S	Peak	65.16	0.08	65.24	68.3	-3.06
5470.00	S	Peak	64.65	0.08	64.73	68.3	-3.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 205 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22 Fundamental Frequency: 5700 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	60.01	0.69	60.69	68.3	-7.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 206 of 274

Test Date: Operation Mode: 802.11aB3 2018/5/22 Fundamental Frequency: 5700 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: Test Engineer: BE CH High Jerry

EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5725.00	E	Peak	64.61	0.69	65.29	68.3	-3.01
5726.12	S	Peak	64.51	0.69	65.20	68.3	-3.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 207 of 274

Test Date: 2018/5/22 Operation Mode: 802.11aB4 Fundamental Frequency: 5745 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	59.36	0.63	59.98	68.23	-8.25
5700.00	S	Peak	59.21	0.56	59.77	105.23	-45.46
5720.00	S	Peak	60.27	0.66	60.93	110.83	-49.90
5725.00	Е	Peak	68.22	0.69	68.91	122.23	-53.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 208 of 274

Test Date: 2018/5/22 Operation Mode: 802.11aB4 Fundamental Frequency: 5745 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5650.00	S	Peak	60.22	0.63	60.85	68.23	-7.38
5700.00	S	Peak	60.23	0.56	60.79	105.23	-44.44
5720.00	S	Peak	64.84	0.66	65.50	110.83	-45.33
5725.00	Е	Peak	75.52	0.69	76.21	122.23	-46.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 209 of 274

Operation Mode: Test Date: 802.11aB4 2018/5/22 Fundamental Frequency: 5825 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5850.00	E	Peak	62.33	1.01	63.34	122.23	-58.89
5855.00	S	Peak	62.12	1.01	63.13	110.83	-47.70
5875.00	S	Peak	59.39	0.99	60.37	105.23	-44.86
5925.00	S	Peak	59.45	1.04	60.49	68.23	-7.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 210 of 274

Operation Mode: Test Date: 802.11aB4 2018/5/22 Fundamental Frequency: 5825 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5850.00	E	Peak	63.33	1.01	64.34	122.23	-57.89
5855.00	S	Peak	60.12	1.01	61.13	110.83	-49.70
5875.00	S	Peak	62.39	0.99	63.37	105.23	-41.86
5925.00	S	Peak	60.45	1.04	61.49	68.23	-6.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 211 of 274

802.11n20 HT mode

Operation Mode: 802.11n20B1 Test Date: 2018/2/13 Fundamental Frequency: 5180 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5147.80	S	Peak	60.25	-0.17	60.08	74	-13.92
5147.80	S	Average	42.75	-0.17	42.58	54	-11.42
5150.00	E	Peak	59.19	-0.17	59.02	74	-14.98
5150.00	E	Average	43.14	-0.17	42.97	54	-11.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 212 of 274

802.11n20B1 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5180 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Е	Peak	62.78	-0.17	62.61	74	-11.39
5150.00	E	Average	48.25	-0.17	48.08	54	-5.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 213 of 274

802.11n20B2 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5320 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
5350.00	Е	Peak	61.59	-0.15	61.44	74	-12.56
5350.00	E	Average	45.07	-0.15	44.92	54	-9.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 214 of 274

802.11n20B2 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5320 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
5350.00	E	Peak	65.24	-0.15	65.09	74	-8.91
5350.00	E	Average	49.58	-0.15	49.43	54	-4.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 215 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5450.84	S	Peak	60.11	0.04	60.15	74	-13.85
5450.84	S	Average	41.22	0.04	41.26	54	-12.74
5460.00	E	Peak	58.54	0.06	58.60	74	-15.40
5460.00	Е	Average	42.09	0.06	42.15	54	-11.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 216 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	E	Peak	61.50	0.06	61.56	74	-12.44
5460.00	Е	Average	46.41	0.06	46.47	54	-7.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 217 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5450.84	S	Peak	60.11	0.04	60.15	68.3	-8.15
5461.40	S	Peak	60.36	0.06	60.42	68.3	-7.88
5464.76	S	Peak	60.53	0.07	60.60	68.3	-7.70
5470.00	Е	Peak	59.57	0.08	59.65	68.3	-8.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 218 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5500 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5470.00	Е	Peak	63.55	0.08	63.63	68.3	-4.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 219 of 274

Operation Mode: 802.11n20B3 Test Date: 2018/2/21 Fundamental Frequency: 5700 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : Vertical E2



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	5725.00	Ē	Peak	59.61	0.69	60.30	68.3	-8.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 220 of 274

802.11n20B3 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5700 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	63.55	0.69	64.24	68.3	-4.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 221 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5745 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	58.35	0.63	58.97	68.23	-9.26
5700.00	S	Peak	58.96	0.56	59.52	105.23	-45.71
5720.00	S	Peak	61.46	0.66	62.12	110.83	-48.71
5725.00	Е	Peak	66.77	0.69	67.45	122.23	-54.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 222 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5745 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	58.77	0.63	59.40	68.23	-8.83
5700.00	S	Peak	60.18	0.56	60.74	105.23	-44.50
5720.00	S	Peak	63.65	0.66	64.31	110.83	-46.52
5725.00	Е	Peak	71.05	0.69	71.74	122.23	-50.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 223 of 274

Operation Mode: 802.11n20B4 Test Date: 2018/2/13 Fundamental Frequency: 5825 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	60.40	1.01	61.41	122.23	-60.82
5855.00	S	Peak	59.19	1.01	60.20	110.83	-50.63
5875.00	S	Peak	58.45	0.99	59.44	105.23	-45.79
5925.00	S	Peak	58.52	1.04	59.56	68.23	-8.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 224 of 274

802.11n20B4 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5825 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	63.86	1.01	64.87	122.23	-57.36
5855.00	S	Peak	60.21	1.01	61.22	110.83	-49.61
5875.00	S	Peak	58.89	0.99	59.87	105.23	-45.36
5925.00	S	Peak	58.72	1.04	59.76	68.23	-8.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 225 of 274

802.11n40 HT mode

Operation Mode: 802.11n40B1 Test Date: 2018/2/21 Fundamental Frequency: 5190 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: **BE CH Low** Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.12	S	Peak	63.56	-0.17	63.39	74	-10.61
5149.12	S	Average	49.04	-0.17	48.87	54	-5.13
5150.00	E	Peak	62.83	-0.17	62.66	74	-11.34
5150.00	Е	Average	49.16	-0.17	48.99	54	-5.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 226 of 274

Test Date: Operation Mode: 802.11n40B1 2018/2/21

Fundamental Frequency: 5190 MHz Temp. / Humi. : 25deg_C/65RH Operation Band: BE CH Low Test Engineer:

Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5137.96	S	Peak	63.81	-0.17	63.65	74	-10.35
5137.96	S	Average	48.36	-0.17	48.19	54	-5.81
5145.40	S	Peak	65.60	-0.17	65.43	74	-8.57
5145.40	S	Average	49.75	-0.17	49.58	54	-4.42
5150.00	Е	Peak	64.80	-0.17	64.63	74	-9.37
5150.00	Е	Average	50.70	-0.17	50.53	54	-3.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 227 of 274

802.11n40B2 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5310 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
5350.00	Е	Peak	62.40	-0.15	62.24	74	-11.76
5350.00	E	Average	48.68	-0.15	48.53	54	-5.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 228 of 274

802.11n40B2 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5310 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	64.12	-0.15	63.96	74	-10.04
5350.00	E	Average	50.50	-0.15	50.35	54	-3.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.




Page: 229 of 274

802.11n40B3 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5510 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5458.32	S	Peak	61.79	0.05	61.84	74	-12.16
5458.32	S	Average	47.11	0.05	47.16	54	-6.84
5460.00	E	Peak	61.41	0.06	61.46	74	-12.54
5460.00	Е	Average	47.18	0.06	47.24	54	-6.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.




Page: 230 of 274

802.11n40B3 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5510 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5458.80	S	Peak	62.98	0.06	63.04	74	-10.96
5458.80	S	Average	48.04	0.06	48.09	54	-5.91
5460.00	E	Peak	62.67	0.06	62.73	74	-11.27
5460.00	Е	Average	48.13	0.06	48.19	54	-5.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.




Page: 231 of 274

Test Date: Operation Mode: 802.11n40B3 2018/2/21

Fundamental Frequency: 5510 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5466.72	S	Peak	62.84	0.07	62.92	68.3	-5.38
5468.04	S	Peak	62.61	0.08	62.68	68.3	-5.62
5470.00	Ε	Peak	62.66	0.08	62.74	68.3	-5.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.




Page: 232 of 274

Test Date: Operation Mode: 802.11n40B3 2018/2/21

Fundamental Frequency: 5510 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5466.12	S	Peak	64.57	0.07	64.64	68.3	-3.66
5469.00	S	Peak	65.20	0.08	65.28	68.3	-3.02
5470.00	Ε	Peak	64.92	0.08	65.00	68.3	-3.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.



Page: 233 of 274

Test Date: Operation Mode: 802.11n40B3 2018/2/13 Fundamental Frequency: 5670 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	59.69	0.69	60.37	68.3	-7.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 234 of 274

Test Date: Operation Mode: 802.11n40B3 2018/2/13 Fundamental Frequency: 5670 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	63.77	0.69	64.45	68.3	-3.85
5725.52	S	Peak	64.18	0.69	64.86	68.3	-3.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 235 of 274

Test Date: Operation Mode: 802.11n40B4 2018/2/13 Fundamental Frequency: 5755 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	57.71	0.63	58.34	68.23	-9.89
5700.00	S	Peak	59.80	0.56	60.36	105.23	-44.87
5720.00	S	Peak	71.42	0.66	72.08	110.83	-38.75
5725.00	Е	Peak	71.92	0.69	72.61	122.23	-49.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 236 of 274

Test Date: Operation Mode: 802.11n40B4 2018/2/13 Fundamental Frequency: 5755 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	57.79	0.63	58.42	68.23	-9.81
5700.00	S	Peak	64.61	0.56	65.17	105.23	-40.06
5720.00	S	Peak	76.31	0.66	76.97	110.83	-33.86
5725.00	Е	Peak	77.99	0.69	78.67	122.23	-43.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 237 of 274

Operation Mode: 802.11n40B4 Test Date: 2018/2/13 Fundamental Frequency: 5795 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	59.64	1.01	60.65	122.23	-61.58
5855.00	S	Peak	58.71	1.01	59.72	110.83	-51.11
5875.00	S	Peak	57.93	0.99	58.91	105.23	-46.32
5925.00	S	Peak	57.67	1.04	58.71	68.23	-9.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 238 of 274

Test Date: Operation Mode: 802.11n40B4 2018/2/13 Fundamental Frequency: 5795 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	62.89	1.01	63.90	122.23	-58.33
5855.00	S	Peak	60.19	1.01	61.20	110.83	-49.63
5875.00	S	Peak	58.01	0.99	58.99	105.23	-46.24
5925.00	S	Peak	56.97	1.04	58.01	68.23	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 239 of 274

802.11ac80 VHT mode

Operation Mode: 802.11ac80B1 Test Date: 2018/2/21 Fundamental Frequency: 5210 MHz Temp. / Humi.: 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5145.60	S	Peak	65.36	-0.17	65.19	74	-8.81
5145.60	S	Average	49.69	-0.17	49.52	54	-4.48
5150.00	E	Peak	64.72	-0.17	64.55	74	-9.45
5150.00	Е	Average	49.79	-0.17	49.62	54	-4.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 240 of 274

Test Date: Operation Mode: 802.11ac80B1 2018/2/21

Fundamental Frequency: 5210 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5130.70	S	Peak	68.38	-0.17	68.21	74	-5.79
5130.70	S	Average	50.55	-0.17	50.38	54	-3.62
5150.00	Е	Peak	68.02	-0.17	67.85	74	-6.15
5150.00	Е	Average	51.09	-0.17	50.92	54	-3.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 241 of 274

802.11ac80B2 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5290 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	64.20	-0.15	64.04	74	-9.96
5350.00	E	Average	48.11	-0.15	47.95	54	-6.05
5352.00	S	Peak	63.89	-0.15	63.74	74	-10.26
5352.00	S	Average	47.84	-0.15	47.69	54	-6.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 242 of 274

802.11ac80B2 Operation Mode: Test Date: 2018/2/21

Fundamental Frequency: 5290 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	67.28	-0.15	67.12	74	-6.88
5350.00	E	Average	50.58	-0.15	50.42	54	-3.58
5356.10	S	Peak	67.24	-0.15	67.09	74	-6.91
5356.10	S	Average	50.03	-0.15	49.89	54	-4.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 243 of 274

802.11ac80B3 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5530 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5453.40	S	Peak	62.68	0.04	62.72	74	-11.28
5453.40	S	Average	47.31	0.04	47.35	54	-6.65
5460.00	E	Peak	61.87	0.06	61.93	74	-12.07
5460.00	Е	Average	47.63	0.06	47.68	54	-6.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 244 of 274

802.11ac80B3 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5530 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5460.00	Е	Peak	63.42	0.06	63.48	74	-10.52
5460.00	E	Average	48.75	0.06	48.81	54	-5.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 245 of 274

802.11ac80B3 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5530 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5465.60	S	Peak	63.12	0.07	63.19	68.3	-5.11
5470.00	E	Peak	63.89	0.08	63.97	68.3	-4.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.




Page: 246 of 274

802.11ac80B3 Test Date: Operation Mode: 2018/2/21

Fundamental Frequency: 5530 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5468.60	S	Peak	64.85	0.08	64.93	68.3	-3.37
5470.00	E	Peak	65.20	0.08	65.28	68.3	-3.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 247 of 274

Operation Mode: 802.11ac80B4 Test Date: 2018/2/13 Fundamental Frequency: 5775 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	61.39	0.63	62.02	68.23	-6.21
5700.00	S	Peak	70.71	0.56	71.27	105.23	-33.96
5720.00	S	Peak	77.19	0.66	77.85	110.83	-32.98
5725.00	Е	Peak	77.73	0.69	78.41	122.23	-43.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 248 of 274

Operation Mode: 802.11ac80B4 Test Date: 2018/2/13 Fundamental Frequency: 5775 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	62.78	0.63	63.41	68.23	-4.82
5700.00	S	Peak	75.63	0.56	76.19	105.23	-29.04
5720.00	S	Peak	80.41	0.66	81.07	110.83	-29.76
5725.00	Е	Peak	82.14	0.69	82.83	122.23	-39.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 249 of 274

Test Date: Operation Mode: 802.11ac80B4 2018/2/13 Fundamental Frequency: 5775 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5850.00	Е	Peak	72.50	1.01	73.51	122.23	-48.72
5855.00	S	Peak	69.56	1.01	70.57	110.83	-40.26
5875.00	S	Peak	61.82	0.99	62.80	105.23	-42.43
5925.00	S	Peak	57.58	1.04	58.62	68.23	-9.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 250 of 274

802.11ac80B4 Test Date: Operation Mode: 2018/2/13 Fundamental Frequency: 5775 MHz Temp. / Humi. : 25deg_C/65RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	77.03	1.01	78.04	122.23	-44.19
5855.00	S	Peak	75.91	1.01	76.92	110.83	-33.91
5875.00	S	Peak	65.92	0.99	66.91	105.23	-38.32
5925.00	S	Peak	58.53	1.04	59.57	68.23	-8.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 251 of 274

12 TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable 12.1

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 252 of 274

13 FREQUENCY STABILITY


13.1 Standard Applicable

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

Test SET-UP 13.3



Measurement Equipment Used: 13.4

SGS Conducted Room								
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018			
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018			
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 253 of 274

13.5 **Measurement Result**

Startup:

Operation Mode	802.11 a	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,179.99918	0.00000016
		44	5220	5,219.99969	0.00000006
		48	5240	5,239.99910	0.00000017
		52	5260	5,259.99928	0.00000014
		60	5300	5,299.99969	0.00000006
	8.8V	64	5320	5,319.99967	0.00000006
		100	5500	5,499.99987	0.00000002
		116	5580	5,579.99956	800000000
		140	5700	5,699.99933	0.00000012
		149	5745	5,744.99953	800000000
		157	5785	5,784.99951	800000000
		165	5825	5,824.99962	0.0000007
-20		36	5180	5,179.99952	0.00000009
		44	5220	5,219.99918	0.00000016
		48	5240	5,239.99950	0.00000010
		52	5260	5,259.99963	0.00000007
		60	5300	5,299.99925	0.00000014
	6.894V	64	5320	5,319.99993	0.00000001
		100	5500	5,499.99919	0.00000015
		116	5580	5,579.99986	0.00000003
		140	5700	5,699.99912	0.00000015
		149	5745	5,744.99974	0.00000005
		157	5785	5,784.99924	0.00000013
		165	5825	5,824.99993	0.00000001

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 254 of 274

ī —		1			
		36	5180	5,179.97100	0.00000560
		44	5220	5,220.00000	0.00000000
		48	5240	5,239.99718	0.0000054
		52	5260	5,260.00000	0.00000000
		60	5300	5,300.00000	0.00000000
25	7.66V	64	5320	5,319.98498	0.00000282
		100	5500	5,500.00000	0.00000000
		116	5580	5,579.96635	0.00000603
		140	5700	5,699.97200	0.00000491
		149	5745	5,744.96595	0.00000593
		157	5785	5,784.96537	0.00000599
		165	5825	5,825.00000	0.00000000
			F400	F 470 00050	0.0000000
		36	5180	5,179.99958	0.00000008
		44	5220	5,219.99932	0.00000013
		48	5240	5,239.99972	0.00000005
		52	5260	5,259.99973	0.00000005
		60	5300	5,299.99993	0.0000001
		64	5320	5,319.99953	0.0000009
	8.8V	100	5500	5,499.99996	0.0000001
		116	5580	5,579.99958	0.00000008
		140	5700	5,699.99915	0.0000015
		149	5745	5,744.99956	0.00000008
		157	5785	5,784.99933	0.00000012
		165	5825	5,824.99970	0.00000005
55		36	5180	5,179.99977	0.00000004
		44	5220	5,219.99957	0.00000008
		48	5240	5,239.99962	0.00000007
		52	5260	5,259.99987	0.00000002
		60	5300	5,299.99972	0.00000005
	6.894V	64	5320	5,319.99966	0.00000006
		100	5500	5,499.99944	0.00000010
		116	5580	5,579.99947	0.00000009
		140	5700	5,699.99972	0.00000005
		149	5745	5,744.99922	0.0000014
		157	5785	5,784.99929	0.00000012
		165	5825	5,824.99986	0.00000002
			5525	0,0=	5.5555555E

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only a tested only a test may be prosecuted to the fullest extent of the law.



Page: 255 of 274

Operation Mode	802.11 n_HT40	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.99916	0.00000016
		46	5230	5,229.99949	0.00000010
		54	5270	5,269.99973	0.00000005
		62	5310	5,309.99980	0.00000004
	8.8V	102	5510	5,509.99917	0.00000015
		110	5550	5,549.99934	0.00000012
		134	5670	5,669.99920	0.00000014
		142	5710	5,709.99875	0.00000022
		151	5755	5,754.99958	0.0000007
-20		159	5795	5,794.99966	0.00000006
		38	5190	5,189.99914	0.00000017
		46	5230	5,229.99951	0.00000009
		54	5270	5,269.99973	0.00000005
		62	5310	5,309.99917	0.00000016
	6.894V	102	5510	5,509.99970	0.00000005
		110	5550	5,549.99953	0.00000008
		134	5670	5,669.99940	0.00000011
		142	5710	5,709.99863	0.00000024
		151	5755	5,754.99967	0.00000006
		159	5795	5,794.99919	0.00000014

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 256 of 274

			T	1	1
		38	5190	5,189.96868	0.00000603
		46	5230	5,229.98300	0.00000325
		54	5270	5,269.96793	0.00000609
		62	5310	5,310.00000	0.00000000
25	7.66V	102	5510	5,509.99981	0.00000003
		110	5550	5,549.96650	0.00000604
		134	5670	5,670.00000	0.00000000
		142	5710	5,709.99835	0.00000029
		151	5755	5,754.96535	0.00000602
		159	5795	5,794.97953	0.00000353
		38	5190	5,189.99919	0.00000016
		46	5230	5,229.99981	0.00000004
	8.8V	54	5270	5,269.99972	0.00000005
		62	5310	5,309.99920	0.00000015
		102	5510	5,509.99938	0.00000011
		110	5550	5,549.99965	0.00000006
		134	5670	5,669.99956	0.00000008
		142	5710	5,709.99841	0.00000028
		151	5755	5,754.99937	0.00000011
		159	5795	5,794.99915	0.00000015
55		38	5190	5,189.99913	0.00000017
		46	5230	5,229.99951	0.00000009
		54	5270	5,269.99916	0.00000016
		62	5310	5,309.99947	0.00000010
	6.894V	102	5510	5,509.99985	0.00000003
		110	5550	5,549.99913	0.00000016
		134	5670	5,669.99977	0.00000004
		142	5710	5,709.99836	0.00000029
		151	5755	5,754.99928	0.00000013
		159	5795	5,794.99987	0.00000002

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 257 of 274

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99931	0.00000013
		58	5290	5,289.99968	0.00000006
	8.8V	106	5530	5,529.99993	0.00000001
		122	5610	5,609.99927	0.00000013
		138	5690	5,689.99925	0.00000013
-20		155	5775	5,774.99945	0.00000010
		42	5210	5,209.99984	0.00000003
		58	5290	5,289.99958	0.00000008
	6.894V	106	5530	5,529.99925	0.00000014
		122	5610	5,609.99937	0.00000011
		138	5690	5,689.99935	0.00000011
		155	5775	5,774.99916	0.00000015
		42	5210	5,210.00000	0.00000000
		58	5290	5,289.96805	0.00000604
25	7.66V	106	5530	5,530.00000	0.00000000
		122	5610	5,610.10000	-0.00001783
		138	5690	5,689.99949	0.00000009
		155	5775	5,774.96500	0.00000606
		42	5210	5,209.99941	0.00000011
		58	5290	5,289.99915	0.00000016
	8.8V	106	5530	5,529.99997	0.00000001
		122	5610	5,609.99952	0.00000009
		138	5690	5,689.99958	0.00000007
55		155	5775	5,774.99910	0.00000016
00		42	5210	5,209.99981	0.00000004
		58	5290	5,289.99981	0.00000004
	6.894V	106	5530	5,529.99951	0.00000009
		122	5610	5,609.99978	0.00000004
		138	5690	5,689.99967	0.00000006
		155	5775	5,774.99915	0.00000015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 258 of 274

2 Minutes:

Operation Mode	802.11 a	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,179.99955	0.00000009
		44	5220	5,219.99931	0.00000013
		48	5240	5,239.99971	0.00000006
		52	5260	5,259.99932	0.00000013
		60	5300	5,299.99933	0.00000013
	8.8V	64	5320	5,319.99992	0.00000002
		100	5500	5,499.99945	0.00000010
		116	5580	5,579.99948	0.00000009
		140	5700	5,699.99974	0.00000005
		149	5745	5,744.99955	0.00000008
		157	5785	5,784.99972	0.00000005
		165	5825	5,824.99954	0.00000008
-20	6.894V	36	5180	5,179.99931	0.00000013
		44	5220	5,219.99963	0.0000007
		48	5240	5,239.99994	0.00000001
		52	5260	5,259.99971	0.00000006
		60	5300	5,299.99936	0.00000012
		64	5320	5,319.99969	0.00000006
		100	5500	5,499.99974	0.00000005
		116	5580	5,579.99985	0.00000003
		140	5700	5,699.99970	0.00000005
		149	5745	5,744.99929	0.00000012
		157	5785	5,784.99996	0.00000001
		165	5825	5,824.99939	0.00000011

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 259 of 274

		36	5180	5,179.97057	0.00000568
		44	5220	5,219.99921	0.00000015
		48	5240	5,239.99649	0.00000067
		52	5260	5,259.99941	0.00000011
		60	5300	5,299.99943	0.00000011
25	7.66V	64	5320	5,319.98453	0.00000291
		100	5500	5,499.99942	0.00000010
		116	5580	5,579.96594	0.00000610
		140	5700	5,699.97145	0.00000501
		149	5745	5,744.96531	0.00000604
		157	5785	5,784.96515	0.00000602
		165	5825	5,824.99957	0.00000007
	·	- 27	F100	T 170 00005	0.0000001
		36	5180	5,179.99995	0.00000001
		44	5220	5,219.99977	0.00000004
		48	5240	5,239.99933	0.00000013
		52	5260	5,259.99948	0.00000010
		60	5300	5,299.99930	0.00000013
		64	5320	5,319.99991	0.00000002
	8.8V	100	5500	5,499.99962	0.00000007
		116	5580	5,579.99989	0.00000002
		140	5700	5,699.99985	0.00000003
		149	5745	5,744.99997	0.00000001
		157	5785	5,784.99943	0.00000010
		165	5825	5,824.99939	0.00000010
55		36	5180	5,179.99964	0.00000007
		44	5220	5,219.99925	0.00000014
		48	5240	5,239.99981	0.00000004
		52	5260	5,259.99967	0.00000006
		60	5300	5,299.99910	0.00000017
	6.894V	64	5320	5,319.99929	0.00000013
		100	5500	5,499.99994	0.00000001
		116	5580	5,579.99988	0.00000002
		140	5700	5,699.99943	0.00000010
		149	5745	5,744.99987	0.00000002
		157	5785	5,784.99924	0.00000013
		165	5825	5,824.99962	0.00000006
		-		•	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only a tested only a test may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 260 of 274

Operation Mode	802.11 n_HT40	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.96807	0.00000615
		46	5230	5,229.98256	0.00000334
		54	5270	5,269.96744	0.00000618
		62	5310	5,309.99991	0.00000002
	8.8V	102	5510	5,509.99928	0.00000013
		110	5550	5,549.96582	0.00000616
		134	5670	5,669.99932	0.00000012
		142	5710	5,709.99806	0.00000034
		151	5755	5,754.96494	0.00000609
-20		159	5795	5,794.97884	0.00000365
		38	5190	5,189.96831	0.00000611
		46	5230	5,229.98286	0.00000328
		54	5270	5,269.96755	0.00000616
	6.894V	62	5310	5,309.99962	0.00000007
		102	5510	5,509.99946	0.00000010
		110	5550	5,549.96630	0.00000607
		134	5670	5,669.99918	0.00000015
		142	5710	5,709.99799	0.00000035
		151	5755	5,754.96465	0.00000614
		159	5795	5,794.97890	0.00000364

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 261 of 274

	l	20	E100	E 100 0/001	0.00000/1/
		38	5190	5,189.96801	0.00000616
		46	5230	5,229.98222	0.00000340
		54	5270	5,269.96791	0.00000609
		62	5310	5,309.99988	0.00000002
25	7.66V	102	5510	5,509.99970	0.00000005
		110	5550	5,549.96612	0.00000610
		134	5670	5,669.99950	0.00000009
		142	5710	5,709.99791	0.00000037
		151	5755	5,754.96487	0.00000611
		159	5795	5,794.97928	0.00000357
		38	5190	5,189.96785	0.00000619
		46	5230	5,229.98252	0.00000334
		54	5270	5,269.96789	0.00000609
	8.8V	62	5310	5,309.99930	0.00000013
		102	5510	5,509.99893	0.00000019
		110	5550	5,549.96624	0.00000608
		134	5670	5,669.99937	0.00000011
		142	5710	5,709.99802	0.00000035
		151	5755	5,754.96465	0.00000614
		159	5795	5,794.97937	0.00000356
55		38	5190	5,189.96839	0.00000609
		46	5230	5,229.98292	0.00000327
		54	5270	5,269.96705	0.00000625
		62	5310	5,309.99977	0.00000004
	6.894V	102	5510	5,509.99922	0.0000014
		110	5550	5,549.96604	0.00000612
		134	5670	5,669.99961	0.0000007
		142	5710	5,709.99802	0.00000035
		151	5755	5,754.96525	0.00000604
		159	5795	5,794.97935	0.00000356

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 262 of 274

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99916	0.00000016
		58	5290	5,289.99925	0.00000014
	8.8V	106	5530	5,529.99971	0.00000005
		122	5610	5,609.99867	0.00000024
		138	5690	5,689.99884	0.00000020
-20		155	5775	5,774.99919	0.00000014
		42	5210	5,209.99874	0.00000024
		58	5290	5,289.99888	0.00000021
	6.894V	106	5530	5,529.99961	0.00000007
		122	5610	5,609.99853	0.00000026
		138	5690	5,689.99852	0.00000026
		155	5775	5,774.99881	0.00000021
		42	5210	5,209.99910	0.00000017
		58	5290	5,289.99938	0.00000012
25	7.66V	106	5530	5,529.99969	0.00000006
		122	5610	5,609.99875	0.00000022
		138	5690	5,689.99906	0.00000016
		155	5775	5,774.99934	0.00000012
		42	5210	5,209.99906	0.00000018
		58	5290	5,289.99942	0.00000011
	8.8V	106	5530	5,529.99917	0.00000015
		122	5610	5,609.99857	0.00000025
		138	5690	5,689.99865	0.00000024
55		155	5775	5,774.99943	0.0000010
		42	5210	5,209.99896	0.00000020
		58	5290	5,289.99960	0.00000008
	6.894V	106	5530	5,529.99989	0.00000002
		122	5610	5,609.99874	0.00000022
		138	5690	5,689.99884	0.00000020
		155	5775	5,774.99904	0.00000017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 263 of 274

5 Minutes:

Operation Mode	802.11 a	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,179.99912	0.00000017
		44	5220	5,219.99919	0.00000015
		48	5240	5,239.99935	0.00000012
		52	5260	5,259.99912	0.00000017
		60	5300	5,299.99989	0.00000002
	8.8V	64	5320	5,319.99952	0.00000009
		100	5500	5,499.99922	0.00000014
		116	5580	5,579.99960	0.00000007
		140	5700	5,699.99973	0.00000005
		149	5745	5,744.99989	0.00000002
		157	5785	5,784.99947	0.00000009
		165	5825	5,824.99997	0.00000001
-20		36	5180	5,179.99950	0.00000010
		44	5220	5,219.99912	0.00000017
		48	5240	5,239.99927	0.00000014
		52	5260	5,259.99978	0.00000004
		60	5300	5,299.99941	0.00000011
	6.894V	64	5320	5,319.99937	0.00000012
		100	5500	5,499.99919	0.00000015
		116	5580	5,579.99929	0.00000013
		140	5700	5,699.99930	0.00000012
		149	5745	5,744.99986	0.00000002
		157	5785	5,784.99975	0.00000004
		165	5825	5,824.99966	0.00000006

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 264 of 274

		36	5180	5,179.97070	0.00000566
		44	5220	5,219.99958	0.00000008
		48	5240	5,239.99674	0.00000062
		52	5260	5,259.99957	0.00000008
		60	5300	5,299.99967	0.00000006
25	7.66V	64	5320	5,319.98413	0.00000298
		100	5500	5,499.99931	0.00000012
		116	5580	5,579.96608	0.00000608
		140	5700	5,699.97136	0.00000503
		149	5745	5,744.96586	0.00000594
		157	5785	5,784.96490	0.00000607
		165	5825	5,824.99912	0.00000015
				T =	
		36	5180	5,179.99930	0.00000014
		44	5220	5,219.99975	0.00000005
		48	5240	5,239.99974	0.00000005
		52	5260	5,259.99935	0.00000012
		60	5300	5,299.99930	0.00000013
		64	5320	5,319.99946	0.00000010
	8.8V	100	5500	5,499.99967	0.00000006
		116	5580	5,579.99990	0.00000002
		140	5700	5,699.99954	800000000
		149	5745	5,744.99931	0.00000012
		157	5785	5,784.99964	0.00000006
		165	5825	5,824.99966	0.00000006
55		36	5180	5,179.99993	0.00000001
		44	5220	5,219.99995	0.00000001
		48	5240	5,239.99949	0.00000010
		52	5260	5,259.99969	0.00000006
		60	5300	5,299.99985	0.00000003
	6.894V	64	5320	5,319.99948	0.00000010
		100	5500	5,499.99999	0.00000000
		116	5580	5,579.99991	0.00000002
		140	5700	5,699.99970	0.00000005
		149	5745	5,744.99921	0.00000014
		157	5785	5,784.99944	0.00000010
		165	5825	5,824.99939	0.00000011

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only a tested only a test may be prosecuted to the fullest extent of the law.



Page: 265 of 274

Operation Mode	802.11 n_HT40	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.96861	0.00000605
		46	5230	5,229.98284	0.00000328
		54	5270	5,269.96733	0.00000620
		62	5310	5,309.99913	0.00000016
	8.8V	102	5510	5,509.99947	0.00000010
		110	5550	5,549.96604	0.00000612
		134	5670	5,669.99928	0.00000013
		142	5710	5,709.99760	0.00000042
		151	5755	5,754.96479	0.00000612
-20		159	5795	5,794.97903	0.00000362
		38	5190	5,189.96824	0.00000612
		46	5230	5,229.98267	0.00000331
		54	5270	5,269.96744	0.00000618
		62	5310	5,309.99960	800000000
	6.894V	102	5510	5,509.99896	0.00000019
		110	5550	5,549.96579	0.00000616
		134	5670	5,669.99943	0.00000010
		142	5710	5,709.99787	0.00000037
		151	5755	5,754.96474	0.00000613
		159	5795	5,794.97870	0.00000368

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 266 of 274

		20	F100	F 100 0/000	0.00000/11
		38	5190	5,189.96828	0.00000611
		46	5230	5,229.98282	0.00000329
		54	5270	5,269.96745	0.00000618
		62	5310	5,309.99989	0.00000002
25	7.66V	102	5510	5,509.99972	0.00000005
		110	5550	5,549.96626	0.00000608
		134	5670	5,669.99965	0.00000006
		142	5710	5,709.99816	0.00000032
		151	5755	5,754.96467	0.00000614
		159	5795	5,794.97932	0.00000357
		38	5190	5,189.96779	0.00000621
		46	5230	5,229.98228	0.00000339
		54	5270	5,269.96763	0.00000614
		62	5310	5,309.99999	0.00000000
	8.8V	102	5510	5,509.99929	0.00000013
		110	5550	5,549.96588	0.00000615
		134	5670	5,669.99911	0.00000016
		142	5710	5,709.99829	0.00000030
		151	5755	5,754.96530	0.00000603
		159	5795	5,794.97943	0.00000355
55		38	5190	5,189.96839	0.00000609
		46	5230	5,229.98217	0.00000341
		54	5270	5,269.96715	0.00000623
		62	5310	5,309.99934	0.00000012
	6.894V	102	5510	5,509.99927	0.00000013
		110	5550	5,549.96571	0.00000618
		134	5670	5,669.99967	0.00000006
		142	5710	5,709.99785	0.0000038
		151	5755	5,754.96524	0.00000604
		159	5795	5,794.97903	0.00000362

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 267 of 274

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99916	0.00000016
		58	5290	5,289.99925	0.00000014
	8.8V	106	5530	5,529.99971	0.00000005
		122	5610	5,609.99867	0.00000024
		138	5690	5,689.99884	0.00000020
-20		155	5775	5,774.99919	0.00000014
		42	5210	5,209.99874	0.00000024
		58	5290	5,289.99888	0.00000021
	6.894V	106	5530	5,529.99961	0.00000007
		122	5610	5,609.99853	0.00000026
		138	5690	5,689.99852	0.00000026
		155	5775	5,774.99881	0.00000021
		42	5210	5,209.99910	0.00000017
		58	5290	5,289.99938	0.00000012
25	7.66V	106	5530	5,529.99969	0.00000006
		122	5610	5,609.99875	0.00000022
		138	5690	5,689.99906	0.00000016
		155	5775	5,774.99934	0.00000012
		42	5210	5,209.99906	0.00000018
		58	5290	5,289.99942	0.00000011
	8.8V	106	5530	5,529.99917	0.00000015
		122	5610	5,609.99857	0.00000025
		138	5690	5,689.99865	0.00000024
55		155	5775	5,774.99943	0.0000010
		42	5210	5,209.99896	0.00000020
		58	5290	5,289.99960	0.00000008
	6.894V	106	5530	5,529.99989	0.00000002
		122	5610	5,609.99874	0.00000022
		138	5690	5,689.99884	0.00000020
		155	5775	5,774.99904	0.00000017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 268 of 274

10 Minutes:

Operation Mode	802.11 a	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,179.99937	0.00000012
		44	5220	5,219.99990	0.00000002
		48	5240	5,239.99994	0.00000001
		52	5260	5,259.99934	0.00000013
		60	5300	5,299.99963	0.00000007
	8.8V	64	5320	5,319.99923	0.00000014
		100	5500	5,499.99938	0.00000011
		116	5580	5,579.99921	0.00000014
		140	5700	5,699.99989	0.00000002
		149	5745	5,744.99937	0.00000011
		157	5785	5,784.99949	0.00000009
		165	5825	5,824.99976	0.00000004
-20		36	5180	5,179.99948	0.00000010
		44	5220	5,219.99967	0.00000006
		48	5240	5,239.99925	0.00000014
		52	5260	5,259.99927	0.00000014
		60	5300	5,299.99933	0.00000013
	6.894V	64	5320	5,319.99919	0.00000015
		100	5500	5,499.99966	0.00000006
		116	5580	5,579.99924	0.00000014
		140	5700	5,699.99934	0.00000012
		149	5745	5,744.99975	0.0000004
		157	5785	5,784.99913	0.00000015
		165	5825	5,824.99922	0.00000013

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 269 of 274

	_			_	
		36	5180	5,179.97098	0.00000560
		44	5220	5,219.99949	0.00000010
		48	5240	5,239.99694	0.00000058
		52	5260	5,259.99924	0.0000014
		60	5300	5,299.99970	0.00000006
25	7.66V	64	5320	5,319.98443	0.00000293
		100	5500	5,499.99944	0.00000010
		116	5580	5,579.96620	0.00000606
		140	5700	5,699.97121	0.00000505
		149	5745	5,744.96508	0.00000608
		157	5785	5,784.96484	0.00000608
		165	5825	5,824.99926	0.00000013
	<u>'</u>				
		36	5180	5,179.99970	0.00000006
		44	5220	5,219.99973	0.00000005
		48	5240	5,239.99914	0.00000016
		52	5260	5,259.99945	0.00000010
		60	5300	5,299.99943	0.00000011
		64	5320	5,319.99980	0.00000004
	8.8V	100	5500	5,499.99918	0.00000015
		116	5580	5,579.99969	0.00000006
		140	5700	5,699.99947	0.00000009
		149	5745	5,744.99971	0.00000005
		157	5785	5,784.99916	0.00000014
		165	5825	5,824.99922	0.00000013
55		36	5180	5,179.99921	0.00000015
		44	5220	5,219.99942	0.00000011
		48	5240	5,239.99971	0.00000006
		52	5260	5,259.99951	0.00000009
		60	5300	5,299.99909	0.00000017
	6.894V	64	5320	5,319.99955	0.00000008
		100	5500	5,499.99938	0.00000011
		116	5580	5,579.99993	0.00000001
		140	5700	5,699.99993	0.00000001
		149	5745	5,744.99921	0.00000014
		157	5785	5,784.99959	0.00000007
		165	5825	5,824.99950	0.00000009

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 270 of 274

Operation Mode	802.11 n_HT40	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.96812	0.00000614
		46	5230	5,229.98274	0.00000330
		54	5270	5,269.96745	0.00000618
		62	5310	5,309.99980	0.00000004
	8.8V	102	5510	5,509.99893	0.00000019
		110	5550	5,549.96629	0.00000607
		134	5670	5,669.99935	0.00000012
		142	5710	5,709.99824	0.00000031
		151	5755	5,754.96457	0.00000616
-20		159	5795	5,794.97908	0.00000361
		38	5190	5,189.96780	0.00000620
		46	5230	5,229.98259	0.00000333
		54	5270	5,269.96725	0.00000622
		62	5310	5,309.99924	0.00000014
	6.894V	102	5510	5,509.99939	0.00000011
		110	5550	5,549.96594	0.00000614
		134	5670	5,669.99941	0.00000010
		142	5710	5,709.99765	0.00000041
		151	5755	5,754.96521	0.00000605
		159	5795	5,794.97900	0.00000362

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.

www.tw.sgs.com



Page: 271 of 274

	1			1	1
		38	5190	5,189.96815	0.00000614
		46	5230	5,229.98242	0.00000336
		54	5270	5,269.96785	0.00000610
	7.66V	62	5310	5,309.99941	0.0000011
25		102	5510	5,509.99894	0.00000019
		110	5550	5,549.96606	0.00000611
		134	5670	5,669.99959	0.00000007
		142	5710	5,709.99822	0.00000031
		151	5755	5,754.96518	0.00000605
		159	5795	5,794.97915	0.00000360
		38	5190	5,189.96784	0.00000620
		46	5230	5,229.98246	0.00000335
		54	5270	5,269.96731	0.00000620
	8.8V	62	5310	5,309.99949	0.00000010
		102	5510	5,509.99957	0.00000008
		110	5550	5,549.96601	0.00000612
		134	5670	5,669.99982	0.00000003
		142	5710	5,709.99766	0.00000041
		151	5755	5,754.96532	0.00000603
		159	5795	5,794.97882	0.00000366
55	6.894V	38	5190	5,189.96817	0.00000613
		46	5230	5,229.98279	0.00000329
		54	5270	5,269.96714	0.00000624
		62	5310	5,309.99988	0.00000002
		102	5510	5,509.99962	0.00000007
		110	5550	5,549.96610	0.00000611
		134	5670	5,669.99952	0.00000008
		142	5710	5,709.99808	0.00000034
		151	5755	5,754.96467	0.00000614
		159	5795	5,794.97879	0.00000366

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A faxing is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested is the sample state of 90 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only.
Phys A tested only a tested only a tested of 10 days only.
Phys A tested only a tested of 10 days only a tested only a test may be prosecuted to the fullest extent of the law.



Page: 272 of 274

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99919	0.00000016
		58	5290	5,289.99925	0.00000014
	8.8V	106	5530	5,529.99912	0.00000016
		122	5610	5,609.99898	0.00000018
		138	5690	5,689.99920	0.00000014
-20		155	5775	5,774.99879	0.00000021
		42	5210	5,209.99927	0.00000014
		58	5290	5,289.99913	0.00000016
	6.894V	106	5530	5,529.99925	0.00000014
		122	5610	5,609.99881	0.00000021
		138	5690	5,689.99884	0.00000020
		155	5775	5,774.99934	0.00000011
	7.66V	42	5210	5,209.99876	0.00000024
		58	5290	5,289.99899	0.00000019
25		106	5530	5,529.99904	0.00000017
		122	5610	5,609.99871	0.00000023
		138	5690	5,689.99894	0.00000019
		155	5775	5,774.99901	0.00000017
		42	5210	5,209.99888	0.00000022
		58	5290	5,289.99949	0.00000010
	8.8V	106	5530	5,529.99980	0.00000004
		122	5610	5,609.99867	0.00000024
		138	5690	5,689.99854	0.00000026
55		155	5775	5,774.99876	0.00000021
	6.894V	42	5210	5,209.99846	0.00000029
		58	5290	5,289.99907	0.00000018
		106	5530	5,529.99943	0.00000010
		122	5610	5,609.99901	0.0000018
		138	5690	5,689.99881	0.00000021
		155	5775	5,774.99922	0.00000014

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 273 of 274

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.23
Temperature	:20	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99916	0.00000016
		58	5290	5,289.99925	0.00000014
	8.8V	106	5530	5,529.99971	0.00000005
		122	5610	5,609.99867	0.00000024
		138	5690	5,689.99884	0.00000020
-20		155	5775	5,774.99919	0.00000014
		42	5210	5,209.99874	0.00000024
		58	5290	5,289.99888	0.00000021
	6.894V	106	5530	5,529.99961	0.00000007
		122	5610	5,609.99853	0.00000026
		138	5690	5,689.99852	0.00000026
		155	5775	5,774.99881	0.00000021
		42	5210	5,209.99910	0.00000017
		58	5290	5,289.99938	0.00000012
25	7.66V	106	5530	5,529.99969	0.00000006
		122	5610	5,609.99875	0.00000022
		138	5690	5,689.99906	0.00000016
		155	5775	5,774.99934	0.00000012
		42	5210	5,209.99906	0.0000018
		58	5290	5,289.99942	0.00000011
	8.8V	106	5530	5,529.99917	0.00000015
		122	5610	5,609.99857	0.00000025
		138	5690	5,689.99865	0.00000024
55		155	5775	5,774.99943	0.00000010
		42	5210	5,209.99896	0.00000020
		58	5290	5,289.99960	0.00000008
	6.894V	106	5530	5,529.99989	0.00000002
		122	5610	5,609.99874	0.00000022
		138	5690	5,689.99884	0.00000020
		155	5775	5,774.99904	0.00000017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results snown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only.
Personal Results of the Results of Resul may be prosecuted to the fullest extent of the law.



Page: 274 of 274

14 ANTENNA REQUIREMENT

Standard Applicable 14.1

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

14.2 Antenna Connected Construction

PCB antenna designs are used.

The antenna is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根告未起本公司書面하可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be presented to the fullest extent of the law. may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488