
APPENDIX E: DUT ANTENNA DIAGRAM & SAR TEST SETUP PHOTOGRAPHS

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 1 of 31 |


Note: Exact antenna dimensions and separation distances are shown in the Technical Descriptions in the FCC Filing.

Figure E-1
DUT Antenna Locations Flip/Closed Configuration (Handset)




| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 2 of 31 |

Figure E-2
DUT Antenna Locations Read/Flat Configuration (UMPC and Body)




| FCC ID: C3K1995 | @ PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: |
|------------------------|-------------------------|-----------------------|-----------|-----------------|
| 1 55 121 55111555 | A leave to an invest of | | | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 3 of 31 |


Figure E-3
WPT Sleeve and Pen Accessory Antenna Locations Read/Flat Configuration (Body)



| | FCC ID: C3K1995 | @\PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: |
|--|------------------------|--|-----------------------|-----------|-----------------|
| | | V Company of the Comp | | | Quality Manager |
| | Test Dates: | DUT Type: | | | APPENDIX E: |
| | 09/08/2021- 10/04/2021 | Portable Handset | | | Page 4 of 31 |




SAR Test Setup Photo 1- Flip Configuration (Handset), Head, Right Cheek, 0 mm




SAR Test Setup Photo 2- Flip Configuration (Handset), Head, Right Tilt, 0 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft ! | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-------------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 5 of 31 |




SAR Test Setup Photo 3- Flip Configuration (Handset), Head, Left Cheek, 0 mm




SAR Test Setup Photo 4- Flip Configuration (Handset), Head, Left Tilt, 0 mm

| | FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|-----|------------------------------------|-----------------------------------|-----------------------|-----------|------------------------------|
| - 1 | Test Dates: 09/08/2021– 10/04/2021 | DUT Type: Portable Handset | | | APPENDIX E: Page 6 of 31 |




SAR Test Setup Photo 5- Flat Configuration (Body), Head, Left Cheek, 0 mm




SAR Test Setup Photo 6- Flip Configuration (Handset), Bodyworn/Hotspot, Back Side, 10 mm

| FCC ID: C3K1995 | @ PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: |
|------------------------|------------------|-----------------------|-----------|-----------------|
| | V January Inning | | 100000000 | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 7 of 31 |



SAR Test Setup Photo 7- Flip Configuration (Handset), Phablet, Back Side, 0 mm




SAR Test Setup Photo 8- Flip Configuration (Handset), Bodyworn/Hotspot, Front Side, 10 mm

| FCC ID: C3K1995 | @ PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: |
|------------------------|------------------|-----------------------|-----------|-----------------|
| | A hancaland | | | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 8 of 31 |



SAR Test Setup Photo 9- Flip Configuration (Handset), Phablet, Front Side, 0 mm




SAR Test Setup Photo 10- Flip Configuration (Handset), Hotspot, Top Edge, 10 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 9 of 31 |



SAR Test Setup Photo 11- Flip Configuration (Handset), Phablet, Top Edge, 0 mm




SAR Test Setup Photo 12- Flip Configuration (Handset), Hotspot, Bottom Edge, 10 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 10 of 31 |




SAR Test Setup Photo 13- Flip Configuration (Handset), Phablet, Bottom Edge, 0 mm



SAR Test Setup Photo 14– Flip Configuration (Handset), Hotspot, Right Edge, 10 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 11 of 31 |




SAR Test Setup Photo 15– Flip Configuration (Handset), Phablet, Right Edge, 0 mm




SAR Test Setup Photo 16- Flip Configuration (Handset), Hotspot, Left Edge, 10 mm

| FCC ID: C3K1995 | @ PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: |
|------------------------|--------------------------|-----------------------|--------------|-----------------|
| Too in contract | A Search or cultures 188 | | Trice of the | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 12 of 31 |




SAR Test Setup Photo 17- Flip Configuration (Handset), Phablet, Left Edge, 0 mm



SAR Test Setup Photo 18- Closed Configuration (Handset), Bodyworn/Hotspot, Back Side, 10 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 13 of 31 |




SAR Test Setup Photo 19- Closed Configuration (Handset), Bodyworn/Hotspot, Front Side, 10 mm



SAR Test Setup Photo 20- Closed Configuration (Handset), Hotspot, Top Edge, 10 mm

| FCC ID: C3K1995 | SAR EVALUATION REPORT | SAR EVALUATION REPORT | Microsoft | Approved by: |
|------------------------|-----------------------|-----------------------|-----------|-----------------|
| | | | | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 14 of 31 |




SAR Test Setup Photo 21- Closed Configuration (Handset), Hotspot, Bottom Edge, 10 mm



SAR Test Setup Photo 22- Closed Configuration (Handset), Hotspot, Right Edge, 10 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 15 of 31 |



SAR Test Setup Photo 23- Closed Configuration (Handset), Hotspot, Left Edge, 10 mm




SAR Test Setup Photo 24- Read Configuration (UMPC), UMPC Body, Back Side, South Antenna, 5 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 16 of 31 |




SAR Test Setup Photo 25- Read Configuration (UMPC), UMPC Body, Back Side, North Antenna, 5 mm




SAR Test Setup Photo 26- Read Configuration (UMPC), UMPC Body, Top Edge, 5 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 17 of 31 |




SAR Test Setup Photo 27- Read Configuration (UMPC), UMPC Extremity, Bottom Edge, 5 mm



SAR Test Setup Photo 28- Read Configuration (UMPC), UMPC Body, Right Edge, 5 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 18 of 31 |



SAR Test Setup Photo 29- Read Configuration (UMPC), UMPC Extremity, Left Edge, 5 mm




SAR Test Setup Photo 30- Flat Configuration (Body), Body, Back Side, South Antenna, 0 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 19 of 31 |




SAR Test Setup Photo 31- Flat Configuration (Body), Body, Back Side, North Antenna, 0 mm



SAR Test Setup Photo 32- Flat Configuration (Body), Body, Top Edge, 0 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 20 of 31 |



SAR Test Setup Photo 33- Flat Configuration (Body), Body, Bottom Edge, 0 mm




SAR Test Setup Photo 34- Flat Configuration (Body), Body, Right Edge, 0 mm

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 21 of 31 |




SAR Test Setup Photo 35- Flat Configuration (Body), Body, Left Edge, 0 mm



SAR Test Setup Photo 36- Flip Configuration (Handset) Horizonal and Vertical Reference Lines

| FCC ID: C3K1995 | @ PCTEST | SAR EVALUATION REPORT | LUATION REPORT Microsoft | Approved by: |
|------------------------|-------------------|-----------------------|--------------------------|-----------------|
| Too is. Services | A Junio customing | | 1004.2000 | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 22 of 31 |



SAR Test Setup Photo 37- Flat Configuration (Body) Horizonal and Vertical Reference Lines




SAR Test Setup Photo 38 - Flip Configuration (Handset) Right Cheek with WPT Sleeve

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 23 of 31 |



SAR Test Setup Photo 39 - Flip Configuration (Handset) Right Tilt with WPT Sleeve



SAR Test Setup Photo 40 - Flip Configuration (Handset) Left Cheek with WPT Sleeve

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 24 of 31 |




SAR Test Setup Photo 41 – Flip Configuration (Handset) Front Side at 10 mm with WPT Sleeve




SAR Test Setup Photo 42 – Flip Configuration (Handset) Front Side at 0 mm with WPT Sleeve

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| | | | | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 25 of 31 |




SAR Test Setup Photo 43 – Flip Configuration (Handset) Top Edge at 10 mm with WPT Sleeve



SAR Test Setup Photo 44 - Flip Configuration (Handset) Top Edge at 0 mm with WPT Sleeve

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 26 of 31 |




SAR Test Setup Photo 45 – Flip Configuration (Handset) Bottom Edge at 0 mm with WPT Sleeve



SAR Test Setup Photo 46 - Closed Configuration (Body) - Front Side at 0mm with WPT Sleeve and Pen

| | FCC ID: C3K1995 | @\PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: |
|---|------------------------|--|-----------------------|---------------|-----------------|
| ' | | A Summer of the same of the sa | | Triter assets | Quality Manager |
| | Test Dates: | DUT Type: | | | APPENDIX E: |
| | 09/08/2021- 10/04/2021 | Portable Handset | | | Page 27 of 31 |



SAR Test Setup Photo 47 – Flat Configuration (Body) – Front Side of Sleeve/Pen at 0mm with WPT Sleeve and Pen



SAR Test Setup Photo 48 - Closed Configuration (Body) - Right Edge at 0mm with WPT Sleeve and Pen

| FCC ID: C3K1995 | @ PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: |
|------------------------|------------------------|-----------------------|-------------|-----------------|
| | A Summer of Francis In | | Time of the | Quality Manager |
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 28 of 31 |




SAR Test Setup Photo 49 - Flat Configuration (Body) - Left Edge at 0mm with WPT Sleeve and Pen




SAR Test Setup Photo 50 - Closed Configuration (Body) - Bottom Edge at 0mm with WPT Sleeve and Pen

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|-------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 29 of 31 |



SAR Test Setup Photo 51 – Flat Configuration (Body) – Bottom Edge at 0mm with WPT Sleeve and Pen



SAR Test Setup Photo 52 – Flip Configuration (Body) – Front Side at 0mm with WPT Sleeve and Pen

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 30 of 31 |



SAR Test Setup Photo 53 – Flat Configuration (Body) – Front Side at 0mm with WPT Sleeve and Pen

| FCC ID: C3K1995 | PCTEST | SAR EVALUATION REPORT | Microsoft | Approved by: Quality Manager |
|------------------------|------------------|-----------------------|-----------|------------------------------|
| Test Dates: | DUT Type: | | | APPENDIX E: |
| 09/08/2021- 10/04/2021 | Portable Handset | | | Page 31 of 31 |