



Band Edge_Band66_5MHz_OPSK_RB25_0_CH131997




Band Edge_Band66_10MHz_OPSK_RB1_49_CH132622




Band Edge_Band66_5MHz_OPSK_RB25_0_CH132647



Band Edge_Band66_10MHz_OPSK_RB50_0_CH132022



Band Edge_Band66_10MHz_OPSK_RB1_0_CH132022



Band Edge_Band66_10MHz_OPSK_RB50_0_CH132622




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band Edge_Band66_15MHz_OPSK_RB1_0_CH132047




Band Edge_Band66_15MHz_OPSK_RB75_0_CH132597




Band Edge_Band66_15MHz_OPSK_RB1_74_CH132597




Band Edge_Band66_20MHz_OPSK_RB1_0_CH132072



Band Edge_Band66_15MHz_OPSK_RB75_0_CH132047



Band Edge_Band66_20MHz_OPSK_RB1_99_CH132572




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band Edge_Band66_20MHz_OPSK_RB100_0_CH132072



Band Edge_Band66_20MHz_OPSK_RB100_0_CH132572



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8.6 Spurious Emission Measurement Result:


Refer to next pages.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_10MHz_QPSK_RB1_0_CH18650



Band2_20MHz_QPSK_RB1_0_CH18700




Band2_10MHz_QPSK_RB1_0_CH18900




Band2_20MHz_QPSK_RB1_0_CH18900



Band2_10MHz_QPSK_RB1_0_CH19150



Band2_20MHz_QPSK_RB1_0_CH19100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_20MHz_QPSK_RB1_0_CH20050



Band5_10MHz_QPSK_RB1_0_CH20450




Band4_20MHz_QPSK_RB1_0_CH20175




Band5_10MHz_QPSK_RB1_0_CH20525



Band4_20MHz_QPSK_RB1_0_CH20300



Band5_10MHz_QPSK_RB1_0_CH20600



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7_20MHz_QPSK_RB1_0_CH20850




Band12_10MHz_QPSK_RB1_0_CH23060




Band7_20MHz_QPSK_RB1_0_CH21100



Band12_10MHz_QPSK_RB1_0_CH23095



Band7_20MHz_QPSK_RB1_0_CH21350



Band12_10MHz_QPSK_RB1_0_CH23130




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band13_10MHz_QPSK_RB1_0_CH23230




Band25_20MHz_QPSK_RB1_0_CH26365




Band14_10MHz_QPSK_RB1_0_CH23330




Band25_20MHz_QPSK_RB1_0_CH26590



Band25_20MHz_QPSK_RB1_0_CH26140



Band26-Part90s_10MHz_QPSK_RB1_0_CH26740




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。此文件是根據SGS Taiwan Ltd. 的通用服務條件印出，可於 <http://www.sgs.com.tw/Terms-and-Conditions> 或於電子格式文件，受其一般服務條件及電子文件之條款及條件所約束。請注意，本報告之內容僅反映本公司在出具報告時之調查及判斷，且受客戶之指示及限制。本公司之唯一責任是向客戶提供其委託之服務，且本公司不為客戶之任何權利及義務之擔保。本報告之內容不得被複製、再行出版或用於其他目的，除非獲得本公司之書面許可。任何未經本公司之書面許可而對本報告之內容或外觀之任何更改或偽造均屬違法，本公司將依法追究其法律責任。


Band26_15MHz_QPSK_RB1_0_CH26865




Band30_10MHz_QPSK_RB1_0_CH27710




Band26_15MHz_QPSK_RB1_0_CH26915




Band38_20MHz_QPSK_RB1_0_CH37850



Band26_15MHz_QPSK_RB1_0_CH26965



Band38_20MHz_QPSK_RB1_0_CH38000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band38_20MHz_QPSK_RB1_0_CH38150




Band41_20MHz_QPSK_RB1_0_CH41490



Band41_20MHz_QPSK_RB1_0_CH39750




Band66_20MHz_QPSK_RB1_0_CH132072



Band41_20MHz_QPSK_RB1_0_CH40620



Band66_20MHz_QPSK_RB1_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band66_20MHz_QPSK_RB1_0_CH132572



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1 Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h), §90.543(e)(3)

RSS-130 §4.7, RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §6.6, RSS-140 §4.4, RSS-195 §5.6,

RSS-199 §4.5

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

FCC §27.53(a)

For operations in the 2305-2320 MHz band and the 2345-2360 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power P (with averaging performed only during periods of transmission) within the licensed band(s) of operation, in watts, by the following amounts:

- (4) For mobile and portable stations operating in the 2305-2315 MHz and 2350-2360 MHz bands:
 - (ii) By a factor of not less than $70 + 10 \log(P)$ dB below 2288 MHz;
 - (iii) By a factor of not less than $70 + 10 \log(P)$ dB above 2365 MHz.

FCC §27.53(g)

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $76 + 10 \log(P)$ dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

FCC §90.543 (f)

For operations in the 758-775 MHz and 788-805 MHz bands, all emissions including harmonics in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

RSS-130 §4.7.1

Compliance for operations in the 617-652 MHz, 663-698 MHz, 698-756 MHz and the 777-787 MHz band, the unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$ (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

RSS-130 §4.7.2

In addition to the limit outlined in section 4.7.1 above, equipment operating in the frequency bands 746-756 MHz and 777-787 MHz shall also comply with the following restrictions:
the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least:

76 + 10 log₁₀ p (watts), dB, for base and fixed equipment and
65 + 10 log₁₀ p (watts), dB, for mobile and portable equipment

the e.i.r.p. in the band 1559-1610 MHz shall not exceed -70 dBW/MHz for wideband signal and -80 dBW for discrete emission with bandwidth less than 700 Hz.

FCC §27.53(h)(1)

(h) *AWS emission limits*—(1) *General protection levels*. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log₁₀ (P) dB.

ISED RSS-132 §5.5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

- i. In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log₁₀p (watts).
- ii. After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log₁₀ p (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

ISED RSS-133 §6.5.1

Equipment shall comply with the limits in (i) and (ii) below.

- i. In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log₁₀p(watts).
- ii. After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log₁₀p(watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

RSS-139 §6.6

In the first 1.0 MHz bands immediately outside and adjacent to the equipment's smallest operating frequency block, Footnote 2 which can contain the equipment's occupied bandwidth, the emission power per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least 43 + 10 log₁₀ p (watts) dB.

After the first 1.0 MHz outside the equipment's smallest operating frequency block, which can contain the equipment's occupied bandwidth, the emission power in any 1 MHz bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least 43 + 10 log₁₀ p (watts) dB.

ISED RSS-140 §4.4

- a. For any frequency between 769-775 MHz and 799-806 MHz:
 - i. 76 + 10 log (p), dB in a 6.25 kHz band for fixed and base station equipment

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

- ii. $65 + 10 \log (p)$, dB in a 6.25 kHz band for mobile and portable/hand-held equipment
- b. For any frequency between 775-788 MHz, above 806 MHz, and below 758 MHz:
 $43 + 10 \log (p)$, dB in a bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency bands 758-768 MHz and 788-798 MHz, a resolution bandwidth of 30 kHz may be employed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ISED RSS-195 §5.6

The power of any emission outside the frequency range(s) in which the equipment operates shall be attenuated below the transmitter power, P(dBW), by the amount indicated in Table 2, where p is the transmitter output power measured in watts.

Frequency (MHz)	Attenuation (dB)	Frequency (MHz)	Attenuation (dB)
<2200	43 + 10 log ₁₀ (p)	2324 - 2328	61 + 10 log ₁₀ (p)
2200 - 2288	70 + 10 log ₁₀ (p)	2328 - 2337	67 + 10 log ₁₀ (p)
2288 - 2292	67 + 10 log ₁₀ (p)	2337 - 2341	61 + 10 log ₁₀ (p)
2292 - 2296	61 + 10 log ₁₀ (p)	2341 - 2345	55 + 10 log ₁₀ (p)
2296 - 2300	55 + 10 log ₁₀ (p)	2345 - 2360	43 + 10 log ₁₀ (p) FootnoteNote
2300 - 2305	43 + 10 log ₁₀ (p)	2360 - 2365	43 + 10 log ₁₀ (p)
2305 - 2320	43 + 10 log ₁₀ (p) FootnoteNote	2365 - 2395	70 + 10 log ₁₀ (p)
2320 - 2324	55 + 10 log ₁₀ (p)	>2395	43 + 10 log ₁₀ (p)

Note -- Mobile and portable equipment are prohibited from transmitting in the bands 2315-2320 MHz and 2345-2350 MHz. In addition, mobile and portable equipment employing FDD technology shall be restricted to transmitting in the band 2305-2315 MHz.

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RSS-199 §4.5

In the 1 MHz band immediately outside and adjacent to the channel edge, the unwanted emission power shall be measured with a resolution bandwidth of at least 1% of the occupied bandwidth for base station and fixed subscriber equipment, and 2% for mobile subscriber equipment. Beyond the 1 MHz band, a resolution bandwidth of 1 MHz shall be used. A narrower resolution bandwidth can be used, provided that the measured power is integrated over the full required measurement bandwidth of 1 MHz, or 1% or 2% of the occupied bandwidth, as applicable.

Equipment shall comply with the following unwanted emission limits:

for base station and fixed subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$ for mobile subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least:

$40 + 10 \log_{10} p$ from the channel edges to 5 MHz away

$43 + 10 \log_{10} p$ between 5 MHz and X MHz from the channel edges, and

$55 + 10 \log_{10} p$ at X MHz and beyond from the channel edges

In addition, the attenuation shall not be less than $43 + 10 \log_{10} p$ on all frequencies between 2490.5 MHz and 2496 MHz, and $55 + 10 \log_{10} p$ at or below 2490.5 MHz.

In (a) and (b), p is the transmitter power measured in watts and X is 6 MHz or the equipment occupied bandwidth, whichever is greater.

§90.691 Emission mask requirements for EA-based systems

(a) Out-of-band emission requirement shall apply only to the “outer” channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \text{ Log}_{10}(f/6.1)$ decibels or $50 + 10 \text{ Log}_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \text{ Log}_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.2 EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.4 Measurement Equipment Used:

Radiated Emission Test Site: SAC 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWARZBEC K	VULB9168	378	08/20/2021	08/19/2022
Horn Antenna	SCHWARZBEC K	BBHA9120D	603	05/18/2021	05/17/2022
Horn Antenna	SCHWARZBEC K	BBHA9170	184	12/11/2020	12/10/2021
Horn Antenna	SCHWARZBEC K	BBHA9170	185	08/02/2021	08/01/2022
Horn Antenna	SCHWARZBEC K	BBHA9120D	D803	12/17/2020	12/16/2021
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT- N0555	01/13/2021	01/12/2022
Spectrum Analyzer	Agilent	E4446A	MY51100003	10/29/2020	10/28/2021
Radio Communication Analyer	Anritsu	MT8815B	6200711454	04/07/2021	04/06/2022
Radio Communication Analyer	Anritsu	MT8821C	6262044670	08/18/2021	08/17/2022
Test Software	Audix	e3	Ver. 9.210322	N.C.R	N.C.R
Site Cal	SGS	SAC 1	N/A	01/01/2021	12/31/2021
Pre-Amplifier	EMC Instruments	EMC184045 B	980135	10/27/2020	10/26/2021
Pre-Amplifier	HP	8449B	3008A01973	12/16/2020	12/15/2021
Pre-Amplifier	HP	8447D	2944A09469	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	EMC 104- SM-SM- 2000	160123	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 104	160125	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 106	76096/6	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY2630/2	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY22962/2	12/16/2020	12/15/2021
Coaxial Cable	Huber Suhner	SUCOFLEX 102	SN 520430/2	12/16/2020	12/15/2021
Bandreject Filter 635- 920	Micro-Tronics	WI	4	12/16/2020	12/15/2021
Bandreject Filter 800- 1000	Micro-Tronics	EWT	M1	12/16/2020	12/15/2021
Bandreject Filter 1700- 2000	Micro-Tronics	EWT	M3	12/16/2020	12/15/2021
Bandreject Filter 2240- 2700	Micro-Tronics	WI	2	12/16/2020	12/15/2021
1.3G-15GHz High Pass Filter	WI	WHKX10- 1066-80SS	20	04/20/2021	04/19/2022
3.2GHz High Pass Filter	WI	WHKX10- 2624-80SS	4	04/20/2021	04/19/2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.5 Measurement Result:

Report Number :ER/2021/80082
 Operation Mode :LTE B2
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1860 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.46	-64.79	-7.96	-0.79	-13.00	-60.46
118.917	-64.73	-61.87	-1.80	-1.12	-13.00	-51.73
136.700	-71.37	-68.34	-1.97	-1.27	-13.00	-58.37
262.800	-75.40	-78.22	4.36	-1.65	-13.00	-62.40
338.783	-69.80	-72.61	4.30	-1.89	-13.00	-56.80
608.767	-71.48	-73.27	3.52	-2.52	-13.00	-58.48
3720.000	-55.91	-61.97	12.34	-7.56	-13.00	-42.90
5580.000	-41.42	-45.27	12.96	-9.42	-13.00	-28.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B2
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1860 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.683	-67.74	-65.10	-1.62	-1.10	-13.00	-54.74
139.933	-74.87	-71.81	-2.00	-1.32	-13.00	-61.87
317.767	-70.09	-72.78	4.17	-1.67	-13.00	-57.09
327.467	-69.63	-72.24	4.23	-1.85	-13.00	-56.63
338.783	-67.91	-70.72	4.30	-1.89	-13.00	-54.91
590.983	-75.43	-77.20	3.79	-2.65	-13.00	-62.43
3720.000	-54.54	-60.60	12.34	-7.56	-13.00	-41.53
5580.000	-41.19	-45.04	12.96	-9.42	-13.00	-28.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B2
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.950	-72.44	-63.13	-8.60	-0.78	-13.00	-59.44
122.150	-65.33	-62.39	-1.88	-1.14	-13.00	-52.33
335.550	-69.82	-72.55	4.28	-1.90	-13.00	-56.82
356.567	-72.03	-74.90	4.49	-1.97	-13.00	-59.03
375.967	-75.39	-77.99	4.36	-2.00	-13.00	-62.39
592.600	-71.48	-73.31	3.78	-2.65	-13.00	-58.48
3760.000	-55.42	-60.58	12.40	-7.63	-13.00	-42.42
5640.000	-45.22	-49.25	13.00	-9.23	-13.00	-32.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B2
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
123.767	-69.13	-66.22	-1.84	-1.14	-13.00	-56.13
144.783	-72.49	-69.58	-1.91	-1.23	-13.00	-59.49
274.117	-75.56	-78.05	3.99	-1.66	-13.00	-62.56
332.317	-71.82	-74.45	4.26	-1.91	-13.00	-58.82
359.800	-74.98	-77.85	4.51	-1.94	-13.00	-61.98
595.833	-75.63	-77.56	3.75	-2.65	-13.00	-62.63
3760.000	-55.48	-60.64	12.40	-7.63	-13.00	-42.48
5640.000	-44.18	-48.21	13.00	-9.23	-13.00	-31.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B2
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1900 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.00	-64.33	-7.96	-0.79	-13.00	-60.00
107.600	-67.41	-65.04	-1.42	-1.04	-13.00	-54.41
115.683	-67.31	-64.67	-1.62	-1.10	-13.00	-54.31
269.267	-71.01	-73.65	4.14	-1.64	-13.00	-58.01
327.467	-70.53	-73.13	4.23	-1.85	-13.00	-57.53
599.067	-72.45	-74.43	3.67	-2.64	-13.00	-59.45
3800.000	-55.46	-60.92	12.40	-7.70	-13.00	-42.46
5700.000	-47.40	-51.76	12.80	-9.10	-13.00	-34.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B2
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1900 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-77.26	-68.58	-7.96	-0.79	-13.00	-64.26
118.917	-69.99	-67.14	-1.80	-1.12	-13.00	-56.99
143.167	-73.43	-70.49	-1.92	-1.26	-13.00	-60.43
262.800	-76.72	-79.54	4.36	-1.65	-13.00	-63.72
337.167	-66.75	-69.52	4.29	-1.90	-13.00	-53.75
437.400	-73.61	-75.73	4.00	-2.16	-13.00	-60.61
3800.000	-55.18	-60.64	12.40	-7.70	-13.00	-42.18
5700.000	-47.70	-52.05	12.80	-9.10	-13.00	-34.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B4
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.54	-64.86	-7.96	-0.79	-13.00	-60.53
114.067	-65.80	-63.11	-1.69	-1.09	-13.00	-52.79
332.317	-73.08	-75.71	4.26	-1.91	-13.00	-60.07
354.950	-75.38	-78.25	4.49	-1.99	-13.00	-62.37
548.950	-73.11	-75.47	4.19	-2.28	-13.00	-60.10
589.367	-71.56	-73.25	3.80	-2.65	-13.00	-58.55
3440.000	-55.28	-62.69	12.52	-5.95	-13.00	-42.27
5160.000	-47.74	-52.45	12.16	-7.93	-13.00	-34.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B4
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.683	-71.97	-69.34	-1.62	-1.10	-13.00	-58.96
125.383	-71.90	-68.98	-1.86	-1.15	-13.00	-58.89
141.550	-73.17	-70.22	-1.91	-1.29	-13.00	-60.16
330.700	-73.63	-76.21	4.25	-1.91	-13.00	-60.62
345.250	-72.47	-75.38	4.44	-1.97	-13.00	-59.46
353.333	-72.38	-75.29	4.51	-2.00	-13.00	-59.37
3440.000	-54.85	-62.26	12.52	-5.95	-13.00	-41.84
5160.000	-46.60	-51.31	12.16	-7.93	-13.00	-33.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B4
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.76	-65.09	-7.96	-0.79	-13.00	-60.75
114.067	-66.05	-63.36	-1.69	-1.09	-13.00	-53.04
136.700	-68.08	-65.05	-1.97	-1.27	-13.00	-55.07
262.800	-74.23	-77.05	4.36	-1.65	-13.00	-61.22
338.783	-73.46	-76.27	4.30	-1.89	-13.00	-60.45
597.450	-71.17	-73.12	3.71	-2.65	-13.00	-58.16
3465.000	-54.99	-62.26	12.47	-6.10	-13.00	-41.98
5197.500	-48.72	-53.87	12.39	-7.88	-13.00	-35.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B4
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.067	-69.10	-66.41	-1.69	-1.09	-13.00	-56.09
123.767	-71.42	-68.51	-1.84	-1.14	-13.00	-58.41
143.167	-73.64	-70.69	-1.92	-1.26	-13.00	-60.63
312.917	-73.44	-76.08	4.17	-1.72	-13.00	-60.43
337.167	-70.00	-72.77	4.29	-1.90	-13.00	-56.99
345.250	-71.16	-74.07	4.44	-1.97	-13.00	-58.15
3465.000	-53.84	-61.10	12.47	-6.10	-13.00	-40.83
5197.500	-47.56	-52.72	12.39	-7.88	-13.00	-34.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B4
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.66	-65.98	-7.96	-0.79	-13.00	-61.65
107.600	-66.89	-64.52	-1.42	-1.04	-13.00	-53.88
267.650	-76.37	-79.08	4.22	-1.64	-13.00	-63.36
327.467	-73.80	-76.41	4.23	-1.85	-13.00	-60.79
333.933	-75.23	-77.91	4.27	-1.90	-13.00	-62.22
400.217	-75.49	-77.99	4.32	-2.13	-13.00	-62.48
3490.000	-54.65	-62.51	12.42	-6.26	-13.00	-41.64
5235.000	-49.09	-54.23	12.68	-7.99	-13.00	-36.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B4
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.150	-68.52	-65.57	-1.88	-1.14	-13.00	-55.51
262.800	-78.16	-80.99	4.36	-1.65	-13.00	-65.15
322.617	-73.58	-76.26	4.20	-1.72	-13.00	-60.57
335.550	-72.52	-75.24	4.28	-1.90	-13.00	-59.51
511.767	-75.35	-77.76	4.13	-2.07	-13.00	-62.34
605.533	-74.45	-76.35	3.60	-2.57	-13.00	-61.44
3490.000	-55.41	-63.28	12.42	-6.26	-13.00	-42.40
5235.000	-46.21	-51.35	12.68	-7.99	-13.00	-33.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.71	-65.04	-7.96	-0.79	-13.00	-60.71
123.767	-65.46	-62.55	-1.84	-1.14	-13.00	-52.46
330.700	-70.99	-73.57	4.25	-1.91	-13.00	-57.99
442.250	-75.14	-77.43	4.09	-2.21	-13.00	-62.14
532.783	-72.76	-75.20	4.21	-2.08	-13.00	-59.76
592.600	-71.87	-73.69	3.78	-2.65	-13.00	-58.87
1658.000	-59.80	-65.87	9.52	-4.27	-13.00	-46.80
2487.000	-56.72	-62.40	10.57	-5.18	-13.00	-43.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
120.533	-67.22	-64.40	-1.74	-1.13	-13.00	-54.22
141.550	-70.21	-67.25	-1.91	-1.29	-13.00	-57.21
193.283	-77.73	-80.20	3.73	-1.43	-13.00	-64.73
257.950	-75.56	-78.38	4.35	-1.63	-13.00	-62.56
330.700	-67.29	-69.87	4.25	-1.91	-13.00	-54.29
603.917	-75.64	-77.58	3.62	-2.59	-13.00	-62.64
1658.000	-59.42	-65.49	9.52	-4.27	-13.00	-46.42
2487.000	-43.28	-48.96	10.57	-5.18	-13.00	-30.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.38	-65.71	-7.96	-0.79	-13.00	-61.38
117.300	-64.18	-61.41	-1.73	-1.11	-13.00	-51.18
259.567	-75.54	-78.36	4.37	-1.64	-13.00	-62.54
330.700	-71.38	-73.96	4.25	-1.91	-13.00	-58.38
354.950	-72.82	-75.69	4.49	-1.99	-13.00	-59.82
406.683	-75.03	-77.71	4.37	-1.94	-13.00	-62.03
1673.000	-58.50	-64.79	9.55	-4.29	-13.00	-45.50
2509.000	-48.95	-54.80	10.62	-5.20	-13.00	-35.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
123.767	-71.37	-68.46	-1.84	-1.14	-13.00	-58.37
138.317	-72.25	-69.15	-2.03	-1.30	-13.00	-59.25
264.417	-77.07	-79.89	4.35	-1.65	-13.00	-64.07
324.233	-72.03	-74.69	4.21	-1.76	-13.00	-59.03
338.783	-72.19	-75.00	4.30	-1.89	-13.00	-59.19
356.567	-74.00	-76.87	4.49	-1.97	-13.00	-61.00
1673.000	-59.01	-65.30	9.55	-4.29	-13.00	-46.01
2509.000	-46.22	-52.07	10.62	-5.20	-13.00	-33.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :844 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.97	-65.29	-7.96	-0.79	-13.00	-60.97
114.067	-66.59	-63.89	-1.69	-1.09	-13.00	-53.59
266.033	-76.03	-78.81	4.30	-1.64	-13.00	-63.03
335.550	-71.05	-73.77	4.28	-1.90	-13.00	-58.05
523.083	-73.24	-75.50	4.15	-2.13	-13.00	-60.24
600.683	-71.22	-73.20	3.64	-2.63	-13.00	-58.22
1688.000	-58.48	-64.55	9.58	-4.31	-13.00	-45.48
2532.000	-49.33	-55.09	10.66	-5.22	-13.00	-36.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :844 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
118.917	-67.54	-64.69	-1.80	-1.12	-13.00	-54.54
144.783	-71.17	-68.26	-1.91	-1.23	-13.00	-58.17
266.033	-75.97	-78.75	4.30	-1.64	-13.00	-62.97
345.250	-68.43	-71.34	4.44	-1.97	-13.00	-55.43
500.450	-75.31	-77.57	4.25	-2.41	-13.00	-62.31
523.083	-75.12	-77.38	4.15	-2.13	-13.00	-62.12
1688.000	-58.72	-64.80	9.58	-4.31	-13.00	-45.72
2532.000	-43.53	-49.29	10.66	-5.22	-13.00	-30.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B7
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :2510 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.950	-74.84	-65.53	-8.60	-0.78	-25.00	-49.83
107.600	-69.53	-67.16	-1.42	-1.04	-25.00	-44.52
118.917	-71.17	-68.31	-1.80	-1.12	-25.00	-46.16
340.400	-73.16	-76.01	4.32	-1.89	-25.00	-48.15
359.800	-72.72	-75.60	4.51	-1.94	-25.00	-47.71
592.600	-72.08	-73.90	3.78	-2.65	-25.00	-47.07
5020.000	-52.06	-57.37	12.34	-7.53	-25.00	-27.05
7530.000	-45.70	-48.00	11.06	-9.30	-25.00	-20.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B7
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :2510 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.150	-67.35	-64.40	-1.88	-1.14	-25.00	-42.34
139.933	-75.24	-72.18	-2.00	-1.32	-25.00	-50.23
321.000	-73.90	-76.62	4.19	-1.68	-25.00	-48.89
343.633	-70.26	-73.15	4.40	-1.94	-25.00	-45.25
437.400	-74.24	-76.36	4.00	-2.16	-25.00	-49.23
607.150	-75.71	-77.56	3.56	-2.54	-25.00	-50.70
5020.000	-52.51	-57.81	12.34	-7.53	-25.00	-27.50
7530.000	-47.19	-49.49	11.06	-9.30	-25.00	-22.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B7
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.66	-64.98	-7.96	-0.79	-25.00	-48.65
118.917	-65.36	-62.51	-1.80	-1.12	-25.00	-40.35
144.783	-73.59	-70.69	-1.91	-1.23	-25.00	-48.58
353.333	-72.21	-75.11	4.51	-2.00	-25.00	-47.20
552.183	-73.47	-75.73	4.22	-2.35	-25.00	-48.46
599.067	-72.19	-74.17	3.67	-2.64	-25.00	-47.18
5070.000	-52.88	-57.50	12.10	-7.83	-25.00	-27.87
7605.000	-45.19	-47.33	11.21	-9.61	-25.00	-20.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B7
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2535 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.150	-70.83	-67.88	-1.88	-1.14	-25.00	-45.82
146.400	-73.57	-70.85	-1.73	-1.21	-25.00	-48.56
335.550	-72.49	-75.21	4.28	-1.90	-25.00	-47.48
356.567	-72.41	-75.28	4.49	-1.97	-25.00	-47.40
539.250	-75.34	-77.85	4.40	-2.34	-25.00	-50.33
594.217	-74.75	-76.64	3.77	-2.65	-25.00	-49.74
5070.000	-52.10	-56.73	12.10	-7.83	-25.00	-27.09
7605.000	-46.25	-48.39	11.21	-9.61	-25.00	-21.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B7
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :2560 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.950	-73.87	-64.55	-8.60	-0.78	-25.00	-48.86
112.450	-67.83	-65.20	-1.65	-1.07	-25.00	-42.82
135.083	-75.08	-71.92	-2.10	-1.25	-25.00	-50.07
337.167	-70.54	-73.30	4.29	-1.90	-25.00	-45.53
552.183	-73.43	-75.69	4.22	-2.35	-25.00	-48.42
608.767	-71.65	-73.45	3.52	-2.52	-25.00	-46.64
5120.000	-53.16	-57.63	12.10	-7.98	-25.00	-28.15
7680.000	-45.38	-47.71	11.42	-9.88	-25.00	-20.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B7
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :2560 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-78.44	-69.77	-7.96	-0.79	-25.00	-53.43
115.683	-70.70	-68.06	-1.62	-1.10	-25.00	-45.69
149.633	-71.15	-68.59	-1.62	-1.15	-25.00	-46.14
340.400	-65.05	-67.90	4.32	-1.89	-25.00	-40.04
413.150	-76.14	-78.77	4.38	-1.86	-25.00	-51.13
590.983	-75.52	-77.29	3.79	-2.65	-25.00	-50.51
5120.000	-52.37	-56.84	12.10	-7.98	-25.00	-27.36
7680.000	-46.54	-48.87	11.42	-9.88	-25.00	-21.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B12
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
110.833	-65.64	-63.23	-1.44	-1.06	-13.00	-52.63
138.317	-72.53	-69.44	-2.03	-1.30	-13.00	-59.52
330.700	-74.73	-77.31	4.25	-1.91	-13.00	-61.72
342.017	-74.54	-77.41	4.36	-1.92	-13.00	-61.53
395.367	-76.11	-78.58	4.31	-2.09	-13.00	-63.10
594.217	-72.50	-74.38	3.77	-2.65	-13.00	-59.49
1408.000	-58.48	-63.46	7.66	-3.85	-13.00	-45.47
2112.000	-57.24	-62.61	9.75	-4.78	-13.00	-44.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B12
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
120.533	-66.29	-63.48	-1.74	-1.13	-13.00	-53.28
149.633	-71.35	-68.78	-1.62	-1.15	-13.00	-58.34
259.567	-74.70	-77.53	4.37	-1.64	-13.00	-61.69
287.050	-74.89	-77.41	4.06	-1.72	-13.00	-61.88
321.000	-72.83	-75.55	4.19	-1.68	-13.00	-59.82
348.483	-71.36	-74.32	4.52	-2.01	-13.00	-58.35
1408.000	-58.72	-63.71	7.66	-3.85	-13.00	-45.71
2112.000	-57.59	-62.95	9.75	-4.78	-13.00	-44.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B12
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.31	-65.63	-7.96	-0.79	-13.00	-61.30
115.683	-63.39	-60.75	-1.62	-1.10	-13.00	-50.38
232.083	-75.85	-79.16	4.68	-1.60	-13.00	-62.84
342.017	-74.02	-76.89	4.36	-1.92	-13.00	-61.01
557.033	-73.23	-75.23	4.26	-2.52	-13.00	-60.22
599.067	-72.60	-74.58	3.67	-2.64	-13.00	-59.59
1415.000	-57.39	-62.30	7.72	-3.86	-13.00	-44.38
2122.500	-57.99	-63.16	9.63	-4.80	-13.00	-44.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B12
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
109.217	-70.62	-68.16	-1.50	-1.05	-13.00	-57.61
117.300	-69.55	-66.78	-1.73	-1.11	-13.00	-56.54
314.533	-73.04	-75.67	4.15	-1.71	-13.00	-60.03
327.467	-72.94	-75.54	4.23	-1.85	-13.00	-59.93
333.933	-71.73	-74.41	4.27	-1.90	-13.00	-58.72
343.633	-70.36	-73.25	4.40	-1.94	-13.00	-57.35
1415.000	-57.40	-62.30	7.72	-3.86	-13.00	-44.39
2122.500	-56.40	-61.57	9.63	-4.80	-13.00	-43.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B12
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-72.61	-63.94	-7.96	-0.79	-13.00	-59.60
120.533	-66.19	-63.38	-1.74	-1.13	-13.00	-53.18
138.317	-72.17	-69.08	-2.03	-1.30	-13.00	-59.16
337.167	-73.56	-76.33	4.29	-1.90	-13.00	-60.55
353.333	-73.47	-76.38	4.51	-2.00	-13.00	-60.46
547.333	-73.08	-75.43	4.20	-2.30	-13.00	-60.07
1422.000	-57.87	-62.72	7.78	-3.87	-13.00	-44.86
2133.000	-56.80	-61.84	9.50	-4.81	-13.00	-43.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B12
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.683	-71.01	-68.38	-1.62	-1.10	-13.00	-58.00
148.017	-74.60	-71.82	-1.81	-1.18	-13.00	-61.59
261.183	-74.52	-77.34	4.37	-1.65	-13.00	-61.51
335.550	-69.57	-72.30	4.28	-1.90	-13.00	-56.56
354.950	-75.24	-78.12	4.49	-1.99	-13.00	-62.23
427.700	-76.44	-78.41	3.99	-1.98	-13.00	-63.43
1422.000	-57.80	-62.65	7.78	-3.87	-13.00	-44.79
2133.000	-57.88	-62.92	9.50	-4.81	-13.00	-44.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B13
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.66	-64.99	-7.96	-0.79	-13.00	-60.65
114.067	-65.31	-62.62	-1.69	-1.09	-13.00	-52.30
256.333	-75.42	-78.23	4.33	-1.62	-13.00	-62.41
319.383	-73.76	-76.47	4.18	-1.66	-13.00	-60.75
343.633	-72.52	-75.41	4.40	-1.94	-13.00	-59.51
594.217	-71.68	-73.57	3.77	-2.65	-13.00	-58.67
1564.000	-59.49	-65.22	9.18	-4.10	-40.00	-19.48
2346.000	-55.62	-60.69	9.58	-5.01	-13.00	-42.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B13
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.067	-70.30	-67.60	-1.69	-1.09	-13.00	-57.29
123.767	-70.74	-67.83	-1.84	-1.14	-13.00	-57.73
146.400	-72.33	-69.61	-1.73	-1.21	-13.00	-59.32
338.783	-64.92	-67.73	4.30	-1.89	-13.00	-51.91
350.100	-70.07	-73.04	4.56	-2.03	-13.00	-57.06
587.750	-75.61	-77.19	3.81	-2.66	-13.00	-62.60
1564.000	-59.41	-65.15	9.18	-4.10	-40.00	-19.40
2346.000	-57.11	-62.18	9.58	-5.01	-13.00	-44.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B13
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
763.500	-72.42	-72.82	3.04	-2.64	-35.00	-37.42
764.060	-70.20	-70.58	3.04	-2.67	-35.00	-35.20
765.580	-73.19	-73.51	3.06	-2.74	-35.00	-38.19
768.780	-54.20	-54.39	3.10	-2.91	-35.00	-19.20
770.900	-68.31	-68.45	3.12	-2.98	-35.00	-33.31
773.200	-53.16	-53.30	3.15	-3.00	-35.00	-18.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B13
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
766.900	-82.38	-82.65	3.07	-2.81	-35.00	-47.38
768.820	-63.65	-63.84	3.10	-2.91	-35.00	-28.65
771.200	-77.76	-77.90	3.12	-2.98	-35.00	-42.76
771.680	-78.43	-78.57	3.13	-2.99	-35.00	-43.43
773.200	-64.64	-64.79	3.15	-3.00	-35.00	-29.64
774.880	-78.23	-78.38	3.16	-3.02	-35.00	-43.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B13
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.360	-76.36	-77.07	3.84	-3.13	-35.00	-41.36
793.860	-75.79	-76.51	3.85	-3.13	-35.00	-40.79
796.260	-80.36	-81.15	3.93	-3.13	-35.00	-45.36
798.280	-82.36	-83.21	3.99	-3.13	-35.00	-47.36
799.820	-69.08	-69.98	4.04	-3.13	-35.00	-34.08
801.180	-68.51	-69.47	4.08	-3.12	-35.00	-33.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B13
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :782 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.920	-85.15	-85.87	3.85	-3.13	-35.00	-50.15
797.500	-85.48	-86.31	3.96	-3.13	-35.00	-50.48
799.860	-75.40	-76.31	4.04	-3.13	-35.00	-40.40
800.580	-74.91	-75.84	4.06	-3.13	-35.00	-39.91
801.040	-73.95	-74.90	4.07	-3.12	-35.00	-38.95
801.600	-74.37	-75.34	4.09	-3.12	-35.00	-39.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B14
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.950	-73.76	-64.45	-8.60	-0.78	-13.00	-60.75
118.917	-64.01	-61.15	-1.80	-1.12	-13.00	-51.00
330.700	-73.14	-75.73	4.25	-1.91	-13.00	-60.13
361.417	-73.65	-76.49	4.48	-1.95	-13.00	-60.64
544.100	-73.66	-76.03	4.25	-2.33	-13.00	-60.65
605.533	-72.05	-73.95	3.60	-2.57	-13.00	-59.04
1586.000	-60.37	-66.15	9.32	-4.15	-40.00	-20.36
2379.000	-54.98	-60.38	9.89	-5.07	-13.00	-41.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B14
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :793 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.150	-68.79	-65.84	-1.88	-1.14	-13.00	-55.78
139.933	-72.99	-69.93	-2.00	-1.32	-13.00	-59.98
261.183	-78.74	-81.57	4.37	-1.65	-13.00	-65.73
321.000	-74.63	-77.34	4.19	-1.68	-13.00	-61.62
350.100	-71.87	-74.84	4.56	-2.03	-13.00	-58.86
595.833	-74.80	-76.72	3.75	-2.65	-13.00	-61.79
1586.000	-59.77	-65.55	9.32	-4.15	-40.00	-19.76
2379.000	-55.37	-60.77	9.89	-5.07	-13.00	-42.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B25
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1860 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.07	-65.40	-7.96	-0.79	-13.00	-61.06
112.450	-67.99	-65.36	-1.65	-1.07	-13.00	-54.98
133.467	-71.78	-68.71	-2.01	-1.22	-13.00	-58.77
264.417	-75.72	-78.54	4.35	-1.65	-13.00	-62.71
338.783	-71.40	-74.21	4.30	-1.89	-13.00	-58.39
603.917	-72.35	-74.29	3.62	-2.59	-13.00	-59.34
3720.000	-56.26	-62.32	12.34	-7.56	-13.00	-43.25
5580.000	-40.79	-44.64	12.96	-9.42	-13.00	-27.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B25
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1860 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
120.533	-67.28	-64.46	-1.74	-1.13	-13.00	-54.27
149.633	-72.97	-70.41	-1.62	-1.15	-13.00	-59.96
262.800	-77.20	-80.02	4.36	-1.65	-13.00	-64.19
337.167	-72.58	-75.35	4.29	-1.90	-13.00	-59.57
443.867	-75.71	-78.06	4.13	-2.20	-13.00	-62.70
600.683	-74.40	-76.39	3.64	-2.63	-13.00	-61.39
3720.000	-55.15	-61.21	12.34	-7.56	-13.00	-42.14
5580.000	-39.10	-42.95	12.96	-9.42	-13.00	-26.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B25
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.05	-64.37	-7.96	-0.79	-13.00	-60.04
115.683	-63.27	-60.63	-1.62	-1.10	-13.00	-50.26
138.317	-71.13	-68.03	-2.03	-1.30	-13.00	-58.12
343.633	-71.43	-74.32	4.40	-1.94	-13.00	-58.42
393.750	-74.97	-77.46	4.33	-2.08	-13.00	-61.96
602.300	-72.25	-74.21	3.63	-2.61	-13.00	-59.24
3765.000	-55.40	-60.58	12.40	-7.64	-13.00	-42.39
5647.000	-39.13	-43.10	13.00	-9.21	-13.00	-26.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B25
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1882.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
120.533	-68.16	-65.35	-1.74	-1.13	-13.00	-55.15
149.633	-72.76	-70.20	-1.62	-1.15	-13.00	-59.75
259.567	-78.55	-81.37	4.37	-1.64	-13.00	-65.54
317.767	-72.71	-75.40	4.17	-1.67	-13.00	-59.70
329.083	-71.54	-74.12	4.24	-1.89	-13.00	-58.53
574.817	-75.09	-76.29	3.98	-2.66	-13.00	-62.08
3765.000	-54.88	-60.06	12.40	-7.64	-13.00	-41.87
5647.500	-41.87	-45.83	13.00	-9.21	-13.00	-28.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B25
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1905 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.87	-65.19	-7.96	-0.79	-13.00	-60.86
118.917	-66.98	-64.13	-1.80	-1.12	-13.00	-53.97
141.550	-73.98	-71.03	-1.91	-1.29	-13.00	-60.97
338.783	-70.08	-72.89	4.30	-1.89	-13.00	-57.07
456.800	-76.25	-78.52	4.14	-2.31	-13.00	-63.24
595.833	-71.11	-73.04	3.75	-2.65	-13.00	-58.10
3810.000	-54.64	-59.94	12.38	-7.67	-13.00	-41.63
5715.000	-42.23	-46.38	12.80	-9.07	-13.00	-29.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B25
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1905 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
117.300	-68.89	-66.12	-1.73	-1.11	-13.00	-55.88
143.167	-72.59	-69.65	-1.92	-1.26	-13.00	-59.58
264.417	-77.59	-80.41	4.35	-1.65	-13.00	-64.58
340.400	-73.93	-76.78	4.32	-1.89	-13.00	-60.92
510.150	-75.90	-78.37	4.13	-2.04	-13.00	-62.89
599.067	-75.18	-77.16	3.67	-2.64	-13.00	-62.17
3810.000	-54.89	-60.19	12.38	-7.67	-13.00	-41.88
5715.000	-43.03	-47.18	12.80	-9.07	-13.00	-30.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :831.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-72.02	-63.35	-7.96	-0.79	-13.00	-59.01
114.067	-66.45	-63.75	-1.69	-1.09	-13.00	-53.44
136.700	-72.57	-69.53	-1.97	-1.27	-13.00	-59.56
338.783	-70.25	-73.06	4.30	-1.89	-13.00	-57.24
356.567	-71.26	-74.13	4.49	-1.97	-13.00	-58.25
595.833	-71.33	-73.26	3.75	-2.65	-13.00	-58.32
1663.000	-59.83	-66.00	9.53	-4.27	-13.00	-46.82
2494.500	-56.10	-61.84	10.59	-5.18	-13.00	-43.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :831.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
117.300	-69.88	-67.10	-1.73	-1.11	-13.00	-56.87
139.933	-72.08	-69.01	-2.00	-1.32	-13.00	-59.07
264.417	-77.13	-79.95	4.35	-1.65	-13.00	-64.12
338.783	-71.16	-73.97	4.30	-1.89	-13.00	-58.15
356.567	-73.65	-76.52	4.49	-1.97	-13.00	-60.64
443.867	-75.98	-78.33	4.13	-2.20	-13.00	-62.97
1663.000	-58.25	-64.42	9.53	-4.27	-13.00	-45.24
2494.500	-56.78	-62.52	10.59	-5.18	-13.00	-43.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.29	-64.62	-7.96	-0.79	-13.00	-60.28
112.450	-65.80	-63.16	-1.65	-1.07	-13.00	-52.79
340.400	-73.36	-76.21	4.32	-1.89	-13.00	-60.35
353.333	-74.12	-77.03	4.51	-2.00	-13.00	-61.11
540.867	-72.73	-75.22	4.39	-2.36	-13.00	-59.72
599.067	-72.52	-74.50	3.67	-2.64	-13.00	-59.51
1673.000	-59.39	-65.68	9.55	-4.29	-13.00	-46.38
2509.500	-55.71	-61.56	10.62	-5.20	-13.00	-42.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
120.533	-68.23	-65.42	-1.74	-1.13	-13.00	-55.22
136.700	-71.04	-68.00	-1.97	-1.27	-13.00	-58.03
314.533	-76.13	-78.77	4.15	-1.71	-13.00	-63.12
332.317	-72.61	-75.24	4.26	-1.91	-13.00	-59.60
350.100	-68.54	-71.51	4.56	-2.03	-13.00	-55.53
456.800	-75.97	-78.24	4.14	-2.31	-13.00	-62.96
1673.000	-58.69	-64.98	9.55	-4.29	-13.00	-45.68
2509.500	-56.33	-62.18	10.62	-5.20	-13.00	-43.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :841.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.79	-65.12	-7.96	-0.79	-13.00	-60.78
120.533	-63.71	-60.90	-1.74	-1.13	-13.00	-50.70
136.700	-73.16	-70.12	-1.97	-1.27	-13.00	-60.15
256.333	-73.21	-76.02	4.33	-1.62	-13.00	-60.20
332.317	-67.97	-70.60	4.26	-1.91	-13.00	-54.96
597.450	-71.72	-73.67	3.71	-2.65	-13.00	-58.71
1683.000	-60.21	-66.39	9.57	-4.30	-13.00	-47.20
2524.500	-57.27	-63.04	10.65	-5.21	-13.00	-44.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :841.5 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.067	-71.99	-69.29	-1.69	-1.09	-13.00	-58.98
141.550	-73.42	-70.47	-1.91	-1.29	-13.00	-60.41
340.400	-68.97	-71.82	4.32	-1.89	-13.00	-55.96
350.100	-69.43	-72.39	4.56	-2.03	-13.00	-56.42
419.617	-76.43	-78.67	4.25	-1.89	-13.00	-63.42
532.783	-75.73	-78.18	4.21	-2.08	-13.00	-62.72
1683.000	-58.15	-64.33	9.57	-4.30	-13.00	-45.14
2524.500	-56.57	-62.34	10.65	-5.21	-13.00	-43.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26 Part90
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.34	-65.66	-7.96	-0.79	-13.00	-61.33
114.067	-64.23	-61.53	-1.69	-1.09	-13.00	-51.22
324.233	-72.37	-75.03	4.21	-1.76	-13.00	-59.36
354.950	-72.23	-75.11	4.49	-1.99	-13.00	-59.22
595.833	-72.34	-74.27	3.75	-2.65	-13.00	-59.33
628.167	-71.38	-72.65	3.48	-2.38	-13.00	-58.37
1638.000	-59.29	-65.06	9.48	-4.24	-13.00	-46.28
2457.000	-55.26	-61.08	10.51	-5.15	-13.00	-42.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B26 Part90
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :819 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
118.917	-69.81	-66.96	-1.80	-1.12	-13.00	-56.80
146.400	-74.15	-71.43	-1.73	-1.21	-13.00	-61.14
337.167	-70.22	-72.99	4.29	-1.90	-13.00	-57.21
354.950	-73.68	-76.55	4.49	-1.99	-13.00	-60.67
485.900	-76.09	-78.30	4.29	-2.33	-13.00	-63.08
590.983	-75.28	-77.04	3.79	-2.65	-13.00	-62.27
1638.000	-60.04	-65.82	9.48	-4.24	-13.00	-47.03
2457.000	-55.32	-61.13	10.51	-5.15	-13.00	-42.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B30
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.17	-65.50	-7.96	-0.79	-40.00	-34.16
107.600	-68.57	-66.20	-1.42	-1.04	-40.00	-28.56
133.467	-72.49	-69.42	-2.01	-1.22	-40.00	-32.48
359.800	-71.90	-74.77	4.51	-1.94	-40.00	-31.89
393.750	-75.55	-78.05	4.33	-2.08	-40.00	-35.54
589.367	-72.28	-73.96	3.80	-2.65	-40.00	-32.27
4620.000	-54.02	-59.84	12.42	-7.09	-40.00	-14.01
6930.000	-48.74	-50.94	11.74	-9.82	-40.00	-8.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B30
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2310 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.683	-69.36	-66.72	-1.62	-1.10	-40.00	-29.35
148.017	-73.38	-70.60	-1.81	-1.18	-40.00	-33.37
316.150	-74.79	-77.45	4.15	-1.69	-40.00	-34.78
332.317	-74.71	-77.34	4.26	-1.91	-40.00	-34.70
353.333	-71.85	-74.75	4.51	-2.00	-40.00	-31.84
595.833	-75.57	-77.50	3.75	-2.65	-40.00	-35.56
4620.000	-53.67	-59.49	12.42	-7.09	-40.00	-13.66
6930.000	-49.02	-51.22	11.74	-9.82	-40.00	-9.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B38
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :2580 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.63	-64.96	-7.96	-0.79	-25.00	-48.62
114.067	-66.10	-63.40	-1.69	-1.09	-25.00	-41.09
262.800	-74.72	-77.55	4.36	-1.65	-25.00	-49.71
338.783	-72.01	-74.82	4.30	-1.89	-25.00	-47.00
534.400	-73.25	-75.69	4.24	-2.15	-25.00	-48.24
603.917	-71.19	-73.13	3.62	-2.59	-25.00	-46.18
5160.000	-53.19	-57.91	12.16	-7.93	-25.00	-28.18
7740.000	-45.89	-47.23	11.50	-10.22	-25.00	-20.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B38
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :2580 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
120.533	-67.28	-64.46	-1.74	-1.13	-25.00	-42.27
149.633	-71.87	-69.31	-1.62	-1.15	-25.00	-46.86
254.717	-75.20	-78.01	4.31	-1.61	-25.00	-50.19
319.383	-72.98	-75.69	4.18	-1.66	-25.00	-47.97
346.867	-69.62	-72.55	4.48	-1.99	-25.00	-44.61
502.067	-76.22	-78.50	4.21	-2.35	-25.00	-51.21
5160.000	-53.09	-57.81	12.16	-7.93	-25.00	-28.08
7740.000	-47.55	-48.89	11.50	-10.22	-25.00	-22.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B38
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.43	-65.76	-7.96	-0.79	-25.00	-49.42
112.450	-67.59	-64.96	-1.65	-1.07	-25.00	-42.58
257.950	-74.67	-77.49	4.35	-1.63	-25.00	-49.66
333.933	-71.14	-73.81	4.27	-1.90	-25.00	-46.13
515.000	-74.33	-76.63	4.12	-2.12	-25.00	-49.32
597.450	-72.44	-74.40	3.71	-2.65	-25.00	-47.43
5190.000	-53.28	-58.46	12.34	-7.89	-25.00	-28.27
7785.000	-48.62	-49.91	11.50	-10.51	-25.00	-23.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B38
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.683	-71.61	-68.97	-1.62	-1.10	-25.00	-46.60
141.550	-73.43	-70.47	-1.91	-1.29	-25.00	-48.42
269.267	-75.21	-77.86	4.14	-1.64	-25.00	-50.20
324.233	-73.01	-75.67	4.21	-1.76	-25.00	-48.00
338.783	-70.80	-73.61	4.30	-1.89	-25.00	-45.79
348.483	-71.25	-74.20	4.52	-2.01	-25.00	-46.24
5190.000	-51.73	-56.91	12.34	-7.89	-25.00	-26.72
7785.000	-48.74	-50.03	11.50	-10.51	-25.00	-23.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B38
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :2610 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.48	-64.81	-7.96	-0.79	-25.00	-48.47
120.533	-65.06	-62.24	-1.74	-1.13	-25.00	-40.05
324.233	-71.64	-74.30	4.21	-1.76	-25.00	-46.63
346.867	-72.99	-75.92	4.48	-1.99	-25.00	-47.98
529.550	-73.26	-75.70	4.17	-1.99	-25.00	-48.25
589.367	-72.16	-73.84	3.80	-2.65	-25.00	-47.15
5220.000	-53.33	-58.40	12.56	-7.94	-25.00	-28.32
7830.000	-47.30	-48.78	11.38	-10.62	-25.00	-22.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B38
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :2610 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
114.067	-68.60	-65.90	-1.69	-1.09	-25.00	-43.59
123.767	-70.32	-67.41	-1.84	-1.14	-25.00	-45.31
146.400	-73.13	-70.42	-1.73	-1.21	-25.00	-48.12
325.850	-72.69	-75.32	4.22	-1.81	-25.00	-47.68
348.483	-67.34	-70.29	4.52	-2.01	-25.00	-42.33
602.300	-75.28	-77.24	3.63	-2.61	-25.00	-50.27
5220.000	-51.14	-56.21	12.56	-7.94	-25.00	-26.13
7830.000	-47.98	-49.47	11.38	-10.62	-25.00	-22.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B41
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :2506 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.64	-64.96	-7.96	-0.79	-25.00	-48.63
123.767	-64.77	-61.86	-1.84	-1.14	-25.00	-39.76
340.400	-71.40	-74.25	4.32	-1.89	-25.00	-46.39
356.567	-71.42	-74.29	4.49	-1.97	-25.00	-46.41
432.550	-74.03	-76.00	3.95	-2.06	-25.00	-49.02
605.533	-71.01	-72.92	3.60	-2.57	-25.00	-46.00
5012.000	-52.72	-58.11	12.40	-7.48	-25.00	-27.71
7518.000	-46.96	-49.05	11.04	-9.25	-25.00	-21.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B41
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :2506 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.683	-67.69	-65.05	-1.62	-1.10	-25.00	-42.68
141.550	-74.15	-71.20	-1.91	-1.29	-25.00	-49.14
337.167	-73.24	-76.01	4.29	-1.90	-25.00	-48.23
353.333	-75.02	-77.93	4.51	-2.00	-25.00	-50.01
458.417	-76.35	-78.58	4.14	-2.34	-25.00	-51.34
608.767	-75.32	-77.11	3.52	-2.52	-25.00	-50.31
5012.000	-51.94	-57.33	12.40	-7.48	-25.00	-26.93
7518.000	-47.11	-49.21	11.04	-9.25	-25.00	-22.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B41
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2593 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.07	-64.40	-7.96	-0.79	-25.00	-48.06
110.833	-65.84	-63.43	-1.44	-1.06	-25.00	-40.83
122.150	-66.72	-63.77	-1.88	-1.14	-25.00	-41.71
335.550	-72.20	-74.92	4.28	-1.90	-25.00	-47.19
359.800	-74.78	-77.65	4.51	-1.94	-25.00	-49.77
595.833	-72.53	-74.46	3.75	-2.65	-25.00	-47.52
5186.000	-52.10	-57.26	12.32	-7.89	-25.00	-27.09
7779.000	-48.11	-49.79	11.50	-10.47	-25.00	-23.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B41
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :2593 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.150	-68.65	-65.71	-1.88	-1.14	-25.00	-43.64
146.400	-71.32	-68.61	-1.73	-1.21	-25.00	-46.31
291.900	-79.04	-81.52	4.05	-1.74	-25.00	-54.03
321.000	-74.73	-77.44	4.19	-1.68	-25.00	-49.72
346.867	-74.25	-77.18	4.48	-1.99	-25.00	-49.24
523.083	-76.42	-78.67	4.15	-2.13	-25.00	-51.41
5186.000	-51.84	-57.00	12.32	-7.89	-25.00	-26.83
7779.000	-48.31	-50.00	11.50	-10.47	-25.00	-23.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B41
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :2680 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.55	-64.88	-7.96	-0.79	-25.00	-48.54
117.300	-65.67	-62.90	-1.73	-1.11	-25.00	-40.66
322.617	-71.62	-74.30	4.20	-1.72	-25.00	-46.61
342.017	-70.01	-72.88	4.36	-1.92	-25.00	-45.00
354.950	-70.84	-73.72	4.49	-1.99	-25.00	-45.83
594.217	-71.53	-73.42	3.77	-2.65	-25.00	-46.52
5360.000	-53.97	-58.39	12.96	-8.84	-25.00	-28.96
8040.000	-48.24	-48.54	11.00	-10.87	-25.00	-23.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B41
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :2680 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.683	-71.12	-68.48	-1.62	-1.10	-25.00	-46.11
127.000	-71.43	-68.32	-2.04	-1.16	-25.00	-46.42
259.567	-75.63	-78.45	4.37	-1.64	-25.00	-50.62
342.017	-75.81	-78.68	4.36	-1.92	-25.00	-50.80
451.950	-75.85	-78.26	4.14	-2.22	-25.00	-50.84
500.450	-75.59	-77.85	4.25	-2.41	-25.00	-50.58
5360.000	-52.95	-57.37	12.96	-8.84	-25.00	-27.94
8040.000	-48.21	-48.51	11.00	-10.87	-25.00	-23.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B66
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.950	-72.39	-63.08	-8.60	-0.78	-13.00	-59.38
114.067	-64.18	-61.48	-1.69	-1.09	-13.00	-51.17
125.383	-66.72	-63.80	-1.86	-1.15	-13.00	-53.71
259.567	-72.76	-75.59	4.37	-1.64	-13.00	-59.75
322.617	-71.30	-73.98	4.20	-1.72	-13.00	-58.29
351.717	-71.25	-74.19	4.53	-2.02	-13.00	-58.24
3440.000	-55.13	-62.54	12.52	-5.95	-13.00	-42.12
5160.000	-43.12	-47.83	12.16	-7.93	-13.00	-30.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B66
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
123.767	-71.23	-68.32	-1.84	-1.14	-13.00	-58.22
148.017	-73.68	-70.91	-1.81	-1.18	-13.00	-60.67
267.650	-76.24	-78.95	4.22	-1.64	-13.00	-63.23
308.067	-76.04	-78.69	4.23	-1.76	-13.00	-63.03
338.783	-70.88	-73.69	4.30	-1.89	-13.00	-57.87
515.000	-76.05	-78.35	4.12	-2.12	-13.00	-63.04
3440.000	-53.60	-61.01	12.52	-5.95	-13.00	-40.59
5160.000	-40.59	-45.30	12.16	-7.93	-13.00	-27.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B66
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-74.24	-65.57	-7.96	-0.79	-13.00	-61.23
114.067	-66.24	-63.54	-1.69	-1.09	-13.00	-53.23
139.933	-73.35	-70.29	-2.00	-1.32	-13.00	-60.34
332.317	-71.25	-73.88	4.26	-1.91	-13.00	-58.24
343.633	-74.15	-77.04	4.40	-1.94	-13.00	-61.14
607.150	-71.73	-73.58	3.56	-2.54	-13.00	-58.72
3490.000	-54.71	-62.57	12.42	-6.26	-13.00	-41.70
5235.000	-40.00	-45.13	12.68	-7.99	-13.00	-26.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B66
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.150	-69.23	-66.28	-1.88	-1.14	-13.00	-56.22
261.183	-76.69	-79.52	4.37	-1.65	-13.00	-63.68
330.700	-70.02	-72.61	4.25	-1.91	-13.00	-57.01
340.400	-70.97	-73.82	4.32	-1.89	-13.00	-57.96
353.333	-73.17	-76.07	4.51	-2.00	-13.00	-60.16
597.450	-75.61	-77.56	3.71	-2.65	-13.00	-62.60
3490.000	-54.49	-62.35	12.42	-6.26	-13.00	-41.48
5235.000	-40.18	-45.31	12.68	-7.99	-13.00	-27.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B66
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1770 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Vertical
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.567	-73.11	-64.43	-7.96	-0.79	-13.00	-60.10
112.450	-67.15	-64.52	-1.65	-1.07	-13.00	-54.14
261.183	-74.93	-77.75	4.37	-1.65	-13.00	-61.92
327.467	-70.10	-72.70	4.23	-1.85	-13.00	-57.09
353.333	-71.85	-74.76	4.51	-2.00	-13.00	-58.84
589.367	-72.27	-73.96	3.80	-2.65	-13.00	-59.26
3540.000	-55.59	-62.22	12.40	-6.48	-13.00	-42.58
5310.000	-42.94	-48.16	13.00	-8.30	-13.00	-29.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER/2021/80082
 Operation Mode :LTE B66
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Frequency :1770 MHz

Test Site :SAC 1
 Test Date :2021-09-08
 Temp./Humi. :26.2/60
 Antenna Pol. :Horizontal
 Engineer :Neo Tsai



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.150	-69.28	-66.33	-1.88	-1.14	-13.00	-56.27
148.017	-74.33	-71.55	-1.81	-1.18	-13.00	-61.32
325.850	-72.18	-74.81	4.22	-1.81	-13.00	-59.17
345.250	-73.91	-76.82	4.44	-1.97	-13.00	-60.90
439.017	-74.49	-76.66	4.03	-2.20	-13.00	-61.48
594.217	-74.72	-76.61	3.77	-2.65	-13.00	-61.71
3540.000	-55.56	-62.20	12.40	-6.48	-13.00	-42.55
5310.000	-40.46	-45.69	13.00	-8.30	-13.00	-27.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10 FREQUENCY STABILITY MEASUREMENT

10.1 Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

10.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.4 Measurement Equipment Used

Conducted Emission Test Site: Conducted 4					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/27/2021	04/26/2022
Radio Communication Analyser	Anritsu	MT8820C	6201465317	02/24/2021	02/23/2022
Test Software	SGS	Radio Test Software	Ver. 21	N.C.R	N.C.R
Temperature Chamber	Giant Force	GTH-150-40-CP-AR	MAA0512-018	05/19/2021	05/18/2022
Attenuator	Mini-Circuit	BW-S10W2+	4	12/16/2020	12/15/2021
DC Block	Mini-Circuits	BLK-18-S+	1	12/16/2020	12/15/2021
Power Divider	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-017	12/16/2020	12/15/2021
DC Power Supply	Agilent	E3640A	MY40005907	10/29/2020	10/28/2021

10.5 Measurement Result

Note: The battery is rated 7.66V dc.

Reference Freq.: LTE B2 Mid Channel 1880 MHz 10M QPSK CH 18900				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm
Freq. ERROR vs. VOLTAGE				
8.809	25	1880.000000	0.0000	Limit = +/- 2.5 ppm
7.66	25	1880.000011	0.0059	Limit = +/- 2.5 ppm
6.511	25	1879.999991	-0.0048	Limit = +/- 2.5 ppm
5.8 (End Point)	25	1879.999999	-0.0005	Limit = +/- 2.5 ppm
Freq. ERROR vs. Temp.				
7.66	-30	1880.000001	0.0005	Limit = +/- 2.5 ppm
7.66	-20	1880.000002	0.0011	Limit = +/- 2.5 ppm
7.66	-10	1879.999995	-0.0027	Limit = +/- 2.5 ppm
7.66	0	1880.000004	0.0021	Limit = +/- 2.5 ppm
7.66	10	1879.999998	-0.0011	Limit = +/- 2.5 ppm
7.66	20	1879.999999	-0.0005	Limit = +/- 2.5 ppm
7.66	30	1880.000002	0.0011	Limit = +/- 2.5 ppm
7.66	40	1879.999990	-0.0053	Limit = +/- 2.5 ppm
7.66	50	1879.999992	-0.0043	Limit = +/- 2.5 ppm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B4 Mid Channel		1732.5	MHz 10M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
8.809	25	1732.500002	0.0012	Limit = +/- 2.5 ppm	
7.66	25	1732.500004	0.0023	Limit = +/- 2.5 ppm	
6.511	25	1732.500000	0.0000	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	1732.500004	0.0023	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	1732.500005	0.0029	Limit = +/- 2.5 ppm	
7.66	-20	1732.500005	0.0029	Limit = +/- 2.5 ppm	
7.66	-10	1732.499989	-0.0063	Limit = +/- 2.5 ppm	
7.66	0	1732.500010	0.0058	Limit = +/- 2.5 ppm	
7.66	10	1732.499999	-0.0006	Limit = +/- 2.5 ppm	
7.66	20	1732.500010	0.0058	Limit = +/- 2.5 ppm	
7.66	30	1732.500009	0.0052	Limit = +/- 2.5 ppm	
7.66	40	1732.499999	-0.0006	Limit = +/- 2.5 ppm	
7.66	50	1732.499996	-0.0023	Limit = +/- 2.5 ppm	
Reference Freq.:		LTE B5 Mid Channel		836.5	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm	
Freq. ERROR vs. VOLTAGE					
8.809	25	836.499999	-0.0012	Limit = +/- 2.5 ppm	
7.66	25	836.499991	-0.0108	Limit = +/- 2.5 ppm	
6.511	25	836.499989	-0.0132	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	836.499995	-0.0060	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	836.500010	0.0120	Limit = +/- 2.5 ppm	
7.66	-20	836.500003	0.0036	Limit = +/- 2.5 ppm	
7.66	-10	836.499990	-0.0120	Limit = +/- 2.5 ppm	
7.66	0	836.499994	-0.0072	Limit = +/- 2.5 ppm	
7.66	10	836.500011	0.0132	Limit = +/- 2.5 ppm	
7.66	20	836.500008	0.0096	Limit = +/- 2.5 ppm	
7.66	30	836.499994	-0.0072	Limit = +/- 2.5 ppm	
7.66	40	836.499993	-0.0084	Limit = +/- 2.5 ppm	
7.66	50	836.500006	0.0072	Limit = +/- 2.5 ppm	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B7 Mid Channel		2535	MHz 10M QPSK CH 21100
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
8.809	25	2535.000009	0.0036	Limit = +/- 2.5 ppm	
7.66	25	2535.000002	0.0011	Limit = +/- 2.5 ppm	
6.511	25	2535.000011	0.0059	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	2534.999994	-0.0032	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	2534.999994	-0.0024	Limit = +/- 2.5 ppm	
7.66	-20	2534.999990	-0.0039	Limit = +/- 2.5 ppm	
7.66	-10	2534.999993	-0.0028	Limit = +/- 2.5 ppm	
7.66	0	2534.999992	-0.0032	Limit = +/- 2.5 ppm	
7.66	10	2535.000011	0.0043	Limit = +/- 2.5 ppm	
7.66	20	2535.000003	0.0012	Limit = +/- 2.5 ppm	
7.66	30	2534.999996	-0.0016	Limit = +/- 2.5 ppm	
7.66	40	2535.000011	0.0043	Limit = +/- 2.5 ppm	
7.66	50	2535.000003	0.0012	Limit = +/- 2.5 ppm	
Reference Freq.:		LTE B12 Mid Channel		707.5	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm	
Freq. ERROR vs. VOLTAGE					
8.809	25	707.500003	0.0042	Limit = +/- 2.5 ppm	
7.66	25	707.499995	-0.0071	Limit = +/- 2.5 ppm	
6.511	25	707.499992	-0.0113	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	707.500000	0.0000	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	707.499994	-0.0085	Limit = +/- 2.5 ppm	
7.66	-20	707.499996	-0.0057	Limit = +/- 2.5 ppm	
7.66	-10	707.499989	-0.0155	Limit = +/- 2.5 ppm	
7.66	0	707.500006	0.0085	Limit = +/- 2.5 ppm	
7.66	10	707.499990	-0.0141	Limit = +/- 2.5 ppm	
7.66	20	707.499996	-0.0057	Limit = +/- 2.5 ppm	
7.66	30	707.500002	0.0028	Limit = +/- 2.5 ppm	
7.66	40	707.499993	-0.0099	Limit = +/- 2.5 ppm	
7.66	50	707.500009	0.0127	Limit = +/- 2.5 ppm	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.: LTE B13 Mid Channel 782 MHz 10M QPSK CH 23230				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.809	25	782.000009	0.0115	Limit = +/- 2.5 ppm
7.66	25	782.000006	0.0077	Limit = +/- 2.5 ppm
6.511	25	781.999989	-0.0141	Limit = +/- 2.5 ppm
5.8 (End Point)	25	782.000006	0.0077	Limit = +/- 2.5 ppm
Freq. ERROR vs. Temp.				
7.66	-30	781.999997	-0.0038	Limit = +/- 2.5 ppm
7.66	-20	782.000011	0.0141	Limit = +/- 2.5 ppm
7.66	-10	782.000007	0.0090	Limit = +/- 2.5 ppm
7.66	0	782.000009	0.0115	Limit = +/- 2.5 ppm
7.66	10	781.999994	-0.0077	Limit = +/- 2.5 ppm
7.66	20	782.000002	0.0026	Limit = +/- 2.5 ppm
7.66	30	782.000009	0.0115	Limit = +/- 2.5 ppm
7.66	40	782.000007	0.0090	Limit = +/- 2.5 ppm
7.66	50	782.000006	0.0077	Limit = +/- 2.5 ppm
Reference Freq.: LTE B14 Mid Channel 793 MHz 10M QPSK CH 23330				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 1.25 ppm
Freq. ERROR vs. VOLTAGE				
8.809	25	793.000002	0.0025	Limit = +/- 2.5 ppm
7.66	25	793.000001	0.0013	Limit = +/- 2.5 ppm
6.511	25	793.000005	0.0063	Limit = +/- 2.5 ppm
5.8 (End Point)	25	793.000009	0.0113	Limit = +/- 2.5 ppm
Freq. ERROR vs. Temp.				
7.66	-30	793.000007	0.0088	Limit = +/- 2.5 ppm
7.66	-20	793.000003	0.0038	Limit = +/- 2.5 ppm
7.66	-10	793.000009	0.0113	Limit = +/- 2.5 ppm
7.66	0	793.000001	0.0013	Limit = +/- 2.5 ppm
7.66	10	792.999991	-0.0113	Limit = +/- 2.5 ppm
7.66	20	793.000000	0.0000	Limit = +/- 2.5 ppm
7.66	30	793.000003	0.0038	Limit = +/- 2.5 ppm
7.66	40	792.999991	-0.0113	Limit = +/- 2.5 ppm
7.66	50	793.000011	0.0139	Limit = +/- 2.5 ppm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B25 Mid Channel		1882.5	MHz 10M QPSK CH 26365
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm	
Freq. ERROR vs. VOLTAGE					
8.809	25	1882.500010	0.0053	Limit = +/- 2.5 ppm	
7.66	25	1882.499992	-0.0042	Limit = +/- 2.5 ppm	
6.511	25	1882.499991	-0.0048	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	1882.499996	-0.0021	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	1882.500004	0.0021	Limit = +/- 2.5 ppm	
7.66	-20	1882.500007	0.0037	Limit = +/- 2.5 ppm	
7.66	-10	1882.499996	-0.0021	Limit = +/- 2.5 ppm	
7.66	0	1882.500003	0.0016	Limit = +/- 2.5 ppm	
7.66	10	1882.500008	0.0042	Limit = +/- 2.5 ppm	
7.66	20	1882.499992	-0.0042	Limit = +/- 2.5 ppm	
7.66	30	1882.500002	0.0011	Limit = +/- 2.5 ppm	
7.66	40	1882.499993	-0.0037	Limit = +/- 2.5 ppm	
7.66	50	1882.500010	0.0053	Limit = +/- 2.5 ppm	
Reference Freq.:		Part 90 LTE B26 Mid Channel		819	MHz 10M QPSK CH 26740
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm	
Freq. ERROR vs. VOLTAGE (LTE B26 for Part 90S)					
8.809	25	819.000006	0.0073	Limit = +/- 2.5 ppm	
7.66	25	818.999992	-0.0098	Limit = +/- 2.5 ppm	
6.511	25	818.999991	-0.0110	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	819.000003	0.0037	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	819.000007	0.0085	Limit = +/- 2.5 ppm	
7.66	-20	819.000003	0.0037	Limit = +/- 2.5 ppm	
7.66	-10	819.000003	0.0037	Limit = +/- 2.5 ppm	
7.66	0	818.999990	-0.0122	Limit = +/- 2.5 ppm	
7.66	10	819.000002	0.0024	Limit = +/- 2.5 ppm	
7.66	20	819.000001	0.0012	Limit = +/- 2.5 ppm	
7.66	30	818.999994	-0.0073	Limit = +/- 2.5 ppm	
7.66	40	819.000005	0.0061	Limit = +/- 2.5 ppm	
7.66	50	818.999991	-0.0110	Limit = +/- 2.5 ppm	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B26 Mid Channel		831.5	MHz 10M QPSK CH 26865
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
8.809	25	831.500010	0.0120	Limit = +/- 2.5 ppm	
7.66	25	831.500006	0.0072	Limit = +/- 2.5 ppm	
6.511	25	831.500007	0.0084	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	831.499990	-0.0120	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	831.500004	0.0048	Limit = +/- 2.5 ppm	
7.66	-20	831.500004	0.0048	Limit = +/- 2.5 ppm	
7.66	-10	831.500000	0.0000	Limit = +/- 2.5 ppm	
7.66	0	831.499993	-0.0084	Limit = +/- 2.5 ppm	
7.66	10	831.500005	0.0060	Limit = +/- 2.5 ppm	
7.66	20	831.499990	-0.0120	Limit = +/- 2.5 ppm	
7.66	30	831.499996	-0.0048	Limit = +/- 2.5 ppm	
7.66	40	831.499990	-0.0120	Limit = +/- 2.5 ppm	
7.66	50	831.500004	0.0048	Limit = +/- 2.5 ppm	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B30 Mid Channel		2310	MHz 10M QPSK CH 27710
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
8.809	25	2310.000011	0.0048	Limit = +/- 2.5 ppm	
7.66	25	2309.999997	-0.0013	Limit = +/- 2.5 ppm	
6.511	25	2310.000005	0.0022	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	2309.999996	-0.0017	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	2310.000010	0.0043	Limit = +/- 2.5 ppm	
7.66	-20	2309.999993	-0.0030	Limit = +/- 2.5 ppm	
7.66	-10	2310.000004	0.0017	Limit = +/- 2.5 ppm	
7.66	0	2310.000001	0.0004	Limit = +/- 2.5 ppm	
7.66	10	2310.000009	0.0039	Limit = +/- 2.5 ppm	
7.66	20	2310.000006	0.0026	Limit = +/- 2.5 ppm	
7.66	30	2310.000007	0.0030	Limit = +/- 2.5 ppm	
7.66	40	2309.999990	-0.0043	Limit = +/- 2.5 ppm	
7.66	50	2309.999990	-0.0043	Limit = +/- 2.5 ppm	
Reference Freq.:		LTE B38 Mid Channel		2595	MHz 10M QPSK CH 38000
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
8.809	25	2594.999994	-0.0023	Limit = +/- 2.5 ppm	
7.66	25	2595.000007	0.0027	Limit = +/- 2.5 ppm	
6.511	25	2595.000007	0.0027	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	2594.999996	-0.0015	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	2594.999990	-0.0039	Limit = +/- 2.5 ppm	
7.66	-20	2594.999993	-0.0027	Limit = +/- 2.5 ppm	
7.66	-10	2595.000001	0.0004	Limit = +/- 2.5 ppm	
7.66	0	2595.000000	0.0000	Limit = +/- 2.5 ppm	
7.66	10	2594.999993	-0.0027	Limit = +/- 2.5 ppm	
7.66	20	2594.999997	-0.0012	Limit = +/- 2.5 ppm	
7.66	30	2595.000007	0.0027	Limit = +/- 2.5 ppm	
7.66	40	2595.000007	0.0027	Limit = +/- 2.5 ppm	
7.66	50	2594.999990	-0.0039	Limit = +/- 2.5 ppm	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B41 Mid Channel		2593	MHz 10M QPSK CH 40620
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm	
Freq. ERROR vs. VOLTAGE					
8.809	25	2593.000008	0.0031	Limit = +/- 2.5 ppm	
7.66	25	2593.000009	0.0035	Limit = +/- 2.5 ppm	
6.511	25	2593.000003	0.0012	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	2593.000007	0.0027	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	2592.999995	-0.0019	Limit = +/- 2.5 ppm	
7.66	-20	2592.999991	-0.0035	Limit = +/- 2.5 ppm	
7.66	-10	2592.999999	-0.0004	Limit = +/- 2.5 ppm	
7.66	0	2592.999999	-0.0004	Limit = +/- 2.5 ppm	
7.66	10	2592.999989	-0.0042	Limit = +/- 2.5 ppm	
7.66	20	2592.999993	-0.0027	Limit = +/- 2.5 ppm	
7.66	30	2592.999999	-0.0004	Limit = +/- 2.5 ppm	
7.66	40	2593.000008	0.0031	Limit = +/- 2.5 ppm	
7.66	50	2593.000008	0.0031	Limit = +/- 2.5 ppm	
Reference Freq.:		LTE B66 Mid Channel		1745	MHz 10M QPSK CH 132322
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (ppm)	Limit = +/- 2.5 ppm	
Freq. ERROR vs. VOLTAGE					
8.809	25	1744.999996	-0.0023	Limit = +/- 2.5 ppm	
7.66	25	1744.999991	-0.0052	Limit = +/- 2.5 ppm	
6.511	25	1744.999992	-0.0046	Limit = +/- 2.5 ppm	
5.8 (End Point)	25	1744.999994	-0.0034	Limit = +/- 2.5 ppm	
Freq. ERROR vs. Temp.					
7.66	-30	1745.000011	0.0063	Limit = +/- 2.5 ppm	
7.66	-20	1745.000011	0.0063	Limit = +/- 2.5 ppm	
7.66	-10	1744.999992	-0.0046	Limit = +/- 2.5 ppm	
7.66	0	1744.999995	-0.0029	Limit = +/- 2.5 ppm	
7.66	10	1744.999998	-0.0011	Limit = +/- 2.5 ppm	
7.66	20	1745.000007	0.0040	Limit = +/- 2.5 ppm	
7.66	30	1745.000010	0.0057	Limit = +/- 2.5 ppm	
7.66	40	1745.000007	0.0040	Limit = +/- 2.5 ppm	
7.66	50	1745.000011	0.0063	Limit = +/- 2.5 ppm	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11 PEAK TO AVERAGE RATIO

11.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2 Test SET-UP



11.3 Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal =1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4 Measurement Equipment Used

Conducted Emission Test Site: Conducted 4					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/27/2021	04/26/2022
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	02/24/2021	02/23/2022
Test Software	SGS	Radio Test Software	Ver. 21	N.C.R	N.C.R
Temperature Chamber	Giant Force	GTH-150-40-CP-AR	MAA0512-018	05/19/2021	05/18/2022
Attenuator	Mini-Circuit	BW-S10W2+	4	12/16/2020	12/15/2021
DC Block	Mini-Circuits	BLK-18-S+	1	12/16/2020	12/15/2021
Power Divider	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-017	12/16/2020	12/15/2021
DC Power Supply	Agilent	E3640A	MY40005907	10/29/2020	10/28/2021

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.5 Measurement Result

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1850.7	18607	6.44	13	1851.5	18615	6.28	13
1880.0	18900	6.56	13	1880.0	18900	6.45	13
1909.3	19193	6.30	13	1908.5	19185	6.33	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1852.5	18625	5.67	13	1855.0	18650	5.17	13
1880.0	18900	5.83	13	1880.0	18900	5.83	13
1907.5	19175	6.15	13	1905.0	19150	5.93	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1857.5	18675	6.36	13	1860.0	18700	6.17	13
1880.0	18900	6.33	13	1880.0	18900	6.44	13
1902.5	19125	6.47	13	1900.0	19100	6.42	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1710.7	19957	6.56	13	1711.5	19965	6.35	13
1732.5	20175	6.69	13	1732.5	20175	6.45	13
1754.3	20393	6.70	13	1753.5	20385	6.47	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1712.5	19975	6.11	13	1715.0	20000	6.08	13
1732.5	20175	6.10	13	1732.5	20175	5.97	13
1752.5	20375	6.01	13	1750.0	20350	6.04	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1717.5	20025	6.62	13	1720.0	20050	6.32	13
1732.5	20175	6.72	13	1732.5	20175	6.36	13
1747.5	20325	6.44	13	1745.0	20300	6.38	13

LTE BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
824.7	20407	6.58	13	825.5	20415	6.49	13
836.5	20525	6.65	13	836.5	20525	6.50	13
848.3	20643	6.36	13	847.5	20635	6.45	13

LTE BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
826.5	20425	6.61	13	829.0	20450	6.24	13
836.5	20525	6.62	13	836.5	20525	6.42	13
846.5	20625	6.48	13	844.0	20600	6.39	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 7							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2502.5	20775	6.45	13	2505.0	20800	6.62	13
2535.0	21100	6.59	13	2535.0	21100	6.29	13
2567.5	21375	6.59	13	2565.0	21350	6.50	13

LTE BAND 7							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2507.5	20825	6.55	13	2510	20850	6.48	13
2535.0	21100	6.56	13	2535	21100	6.54	13
2562.5	21375	6.60	13	2560	21350	6.27	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
699.7	23017	6.48	13	700.5	23025	6.38	13
707.5	23095	6.71	13	707.5	23095	6.56	13
715.3	23173	6.76	13	714.5	23165	6.34	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
701.5	23035	6.25	13	704.0	23060	6.29	13
707.5	23095	6.59	13	707.5	23095	6.50	13
713.5	23155	6.38	13	711.0	23130	6.38	13

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
779.5	23205	6.40	13	782.0	23230	6.40	13
782.0	23230	6.48	13				
784.5	23255	6.30	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 14							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
790.5	23305	7.54	13	793.0	23330	6.38	13
793	23330	6.64	13				
795.5	23355	6.42	13				

LTE BAND 25							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1850.7	26047	6.49	13	1851.5	26055	6.53	13
1882.5	26365	6.58	13	1882.5	26365	6.38	13
1914.3	26683	6.52	13	1913.5	26675	6.69	13

LTE BAND 25							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1852.5	26065	6.51	13	1855.0	26090	6.40	13
1882.5	26365	6.36	13	1882.5	26365	6.50	13
1912.5	26665	6.54	13	1910.0	26640	6.18	13

LTE BAND 25							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1857.5	26115	6.23	13	1860.0	26140	6.41	13
1882.5	26365	6.35	13	1882.5	26365	6.53	13
1907.5	26615	6.30	13	1905.0	26590	6.27	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 26 for part 90S							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
814.7	26697	6.58	13	815.5	26705	6.42	13
819.0	26740	6.54	13	819	26740	6.47	13
823.3	26783	6.36	13	822.5	26775	6.45	13

LTE BAND 26 for part 90S							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
816.5	26715	6.27	13	819.0	26740	6.30	13
819.0	26740	6.46	13				
821.5	26765	6.19	13				

LTE BAND 26							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
814.7	26697	6.40	13	815.5	26705	6.58	13
831.5	26865	6.55	13	831.5	26865	6.54	13
848.3	27033	6.53	13	847.5	27025	6.22	13

LTE BAND 26							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
816.5	26715	6.35	13	820.0	26750	6.45	13
831.5	26865	6.20	13	831.5	26865	6.40	13
846.5	27015	6.49	13	844.0	26990	6.25	13

LTE BAND 26							
Channel bandwidth: 15MHz							
Freq. (MHz)	CH	PAPR (dB)					
		64QAM	Limit				
822.5	26775	6.33	13				
831.5	26865	6.52	13				
841.5	26965	6.21	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 30							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2307.5	27685	6.53	13	2310.0	27710	6.39	13
2310.0	27710	6.57	13				
2312.5	27735	6.55	13				

LTE BAND 38							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2572.5	37775	8.21	13	2575	37800	6.47	13
2595.0	38000	6.43	13	2595	38000	6.54	13
2617.5	38225	10.16	13	2615	38200	6.32	13

LTE BAND 38							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2577.5	37825	6.51	13	2580.0	37850	6.41	13
2595.0	38000	7.46	13	2595.0	38000	6.47	13
2612.5	38175	9.00	13	2610.0	38150	6.59	13

LTE BAND 41							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2498.5	39675	7.51	13	2501.0	39700	12.55	13
2593.0	40620	11.96	13	2593.0	40620	10.70	13
2687.5	41565	8.33	13	2685.0	41540	7.78	13

LTE BAND 41							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2503.5	39725	6.51	13	2506.0	39750	6.36	13
2593.0	40620	6.62	13	2593.0	40620	6.55	13
2682.5	41515	7.48	13	2680.0	41490	11.13	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 66							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1710.7	131979	6.89	13	1711.5	131987	6.58	13
1745.0	132322	6.58	13	1745.0	132322	6.48	13
1779.3	132665	6.58	13	1778.5	132657	6.50	13

LTE BAND 66							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1712.5	131997	6.36	13	1715.0	132022	6.42	13
1745.0	132322	6.45	13	1745.0	132322	6.56	13
1777.5	132647	6.52	13	1775.0	132622	6.33	13


LTE BAND 66							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1717.5	132047	6.62	13	1720.0	132072	6.48	13
1745.0	132322	6.31	13	1745.0	132322	6.28	13
1772.5	132597	6.40	13	1770.0	132572	6.46	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_1.4MHz_64QAM_RB6_0_CH18607




Band2_3MHz_64QAM_RB15_0_CH18615




Band2_1.4MHz_64QAM_RB6_0_CH18900




Band2_3MHz_64QAM_RB15_0_CH18900



Band2_1.4MHz_64QAM_RB6_0_CH19193




Band2_3MHz_64QAM_RB15_0_CH19185




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band2_5MHz_64QAM_RB25_0_CH18625




Band2_10MHz_64QAM_RB50_0_CH18650




Band2_5MHz_64QAM_RB25_0_CH18900




Band2_10MHz_64QAM_RB50_0_CH18900



Band2_5MHz_64QAM_RB25_0_CH19175




Band2_10MHz_64QAM_RB50_0_CH19150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_15MHz_64QAM_RB75_0_CH18675




Band2_20MHz_64QAM_RB100_0_CH18700



Band2_15MHz_64QAM_RB75_0_CH18900



Band2_20MHz_64QAM_RB100_0_CH18900



Band2_15MHz_64QAM_RB75_0_CH19125



Band2_20MHz_64QAM_RB100_0_CH19100




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_1.4MHz_64QAM_RB6_0_CH19957



Band4_3MHz_64QAM_RB15_0_CH19965




Band4_1.4MHz_64QAM_RB6_0_CH20175



Band4_3MHz_64QAM_RB15_0_CH20175



Band4_1.4MHz_64QAM_RB6_0_CH20393



Band4_3MHz_64QAM_RB15_0_CH20385




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_5MHz_64QAM_RB25_0_CH19975




Band4_10MHz_64QAM_RB50_0_CH20000




Band4_5MHz_64QAM_RB25_0_CH20175




Band4_10MHz_64QAM_RB50_0_CH20175



Band4_5MHz_64QAM_RB25_0_CH20375



Band4_10MHz_64QAM_RB50_0_CH20350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_15MHz_64QAM_RB75_0_CH20025



Band4_20MHz_64QAM_RB100_0_CH20050



Band4_15MHz_64QAM_RB75_0_CH20175




Band4_20MHz_64QAM_RB100_0_CH20175



Band4_15MHz_64QAM_RB75_0_CH20325




Band4_20MHz_64QAM_RB100_0_CH20300




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_1.4MHz_64QAM_RB6_0_CH20407




Band5_3MHz_64QAM_RB15_0_CH20415



Band5_1.4MHz_64QAM_RB6_0_CH20525



Band5_3MHz_64QAM_RB15_0_CH20525



Band5_1.4MHz_64QAM_RB6_0_CH20643



Band5_3MHz_64QAM_RB15_0_CH20635




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_5MHz_64QAM_RB25_0_CH20425




Band5_10MHz_64QAM_RB50_0_CH20450



Band5_5MHz_64QAM_RB25_0_CH20525



Band5_10MHz_64QAM_RB50_0_CH20525



Band5_5MHz_64QAM_RB25_0_CH20625



Band5_10MHz_64QAM_RB50_0_CH20600



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7_5MHz_64QAM_RB25_0_CH20775




Band7_10MHz_64QAM_RB50_0_CH20800



Band7_5MHz_64QAM_RB25_0_CH21100




Band7_10MHz_64QAM_RB50_0_CH21100



Band7_5MHz_64QAM_RB25_0_CH21425



Band7_10MHz_64QAM_RB50_0_CH21400




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7_15MHz_64QAM_RB75_0_CH20825




Band7_20MHz_64QAM_RB100_0_CH20850



Band7_15MHz_64QAM_RB75_0_CH21100



Band7_20MHz_64QAM_RB100_0_CH21100



Band7_15MHz_64QAM_RB75_0_CH21375




Band7_20MHz_64QAM_RB100_0_CH21350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_1.4MHz_64QAM_RB6_0_CH23017




Band12_3MHz_64QAM_RB15_0_CH23025



Band12_1.4MHz_64QAM_RB6_0_CH23095



Band12_3MHz_64QAM_RB15_0_CH23095



Band12_1.4MHz_64QAM_RB6_0_CH23173



Band12_3MHz_64QAM_RB15_0_CH23165




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_5MHz_64QAM_RB25_0_CH23035




Band12_10MHz_64QAM_RB50_0_CH23060




Band12_5MHz_64QAM_RB25_0_CH23095



Band12_10MHz_64QAM_RB50_0_CH23095



Band12_5MHz_64QAM_RB25_0_CH23155



Band12_10MHz_64QAM_RB50_0_CH23130




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band13_5MHz_64QAM_RB25_0_CH23205




Band13_10MHz_64QAM_RB50_0_CH23230




Band13_5MHz_64QAM_RB25_0_CH23230




Band14_5MHz_64QAM_RB25_0_CH23305



Band13_5MHz_64QAM_RB25_0_CH23255



Band14_5MHz_64QAM_RB25_0_CH23330



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.