



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port1) | Pass | PK | 747.8M | 39.59 | 46.00 | -6.41 | 3 | Horizontal | 360 | 1.00 | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port2) | Pass | PK | 319.06M | 35.77 | 46.00 | -10.23 | 3 | Horizontal | 0 | 1.00 | - |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11b_Nss1,(1Mbps)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - |
| 2437MHz | Pass | PK | 62.98M | 29.24 | 40.00 | -10.76 | 3 | Vertical | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 127M | 27.64 | 43.50 | -15.86 | 3 | Vertical | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 251.16M | 28.33 | 46.00 | -17.67 | 3 | Vertical | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 352.04M | 32.27 | 46.00 | -13.73 | 3 | Vertical | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 400.54M | 29.64 | 46.00 | -16.36 | 3 | Vertical | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 594.54M | 29.46 | 46.00 | -16.54 | 3 | Vertical | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 30M | 31.91 | 40.00 | -8.09 | 3 | Horizontal | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 255.04M | 32.88 | 46.00 | -13.12 | 3 | Horizontal | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 288.02M | 35.69 | 46.00 | -10.31 | 3 | Horizontal | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 319.06M | 35.87 | 46.00 | -10.13 | 3 | Horizontal | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 400.54M | 31.86 | 46.00 | -14.14 | 3 | Horizontal | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 747.8M | 39.59 | 46.00 | -6.41 | 3 | Horizontal | 360 | 1.00 | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - |
| 2437MHz | Pass | PK | 62.98M | 29.31 | 40.00 | -10.69 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 127M | 27.69 | 43.50 | -15.81 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 282.2M | 33.56 | 46.00 | -12.44 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 352.04M | 32.81 | 46.00 | -13.19 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 400.54M | 29.59 | 46.00 | -16.41 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 641.1M | 30.29 | 46.00 | -15.71 | 3 | Vertical | 360 | 1.00 | - |
| 2437MHz | Pass | PK | 62.98M | 24.91 | 40.00 | -15.09 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 224M | 30.35 | 46.00 | -15.65 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 288.02M | 35.58 | 46.00 | -10.42 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 319.06M | 35.77 | 46.00 | -10.23 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 400.54M | 31.62 | 46.00 | -14.38 | 3 | Horizontal | 0 | 1.00 | - |
| 2437MHz | Pass | PK | 544.1M | 30.20 | 46.00 | -15.80 | 3 | Horizontal | 0 | 1.00 | - |

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_Switching power supply



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 62.98M | 29.24 | 40.00 | -10.76 | -14.62 | 3 | Vertical | 0 | 1.00 | - | 43.86 | 11.57 | 1.29 | 27.48 |
| PK | 127M | 27.64 | 43.50 | -15.86 | -8.27 | 3 | Vertical | 0 | 1.00 | - | 35.91 | 17.13 | 1.85 | 27.25 |
| PK | 251.16M | 28.33 | 46.00 | -17.67 | -6.37 | 3 | Vertical | 0 | 1.00 | - | 34.70 | 17.67 | 2.64 | 26.68 |
| PK | 352.04M | 32.27 | 46.00 | -13.73 | -4.15 | 3 | Vertical | 0 | 1.00 | - | 36.42 | 19.57 | 3.15 | 26.87 |
| PK | 400.54M | 29.64 | 46.00 | -16.36 | -2.79 | 3 | Vertical | 0 | 1.00 | - | 32.43 | 21.02 | 3.38 | 27.19 |
| PK | 594.54M | 29.46 | 46.00 | -16.54 | -0.03 | 3 | Vertical | 0 | 1.00 | - | 29.49 | 23.74 | 4.18 | 27.95 |

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_Switching power supply



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 30M | 31.91 | 40.00 | -8.09 | -2.94 | 3 | Horizontal | 360 | 1.00 | - | 34.85 | 23.76 | 0.88 | 27.58 |
| PK | 255.04M | 32.88 | 46.00 | -13.12 | -5.89 | 3 | Horizontal | 360 | 1.00 | - | 38.77 | 18.12 | 2.66 | 26.67 |
| PK | 288.02M | 35.69 | 46.00 | -10.31 | -5.79 | 3 | Horizontal | 360 | 1.00 | - | 41.48 | 17.99 | 2.85 | 26.63 |
| PK | 319.06M | 35.87 | 46.00 | -10.13 | -4.96 | 3 | Horizontal | 360 | 1.00 | - | 40.83 | 18.75 | 3.00 | 26.71 |
| PK | 400.54M | 31.86 | 46.00 | -14.14 | -2.79 | 3 | Horizontal | 360 | 1.00 | - | 34.65 | 21.02 | 3.38 | 27.19 |
| PK | 747.8M | 39.59 | 46.00 | -6.41 | 2.03 | 3 | Horizontal | 360 | 1.00 | - | 37.56 | 25.06 | 4.72 | 27.75 |

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_Switching power supply



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 62.98M | 29.31 | 40.00 | -10.69 | -14.62 | 3 | Vertical | 360 | 1.00 | - | 43.93 | 11.57 | 1.29 | 27.48 |
| PK | 127M | 27.69 | 43.50 | -15.81 | -8.27 | 3 | Vertical | 360 | 1.00 | - | 35.96 | 17.13 | 1.85 | 27.25 |
| PK | 282.2M | 33.56 | 46.00 | -12.44 | -5.93 | 3 | Vertical | 360 | 1.00 | - | 39.49 | 17.88 | 2.82 | 26.63 |
| PK | 352.04M | 32.81 | 46.00 | -13.19 | -4.15 | 3 | Vertical | 360 | 1.00 | - | 36.96 | 19.57 | 3.15 | 26.87 |
| PK | 400.54M | 29.59 | 46.00 | -16.41 | -2.79 | 3 | Vertical | 360 | 1.00 | - | 32.38 | 21.02 | 3.38 | 27.19 |
| PK | 641.1M | 30.29 | 46.00 | -15.71 | 0.39 | 3 | Vertical | 360 | 1.00 | - | 29.90 | 24.05 | 4.36 | 28.02 |

802.11b_Nss1,(1Mbps)_1TX(Port2)

2437MHz_Switching power supply



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 62.98M | 24.91 | 40.00 | -15.09 | -14.62 | 3 | Horizontal | 0 | 1.00 | - | 39.53 | 11.57 | 1.29 | 27.48 |
| PK | 224M | 30.35 | 46.00 | -15.65 | -9.74 | 3 | Horizontal | 0 | 1.00 | - | 40.09 | 14.57 | 2.48 | 26.79 |
| PK | 288.02M | 35.58 | 46.00 | -10.42 | -5.79 | 3 | Horizontal | 0 | 1.00 | - | 41.37 | 17.99 | 2.85 | 26.63 |
| PK | 319.06M | 35.77 | 46.00 | -10.23 | -4.96 | 3 | Horizontal | 0 | 1.00 | - | 40.73 | 18.75 | 3.00 | 26.71 |
| PK | 400.54M | 31.62 | 46.00 | -14.38 | -2.79 | 3 | Horizontal | 0 | 1.00 | - | 34.41 | 21.02 | 3.38 | 27.19 |
| PK | 544.1M | 30.20 | 46.00 | -15.80 | 0.27 | 3 | Horizontal | 0 | 1.00 | - | 29.93 | 24.28 | 3.95 | 27.96 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2.4-2.4835GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port1) | Pass | AV | 2.4842G | 48.15 | 54.00 | -5.85 | 3 | Horizontal | 178 | 1.04 | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port2) | Pass | AV | 2.4842G | 48.15 | 54.00 | -5.85 | 3 | Horizontal | 188 | 1.18 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port1) | Pass | AV | 2.4835G | 52.46 | 54.00 | -1.54 | 3 | Horizontal | 180 | 1.26 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port2) | Pass | AV | 2.39G | 52.40 | 54.00 | -1.60 | 3 | Horizontal | 181 | 1.20 | - |
| 802.11n HT20_Nss1,(MCS0)_1TX(Port1) | Pass | AV | 2.3898G | 49.64 | 54.00 | -4.36 | 3 | Horizontal | 183 | 1.10 | - |
| 802.11n HT20_Nss1,(MCS0)_1TX(Port2) | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 180 | 1.06 | - |
| 802.11n HT40_Nss1,(MCS0)_1TX(Port1) | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 180 | 1.03 | - |
| 802.11n HT40_Nss1,(MCS0)_1TX(Port2) | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 180 | 1.24 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port1) | Pass | AV | 2.3898G | 49.64 | 54.00 | -4.36 | 3 | Horizontal | 178 | 1.11 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port2) | Pass | AV | 2.4835G | 52.25 | 54.00 | -1.75 | 3 | Horizontal | 182 | 1.16 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port1) | Pass | AV | 2.4835G | 52.46 | 54.00 | -1.54 | 3 | Horizontal | 174 | 1.29 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port2) | Pass | AV | 2.39G | 52.09 | 54.00 | -1.91 | 3 | Horizontal | 181 | 1.38 | - |
| 802.11n HT20_Nss1,(MCS8)_2TX | Pass | AV | 2.39G | 52.39 | 54.00 | -1.61 | 3 | Horizontal | 180 | 1.31 | - |
| 802.11n HT40_Nss1,(MCS8)_2TX | Pass | AV | 2.4835G | 52.46 | 54.00 | -1.54 | 3 | Horizontal | 178 | 1.07 | - |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass | AV | 2.39G | 52.07 | 54.00 | -1.93 | 3 | Horizontal | 179 | 1.09 | - |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass | AV | 2.4835G | 52.25 | 54.00 | -1.75 | 3 | Horizontal | 181 | 1.05 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11b_Nss1,(1Mbps)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3892G | 47.39 | 54.00 | -6.61 | 3 | Vertical | 166 | 1.11 | - |
| 2412MHz | Pass | AV | 2.4128G | 106.66 | Inf | -Inf | 3 | Vertical | 166 | 1.11 | - |
| 2412MHz | Pass | PK | 2.389G | 58.61 | 74.00 | -15.39 | 3 | Vertical | 166 | 1.11 | - |
| 2412MHz | Pass | PK | 2.4138G | 110.87 | Inf | -Inf | 3 | Vertical | 166 | 1.11 | - |
| 2412MHz | Pass | AV | 2.3892G | 49.59 | 54.00 | -4.41 | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | AV | 2.4128G | 111.74 | Inf | -Inf | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | PK | 2.3896G | 60.00 | 74.00 | -14.00 | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | PK | 2.4126G | 115.83 | Inf | -Inf | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | AV | 4.824G | 44.87 | 54.00 | -9.13 | 3 | Vertical | 220 | 1.70 | - |
| 2412MHz | Pass | PK | 4.82388G | 49.33 | 74.00 | -24.67 | 3 | Vertical | 220 | 1.70 | - |
| 2412MHz | Pass | AV | 4.82396G | 45.04 | 54.00 | -8.96 | 3 | Horizontal | 111 | 1.75 | - |
| 2412MHz | Pass | PK | 4.82388G | 49.40 | 74.00 | -24.60 | 3 | Horizontal | 111 | 1.75 | - |
| 2437MHz | Pass | AV | 2.389G | 46.17 | 54.00 | -7.83 | 3 | Vertical | 159 | 1.03 | - |
| 2437MHz | Pass | AV | 2.4362G | 104.83 | Inf | -Inf | 3 | Vertical | 159 | 1.03 | - |
| 2437MHz | Pass | AV | 2.4842G | 47.40 | 54.00 | -6.60 | 3 | Vertical | 159 | 1.03 | - |
| 2437MHz | Pass | PK | 2.3846G | 58.45 | 74.00 | -15.55 | 3 | Vertical | 159 | 1.03 | - |
| 2437MHz | Pass | PK | 2.4362G | 109.04 | Inf | -Inf | 3 | Vertical | 159 | 1.03 | - |
| 2437MHz | Pass | PK | 2.4874G | 59.87 | 74.00 | -14.13 | 3 | Vertical | 159 | 1.03 | - |
| 2437MHz | Pass | AV | 2.3894G | 46.44 | 54.00 | -7.56 | 3 | Horizontal | 182 | 1.33 | - |
| 2437MHz | Pass | AV | 2.4362G | 111.66 | Inf | -Inf | 3 | Horizontal | 182 | 1.33 | - |
| 2437MHz | Pass | AV | 2.4842G | 47.91 | 54.00 | -6.09 | 3 | Horizontal | 182 | 1.33 | - |
| 2437MHz | Pass | PK | 2.3502G | 59.34 | 74.00 | -14.66 | 3 | Horizontal | 182 | 1.33 | - |
| 2437MHz | Pass | PK | 2.4378G | 115.45 | Inf | -Inf | 3 | Horizontal | 182 | 1.33 | - |
| 2437MHz | Pass | PK | 2.4882G | 60.00 | 74.00 | -14.00 | 3 | Horizontal | 182 | 1.33 | - |
| 2437MHz | Pass | AV | 4.87396G | 40.47 | 54.00 | -13.53 | 3 | Vertical | 222 | 1.66 | - |
| 2437MHz | Pass | AV | 7.31174G | 40.22 | 54.00 | -13.78 | 3 | Vertical | 168 | 1.00 | - |
| 2437MHz | Pass | PK | 4.8739G | 46.95 | 74.00 | -27.05 | 3 | Vertical | 222 | 1.66 | - |
| 2437MHz | Pass | PK | 7.31102G | 50.91 | 74.00 | -23.09 | 3 | Vertical | 168 | 1.00 | - |
| 2437MHz | Pass | AV | 4.87402G | 40.85 | 54.00 | -13.15 | 3 | Horizontal | 111 | 1.79 | - |
| 2437MHz | Pass | AV | 7.31174G | 40.88 | 54.00 | -13.12 | 3 | Horizontal | 225 | 1.00 | - |
| 2437MHz | Pass | PK | 4.8742G | 47.10 | 74.00 | -26.90 | 3 | Horizontal | 111 | 1.79 | - |
| 2437MHz | Pass | PK | 7.3118G | 51.71 | 74.00 | -22.29 | 3 | Horizontal | 225 | 1.00 | - |
| 2462MHz | Pass | AV | 2.4628G | 107.97 | Inf | -Inf | 3 | Vertical | 166 | 1.03 | - |
| 2462MHz | Pass | AV | 2.4876G | 47.90 | 54.00 | -6.10 | 3 | Vertical | 166 | 1.03 | - |
| 2462MHz | Pass | PK | 2.4626G | 112.15 | Inf | -Inf | 3 | Vertical | 166 | 1.03 | - |
| 2462MHz | Pass | PK | 2.4856G | 59.76 | 74.00 | -14.24 | 3 | Vertical | 166 | 1.03 | - |
| 2462MHz | Pass | AV | 2.4628G | 112.42 | Inf | -Inf | 3 | Horizontal | 179 | 1.49 | - |
| 2462MHz | Pass | AV | 2.4876G | 49.03 | 54.00 | -4.97 | 3 | Horizontal | 179 | 1.49 | - |
| 2462MHz | Pass | PK | 2.4626G | 116.62 | Inf | -Inf | 3 | Horizontal | 179 | 1.49 | - |
| 2462MHz | Pass | PK | 2.4878G | 61.30 | 74.00 | -12.70 | 3 | Horizontal | 179 | 1.49 | - |
| 2462MHz | Pass | AV | 4.92396G | 43.31 | 54.00 | -10.69 | 3 | Vertical | 191 | 1.48 | - |
| 2462MHz | Pass | AV | 7.38672G | 39.57 | 54.00 | -14.43 | 3 | Vertical | 181 | 2.34 | - |
| 2462MHz | Pass | PK | 4.92396G | 49.25 | 74.00 | -24.75 | 3 | Vertical | 191 | 1.48 | - |
| 2462MHz | Pass | PK | 7.3846G | 50.56 | 74.00 | -23.44 | 3 | Vertical | 181 | 2.34 | - |
| 2462MHz | Pass | AV | 4.924G | 42.93 | 54.00 | -11.07 | 3 | Horizontal | 114 | 1.79 | - |
| 2462MHz | Pass | AV | 7.3868G | 39.63 | 54.00 | -14.37 | 3 | Horizontal | 216 | 1.80 | - |
| 2462MHz | Pass | PK | 4.92392G | 49.09 | 74.00 | -24.91 | 3 | Horizontal | 114 | 1.79 | - |
| 2462MHz | Pass | PK | 7.38656G | 50.85 | 74.00 | -23.15 | 3 | Horizontal | 216 | 1.80 | - |
| 2467MHz | Pass | AV | 2.4662G | 99.13 | Inf | -Inf | 3 | Vertical | 169 | 1.00 | - |
| 2467MHz | Pass | AV | 2.485G | 47.66 | 54.00 | -6.34 | 3 | Vertical | 169 | 1.00 | - |
| 2467MHz | Pass | PK | 2.4664G | 103.60 | Inf | -Inf | 3 | Vertical | 169 | 1.00 | - |
| 2467MHz | Pass | PK | 2.4852G | 59.97 | 74.00 | -14.03 | 3 | Vertical | 169 | 1.00 | - |
| 2467MHz | Pass | AV | 2.4662G | 104.08 | Inf | -Inf | 3 | Horizontal | 178 | 1.04 | - |
| 2467MHz | Pass | AV | 2.4842G | 48.15 | 54.00 | -5.85 | 3 | Horizontal | 178 | 1.04 | - |
| 2467MHz | Pass | PK | 2.4662G | 108.43 | Inf | -Inf | 3 | Horizontal | 178 | 1.04 | - |
| 2467MHz | Pass | PK | 2.4856G | 60.03 | 74.00 | -13.97 | 3 | Horizontal | 178 | 1.04 | - |
| 2467MHz | Pass | AV | 4.93404G | 36.67 | 54.00 | -17.33 | 3 | Vertical | 223 | 1.60 | - |
| 2467MHz | Pass | AV | 7.39112G | 37.60 | 54.00 | -16.40 | 3 | Vertical | 77 | 1.50 | - |
| 2467MHz | Pass | PK | 4.93412G | 46.86 | 74.00 | -27.14 | 3 | Vertical | 223 | 1.60 | - |
| 2467MHz | Pass | PK | 7.39828G | 50.27 | 74.00 | -23.73 | 3 | Vertical | 77 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2467MHz | Pass | AV | 4.93396G | 36.79 | 54.00 | -17.21 | 3 | Horizontal | 118 | 1.72 | - |
| 2467MHz | Pass | AV | 7.39136G | 37.51 | 54.00 | -16.49 | 3 | Horizontal | 75 | 1.67 | - |
| 2467MHz | Pass | PK | 4.93424G | 47.32 | 74.00 | -26.68 | 3 | Horizontal | 118 | 1.72 | - |
| 2467MHz | Pass | PK | 7.39448G | 50.71 | 74.00 | -23.29 | 3 | Horizontal | 75 | 1.67 | - |
| 2472MHz | Pass | AV | 2.4712G | 94.24 | Inf | -Inf | 3 | Vertical | 170 | 1.03 | - |
| 2472MHz | Pass | AV | 2.4876G | 47.41 | 54.00 | -6.59 | 3 | Vertical | 170 | 1.03 | - |
| 2472MHz | Pass | PK | 2.4726G | 98.61 | Inf | -Inf | 3 | Vertical | 170 | 1.03 | - |
| 2472MHz | Pass | PK | 2.4838G | 62.65 | 74.00 | -11.35 | 3 | Vertical | 170 | 1.03 | - |
| 2472MHz | Pass | AV | 2.4712G | 99.15 | Inf | -Inf | 3 | Horizontal | 180 | 1.05 | - |
| 2472MHz | Pass | AV | 2.4835G | 47.90 | 54.00 | -6.10 | 3 | Horizontal | 180 | 1.05 | - |
| 2472MHz | Pass | PK | 2.4714G | 103.57 | Inf | -Inf | 3 | Horizontal | 180 | 1.05 | - |
| 2472MHz | Pass | PK | 2.484G | 64.91 | 74.00 | -9.09 | 3 | Horizontal | 180 | 1.05 | - |
| 2472MHz | Pass | AV | 4.9428G | 32.64 | 54.00 | -21.36 | 3 | Vertical | 140 | 2.74 | - |
| 2472MHz | Pass | AV | 7.42432G | 37.42 | 54.00 | -16.58 | 3 | Vertical | 102 | 1.71 | - |
| 2472MHz | Pass | PK | 4.93792G | 45.35 | 74.00 | -28.65 | 3 | Vertical | 140 | 2.74 | - |
| 2472MHz | Pass | PK | 7.417G | 49.69 | 74.00 | -24.31 | 3 | Vertical | 102 | 1.71 | - |
| 2472MHz | Pass | AV | 4.9442G | 32.65 | 54.00 | -21.35 | 3 | Horizontal | 196 | 1.78 | - |
| 2472MHz | Pass | AV | 7.42532G | 37.43 | 54.00 | -16.57 | 3 | Horizontal | 130 | 1.43 | - |
| 2472MHz | Pass | PK | 4.94104G | 44.88 | 74.00 | -29.12 | 3 | Horizontal | 196 | 1.78 | - |
| 2472MHz | Pass | PK | 7.41404G | 49.76 | 74.00 | -24.24 | 3 | Horizontal | 130 | 1.43 | - |
| 802.11b_Nss1,(1Mbps)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3884G | 46.67 | 54.00 | -7.33 | 3 | Vertical | 233 | 1.08 | - |
| 2412MHz | Pass | AV | 2.4128G | 102.39 | Inf | -Inf | 3 | Vertical | 233 | 1.08 | - |
| 2412MHz | Pass | PK | 2.3662G | 58.12 | 74.00 | -15.88 | 3 | Vertical | 233 | 1.08 | - |
| 2412MHz | Pass | PK | 2.414G | 106.21 | Inf | -Inf | 3 | Vertical | 233 | 1.08 | - |
| 2412MHz | Pass | AV | 2.3876G | 50.10 | 54.00 | -3.90 | 3 | Horizontal | 182 | 1.24 | - |
| 2412MHz | Pass | AV | 2.4128G | 110.22 | Inf | -Inf | 3 | Horizontal | 182 | 1.24 | - |
| 2412MHz | Pass | PK | 2.3866G | 60.13 | 74.00 | -13.87 | 3 | Horizontal | 182 | 1.24 | - |
| 2412MHz | Pass | PK | 2.4126G | 114.19 | Inf | -Inf | 3 | Horizontal | 182 | 1.24 | - |
| 2412MHz | Pass | AV | 4.82396G | 44.42 | 54.00 | -9.58 | 3 | Vertical | 142 | 1.68 | - |
| 2412MHz | Pass | PK | 4.82396G | 49.75 | 74.00 | -24.25 | 3 | Vertical | 142 | 1.68 | - |
| 2412MHz | Pass | AV | 4.82396G | 44.40 | 54.00 | -9.60 | 3 | Horizontal | 241 | 1.74 | - |
| 2412MHz | Pass | PK | 4.824G | 49.39 | 74.00 | -24.61 | 3 | Horizontal | 241 | 1.74 | - |
| 2437MHz | Pass | AV | 2.389G | 46.17 | 54.00 | -7.83 | 3 | Vertical | 137 | 2.16 | - |
| 2437MHz | Pass | AV | 2.4378G | 101.32 | Inf | -Inf | 3 | Vertical | 137 | 2.16 | - |
| 2437MHz | Pass | AV | 2.4994G | 47.20 | 54.00 | -6.80 | 3 | Vertical | 137 | 2.16 | - |
| 2437MHz | Pass | PK | 2.3714G | 58.48 | 74.00 | -15.52 | 3 | Vertical | 137 | 2.16 | - |
| 2437MHz | Pass | PK | 2.4366G | 105.36 | Inf | -Inf | 3 | Vertical | 137 | 2.16 | - |
| 2437MHz | Pass | PK | 2.4966G | 58.92 | 74.00 | -15.08 | 3 | Vertical | 137 | 2.16 | - |
| 2437MHz | Pass | AV | 2.3894G | 46.44 | 54.00 | -7.56 | 3 | Horizontal | 181 | 1.33 | - |
| 2437MHz | Pass | AV | 2.4378G | 108.87 | Inf | -Inf | 3 | Horizontal | 181 | 1.33 | - |
| 2437MHz | Pass | AV | 2.4854G | 47.66 | 54.00 | -6.34 | 3 | Horizontal | 181 | 1.33 | - |
| 2437MHz | Pass | PK | 2.343G | 57.95 | 74.00 | -16.05 | 3 | Horizontal | 181 | 1.33 | - |
| 2437MHz | Pass | PK | 2.4374G | 113.04 | Inf | -Inf | 3 | Horizontal | 181 | 1.33 | - |
| 2437MHz | Pass | PK | 2.4854G | 59.47 | 74.00 | -14.53 | 3 | Horizontal | 181 | 1.33 | - |
| 2437MHz | Pass | AV | 4.87398G | 42.17 | 54.00 | -11.83 | 3 | Vertical | 144 | 1.57 | - |
| 2437MHz | Pass | AV | 7.31174G | 38.17 | 54.00 | -15.83 | 3 | Vertical | 169 | 2.29 | - |
| 2437MHz | Pass | PK | 4.87394G | 47.93 | 74.00 | -26.07 | 3 | Vertical | 144 | 1.57 | - |
| 2437MHz | Pass | PK | 7.313G | 50.25 | 74.00 | -23.75 | 3 | Vertical | 169 | 2.29 | - |
| 2437MHz | Pass | AV | 4.87398G | 41.67 | 54.00 | -12.33 | 3 | Horizontal | 249 | 1.62 | - |
| 2437MHz | Pass | AV | 7.31174G | 37.57 | 54.00 | -16.43 | 3 | Horizontal | 240 | 1.50 | - |
| 2437MHz | Pass | PK | 4.87408G | 47.84 | 74.00 | -26.16 | 3 | Horizontal | 249 | 1.62 | - |
| 2437MHz | Pass | PK | 7.31298G | 50.39 | 74.00 | -23.61 | 3 | Horizontal | 240 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4628G | 102.99 | Inf | -Inf | 3 | Vertical | 228 | 1.12 | - |
| 2462MHz | Pass | AV | 2.4835G | 47.63 | 54.00 | -6.37 | 3 | Vertical | 228 | 1.12 | - |
| 2462MHz | Pass | PK | 2.4638G | 106.97 | Inf | -Inf | 3 | Vertical | 228 | 1.12 | - |
| 2462MHz | Pass | PK | 2.4976G | 59.45 | 74.00 | -14.55 | 3 | Vertical | 228 | 1.12 | - |
| 2462MHz | Pass | AV | 2.4628G | 110.31 | Inf | -Inf | 3 | Horizontal | 181 | 1.45 | - |
| 2462MHz | Pass | AV | 2.4835G | 50.00 | 54.00 | -4.00 | 3 | Horizontal | 181 | 1.45 | - |
| 2462MHz | Pass | PK | 2.4628G | 114.55 | Inf | -Inf | 3 | Horizontal | 181 | 1.45 | - |
| 2462MHz | Pass | PK | 2.4836G | 60.79 | 74.00 | -13.21 | 3 | Horizontal | 181 | 1.45 | - |
| 2462MHz | Pass | AV | 4.92396G | 39.31 | 54.00 | -14.69 | 3 | Vertical | 142 | 1.75 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2462MHz | Pass | AV | 7.38508G | 37.81 | 54.00 | -16.19 | 3 | Vertical | 181 | 1.78 | - |
| 2462MHz | Pass | PK | 4.92388G | 47.27 | 74.00 | -26.73 | 3 | Vertical | 142 | 1.75 | - |
| 2462MHz | Pass | PK | 7.38564G | 50.22 | 74.00 | -23.78 | 3 | Vertical | 181 | 1.78 | - |
| 2462MHz | Pass | AV | 4.924G | 40.00 | 54.00 | -14.00 | 3 | Horizontal | 239 | 1.79 | - |
| 2462MHz | Pass | AV | 7.38524G | 38.50 | 54.00 | -15.50 | 3 | Horizontal | 233 | 1.59 | - |
| 2462MHz | Pass | PK | 4.92388G | 47.34 | 74.00 | -26.66 | 3 | Horizontal | 239 | 1.79 | - |
| 2462MHz | Pass | PK | 7.38376G | 50.07 | 74.00 | -23.93 | 3 | Horizontal | 233 | 1.59 | - |
| 2467MHz | Pass | AV | 2.4678G | 100.23 | Inf | -Inf | 3 | Vertical | 231 | 1.35 | - |
| 2467MHz | Pass | AV | 2.494G | 47.42 | 54.00 | -6.58 | 3 | Vertical | 231 | 1.35 | - |
| 2467MHz | Pass | PK | 2.4674G | 104.34 | Inf | -Inf | 3 | Vertical | 231 | 1.35 | - |
| 2467MHz | Pass | PK | 2.4928G | 59.56 | 74.00 | -14.44 | 3 | Vertical | 231 | 1.35 | - |
| 2467MHz | Pass | AV | 2.4678G | 107.16 | Inf | -Inf | 3 | Horizontal | 188 | 1.18 | - |
| 2467MHz | Pass | AV | 2.4842G | 48.15 | 54.00 | -5.85 | 3 | Horizontal | 188 | 1.18 | - |
| 2467MHz | Pass | PK | 2.4676G | 111.39 | Inf | -Inf | 3 | Horizontal | 188 | 1.18 | - |
| 2467MHz | Pass | PK | 2.4984G | 59.95 | 74.00 | -14.05 | 3 | Horizontal | 188 | 1.18 | - |
| 2467MHz | Pass | AV | 4.934G | 37.03 | 54.00 | -16.97 | 3 | Vertical | 173 | 1.49 | - |
| 2467MHz | Pass | AV | 7.40236G | 37.76 | 54.00 | -16.24 | 3 | Vertical | 199 | 1.19 | - |
| 2467MHz | Pass | PK | 4.93428G | 46.31 | 74.00 | -27.69 | 3 | Vertical | 173 | 1.49 | - |
| 2467MHz | Pass | PK | 7.3962G | 50.35 | 74.00 | -23.65 | 3 | Vertical | 199 | 1.19 | - |
| 2467MHz | Pass | AV | 4.93396G | 36.61 | 54.00 | -17.39 | 3 | Horizontal | 245 | 1.61 | - |
| 2467MHz | Pass | AV | 7.39236G | 37.50 | 54.00 | -16.50 | 3 | Horizontal | 6 | 1.79 | - |
| 2467MHz | Pass | PK | 4.93376G | 46.41 | 74.00 | -27.59 | 3 | Horizontal | 245 | 1.61 | - |
| 2467MHz | Pass | PK | 7.40572G | 49.33 | 74.00 | -24.67 | 3 | Horizontal | 6 | 1.79 | - |
| 2472MHz | Pass | AV | 2.4728G | 99.48 | Inf | -Inf | 3 | Vertical | 229 | 1.08 | - |
| 2472MHz | Pass | AV | 2.4892G | 47.66 | 54.00 | -6.34 | 3 | Vertical | 229 | 1.08 | - |
| 2472MHz | Pass | PK | 2.4726G | 103.73 | Inf | -Inf | 3 | Vertical | 229 | 1.08 | - |
| 2472MHz | Pass | PK | 2.4844G | 62.29 | 74.00 | -11.71 | 3 | Vertical | 229 | 1.08 | - |
| 2472MHz | Pass | AV | 2.4728G | 106.83 | Inf | -Inf | 3 | Horizontal | 182 | 1.14 | - |
| 2472MHz | Pass | AV | 2.4892G | 49.25 | 54.00 | -4.75 | 3 | Horizontal | 182 | 1.14 | - |
| 2472MHz | Pass | PK | 2.4728G | 111.13 | Inf | -Inf | 3 | Horizontal | 182 | 1.14 | - |
| 2472MHz | Pass | PK | 2.4835G | 72.47 | 74.00 | -1.53 | 3 | Horizontal | 182 | 1.14 | - |
| 2472MHz | Pass | AV | 4.94397G | 36.33 | 54.00 | -17.67 | 3 | Vertical | 143 | 1.69 | - |
| 2472MHz | Pass | AV | 7.41728G | 36.75 | 54.00 | -17.25 | 3 | Vertical | 123 | 1.39 | - |
| 2472MHz | Pass | PK | 4.94385G | 46.39 | 74.00 | -27.61 | 3 | Vertical | 143 | 1.69 | - |
| 2472MHz | Pass | PK | 7.41384G | 49.04 | 74.00 | -24.96 | 3 | Vertical | 123 | 1.39 | - |
| 2472MHz | Pass | AV | 4.94394G | 36.67 | 54.00 | -17.33 | 3 | Horizontal | 239 | 1.65 | - |
| 2472MHz | Pass | AV | 7.4253G | 36.85 | 54.00 | -17.15 | 3 | Horizontal | 26 | 2.49 | - |
| 2472MHz | Pass | PK | 4.94412G | 46.04 | 74.00 | -27.96 | 3 | Horizontal | 239 | 1.65 | - |
| 2472MHz | Pass | PK | 7.40238G | 49.27 | 74.00 | -24.73 | 3 | Horizontal | 26 | 2.49 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 47.62 | 54.00 | -6.38 | 3 | Vertical | 170 | 1.19 | - |
| 2412MHz | Pass | AV | 2.4194G | 99.23 | Inf | -Inf | 3 | Vertical | 170 | 1.19 | - |
| 2412MHz | Pass | PK | 2.3896G | 59.84 | 74.00 | -14.16 | 3 | Vertical | 170 | 1.19 | - |
| 2412MHz | Pass | PK | 2.4192G | 107.98 | Inf | -Inf | 3 | Vertical | 170 | 1.19 | - |
| 2412MHz | Pass | AV | 2.39G | 49.95 | 54.00 | -4.05 | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | AV | 2.4192G | 104.82 | Inf | -Inf | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | PK | 2.39G | 66.59 | 74.00 | -7.41 | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | PK | 2.4184G | 114.21 | Inf | -Inf | 3 | Horizontal | 181 | 1.10 | - |
| 2412MHz | Pass | AV | 4.82517G | 32.36 | 54.00 | -21.64 | 3 | Vertical | 219 | 1.72 | - |
| 2412MHz | Pass | PK | 4.8255G | 44.92 | 74.00 | -29.08 | 3 | Vertical | 219 | 1.72 | - |
| 2412MHz | Pass | AV | 4.82376G | 32.28 | 54.00 | -21.72 | 3 | Horizontal | 111 | 1.79 | - |
| 2412MHz | Pass | PK | 4.8216G | 45.26 | 74.00 | -28.74 | 3 | Horizontal | 111 | 1.79 | - |
| 2417MHz | Pass | AV | 2.39G | 47.99 | 54.00 | -6.01 | 3 | Vertical | 157 | 1.07 | - |
| 2417MHz | Pass | AV | 2.4232G | 99.91 | Inf | -Inf | 3 | Vertical | 157 | 1.07 | - |
| 2417MHz | Pass | PK | 2.3894G | 59.07 | 74.00 | -14.93 | 3 | Vertical | 157 | 1.07 | - |
| 2417MHz | Pass | PK | 2.4228G | 108.64 | Inf | -Inf | 3 | Vertical | 157 | 1.07 | - |
| 2417MHz | Pass | AV | 2.39G | 51.51 | 54.00 | -2.49 | 3 | Horizontal | 185 | 1.09 | - |
| 2417MHz | Pass | AV | 2.4244G | 106.66 | Inf | -Inf | 3 | Horizontal | 185 | 1.09 | - |
| 2417MHz | Pass | PK | 2.3894G | 64.34 | 74.00 | -9.66 | 3 | Horizontal | 185 | 1.09 | - |
| 2417MHz | Pass | PK | 2.4232G | 115.79 | Inf | -Inf | 3 | Horizontal | 185 | 1.09 | - |
| 2437MHz | Pass | AV | 2.3886G | 46.31 | 54.00 | -7.69 | 3 | Vertical | 167 | 1.07 | - |
| 2437MHz | Pass | AV | 2.4306G | 102.22 | Inf | -Inf | 3 | Vertical | 167 | 1.07 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2437MHz | Pass | AV | 2.4846G | 47.53 | 54.00 | -6.47 | 3 | Vertical | 167 | 1.07 | - |
| 2437MHz | Pass | PK | 2.3898G | 58.32 | 74.00 | -15.68 | 3 | Vertical | 167 | 1.07 | - |
| 2437MHz | Pass | PK | 2.4326G | 110.78 | Inf | -Inf | 3 | Vertical | 167 | 1.07 | - |
| 2437MHz | Pass | PK | 2.4942G | 59.59 | 74.00 | -14.41 | 3 | Vertical | 167 | 1.07 | - |
| 2437MHz | Pass | AV | 2.3898G | 46.82 | 54.00 | -7.18 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | AV | 2.4318G | 107.99 | Inf | -Inf | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | AV | 2.4835G | 48.02 | 54.00 | -5.98 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | PK | 2.3606G | 57.30 | 74.00 | -16.70 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | PK | 2.4326G | 116.93 | Inf | -Inf | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | PK | 2.4854G | 60.39 | 74.00 | -13.61 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | AV | 4.88344G | 32.47 | 54.00 | -21.53 | 3 | Vertical | 221 | 1.64 | - |
| 2437MHz | Pass | AV | 7.31652G | 38.31 | 54.00 | -15.69 | 3 | Vertical | 169 | 1.00 | - |
| 2437MHz | Pass | PK | 4.88176G | 45.06 | 74.00 | -28.94 | 3 | Vertical | 221 | 1.64 | - |
| 2437MHz | Pass | PK | 7.31704G | 50.60 | 74.00 | -23.40 | 3 | Vertical | 169 | 1.00 | - |
| 2437MHz | Pass | AV | 4.88384G | 32.31 | 54.00 | -21.69 | 3 | Horizontal | 111 | 1.75 | - |
| 2437MHz | Pass | AV | 7.3114G | 38.51 | 54.00 | -15.49 | 3 | Horizontal | 224 | 1.00 | - |
| 2437MHz | Pass | PK | 4.87724G | 44.66 | 74.00 | -29.34 | 3 | Horizontal | 111 | 1.75 | - |
| 2437MHz | Pass | PK | 7.31996G | 50.69 | 74.00 | -23.31 | 3 | Horizontal | 224 | 1.00 | - |
| 2457MHz | Pass | AV | 2.4632G | 101.16 | Inf | -Inf | 3 | Vertical | 159 | 1.05 | - |
| 2457MHz | Pass | AV | 2.4835G | 49.36 | 54.00 | -4.64 | 3 | Vertical | 159 | 1.05 | - |
| 2457MHz | Pass | PK | 2.4618G | 109.96 | Inf | -Inf | 3 | Vertical | 159 | 1.05 | - |
| 2457MHz | Pass | PK | 2.4835G | 62.52 | 74.00 | -11.48 | 3 | Vertical | 159 | 1.05 | - |
| 2457MHz | Pass | AV | 2.4622G | 106.88 | Inf | -Inf | 3 | Horizontal | 180 | 1.26 | - |
| 2457MHz | Pass | AV | 2.4835G | 52.46 | 54.00 | -1.54 | 3 | Horizontal | 180 | 1.26 | - |
| 2457MHz | Pass | PK | 2.453G | 116.27 | Inf | -Inf | 3 | Horizontal | 180 | 1.26 | - |
| 2457MHz | Pass | PK | 2.4835G | 68.57 | 74.00 | -5.43 | 3 | Horizontal | 180 | 1.26 | - |
| 2462MHz | Pass | AV | 2.463G | 97.45 | Inf | -Inf | 3 | Vertical | 168 | 1.04 | - |
| 2462MHz | Pass | AV | 2.4835G | 49.12 | 54.00 | -4.88 | 3 | Vertical | 168 | 1.04 | - |
| 2462MHz | Pass | PK | 2.4604G | 107.18 | Inf | -Inf | 3 | Vertical | 168 | 1.04 | - |
| 2462MHz | Pass | PK | 2.4844G | 61.72 | 74.00 | -12.28 | 3 | Vertical | 168 | 1.04 | - |
| 2462MHz | Pass | AV | 2.463G | 102.02 | Inf | -Inf | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | AV | 2.4835G | 51.42 | 54.00 | -2.58 | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | PK | 2.4592G | 111.91 | Inf | -Inf | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | PK | 2.4838G | 64.68 | 74.00 | -9.32 | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | AV | 4.92396G | 32.71 | 54.00 | -21.29 | 3 | Vertical | 193 | 1.59 | - |
| 2462MHz | Pass | AV | 7.38424G | 37.20 | 54.00 | -16.80 | 3 | Vertical | 262 | 1.80 | - |
| 2462MHz | Pass | PK | 4.92564G | 44.78 | 74.00 | -29.22 | 3 | Vertical | 193 | 1.59 | - |
| 2462MHz | Pass | PK | 7.38388G | 49.09 | 74.00 | -24.91 | 3 | Vertical | 262 | 1.80 | - |
| 2462MHz | Pass | AV | 4.92368G | 32.46 | 54.00 | -21.54 | 3 | Horizontal | 107 | 1.64 | - |
| 2462MHz | Pass | AV | 7.37668G | 37.22 | 54.00 | -16.78 | 3 | Horizontal | 161 | 1.80 | - |
| 2462MHz | Pass | PK | 4.91916G | 45.21 | 74.00 | -28.79 | 3 | Horizontal | 107 | 1.64 | - |
| 2462MHz | Pass | PK | 7.38368G | 49.67 | 74.00 | -24.33 | 3 | Horizontal | 161 | 1.80 | - |
| 2467MHz | Pass | AV | 2.4648G | 96.65 | Inf | -Inf | 3 | Vertical | 167 | 1.14 | - |
| 2467MHz | Pass | AV | 2.4835G | 49.89 | 54.00 | -4.11 | 3 | Vertical | 167 | 1.14 | - |
| 2467MHz | Pass | PK | 2.4658G | 106.61 | Inf | -Inf | 3 | Vertical | 167 | 1.14 | - |
| 2467MHz | Pass | PK | 2.4835G | 61.85 | 74.00 | -12.15 | 3 | Vertical | 167 | 1.14 | - |
| 2467MHz | Pass | AV | 2.4632G | 101.06 | Inf | -Inf | 3 | Horizontal | 179 | 1.50 | - |
| 2467MHz | Pass | AV | 2.4835G | 52.44 | 54.00 | -1.56 | 3 | Horizontal | 179 | 1.50 | - |
| 2467MHz | Pass | PK | 2.4638G | 111.25 | Inf | -Inf | 3 | Horizontal | 179 | 1.50 | - |
| 2467MHz | Pass | PK | 2.4835G | 65.69 | 74.00 | -8.31 | 3 | Horizontal | 179 | 1.50 | - |
| 2467MHz | Pass | AV | 4.94256G | 31.97 | 54.00 | -22.03 | 3 | Vertical | 283 | 1.88 | - |
| 2467MHz | Pass | AV | 7.39152G | 36.91 | 54.00 | -17.09 | 3 | Vertical | 118 | 1.44 | - |
| 2467MHz | Pass | PK | 4.93052G | 44.47 | 74.00 | -29.53 | 3 | Vertical | 283 | 1.88 | - |
| 2467MHz | Pass | PK | 7.40972G | 49.09 | 74.00 | -24.91 | 3 | Vertical | 118 | 1.44 | - |
| 2467MHz | Pass | AV | 4.94264G | 31.97 | 54.00 | -22.03 | 3 | Horizontal | 151 | 2.24 | - |
| 2467MHz | Pass | AV | 7.39128G | 36.91 | 54.00 | -17.09 | 3 | Horizontal | 31 | 1.38 | - |
| 2467MHz | Pass | PK | 4.94036G | 44.48 | 74.00 | -29.52 | 3 | Horizontal | 151 | 2.24 | - |
| 2467MHz | Pass | PK | 7.39216G | 50.04 | 74.00 | -23.96 | 3 | Horizontal | 31 | 1.38 | - |
| 2472MHz | Pass | AV | 2.4648G | 90.65 | Inf | -Inf | 3 | Vertical | 167 | 1.12 | - |
| 2472MHz | Pass | AV | 2.4835G | 47.58 | 54.00 | -6.42 | 3 | Vertical | 167 | 1.12 | - |
| 2472MHz | Pass | PK | 2.4656G | 99.75 | Inf | -Inf | 3 | Vertical | 167 | 1.12 | - |
| 2472MHz | Pass | PK | 2.4835G | 68.24 | 74.00 | -5.76 | 3 | Vertical | 167 | 1.12 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2472MHz | Pass | AV | 2.4646G | 95.13 | Inf | -Inf | 3 | Horizontal | 179 | 1.50 | - |
| 2472MHz | Pass | AV | 2.4835G | 49.12 | 54.00 | -4.88 | 3 | Horizontal | 179 | 1.50 | - |
| 2472MHz | Pass | PK | 2.4664G | 104.99 | Inf | -Inf | 3 | Horizontal | 179 | 1.50 | - |
| 2472MHz | Pass | PK | 2.4835G | 72.19 | 74.00 | -1.81 | 3 | Horizontal | 179 | 1.50 | - |
| 2472MHz | Pass | AV | 4.94388G | 32.15 | 54.00 | -21.85 | 3 | Vertical | 354 | 1.84 | - |
| 2472MHz | Pass | AV | 7.42556G | 36.86 | 54.00 | -17.14 | 3 | Vertical | 60 | 1.15 | - |
| 2472MHz | Pass | PK | 4.9438G | 45.24 | 74.00 | -28.76 | 3 | Vertical | 354 | 1.84 | - |
| 2472MHz | Pass | PK | 7.4252G | 49.98 | 74.00 | -24.02 | 3 | Vertical | 60 | 1.15 | - |
| 2472MHz | Pass | AV | 4.9442G | 32.07 | 54.00 | -21.93 | 3 | Horizontal | 17 | 1.20 | - |
| 2472MHz | Pass | AV | 7.42456G | 36.84 | 54.00 | -17.16 | 3 | Horizontal | 18 | 1.52 | - |
| 2472MHz | Pass | PK | 4.9456G | 44.90 | 74.00 | -29.10 | 3 | Horizontal | 17 | 1.20 | - |
| 2472MHz | Pass | PK | 7.4186G | 49.30 | 74.00 | -24.70 | 3 | Horizontal | 18 | 1.52 | - |
| 802.11g_Nss1,(6Mbps)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 47.32 | 54.00 | -6.68 | 3 | Vertical | 229 | 1.32 | - |
| 2412MHz | Pass | AV | 2.4144G | 92.61 | Inf | -Inf | 3 | Vertical | 229 | 1.32 | - |
| 2412MHz | Pass | PK | 2.3898G | 58.51 | 74.00 | -15.49 | 3 | Vertical | 229 | 1.32 | - |
| 2412MHz | Pass | PK | 2.415G | 101.59 | Inf | -Inf | 3 | Vertical | 229 | 1.32 | - |
| 2412MHz | Pass | AV | 2.39G | 52.40 | 54.00 | -1.60 | 3 | Horizontal | 181 | 1.20 | - |
| 2412MHz | Pass | AV | 2.413G | 100.41 | Inf | -Inf | 3 | Horizontal | 181 | 1.20 | - |
| 2412MHz | Pass | PK | 2.3898G | 64.44 | 74.00 | -9.56 | 3 | Horizontal | 181 | 1.20 | - |
| 2412MHz | Pass | PK | 2.4138G | 109.61 | Inf | -Inf | 3 | Horizontal | 181 | 1.20 | - |
| 2412MHz | Pass | AV | 4.82388G | 31.70 | 54.00 | -22.30 | 3 | Vertical | 140 | 1.59 | - |
| 2412MHz | Pass | PK | 4.81428G | 43.79 | 74.00 | -30.21 | 3 | Vertical | 140 | 1.59 | - |
| 2412MHz | Pass | AV | 4.82376G | 31.70 | 54.00 | -22.30 | 3 | Horizontal | 243 | 1.72 | - |
| 2412MHz | Pass | PK | 4.82132G | 43.87 | 74.00 | -30.13 | 3 | Horizontal | 243 | 1.72 | - |
| 2417MHz | Pass | AV | 2.3898G | 47.31 | 54.00 | -6.69 | 3 | Vertical | 143 | 2.35 | - |
| 2417MHz | Pass | AV | 2.4144G | 95.46 | Inf | -Inf | 3 | Vertical | 143 | 2.35 | - |
| 2417MHz | Pass | PK | 2.3824G | 58.25 | 74.00 | -15.75 | 3 | Vertical | 143 | 2.35 | - |
| 2417MHz | Pass | PK | 2.4158G | 104.64 | Inf | -Inf | 3 | Vertical | 143 | 2.35 | - |
| 2417MHz | Pass | AV | 2.39G | 51.79 | 54.00 | -2.21 | 3 | Horizontal | 178 | 1.14 | - |
| 2417MHz | Pass | AV | 2.414G | 103.54 | Inf | -Inf | 3 | Horizontal | 178 | 1.14 | - |
| 2417MHz | Pass | PK | 2.3896G | 63.44 | 74.00 | -10.56 | 3 | Horizontal | 178 | 1.14 | - |
| 2417MHz | Pass | PK | 2.4138G | 113.17 | Inf | -Inf | 3 | Horizontal | 178 | 1.14 | - |
| 2437MHz | Pass | AV | 2.3898G | 46.31 | 54.00 | -7.69 | 3 | Vertical | 138 | 2.17 | - |
| 2437MHz | Pass | AV | 2.4438G | 97.82 | Inf | -Inf | 3 | Vertical | 138 | 2.17 | - |
| 2437MHz | Pass | AV | 2.4842G | 47.53 | 54.00 | -6.47 | 3 | Vertical | 138 | 2.17 | - |
| 2437MHz | Pass | PK | 2.3562G | 58.46 | 74.00 | -15.54 | 3 | Vertical | 138 | 2.17 | - |
| 2437MHz | Pass | PK | 2.443G | 106.79 | Inf | -Inf | 3 | Vertical | 138 | 2.17 | - |
| 2437MHz | Pass | PK | 2.4934G | 59.06 | 74.00 | -14.94 | 3 | Vertical | 138 | 2.17 | - |
| 2437MHz | Pass | AV | 2.3898G | 47.07 | 54.00 | -6.93 | 3 | Horizontal | 180 | 1.29 | - |
| 2437MHz | Pass | AV | 2.4446G | 105.16 | Inf | -Inf | 3 | Horizontal | 180 | 1.29 | - |
| 2437MHz | Pass | AV | 2.4842G | 48.95 | 54.00 | -5.05 | 3 | Horizontal | 180 | 1.29 | - |
| 2437MHz | Pass | PK | 2.389G | 57.12 | 74.00 | -16.88 | 3 | Horizontal | 180 | 1.29 | - |
| 2437MHz | Pass | PK | 2.4446G | 113.85 | Inf | -Inf | 3 | Horizontal | 180 | 1.29 | - |
| 2437MHz | Pass | PK | 2.4835G | 63.14 | 74.00 | -10.86 | 3 | Horizontal | 180 | 1.29 | - |
| 2437MHz | Pass | AV | 4.86796G | 31.41 | 54.00 | -22.59 | 3 | Vertical | 288 | 1.40 | - |
| 2437MHz | Pass | AV | 7.31832G | 37.34 | 54.00 | -16.66 | 3 | Vertical | 57 | 1.00 | - |
| 2437MHz | Pass | PK | 4.87276G | 44.33 | 74.00 | -29.67 | 3 | Vertical | 288 | 1.40 | - |
| 2437MHz | Pass | PK | 7.30576G | 49.75 | 74.00 | -24.25 | 3 | Vertical | 57 | 1.00 | - |
| 2437MHz | Pass | AV | 4.87388G | 33.02 | 54.00 | -20.98 | 3 | Horizontal | 346 | 1.69 | - |
| 2437MHz | Pass | AV | 7.31616G | 37.50 | 54.00 | -16.50 | 3 | Horizontal | 287 | 2.21 | - |
| 2437MHz | Pass | PK | 4.88328G | 45.52 | 74.00 | -28.48 | 3 | Horizontal | 346 | 1.69 | - |
| 2437MHz | Pass | PK | 7.31688G | 50.39 | 74.00 | -23.61 | 3 | Horizontal | 287 | 2.21 | - |
| 2457MHz | Pass | AV | 2.4496G | 97.28 | Inf | -Inf | 3 | Vertical | 139 | 2.18 | - |
| 2457MHz | Pass | AV | 2.4842G | 48.03 | 54.00 | -5.97 | 3 | Vertical | 139 | 2.18 | - |
| 2457MHz | Pass | PK | 2.4508G | 106.11 | Inf | -Inf | 3 | Vertical | 139 | 2.18 | - |
| 2457MHz | Pass | PK | 2.4844G | 59.01 | 74.00 | -14.99 | 3 | Vertical | 139 | 2.18 | - |
| 2457MHz | Pass | AV | 2.451G | 104.56 | Inf | -Inf | 3 | Horizontal | 182 | 1.27 | - |
| 2457MHz | Pass | AV | 2.4835G | 50.87 | 54.00 | -3.13 | 3 | Horizontal | 182 | 1.27 | - |
| 2457MHz | Pass | PK | 2.4526G | 114.40 | Inf | -Inf | 3 | Horizontal | 182 | 1.27 | - |
| 2457MHz | Pass | PK | 2.4856G | 64.03 | 74.00 | -9.97 | 3 | Horizontal | 182 | 1.27 | - |
| 2462MHz | Pass | AV | 2.4544G | 90.32 | Inf | -Inf | 3 | Vertical | 229 | 1.18 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2462MHz | Pass | AV | 2.4835G | 47.82 | 54.00 | -6.18 | 3 | Vertical | 229 | 1.18 | - |
| 2462MHz | Pass | PK | 2.4604G | 99.37 | Inf | -Inf | 3 | Vertical | 229 | 1.18 | - |
| 2462MHz | Pass | PK | 2.485G | 59.53 | 74.00 | -14.47 | 3 | Vertical | 229 | 1.18 | - |
| 2462MHz | Pass | AV | 2.4546G | 98.30 | Inf | -Inf | 3 | Horizontal | 181 | 1.25 | - |
| 2462MHz | Pass | AV | 2.4835G | 51.10 | 54.00 | -2.90 | 3 | Horizontal | 181 | 1.25 | - |
| 2462MHz | Pass | PK | 2.4566G | 107.94 | Inf | -Inf | 3 | Horizontal | 181 | 1.25 | - |
| 2462MHz | Pass | PK | 2.4844G | 63.23 | 74.00 | -10.77 | 3 | Horizontal | 181 | 1.25 | - |
| 2462MHz | Pass | AV | 4.92536G | 31.58 | 54.00 | -22.42 | 3 | Vertical | 210 | 1.33 | - |
| 2462MHz | Pass | AV | 7.376G | 36.97 | 54.00 | -17.03 | 3 | Vertical | 42 | 1.91 | - |
| 2462MHz | Pass | PK | 4.92356G | 43.83 | 74.00 | -30.17 | 3 | Vertical | 210 | 1.33 | - |
| 2462MHz | Pass | PK | 7.38372G | 49.67 | 74.00 | -24.33 | 3 | Vertical | 42 | 1.91 | - |
| 2462MHz | Pass | AV | 4.9242G | 31.75 | 54.00 | -22.25 | 3 | Horizontal | 300 | 1.14 | - |
| 2462MHz | Pass | AV | 7.38232G | 36.98 | 54.00 | -17.02 | 3 | Horizontal | 349 | 2.19 | - |
| 2462MHz | Pass | PK | 4.9188G | 44.05 | 74.00 | -29.95 | 3 | Horizontal | 300 | 1.14 | - |
| 2462MHz | Pass | PK | 7.39124G | 49.22 | 74.00 | -24.78 | 3 | Horizontal | 349 | 2.19 | - |
| 2467MHz | Pass | AV | 2.4734G | 91.36 | Inf | -Inf | 3 | Vertical | 228 | 1.32 | - |
| 2467MHz | Pass | AV | 2.4835G | 48.71 | 54.00 | -5.29 | 3 | Vertical | 228 | 1.32 | - |
| 2467MHz | Pass | PK | 2.4732G | 100.23 | Inf | -Inf | 3 | Vertical | 228 | 1.32 | - |
| 2467MHz | Pass | PK | 2.4835G | 61.76 | 74.00 | -12.24 | 3 | Vertical | 228 | 1.32 | - |
| 2467MHz | Pass | AV | 2.4736G | 97.50 | Inf | -Inf | 3 | Horizontal | 169 | 1.15 | - |
| 2467MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 169 | 1.15 | - |
| 2467MHz | Pass | PK | 2.4742G | 106.84 | Inf | -Inf | 3 | Horizontal | 169 | 1.15 | - |
| 2467MHz | Pass | PK | 2.4835G | 66.19 | 74.00 | -7.81 | 3 | Horizontal | 169 | 1.15 | - |
| 2467MHz | Pass | AV | 4.94252G | 31.78 | 54.00 | -22.22 | 3 | Vertical | 243 | 1.08 | - |
| 2467MHz | Pass | AV | 7.391G | 36.74 | 54.00 | -17.26 | 3 | Vertical | 114 | 2.46 | - |
| 2467MHz | Pass | PK | 4.93708G | 45.11 | 74.00 | -28.89 | 3 | Vertical | 243 | 1.08 | - |
| 2467MHz | Pass | PK | 7.40964G | 49.22 | 74.00 | -24.78 | 3 | Vertical | 114 | 2.46 | - |
| 2467MHz | Pass | AV | 4.94252G | 31.78 | 54.00 | -22.22 | 3 | Horizontal | 158 | 1.76 | - |
| 2467MHz | Pass | AV | 7.391G | 36.74 | 54.00 | -17.26 | 3 | Horizontal | 326 | 2.15 | - |
| 2467MHz | Pass | PK | 4.93864G | 44.36 | 74.00 | -29.64 | 3 | Horizontal | 158 | 1.76 | - |
| 2467MHz | Pass | PK | 7.41076G | 50.28 | 74.00 | -23.72 | 3 | Horizontal | 326 | 2.15 | - |
| 2472MHz | Pass | AV | 2.4754G | 87.08 | Inf | -Inf | 3 | Vertical | 227 | 1.05 | - |
| 2472MHz | Pass | AV | 2.4835G | 47.33 | 54.00 | -6.67 | 3 | Vertical | 227 | 1.05 | - |
| 2472MHz | Pass | PK | 2.4768G | 97.70 | Inf | -Inf | 3 | Vertical | 227 | 1.05 | - |
| 2472MHz | Pass | PK | 2.4835G | 65.36 | 74.00 | -8.64 | 3 | Vertical | 227 | 1.05 | - |
| 2472MHz | Pass | AV | 2.4758G | 94.77 | Inf | -Inf | 3 | Horizontal | 181 | 1.14 | - |
| 2472MHz | Pass | AV | 2.4835G | 49.32 | 54.00 | -4.68 | 3 | Horizontal | 181 | 1.14 | - |
| 2472MHz | Pass | PK | 2.476G | 104.69 | Inf | -Inf | 3 | Horizontal | 181 | 1.14 | - |
| 2472MHz | Pass | PK | 2.4835G | 71.71 | 74.00 | -2.29 | 3 | Horizontal | 181 | 1.14 | - |
| 2472MHz | Pass | AV | 4.9438G | 32.06 | 54.00 | -21.94 | 3 | Vertical | 268 | 1.01 | - |
| 2472MHz | Pass | AV | 7.42596G | 36.86 | 54.00 | -17.14 | 3 | Vertical | 336 | 1.63 | - |
| 2472MHz | Pass | PK | 4.94752G | 44.67 | 74.00 | -29.33 | 3 | Vertical | 268 | 1.01 | - |
| 2472MHz | Pass | PK | 7.41284G | 49.45 | 74.00 | -24.55 | 3 | Vertical | 336 | 1.63 | - |
| 2472MHz | Pass | AV | 4.9442G | 32.07 | 54.00 | -21.93 | 3 | Horizontal | 243 | 1.72 | - |
| 2472MHz | Pass | AV | 7.4252G | 36.85 | 54.00 | -17.15 | 3 | Horizontal | 237 | 1.11 | - |
| 2472MHz | Pass | PK | 4.9446G | 44.92 | 74.00 | -29.08 | 3 | Horizontal | 243 | 1.72 | - |
| 2472MHz | Pass | PK | 7.41328G | 49.25 | 74.00 | -24.75 | 3 | Horizontal | 237 | 1.11 | - |
| 802.11n HT20_Nss1,(MCS0)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3898G | 47.79 | 54.00 | -6.21 | 3 | Vertical | 165 | 1.00 | - |
| 2412MHz | Pass | AV | 2.42G | 97.96 | Inf | -Inf | 3 | Vertical | 165 | 1.00 | - |
| 2412MHz | Pass | PK | 2.3892G | 59.73 | 74.00 | -14.27 | 3 | Vertical | 165 | 1.00 | - |
| 2412MHz | Pass | PK | 2.417G | 107.46 | Inf | -Inf | 3 | Vertical | 165 | 1.00 | - |
| 2412MHz | Pass | AV | 2.3898G | 49.64 | 54.00 | -4.36 | 3 | Horizontal | 183 | 1.10 | - |
| 2412MHz | Pass | AV | 2.42G | 102.69 | Inf | -Inf | 3 | Horizontal | 183 | 1.10 | - |
| 2412MHz | Pass | PK | 2.389G | 62.64 | 74.00 | -11.36 | 3 | Horizontal | 183 | 1.10 | - |
| 2412MHz | Pass | PK | 2.4166G | 111.95 | Inf | -Inf | 3 | Horizontal | 183 | 1.10 | - |
| 2412MHz | Pass | AV | 4.82384G | 32.63 | 54.00 | -21.37 | 3 | Vertical | 222 | 1.64 | - |
| 2412MHz | Pass | PK | 4.82536G | 45.17 | 74.00 | -28.83 | 3 | Vertical | 222 | 1.64 | - |
| 2412MHz | Pass | AV | 4.8194G | 31.83 | 54.00 | -22.17 | 3 | Horizontal | 189 | 1.82 | - |
| 2412MHz | Pass | PK | 4.81464G | 44.40 | 74.00 | -29.60 | 3 | Horizontal | 189 | 1.82 | - |
| 2417MHz | Pass | AV | 2.3898G | 47.91 | 54.00 | -6.09 | 3 | Vertical | 155 | 1.03 | - |
| 2417MHz | Pass | AV | 2.4236G | 98.11 | Inf | -Inf | 3 | Vertical | 155 | 1.03 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2417MHz | Pass | PK | 2.3888G | 60.53 | 74.00 | -13.47 | 3 | Vertical | 155 | 1.03 | - |
| 2417MHz | Pass | PK | 2.4226G | 106.67 | Inf | -Inf | 3 | Vertical | 155 | 1.03 | - |
| 2417MHz | Pass | AV | 2.3898G | 51.96 | 54.00 | -2.04 | 3 | Horizontal | 175 | 1.33 | - |
| 2417MHz | Pass | AV | 2.4248G | 107.06 | Inf | -Inf | 3 | Horizontal | 175 | 1.33 | - |
| 2417MHz | Pass | PK | 2.3892G | 65.29 | 74.00 | -8.71 | 3 | Horizontal | 175 | 1.33 | - |
| 2417MHz | Pass | PK | 2.4234G | 116.39 | Inf | -Inf | 3 | Horizontal | 175 | 1.33 | - |
| 2437MHz | Pass | AV | 2.3898G | 45.92 | 54.00 | -8.08 | 3 | Vertical | 166 | 1.07 | - |
| 2437MHz | Pass | AV | 2.4306G | 101.31 | Inf | -Inf | 3 | Vertical | 166 | 1.07 | - |
| 2437MHz | Pass | AV | 2.4846G | 47.14 | 54.00 | -6.86 | 3 | Vertical | 166 | 1.07 | - |
| 2437MHz | Pass | PK | 2.345G | 57.29 | 74.00 | -16.71 | 3 | Vertical | 166 | 1.07 | - |
| 2437MHz | Pass | PK | 2.433G | 109.80 | Inf | -Inf | 3 | Vertical | 166 | 1.07 | - |
| 2437MHz | Pass | PK | 2.4994G | 57.82 | 74.00 | -16.18 | 3 | Vertical | 166 | 1.07 | - |
| 2437MHz | Pass | AV | 2.3886G | 47.42 | 54.00 | -6.58 | 3 | Horizontal | 184 | 1.31 | - |
| 2437MHz | Pass | AV | 2.429G | 108.02 | Inf | -Inf | 3 | Horizontal | 184 | 1.31 | - |
| 2437MHz | Pass | AV | 2.4842G | 48.63 | 54.00 | -5.37 | 3 | Horizontal | 184 | 1.31 | - |
| 2437MHz | Pass | PK | 2.3434G | 58.00 | 74.00 | -16.00 | 3 | Horizontal | 184 | 1.31 | - |
| 2437MHz | Pass | PK | 2.4342G | 116.64 | Inf | -Inf | 3 | Horizontal | 184 | 1.31 | - |
| 2437MHz | Pass | PK | 2.4835G | 61.21 | 74.00 | -12.79 | 3 | Horizontal | 184 | 1.31 | - |
| 2437MHz | Pass | AV | 4.88378G | 31.54 | 54.00 | -22.46 | 3 | Vertical | 224 | 1.57 | - |
| 2437MHz | Pass | AV | 7.3155G | 36.90 | 54.00 | -17.10 | 3 | Vertical | 158 | 1.50 | - |
| 2437MHz | Pass | PK | 4.8818G | 44.42 | 74.00 | -29.58 | 3 | Vertical | 224 | 1.57 | - |
| 2437MHz | Pass | PK | 7.31574G | 50.29 | 74.00 | -23.71 | 3 | Vertical | 158 | 1.50 | - |
| 2437MHz | Pass | AV | 4.88534G | 31.55 | 54.00 | -22.45 | 3 | Horizontal | 116 | 1.50 | - |
| 2437MHz | Pass | AV | 7.31454G | 37.48 | 54.00 | -16.52 | 3 | Horizontal | 229 | 1.58 | - |
| 2437MHz | Pass | PK | 4.88312G | 44.40 | 74.00 | -29.60 | 3 | Horizontal | 116 | 1.50 | - |
| 2437MHz | Pass | PK | 7.31646G | 49.71 | 74.00 | -24.29 | 3 | Horizontal | 229 | 1.58 | - |
| 2457MHz | Pass | AV | 2.463G | 101.80 | Inf | -Inf | 3 | Vertical | 167 | 1.01 | - |
| 2457MHz | Pass | AV | 2.4835G | 49.09 | 54.00 | -4.91 | 3 | Vertical | 167 | 1.01 | - |
| 2457MHz | Pass | PK | 2.4624G | 110.70 | Inf | -Inf | 3 | Vertical | 167 | 1.01 | - |
| 2457MHz | Pass | PK | 2.4835G | 60.98 | 74.00 | -13.02 | 3 | Vertical | 167 | 1.01 | - |
| 2457MHz | Pass | AV | 2.4622G | 107.26 | Inf | -Inf | 3 | Horizontal | 178 | 1.06 | - |
| 2457MHz | Pass | AV | 2.4835G | 51.12 | 54.00 | -2.88 | 3 | Horizontal | 178 | 1.06 | - |
| 2457MHz | Pass | PK | 2.4646G | 115.92 | Inf | -Inf | 3 | Horizontal | 178 | 1.06 | - |
| 2457MHz | Pass | PK | 2.4882G | 64.22 | 74.00 | -9.78 | 3 | Horizontal | 178 | 1.06 | - |
| 2462MHz | Pass | AV | 2.4642G | 95.71 | Inf | -Inf | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | AV | 2.4835G | 47.90 | 54.00 | -6.10 | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | PK | 2.4652G | 105.31 | Inf | -Inf | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | PK | 2.4838G | 59.78 | 74.00 | -14.22 | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | AV | 2.4636G | 101.00 | Inf | -Inf | 3 | Horizontal | 183 | 1.04 | - |
| 2462MHz | Pass | AV | 2.4835G | 49.06 | 54.00 | -4.94 | 3 | Horizontal | 183 | 1.04 | - |
| 2462MHz | Pass | PK | 2.4592G | 109.95 | Inf | -Inf | 3 | Horizontal | 183 | 1.04 | - |
| 2462MHz | Pass | PK | 2.4846G | 60.34 | 74.00 | -13.66 | 3 | Horizontal | 183 | 1.04 | - |
| 2462MHz | Pass | AV | 4.92732G | 32.38 | 54.00 | -21.62 | 3 | Vertical | 96 | 1.79 | - |
| 2462MHz | Pass | AV | 7.38504G | 37.67 | 54.00 | -16.33 | 3 | Vertical | 22 | 1.76 | - |
| 2462MHz | Pass | PK | 4.92636G | 44.81 | 74.00 | -29.19 | 3 | Vertical | 96 | 1.79 | - |
| 2462MHz | Pass | PK | 7.38916G | 49.57 | 74.00 | -24.43 | 3 | Vertical | 22 | 1.76 | - |
| 2462MHz | Pass | AV | 4.9258G | 32.36 | 54.00 | -21.64 | 3 | Horizontal | 176 | 1.66 | - |
| 2462MHz | Pass | AV | 7.3822G | 37.63 | 54.00 | -16.37 | 3 | Horizontal | 192 | 1.06 | - |
| 2462MHz | Pass | PK | 4.92816G | 44.41 | 74.00 | -29.59 | 3 | Horizontal | 176 | 1.66 | - |
| 2462MHz | Pass | PK | 7.38724G | 49.64 | 74.00 | -24.36 | 3 | Horizontal | 192 | 1.06 | - |
| 2467MHz | Pass | AV | 2.4646G | 93.75 | Inf | -Inf | 3 | Vertical | 166 | 1.01 | - |
| 2467MHz | Pass | AV | 2.4835G | 49.09 | 54.00 | -4.91 | 3 | Vertical | 166 | 1.01 | - |
| 2467MHz | Pass | PK | 2.4644G | 102.79 | Inf | -Inf | 3 | Vertical | 166 | 1.01 | - |
| 2467MHz | Pass | PK | 2.4835G | 62.07 | 74.00 | -11.93 | 3 | Vertical | 166 | 1.01 | - |
| 2467MHz | Pass | AV | 2.4634G | 99.35 | Inf | -Inf | 3 | Horizontal | 181 | 1.06 | - |
| 2467MHz | Pass | AV | 2.4835G | 51.65 | 54.00 | -2.35 | 3 | Horizontal | 181 | 1.06 | - |
| 2467MHz | Pass | PK | 2.4618G | 108.75 | Inf | -Inf | 3 | Horizontal | 181 | 1.06 | - |
| 2467MHz | Pass | PK | 2.4835G | 63.61 | 74.00 | -10.39 | 3 | Horizontal | 181 | 1.06 | - |
| 2467MHz | Pass | AV | 4.94264G | 31.25 | 54.00 | -22.75 | 3 | Vertical | 193 | 2.26 | - |
| 2467MHz | Pass | AV | 7.38732G | 36.29 | 54.00 | -17.71 | 3 | Vertical | 9 | 2.75 | - |
| 2467MHz | Pass | PK | 4.94444G | 43.55 | 74.00 | -30.45 | 3 | Vertical | 193 | 2.26 | - |
| 2467MHz | Pass | PK | 7.40928G | 49.05 | 74.00 | -24.95 | 3 | Vertical | 9 | 2.75 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2467MHz | Pass | AV | 4.94096G | 31.24 | 54.00 | -22.76 | 3 | Horizontal | 254 | 2.33 | - |
| 2467MHz | Pass | AV | 7.38798G | 36.28 | 54.00 | -17.72 | 3 | Horizontal | 54 | 2.22 | - |
| 2467MHz | Pass | PK | 4.91996G | 43.25 | 74.00 | -30.75 | 3 | Horizontal | 254 | 2.33 | - |
| 2467MHz | Pass | PK | 7.39812G | 48.22 | 74.00 | -25.78 | 3 | Horizontal | 54 | 2.22 | - |
| 2472MHz | Pass | AV | 2.4648G | 89.91 | Inf | -Inf | 3 | Vertical | 168 | 1.02 | - |
| 2472MHz | Pass | AV | 2.4835G | 48.62 | 54.00 | -5.38 | 3 | Vertical | 168 | 1.02 | - |
| 2472MHz | Pass | PK | 2.4686G | 99.50 | Inf | -Inf | 3 | Vertical | 168 | 1.02 | - |
| 2472MHz | Pass | PK | 2.4964G | 60.38 | 74.00 | -13.62 | 3 | Vertical | 168 | 1.02 | - |
| 2472MHz | Pass | AV | 2.467G | 95.44 | Inf | -Inf | 3 | Horizontal | 180 | 1.30 | - |
| 2472MHz | Pass | AV | 2.4835G | 50.36 | 54.00 | -3.64 | 3 | Horizontal | 180 | 1.30 | - |
| 2472MHz | Pass | PK | 2.4652G | 105.16 | Inf | -Inf | 3 | Horizontal | 180 | 1.30 | - |
| 2472MHz | Pass | PK | 2.4836G | 71.71 | 74.00 | -2.29 | 3 | Horizontal | 180 | 1.30 | - |
| 2472MHz | Pass | AV | 4.94418G | 31.26 | 54.00 | -22.74 | 3 | Vertical | 158 | 1.50 | - |
| 2472MHz | Pass | AV | 7.42494G | 36.14 | 54.00 | -17.86 | 3 | Vertical | 124 | 1.00 | - |
| 2472MHz | Pass | PK | 4.93962G | 43.76 | 74.00 | -30.24 | 3 | Vertical | 158 | 1.50 | - |
| 2472MHz | Pass | PK | 7.4166G | 48.77 | 74.00 | -25.23 | 3 | Vertical | 124 | 1.00 | - |
| 2472MHz | Pass | AV | 4.94406G | 31.25 | 54.00 | -22.75 | 3 | Horizontal | 120 | 1.28 | - |
| 2472MHz | Pass | AV | 7.42716G | 36.18 | 54.00 | -17.82 | 3 | Horizontal | 213 | 1.50 | - |
| 2472MHz | Pass | PK | 4.94082G | 43.38 | 74.00 | -30.62 | 3 | Horizontal | 120 | 1.28 | - |
| 2472MHz | Pass | PK | 7.40172G | 49.04 | 74.00 | -24.96 | 3 | Horizontal | 213 | 1.50 | - |
| 802.11n HT20_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3896G | 47.42 | 54.00 | -6.58 | 3 | Vertical | 232 | 1.05 | - |
| 2412MHz | Pass | AV | 2.4146G | 92.63 | Inf | -Inf | 3 | Vertical | 232 | 1.05 | - |
| 2412MHz | Pass | PK | 2.3844G | 58.53 | 74.00 | -15.47 | 3 | Vertical | 232 | 1.05 | - |
| 2412MHz | Pass | PK | 2.4166G | 101.31 | Inf | -Inf | 3 | Vertical | 232 | 1.05 | - |
| 2412MHz | Pass | AV | 2.39G | 51.66 | 54.00 | -2.34 | 3 | Horizontal | 179 | 1.33 | - |
| 2412MHz | Pass | AV | 2.4148G | 102.08 | Inf | -Inf | 3 | Horizontal | 179 | 1.33 | - |
| 2412MHz | Pass | PK | 2.3898G | 61.80 | 74.00 | -12.20 | 3 | Horizontal | 179 | 1.33 | - |
| 2412MHz | Pass | PK | 2.4148G | 110.65 | Inf | -Inf | 3 | Horizontal | 179 | 1.33 | - |
| 2412MHz | Pass | AV | 4.82394G | 30.92 | 54.00 | -23.08 | 3 | Vertical | 143 | 2.58 | - |
| 2412MHz | Pass | PK | 4.81914G | 43.52 | 74.00 | -30.48 | 3 | Vertical | 143 | 2.58 | - |
| 2412MHz | Pass | AV | 4.82406G | 31.27 | 54.00 | -22.73 | 3 | Horizontal | 246 | 1.60 | - |
| 2412MHz | Pass | PK | 4.81938G | 43.40 | 74.00 | -30.60 | 3 | Horizontal | 246 | 1.60 | - |
| 2417MHz | Pass | AV | 2.3892G | 47.42 | 54.00 | -6.58 | 3 | Vertical | 232 | 1.06 | - |
| 2417MHz | Pass | AV | 2.4144G | 94.65 | Inf | -Inf | 3 | Vertical | 232 | 1.06 | - |
| 2417MHz | Pass | PK | 2.3858G | 58.95 | 74.00 | -15.05 | 3 | Vertical | 232 | 1.06 | - |
| 2417MHz | Pass | PK | 2.4148G | 104.26 | Inf | -Inf | 3 | Vertical | 232 | 1.06 | - |
| 2417MHz | Pass | AV | 2.39G | 52.25 | 54.00 | -1.75 | 3 | Horizontal | 180 | 1.35 | - |
| 2417MHz | Pass | AV | 2.4146G | 103.87 | Inf | -Inf | 3 | Horizontal | 180 | 1.35 | - |
| 2417MHz | Pass | PK | 2.389G | 62.52 | 74.00 | -11.48 | 3 | Horizontal | 180 | 1.35 | - |
| 2417MHz | Pass | PK | 2.4118G | 112.96 | Inf | -Inf | 3 | Horizontal | 180 | 1.35 | - |
| 2437MHz | Pass | AV | 2.3898G | 45.92 | 54.00 | -8.08 | 3 | Vertical | 231 | 1.00 | - |
| 2437MHz | Pass | AV | 2.4434G | 96.71 | Inf | -Inf | 3 | Vertical | 231 | 1.00 | - |
| 2437MHz | Pass | AV | 2.4842G | 47.39 | 54.00 | -6.61 | 3 | Vertical | 231 | 1.00 | - |
| 2437MHz | Pass | PK | 2.3478G | 56.93 | 74.00 | -17.07 | 3 | Vertical | 231 | 1.00 | - |
| 2437MHz | Pass | PK | 2.441G | 105.48 | Inf | -Inf | 3 | Vertical | 231 | 1.00 | - |
| 2437MHz | Pass | PK | 2.4918G | 59.30 | 74.00 | -14.70 | 3 | Vertical | 231 | 1.00 | - |
| 2437MHz | Pass | AV | 2.3898G | 47.59 | 54.00 | -6.41 | 3 | Horizontal | 181 | 1.16 | - |
| 2437MHz | Pass | AV | 2.445G | 104.95 | Inf | -Inf | 3 | Horizontal | 181 | 1.16 | - |
| 2437MHz | Pass | AV | 2.4835G | 49.75 | 54.00 | -4.25 | 3 | Horizontal | 181 | 1.16 | - |
| 2437MHz | Pass | PK | 2.3886G | 59.58 | 74.00 | -14.42 | 3 | Horizontal | 181 | 1.16 | - |
| 2437MHz | Pass | PK | 2.4446G | 114.28 | Inf | -Inf | 3 | Horizontal | 181 | 1.16 | - |
| 2437MHz | Pass | PK | 2.4838G | 62.74 | 74.00 | -11.26 | 3 | Horizontal | 181 | 1.16 | - |
| 2437MHz | Pass | AV | 4.874G | 32.59 | 54.00 | -21.41 | 3 | Vertical | 175 | 1.49 | - |
| 2437MHz | Pass | AV | 7.31742G | 36.65 | 54.00 | -17.35 | 3 | Vertical | 146 | 2.08 | - |
| 2437MHz | Pass | PK | 4.8761G | 45.87 | 74.00 | -28.13 | 3 | Vertical | 175 | 1.49 | - |
| 2437MHz | Pass | PK | 7.317G | 49.13 | 74.00 | -24.87 | 3 | Vertical | 146 | 2.08 | - |
| 2437MHz | Pass | AV | 4.87424G | 31.80 | 54.00 | -22.20 | 3 | Horizontal | 234 | 1.66 | - |
| 2437MHz | Pass | AV | 7.3155G | 36.81 | 54.00 | -17.19 | 3 | Horizontal | 235 | 1.64 | - |
| 2437MHz | Pass | PK | 4.86986G | 44.31 | 74.00 | -29.69 | 3 | Horizontal | 234 | 1.66 | - |
| 2437MHz | Pass | PK | 7.31046G | 49.47 | 74.00 | -24.53 | 3 | Horizontal | 235 | 1.64 | - |
| 2457MHz | Pass | AV | 2.4514G | 97.86 | Inf | -Inf | 3 | Vertical | 227 | 1.11 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2457MHz | Pass | AV | 2.4835G | 49.32 | 54.00 | -4.68 | 3 | Vertical | 227 | 1.11 | - |
| 2457MHz | Pass | PK | 2.4512G | 106.43 | Inf | -Inf | 3 | Vertical | 227 | 1.11 | - |
| 2457MHz | Pass | PK | 2.4844G | 60.45 | 74.00 | -13.55 | 3 | Vertical | 227 | 1.11 | - |
| 2457MHz | Pass | AV | 2.4492G | 104.80 | Inf | -Inf | 3 | Horizontal | 180 | 1.06 | - |
| 2457MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 180 | 1.06 | - |
| 2457MHz | Pass | PK | 2.4518G | 113.41 | Inf | -Inf | 3 | Horizontal | 180 | 1.06 | - |
| 2457MHz | Pass | PK | 2.485G | 65.39 | 74.00 | -8.61 | 3 | Horizontal | 180 | 1.06 | - |
| 2462MHz | Pass | AV | 2.4542G | 94.41 | Inf | -Inf | 3 | Vertical | 228 | 1.13 | - |
| 2462MHz | Pass | AV | 2.4844G | 48.87 | 54.00 | -5.13 | 3 | Vertical | 228 | 1.13 | - |
| 2462MHz | Pass | PK | 2.4694G | 103.45 | Inf | -Inf | 3 | Vertical | 228 | 1.13 | - |
| 2462MHz | Pass | PK | 2.4836G | 60.38 | 74.00 | -13.62 | 3 | Vertical | 228 | 1.13 | - |
| 2462MHz | Pass | AV | 2.4544G | 101.46 | Inf | -Inf | 3 | Horizontal | 179 | 1.06 | - |
| 2462MHz | Pass | AV | 2.4835G | 52.14 | 54.00 | -1.86 | 3 | Horizontal | 179 | 1.06 | - |
| 2462MHz | Pass | PK | 2.4556G | 110.60 | Inf | -Inf | 3 | Horizontal | 179 | 1.06 | - |
| 2462MHz | Pass | PK | 2.4842G | 65.32 | 74.00 | -8.68 | 3 | Horizontal | 179 | 1.06 | - |
| 2462MHz | Pass | AV | 4.92382G | 31.40 | 54.00 | -22.60 | 3 | Vertical | 178 | 1.50 | - |
| 2462MHz | Pass | AV | 7.37706G | 36.44 | 54.00 | -17.56 | 3 | Vertical | 217 | 1.50 | - |
| 2462MHz | Pass | PK | 4.92118G | 43.86 | 74.00 | -30.14 | 3 | Vertical | 178 | 1.50 | - |
| 2462MHz | Pass | PK | 7.37898G | 48.68 | 74.00 | -25.32 | 3 | Vertical | 217 | 1.50 | - |
| 2462MHz | Pass | AV | 4.93822G | 31.22 | 54.00 | -22.78 | 3 | Horizontal | 124 | 1.50 | - |
| 2462MHz | Pass | AV | 7.371G | 36.52 | 54.00 | -17.48 | 3 | Horizontal | 140 | 1.63 | - |
| 2462MHz | Pass | PK | 4.93882G | 43.95 | 74.00 | -30.05 | 3 | Horizontal | 124 | 1.50 | - |
| 2462MHz | Pass | PK | 7.37268G | 49.06 | 74.00 | -24.94 | 3 | Horizontal | 140 | 1.63 | - |
| 2467MHz | Pass | AV | 2.4738G | 91.34 | Inf | -Inf | 3 | Vertical | 229 | 1.10 | - |
| 2467MHz | Pass | AV | 2.4835G | 49.32 | 54.00 | -4.68 | 3 | Vertical | 229 | 1.10 | - |
| 2467MHz | Pass | PK | 2.4726G | 100.14 | Inf | -Inf | 3 | Vertical | 229 | 1.10 | - |
| 2467MHz | Pass | PK | 2.4835G | 60.26 | 74.00 | -13.74 | 3 | Vertical | 229 | 1.10 | - |
| 2467MHz | Pass | AV | 2.4728G | 99.10 | Inf | -Inf | 3 | Horizontal | 179 | 1.28 | - |
| 2467MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 179 | 1.28 | - |
| 2467MHz | Pass | PK | 2.4724G | 107.99 | Inf | -Inf | 3 | Horizontal | 179 | 1.28 | - |
| 2467MHz | Pass | PK | 2.4835G | 63.48 | 74.00 | -10.52 | 3 | Horizontal | 179 | 1.28 | - |
| 2467MHz | Pass | AV | 4.9409G | 31.33 | 54.00 | -22.67 | 3 | Vertical | 157 | 2.20 | - |
| 2467MHz | Pass | AV | 7.3866G | 36.30 | 54.00 | -17.70 | 3 | Vertical | 101 | 1.50 | - |
| 2467MHz | Pass | PK | 4.91954G | 44.03 | 74.00 | -29.97 | 3 | Vertical | 157 | 2.20 | - |
| 2467MHz | Pass | PK | 7.41432G | 48.81 | 74.00 | -25.19 | 3 | Vertical | 101 | 1.50 | - |
| 2467MHz | Pass | AV | 4.9427G | 31.25 | 54.00 | -22.75 | 3 | Horizontal | 176 | 2.78 | - |
| 2467MHz | Pass | AV | 7.38912G | 36.36 | 54.00 | -17.64 | 3 | Horizontal | 341 | 2.52 | - |
| 2467MHz | Pass | PK | 4.94462G | 44.01 | 74.00 | -29.99 | 3 | Horizontal | 176 | 2.78 | - |
| 2467MHz | Pass | PK | 7.40928G | 48.16 | 74.00 | -25.84 | 3 | Horizontal | 341 | 2.52 | - |
| 2472MHz | Pass | AV | 2.4748G | 87.76 | Inf | -Inf | 3 | Vertical | 228 | 1.12 | - |
| 2472MHz | Pass | AV | 2.4835G | 48.62 | 54.00 | -5.38 | 3 | Vertical | 228 | 1.12 | - |
| 2472MHz | Pass | PK | 2.467G | 97.23 | Inf | -Inf | 3 | Vertical | 228 | 1.12 | - |
| 2472MHz | Pass | PK | 2.4835G | 65.59 | 74.00 | -8.41 | 3 | Vertical | 228 | 1.12 | - |
| 2472MHz | Pass | AV | 2.473G | 94.94 | Inf | -Inf | 3 | Horizontal | 180 | 1.28 | - |
| 2472MHz | Pass | AV | 2.4835G | 50.75 | 54.00 | -3.25 | 3 | Horizontal | 180 | 1.28 | - |
| 2472MHz | Pass | PK | 2.4694G | 104.54 | Inf | -Inf | 3 | Horizontal | 180 | 1.28 | - |
| 2472MHz | Pass | PK | 2.4835G | 71.98 | 74.00 | -2.02 | 3 | Horizontal | 180 | 1.28 | - |
| 2472MHz | Pass | AV | 4.94136G | 31.24 | 54.00 | -22.76 | 3 | Vertical | 118 | 1.67 | - |
| 2472MHz | Pass | AV | 7.42854G | 36.19 | 54.00 | -17.81 | 3 | Vertical | 252 | 2.28 | - |
| 2472MHz | Pass | PK | 4.95006G | 43.72 | 74.00 | -30.28 | 3 | Vertical | 118 | 1.67 | - |
| 2472MHz | Pass | PK | 7.42242G | 48.07 | 74.00 | -25.93 | 3 | Vertical | 252 | 2.28 | - |
| 2472MHz | Pass | AV | 4.94298G | 31.25 | 54.00 | -22.75 | 3 | Horizontal | 171 | 2.62 | - |
| 2472MHz | Pass | AV | 7.42386G | 36.22 | 54.00 | -17.78 | 3 | Horizontal | 102 | 2.38 | - |
| 2472MHz | Pass | PK | 4.93692G | 43.15 | 74.00 | -30.85 | 3 | Horizontal | 171 | 2.62 | - |
| 2472MHz | Pass | PK | 7.4055G | 47.98 | 74.00 | -26.02 | 3 | Horizontal | 102 | 2.38 | - |
| 802.11n HT40_Nss1,(MCS0)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 48.59 | 54.00 | -5.41 | 3 | Vertical | 167 | 1.07 | - |
| 2422MHz | Pass | AV | 2.4236G | 90.33 | Inf | -Inf | 3 | Vertical | 167 | 1.07 | - |
| 2422MHz | Pass | AV | 2.4844G | 47.87 | 54.00 | -6.13 | 3 | Vertical | 167 | 1.07 | - |
| 2422MHz | Pass | PK | 2.3888G | 58.44 | 74.00 | -15.56 | 3 | Vertical | 167 | 1.07 | - |
| 2422MHz | Pass | PK | 2.4168G | 99.30 | Inf | -Inf | 3 | Vertical | 167 | 1.07 | - |
| 2422MHz | Pass | PK | 2.4864G | 59.14 | 74.00 | -14.86 | 3 | Vertical | 167 | 1.07 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2422MHz | Pass | AV | 2.39G | 51.51 | 54.00 | -2.49 | 3 | Horizontal | 179 | 1.31 | - |
| 2422MHz | Pass | AV | 2.4248G | 96.32 | Inf | -Inf | 3 | Horizontal | 179 | 1.31 | - |
| 2422MHz | Pass | AV | 2.4844G | 48.39 | 54.00 | -5.61 | 3 | Horizontal | 179 | 1.31 | - |
| 2422MHz | Pass | PK | 2.39G | 62.13 | 74.00 | -11.87 | 3 | Horizontal | 179 | 1.31 | - |
| 2422MHz | Pass | PK | 2.428G | 104.84 | Inf | -Inf | 3 | Horizontal | 179 | 1.31 | - |
| 2422MHz | Pass | PK | 2.4996G | 58.67 | 74.00 | -15.33 | 3 | Horizontal | 179 | 1.31 | - |
| 2422MHz | Pass | AV | 4.85032G | 28.85 | 54.00 | -25.15 | 3 | Vertical | 184 | 2.35 | - |
| 2422MHz | Pass | AV | 7.27408G | 34.36 | 54.00 | -19.64 | 3 | Vertical | 108 | 2.23 | - |
| 2422MHz | Pass | PK | 4.84088G | 42.29 | 74.00 | -31.71 | 3 | Vertical | 184 | 2.35 | - |
| 2422MHz | Pass | PK | 7.26332G | 48.60 | 74.00 | -25.40 | 3 | Vertical | 108 | 2.23 | - |
| 2422MHz | Pass | AV | 4.85272G | 28.89 | 54.00 | -25.11 | 3 | Horizontal | 70 | 2.88 | - |
| 2422MHz | Pass | AV | 7.27556G | 34.35 | 54.00 | -19.65 | 3 | Horizontal | 157 | 1.48 | - |
| 2422MHz | Pass | PK | 4.84112G | 42.62 | 74.00 | -31.38 | 3 | Horizontal | 70 | 2.88 | - |
| 2422MHz | Pass | PK | 7.27356G | 47.97 | 74.00 | -26.03 | 3 | Horizontal | 157 | 1.48 | - |
| 2437MHz | Pass | AV | 2.389G | 47.17 | 54.00 | -6.83 | 3 | Vertical | 170 | 1.04 | - |
| 2437MHz | Pass | AV | 2.4542G | 91.10 | Inf | -Inf | 3 | Vertical | 170 | 1.04 | - |
| 2437MHz | Pass | AV | 2.4835G | 49.54 | 54.00 | -4.46 | 3 | Vertical | 170 | 1.04 | - |
| 2437MHz | Pass | PK | 2.3854G | 58.25 | 74.00 | -15.75 | 3 | Vertical | 170 | 1.04 | - |
| 2437MHz | Pass | PK | 2.4542G | 99.39 | Inf | -Inf | 3 | Vertical | 170 | 1.04 | - |
| 2437MHz | Pass | PK | 2.4835G | 60.26 | 74.00 | -13.74 | 3 | Vertical | 170 | 1.04 | - |
| 2437MHz | Pass | AV | 2.3894G | 48.36 | 54.00 | -5.64 | 3 | Horizontal | 180 | 1.03 | - |
| 2437MHz | Pass | AV | 2.4538G | 96.18 | Inf | -Inf | 3 | Horizontal | 180 | 1.03 | - |
| 2437MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 180 | 1.03 | - |
| 2437MHz | Pass | PK | 2.3874G | 58.62 | 74.00 | -15.38 | 3 | Horizontal | 180 | 1.03 | - |
| 2437MHz | Pass | PK | 2.4538G | 104.47 | Inf | -Inf | 3 | Horizontal | 180 | 1.03 | - |
| 2437MHz | Pass | PK | 2.4842G | 64.20 | 74.00 | -9.80 | 3 | Horizontal | 180 | 1.03 | - |
| 2437MHz | Pass | AV | 4.88256G | 29.19 | 54.00 | -24.81 | 3 | Vertical | 279 | 2.96 | - |
| 2437MHz | Pass | AV | 7.31032G | 34.28 | 54.00 | -19.72 | 3 | Vertical | 332 | 2.50 | - |
| 2437MHz | Pass | PK | 4.881G | 42.18 | 74.00 | -31.82 | 3 | Vertical | 279 | 2.96 | - |
| 2437MHz | Pass | PK | 7.31G | 47.97 | 74.00 | -26.03 | 3 | Vertical | 332 | 2.50 | - |
| 2437MHz | Pass | AV | 4.88296G | 29.19 | 54.00 | -24.81 | 3 | Horizontal | 216 | 1.16 | - |
| 2437MHz | Pass | AV | 7.31216G | 34.27 | 54.00 | -19.73 | 3 | Horizontal | 32 | 1.63 | - |
| 2437MHz | Pass | PK | 4.87684G | 42.19 | 74.00 | -31.81 | 3 | Horizontal | 216 | 1.16 | - |
| 2437MHz | Pass | PK | 7.31796G | 47.81 | 74.00 | -26.19 | 3 | Horizontal | 32 | 1.63 | - |
| 2452MHz | Pass | AV | 2.39G | 46.91 | 54.00 | -7.09 | 3 | Vertical | 168 | 1.05 | - |
| 2452MHz | Pass | AV | 2.4624G | 94.12 | Inf | -Inf | 3 | Vertical | 168 | 1.05 | - |
| 2452MHz | Pass | AV | 2.4835G | 49.75 | 54.00 | -4.25 | 3 | Vertical | 168 | 1.05 | - |
| 2452MHz | Pass | PK | 2.3872G | 58.35 | 74.00 | -15.65 | 3 | Vertical | 168 | 1.05 | - |
| 2452MHz | Pass | PK | 2.4648G | 102.81 | Inf | -Inf | 3 | Vertical | 168 | 1.05 | - |
| 2452MHz | Pass | PK | 2.484G | 60.00 | 74.00 | -14.00 | 3 | Vertical | 168 | 1.05 | - |
| 2452MHz | Pass | AV | 2.3888G | 46.91 | 54.00 | -7.09 | 3 | Horizontal | 185 | 1.04 | - |
| 2452MHz | Pass | AV | 2.4608G | 99.14 | Inf | -Inf | 3 | Horizontal | 185 | 1.04 | - |
| 2452MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 185 | 1.04 | - |
| 2452MHz | Pass | PK | 2.378G | 57.95 | 74.00 | -16.05 | 3 | Horizontal | 185 | 1.04 | - |
| 2452MHz | Pass | PK | 2.4376G | 107.89 | Inf | -Inf | 3 | Horizontal | 185 | 1.04 | - |
| 2452MHz | Pass | PK | 2.484G | 63.26 | 74.00 | -10.74 | 3 | Horizontal | 185 | 1.04 | - |
| 2452MHz | Pass | AV | 4.90276G | 29.62 | 54.00 | -24.38 | 3 | Vertical | 238 | 1.43 | - |
| 2452MHz | Pass | AV | 7.35372G | 34.67 | 54.00 | -19.33 | 3 | Vertical | 96 | 2.67 | - |
| 2452MHz | Pass | PK | 4.91268G | 42.63 | 74.00 | -31.37 | 3 | Vertical | 238 | 1.43 | - |
| 2452MHz | Pass | PK | 7.36392G | 48.02 | 74.00 | -25.98 | 3 | Vertical | 96 | 2.67 | - |
| 2452MHz | Pass | AV | 4.90292G | 29.66 | 54.00 | -24.34 | 3 | Horizontal | 58 | 2.43 | - |
| 2452MHz | Pass | AV | 7.35488G | 34.67 | 54.00 | -19.33 | 3 | Horizontal | 354 | 1.08 | - |
| 2452MHz | Pass | PK | 4.90556G | 42.66 | 74.00 | -31.34 | 3 | Horizontal | 58 | 2.43 | - |
| 2452MHz | Pass | PK | 7.35592G | 48.33 | 74.00 | -25.67 | 3 | Horizontal | 354 | 1.08 | - |
| 2457MHz | Pass | AV | 2.3898G | 46.65 | 54.00 | -7.35 | 3 | Vertical | 168 | 1.02 | - |
| 2457MHz | Pass | AV | 2.4614G | 91.03 | Inf | -Inf | 3 | Vertical | 168 | 1.02 | - |
| 2457MHz | Pass | AV | 2.4835G | 49.54 | 54.00 | -4.46 | 3 | Vertical | 168 | 1.02 | - |
| 2457MHz | Pass | PK | 2.3746G | 58.08 | 74.00 | -15.92 | 3 | Vertical | 168 | 1.02 | - |
| 2457MHz | Pass | PK | 2.4658G | 100.40 | Inf | -Inf | 3 | Vertical | 168 | 1.02 | - |
| 2457MHz | Pass | PK | 2.4838G | 62.66 | 74.00 | -11.34 | 3 | Vertical | 168 | 1.02 | - |
| 2457MHz | Pass | AV | 2.3898G | 46.65 | 54.00 | -7.35 | 3 | Horizontal | 179 | 1.20 | - |
| 2457MHz | Pass | AV | 2.4458G | 96.19 | Inf | -Inf | 3 | Horizontal | 179 | 1.20 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2457MHz | Pass | AV | 2.4835G | 51.81 | 54.00 | -2.19 | 3 | Horizontal | 179 | 1.20 | - |
| 2457MHz | Pass | PK | 2.3726G | 58.15 | 74.00 | -15.85 | 3 | Horizontal | 179 | 1.20 | - |
| 2457MHz | Pass | PK | 2.4478G | 104.38 | Inf | -Inf | 3 | Horizontal | 179 | 1.20 | - |
| 2457MHz | Pass | PK | 2.4838G | 65.06 | 74.00 | -8.94 | 3 | Horizontal | 179 | 1.20 | - |
| 2457MHz | Pass | AV | 4.92104G | 29.77 | 54.00 | -24.23 | 3 | Vertical | 259 | 2.33 | - |
| 2457MHz | Pass | AV | 7.37756G | 34.72 | 54.00 | -19.28 | 3 | Vertical | 97 | 1.60 | - |
| 2457MHz | Pass | PK | 4.91776G | 43.40 | 74.00 | -30.60 | 3 | Vertical | 259 | 2.33 | - |
| 2457MHz | Pass | PK | 7.38008G | 48.05 | 74.00 | -25.95 | 3 | Vertical | 97 | 1.60 | - |
| 2457MHz | Pass | AV | 4.92092G | 29.77 | 54.00 | -24.23 | 3 | Horizontal | 256 | 2.81 | - |
| 2457MHz | Pass | AV | 7.37584G | 34.72 | 54.00 | -19.28 | 3 | Horizontal | 75 | 1.39 | - |
| 2457MHz | Pass | PK | 4.91244G | 42.86 | 74.00 | -31.14 | 3 | Horizontal | 256 | 2.81 | - |
| 2457MHz | Pass | PK | 7.37812G | 47.94 | 74.00 | -26.06 | 3 | Horizontal | 75 | 1.39 | - |
| 2462MHz | Pass | AV | 2.39G | 46.65 | 54.00 | -7.35 | 3 | Vertical | 165 | 1.05 | - |
| 2462MHz | Pass | AV | 2.4596G | 89.46 | Inf | -Inf | 3 | Vertical | 165 | 1.05 | - |
| 2462MHz | Pass | AV | 2.4835G | 49.54 | 54.00 | -4.46 | 3 | Vertical | 165 | 1.05 | - |
| 2462MHz | Pass | PK | 2.3784G | 58.31 | 74.00 | -15.69 | 3 | Vertical | 165 | 1.05 | - |
| 2462MHz | Pass | PK | 2.4484G | 97.96 | Inf | -Inf | 3 | Vertical | 165 | 1.05 | - |
| 2462MHz | Pass | PK | 2.486G | 61.88 | 74.00 | -12.12 | 3 | Vertical | 165 | 1.05 | - |
| 2462MHz | Pass | AV | 2.39G | 46.91 | 54.00 | -7.09 | 3 | Horizontal | 182 | 1.06 | - |
| 2462MHz | Pass | AV | 2.46G | 94.88 | Inf | -Inf | 3 | Horizontal | 182 | 1.06 | - |
| 2462MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 182 | 1.06 | - |
| 2462MHz | Pass | PK | 2.3864G | 58.69 | 74.00 | -15.31 | 3 | Horizontal | 182 | 1.06 | - |
| 2462MHz | Pass | PK | 2.4604G | 103.30 | Inf | -Inf | 3 | Horizontal | 182 | 1.06 | - |
| 2462MHz | Pass | PK | 2.484G | 67.59 | 74.00 | -6.41 | 3 | Horizontal | 182 | 1.06 | - |
| 2462MHz | Pass | AV | 4.92312G | 29.79 | 54.00 | -24.21 | 3 | Vertical | 160 | 2.00 | - |
| 2462MHz | Pass | AV | 7.3808G | 34.72 | 54.00 | -19.28 | 3 | Vertical | 179 | 1.79 | - |
| 2462MHz | Pass | PK | 4.9286G | 42.93 | 74.00 | -31.07 | 3 | Vertical | 160 | 2.00 | - |
| 2462MHz | Pass | PK | 7.3878G | 48.06 | 74.00 | -25.94 | 3 | Vertical | 179 | 1.79 | - |
| 2462MHz | Pass | AV | 4.92104G | 29.72 | 54.00 | -24.28 | 3 | Horizontal | 313 | 1.18 | - |
| 2462MHz | Pass | AV | 7.38016G | 34.70 | 54.00 | -19.30 | 3 | Horizontal | 80 | 2.98 | - |
| 2462MHz | Pass | PK | 4.91852G | 43.16 | 74.00 | -30.84 | 3 | Horizontal | 313 | 1.18 | - |
| 2462MHz | Pass | PK | 7.3772G | 48.11 | 74.00 | -25.89 | 3 | Horizontal | 80 | 2.98 | - |
| 802.11n HT40_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 48.37 | 54.00 | -5.63 | 3 | Vertical | 227 | 1.19 | - |
| 2422MHz | Pass | AV | 2.4384G | 90.23 | Inf | -Inf | 3 | Vertical | 227 | 1.19 | - |
| 2422MHz | Pass | AV | 2.4844G | 48.13 | 54.00 | -5.87 | 3 | Vertical | 227 | 1.19 | - |
| 2422MHz | Pass | PK | 2.3896G | 58.51 | 74.00 | -15.49 | 3 | Vertical | 227 | 1.19 | - |
| 2422MHz | Pass | PK | 2.4384G | 98.64 | Inf | -Inf | 3 | Vertical | 227 | 1.19 | - |
| 2422MHz | Pass | PK | 2.4835G | 58.97 | 74.00 | -15.03 | 3 | Vertical | 227 | 1.19 | - |
| 2422MHz | Pass | AV | 2.39G | 52.25 | 54.00 | -1.75 | 3 | Horizontal | 180 | 1.23 | - |
| 2422MHz | Pass | AV | 2.4396G | 97.37 | Inf | -Inf | 3 | Horizontal | 180 | 1.23 | - |
| 2422MHz | Pass | AV | 2.4835G | 49.96 | 54.00 | -4.04 | 3 | Horizontal | 180 | 1.23 | - |
| 2422MHz | Pass | PK | 2.3892G | 62.44 | 74.00 | -11.56 | 3 | Horizontal | 180 | 1.23 | - |
| 2422MHz | Pass | PK | 2.4396G | 105.86 | Inf | -Inf | 3 | Horizontal | 180 | 1.23 | - |
| 2422MHz | Pass | PK | 2.4835G | 62.12 | 74.00 | -11.88 | 3 | Horizontal | 180 | 1.23 | - |
| 2422MHz | Pass | AV | 4.84912G | 29.01 | 54.00 | -24.99 | 3 | Vertical | 153 | 2.87 | - |
| 2422MHz | Pass | AV | 7.27236G | 34.49 | 54.00 | -19.51 | 3 | Vertical | 246 | 1.11 | - |
| 2422MHz | Pass | PK | 4.83432G | 43.12 | 74.00 | -30.88 | 3 | Vertical | 153 | 2.87 | - |
| 2422MHz | Pass | PK | 7.27556G | 48.47 | 74.00 | -25.53 | 3 | Vertical | 246 | 1.11 | - |
| 2422MHz | Pass | AV | 4.85132G | 29.05 | 54.00 | -24.95 | 3 | Horizontal | 245 | 1.57 | - |
| 2422MHz | Pass | AV | 7.27368G | 34.50 | 54.00 | -19.50 | 3 | Horizontal | 145 | 2.26 | - |
| 2422MHz | Pass | PK | 4.83864G | 42.47 | 74.00 | -31.53 | 3 | Horizontal | 245 | 1.57 | - |
| 2422MHz | Pass | PK | 7.27412G | 48.10 | 74.00 | -25.90 | 3 | Horizontal | 145 | 2.26 | - |
| 2427MHz | Pass | AV | 2.3898G | 47.91 | 54.00 | -6.09 | 3 | Vertical | 223 | 1.43 | - |
| 2427MHz | Pass | AV | 2.4446G | 91.23 | Inf | -Inf | 3 | Vertical | 223 | 1.43 | - |
| 2427MHz | Pass | AV | 2.4862G | 48.64 | 54.00 | -5.36 | 3 | Vertical | 223 | 1.43 | - |
| 2427MHz | Pass | PK | 2.3898G | 59.61 | 74.00 | -14.39 | 3 | Vertical | 223 | 1.43 | - |
| 2427MHz | Pass | PK | 2.4442G | 99.27 | Inf | -Inf | 3 | Vertical | 223 | 1.43 | - |
| 2427MHz | Pass | PK | 2.4835G | 59.53 | 74.00 | -14.47 | 3 | Vertical | 223 | 1.43 | - |
| 2427MHz | Pass | AV | 2.3898G | 52.11 | 54.00 | -1.89 | 3 | Horizontal | 179 | 1.30 | - |
| 2427MHz | Pass | AV | 2.4446G | 98.77 | Inf | -Inf | 3 | Horizontal | 179 | 1.30 | - |
| 2427MHz | Pass | AV | 2.4835G | 51.30 | 54.00 | -2.70 | 3 | Horizontal | 179 | 1.30 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2427MHz | Pass | PK | 2.3894G | 63.11 | 74.00 | -10.89 | 3 | Horizontal | 179 | 1.30 | - |
| 2427MHz | Pass | PK | 2.4446G | 107.12 | Inf | -Inf | 3 | Horizontal | 179 | 1.30 | - |
| 2427MHz | Pass | PK | 2.4862G | 61.93 | 74.00 | -12.07 | 3 | Horizontal | 179 | 1.30 | - |
| 2427MHz | Pass | AV | 4.86288G | 29.28 | 54.00 | -24.72 | 3 | Vertical | 353 | 1.45 | - |
| 2427MHz | Pass | AV | 7.275G | 34.53 | 54.00 | -19.47 | 3 | Vertical | 332 | 2.67 | - |
| 2427MHz | Pass | PK | 4.8558G | 42.44 | 74.00 | -31.56 | 3 | Vertical | 353 | 1.45 | - |
| 2427MHz | Pass | PK | 7.28028G | 48.27 | 74.00 | -25.73 | 3 | Vertical | 332 | 2.67 | - |
| 2427MHz | Pass | AV | 4.86156G | 29.28 | 54.00 | -24.72 | 3 | Horizontal | 336 | 2.01 | - |
| 2427MHz | Pass | AV | 7.27656G | 34.53 | 54.00 | -19.47 | 3 | Horizontal | 120 | 1.66 | - |
| 2427MHz | Pass | PK | 4.85456G | 42.00 | 74.00 | -32.00 | 3 | Horizontal | 336 | 2.01 | - |
| 2427MHz | Pass | PK | 7.2738G | 47.53 | 74.00 | -26.47 | 3 | Horizontal | 120 | 1.66 | - |
| 2437MHz | Pass | AV | 2.3898G | 47.42 | 54.00 | -6.58 | 3 | Vertical | 225 | 1.07 | - |
| 2437MHz | Pass | AV | 2.4194G | 91.12 | Inf | -Inf | 3 | Vertical | 225 | 1.07 | - |
| 2437MHz | Pass | AV | 2.4835G | 49.09 | 54.00 | -4.91 | 3 | Vertical | 225 | 1.07 | - |
| 2437MHz | Pass | PK | 2.3526G | 59.02 | 74.00 | -14.98 | 3 | Vertical | 225 | 1.07 | - |
| 2437MHz | Pass | PK | 2.4206G | 99.60 | Inf | -Inf | 3 | Vertical | 225 | 1.07 | - |
| 2437MHz | Pass | PK | 2.4838G | 60.13 | 74.00 | -13.87 | 3 | Vertical | 225 | 1.07 | - |
| 2437MHz | Pass | AV | 2.3898G | 49.98 | 54.00 | -4.02 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | AV | 2.4198G | 98.84 | Inf | -Inf | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | AV | 2.4835G | 51.47 | 54.00 | -2.53 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | PK | 2.3898G | 59.61 | 74.00 | -14.39 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | PK | 2.4214G | 107.43 | Inf | -Inf | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | PK | 2.4838G | 62.32 | 74.00 | -11.68 | 3 | Horizontal | 180 | 1.32 | - |
| 2437MHz | Pass | AV | 4.884G | 29.37 | 54.00 | -24.63 | 3 | Vertical | 286 | 2.41 | - |
| 2437MHz | Pass | AV | 7.31176G | 34.45 | 54.00 | -19.55 | 3 | Vertical | 64 | 1.23 | - |
| 2437MHz | Pass | PK | 4.86616G | 42.86 | 74.00 | -31.14 | 3 | Vertical | 286 | 2.41 | - |
| 2437MHz | Pass | PK | 7.31212G | 47.44 | 74.00 | -26.56 | 3 | Vertical | 64 | 1.23 | - |
| 2437MHz | Pass | AV | 4.88312G | 29.32 | 54.00 | -24.68 | 3 | Horizontal | 83 | 2.29 | - |
| 2437MHz | Pass | AV | 7.30964G | 34.44 | 54.00 | -19.56 | 3 | Horizontal | 192 | 2.64 | - |
| 2437MHz | Pass | PK | 4.87596G | 42.37 | 74.00 | -31.63 | 3 | Horizontal | 83 | 2.29 | - |
| 2437MHz | Pass | PK | 7.3096G | 47.77 | 74.00 | -26.23 | 3 | Horizontal | 192 | 2.64 | - |
| 2447MHz | Pass | AV | 2.3898G | 46.65 | 54.00 | -7.35 | 3 | Vertical | 223 | 1.43 | - |
| 2447MHz | Pass | AV | 2.4442G | 85.95 | Inf | -Inf | 3 | Vertical | 223 | 1.43 | - |
| 2447MHz | Pass | AV | 2.4835G | 49.09 | 54.00 | -4.91 | 3 | Vertical | 223 | 1.43 | - |
| 2447MHz | Pass | PK | 2.3526G | 58.48 | 74.00 | -15.52 | 3 | Vertical | 223 | 1.43 | - |
| 2447MHz | Pass | PK | 2.4502G | 94.54 | Inf | -Inf | 3 | Vertical | 223 | 1.43 | - |
| 2447MHz | Pass | PK | 2.4874G | 59.89 | 74.00 | -14.11 | 3 | Vertical | 223 | 1.43 | - |
| 2447MHz | Pass | AV | 2.3898G | 47.42 | 54.00 | -6.58 | 3 | Horizontal | 180 | 1.24 | - |
| 2447MHz | Pass | AV | 2.4442G | 93.54 | Inf | -Inf | 3 | Horizontal | 180 | 1.24 | - |
| 2447MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 180 | 1.24 | - |
| 2447MHz | Pass | PK | 2.3746G | 58.08 | 74.00 | -15.92 | 3 | Horizontal | 180 | 1.24 | - |
| 2447MHz | Pass | PK | 2.4422G | 102.05 | Inf | -Inf | 3 | Horizontal | 180 | 1.24 | - |
| 2447MHz | Pass | PK | 2.4854G | 63.22 | 74.00 | -10.78 | 3 | Horizontal | 180 | 1.24 | - |
| 2447MHz | Pass | AV | 4.90308G | 29.55 | 54.00 | -24.45 | 3 | Vertical | 230 | 2.41 | - |
| 2447MHz | Pass | AV | 7.35076G | 34.57 | 54.00 | -19.43 | 3 | Vertical | 57 | 1.29 | - |
| 2447MHz | Pass | PK | 4.90124G | 43.09 | 74.00 | -30.91 | 3 | Vertical | 230 | 2.41 | - |
| 2447MHz | Pass | PK | 7.35068G | 47.97 | 74.00 | -26.03 | 3 | Vertical | 57 | 1.29 | - |
| 2447MHz | Pass | AV | 4.90304G | 29.64 | 54.00 | -24.36 | 3 | Horizontal | 293 | 2.26 | - |
| 2447MHz | Pass | AV | 7.33452G | 34.55 | 54.00 | -19.45 | 3 | Horizontal | 117 | 1.90 | - |
| 2447MHz | Pass | PK | 4.89804G | 42.08 | 74.00 | -31.92 | 3 | Horizontal | 293 | 2.26 | - |
| 2447MHz | Pass | PK | 7.34704G | 47.72 | 74.00 | -26.28 | 3 | Horizontal | 117 | 1.90 | - |
| 2452MHz | Pass | AV | 2.39G | 46.65 | 54.00 | -7.35 | 3 | Vertical | 222 | 1.45 | - |
| 2452MHz | Pass | AV | 2.4476G | 86.12 | Inf | -Inf | 3 | Vertical | 222 | 1.45 | - |
| 2452MHz | Pass | AV | 2.484G | 48.86 | 54.00 | -5.14 | 3 | Vertical | 222 | 1.45 | - |
| 2452MHz | Pass | PK | 2.3728G | 58.97 | 74.00 | -15.03 | 3 | Vertical | 222 | 1.45 | - |
| 2452MHz | Pass | PK | 2.4496G | 94.44 | Inf | -Inf | 3 | Vertical | 222 | 1.45 | - |
| 2452MHz | Pass | PK | 2.4868G | 59.76 | 74.00 | -14.24 | 3 | Vertical | 222 | 1.45 | - |
| 2452MHz | Pass | AV | 2.39G | 47.43 | 54.00 | -6.57 | 3 | Horizontal | 179 | 1.30 | - |
| 2452MHz | Pass | AV | 2.4484G | 93.85 | Inf | -Inf | 3 | Horizontal | 179 | 1.30 | - |
| 2452MHz | Pass | AV | 2.4835G | 51.30 | 54.00 | -2.70 | 3 | Horizontal | 179 | 1.30 | - |
| 2452MHz | Pass | PK | 2.3712G | 58.21 | 74.00 | -15.79 | 3 | Horizontal | 179 | 1.30 | - |
| 2452MHz | Pass | PK | 2.4468G | 102.92 | Inf | -Inf | 3 | Horizontal | 179 | 1.30 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2452MHz | Pass | PK | 2.488G | 62.10 | 74.00 | -11.90 | 3 | Horizontal | 179 | 1.30 | - |
| 2452MHz | Pass | AV | 4.9072G | 29.63 | 54.00 | -24.37 | 3 | Vertical | 18 | 2.38 | - |
| 2452MHz | Pass | AV | 7.35504G | 34.64 | 54.00 | -19.36 | 3 | Vertical | 301 | 2.22 | - |
| 2452MHz | Pass | PK | 4.91044G | 42.63 | 74.00 | -31.37 | 3 | Vertical | 18 | 2.38 | - |
| 2452MHz | Pass | PK | 7.34704G | 48.30 | 74.00 | -25.70 | 3 | Vertical | 301 | 2.22 | - |
| 2452MHz | Pass | AV | 4.90308G | 29.67 | 54.00 | -24.33 | 3 | Horizontal | 242 | 1.01 | - |
| 2452MHz | Pass | AV | 7.3532G | 34.69 | 54.00 | -19.31 | 3 | Horizontal | 261 | 2.81 | - |
| 2452MHz | Pass | PK | 4.9016G | 42.95 | 74.00 | -31.05 | 3 | Horizontal | 242 | 1.01 | - |
| 2452MHz | Pass | PK | 7.36404G | 47.96 | 74.00 | -26.04 | 3 | Horizontal | 261 | 2.81 | - |
| 2457MHz | Pass | AV | 2.3882G | 46.90 | 54.00 | -7.10 | 3 | Vertical | 226 | 1.15 | - |
| 2457MHz | Pass | AV | 2.4682G | 82.57 | Inf | -Inf | 3 | Vertical | 226 | 1.15 | - |
| 2457MHz | Pass | AV | 2.4835G | 49.32 | 54.00 | -4.68 | 3 | Vertical | 226 | 1.15 | - |
| 2457MHz | Pass | PK | 2.3742G | 58.01 | 74.00 | -15.99 | 3 | Vertical | 226 | 1.15 | - |
| 2457MHz | Pass | PK | 2.4538G | 90.66 | Inf | -Inf | 3 | Vertical | 226 | 1.15 | - |
| 2457MHz | Pass | PK | 2.4838G | 59.87 | 74.00 | -14.13 | 3 | Vertical | 226 | 1.15 | - |
| 2457MHz | Pass | AV | 2.3886G | 46.91 | 54.00 | -7.09 | 3 | Horizontal | 179 | 1.29 | - |
| 2457MHz | Pass | AV | 2.469G | 89.44 | Inf | -Inf | 3 | Horizontal | 179 | 1.29 | - |
| 2457MHz | Pass | AV | 2.4835G | 52.30 | 54.00 | -1.70 | 3 | Horizontal | 179 | 1.29 | - |
| 2457MHz | Pass | PK | 2.3818G | 58.17 | 74.00 | -15.83 | 3 | Horizontal | 179 | 1.29 | - |
| 2457MHz | Pass | PK | 2.4678G | 98.39 | Inf | -Inf | 3 | Horizontal | 179 | 1.29 | - |
| 2457MHz | Pass | PK | 2.4842G | 64.59 | 74.00 | -9.41 | 3 | Horizontal | 179 | 1.29 | - |
| 2457MHz | Pass | AV | 4.921G | 29.74 | 54.00 | -24.26 | 3 | Vertical | 217 | 2.54 | - |
| 2457MHz | Pass | AV | 7.37568G | 34.67 | 54.00 | -19.33 | 3 | Vertical | 311 | 2.63 | - |
| 2457MHz | Pass | PK | 4.91816G | 43.32 | 74.00 | -30.68 | 3 | Vertical | 217 | 2.54 | - |
| 2457MHz | Pass | PK | 7.37036G | 47.67 | 74.00 | -26.33 | 3 | Vertical | 311 | 2.63 | - |
| 2457MHz | Pass | AV | 4.92088G | 29.82 | 54.00 | -24.18 | 3 | Horizontal | 128 | 1.15 | - |
| 2457MHz | Pass | AV | 7.37804G | 34.66 | 54.00 | -19.34 | 3 | Horizontal | 105 | 1.23 | - |
| 2457MHz | Pass | PK | 4.91836G | 42.87 | 74.00 | -31.13 | 3 | Horizontal | 128 | 1.15 | - |
| 2457MHz | Pass | PK | 7.36316G | 47.71 | 74.00 | -26.29 | 3 | Horizontal | 105 | 1.23 | - |
| 2462MHz | Pass | AV | 2.3796G | 46.85 | 54.00 | -7.15 | 3 | Vertical | 224 | 1.26 | - |
| 2462MHz | Pass | AV | 2.4748G | 82.84 | Inf | -Inf | 3 | Vertical | 224 | 1.26 | - |
| 2462MHz | Pass | AV | 2.4835G | 49.54 | 54.00 | -4.46 | 3 | Vertical | 224 | 1.26 | - |
| 2462MHz | Pass | PK | 2.3824G | 59.18 | 74.00 | -14.82 | 3 | Vertical | 224 | 1.26 | - |
| 2462MHz | Pass | PK | 2.4752G | 91.70 | Inf | -Inf | 3 | Vertical | 224 | 1.26 | - |
| 2462MHz | Pass | PK | 2.4844G | 65.93 | 74.00 | -8.07 | 3 | Vertical | 224 | 1.26 | - |
| 2462MHz | Pass | AV | 2.39G | 46.65 | 54.00 | -7.35 | 3 | Horizontal | 179 | 1.29 | - |
| 2462MHz | Pass | AV | 2.4732G | 89.54 | Inf | -Inf | 3 | Horizontal | 179 | 1.29 | - |
| 2462MHz | Pass | AV | 2.4835G | 52.14 | 54.00 | -1.86 | 3 | Horizontal | 179 | 1.29 | - |
| 2462MHz | Pass | PK | 2.3788G | 57.81 | 74.00 | -16.19 | 3 | Horizontal | 179 | 1.29 | - |
| 2462MHz | Pass | PK | 2.4488G | 98.02 | Inf | -Inf | 3 | Horizontal | 179 | 1.29 | - |
| 2462MHz | Pass | PK | 2.4844G | 70.65 | 74.00 | -3.35 | 3 | Horizontal | 179 | 1.29 | - |
| 2462MHz | Pass | AV | 4.92236G | 29.74 | 54.00 | -24.26 | 3 | Vertical | 136 | 2.68 | - |
| 2462MHz | Pass | AV | 7.37836G | 34.66 | 54.00 | -19.34 | 3 | Vertical | 70 | 2.67 | - |
| 2462MHz | Pass | PK | 4.92428G | 43.63 | 74.00 | -30.37 | 3 | Vertical | 136 | 2.68 | - |
| 2462MHz | Pass | PK | 7.38432G | 47.70 | 74.00 | -26.30 | 3 | Vertical | 70 | 2.67 | - |
| 2462MHz | Pass | AV | 4.91972G | 29.78 | 54.00 | -24.22 | 3 | Horizontal | 4 | 1.32 | - |
| 2462MHz | Pass | AV | 7.38224G | 34.67 | 54.00 | -19.33 | 3 | Horizontal | 11 | 1.44 | - |
| 2462MHz | Pass | PK | 4.92352G | 42.43 | 74.00 | -31.57 | 3 | Horizontal | 4 | 1.32 | - |
| 2462MHz | Pass | PK | 7.38872G | 47.83 | 74.00 | -26.17 | 3 | Horizontal | 11 | 1.44 | - |
| 802.11ax HEW20_Nss1_(MCS0)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.39G | 47.79 | 54.00 | -6.21 | 3 | Vertical | 164 | 1.00 | - |
| 2412MHz | Pass | AV | 2.4206G | 97.54 | Inf | -Inf | 3 | Vertical | 164 | 1.00 | - |
| 2412MHz | Pass | PK | 2.3892G | 60.13 | 74.00 | -13.87 | 3 | Vertical | 164 | 1.00 | - |
| 2412MHz | Pass | PK | 2.4194G | 109.09 | Inf | -Inf | 3 | Vertical | 164 | 1.00 | - |
| 2412MHz | Pass | AV | 2.3898G | 49.64 | 54.00 | -4.36 | 3 | Horizontal | 178 | 1.11 | - |
| 2412MHz | Pass | AV | 2.42G | 102.23 | Inf | -Inf | 3 | Horizontal | 178 | 1.11 | - |
| 2412MHz | Pass | PK | 2.3894G | 62.00 | 74.00 | -12.00 | 3 | Horizontal | 178 | 1.11 | - |
| 2412MHz | Pass | PK | 2.4166G | 114.71 | Inf | -Inf | 3 | Horizontal | 178 | 1.11 | - |
| 2412MHz | Pass | AV | 4.82176G | 31.64 | 54.00 | -22.36 | 3 | Vertical | 31 | 2.63 | - |
| 2412MHz | Pass | PK | 4.81576G | 44.59 | 74.00 | -29.41 | 3 | Vertical | 31 | 2.63 | - |
| 2412MHz | Pass | AV | 4.8232G | 31.73 | 54.00 | -22.27 | 3 | Horizontal | 76 | 1.14 | - |
| 2412MHz | Pass | PK | 4.82488G | 43.52 | 74.00 | -30.48 | 3 | Horizontal | 76 | 1.14 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2417MHz | Pass | AV | 2.39G | 48.61 | 54.00 | -5.39 | 3 | Vertical | 165 | 1.07 | - |
| 2417MHz | Pass | AV | 2.425G | 100.58 | Inf | -Inf | 3 | Vertical | 165 | 1.07 | - |
| 2417MHz | Pass | PK | 2.3898G | 60.10 | 74.00 | -13.90 | 3 | Vertical | 165 | 1.07 | - |
| 2417MHz | Pass | PK | 2.4252G | 112.04 | Inf | -Inf | 3 | Vertical | 165 | 1.07 | - |
| 2417MHz | Pass | AV | 2.39G | 51.65 | 54.00 | -2.35 | 3 | Horizontal | 171 | 1.08 | - |
| 2417MHz | Pass | AV | 2.425G | 105.80 | Inf | -Inf | 3 | Horizontal | 171 | 1.08 | - |
| 2417MHz | Pass | PK | 2.3898G | 65.84 | 74.00 | -8.16 | 3 | Horizontal | 171 | 1.08 | - |
| 2417MHz | Pass | PK | 2.4206G | 117.24 | Inf | -Inf | 3 | Horizontal | 171 | 1.08 | - |
| 2437MHz | Pass | AV | 2.3886G | 46.31 | 54.00 | -7.69 | 3 | Vertical | 175 | 1.06 | - |
| 2437MHz | Pass | AV | 2.4294G | 100.69 | Inf | -Inf | 3 | Vertical | 175 | 1.06 | - |
| 2437MHz | Pass | AV | 2.4878G | 47.30 | 54.00 | -6.70 | 3 | Vertical | 175 | 1.06 | - |
| 2437MHz | Pass | PK | 2.3582G | 58.59 | 74.00 | -15.41 | 3 | Vertical | 175 | 1.06 | - |
| 2437MHz | Pass | PK | 2.4294G | 111.91 | Inf | -Inf | 3 | Vertical | 175 | 1.06 | - |
| 2437MHz | Pass | PK | 2.4858G | 59.14 | 74.00 | -14.86 | 3 | Vertical | 175 | 1.06 | - |
| 2437MHz | Pass | AV | 2.3886G | 46.82 | 54.00 | -7.18 | 3 | Horizontal | 179 | 1.33 | - |
| 2437MHz | Pass | AV | 2.4314G | 107.25 | Inf | -Inf | 3 | Horizontal | 179 | 1.33 | - |
| 2437MHz | Pass | AV | 2.4835G | 48.26 | 54.00 | -5.74 | 3 | Horizontal | 179 | 1.33 | - |
| 2437MHz | Pass | PK | 2.3894G | 58.51 | 74.00 | -15.49 | 3 | Horizontal | 179 | 1.33 | - |
| 2437MHz | Pass | PK | 2.4286G | 118.93 | Inf | -Inf | 3 | Horizontal | 179 | 1.33 | - |
| 2437MHz | Pass | PK | 2.4835G | 59.97 | 74.00 | -14.03 | 3 | Horizontal | 179 | 1.33 | - |
| 2437MHz | Pass | AV | 4.87304G | 30.72 | 54.00 | -23.28 | 3 | Vertical | 268 | 1.08 | - |
| 2437MHz | Pass | AV | 7.31502G | 36.52 | 54.00 | -17.48 | 3 | Vertical | 309 | 2.24 | - |
| 2437MHz | Pass | PK | 4.87234G | 43.76 | 74.00 | -30.24 | 3 | Vertical | 268 | 1.08 | - |
| 2437MHz | Pass | PK | 7.3123G | 49.73 | 74.00 | -24.27 | 3 | Vertical | 309 | 2.24 | - |
| 2437MHz | Pass | AV | 4.87858G | 31.04 | 54.00 | -22.96 | 3 | Horizontal | 112 | 1.50 | - |
| 2437MHz | Pass | AV | 7.31492G | 37.51 | 54.00 | -16.49 | 3 | Horizontal | 225 | 1.01 | - |
| 2437MHz | Pass | PK | 4.87622G | 43.96 | 74.00 | -30.04 | 3 | Horizontal | 112 | 1.50 | - |
| 2437MHz | Pass | PK | 7.3128G | 50.32 | 74.00 | -23.68 | 3 | Horizontal | 225 | 1.01 | - |
| 2457MHz | Pass | AV | 2.4646G | 100.11 | Inf | -Inf | 3 | Vertical | 159 | 1.06 | - |
| 2457MHz | Pass | AV | 2.4835G | 48.49 | 54.00 | -5.51 | 3 | Vertical | 159 | 1.06 | - |
| 2457MHz | Pass | PK | 2.46G | 112.66 | Inf | -Inf | 3 | Vertical | 159 | 1.06 | - |
| 2457MHz | Pass | PK | 2.4838G | 61.47 | 74.00 | -12.53 | 3 | Vertical | 159 | 1.06 | - |
| 2457MHz | Pass | AV | 2.463G | 106.01 | Inf | -Inf | 3 | Horizontal | 176 | 1.28 | - |
| 2457MHz | Pass | AV | 2.4835G | 51.05 | 54.00 | -2.95 | 3 | Horizontal | 176 | 1.28 | - |
| 2457MHz | Pass | PK | 2.463G | 119.35 | Inf | -Inf | 3 | Horizontal | 176 | 1.28 | - |
| 2457MHz | Pass | PK | 2.484G | 64.99 | 74.00 | -9.01 | 3 | Horizontal | 176 | 1.28 | - |
| 2462MHz | Pass | AV | 2.463G | 95.48 | Inf | -Inf | 3 | Vertical | 165 | 1.00 | - |
| 2462MHz | Pass | AV | 2.4842G | 47.91 | 54.00 | -6.09 | 3 | Vertical | 165 | 1.00 | - |
| 2462MHz | Pass | PK | 2.4674G | 107.55 | Inf | -Inf | 3 | Vertical | 165 | 1.00 | - |
| 2462MHz | Pass | PK | 2.4914G | 60.06 | 74.00 | -13.94 | 3 | Vertical | 165 | 1.00 | - |
| 2462MHz | Pass | AV | 2.4608G | 100.17 | Inf | -Inf | 3 | Horizontal | 181 | 1.50 | - |
| 2462MHz | Pass | AV | 2.4835G | 49.06 | 54.00 | -4.94 | 3 | Horizontal | 181 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4606G | 112.37 | Inf | -Inf | 3 | Horizontal | 181 | 1.50 | - |
| 2462MHz | Pass | PK | 2.4842G | 60.91 | 74.00 | -13.09 | 3 | Horizontal | 181 | 1.50 | - |
| 2462MHz | Pass | AV | 4.9238G | 32.33 | 54.00 | -21.67 | 3 | Vertical | 132 | 2.53 | - |
| 2462MHz | Pass | AV | 7.37616G | 37.61 | 54.00 | -16.39 | 3 | Vertical | 177 | 1.86 | - |
| 2462MHz | Pass | PK | 4.93388G | 44.47 | 74.00 | -29.53 | 3 | Vertical | 132 | 2.53 | - |
| 2462MHz | Pass | PK | 7.38G | 50.31 | 74.00 | -23.69 | 3 | Vertical | 177 | 1.86 | - |
| 2462MHz | Pass | AV | 4.92444G | 32.44 | 54.00 | -21.56 | 3 | Horizontal | 119 | 1.17 | - |
| 2462MHz | Pass | AV | 7.37604G | 37.61 | 54.00 | -16.39 | 3 | Horizontal | 299 | 1.96 | - |
| 2462MHz | Pass | PK | 4.92412G | 44.41 | 74.00 | -29.59 | 3 | Horizontal | 119 | 1.17 | - |
| 2462MHz | Pass | PK | 7.383G | 50.06 | 74.00 | -23.94 | 3 | Horizontal | 299 | 1.96 | - |
| 2467MHz | Pass | AV | 2.4632G | 93.41 | Inf | -Inf | 3 | Vertical | 168 | 1.12 | - |
| 2467MHz | Pass | AV | 2.4835G | 48.93 | 54.00 | -5.07 | 3 | Vertical | 168 | 1.12 | - |
| 2467MHz | Pass | PK | 2.4656G | 105.59 | Inf | -Inf | 3 | Vertical | 168 | 1.12 | - |
| 2467MHz | Pass | PK | 2.4835G | 60.25 | 74.00 | -13.75 | 3 | Vertical | 168 | 1.12 | - |
| 2467MHz | Pass | AV | 2.4642G | 98.09 | Inf | -Inf | 3 | Horizontal | 181 | 1.50 | - |
| 2467MHz | Pass | AV | 2.4835G | 51.22 | 54.00 | -2.78 | 3 | Horizontal | 181 | 1.50 | - |
| 2467MHz | Pass | PK | 2.462G | 110.20 | Inf | -Inf | 3 | Horizontal | 181 | 1.50 | - |
| 2467MHz | Pass | PK | 2.4835G | 63.76 | 74.00 | -10.24 | 3 | Horizontal | 181 | 1.50 | - |
| 2467MHz | Pass | AV | 4.94252G | 31.97 | 54.00 | -22.03 | 3 | Vertical | 298 | 2.31 | - |
| 2467MHz | Pass | AV | 7.39108G | 36.92 | 54.00 | -17.08 | 3 | Vertical | 202 | 2.22 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2467MHz | Pass | PK | 4.943G | 44.61 | 74.00 | -29.39 | 3 | Vertical | 298 | 2.31 | - |
| 2467MHz | Pass | PK | 7.39244G | 49.85 | 74.00 | -24.15 | 3 | Vertical | 202 | 2.22 | - |
| 2467MHz | Pass | AV | 4.94324G | 31.97 | 54.00 | -22.03 | 3 | Horizontal | 56 | 1.13 | - |
| 2467MHz | Pass | AV | 7.391G | 36.92 | 54.00 | -17.08 | 3 | Horizontal | 348 | 2.35 | - |
| 2467MHz | Pass | PK | 4.94216G | 44.51 | 74.00 | -29.49 | 3 | Horizontal | 56 | 1.13 | - |
| 2467MHz | Pass | PK | 7.40944G | 49.64 | 74.00 | -24.36 | 3 | Horizontal | 348 | 2.35 | - |
| 2472MHz | Pass | AV | 2.4636G | 90.37 | Inf | -Inf | 3 | Vertical | 169 | 1.15 | - |
| 2472MHz | Pass | AV | 2.4835G | 47.62 | 54.00 | -6.38 | 3 | Vertical | 169 | 1.15 | - |
| 2472MHz | Pass | PK | 2.464G | 102.45 | Inf | -Inf | 3 | Vertical | 169 | 1.15 | - |
| 2472MHz | Pass | PK | 2.4835G | 67.89 | 74.00 | -6.11 | 3 | Vertical | 169 | 1.15 | - |
| 2472MHz | Pass | AV | 2.4646G | 95.32 | Inf | -Inf | 3 | Horizontal | 180 | 1.49 | - |
| 2472MHz | Pass | AV | 2.4835G | 48.93 | 54.00 | -5.07 | 3 | Horizontal | 180 | 1.49 | - |
| 2472MHz | Pass | PK | 2.4654G | 107.57 | Inf | -Inf | 3 | Horizontal | 180 | 1.49 | - |
| 2472MHz | Pass | PK | 2.4835G | 72.35 | 74.00 | -1.65 | 3 | Horizontal | 180 | 1.49 | - |
| 2472MHz | Pass | AV | 4.94252G | 31.97 | 54.00 | -22.03 | 3 | Vertical | 170 | 1.18 | - |
| 2472MHz | Pass | AV | 7.42548G | 36.86 | 54.00 | -17.14 | 3 | Vertical | 302 | 1.73 | - |
| 2472MHz | Pass | PK | 4.9452G | 44.62 | 74.00 | -29.38 | 3 | Vertical | 170 | 1.18 | - |
| 2472MHz | Pass | PK | 7.41576G | 50.19 | 74.00 | -23.81 | 3 | Vertical | 302 | 1.73 | - |
| 2472MHz | Pass | AV | 4.94384G | 31.97 | 54.00 | -22.03 | 3 | Horizontal | 48 | 2.03 | - |
| 2472MHz | Pass | AV | 7.42368G | 37.00 | 54.00 | -17.00 | 3 | Horizontal | 69 | 1.95 | - |
| 2472MHz | Pass | PK | 4.93436G | 44.63 | 74.00 | -29.37 | 3 | Horizontal | 48 | 2.03 | - |
| 2472MHz | Pass | PK | 7.41132G | 49.75 | 74.00 | -24.25 | 3 | Horizontal | 69 | 1.95 | - |
| 802.11ax HEW20_Nss1_(MCS0)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - |
| 2412MHz | Pass | AV | 2.3894G | 45.68 | 54.00 | -8.32 | 3 | Vertical | 237 | 1.07 | - |
| 2412MHz | Pass | AV | 2.4144G | 91.61 | Inf | -Inf | 3 | Vertical | 237 | 1.07 | - |
| 2412MHz | Pass | PK | 2.384G | 57.95 | 74.00 | -16.05 | 3 | Vertical | 237 | 1.07 | - |
| 2412MHz | Pass | PK | 2.4148G | 103.77 | Inf | -Inf | 3 | Vertical | 237 | 1.07 | - |
| 2412MHz | Pass | AV | 2.39G | 47.98 | 54.00 | -6.02 | 3 | Horizontal | 183 | 1.26 | - |
| 2412MHz | Pass | AV | 2.4136G | 99.83 | Inf | -Inf | 3 | Horizontal | 183 | 1.26 | - |
| 2412MHz | Pass | PK | 2.3894G | 59.77 | 74.00 | -14.23 | 3 | Horizontal | 183 | 1.26 | - |
| 2412MHz | Pass | PK | 2.4142G | 111.42 | Inf | -Inf | 3 | Horizontal | 183 | 1.26 | - |
| 2412MHz | Pass | AV | 4.82472G | 31.35 | 54.00 | -22.65 | 3 | Vertical | 130 | 1.60 | - |
| 2412MHz | Pass | PK | 4.81572G | 44.03 | 74.00 | -29.97 | 3 | Vertical | 130 | 1.60 | - |
| 2412MHz | Pass | AV | 4.82744G | 31.09 | 54.00 | -22.91 | 3 | Horizontal | 211 | 1.78 | - |
| 2412MHz | Pass | PK | 4.8328G | 44.02 | 74.00 | -29.98 | 3 | Horizontal | 211 | 1.78 | - |
| 2417MHz | Pass | AV | 2.39G | 46.83 | 54.00 | -7.17 | 3 | Vertical | 144 | 2.33 | - |
| 2417MHz | Pass | AV | 2.4144G | 93.46 | Inf | -Inf | 3 | Vertical | 144 | 2.33 | - |
| 2417MHz | Pass | PK | 2.3874G | 59.11 | 74.00 | -14.89 | 3 | Vertical | 144 | 2.33 | - |
| 2417MHz | Pass | PK | 2.4154G | 105.45 | Inf | -Inf | 3 | Vertical | 144 | 2.33 | - |
| 2417MHz | Pass | AV | 2.39G | 50.26 | 54.00 | -3.74 | 3 | Horizontal | 182 | 1.19 | - |
| 2417MHz | Pass | AV | 2.4146G | 101.47 | Inf | -Inf | 3 | Horizontal | 182 | 1.19 | - |
| 2417MHz | Pass | PK | 2.3898G | 63.14 | 74.00 | -10.86 | 3 | Horizontal | 182 | 1.19 | - |
| 2417MHz | Pass | PK | 2.4136G | 113.32 | Inf | -Inf | 3 | Horizontal | 182 | 1.19 | - |
| 2437MHz | Pass | AV | 2.3886G | 46.31 | 54.00 | -7.69 | 3 | Vertical | 139 | 2.17 | - |
| 2437MHz | Pass | AV | 2.4454G | 97.53 | Inf | -Inf | 3 | Vertical | 139 | 2.17 | - |
| 2437MHz | Pass | AV | 2.4842G | 47.79 | 54.00 | -6.21 | 3 | Vertical | 139 | 2.17 | - |
| 2437MHz | Pass | PK | 2.3618G | 58.33 | 74.00 | -15.67 | 3 | Vertical | 139 | 2.17 | - |
| 2437MHz | Pass | PK | 2.4438G | 108.54 | Inf | -Inf | 3 | Vertical | 139 | 2.17 | - |
| 2437MHz | Pass | PK | 2.4846G | 61.17 | 74.00 | -12.83 | 3 | Vertical | 139 | 2.17 | - |
| 2437MHz | Pass | AV | 2.3898G | 47.98 | 54.00 | -6.02 | 3 | Horizontal | 181 | 1.29 | - |
| 2437MHz | Pass | AV | 2.4454G | 104.85 | Inf | -Inf | 3 | Horizontal | 181 | 1.29 | - |
| 2437MHz | Pass | AV | 2.4835G | 50.34 | 54.00 | -3.66 | 3 | Horizontal | 181 | 1.29 | - |
| 2437MHz | Pass | PK | 2.3894G | 59.25 | 74.00 | -14.75 | 3 | Horizontal | 181 | 1.29 | - |
| 2437MHz | Pass | PK | 2.4446G | 116.77 | Inf | -Inf | 3 | Horizontal | 181 | 1.29 | - |
| 2437MHz | Pass | PK | 2.4898G | 64.17 | 74.00 | -9.83 | 3 | Horizontal | 181 | 1.29 | - |
| 2437MHz | Pass | AV | 4.8738G | 31.59 | 54.00 | -22.41 | 3 | Vertical | 257 | 1.38 | - |
| 2437MHz | Pass | AV | 7.31382G | 36.69 | 54.00 | -17.31 | 3 | Vertical | 86 | 1.67 | - |
| 2437MHz | Pass | PK | 4.87116G | 45.17 | 74.00 | -28.83 | 3 | Vertical | 257 | 1.38 | - |
| 2437MHz | Pass | PK | 7.30736G | 50.57 | 74.00 | -23.43 | 3 | Vertical | 86 | 1.67 | - |
| 2437MHz | Pass | AV | 4.87382G | 31.99 | 54.00 | -22.01 | 3 | Horizontal | 248 | 1.66 | - |
| 2437MHz | Pass | AV | 7.31376G | 36.69 | 54.00 | -17.31 | 3 | Horizontal | 251 | 1.49 | - |
| 2437MHz | Pass | PK | 4.87146G | 45.29 | 74.00 | -28.71 | 3 | Horizontal | 248 | 1.66 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2437MHz | Pass | PK | 7.30636G | 49.37 | 74.00 | -24.63 | 3 | Horizontal | 251 | 1.49 | - |
| 2457MHz | Pass | AV | 2.4488G | 96.92 | Inf | -Inf | 3 | Vertical | 140 | 2.18 | - |
| 2457MHz | Pass | AV | 2.4842G | 48.50 | 54.00 | -5.50 | 3 | Vertical | 140 | 2.18 | - |
| 2457MHz | Pass | PK | 2.4498G | 108.26 | Inf | -Inf | 3 | Vertical | 140 | 2.18 | - |
| 2457MHz | Pass | PK | 2.4866G | 60.41 | 74.00 | -13.59 | 3 | Vertical | 140 | 2.18 | - |
| 2457MHz | Pass | AV | 2.4488G | 103.98 | Inf | -Inf | 3 | Horizontal | 182 | 1.30 | - |
| 2457MHz | Pass | AV | 2.4835G | 52.01 | 54.00 | -1.99 | 3 | Horizontal | 182 | 1.30 | - |
| 2457MHz | Pass | PK | 2.4524G | 116.29 | Inf | -Inf | 3 | Horizontal | 182 | 1.30 | - |
| 2457MHz | Pass | PK | 2.486G | 67.40 | 74.00 | -6.60 | 3 | Horizontal | 182 | 1.30 | - |
| 2462MHz | Pass | AV | 2.4536G | 92.07 | Inf | -Inf | 3 | Vertical | 227 | 1.14 | - |
| 2462MHz | Pass | AV | 2.4842G | 47.40 | 54.00 | -6.60 | 3 | Vertical | 227 | 1.14 | - |
| 2462MHz | Pass | PK | 2.4704G | 104.71 | Inf | -Inf | 3 | Vertical | 227 | 1.14 | - |
| 2462MHz | Pass | PK | 2.4835G | 59.97 | 74.00 | -14.03 | 3 | Vertical | 227 | 1.14 | - |
| 2462MHz | Pass | AV | 2.4538G | 100.05 | Inf | -Inf | 3 | Horizontal | 184 | 1.28 | - |
| 2462MHz | Pass | AV | 2.4835G | 50.75 | 54.00 | -3.25 | 3 | Horizontal | 184 | 1.28 | - |
| 2462MHz | Pass | PK | 2.456G | 111.97 | Inf | -Inf | 3 | Horizontal | 184 | 1.28 | - |
| 2462MHz | Pass | PK | 2.4835G | 64.79 | 74.00 | -9.21 | 3 | Horizontal | 184 | 1.28 | - |
| 2462MHz | Pass | AV | 4.92604G | 31.79 | 54.00 | -22.21 | 3 | Vertical | 276 | 1.23 | - |
| 2462MHz | Pass | AV | 7.38G | 37.18 | 54.00 | -16.82 | 3 | Vertical | 211 | 2.29 | - |
| 2462MHz | Pass | PK | 4.9226G | 44.40 | 74.00 | -29.60 | 3 | Vertical | 276 | 1.23 | - |
| 2462MHz | Pass | PK | 7.38328G | 50.02 | 74.00 | -23.98 | 3 | Vertical | 211 | 2.29 | - |
| 2462MHz | Pass | AV | 4.92636G | 31.79 | 54.00 | -22.21 | 3 | Horizontal | 352 | 1.27 | - |
| 2462MHz | Pass | AV | 7.38132G | 37.24 | 54.00 | -16.76 | 3 | Horizontal | 265 | 1.64 | - |
| 2462MHz | Pass | PK | 4.92984G | 44.35 | 74.00 | -29.65 | 3 | Horizontal | 352 | 1.27 | - |
| 2462MHz | Pass | PK | 7.38012G | 50.03 | 74.00 | -23.97 | 3 | Horizontal | 265 | 1.64 | - |
| 2467MHz | Pass | AV | 2.4734G | 90.30 | Inf | -Inf | 3 | Vertical | 228 | 1.03 | - |
| 2467MHz | Pass | AV | 2.4835G | 48.30 | 54.00 | -5.70 | 3 | Vertical | 228 | 1.03 | - |
| 2467MHz | Pass | PK | 2.475G | 102.42 | Inf | -Inf | 3 | Vertical | 228 | 1.03 | - |
| 2467MHz | Pass | PK | 2.4835G | 60.78 | 74.00 | -13.22 | 3 | Vertical | 228 | 1.03 | - |
| 2467MHz | Pass | AV | 2.4746G | 97.83 | Inf | -Inf | 3 | Horizontal | 182 | 1.16 | - |
| 2467MHz | Pass | AV | 2.4835G | 52.25 | 54.00 | -1.75 | 3 | Horizontal | 182 | 1.16 | - |
| 2467MHz | Pass | PK | 2.4746G | 110.00 | Inf | -Inf | 3 | Horizontal | 182 | 1.16 | - |
| 2467MHz | Pass | PK | 2.4835G | 67.10 | 74.00 | -6.90 | 3 | Horizontal | 182 | 1.16 | - |
| 2467MHz | Pass | AV | 4.94276G | 31.97 | 54.00 | -22.03 | 3 | Vertical | 86 | 1.47 | - |
| 2467MHz | Pass | AV | 7.39152G | 36.91 | 54.00 | -17.09 | 3 | Vertical | 26 | 2.48 | - |
| 2467MHz | Pass | PK | 4.94388G | 45.18 | 74.00 | -28.82 | 3 | Vertical | 86 | 1.47 | - |
| 2467MHz | Pass | PK | 7.40716G | 49.56 | 74.00 | -24.44 | 3 | Vertical | 26 | 2.48 | - |
| 2467MHz | Pass | AV | 4.94328G | 31.97 | 54.00 | -22.03 | 3 | Horizontal | 195 | 2.20 | - |
| 2467MHz | Pass | AV | 7.39112G | 36.92 | 54.00 | -17.08 | 3 | Horizontal | 60 | 1.27 | - |
| 2467MHz | Pass | PK | 4.943G | 44.96 | 74.00 | -29.04 | 3 | Horizontal | 195 | 2.20 | - |
| 2467MHz | Pass | PK | 7.4026G | 50.60 | 74.00 | -23.40 | 3 | Horizontal | 60 | 1.27 | - |
| 2472MHz | Pass | AV | 2.4764G | 86.87 | Inf | -Inf | 3 | Vertical | 224 | 1.04 | - |
| 2472MHz | Pass | AV | 2.4835G | 47.39 | 54.00 | -6.61 | 3 | Vertical | 224 | 1.04 | - |
| 2472MHz | Pass | PK | 2.477G | 99.44 | Inf | -Inf | 3 | Vertical | 224 | 1.04 | - |
| 2472MHz | Pass | PK | 2.4835G | 66.19 | 74.00 | -7.81 | 3 | Vertical | 224 | 1.04 | - |
| 2472MHz | Pass | AV | 2.475G | 94.08 | Inf | -Inf | 3 | Horizontal | 182 | 1.16 | - |
| 2472MHz | Pass | AV | 2.4835G | 49.52 | 54.00 | -4.48 | 3 | Horizontal | 182 | 1.16 | - |
| 2472MHz | Pass | PK | 2.4746G | 107.09 | Inf | -Inf | 3 | Horizontal | 182 | 1.16 | - |
| 2472MHz | Pass | PK | 2.4835G | 72.22 | 74.00 | -1.78 | 3 | Horizontal | 182 | 1.16 | - |
| 2472MHz | Pass | AV | 4.9442G | 31.98 | 54.00 | -22.02 | 3 | Vertical | 37 | 1.64 | - |
| 2472MHz | Pass | AV | 7.42264G | 36.90 | 54.00 | -17.10 | 3 | Vertical | 4 | 1.09 | - |
| 2472MHz | Pass | PK | 4.93744G | 44.55 | 74.00 | -29.45 | 3 | Vertical | 37 | 1.64 | - |
| 2472MHz | Pass | PK | 7.4086G | 49.63 | 74.00 | -24.37 | 3 | Vertical | 4 | 1.09 | - |
| 2472MHz | Pass | AV | 4.94424G | 31.98 | 54.00 | -22.02 | 3 | Horizontal | 279 | 1.43 | - |
| 2472MHz | Pass | AV | 7.4254G | 36.94 | 54.00 | -17.06 | 3 | Horizontal | 176 | 2.32 | - |
| 2472MHz | Pass | PK | 4.9414G | 44.85 | 74.00 | -29.15 | 3 | Horizontal | 279 | 1.43 | - |
| 2472MHz | Pass | PK | 7.40664G | 49.75 | 74.00 | -24.25 | 3 | Horizontal | 176 | 2.32 | - |
| 802.11ax HEW40_Nss1_(MCS0)_1TX(Port1) | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 49.11 | 54.00 | -4.89 | 3 | Vertical | 166 | 1.07 | - |
| 2422MHz | Pass | AV | 2.4252G | 91.50 | Inf | -Inf | 3 | Vertical | 166 | 1.07 | - |
| 2422MHz | Pass | AV | 2.4844G | 47.63 | 54.00 | -6.37 | 3 | Vertical | 166 | 1.07 | - |
| 2422MHz | Pass | PK | 2.3892G | 59.88 | 74.00 | -14.12 | 3 | Vertical | 166 | 1.07 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2422MHz | Pass | PK | 2.4256G | 103.11 | Inf | -Inf | 3 | Vertical | 166 | 1.07 | - |
| 2422MHz | Pass | PK | 2.4864G | 59.36 | 74.00 | -14.64 | 3 | Vertical | 166 | 1.07 | - |
| 2422MHz | Pass | AV | 2.39G | 52.33 | 54.00 | -1.67 | 3 | Horizontal | 175 | 1.00 | - |
| 2422MHz | Pass | AV | 2.4256G | 96.58 | Inf | -Inf | 3 | Horizontal | 175 | 1.00 | - |
| 2422MHz | Pass | AV | 2.4835G | 49.32 | 54.00 | -4.68 | 3 | Horizontal | 175 | 1.00 | - |
| 2422MHz | Pass | PK | 2.39G | 63.67 | 74.00 | -10.33 | 3 | Horizontal | 175 | 1.00 | - |
| 2422MHz | Pass | PK | 2.4252G | 108.65 | Inf | -Inf | 3 | Horizontal | 175 | 1.00 | - |
| 2422MHz | Pass | PK | 2.4835G | 60.83 | 74.00 | -13.17 | 3 | Horizontal | 175 | 1.00 | - |
| 2422MHz | Pass | AV | 4.82488G | 31.35 | 54.00 | -22.65 | 3 | Vertical | 197 | 1.50 | - |
| 2422MHz | Pass | AV | 7.25576G | 37.65 | 54.00 | -16.35 | 3 | Vertical | 87 | 1.96 | - |
| 2422MHz | Pass | PK | 4.83512G | 43.81 | 74.00 | -30.19 | 3 | Vertical | 197 | 1.50 | - |
| 2422MHz | Pass | PK | 7.25464G | 50.31 | 74.00 | -23.69 | 3 | Vertical | 87 | 1.96 | - |
| 2422MHz | Pass | AV | 4.8516G | 31.21 | 54.00 | -22.79 | 3 | Horizontal | 262 | 1.50 | - |
| 2422MHz | Pass | AV | 7.25448G | 37.66 | 54.00 | -16.34 | 3 | Horizontal | 314 | 1.49 | - |
| 2422MHz | Pass | PK | 4.82656G | 44.47 | 74.00 | -29.53 | 3 | Horizontal | 262 | 1.50 | - |
| 2422MHz | Pass | PK | 7.26968G | 50.40 | 74.00 | -23.60 | 3 | Horizontal | 314 | 1.49 | - |
| 2427MHz | Pass | AV | 2.3894G | 48.81 | 54.00 | -5.19 | 3 | Vertical | 167 | 1.08 | - |
| 2427MHz | Pass | AV | 2.4258G | 92.59 | Inf | -Inf | 3 | Vertical | 167 | 1.08 | - |
| 2427MHz | Pass | AV | 2.4842G | 48.03 | 54.00 | -5.97 | 3 | Vertical | 167 | 1.08 | - |
| 2427MHz | Pass | PK | 2.3898G | 60.15 | 74.00 | -13.85 | 3 | Vertical | 167 | 1.08 | - |
| 2427MHz | Pass | PK | 2.4306G | 103.76 | Inf | -Inf | 3 | Vertical | 167 | 1.08 | - |
| 2427MHz | Pass | PK | 2.4838G | 60.15 | 74.00 | -13.85 | 3 | Vertical | 167 | 1.08 | - |
| 2427MHz | Pass | AV | 2.3898G | 52.20 | 54.00 | -1.80 | 3 | Horizontal | 178 | 1.08 | - |
| 2427MHz | Pass | AV | 2.4258G | 98.17 | Inf | -Inf | 3 | Horizontal | 178 | 1.08 | - |
| 2427MHz | Pass | AV | 2.4835G | 49.96 | 54.00 | -4.04 | 3 | Horizontal | 178 | 1.08 | - |
| 2427MHz | Pass | PK | 2.3878G | 63.71 | 74.00 | -10.29 | 3 | Horizontal | 178 | 1.08 | - |
| 2427MHz | Pass | PK | 2.429G | 109.61 | Inf | -Inf | 3 | Horizontal | 178 | 1.08 | - |
| 2427MHz | Pass | PK | 2.4854G | 61.97 | 74.00 | -12.03 | 3 | Horizontal | 178 | 1.08 | - |
| 2437MHz | Pass | AV | 2.3886G | 46.82 | 54.00 | -7.18 | 3 | Vertical | 166 | 1.15 | - |
| 2437MHz | Pass | AV | 2.4542G | 90.08 | Inf | -Inf | 3 | Vertical | 166 | 1.15 | - |
| 2437MHz | Pass | AV | 2.4835G | 49.15 | 54.00 | -4.85 | 3 | Vertical | 166 | 1.15 | - |
| 2437MHz | Pass | PK | 2.3522G | 58.28 | 74.00 | -15.72 | 3 | Vertical | 166 | 1.15 | - |
| 2437MHz | Pass | PK | 2.4546G | 101.94 | Inf | -Inf | 3 | Vertical | 166 | 1.15 | - |
| 2437MHz | Pass | PK | 2.4846G | 60.56 | 74.00 | -13.44 | 3 | Vertical | 166 | 1.15 | - |
| 2437MHz | Pass | AV | 2.3898G | 48.20 | 54.00 | -5.80 | 3 | Horizontal | 177 | 1.29 | - |
| 2437MHz | Pass | AV | 2.4546G | 95.52 | Inf | -Inf | 3 | Horizontal | 177 | 1.29 | - |
| 2437MHz | Pass | AV | 2.4835G | 52.01 | 54.00 | -1.99 | 3 | Horizontal | 177 | 1.29 | - |
| 2437MHz | Pass | PK | 2.353G | 59.56 | 74.00 | -14.44 | 3 | Horizontal | 177 | 1.29 | - |
| 2437MHz | Pass | PK | 2.451G | 107.01 | Inf | -Inf | 3 | Horizontal | 177 | 1.29 | - |
| 2437MHz | Pass | PK | 2.4842G | 63.52 | 74.00 | -10.48 | 3 | Horizontal | 177 | 1.29 | - |
| 2437MHz | Pass | AV | 4.88696G | 31.46 | 54.00 | -22.54 | 3 | Vertical | 81 | 1.50 | - |
| 2437MHz | Pass | AV | 7.29468G | 37.50 | 54.00 | -16.50 | 3 | Vertical | 346 | 1.50 | - |
| 2437MHz | Pass | PK | 4.87G | 44.44 | 74.00 | -29.56 | 3 | Vertical | 81 | 1.50 | - |
| 2437MHz | Pass | PK | 7.29244G | 50.71 | 74.00 | -23.29 | 3 | Vertical | 346 | 1.50 | - |
| 2437MHz | Pass | AV | 4.88936G | 31.31 | 54.00 | -22.69 | 3 | Horizontal | 360 | 2.33 | - |
| 2437MHz | Pass | AV | 7.2922G | 37.45 | 54.00 | -16.55 | 3 | Horizontal | 311 | 2.45 | - |
| 2437MHz | Pass | PK | 4.86032G | 44.15 | 74.00 | -29.85 | 3 | Horizontal | 360 | 2.33 | - |
| 2437MHz | Pass | PK | 7.297G | 49.83 | 74.00 | -24.17 | 3 | Horizontal | 311 | 2.45 | - |
| 2447MHz | Pass | AV | 2.3898G | 46.05 | 54.00 | -7.95 | 3 | Vertical | 170 | 1.07 | - |
| 2447MHz | Pass | AV | 2.4646G | 91.74 | Inf | -Inf | 3 | Vertical | 170 | 1.07 | - |
| 2447MHz | Pass | AV | 2.4835G | 49.56 | 54.00 | -4.44 | 3 | Vertical | 170 | 1.07 | - |
| 2447MHz | Pass | PK | 2.357G | 58.33 | 74.00 | -15.67 | 3 | Vertical | 170 | 1.07 | - |
| 2447MHz | Pass | PK | 2.4638G | 103.51 | Inf | -Inf | 3 | Vertical | 170 | 1.07 | - |
| 2447MHz | Pass | PK | 2.4862G | 60.74 | 74.00 | -13.26 | 3 | Vertical | 170 | 1.07 | - |
| 2447MHz | Pass | AV | 2.3886G | 46.31 | 54.00 | -7.69 | 3 | Horizontal | 174 | 1.29 | - |
| 2447MHz | Pass | AV | 2.4634G | 96.63 | Inf | -Inf | 3 | Horizontal | 174 | 1.29 | - |
| 2447MHz | Pass | AV | 2.4835G | 52.46 | 54.00 | -1.54 | 3 | Horizontal | 174 | 1.29 | - |
| 2447MHz | Pass | PK | 2.387G | 58.48 | 74.00 | -15.52 | 3 | Horizontal | 174 | 1.29 | - |
| 2447MHz | Pass | PK | 2.4638G | 108.75 | Inf | -Inf | 3 | Horizontal | 174 | 1.29 | - |
| 2447MHz | Pass | PK | 2.4835G | 64.53 | 74.00 | -9.47 | 3 | Horizontal | 174 | 1.29 | - |
| 2452MHz | Pass | AV | 2.3896G | 45.68 | 54.00 | -8.32 | 3 | Vertical | 170 | 1.01 | - |
| 2452MHz | Pass | AV | 2.4628G | 92.49 | Inf | -Inf | 3 | Vertical | 170 | 1.01 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 2452MHz | Pass | AV | 2.4835G | 49.32 | 54.00 | -4.68 | 3 | Vertical | 170 | 1.01 | - |
| 2452MHz | Pass | PK | 2.374G | 58.05 | 74.00 | -15.95 | 3 | Vertical | 170 | 1.01 | - |
| 2452MHz | Pass | PK | 2.466G | 105.15 | Inf | -Inf | 3 | Vertical | 170 | 1.01 | - |
| 2452MHz | Pass | PK | 2.4852G | 60.42 | 74.00 | -13.58 | 3 | Vertical | 170 | 1.01 | - |
| 2452MHz | Pass | AV | 2.3892G | 46.19 | 54.00 | -7.81 | 3 | Horizontal | 180 | 1.06 | - |
| 2452MHz | Pass | AV | 2.4344G | 97.28 | Inf | -Inf | 3 | Horizontal | 180 | 1.06 | - |
| 2452MHz | Pass | AV | 2.4835G | 51.97 | 54.00 | -2.03 | 3 | Horizontal | 180 | 1.06 | - |
| 2452MHz | Pass | PK | 2.3808G | 57.75 | 74.00 | -16.25 | 3 | Horizontal | 180 | 1.06 | - |
| 2452MHz | Pass | PK | 2.464G | 109.29 | Inf | -Inf | 3 | Horizontal | 180 | 1.06 | - |
| 2452MHz | Pass | PK | 2.484G | 63.07 | 74.00 | -10.93 | 3 | Horizontal | 180 | 1.06 | - |
| 2452MHz | Pass | AV | 4.92384G | 31.83 | 54.00 | -22.17 | 3 | Vertical | 97 | 1.01 | - |
| 2452MHz | Pass | AV | 7.35056G | 37.51 | 54.00 | -16.49 | 3 | Vertical | 287 | 1.50 | - |
| 2452MHz | Pass | PK | 4.92056G | 44.23 | 74.00 | -29.77 | 3 | Vertical | 97 | 1.01 | - |
| 2452MHz | Pass | PK | 7.34784G | 50.13 | 74.00 | -23.87 | 3 | Vertical | 287 | 1.50 | - |
| 2452MHz | Pass | AV | 4.92392G | 31.83 | 54.00 | -22.17 | 3 | Horizontal | 70 | 2.54 | - |
| 2452MHz | Pass | AV | 7.3512G | 37.50 | 54.00 | -16.50 | 3 | Horizontal | 145 | 2.35 | - |
| 2452MHz | Pass | PK | 4.90808G | 44.31 | 74.00 | -29.69 | 3 | Horizontal | 70 | 2.54 | - |
| 2452MHz | Pass | PK | 7.3412G | 49.61 | 74.00 | -24.39 | 3 | Horizontal | 145 | 2.35 | - |
| 2457MHz | Pass | AV | 2.3878G | 45.67 | 54.00 | -8.33 | 3 | Vertical | 170 | 1.00 | - |
| 2457MHz | Pass | AV | 2.4618G | 90.30 | Inf | -Inf | 3 | Vertical | 170 | 1.00 | - |
| 2457MHz | Pass | AV | 2.4835G | 49.70 | 54.00 | -4.30 | 3 | Vertical | 170 | 1.00 | - |
| 2457MHz | Pass | PK | 2.385G | 58.68 | 74.00 | -15.32 | 3 | Vertical | 170 | 1.00 | - |
| 2457MHz | Pass | PK | 2.4634G | 102.70 | Inf | -Inf | 3 | Vertical | 170 | 1.00 | - |
| 2457MHz | Pass | PK | 2.4838G | 63.61 | 74.00 | -10.39 | 3 | Vertical | 170 | 1.00 | - |
| 2457MHz | Pass | AV | 2.3898G | 45.68 | 54.00 | -8.32 | 3 | Horizontal | 182 | 1.04 | - |
| 2457MHz | Pass | AV | 2.4522G | 95.25 | Inf | -Inf | 3 | Horizontal | 182 | 1.04 | - |
| 2457MHz | Pass | AV | 2.4835G | 52.38 | 54.00 | -1.62 | 3 | Horizontal | 182 | 1.04 | - |
| 2457MHz | Pass | PK | 2.3798G | 57.69 | 74.00 | -16.31 | 3 | Horizontal | 182 | 1.04 | - |
| 2457MHz | Pass | PK | 2.4518G | 108.11 | Inf | -Inf | 3 | Horizontal | 182 | 1.04 | - |
| 2457MHz | Pass | PK | 2.4842G | 68.66 | 74.00 | -5.34 | 3 | Horizontal | 182 | 1.04 | - |
| 2457MHz | Pass | AV | 4.9244G | 31.84 | 54.00 | -22.16 | 3 | Vertical | 77 | 1.63 | - |
| 2457MHz | Pass | AV | 7.35292G | 37.47 | 54.00 | -16.53 | 3 | Vertical | 351 | 1.84 | - |
| 2457MHz | Pass | PK | 4.91472G | 44.64 | 74.00 | -29.36 | 3 | Vertical | 77 | 1.63 | - |
| 2457MHz | Pass | PK | 7.35252G | 50.18 | 74.00 | -23.82 | 3 | Vertical | 351 | 1.84 | - |
| 2457MHz | Pass | AV | 4.9248G | 31.85 | 54.00 | -22.15 | 3 | Horizontal | 307 | 1.25 | - |
| 2457MHz | Pass | AV | 7.3518G | 37.49 | 54.00 | -16.51 | 3 | Horizontal | 35 | 2.90 | - |
| 2457MHz | Pass | PK | 4.89944G | 44.11 | 74.00 | -29.89 | 3 | Horizontal | 307 | 1.25 | - |
| 2457MHz | Pass | PK | 7.3518G | 50.14 | 74.00 | -23.86 | 3 | Horizontal | 35 | 2.90 | - |
| 2462MHz | Pass | AV | 2.3892G | 45.68 | 54.00 | -8.32 | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | AV | 2.4632G | 89.00 | Inf | -Inf | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | AV | 2.4835G | 49.52 | 54.00 | -4.48 | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | PK | 2.39G | 58.01 | 74.00 | -15.99 | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | PK | 2.4636G | 101.16 | Inf | -Inf | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | PK | 2.4835G | 67.28 | 74.00 | -6.72 | 3 | Vertical | 170 | 1.01 | - |
| 2462MHz | Pass | AV | 2.3896G | 45.68 | 54.00 | -8.32 | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | AV | 2.4632G | 93.97 | Inf | -Inf | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | AV | 2.4835G | 51.82 | 54.00 | -2.18 | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | PK | 2.3752G | 58.30 | 74.00 | -15.70 | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | PK | 2.4644G | 106.49 | Inf | -Inf | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | PK | 2.4835G | 70.19 | 74.00 | -3.81 | 3 | Horizontal | 180 | 1.48 | - |
| 2462MHz | Pass | AV | 4.94192G | 32.06 | 54.00 | -21.94 | 3 | Vertical | 165 | 1.65 | - |
| 2462MHz | Pass | AV | 7.36608G | 37.27 | 54.00 | -16.73 | 3 | Vertical | 70 | 2.98 | - |
| 2462MHz | Pass | PK | 4.9232G | 44.63 | 74.00 | -29.37 | 3 | Vertical | 165 | 1.65 | - |
| 2462MHz | Pass | PK | 7.36856G | 50.73 | 74.00 | -23.27 | 3 | Vertical | 70 | 2.98 | - |
| 2462MHz | Pass | AV | 4.94312G | 31.97 | 54.00 | -22.03 | 3 | Horizontal | 190 | 1.90 | - |
| 2462MHz | Pass | AV | 7.37072G | 37.30 | 54.00 | -16.70 | 3 | Horizontal | 286 | 1.97 | - |
| 2462MHz | Pass | PK | 4.92408G | 44.46 | 74.00 | -29.54 | 3 | Horizontal | 190 | 1.90 | - |
| 2462MHz | Pass | PK | 7.37688G | 50.32 | 74.00 | -23.68 | 3 | Horizontal | 286 | 1.97 | - |
| 802.11ax HEW40_Nss1_(MCS0)_1TX(Port2) | - | - | - | - | - | - | - | - | - | - | - |
| 2422MHz | Pass | AV | 2.39G | 46.91 | 54.00 | -7.09 | 3 | Vertical | 234 | 1.01 | - |
| 2422MHz | Pass | AV | 2.4396G | 89.33 | Inf | -Inf | 3 | Vertical | 234 | 1.01 | - |
| 2422MHz | Pass | AV | 2.4835G | 47.39 | 54.00 | -6.61 | 3 | Vertical | 234 | 1.01 | - |