



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	2.3812G	58.44	74.00	-15.56	3	Vertical	234	1.01	-
2422MHz	Pass	PK	2.4372G	101.63	Inf	-Inf	3	Vertical	234	1.01	-
2422MHz	Pass	PK	2.4872G	59.83	74.00	-14.17	3	Vertical	234	1.01	-
2422MHz	Pass	AV	2.39G	52.09	54.00	-1.91	3	Horizontal	181	1.38	-
2422MHz	Pass	AV	2.44G	97.28	Inf	-Inf	3	Horizontal	181	1.38	-
2422MHz	Pass	AV	2.4835G	50.24	54.00	-3.76	3	Horizontal	181	1.38	-
2422MHz	Pass	PK	2.39G	64.61	74.00	-9.39	3	Horizontal	181	1.38	-
2422MHz	Pass	PK	2.438G	109.08	Inf	-Inf	3	Horizontal	181	1.38	-
2422MHz	Pass	PK	2.4852G	63.16	74.00	-10.84	3	Horizontal	181	1.38	-
2422MHz	Pass	AV	4.846G	31.43	54.00	-22.57	3	Vertical	360	1.46	-
2422MHz	Pass	AV	7.25216G	37.87	54.00	-16.13	3	Vertical	51	2.30	-
2422MHz	Pass	PK	4.8436G	43.88	74.00	-30.12	3	Vertical	360	1.46	-
2422MHz	Pass	PK	7.26224G	50.32	74.00	-23.68	3	Vertical	51	2.30	-
2422MHz	Pass	AV	4.84904G	31.28	54.00	-22.72	3	Horizontal	350	1.50	-
2422MHz	Pass	AV	7.25288G	37.78	54.00	-16.22	3	Horizontal	322	1.48	-
2422MHz	Pass	PK	4.85184G	43.81	74.00	-30.19	3	Horizontal	350	1.50	-
2422MHz	Pass	PK	7.2588G	50.20	74.00	-23.80	3	Horizontal	322	1.48	-
2427MHz	Pass	AV	2.3898G	47.54	54.00	-6.46	3	Vertical	232	1.15	-
2427MHz	Pass	AV	2.445G	90.49	Inf	-Inf	3	Vertical	232	1.15	-
2427MHz	Pass	AV	2.4835G	48.26	54.00	-5.74	3	Vertical	232	1.15	-
2427MHz	Pass	PK	2.3898G	59.01	74.00	-14.99	3	Vertical	232	1.15	-
2427MHz	Pass	PK	2.4446G	101.43	Inf	-Inf	3	Vertical	232	1.15	-
2427MHz	Pass	PK	2.4862G	59.98	74.00	-14.02	3	Vertical	232	1.15	-
2427MHz	Pass	AV	2.3898G	51.21	54.00	-2.79	3	Horizontal	181	1.31	-
2427MHz	Pass	AV	2.445G	97.92	Inf	-Inf	3	Horizontal	181	1.31	-
2427MHz	Pass	AV	2.4835G	51.38	54.00	-2.62	3	Horizontal	181	1.31	-
2427MHz	Pass	PK	2.3898G	65.39	74.00	-8.61	3	Horizontal	181	1.31	-
2427MHz	Pass	PK	2.4394G	108.65	Inf	-Inf	3	Horizontal	181	1.31	-
2427MHz	Pass	PK	2.485G	65.81	74.00	-8.19	3	Horizontal	181	1.31	-
2437MHz	Pass	AV	2.3898G	46.82	54.00	-7.18	3	Vertical	232	1.20	-
2437MHz	Pass	AV	2.419G	89.65	Inf	-Inf	3	Vertical	232	1.20	-
2437MHz	Pass	AV	2.4842G	48.27	54.00	-5.73	3	Vertical	232	1.20	-
2437MHz	Pass	PK	2.369G	58.61	74.00	-15.39	3	Vertical	232	1.20	-
2437MHz	Pass	PK	2.4186G	102.20	Inf	-Inf	3	Vertical	232	1.20	-
2437MHz	Pass	PK	2.4838G	60.38	74.00	-13.62	3	Vertical	232	1.20	-
2437MHz	Pass	AV	2.3898G	49.57	54.00	-4.43	3	Horizontal	182	1.19	-
2437MHz	Pass	AV	2.419G	97.31	Inf	-Inf	3	Horizontal	182	1.19	-
2437MHz	Pass	AV	2.4835G	51.05	54.00	-2.95	3	Horizontal	182	1.19	-
2437MHz	Pass	PK	2.3894G	61.25	74.00	-12.75	3	Horizontal	182	1.19	-
2437MHz	Pass	PK	2.4246G	109.68	Inf	-Inf	3	Horizontal	182	1.19	-
2437MHz	Pass	PK	2.4842G	62.44	74.00	-11.56	3	Horizontal	182	1.19	-
2437MHz	Pass	AV	4.88768G	31.39	54.00	-22.61	3	Vertical	309	1.50	-
2437MHz	Pass	AV	7.291G	37.38	54.00	-16.62	3	Vertical	15	1.20	-
2437MHz	Pass	PK	4.86256G	43.98	74.00	-30.02	3	Vertical	309	1.50	-
2437MHz	Pass	PK	7.297G	50.20	74.00	-23.80	3	Vertical	15	1.20	-
2437MHz	Pass	AV	4.88784G	31.48	54.00	-22.52	3	Horizontal	233	1.50	-
2437MHz	Pass	AV	7.29372G	37.43	54.00	-16.57	3	Horizontal	216	1.00	-
2437MHz	Pass	PK	4.88352G	44.39	74.00	-29.61	3	Horizontal	233	1.50	-
2437MHz	Pass	PK	7.291G	50.52	74.00	-23.48	3	Horizontal	216	1.00	-
2447MHz	Pass	AV	2.3886G	46.31	54.00	-7.69	3	Vertical	233	1.15	-
2447MHz	Pass	AV	2.4458G	86.28	Inf	-Inf	3	Vertical	233	1.15	-
2447MHz	Pass	AV	2.4862G	48.28	54.00	-5.72	3	Vertical	233	1.15	-
2447MHz	Pass	PK	2.3722G	58.80	74.00	-15.20	3	Vertical	233	1.15	-
2447MHz	Pass	PK	2.4478G	98.07	Inf	-Inf	3	Vertical	233	1.15	-
2447MHz	Pass	PK	2.4835G	59.72	74.00	-14.28	3	Vertical	233	1.15	-
2447MHz	Pass	AV	2.3898G	47.31	54.00	-6.69	3	Horizontal	182	1.29	-
2447MHz	Pass	AV	2.4482G	93.83	Inf	-Inf	3	Horizontal	182	1.29	-
2447MHz	Pass	AV	2.4838G	51.86	54.00	-2.14	3	Horizontal	182	1.29	-
2447MHz	Pass	PK	2.389G	58.82	74.00	-15.18	3	Horizontal	182	1.29	-
2447MHz	Pass	PK	2.449G	106.00	Inf	-Inf	3	Horizontal	182	1.29	-
2447MHz	Pass	PK	2.4846G	63.83	74.00	-10.17	3	Horizontal	182	1.29	-
2452MHz	Pass	AV	2.3896G	45.68	54.00	-8.32	3	Vertical	225	1.17	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	AV	2.45G	85.25	Inf	-Inf	3	Vertical	225	1.17	-
2452MHz	Pass	AV	2.4844G	47.63	54.00	-6.37	3	Vertical	225	1.17	-
2452MHz	Pass	PK	2.382G	57.94	74.00	-16.06	3	Vertical	225	1.17	-
2452MHz	Pass	PK	2.4476G	97.77	Inf	-Inf	3	Vertical	225	1.17	-
2452MHz	Pass	PK	2.4848G	59.58	74.00	-14.42	3	Vertical	225	1.17	-
2452MHz	Pass	AV	2.39G	46.44	54.00	-7.56	3	Horizontal	183	1.40	-
2452MHz	Pass	AV	2.4476G	93.52	Inf	-Inf	3	Horizontal	183	1.40	-
2452MHz	Pass	AV	2.4835G	51.53	54.00	-2.47	3	Horizontal	183	1.40	-
2452MHz	Pass	PK	2.3604G	57.82	74.00	-16.18	3	Horizontal	183	1.40	-
2452MHz	Pass	PK	2.4476G	105.28	Inf	-Inf	3	Horizontal	183	1.40	-
2452MHz	Pass	PK	2.4856G	65.30	74.00	-8.70	3	Horizontal	183	1.40	-
2452MHz	Pass	AV	4.92208G	31.80	54.00	-22.20	3	Vertical	149	1.58	-
2452MHz	Pass	AV	7.35232G	37.49	54.00	-16.51	3	Vertical	181	2.82	-
2452MHz	Pass	PK	4.89832G	44.14	74.00	-29.86	3	Vertical	149	1.58	-
2452MHz	Pass	PK	7.35072G	49.96	74.00	-24.04	3	Vertical	181	2.82	-
2452MHz	Pass	AV	4.9232G	31.73	54.00	-22.27	3	Horizontal	183	2.40	-
2452MHz	Pass	AV	7.3532G	37.47	54.00	-16.53	3	Horizontal	42	1.68	-
2452MHz	Pass	PK	4.90768G	45.14	74.00	-28.86	3	Horizontal	183	2.40	-
2452MHz	Pass	PK	7.36552G	49.69	74.00	-24.31	3	Horizontal	42	1.68	-
2457MHz	Pass	AV	2.3894G	45.68	54.00	-8.32	3	Vertical	227	1.09	-
2457MHz	Pass	AV	2.469G	80.09	Inf	-Inf	3	Vertical	227	1.09	-
2457MHz	Pass	AV	2.4835G	48.08	54.00	-5.92	3	Vertical	227	1.09	-
2457MHz	Pass	PK	2.3582G	57.70	74.00	-16.30	3	Vertical	227	1.09	-
2457MHz	Pass	PK	2.4662G	92.13	Inf	-Inf	3	Vertical	227	1.09	-
2457MHz	Pass	PK	2.4838G	59.92	74.00	-14.08	3	Vertical	227	1.09	-
2457MHz	Pass	AV	2.3894G	45.68	54.00	-8.32	3	Horizontal	180	1.04	-
2457MHz	Pass	AV	2.4526G	87.81	Inf	-Inf	3	Horizontal	180	1.04	-
2457MHz	Pass	AV	2.4835G	51.68	54.00	-2.32	3	Horizontal	180	1.04	-
2457MHz	Pass	PK	2.3846G	58.02	74.00	-15.98	3	Horizontal	180	1.04	-
2457MHz	Pass	PK	2.447G	99.97	Inf	-Inf	3	Horizontal	180	1.04	-
2457MHz	Pass	PK	2.4835G	63.50	74.00	-10.50	3	Horizontal	180	1.04	-
2457MHz	Pass	AV	4.92296G	31.72	54.00	-22.28	3	Vertical	142	2.00	-
2457MHz	Pass	AV	7.3526G	37.48	54.00	-16.52	3	Vertical	81	2.19	-
2457MHz	Pass	PK	4.8964G	44.05	74.00	-29.95	3	Vertical	142	2.00	-
2457MHz	Pass	PK	7.38468G	50.23	74.00	-23.77	3	Vertical	81	2.19	-
2457MHz	Pass	AV	4.92448G	31.84	54.00	-22.16	3	Horizontal	166	1.28	-
2457MHz	Pass	AV	7.35412G	37.46	54.00	-16.54	3	Horizontal	177	1.18	-
2457MHz	Pass	PK	4.92832G	44.08	74.00	-29.92	3	Horizontal	166	1.28	-
2457MHz	Pass	PK	7.35444G	50.20	74.00	-23.80	3	Horizontal	177	1.18	-
2462MHz	Pass	AV	2.3888G	45.67	54.00	-8.33	3	Vertical	227	1.04	-
2462MHz	Pass	AV	2.4744G	80.04	Inf	-Inf	3	Vertical	227	1.04	-
2462MHz	Pass	AV	2.4844G	47.40	54.00	-6.60	3	Vertical	227	1.04	-
2462MHz	Pass	PK	2.3888G	58.49	74.00	-15.51	3	Vertical	227	1.04	-
2462MHz	Pass	PK	2.4748G	93.35	Inf	-Inf	3	Vertical	227	1.04	-
2462MHz	Pass	PK	2.484G	67.13	74.00	-6.87	3	Vertical	227	1.04	-
2462MHz	Pass	AV	2.388G	45.67	54.00	-8.33	3	Horizontal	181	1.17	-
2462MHz	Pass	AV	2.476G	87.49	Inf	-Inf	3	Horizontal	181	1.17	-
2462MHz	Pass	AV	2.4835G	50.06	54.00	-3.94	3	Horizontal	181	1.17	-
2462MHz	Pass	PK	2.3792G	58.25	74.00	-15.75	3	Horizontal	181	1.17	-
2462MHz	Pass	PK	2.4768G	100.34	Inf	-Inf	3	Horizontal	181	1.17	-
2462MHz	Pass	PK	2.49G	69.88	74.00	-4.12	3	Horizontal	181	1.17	-
2462MHz	Pass	AV	4.9436G	31.97	54.00	-22.03	3	Vertical	60	1.70	-
2462MHz	Pass	AV	7.36896G	37.33	54.00	-16.67	3	Vertical	70	2.33	-
2462MHz	Pass	PK	4.93864G	44.43	74.00	-29.57	3	Vertical	60	1.70	-
2462MHz	Pass	PK	7.38664G	49.29	74.00	-24.71	3	Vertical	70	2.33	-
2462MHz	Pass	AV	4.94296G	31.97	54.00	-22.03	3	Horizontal	249	1.23	-
2462MHz	Pass	AV	7.37384G	37.26	54.00	-16.74	3	Horizontal	93	3.00	-
2462MHz	Pass	PK	4.9432G	44.41	74.00	-29.59	3	Horizontal	249	1.23	-
2462MHz	Pass	PK	7.39624G	49.92	74.00	-24.08	3	Horizontal	93	3.00	-
802.11n HT20_Nss1_(MCS8)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	47.91	54.00	-6.09	3	Vertical	169	1.05	-
2412MHz	Pass	AV	2.4198G	98.53	Inf	-Inf	3	Vertical	169	1.05	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.3692G	58.35	74.00	-15.65	3	Vertical	169	1.05	-
2412MHz	Pass	PK	2.4186G	108.35	Inf	-Inf	3	Vertical	169	1.05	-
2412MHz	Pass	AV	2.39G	51.35	54.00	-2.65	3	Horizontal	181	1.30	-
2412MHz	Pass	AV	2.4196G	105.39	Inf	-Inf	3	Horizontal	181	1.30	-
2412MHz	Pass	PK	2.39G	63.96	74.00	-10.04	3	Horizontal	181	1.30	-
2412MHz	Pass	PK	2.4186G	116.30	Inf	-Inf	3	Horizontal	181	1.30	-
2412MHz	Pass	AV	4.82562G	30.47	54.00	-23.53	3	Vertical	68	2.64	-
2412MHz	Pass	PK	4.82592G	42.40	74.00	-31.60	3	Vertical	68	2.64	-
2412MHz	Pass	AV	4.82412G	30.47	54.00	-23.53	3	Horizontal	131	2.10	-
2412MHz	Pass	PK	4.83234G	42.38	74.00	-31.62	3	Horizontal	131	2.10	-
2417MHz	Pass	AV	2.3898G	48.36	54.00	-5.64	3	Vertical	170	1.08	-
2417MHz	Pass	AV	2.4244G	99.98	Inf	-Inf	3	Vertical	170	1.08	-
2417MHz	Pass	PK	2.3884G	59.17	74.00	-14.83	3	Vertical	170	1.08	-
2417MHz	Pass	PK	2.42G	109.56	Inf	-Inf	3	Vertical	170	1.08	-
2417MHz	Pass	AV	2.39G	52.39	54.00	-1.61	3	Horizontal	180	1.31	-
2417MHz	Pass	AV	2.4246G	107.02	Inf	-Inf	3	Horizontal	180	1.31	-
2417MHz	Pass	PK	2.3898G	63.03	74.00	-10.97	3	Horizontal	180	1.31	-
2417MHz	Pass	PK	2.4232G	117.02	Inf	-Inf	3	Horizontal	180	1.31	-
2437MHz	Pass	AV	2.3886G	46.91	54.00	-7.09	3	Vertical	170	1.10	-
2437MHz	Pass	AV	2.431G	102.26	Inf	-Inf	3	Vertical	170	1.10	-
2437MHz	Pass	AV	2.4878G	47.90	54.00	-6.10	3	Vertical	170	1.10	-
2437MHz	Pass	PK	2.3826G	58.60	74.00	-15.40	3	Vertical	170	1.10	-
2437MHz	Pass	PK	2.435G	111.43	Inf	-Inf	3	Vertical	170	1.10	-
2437MHz	Pass	PK	2.4874G	59.21	74.00	-14.79	3	Vertical	170	1.10	-
2437MHz	Pass	AV	2.3898G	48.80	54.00	-5.20	3	Horizontal	180	1.19	-
2437MHz	Pass	AV	2.4426G	109.20	Inf	-Inf	3	Horizontal	180	1.19	-
2437MHz	Pass	AV	2.4835G	50.56	54.00	-3.44	3	Horizontal	180	1.19	-
2437MHz	Pass	PK	2.3898G	61.22	74.00	-12.78	3	Horizontal	180	1.19	-
2437MHz	Pass	PK	2.4438G	119.86	Inf	-Inf	3	Horizontal	180	1.19	-
2437MHz	Pass	PK	2.4846G	63.22	74.00	-10.78	3	Horizontal	180	1.19	-
2437MHz	Pass	AV	4.86692G	30.78	54.00	-23.22	3	Vertical	340	2.69	-
2437MHz	Pass	AV	7.31628G	36.56	54.00	-17.44	3	Vertical	188	2.50	-
2437MHz	Pass	PK	4.86782G	42.93	74.00	-31.07	3	Vertical	340	2.69	-
2437MHz	Pass	PK	7.32192G	48.64	74.00	-25.36	3	Vertical	188	2.50	-
2437MHz	Pass	AV	4.86878G	30.80	54.00	-23.20	3	Horizontal	358	2.94	-
2437MHz	Pass	AV	7.31502G	36.54	54.00	-17.46	3	Horizontal	224	2.93	-
2437MHz	Pass	PK	4.8644G	43.35	74.00	-30.65	3	Horizontal	358	2.94	-
2437MHz	Pass	PK	7.3005G	48.98	74.00	-25.02	3	Horizontal	224	2.93	-
2457MHz	Pass	AV	2.4624G	101.56	Inf	-Inf	3	Vertical	170	1.05	-
2457MHz	Pass	AV	2.4844G	48.39	54.00	-5.61	3	Vertical	170	1.05	-
2457MHz	Pass	PK	2.4632G	110.87	Inf	-Inf	3	Vertical	170	1.05	-
2457MHz	Pass	PK	2.4992G	58.97	74.00	-15.03	3	Vertical	170	1.05	-
2457MHz	Pass	AV	2.4628G	107.82	Inf	-Inf	3	Horizontal	180	1.12	-
2457MHz	Pass	AV	2.4835G	52.14	54.00	-1.86	3	Horizontal	180	1.12	-
2457MHz	Pass	PK	2.4508G	118.11	Inf	-Inf	3	Horizontal	180	1.12	-
2457MHz	Pass	PK	2.4844G	63.04	74.00	-10.96	3	Horizontal	180	1.12	-
2462MHz	Pass	AV	2.4642G	97.71	Inf	-Inf	3	Vertical	169	1.06	-
2462MHz	Pass	AV	2.4835G	48.62	54.00	-5.38	3	Vertical	169	1.06	-
2462MHz	Pass	PK	2.4582G	107.25	Inf	-Inf	3	Vertical	169	1.06	-
2462MHz	Pass	PK	2.486G	60.21	74.00	-13.79	3	Vertical	169	1.06	-
2462MHz	Pass	AV	2.467G	104.29	Inf	-Inf	3	Horizontal	180	1.28	-
2462MHz	Pass	AV	2.4835G	52.14	54.00	-1.86	3	Horizontal	180	1.28	-
2462MHz	Pass	PK	2.4686G	114.51	Inf	-Inf	3	Horizontal	180	1.28	-
2462MHz	Pass	PK	2.4835G	63.86	74.00	-10.14	3	Horizontal	180	1.28	-
2462MHz	Pass	AV	4.9387G	31.22	54.00	-22.78	3	Vertical	224	2.86	-
2462MHz	Pass	AV	7.37532G	36.46	54.00	-17.54	3	Vertical	264	1.23	-
2462MHz	Pass	PK	4.91908G	43.01	74.00	-30.99	3	Vertical	224	2.86	-
2462MHz	Pass	PK	7.39098G	48.79	74.00	-25.21	3	Vertical	264	1.23	-
2462MHz	Pass	AV	4.93888G	31.22	54.00	-22.78	3	Horizontal	101	1.48	-
2462MHz	Pass	AV	7.37532G	36.46	54.00	-17.54	3	Horizontal	250	1.04	-
2462MHz	Pass	PK	4.9378G	43.59	74.00	-30.41	3	Horizontal	101	1.48	-
2462MHz	Pass	PK	7.37658G	48.49	74.00	-25.51	3	Horizontal	250	1.04	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2467MHz	Pass	AV	2.4632G	94.37	Inf	-Inf	3	Vertical	169	1.06	-
2467MHz	Pass	AV	2.4835G	49.09	54.00	-4.91	3	Vertical	169	1.06	-
2467MHz	Pass	PK	2.463G	103.90	Inf	-Inf	3	Vertical	169	1.06	-
2467MHz	Pass	PK	2.4835G	61.32	74.00	-12.68	3	Vertical	169	1.06	-
2467MHz	Pass	AV	2.469G	100.95	Inf	-Inf	3	Horizontal	181	1.29	-
2467MHz	Pass	AV	2.4835G	52.30	54.00	-1.70	3	Horizontal	181	1.29	-
2467MHz	Pass	PK	2.469G	111.51	Inf	-Inf	3	Horizontal	181	1.29	-
2467MHz	Pass	PK	2.4835G	64.07	74.00	-9.93	3	Horizontal	181	1.29	-
2467MHz	Pass	AV	4.94126G	31.33	54.00	-22.67	3	Vertical	306	1.11	-
2467MHz	Pass	AV	7.386G	36.30	54.00	-17.70	3	Vertical	110	1.28	-
2467MHz	Pass	PK	4.94438G	43.36	74.00	-30.64	3	Vertical	306	1.11	-
2467MHz	Pass	PK	7.40838G	48.17	74.00	-25.83	3	Vertical	110	1.28	-
2467MHz	Pass	AV	4.94102G	31.33	54.00	-22.67	3	Horizontal	139	2.92	-
2467MHz	Pass	AV	7.38744G	36.29	54.00	-17.71	3	Horizontal	328	2.66	-
2467MHz	Pass	PK	4.93418G	43.54	74.00	-30.46	3	Horizontal	139	2.92	-
2467MHz	Pass	PK	7.39878G	47.63	74.00	-26.37	3	Horizontal	328	2.66	-
2472MHz	Pass	AV	2.4644G	85.73	Inf	-Inf	3	Vertical	171	1.05	-
2472MHz	Pass	AV	2.4835G	48.12	54.00	-5.88	3	Vertical	171	1.05	-
2472MHz	Pass	PK	2.4656G	95.38	Inf	-Inf	3	Vertical	171	1.05	-
2472MHz	Pass	PK	2.4914G	60.10	74.00	-13.90	3	Vertical	171	1.05	-
2472MHz	Pass	AV	2.4674G	93.18	Inf	-Inf	3	Horizontal	179	1.28	-
2472MHz	Pass	AV	2.4835G	49.96	54.00	-4.04	3	Horizontal	179	1.28	-
2472MHz	Pass	PK	2.4736G	103.39	Inf	-Inf	3	Horizontal	179	1.28	-
2472MHz	Pass	PK	2.4835G	72.25	74.00	-1.75	3	Horizontal	179	1.28	-
2472MHz	Pass	AV	4.94172G	31.25	54.00	-22.75	3	Vertical	37	1.55	-
2472MHz	Pass	AV	7.42518G	36.15	54.00	-17.85	3	Vertical	234	1.77	-
2472MHz	Pass	PK	4.9587G	43.31	74.00	-30.69	3	Vertical	37	1.55	-
2472MHz	Pass	PK	7.42914G	47.66	74.00	-26.34	3	Vertical	234	1.77	-
2472MHz	Pass	AV	4.941G	31.33	54.00	-22.67	3	Horizontal	246	2.25	-
2472MHz	Pass	AV	7.42332G	36.12	54.00	-17.88	3	Horizontal	20	2.24	-
2472MHz	Pass	PK	4.9479G	42.88	74.00	-31.12	3	Horizontal	246	2.25	-
2472MHz	Pass	PK	7.40814G	48.04	74.00	-25.96	3	Horizontal	20	2.24	-
802.11n HT40_Nss1,(MCS08_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	47.91	54.00	-6.09	3	Vertical	169	1.08	-
2422MHz	Pass	AV	2.424G	86.03	Inf	-Inf	3	Vertical	169	1.08	-
2422MHz	Pass	AV	2.4868G	47.89	54.00	-6.11	3	Vertical	169	1.08	-
2422MHz	Pass	PK	2.3384G	58.29	74.00	-15.71	3	Vertical	169	1.08	-
2422MHz	Pass	PK	2.426G	94.76	Inf	-Inf	3	Vertical	169	1.08	-
2422MHz	Pass	PK	2.4972G	58.88	74.00	-15.12	3	Vertical	169	1.08	-
2422MHz	Pass	AV	2.39G	50.52	54.00	-3.48	3	Horizontal	179	1.30	-
2422MHz	Pass	AV	2.4252G	93.04	Inf	-Inf	3	Horizontal	179	1.30	-
2422MHz	Pass	AV	2.4844G	48.39	54.00	-5.61	3	Horizontal	179	1.30	-
2422MHz	Pass	PK	2.3892G	60.25	74.00	-13.75	3	Horizontal	179	1.30	-
2422MHz	Pass	PK	2.4136G	102.33	Inf	-Inf	3	Horizontal	179	1.30	-
2422MHz	Pass	PK	2.486G	59.41	74.00	-14.59	3	Horizontal	179	1.30	-
2422MHz	Pass	AV	4.85188G	29.00	54.00	-25.00	3	Vertical	26	2.41	-
2422MHz	Pass	AV	7.27272G	34.56	54.00	-19.44	3	Vertical	321	2.83	-
2422MHz	Pass	PK	4.8536G	42.31	74.00	-31.69	3	Vertical	26	2.41	-
2422MHz	Pass	PK	7.27528G	47.31	74.00	-26.69	3	Vertical	321	2.83	-
2422MHz	Pass	AV	4.85036G	29.02	54.00	-24.98	3	Horizontal	183	1.04	-
2422MHz	Pass	AV	7.27416G	34.52	54.00	-19.48	3	Horizontal	146	1.43	-
2422MHz	Pass	PK	4.83728G	42.40	74.00	-31.60	3	Horizontal	183	1.04	-
2422MHz	Pass	PK	7.2714G	47.37	74.00	-26.63	3	Horizontal	146	1.43	-
2427MHz	Pass	AV	2.3894G	48.58	54.00	-5.42	3	Vertical	168	1.08	-
2427MHz	Pass	AV	2.4246G	91.07	Inf	-Inf	3	Vertical	168	1.08	-
2427MHz	Pass	AV	2.4835G	48.12	54.00	-5.88	3	Vertical	168	1.08	-
2427MHz	Pass	PK	2.3882G	59.29	74.00	-14.71	3	Vertical	168	1.08	-
2427MHz	Pass	PK	2.4254G	99.87	Inf	-Inf	3	Vertical	168	1.08	-
2427MHz	Pass	PK	2.4842G	60.07	74.00	-13.93	3	Vertical	168	1.08	-
2427MHz	Pass	AV	2.3898G	51.51	54.00	-2.49	3	Horizontal	180	1.30	-
2427MHz	Pass	AV	2.4242G	97.79	Inf	-Inf	3	Horizontal	180	1.30	-
2427MHz	Pass	AV	2.4835G	50.36	54.00	-3.64	3	Horizontal	180	1.30	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	PK	2.3898G	62.53	74.00	-11.47	3	Horizontal	180	1.30	-
2427MHz	Pass	PK	2.435G	108.34	Inf	-Inf	3	Horizontal	180	1.30	-
2427MHz	Pass	PK	2.4858G	60.81	74.00	-13.19	3	Horizontal	180	1.30	-
2427MHz	Pass	AV	4.86348G	29.23	54.00	-24.77	3	Vertical	89	2.25	-
2427MHz	Pass	AV	7.27708G	34.57	54.00	-19.43	3	Vertical	134	2.33	-
2427MHz	Pass	PK	4.86312G	42.83	74.00	-31.17	3	Vertical	89	2.25	-
2427MHz	Pass	PK	7.27732G	47.90	74.00	-26.10	3	Vertical	134	2.33	-
2427MHz	Pass	AV	4.86376G	29.32	54.00	-24.68	3	Horizontal	235	1.13	-
2427MHz	Pass	AV	7.2728G	34.53	54.00	-19.47	3	Horizontal	240	1.08	-
2427MHz	Pass	PK	4.85128G	42.50	74.00	-31.50	3	Horizontal	235	1.13	-
2427MHz	Pass	PK	7.27132G	47.96	74.00	-26.04	3	Horizontal	240	1.08	-
2437MHz	Pass	AV	2.389G	47.42	54.00	-6.58	3	Vertical	170	1.01	-
2437MHz	Pass	AV	2.4546G	91.15	Inf	-Inf	3	Vertical	170	1.01	-
2437MHz	Pass	AV	2.4842G	49.33	54.00	-4.67	3	Vertical	170	1.01	-
2437MHz	Pass	PK	2.371G	59.09	74.00	-14.91	3	Vertical	170	1.01	-
2437MHz	Pass	PK	2.4486G	100.09	Inf	-Inf	3	Vertical	170	1.01	-
2437MHz	Pass	PK	2.4842G	60.01	74.00	-13.99	3	Vertical	170	1.01	-
2437MHz	Pass	AV	2.3898G	49.61	54.00	-4.39	3	Horizontal	181	1.18	-
2437MHz	Pass	AV	2.4414G	97.51	Inf	-Inf	3	Horizontal	181	1.18	-
2437MHz	Pass	AV	2.4835G	52.30	54.00	-1.70	3	Horizontal	181	1.18	-
2437MHz	Pass	PK	2.3894G	59.97	74.00	-14.03	3	Horizontal	181	1.18	-
2437MHz	Pass	PK	2.4462G	107.73	Inf	-Inf	3	Horizontal	181	1.18	-
2437MHz	Pass	PK	2.4838G	64.31	74.00	-9.69	3	Horizontal	181	1.18	-
2437MHz	Pass	AV	4.8652G	29.31	54.00	-24.69	3	Vertical	293	1.55	-
2437MHz	Pass	AV	7.2896G	34.75	54.00	-19.25	3	Vertical	165	2.12	-
2437MHz	Pass	PK	4.87656G	42.84	74.00	-31.16	3	Vertical	293	1.55	-
2437MHz	Pass	PK	7.3328G	48.53	74.00	-25.47	3	Vertical	165	2.12	-
2437MHz	Pass	AV	4.8809G	29.58	54.00	-24.42	3	Horizontal	62	2.98	-
2437MHz	Pass	AV	7.2905G	34.73	54.00	-19.27	3	Horizontal	115	1.50	-
2437MHz	Pass	PK	4.8869G	42.38	74.00	-31.62	3	Horizontal	62	2.98	-
2437MHz	Pass	PK	7.3303G	48.42	74.00	-25.58	3	Horizontal	115	1.50	-
2447MHz	Pass	AV	2.3574G	46.80	54.00	-7.20	3	Vertical	169	1.04	-
2447MHz	Pass	AV	2.4626G	88.99	Inf	-Inf	3	Vertical	169	1.04	-
2447MHz	Pass	AV	2.4842G	48.87	54.00	-5.13	3	Vertical	169	1.04	-
2447MHz	Pass	PK	2.373G	58.15	74.00	-15.85	3	Vertical	169	1.04	-
2447MHz	Pass	PK	2.4638G	98.20	Inf	-Inf	3	Vertical	169	1.04	-
2447MHz	Pass	PK	2.4998G	60.01	74.00	-13.99	3	Vertical	169	1.04	-
2447MHz	Pass	AV	2.3894G	47.17	54.00	-6.83	3	Horizontal	178	1.07	-
2447MHz	Pass	AV	2.4618G	95.14	Inf	-Inf	3	Horizontal	178	1.07	-
2447MHz	Pass	AV	2.4835G	52.46	54.00	-1.54	3	Horizontal	178	1.07	-
2447MHz	Pass	PK	2.3898G	58.98	74.00	-15.02	3	Horizontal	178	1.07	-
2447MHz	Pass	PK	2.4414G	105.40	Inf	-Inf	3	Horizontal	178	1.07	-
2447MHz	Pass	PK	2.4862G	64.08	74.00	-9.92	3	Horizontal	178	1.07	-
2447MHz	Pass	AV	4.9032G	29.77	54.00	-24.23	3	Vertical	336	1.58	-
2447MHz	Pass	AV	7.3508G	34.81	54.00	-19.19	3	Vertical	329	1.27	-
2447MHz	Pass	PK	4.8753G	42.44	74.00	-31.56	3	Vertical	336	1.58	-
2447MHz	Pass	PK	7.3525G	48.33	74.00	-25.67	3	Vertical	329	1.27	-
2447MHz	Pass	AV	4.9049G	29.81	54.00	-24.19	3	Horizontal	292	2.17	-
2447MHz	Pass	AV	7.3508G	34.78	54.00	-19.22	3	Horizontal	16	2.88	-
2447MHz	Pass	PK	4.9069G	43.51	74.00	-30.49	3	Horizontal	292	2.17	-
2447MHz	Pass	PK	7.3459G	47.51	74.00	-26.49	3	Horizontal	16	2.88	-
2452MHz	Pass	AV	2.3888G	46.91	54.00	-7.09	3	Vertical	150	1.49	-
2452MHz	Pass	AV	2.4676G	86.97	Inf	-Inf	3	Vertical	150	1.49	-
2452MHz	Pass	AV	2.4868G	48.15	54.00	-5.85	3	Vertical	150	1.49	-
2452MHz	Pass	PK	2.368G	58.56	74.00	-15.44	3	Vertical	150	1.49	-
2452MHz	Pass	PK	2.4664G	96.46	Inf	-Inf	3	Vertical	150	1.49	-
2452MHz	Pass	PK	2.4952G	58.88	74.00	-15.12	3	Vertical	150	1.49	-
2452MHz	Pass	AV	2.3896G	47.67	54.00	-6.33	3	Horizontal	179	1.06	-
2452MHz	Pass	AV	2.462G	97.16	Inf	-Inf	3	Horizontal	179	1.06	-
2452MHz	Pass	AV	2.4835G	52.14	54.00	-1.86	3	Horizontal	179	1.06	-
2452MHz	Pass	PK	2.366G	58.81	74.00	-15.19	3	Horizontal	179	1.06	-
2452MHz	Pass	PK	2.4472G	107.06	Inf	-Inf	3	Horizontal	179	1.06	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	PK	2.4868G	62.59	74.00	-11.41	3	Horizontal	179	1.06	-
2452MHz	Pass	AV	4.9206G	29.87	54.00	-24.13	3	Vertical	119	2.30	-
2452MHz	Pass	AV	7.3765G	34.88	54.00	-19.12	3	Vertical	358	1.39	-
2452MHz	Pass	PK	4.9174G	43.81	74.00	-30.19	3	Vertical	119	2.30	-
2452MHz	Pass	PK	7.3666G	47.72	74.00	-26.28	3	Vertical	358	1.39	-
2452MHz	Pass	AV	4.9199G	29.97	54.00	-24.03	3	Horizontal	250	1.00	-
2452MHz	Pass	AV	7.3519G	34.85	54.00	-19.15	3	Horizontal	132	2.85	-
2452MHz	Pass	PK	4.881G	43.16	74.00	-30.84	3	Horizontal	250	1.00	-
2452MHz	Pass	PK	7.3506G	48.51	74.00	-25.49	3	Horizontal	132	2.85	-
2457MHz	Pass	AV	2.3606G	42.71	54.00	-11.29	3	Vertical	174	1.04	-
2457MHz	Pass	AV	2.4598G	86.25	Inf	-Inf	3	Vertical	174	1.04	-
2457MHz	Pass	AV	2.4835G	45.50	54.00	-8.50	3	Vertical	174	1.04	-
2457MHz	Pass	PK	2.3638G	53.89	74.00	-20.11	3	Vertical	174	1.04	-
2457MHz	Pass	PK	2.449G	96.95	Inf	-Inf	3	Vertical	174	1.04	-
2457MHz	Pass	PK	2.4835G	55.83	74.00	-18.17	3	Vertical	174	1.04	-
2457MHz	Pass	AV	2.3898G	43.68	54.00	-10.32	3	Horizontal	179	1.50	-
2457MHz	Pass	AV	2.463G	92.88	Inf	-Inf	3	Horizontal	179	1.50	-
2457MHz	Pass	AV	2.4835G	52.25	54.00	-1.75	3	Horizontal	179	1.50	-
2457MHz	Pass	PK	2.3674G	54.11	74.00	-19.89	3	Horizontal	179	1.50	-
2457MHz	Pass	PK	2.4682G	104.77	Inf	-Inf	3	Horizontal	179	1.50	-
2457MHz	Pass	PK	2.4835G	63.82	74.00	-10.18	3	Horizontal	179	1.50	-
2457MHz	Pass	AV	4.9229G	29.78	54.00	-24.22	3	Vertical	149	1.21	-
2457MHz	Pass	AV	7.3753G	34.68	54.00	-19.32	3	Vertical	295	1.68	-
2457MHz	Pass	PK	4.9232G	42.58	74.00	-31.42	3	Vertical	149	1.21	-
2457MHz	Pass	PK	7.3849G	47.75	74.00	-26.25	3	Vertical	295	1.68	-
2457MHz	Pass	AV	4.921G	29.74	54.00	-24.26	3	Horizontal	318	2.85	-
2457MHz	Pass	AV	7.3756G	34.71	54.00	-19.29	3	Horizontal	248	2.04	-
2457MHz	Pass	PK	4.9237G	43.18	74.00	-30.82	3	Horizontal	318	2.85	-
2457MHz	Pass	PK	7.3874G	48.71	74.00	-25.29	3	Horizontal	248	2.04	-
2462MHz	Pass	AV	2.3632G	42.58	54.00	-11.42	3	Vertical	175	1.01	-
2462MHz	Pass	AV	2.46G	85.36	Inf	-Inf	3	Vertical	175	1.01	-
2462MHz	Pass	AV	2.4835G	46.56	54.00	-7.44	3	Vertical	175	1.01	-
2462MHz	Pass	PK	2.382G	53.43	74.00	-20.57	3	Vertical	175	1.01	-
2462MHz	Pass	PK	2.4588G	96.37	Inf	-Inf	3	Vertical	175	1.01	-
2462MHz	Pass	PK	2.4835G	61.02	74.00	-12.98	3	Vertical	175	1.01	-
2462MHz	Pass	AV	2.39G	42.76	54.00	-11.24	3	Horizontal	182	1.05	-
2462MHz	Pass	AV	2.4492G	92.20	Inf	-Inf	3	Horizontal	182	1.05	-
2462MHz	Pass	AV	2.4835G	52.32	54.00	-1.68	3	Horizontal	182	1.05	-
2462MHz	Pass	PK	2.3752G	54.87	74.00	-19.13	3	Horizontal	182	1.05	-
2462MHz	Pass	PK	2.4492G	104.46	Inf	-Inf	3	Horizontal	182	1.05	-
2462MHz	Pass	PK	2.486G	68.70	74.00	-5.30	3	Horizontal	182	1.05	-
2462MHz	Pass	AV	4.9239G	29.98	54.00	-24.02	3	Vertical	278	2.30	-
2462MHz	Pass	AV	7.3764G	34.61	54.00	-19.39	3	Vertical	92	1.59	-
2462MHz	Pass	PK	4.9353G	42.83	74.00	-31.17	3	Vertical	278	2.30	-
2462MHz	Pass	PK	7.3624G	48.33	74.00	-25.67	3	Vertical	92	1.59	-
2462MHz	Pass	AV	4.941G	29.68	54.00	-24.32	3	Horizontal	192	1.28	-
2462MHz	Pass	AV	7.3805G	34.63	54.00	-19.37	3	Horizontal	61	2.90	-
2462MHz	Pass	PK	4.9192G	42.94	74.00	-31.06	3	Horizontal	192	1.28	-
2462MHz	Pass	PK	7.3802G	48.49	74.00	-25.51	3	Horizontal	61	2.90	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3894G	46.90	54.00	-7.10	3	Vertical	170	1.08	-
2412MHz	Pass	AV	2.4204G	96.96	Inf	-Inf	3	Vertical	170	1.08	-
2412MHz	Pass	PK	2.3898G	58.38	74.00	-15.62	3	Vertical	170	1.08	-
2412MHz	Pass	PK	2.4176G	109.10	Inf	-Inf	3	Vertical	170	1.08	-
2412MHz	Pass	AV	2.39G	50.87	54.00	-3.13	3	Horizontal	181	1.25	-
2412MHz	Pass	AV	2.4138G	103.70	Inf	-Inf	3	Horizontal	181	1.25	-
2412MHz	Pass	PK	2.3896G	63.30	74.00	-10.70	3	Horizontal	181	1.25	-
2412MHz	Pass	PK	2.4112G	116.43	Inf	-Inf	3	Horizontal	181	1.25	-
2412MHz	Pass	AV	4.8242G	31.35	54.00	-22.65	3	Vertical	118	1.86	-
2412MHz	Pass	PK	4.82172G	43.72	74.00	-30.28	3	Vertical	118	1.86	-
2412MHz	Pass	AV	4.8248G	31.17	54.00	-22.83	3	Horizontal	333	1.97	-
2412MHz	Pass	PK	4.81876G	44.00	74.00	-30.00	3	Horizontal	333	1.97	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.39G	48.20	54.00	-5.80	3	Vertical	167	1.08	-
2417MHz	Pass	AV	2.4248G	99.61	Inf	-Inf	3	Vertical	167	1.08	-
2417MHz	Pass	PK	2.3888G	60.35	74.00	-13.65	3	Vertical	167	1.08	-
2417MHz	Pass	PK	2.4234G	111.34	Inf	-Inf	3	Vertical	167	1.08	-
2417MHz	Pass	AV	2.39G	52.07	54.00	-1.93	3	Horizontal	179	1.09	-
2417MHz	Pass	AV	2.4248G	105.75	Inf	-Inf	3	Horizontal	179	1.09	-
2417MHz	Pass	PK	2.3894G	64.27	74.00	-9.73	3	Horizontal	179	1.09	-
2417MHz	Pass	PK	2.4222G	118.08	Inf	-Inf	3	Horizontal	179	1.09	-
2437MHz	Pass	AV	2.3894G	46.57	54.00	-7.43	3	Vertical	168	1.06	-
2437MHz	Pass	AV	2.4298G	102.08	Inf	-Inf	3	Vertical	168	1.06	-
2437MHz	Pass	AV	2.4866G	47.55	54.00	-6.45	3	Vertical	168	1.06	-
2437MHz	Pass	PK	2.3734G	58.75	74.00	-15.25	3	Vertical	168	1.06	-
2437MHz	Pass	PK	2.4314G	114.17	Inf	-Inf	3	Vertical	168	1.06	-
2437MHz	Pass	PK	2.485G	59.15	74.00	-14.85	3	Vertical	168	1.06	-
2437MHz	Pass	AV	2.3898G	48.41	54.00	-5.59	3	Horizontal	179	1.34	-
2437MHz	Pass	AV	2.4298G	108.62	Inf	-Inf	3	Horizontal	179	1.34	-
2437MHz	Pass	AV	2.4835G	50.52	54.00	-3.48	3	Horizontal	179	1.34	-
2437MHz	Pass	PK	2.389G	60.86	74.00	-13.14	3	Horizontal	179	1.34	-
2437MHz	Pass	PK	2.4286G	120.22	Inf	-Inf	3	Horizontal	179	1.34	-
2437MHz	Pass	PK	2.4842G	64.14	74.00	-9.86	3	Horizontal	179	1.34	-
2437MHz	Pass	AV	4.87382G	32.07	54.00	-21.93	3	Vertical	174	1.59	-
2437MHz	Pass	AV	7.31382G	37.27	54.00	-16.73	3	Vertical	168	1.27	-
2437MHz	Pass	PK	4.8693G	45.14	74.00	-28.86	3	Vertical	174	1.59	-
2437MHz	Pass	PK	7.30664G	50.20	74.00	-23.80	3	Vertical	168	1.27	-
2437MHz	Pass	AV	4.87382G	32.15	54.00	-21.85	3	Horizontal	248	1.65	-
2437MHz	Pass	AV	7.31376G	37.43	54.00	-16.57	3	Horizontal	227	1.00	-
2437MHz	Pass	PK	4.87438G	44.77	74.00	-29.23	3	Horizontal	248	1.65	-
2437MHz	Pass	PK	7.3146G	51.56	74.00	-22.44	3	Horizontal	227	1.00	-
2457MHz	Pass	AV	2.464G	100.37	Inf	-Inf	3	Vertical	169	1.07	-
2457MHz	Pass	AV	2.4835G	48.26	54.00	-5.74	3	Vertical	169	1.07	-
2457MHz	Pass	PK	2.464G	113.05	Inf	-Inf	3	Vertical	169	1.07	-
2457MHz	Pass	PK	2.4842G	60.27	74.00	-13.73	3	Vertical	169	1.07	-
2457MHz	Pass	AV	2.4498G	106.91	Inf	-Inf	3	Horizontal	177	1.30	-
2457MHz	Pass	AV	2.4835G	51.38	54.00	-2.62	3	Horizontal	177	1.30	-
2457MHz	Pass	PK	2.452G	119.78	Inf	-Inf	3	Horizontal	177	1.30	-
2457MHz	Pass	PK	2.485G	63.02	74.00	-10.98	3	Horizontal	177	1.30	-
2462MHz	Pass	AV	2.463G	96.17	Inf	-Inf	3	Vertical	170	1.01	-
2462MHz	Pass	AV	2.4842G	47.63	54.00	-6.37	3	Vertical	170	1.01	-
2462MHz	Pass	PK	2.4644G	108.56	Inf	-Inf	3	Vertical	170	1.01	-
2462MHz	Pass	PK	2.485G	59.34	74.00	-14.66	3	Vertical	170	1.01	-
2462MHz	Pass	AV	2.4546G	102.85	Inf	-Inf	3	Horizontal	182	1.04	-
2462MHz	Pass	AV	2.4835G	51.68	54.00	-2.32	3	Horizontal	182	1.04	-
2462MHz	Pass	PK	2.456G	115.36	Inf	-Inf	3	Horizontal	182	1.04	-
2462MHz	Pass	PK	2.4836G	64.15	74.00	-9.85	3	Horizontal	182	1.04	-
2462MHz	Pass	AV	4.92584G	31.59	54.00	-22.41	3	Vertical	230	1.67	-
2462MHz	Pass	AV	7.376G	36.97	54.00	-17.03	3	Vertical	154	2.11	-
2462MHz	Pass	PK	4.92496G	44.68	74.00	-29.32	3	Vertical	230	1.67	-
2462MHz	Pass	PK	7.38928G	50.10	74.00	-23.90	3	Vertical	154	2.11	-
2462MHz	Pass	AV	4.9262G	31.60	54.00	-22.40	3	Horizontal	106	1.10	-
2462MHz	Pass	AV	7.37604G	36.97	54.00	-17.03	3	Horizontal	86	2.37	-
2462MHz	Pass	PK	4.92564G	44.63	74.00	-29.37	3	Horizontal	106	1.10	-
2462MHz	Pass	PK	7.3832G	50.78	74.00	-23.22	3	Horizontal	86	2.37	-
2467MHz	Pass	AV	2.4618G	91.52	Inf	-Inf	3	Vertical	168	1.02	-
2467MHz	Pass	AV	2.4835G	48.08	54.00	-5.92	3	Vertical	168	1.02	-
2467MHz	Pass	PK	2.4636G	103.52	Inf	-Inf	3	Vertical	168	1.02	-
2467MHz	Pass	PK	2.484G	60.25	74.00	-13.75	3	Vertical	168	1.02	-
2467MHz	Pass	AV	2.465G	98.07	Inf	-Inf	3	Horizontal	179	1.50	-
2467MHz	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Horizontal	179	1.50	-
2467MHz	Pass	PK	2.4674G	109.95	Inf	-Inf	3	Horizontal	179	1.50	-
2467MHz	Pass	PK	2.4836G	64.39	74.00	-9.61	3	Horizontal	179	1.50	-
2467MHz	Pass	AV	4.94252G	31.78	54.00	-22.22	3	Vertical	218	2.43	-
2467MHz	Pass	AV	7.391G	36.74	54.00	-17.26	3	Vertical	203	1.12	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2467MHz	Pass	PK	4.94164G	45.13	74.00	-28.87	3	Vertical	218	2.43	-
2467MHz	Pass	PK	7.40484G	49.49	74.00	-24.51	3	Vertical	203	1.12	-
2467MHz	Pass	AV	4.94256G	31.78	54.00	-22.22	3	Horizontal	226	2.42	-
2467MHz	Pass	AV	7.391G	36.74	54.00	-17.26	3	Horizontal	219	1.56	-
2467MHz	Pass	PK	4.93176G	44.56	74.00	-29.44	3	Horizontal	226	2.42	-
2467MHz	Pass	PK	7.39452G	49.44	74.00	-24.56	3	Horizontal	219	1.56	-
2472MHz	Pass	AV	2.4646G	84.38	Inf	-Inf	3	Vertical	172	1.02	-
2472MHz	Pass	AV	2.4835G	46.89	54.00	-7.11	3	Vertical	172	1.02	-
2472MHz	Pass	PK	2.4654G	97.01	Inf	-Inf	3	Vertical	172	1.02	-
2472MHz	Pass	PK	2.4836G	62.20	74.00	-11.80	3	Vertical	172	1.02	-
2472MHz	Pass	AV	2.4648G	91.43	Inf	-Inf	3	Horizontal	181	1.29	-
2472MHz	Pass	AV	2.4835G	48.30	54.00	-5.70	3	Horizontal	181	1.29	-
2472MHz	Pass	PK	2.4662G	104.69	Inf	-Inf	3	Horizontal	181	1.29	-
2472MHz	Pass	PK	2.4835G	71.82	74.00	-2.18	3	Horizontal	181	1.29	-
2472MHz	Pass	AV	4.94464G	31.79	54.00	-22.21	3	Vertical	84	1.48	-
2472MHz	Pass	AV	7.42408G	36.74	54.00	-17.26	3	Vertical	11	1.54	-
2472MHz	Pass	PK	4.95048G	45.26	74.00	-28.74	3	Vertical	84	1.48	-
2472MHz	Pass	PK	7.41944G	49.49	74.00	-24.51	3	Vertical	11	1.54	-
2472MHz	Pass	AV	4.94444G	31.79	54.00	-22.21	3	Horizontal	232	1.89	-
2472MHz	Pass	AV	7.42544G	36.68	54.00	-17.32	3	Horizontal	205	1.02	-
2472MHz	Pass	PK	4.9422G	44.73	74.00	-29.27	3	Horizontal	232	1.89	-
2472MHz	Pass	PK	7.4216G	49.46	74.00	-24.54	3	Horizontal	205	1.02	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3896G	46.67	54.00	-7.33	3	Vertical	171	1.08	-
2422MHz	Pass	AV	2.4248G	84.20	Inf	-Inf	3	Vertical	171	1.08	-
2422MHz	Pass	AV	2.498G	46.70	54.00	-7.30	3	Vertical	171	1.08	-
2422MHz	Pass	PK	2.39G	58.01	74.00	-15.99	3	Vertical	171	1.08	-
2422MHz	Pass	PK	2.4284G	96.43	Inf	-Inf	3	Vertical	171	1.08	-
2422MHz	Pass	PK	2.486G	58.65	74.00	-15.35	3	Vertical	171	1.08	-
2422MHz	Pass	AV	2.39G	49.46	54.00	-4.54	3	Horizontal	182	1.24	-
2422MHz	Pass	AV	2.416G	90.93	Inf	-Inf	3	Horizontal	182	1.24	-
2422MHz	Pass	AV	2.4844G	47.40	54.00	-6.60	3	Horizontal	182	1.24	-
2422MHz	Pass	PK	2.3888G	60.27	74.00	-13.73	3	Horizontal	182	1.24	-
2422MHz	Pass	PK	2.4272G	103.23	Inf	-Inf	3	Horizontal	182	1.24	-
2422MHz	Pass	PK	2.4888G	59.77	74.00	-14.23	3	Horizontal	182	1.24	-
2422MHz	Pass	AV	4.84984G	31.28	54.00	-22.72	3	Vertical	82	1.58	-
2422MHz	Pass	AV	7.2576G	37.71	54.00	-16.29	3	Vertical	135	2.95	-
2422MHz	Pass	PK	4.8516G	43.87	74.00	-30.13	3	Vertical	82	1.58	-
2422MHz	Pass	PK	7.25208G	50.74	74.00	-23.26	3	Vertical	135	2.95	-
2422MHz	Pass	AV	4.84824G	31.27	54.00	-22.73	3	Horizontal	196	2.43	-
2422MHz	Pass	AV	7.25472G	37.75	54.00	-16.25	3	Horizontal	244	3.00	-
2422MHz	Pass	PK	4.85696G	44.49	74.00	-29.51	3	Horizontal	196	2.43	-
2422MHz	Pass	PK	7.27936G	50.35	74.00	-23.65	3	Horizontal	244	3.00	-
2427MHz	Pass	AV	2.3898G	48.20	54.00	-5.80	3	Vertical	169	1.08	-
2427MHz	Pass	AV	2.4246G	90.58	Inf	-Inf	3	Vertical	169	1.08	-
2427MHz	Pass	AV	2.4846G	47.79	54.00	-6.21	3	Vertical	169	1.08	-
2427MHz	Pass	PK	2.389G	59.13	74.00	-14.87	3	Vertical	169	1.08	-
2427MHz	Pass	PK	2.4294G	102.15	Inf	-Inf	3	Vertical	169	1.08	-
2427MHz	Pass	PK	2.4835G	60.09	74.00	-13.91	3	Vertical	169	1.08	-
2427MHz	Pass	AV	2.3898G	51.21	54.00	-2.79	3	Horizontal	181	1.18	-
2427MHz	Pass	AV	2.4294G	96.71	Inf	-Inf	3	Horizontal	181	1.18	-
2427MHz	Pass	AV	2.4835G	50.15	54.00	-3.85	3	Horizontal	181	1.18	-
2427MHz	Pass	PK	2.387G	63.30	74.00	-10.70	3	Horizontal	181	1.18	-
2427MHz	Pass	PK	2.4234G	108.81	Inf	-Inf	3	Horizontal	181	1.18	-
2427MHz	Pass	PK	2.485G	61.63	74.00	-12.37	3	Horizontal	181	1.18	-
2437MHz	Pass	AV	2.3898G	47.07	54.00	-6.93	3	Vertical	168	1.00	-
2437MHz	Pass	AV	2.4546G	90.36	Inf	-Inf	3	Vertical	168	1.00	-
2437MHz	Pass	AV	2.4835G	49.76	54.00	-4.24	3	Vertical	168	1.00	-
2437MHz	Pass	PK	2.3806G	59.13	74.00	-14.87	3	Vertical	168	1.00	-
2437MHz	Pass	PK	2.4518G	102.27	Inf	-Inf	3	Vertical	168	1.00	-
2437MHz	Pass	PK	2.4846G	61.48	74.00	-12.52	3	Vertical	168	1.00	-
2437MHz	Pass	AV	2.3898G	49.01	54.00	-4.99	3	Horizontal	182	1.23	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4522G	96.76	Inf	-Inf	3	Horizontal	182	1.23	-
2437MHz	Pass	AV	2.4835G	52.16	54.00	-1.84	3	Horizontal	182	1.23	-
2437MHz	Pass	PK	2.3894G	59.88	74.00	-14.12	3	Horizontal	182	1.23	-
2437MHz	Pass	PK	2.447G	108.42	Inf	-Inf	3	Horizontal	182	1.23	-
2437MHz	Pass	PK	2.4846G	65.17	74.00	-8.83	3	Horizontal	182	1.23	-
2437MHz	Pass	AV	4.86976G	31.41	54.00	-22.59	3	Vertical	323	2.88	-
2437MHz	Pass	AV	7.29204G	37.53	54.00	-16.47	3	Vertical	250	2.64	-
2437MHz	Pass	PK	4.88712G	43.72	74.00	-30.28	3	Vertical	323	2.88	-
2437MHz	Pass	PK	7.31828G	49.95	74.00	-24.05	3	Vertical	250	2.64	-
2437MHz	Pass	AV	4.88792G	31.39	54.00	-22.61	3	Horizontal	45	1.99	-
2437MHz	Pass	AV	7.32964G	37.48	54.00	-16.52	3	Horizontal	49	2.33	-
2437MHz	Pass	PK	4.86664G	43.81	74.00	-30.19	3	Horizontal	45	1.99	-
2437MHz	Pass	PK	7.2954G	49.78	74.00	-24.22	3	Horizontal	49	2.33	-
2452MHz	Pass	AV	2.39G	45.68	54.00	-8.32	3	Vertical	171	1.02	-
2452MHz	Pass	AV	2.4632G	89.09	Inf	-Inf	3	Vertical	171	1.02	-
2452MHz	Pass	AV	2.4844G	47.87	54.00	-6.13	3	Vertical	171	1.02	-
2452MHz	Pass	PK	2.38G	58.73	74.00	-15.27	3	Vertical	171	1.02	-
2452MHz	Pass	PK	2.4372G	101.37	Inf	-Inf	3	Vertical	171	1.02	-
2452MHz	Pass	PK	2.4835G	60.09	74.00	-13.91	3	Vertical	171	1.02	-
2452MHz	Pass	AV	2.39G	46.67	54.00	-7.33	3	Horizontal	180	1.26	-
2452MHz	Pass	AV	2.4548G	96.21	Inf	-Inf	3	Horizontal	180	1.26	-
2452MHz	Pass	AV	2.4835G	51.97	54.00	-2.03	3	Horizontal	180	1.26	-
2452MHz	Pass	PK	2.3832G	58.32	74.00	-15.68	3	Horizontal	180	1.26	-
2452MHz	Pass	PK	2.4532G	108.54	Inf	-Inf	3	Horizontal	180	1.26	-
2452MHz	Pass	PK	2.4856G	64.01	74.00	-9.99	3	Horizontal	180	1.26	-
2452MHz	Pass	AV	4.922G	31.80	54.00	-22.20	3	Vertical	349	1.92	-
2452MHz	Pass	AV	7.35448G	37.54	54.00	-16.46	3	Vertical	81	2.12	-
2452MHz	Pass	PK	4.90528G	44.15	74.00	-29.85	3	Vertical	349	1.92	-
2452MHz	Pass	PK	7.36352G	50.89	74.00	-23.11	3	Vertical	81	2.12	-
2452MHz	Pass	AV	4.9232G	31.82	54.00	-22.18	3	Horizontal	162	2.34	-
2452MHz	Pass	AV	7.35248G	37.57	54.00	-16.43	3	Horizontal	236	1.66	-
2452MHz	Pass	PK	4.91192G	44.27	74.00	-29.73	3	Horizontal	162	2.34	-
2452MHz	Pass	PK	7.34984G	50.63	74.00	-23.37	3	Horizontal	236	1.66	-
2457MHz	Pass	AV	2.3878G	45.67	54.00	-8.33	3	Vertical	171	1.04	-
2457MHz	Pass	AV	2.4598G	85.07	Inf	-Inf	3	Vertical	171	1.04	-
2457MHz	Pass	AV	2.4835G	47.62	54.00	-6.38	3	Vertical	171	1.04	-
2457MHz	Pass	PK	2.3578G	58.21	74.00	-15.79	3	Vertical	171	1.04	-
2457MHz	Pass	PK	2.4522G	97.13	Inf	-Inf	3	Vertical	171	1.04	-
2457MHz	Pass	PK	2.4882G	59.77	74.00	-14.23	3	Vertical	171	1.04	-
2457MHz	Pass	AV	2.3898G	45.94	54.00	-8.06	3	Horizontal	181	1.05	-
2457MHz	Pass	AV	2.451G	92.06	Inf	-Inf	3	Horizontal	181	1.05	-
2457MHz	Pass	AV	2.4835G	52.25	54.00	-1.75	3	Horizontal	181	1.05	-
2457MHz	Pass	PK	2.3858G	58.64	74.00	-15.36	3	Horizontal	181	1.05	-
2457MHz	Pass	PK	2.4522G	103.32	Inf	-Inf	3	Horizontal	181	1.05	-
2457MHz	Pass	PK	2.4878G	66.49	74.00	-7.51	3	Horizontal	181	1.05	-
2457MHz	Pass	AV	4.92384G	31.83	54.00	-22.17	3	Vertical	84	2.81	-
2457MHz	Pass	AV	7.35108G	37.50	54.00	-16.50	3	Vertical	207	1.13	-
2457MHz	Pass	PK	4.9096G	44.26	74.00	-29.74	3	Vertical	84	2.81	-
2457MHz	Pass	PK	7.38924G	51.13	74.00	-22.87	3	Vertical	207	1.13	-
2457MHz	Pass	AV	4.9236G	31.82	54.00	-22.18	3	Horizontal	268	1.11	-
2457MHz	Pass	AV	7.35316G	37.56	54.00	-16.44	3	Horizontal	73	1.63	-
2457MHz	Pass	PK	4.93152G	44.60	74.00	-29.40	3	Horizontal	268	1.11	-
2457MHz	Pass	PK	7.38428G	49.81	74.00	-24.19	3	Horizontal	73	1.63	-
2462MHz	Pass	AV	2.3888G	45.41	54.00	-8.59	3	Vertical	171	1.03	-
2462MHz	Pass	AV	2.4592G	84.44	Inf	-Inf	3	Vertical	171	1.03	-
2462MHz	Pass	AV	2.4835G	47.86	54.00	-6.14	3	Vertical	171	1.03	-
2462MHz	Pass	PK	2.372G	57.72	74.00	-16.28	3	Vertical	171	1.03	-
2462MHz	Pass	PK	2.4652G	96.44	Inf	-Inf	3	Vertical	171	1.03	-
2462MHz	Pass	PK	2.4835G	63.79	74.00	-10.21	3	Vertical	171	1.03	-
2462MHz	Pass	AV	2.3888G	45.41	54.00	-8.59	3	Horizontal	182	1.05	-
2462MHz	Pass	AV	2.4528G	90.96	Inf	-Inf	3	Horizontal	182	1.05	-
2462MHz	Pass	AV	2.4835G	51.38	54.00	-2.62	3	Horizontal	182	1.05	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.3728G	57.67	74.00	-16.33	3	Horizontal	182	1.05	-
2462MHz	Pass	PK	2.454G	104.26	Inf	-Inf	3	Horizontal	182	1.05	-
2462MHz	Pass	PK	2.4844G	71.20	74.00	-2.80	3	Horizontal	182	1.05	-
2462MHz	Pass	AV	4.92392G	32.37	54.00	-21.63	3	Vertical	170	1.78	-
2462MHz	Pass	AV	7.37376G	37.18	54.00	-16.82	3	Vertical	327	1.50	-
2462MHz	Pass	PK	4.92008G	44.60	74.00	-29.40	3	Vertical	170	1.78	-
2462MHz	Pass	PK	7.36872G	49.77	74.00	-24.23	3	Vertical	327	1.50	-
2462MHz	Pass	AV	4.92392G	32.10	54.00	-21.90	3	Horizontal	4	1.18	-
2462MHz	Pass	AV	7.37216G	37.28	54.00	-16.72	3	Horizontal	337	1.20	-
2462MHz	Pass	PK	4.94256G	44.39	74.00	-29.61	3	Horizontal	4	1.18	-
2462MHz	Pass	PK	7.38472G	49.81	74.00	-24.19	3	Horizontal	337	1.20	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.39	54.00	-6.61	31.75	3	Vertical	166	1.11	-	15.64	27.38	4.37	-
AV	2.4128G	106.66	Inf	-Inf	31.85	3	Vertical	166	1.11	-	74.81	27.45	4.40	-
PK	2.389G	58.61	74.00	-15.39	31.75	3	Vertical	166	1.11	-	26.86	27.38	4.37	-
PK	2.4138G	110.87	Inf	-Inf	31.86	3	Vertical	166	1.11	-	79.01	27.46	4.40	-


802.11b_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	49.59	54.00	-4.41	31.75	3	Horizontal	181	1.10	-	17.84	27.38	4.37	-
AV	2.4128G	111.74	Inf	-Inf	31.85	3	Horizontal	181	1.10	-	79.89	27.45	4.40	-
PK	2.3896G	60.00	74.00	-14.00	31.75	3	Horizontal	181	1.10	-	28.25	27.38	4.37	-
PK	2.4126G	115.83	Inf	-Inf	31.85	3	Horizontal	181	1.10	-	83.98	27.45	4.40	-

802.11b_Nss1,(1Mbps)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	44.87	54.00	-9.13	4.42	3	Vertical	220	1.70	-	40.45	32.60	6.27	34.45
PK	4.82388G	49.33	74.00	-24.67	4.42	3	Vertical	220	1.70	-	44.91	32.60	6.27	34.45


802.11b_Nss1,(1Mbps)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	45.04	54.00	-8.96	4.42	3	Horizontal	111	1.75	-	40.62	32.60	6.27	34.45
PK	4.82388G	49.40	74.00	-24.60	4.42	3	Horizontal	111	1.75	-	44.98	32.60	6.27	34.45

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.17	54.00	-7.83	31.75	3	Vertical	159	1.03	-	14.42	27.38	4.37	-
AV	2.4362G	104.83	Inf	-Inf	31.97	3	Vertical	159	1.03	-	72.86	27.54	4.43	-
AV	2.4842G	47.40	54.00	-6.60	32.31	3	Vertical	159	1.03	-	15.09	27.81	4.50	-
PK	2.3846G	58.45	74.00	-15.55	31.73	3	Vertical	159	1.03	-	26.72	27.37	4.36	-
PK	2.4362G	109.04	Inf	-Inf	31.97	3	Vertical	159	1.03	-	77.07	27.54	4.43	-
PK	2.4874G	59.87	74.00	-14.13	32.33	3	Vertical	159	1.03	-	27.54	27.82	4.51	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.44	54.00	-7.56	31.75	3	Horizontal	182	1.33	-	14.69	27.38	4.37	-
AV	2.4362G	111.66	Inf	-Inf	31.97	3	Horizontal	182	1.33	-	79.69	27.54	4.43	-
AV	2.4842G	47.91	54.00	-6.09	32.31	3	Horizontal	182	1.33	-	15.60	27.81	4.50	-
PK	2.3502G	59.34	74.00	-14.66	31.63	3	Horizontal	182	1.33	-	27.71	27.30	4.33	-
PK	2.4378G	115.45	Inf	-Inf	31.98	3	Horizontal	182	1.33	-	83.47	27.55	4.43	-
PK	2.4882G	60.00	74.00	-14.00	32.34	3	Horizontal	182	1.33	-	27.66	27.83	4.51	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	40.47	54.00	-13.53	4.61	3	Vertical	222	1.66	-	35.86	32.75	6.30	34.44
AV	7.31174G	40.22	54.00	-13.78	10.08	3	Vertical	168	1.00	-	30.14	36.75	8.14	34.81
PK	4.8739G	46.95	74.00	-27.05	4.61	3	Vertical	222	1.66	-	42.34	32.75	6.30	34.44
PK	7.31102G	50.91	74.00	-23.09	10.07	3	Vertical	168	1.00	-	40.84	36.74	8.14	34.81

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87402G	40.85	54.00	-13.15	4.61	3	Horizontal	111	1.79	-	36.24	32.75	6.30	34.44
AV	7.31174G	40.88	54.00	-13.12	10.08	3	Horizontal	225	1.00	-	30.80	36.75	8.14	34.81
PK	4.8742G	47.10	74.00	-26.90	4.61	3	Horizontal	111	1.79	-	42.49	32.75	6.30	34.44
PK	7.3118G	51.71	74.00	-22.29	10.08	3	Horizontal	225	1.00	-	41.63	36.75	8.14	34.81

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	107.97	Inf	-Inf	32.15	3	Vertical	166	1.03	-	75.82	27.68	4.47	-
AV	2.4876G	47.90	54.00	-6.10	32.34	3	Vertical	166	1.03	-	15.56	27.83	4.51	-
PK	2.4626G	112.15	Inf	-Inf	32.15	3	Vertical	166	1.03	-	80.00	27.68	4.47	-
PK	2.4856G	59.76	74.00	-14.24	32.31	3	Vertical	166	1.03	-	27.45	27.81	4.50	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	112.42	Inf	-Inf	32.15	3	Horizontal	179	1.49	-	80.27	27.68	4.47	-
AV	2.4876G	49.03	54.00	-4.97	32.34	3	Horizontal	179	1.49	-	16.69	27.83	4.51	-
PK	2.4626G	116.62	Inf	-Inf	32.15	3	Horizontal	179	1.49	-	84.47	27.68	4.47	-
PK	2.4878G	61.30	74.00	-12.70	32.34	3	Horizontal	179	1.49	-	28.96	27.83	4.51	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	43.31	54.00	-10.69	4.83	3	Vertical	191	1.48	-	38.48	32.94	6.33	34.44
AV	7.38672G	39.57	54.00	-14.43	9.96	3	Vertical	181	2.34	-	29.61	36.68	8.11	34.83
PK	4.92396G	49.25	74.00	-24.75	4.83	3	Vertical	191	1.48	-	44.42	32.94	6.33	34.44
PK	7.3846G	50.56	74.00	-23.44	9.98	3	Vertical	181	2.34	-	40.58	36.69	8.12	34.83

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	42.93	54.00	-11.07	4.83	3	Horizontal	114	1.79	-	38.10	32.94	6.33	34.44
AV	7.3868G	39.63	54.00	-14.37	9.96	3	Horizontal	216	1.80	-	29.67	36.68	8.11	34.83
PK	4.92392G	49.09	74.00	-24.91	4.83	3	Horizontal	114	1.79	-	44.26	32.94	6.33	34.44
PK	7.38656G	50.85	74.00	-23.15	9.96	3	Horizontal	216	1.80	-	40.89	36.68	8.11	34.83

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	99.13	Inf	-Inf	32.18	3	Vertical	169	1.00	-	66.95	27.70	4.48	-
AV	2.485G	47.66	54.00	-6.34	32.29	3	Vertical	169	1.00	-	15.37	27.81	4.48	-
PK	2.4664G	103.60	Inf	-Inf	32.18	3	Vertical	169	1.00	-	71.42	27.70	4.48	-
PK	2.4852G	59.97	74.00	-14.03	32.29	3	Vertical	169	1.00	-	27.68	27.81	4.48	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	104.08	Inf	-Inf	32.18	3	Horizontal	178	1.04	-	71.90	27.70	4.48	-
AV	2.4842G	48.15	54.00	-5.85	32.29	3	Horizontal	178	1.04	-	15.86	27.81	4.48	-
PK	2.4662G	108.43	Inf	-Inf	32.18	3	Horizontal	178	1.04	-	76.25	27.70	4.48	-
PK	2.4856G	60.03	74.00	-13.97	32.29	3	Horizontal	178	1.04	-	27.74	27.81	4.48	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93404G	36.67	54.00	-17.33	5.63	3	Vertical	223	1.60	-	31.04	33.00	6.91	34.28
AV	7.39112G	37.60	54.00	-16.40	10.46	3	Vertical	77	1.50	-	27.14	36.65	8.62	34.81
PK	4.93412G	46.86	74.00	-27.14	5.63	3	Vertical	223	1.60	-	41.23	33.00	6.91	34.28
PK	7.39828G	50.27	74.00	-23.73	10.42	3	Vertical	77	1.50	-	39.85	36.61	8.63	34.82

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93396G	36.79	54.00	-17.21	5.63	3	Horizontal	118	1.72	-	31.16	33.00	6.91	34.28
AV	7.39136G	37.51	54.00	-16.49	10.46	3	Horizontal	75	1.67	-	27.05	36.65	8.62	34.81
PK	4.93424G	47.32	74.00	-26.68	5.64	3	Horizontal	118	1.72	-	41.68	33.01	6.91	34.28
PK	7.39448G	50.71	74.00	-23.29	10.43	3	Horizontal	75	1.67	-	40.28	36.63	8.62	34.82

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	94.24	Inf	-Inf	32.21	3	Vertical	170	1.03	-	62.03	27.73	4.48	-
AV	2.4876G	47.41	54.00	-6.59	32.31	3	Vertical	170	1.03	-	15.10	27.83	4.48	-
PK	2.4726G	98.61	Inf	-Inf	32.22	3	Vertical	170	1.03	-	66.39	27.74	4.48	-
PK	2.4838G	62.65	74.00	-11.35	32.28	3	Vertical	170	1.03	-	30.37	27.80	4.48	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	99.15	Inf	-Inf	32.21	3	Horizontal	180	1.05	-	66.94	27.73	4.48	-
AV	2.4835G	47.90	54.00	-6.10	32.28	3	Horizontal	180	1.05	-	15.62	27.80	4.48	-
PK	2.4714G	103.57	Inf	-Inf	32.21	3	Horizontal	180	1.05	-	71.36	27.73	4.48	-
PK	2.484G	64.91	74.00	-9.09	32.28	3	Horizontal	180	1.05	-	32.63	27.80	4.48	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9428G	32.64	54.00	-21.36	5.69	3	Vertical	140	2.74	-	26.95	33.06	6.91	34.28
AV	7.42432G	37.42	54.00	-16.58	10.42	3	Vertical	102	1.71	-	27.00	36.60	8.64	34.82
PK	4.93792G	45.35	74.00	-28.65	5.66	3	Vertical	140	2.74	-	39.69	33.03	6.91	34.28
PK	7.417G	49.69	74.00	-24.31	10.42	3	Vertical	102	1.71	-	39.27	36.60	8.64	34.82

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9442G	32.65	54.00	-21.35	5.70	3	Horizontal	196	1.78	-	26.95	33.07	6.91	34.28
AV	7.42532G	37.43	54.00	-16.57	10.42	3	Horizontal	130	1.43	-	27.01	36.60	8.64	34.82
PK	4.94104G	44.88	74.00	-29.12	5.68	3	Horizontal	196	1.78	-	39.20	33.05	6.91	34.28
PK	7.41404G	49.76	74.00	-24.24	10.42	3	Horizontal	130	1.43	-	39.34	36.60	8.64	34.82

802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	46.67	54.00	-7.33	31.75	3	Vertical	233	1.08	-	14.92	27.38	4.37	-
AV	2.4128G	102.39	Inf	-Inf	31.85	3	Vertical	233	1.08	-	70.54	27.45	4.40	-
PK	2.3662G	58.12	74.00	-15.88	31.67	3	Vertical	233	1.08	-	26.45	27.33	4.34	-
PK	2.414G	106.21	Inf	-Inf	31.86	3	Vertical	233	1.08	-	74.35	27.46	4.40	-


802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	50.10	54.00	-3.90	31.75	3	Horizontal	182	1.24	-	18.35	27.38	4.37	-
AV	2.4128G	110.22	Inf	-Inf	31.85	3	Horizontal	182	1.24	-	78.37	27.45	4.40	-
PK	2.3866G	60.13	74.00	-13.87	31.74	3	Horizontal	182	1.24	-	28.39	27.37	4.37	-
PK	2.4126G	114.19	Inf	-Inf	31.85	3	Horizontal	182	1.24	-	82.34	27.45	4.40	-

802.11b_Nss1,(1Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	44.42	54.00	-9.58	4.42	3	Vertical	142	1.68	-	40.00	32.60	6.27	34.45
PK	4.82396G	49.75	74.00	-24.25	4.42	3	Vertical	142	1.68	-	45.33	32.60	6.27	34.45


802.11b_Nss1,(1Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	44.40	54.00	-9.60	4.42	3	Horizontal	241	1.74	-	39.98	32.60	6.27	34.45
PK	4.824G	49.39	74.00	-24.61	4.42	3	Horizontal	241	1.74	-	44.97	32.60	6.27	34.45

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.17	54.00	-7.83	31.75	3	Vertical	137	2.16	-	14.42	27.38	4.37	-
AV	2.4378G	101.32	Inf	-Inf	31.98	3	Vertical	137	2.16	-	69.34	27.55	4.43	-
AV	2.4994G	47.20	54.00	-6.80	32.42	3	Vertical	137	2.16	-	14.78	27.90	4.52	-
PK	2.3714G	58.48	74.00	-15.52	31.69	3	Vertical	137	2.16	-	26.79	27.34	4.35	-
PK	2.4366G	105.36	Inf	-Inf	31.98	3	Vertical	137	2.16	-	73.38	27.55	4.43	-
PK	2.4966G	58.92	74.00	-15.08	32.40	3	Vertical	137	2.16	-	26.52	27.88	4.52	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.44	54.00	-7.56	31.75	3	Horizontal	181	1.33	-	14.69	27.38	4.37	-
AV	2.4378G	108.87	Inf	-Inf	31.98	3	Horizontal	181	1.33	-	76.89	27.55	4.43	-
AV	2.4854G	47.66	54.00	-6.34	32.31	3	Horizontal	181	1.33	-	15.35	27.81	4.50	-
PK	2.343G	57.95	74.00	-16.05	31.59	3	Horizontal	181	1.33	-	26.36	27.27	4.32	-
PK	2.4374G	113.04	Inf	-Inf	31.98	3	Horizontal	181	1.33	-	81.06	27.55	4.43	-
PK	2.4854G	59.47	74.00	-14.53	32.31	3	Horizontal	181	1.33	-	27.16	27.81	4.50	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87398G	42.17	54.00	-11.83	4.61	3	Vertical	144	1.57	-	37.56	32.75	6.30	34.44
AV	7.31174G	38.17	54.00	-15.83	10.08	3	Vertical	169	2.29	-	28.09	36.75	8.14	34.81
PK	4.87394G	47.93	74.00	-26.07	4.61	3	Vertical	144	1.57	-	43.32	32.75	6.30	34.44
PK	7.313G	50.25	74.00	-23.75	10.08	3	Vertical	169	2.29	-	40.17	36.75	8.14	34.81

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87398G	41.67	54.00	-12.33	4.61	3	Horizontal	249	1.62	-	37.06	32.75	6.30	34.44
AV	7.31174G	37.57	54.00	-16.43	10.08	3	Horizontal	240	1.50	-	27.49	36.75	8.14	34.81
PK	4.87408G	47.84	74.00	-26.16	4.61	3	Horizontal	249	1.62	-	43.23	32.75	6.30	34.44
PK	7.31298G	50.39	74.00	-23.61	10.08	3	Horizontal	240	1.50	-	40.31	36.75	8.14	34.81

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	102.99	Inf	-Inf	32.15	3	Vertical	228	1.12	-	70.84	27.68	4.47	-
AV	2.4835G	47.63	54.00	-6.37	32.30	3	Vertical	228	1.12	-	15.33	27.80	4.50	-
PK	2.4638G	106.97	Inf	-Inf	32.15	3	Vertical	228	1.12	-	74.82	27.68	4.47	-
PK	2.4976G	59.45	74.00	-14.55	32.41	3	Vertical	228	1.12	-	27.04	27.89	4.52	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	110.31	Inf	-Inf	32.15	3	Horizontal	181	1.45	-	78.16	27.68	4.47	-
AV	2.4835G	50.00	54.00	-4.00	32.30	3	Horizontal	181	1.45	-	17.70	27.80	4.50	-
PK	2.4628G	114.55	Inf	-Inf	32.15	3	Horizontal	181	1.45	-	82.40	27.68	4.47	-
PK	2.4836G	60.79	74.00	-13.21	32.30	3	Horizontal	181	1.45	-	28.49	27.80	4.50	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	39.31	54.00	-14.69	4.83	3	Vertical	142	1.75	-	34.48	32.94	6.33	34.44
AV	7.38508G	37.81	54.00	-16.19	9.98	3	Vertical	181	1.78	-	27.83	36.69	8.12	34.83
PK	4.92388G	47.27	74.00	-26.73	4.83	3	Vertical	142	1.75	-	42.44	32.94	6.33	34.44
PK	7.38564G	50.22	74.00	-23.78	9.98	3	Vertical	181	1.78	-	40.24	36.69	8.12	34.83

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	40.00	54.00	-14.00	4.83	3	Horizontal	239	1.79	-	35.17	32.94	6.33	34.44
AV	7.38524G	38.50	54.00	-15.50	9.98	3	Horizontal	233	1.59	-	28.52	36.69	8.12	34.83
PK	4.92388G	47.34	74.00	-26.66	4.83	3	Horizontal	239	1.79	-	42.51	32.94	6.33	34.44
PK	7.38376G	50.07	74.00	-23.93	9.99	3	Horizontal	233	1.59	-	40.08	36.70	8.12	34.83

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4678G	100.23	Inf	-Inf	32.19	3	Vertical	231	1.35	-	68.04	27.71	4.48	-
AV	2.494G	47.42	54.00	-6.58	32.34	3	Vertical	231	1.35	-	15.08	27.86	4.48	-
PK	2.4674G	104.34	Inf	-Inf	32.18	3	Vertical	231	1.35	-	72.16	27.70	4.48	-
PK	2.4928G	59.56	74.00	-14.44	32.34	3	Vertical	231	1.35	-	27.22	27.86	4.48	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4678G	107.16	Inf	-Inf	32.19	3	Horizontal	188	1.18	-	74.97	27.71	4.48	-
AV	2.4842G	48.15	54.00	-5.85	32.29	3	Horizontal	188	1.18	-	15.86	27.81	4.48	-
PK	2.4676G	111.39	Inf	-Inf	32.19	3	Horizontal	188	1.18	-	79.20	27.71	4.48	-
PK	2.4984G	59.95	74.00	-14.05	32.37	3	Horizontal	188	1.18	-	27.58	27.89	4.48	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.934G	37.03	54.00	-16.97	5.63	3	Vertical	173	1.49	-	31.40	33.00	6.91	34.28
AV	7.40236G	37.76	54.00	-16.24	10.41	3	Vertical	199	1.19	-	27.35	36.60	8.63	34.82
PK	4.93428G	46.31	74.00	-27.69	5.64	3	Vertical	173	1.49	-	40.67	33.01	6.91	34.28
PK	7.3962G	50.35	74.00	-23.65	10.43	3	Vertical	199	1.19	-	39.92	36.62	8.63	34.82

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93396G	36.61	54.00	-17.39	5.63	3	Horizontal	245	1.61	-	30.98	33.00	6.91	34.28
AV	7.39236G	37.50	54.00	-16.50	10.46	3	Horizontal	6	1.79	-	27.04	36.65	8.62	34.81
PK	4.93376G	46.41	74.00	-27.59	5.63	3	Horizontal	245	1.61	-	40.78	33.00	6.91	34.28
PK	7.40572G	49.33	74.00	-24.67	10.41	3	Horizontal	6	1.79	-	38.92	36.60	8.63	34.82

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	24728G	99.48	Inf	-Inf	32.23	3	Vertical	229	1.08	-	67.25	27.74	4.49	-
AV	24892G	47.66	54.00	-6.34	32.35	3	Vertical	229	1.08	-	15.31	27.84	4.51	-
PK	24726G	103.73	Inf	-Inf	32.23	3	Vertical	229	1.08	-	71.50	27.74	4.49	-
PK	24844G	62.29	74.00	-11.71	32.31	3	Vertical	229	1.08	-	29.98	27.81	4.50	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	24728G	106.83	Inf	-Inf	32.23	3	Horizontal	182	1.14	-	74.60	27.74	4.49	-
AV	24892G	49.25	54.00	-4.75	32.35	3	Horizontal	182	1.14	-	16.90	27.84	4.51	-
PK	24728G	111.13	Inf	-Inf	32.23	3	Horizontal	182	1.14	-	78.90	27.74	4.49	-
PK	24835G	72.47	74.00	-1.53	32.30	3	Horizontal	182	1.14	-	40.17	27.80	4.50	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94397G	36.33	54.00	-17.67	4.97	3	Vertical	143	1.69	-	31.36	33.06	6.35	34.44
AV	7.41728G	36.75	54.00	-17.25	9.89	3	Vertical	123	1.39	-	26.86	36.60	8.13	34.84
PK	4.94385G	46.39	74.00	-27.61	4.97	3	Vertical	143	1.69	-	41.42	33.06	6.35	34.44
PK	7.41384G	49.04	74.00	-24.96	9.89	3	Vertical	123	1.39	-	39.15	36.60	8.13	34.84

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94394G	36.67	54.00	-17.33	4.97	3	Horizontal	239	1.65	-	31.70	33.06	6.35	34.44
AV	7.4253G	36.85	54.00	-17.15	9.90	3	Horizontal	26	2.49	-	26.95	36.60	8.15	34.85
PK	4.94412G	46.04	74.00	-27.96	4.97	3	Horizontal	239	1.65	-	41.07	33.06	6.35	34.44
PK	7.40238G	49.27	74.00	-24.73	9.87	3	Horizontal	26	2.49	-	39.40	36.60	8.11	34.84

802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.62	54.00	-6.38	31.75	3	Vertical	170	1.19	-	15.87	27.38	4.37	-
AV	2.4194G	99.23	Inf	-Inf	31.89	3	Vertical	170	1.19	-	67.34	27.48	4.41	-
PK	2.3896G	59.84	74.00	-14.16	31.75	3	Vertical	170	1.19	-	28.09	27.38	4.37	-
PK	2.4192G	107.98	Inf	-Inf	31.89	3	Vertical	170	1.19	-	76.09	27.48	4.41	-


802.11g_Nss1,(6Mbps)_1TX(Port1)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.95	54.00	-4.05	31.75	3	Horizontal	181	1.10	-	18.20	27.38	4.37	-
AV	2.4192G	104.82	Inf	-Inf	31.89	3	Horizontal	181	1.10	-	72.93	27.48	4.41	-
PK	2.39G	66.59	74.00	-7.41	31.75	3	Horizontal	181	1.10	-	34.84	27.38	4.37	-
PK	2.4184G	114.21	Inf	-Inf	31.88	3	Horizontal	181	1.10	-	82.33	27.47	4.41	-

802.11g_Nss1,(6Mbps)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82517G	32.36	54.00	-21.64	4.43	3	Vertical	219	1.72	-	27.93	32.60	6.28	34.45
PK	4.8255G	44.92	74.00	-29.08	4.43	3	Vertical	219	1.72	-	40.49	32.60	6.28	34.45


802.11g_Nss1,(6Mbps)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82376G	32.28	54.00	-21.72	4.42	3	Horizontal	111	1.79	-	27.86	32.60	6.27	34.45
PK	4.8216G	45.26	74.00	-28.74	4.41	3	Horizontal	111	1.79	-	40.85	32.59	6.27	34.45

802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.99	54.00	-6.01	31.75	3	Vertical	157	1.07	-	16.24	27.38	4.37	-
AV	2.4232G	99.91	Inf	-Inf	31.90	3	Vertical	157	1.07	-	68.01	27.49	4.41	-
PK	2.3894G	59.07	74.00	-14.93	31.75	3	Vertical	157	1.07	-	27.32	27.38	4.37	-
PK	2.4228G	108.64	Inf	-Inf	31.90	3	Vertical	157	1.07	-	76.74	27.49	4.41	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.51	54.00	-2.49	31.75	3	Horizontal	185	1.09	-	19.76	27.38	4.37	-
AV	2.4244G	106.66	Inf	-Inf	31.92	3	Horizontal	185	1.09	-	74.74	27.50	4.42	-
PK	2.3894G	64.34	74.00	-9.66	31.75	3	Horizontal	185	1.09	-	32.59	27.38	4.37	-
PK	2.4232G	115.79	Inf	-Inf	31.90	3	Horizontal	185	1.09	-	83.89	27.49	4.41	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.31	54.00	-7.69	31.75	3	Vertical	167	1.07	-	14.56	27.38	4.37	-
AV	2.4306G	102.22	Inf	-Inf	31.94	3	Vertical	167	1.07	-	70.28	27.52	4.42	-
AV	2.4846G	47.53	54.00	-6.47	32.31	3	Vertical	167	1.07	-	15.22	27.81	4.50	-
PK	2.3898G	58.32	74.00	-15.68	31.75	3	Vertical	167	1.07	-	26.57	27.38	4.37	-
PK	2.4326G	110.78	Inf	-Inf	31.96	3	Vertical	167	1.07	-	78.82	27.53	4.43	-
PK	2.4942G	59.59	74.00	-14.41	32.39	3	Vertical	167	1.07	-	27.20	27.87	4.52	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.82	54.00	-7.18	31.75	3	Horizontal	180	1.32	-	15.07	27.38	4.37	-
AV	2.4318G	107.99	Inf	-Inf	31.96	3	Horizontal	180	1.32	-	76.03	27.53	4.43	-
AV	2.4835G	48.02	54.00	-5.98	32.30	3	Horizontal	180	1.32	-	15.72	27.80	4.50	-
PK	2.3606G	57.30	74.00	-16.70	31.66	3	Horizontal	180	1.32	-	25.64	27.32	4.34	-
PK	2.4326G	116.93	Inf	-Inf	31.96	3	Horizontal	180	1.32	-	84.97	27.53	4.43	-
PK	2.4854G	60.39	74.00	-13.61	32.31	3	Horizontal	180	1.32	-	28.08	27.81	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88344G	32.47	54.00	-21.53	4.64	3	Vertical	221	1.64	-	27.83	32.77	6.31	34.44
AV	7.31652G	38.31	54.00	-15.69	10.10	3	Vertical	169	1.00	-	28.21	36.77	8.14	34.81
PK	4.88176G	45.06	74.00	-28.94	4.63	3	Vertical	221	1.64	-	40.43	32.76	6.31	34.44
PK	7.31704G	50.60	74.00	-23.40	10.10	3	Vertical	169	1.00	-	40.50	36.77	8.14	34.81

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88384G	32.31	54.00	-21.69	4.64	3	Horizontal	111	1.75	-	27.67	32.77	6.31	34.44
AV	7.3114G	38.51	54.00	-15.49	10.08	3	Horizontal	224	1.00	-	28.43	36.75	8.14	34.81
PK	4.87724G	44.66	74.00	-29.34	4.62	3	Horizontal	111	1.75	-	40.04	32.75	6.31	34.44
PK	7.31996G	50.69	74.00	-23.31	10.11	3	Horizontal	224	1.00	-	40.58	36.78	8.14	34.81

802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	101.16	Inf	-Inf	32.15	3	Vertical	159	1.05	-	69.01	27.68	4.47	-
AV	2.4835G	49.36	54.00	-4.64	32.30	3	Vertical	159	1.05	-	17.06	27.80	4.50	-
PK	2.4618G	109.96	Inf	-Inf	32.14	3	Vertical	159	1.05	-	77.82	27.67	4.47	-
PK	2.4835G	62.52	74.00	-11.48	32.30	3	Vertical	159	1.05	-	30.22	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4622G	106.88	Inf	-Inf	32.14	3	Horizontal	180	1.26	-	74.74	27.67	4.47	-
AV	2.4835G	52.46	54.00	-1.54	32.30	3	Horizontal	180	1.26	-	20.16	27.80	4.50	-
PK	2.453G	116.27	Inf	-Inf	32.08	3	Horizontal	180	1.26	-	84.19	27.62	4.46	-
PK	2.4835G	68.57	74.00	-5.43	32.30	3	Horizontal	180	1.26	-	36.27	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	97.45	Inf	-Inf	32.15	3	Vertical	168	1.04	-	65.30	27.68	4.47	-
AV	2.4835G	49.12	54.00	-4.88	32.30	3	Vertical	168	1.04	-	16.82	27.80	4.50	-
PK	2.4604G	107.18	Inf	-Inf	32.13	3	Vertical	168	1.04	-	75.05	27.66	4.47	-
PK	2.4844G	61.72	74.00	-12.28	32.31	3	Vertical	168	1.04	-	29.41	27.81	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	102.02	Inf	-Inf	32.15	3	Horizontal	180	1.48	-	69.87	27.68	4.47	-
AV	2.4835G	51.42	54.00	-2.58	32.30	3	Horizontal	180	1.48	-	19.12	27.80	4.50	-
PK	2.4592G	111.91	Inf	-Inf	32.13	3	Horizontal	180	1.48	-	79.78	27.66	4.47	-
PK	2.4838G	64.68	74.00	-9.32	32.30	3	Horizontal	180	1.48	-	32.38	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	32.71	54.00	-21.29	4.83	3	Vertical	193	1.59	-	27.88	32.94	6.33	34.44
AV	7.38424G	37.20	54.00	-16.80	9.98	3	Vertical	262	1.80	-	27.22	36.69	8.12	34.83
PK	4.92564G	44.78	74.00	-29.22	4.85	3	Vertical	193	1.59	-	39.93	32.95	6.34	34.44
PK	7.38388G	49.09	74.00	-24.91	9.99	3	Vertical	262	1.80	-	39.10	36.70	8.12	34.83

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92368G	32.46	54.00	-21.54	4.83	3	Horizontal	107	1.64	-	27.63	32.94	6.33	34.44
AV	7.37668G	37.22	54.00	-16.78	10.03	3	Horizontal	161	1.80	-	27.19	36.74	8.12	34.83
PK	4.91916G	45.21	74.00	-28.79	4.80	3	Horizontal	107	1.64	-	40.41	32.91	6.33	34.44
PK	7.38368G	49.67	74.00	-24.33	9.99	3	Horizontal	161	1.80	-	39.68	36.70	8.12	34.83

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	96.65	Inf	-Inf	32.16	3	Vertical	167	1.14	-	64.49	27.69	4.47	-
AV	2.4835G	49.89	54.00	-4.11	32.30	3	Vertical	167	1.14	-	17.59	27.80	4.50	-
PK	2.4658G	106.61	Inf	-Inf	32.17	3	Vertical	167	1.14	-	74.44	27.69	4.48	-
PK	2.4835G	61.85	74.00	-12.15	32.30	3	Vertical	167	1.14	-	29.55	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	101.06	Inf	-Inf	32.15	3	Horizontal	179	1.50	-	68.91	27.68	4.47	-
AV	2.4835G	52.44	54.00	-1.56	32.30	3	Horizontal	179	1.50	-	20.14	27.80	4.50	-
PK	2.4638G	111.25	Inf	-Inf	32.15	3	Horizontal	179	1.50	-	79.10	27.68	4.47	-
PK	2.4835G	65.69	74.00	-8.31	32.30	3	Horizontal	179	1.50	-	33.39	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94256G	31.97	54.00	-22.03	4.97	3	Vertical	283	1.88	-	27.00	33.06	6.35	34.44
AV	7.39152G	36.91	54.00	-17.09	9.92	3	Vertical	118	1.44	-	26.99	36.65	8.11	34.84
PK	4.93052G	44.47	74.00	-29.53	4.88	3	Vertical	283	1.88	-	39.59	32.98	6.34	34.44
PK	7.40972G	49.09	74.00	-24.91	9.88	3	Vertical	118	1.44	-	39.21	36.60	8.12	34.84

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94264G	31.97	54.00	-22.03	4.97	3	Horizontal	151	2.24	-	27.00	33.06	6.35	34.44
AV	7.39128G	36.91	54.00	-17.09	9.92	3	Horizontal	31	1.38	-	26.99	36.65	8.11	34.84
PK	4.94036G	44.48	74.00	-29.52	4.94	3	Horizontal	151	2.24	-	39.54	33.04	6.34	34.44
PK	7.39216G	50.04	74.00	-23.96	9.92	3	Horizontal	31	1.38	-	40.12	36.65	8.11	34.84

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	90.65	Inf	-Inf	32.16	3	Vertical	167	1.12	-	58.49	27.69	4.47	-
AV	2.4835G	47.58	54.00	-6.42	32.30	3	Vertical	167	1.12	-	15.28	27.80	4.50	-
PK	2.4656G	99.75	Inf	-Inf	32.17	3	Vertical	167	1.12	-	67.58	27.69	4.48	-
PK	2.4835G	68.24	74.00	-5.76	32.30	3	Vertical	167	1.12	-	35.94	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	95.13	Inf	-Inf	32.16	3	Horizontal	179	1.50	-	62.97	27.69	4.47	-
AV	2.4835G	49.12	54.00	-4.88	32.30	3	Horizontal	179	1.50	-	16.82	27.80	4.50	-
PK	2.4664G	104.99	Inf	-Inf	32.18	3	Horizontal	179	1.50	-	72.81	27.70	4.48	-
PK	2.4835G	72.19	74.00	-1.81	32.30	3	Horizontal	179	1.50	-	39.89	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94388G	32.15	54.00	-21.85	4.97	3	Vertical	354	1.84	-	27.18	33.06	6.35	34.44
AV	7.42556G	36.86	54.00	-17.14	9.90	3	Vertical	60	1.15	-	26.96	36.60	8.15	34.85
PK	4.9438G	45.24	74.00	-28.76	4.97	3	Vertical	354	1.84	-	40.27	33.06	6.35	34.44
PK	7.4252G	49.98	74.00	-24.02	9.90	3	Vertical	60	1.15	-	40.08	36.60	8.15	34.85

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9442G	32.07	54.00	-21.93	4.98	3	Horizontal	17	1.20	-	27.09	33.07	6.35	34.44
AV	7.42456G	36.84	54.00	-17.16	9.89	3	Horizontal	18	1.52	-	26.95	36.60	8.14	34.85
PK	4.9456G	44.90	74.00	-29.10	4.98	3	Horizontal	17	1.20	-	39.92	33.07	6.35	34.44
PK	7.4186G	49.30	74.00	-24.70	9.90	3	Horizontal	18	1.52	-	39.40	36.60	8.14	34.84

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.32	54.00	-6.68	31.75	3	Vertical	229	1.32	-	15.57	27.38	4.37	-
AV	2.4144G	92.61	Inf	-Inf	31.86	3	Vertical	229	1.32	-	60.75	27.46	4.40	-
PK	2.3898G	58.51	74.00	-15.49	31.75	3	Vertical	229	1.32	-	26.76	27.38	4.37	-
PK	2.415G	101.59	Inf	-Inf	31.86	3	Vertical	229	1.32	-	69.73	27.46	4.40	-


802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.40	54.00	-1.60	31.75	3	Horizontal	181	1.20	-	20.65	27.38	4.37	-
AV	2.413G	100.41	Inf	-Inf	31.85	3	Horizontal	181	1.20	-	68.56	27.45	4.40	-
PK	2.3898G	64.44	74.00	-9.56	31.75	3	Horizontal	181	1.20	-	32.69	27.38	4.37	-
PK	2.4138G	109.61	Inf	-Inf	31.86	3	Horizontal	181	1.20	-	77.75	27.46	4.40	-

802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82388G	31.70	54.00	-22.30	4.42	3	Vertical	140	1.59	-	27.28	32.60	6.27	34.45
PK	4.81428G	43.79	74.00	-30.21	4.38	3	Vertical	140	1.59	-	39.41	32.56	6.27	34.45


802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82376G	31.70	54.00	-22.30	4.42	3	Horizontal	243	1.72	-	27.28	32.60	6.27	34.45
PK	4.82132G	43.87	74.00	-30.13	4.41	3	Horizontal	243	1.72	-	39.46	32.59	6.27	34.45

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.31	54.00	-6.69	31.75	3	Vertical	143	2.35	-	15.56	27.38	4.37	-
AV	2.4144G	95.46	Inf	-Inf	31.86	3	Vertical	143	2.35	-	63.60	27.46	4.40	-
PK	2.3824G	58.25	74.00	-15.75	31.72	3	Vertical	143	2.35	-	26.53	27.36	4.36	-
PK	2.4158G	104.64	Inf	-Inf	31.86	3	Vertical	143	2.35	-	72.78	27.46	4.40	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.79	54.00	-2.21	31.75	3	Horizontal	178	1.14	-	20.04	27.38	4.37	-
AV	2.414G	103.54	Inf	-Inf	31.86	3	Horizontal	178	1.14	-	71.68	27.46	4.40	-
PK	2.3896G	63.44	74.00	-10.56	31.75	3	Horizontal	178	1.14	-	31.69	27.38	4.37	-
PK	2.4138G	113.17	Inf	-Inf	31.86	3	Horizontal	178	1.14	-	81.31	27.46	4.40	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.31	54.00	-7.69	31.75	3	Vertical	138	2.17	-	14.56	27.38	4.37	-
AV	2.4438G	97.82	Inf	-Inf	32.02	3	Vertical	138	2.17	-	65.80	27.58	4.44	-
AV	2.4842G	47.53	54.00	-6.47	32.31	3	Vertical	138	2.17	-	15.22	27.81	4.50	-
PK	2.3562G	58.46	74.00	-15.54	31.64	3	Vertical	138	2.17	-	26.82	27.31	4.33	-
PK	2.443G	106.79	Inf	-Inf	32.01	3	Vertical	138	2.17	-	74.78	27.57	4.44	-
PK	2.4934G	59.06	74.00	-14.94	32.38	3	Vertical	138	2.17	-	26.68	27.86	4.52	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.07	54.00	-6.93	31.75	3	Horizontal	180	1.29	-	15.32	27.38	4.37	-
AV	2.4446G	105.16	Inf	-Inf	32.02	3	Horizontal	180	1.29	-	73.14	27.58	4.44	-
AV	2.4842G	48.95	54.00	-5.05	32.31	3	Horizontal	180	1.29	-	16.64	27.81	4.50	-
PK	2.389G	57.12	74.00	-16.88	31.75	3	Horizontal	180	1.29	-	25.37	27.38	4.37	-
PK	2.4446G	113.85	Inf	-Inf	32.02	3	Horizontal	180	1.29	-	81.83	27.58	4.44	-
PK	2.4835G	63.14	74.00	-10.86	32.30	3	Horizontal	180	1.29	-	30.84	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86796G	31.41	54.00	-22.59	4.60	3	Vertical	288	1.40	-	26.81	32.74	6.30	34.44
AV	7.31832G	37.34	54.00	-16.66	10.10	3	Vertical	57	1.00	-	27.24	36.77	8.14	34.81
PK	4.87276G	44.33	74.00	-29.67	4.61	3	Vertical	288	1.40	-	39.72	32.75	6.30	34.44
PK	7.30576G	49.75	74.00	-24.25	10.05	3	Vertical	57	1.00	-	39.70	36.72	8.14	34.81

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	33.02	54.00	-20.98	4.61	3	Horizontal	346	1.69	-	28.41	32.75	6.30	34.44
AV	7.31616G	37.50	54.00	-16.50	10.09	3	Horizontal	287	2.21	-	27.41	36.76	8.14	34.81
PK	4.88328G	45.52	74.00	-28.48	4.64	3	Horizontal	346	1.69	-	40.88	32.77	6.31	34.44
PK	7.31688G	50.39	74.00	-23.61	10.10	3	Horizontal	287	2.21	-	40.29	36.77	8.14	34.81

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4496G	97.28	Inf	-Inf	32.05	3	Vertical	139	2.18	-	65.23	27.60	4.45	-
AV	2.4842G	48.03	54.00	-5.97	32.31	3	Vertical	139	2.18	-	15.72	27.81	4.50	-
PK	2.4508G	106.11	Inf	-Inf	32.05	3	Vertical	139	2.18	-	74.06	27.60	4.45	-
PK	2.4844G	59.01	74.00	-14.99	32.31	3	Vertical	139	2.18	-	26.70	27.81	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.451G	104.56	Inf	-Inf	32.06	3	Horizontal	182	1.27	-	72.50	27.61	4.45	-
AV	2.4835G	50.87	54.00	-3.13	32.30	3	Horizontal	182	1.27	-	18.57	27.80	4.50	-
PK	2.4526G	114.40	Inf	-Inf	32.08	3	Horizontal	182	1.27	-	82.32	27.62	4.46	-
PK	2.4856G	64.03	74.00	-9.97	32.31	3	Horizontal	182	1.27	-	31.72	27.81	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	90.32	Inf	-Inf	32.09	3	Vertical	229	1.18	-	58.23	27.63	4.46	-
AV	2.4835G	47.82	54.00	-6.18	32.30	3	Vertical	229	1.18	-	15.52	27.80	4.50	-
PK	2.4604G	99.37	Inf	-Inf	32.13	3	Vertical	229	1.18	-	67.24	27.66	4.47	-
PK	2.485G	59.53	74.00	-14.47	32.31	3	Vertical	229	1.18	-	27.22	27.81	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	98.30	Inf	-Inf	32.09	3	Horizontal	181	1.25	-	66.21	27.63	4.46	-
AV	2.4835G	51.10	54.00	-2.90	32.30	3	Horizontal	181	1.25	-	18.80	27.80	4.50	-
PK	2.4566G	107.94	Inf	-Inf	32.10	3	Horizontal	181	1.25	-	75.84	27.64	4.46	-
PK	2.4844G	63.23	74.00	-10.77	32.31	3	Horizontal	181	1.25	-	30.92	27.81	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92536G	31.58	54.00	-22.42	4.85	3	Vertical	210	1.33	-	26.73	32.95	6.34	34.44
AV	7.376G	36.97	54.00	-17.03	10.03	3	Vertical	42	1.91	-	26.94	36.74	8.12	34.83
PK	4.92356G	43.83	74.00	-30.17	4.83	3	Vertical	210	1.33	-	39.00	32.94	6.33	34.44
PK	7.38372G	49.67	74.00	-24.33	9.99	3	Vertical	42	1.91	-	39.68	36.70	8.12	34.83

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9242G	31.75	54.00	-22.25	4.84	3	Horizontal	300	1.14	-	26.91	32.95	6.33	34.44
AV	7.38232G	36.98	54.00	-17.02	10.00	3	Horizontal	349	2.19	-	26.98	36.71	8.12	34.83
PK	4.9188G	44.05	74.00	-29.95	4.80	3	Horizontal	300	1.14	-	39.25	32.91	6.33	34.44
PK	7.39124G	49.22	74.00	-24.78	9.92	3	Horizontal	349	2.19	-	39.30	36.65	8.11	34.84

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4734G	91.36	Inf	-Inf	32.23	3	Vertical	228	1.32	-	59.13	27.74	4.49	-
AV	2.4835G	48.71	54.00	-5.29	32.30	3	Vertical	228	1.32	-	16.41	27.80	4.50	-
PK	2.4732G	100.23	Inf	-Inf	32.23	3	Vertical	228	1.32	-	68.00	27.74	4.49	-
PK	2.4835G	61.76	74.00	-12.24	32.30	3	Vertical	228	1.32	-	29.46	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4736G	97.50	Inf	-Inf	32.23	3	Horizontal	169	1.15	-	65.27	27.74	4.49	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	169	1.15	-	20.00	27.80	4.50	-
PK	2.4742G	106.84	Inf	-Inf	32.24	3	Horizontal	169	1.15	-	74.60	27.75	4.49	-
PK	2.4835G	66.19	74.00	-7.81	32.30	3	Horizontal	169	1.15	-	33.89	27.80	4.50	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94252G	31.78	54.00	-22.22	4.97	3	Vertical	243	1.08	-	26.81	33.06	6.35	34.44
AV	7.391G	36.74	54.00	-17.26	9.92	3	Vertical	114	2.46	-	26.82	36.65	8.11	34.84
PK	4.93708G	45.11	74.00	-28.89	4.92	3	Vertical	243	1.08	-	40.19	33.02	6.34	34.44
PK	7.40964G	49.22	74.00	-24.78	9.88	3	Vertical	114	2.46	-	39.34	36.60	8.12	34.84

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94252G	31.78	54.00	-22.22	4.97	3	Horizontal	158	1.76	-	26.81	33.06	6.35	34.44
AV	7.391G	36.74	54.00	-17.26	9.92	3	Horizontal	326	2.15	-	26.82	36.65	8.11	34.84
PK	4.93864G	44.36	74.00	-29.64	4.93	3	Horizontal	158	1.76	-	39.43	33.03	6.34	34.44
PK	7.41076G	50.28	74.00	-23.72	9.89	3	Horizontal	326	2.15	-	40.39	36.60	8.13	34.84


802.11g_Nss1,(6Mbps)_1TX(Port2)

2472MHz_TX




802.11g_Nss1,(6Mbps)_1TX(Port2)

2472MHz_TX



802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9438G	32.06	54.00	-21.94	4.97	3	Vertical	268	1.01	-	27.09	33.06	6.35	34.44
AV	7.42596G	36.86	54.00	-17.14	9.90	3	Vertical	336	1.63	-	26.96	36.60	8.15	34.85
PK	4.94752G	44.67	74.00	-29.33	5.00	3	Vertical	268	1.01	-	39.67	33.09	6.35	34.44
PK	7.41284G	49.45	74.00	-24.55	9.89	3	Vertical	336	1.63	-	39.56	36.60	8.13	34.84

802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9442G	32.07	54.00	-21.93	4.98	3	Horizontal	243	1.72	-	27.09	33.07	6.35	34.44
AV	7.4252G	36.85	54.00	-17.15	9.90	3	Horizontal	237	1.11	-	26.95	36.60	8.15	34.85
PK	4.9446G	44.92	74.00	-29.08	4.98	3	Horizontal	243	1.72	-	39.94	33.07	6.35	34.44
PK	7.41328G	49.25	74.00	-24.75	9.89	3	Horizontal	237	1.11	-	39.36	36.60	8.13	34.84

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.79	54.00	-6.21	31.86	3	Vertical	165	1.00	-	15.93	27.38	4.48	-
AV	2.42G	97.96	Inf	-Inf	31.95	3	Vertical	165	1.00	-	66.01	27.48	4.47	-
PK	2.3892G	59.73	74.00	-14.27	31.86	3	Vertical	165	1.00	-	27.87	27.38	4.48	-
PK	2.417G	107.46	Inf	-Inf	31.94	3	Vertical	165	1.00	-	75.52	27.47	4.47	-


802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.64	54.00	-4.36	31.86	3	Horizontal	183	1.10	-	17.78	27.38	4.48	-
AV	2.42G	102.69	Inf	-Inf	31.95	3	Horizontal	183	1.10	-	70.74	27.48	4.47	-
PK	2.389G	62.64	74.00	-11.36	31.86	3	Horizontal	183	1.10	-	30.78	27.38	4.48	-
PK	2.4166G	111.95	Inf	-Inf	31.94	3	Horizontal	183	1.10	-	80.01	27.47	4.47	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82384G	32.63	54.00	-21.37	5.21	3	Vertical	222	1.64	-	27.42	32.60	6.90	34.29
PK	4.82536G	45.17	74.00	-28.83	5.21	3	Vertical	222	1.64	-	39.96	32.60	6.90	34.29


802.11n HT20_Nss1,(MCS0)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8194G	31.83	54.00	-22.17	5.19	3	Horizontal	189	1.82	-	26.64	32.58	6.90	34.29
PK	4.81464G	44.40	74.00	-29.60	5.17	3	Horizontal	189	1.82	-	39.23	32.56	6.90	34.29

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.91	54.00	-6.09	31.75	3	Vertical	155	1.03	-	16.16	27.38	4.37	-
AV	2.4236G	98.11	Inf	-Inf	31.90	3	Vertical	155	1.03	-	66.21	27.49	4.41	-
PK	2.3888G	60.53	74.00	-13.47	31.75	3	Vertical	155	1.03	-	28.78	27.38	4.37	-
PK	2.4226G	106.67	Inf	-Inf	31.90	3	Vertical	155	1.03	-	74.77	27.49	4.41	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.96	54.00	-2.04	31.75	3	Horizontal	175	1.33	-	20.21	27.38	4.37	-
AV	2.4248G	107.06	Inf	-Inf	31.92	3	Horizontal	175	1.33	-	75.14	27.50	4.42	-
PK	2.3892G	65.29	74.00	-8.71	31.75	3	Horizontal	175	1.33	-	33.54	27.38	4.37	-
PK	2.4234G	116.39	Inf	-Inf	31.90	3	Horizontal	175	1.33	-	84.49	27.49	4.41	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.92	54.00	-8.08	31.75	3	Vertical	166	1.07	-	14.17	27.38	4.37	-
AV	2.4306G	101.31	Inf	-Inf	31.94	3	Vertical	166	1.07	-	69.37	27.52	4.42	-
AV	2.4846G	47.14	54.00	-6.86	32.31	3	Vertical	166	1.07	-	14.83	27.81	4.50	-
PK	2.345G	57.29	74.00	-16.71	31.60	3	Vertical	166	1.07	-	25.69	27.28	4.32	-
PK	2.433G	109.80	Inf	-Inf	31.96	3	Vertical	166	1.07	-	77.84	27.53	4.43	-
PK	2.4994G	57.82	74.00	-16.18	32.42	3	Vertical	166	1.07	-	25.40	27.90	4.52	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	47.42	54.00	-6.58	31.75	3	Horizontal	184	1.31	-	15.67	27.38	4.37	-
AV	2.429G	108.02	Inf	-Inf	31.94	3	Horizontal	184	1.31	-	76.08	27.52	4.42	-
AV	2.4842G	48.63	54.00	-5.37	32.31	3	Horizontal	184	1.31	-	16.32	27.81	4.50	-
PK	2.3434G	58.00	74.00	-16.00	31.59	3	Horizontal	184	1.31	-	26.41	27.27	4.32	-
PK	2.4342G	116.64	Inf	-Inf	31.97	3	Horizontal	184	1.31	-	84.67	27.54	4.43	-
PK	2.4835G	61.21	74.00	-12.79	32.30	3	Horizontal	184	1.31	-	28.91	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88378G	31.54	54.00	-22.46	4.64	3	Vertical	224	1.57	-	26.90	32.77	6.31	34.44
AV	7.3155G	36.90	54.00	-17.10	10.09	3	Vertical	158	1.50	-	26.81	36.76	8.14	34.81
PK	4.8818G	44.42	74.00	-29.58	4.63	3	Vertical	224	1.57	-	39.79	32.76	6.31	34.44
PK	7.31574G	50.29	74.00	-23.71	10.09	3	Vertical	158	1.50	-	40.20	36.76	8.14	34.81

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88534G	31.55	54.00	-22.45	4.64	3	Horizontal	116	1.50	-	26.91	32.77	6.31	34.44
AV	7.31454G	37.48	54.00	-16.52	10.09	3	Horizontal	229	1.58	-	27.39	36.76	8.14	34.81
PK	4.88312G	44.40	74.00	-29.60	4.64	3	Horizontal	116	1.50	-	39.76	32.77	6.31	34.44
PK	7.31646G	49.71	74.00	-24.29	10.10	3	Horizontal	229	1.58	-	39.61	36.77	8.14	34.81

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	101.80	Inf	-Inf	32.15	3	Vertical	167	1.01	-	69.65	27.68	4.47	-
AV	2.4835G	49.09	54.00	-4.91	32.30	3	Vertical	167	1.01	-	16.79	27.80	4.50	-
PK	2.4624G	110.70	Inf	-Inf	32.14	3	Vertical	167	1.01	-	78.56	27.67	4.47	-
PK	2.4835G	60.98	74.00	-13.02	32.30	3	Vertical	167	1.01	-	28.68	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4622G	107.26	Inf	-Inf	32.14	3	Horizontal	178	1.06	-	75.12	27.67	4.47	-
AV	2.4835G	51.12	54.00	-2.88	32.30	3	Horizontal	178	1.06	-	18.82	27.80	4.50	-
PK	2.4646G	115.92	Inf	-Inf	32.16	3	Horizontal	178	1.06	-	83.76	27.69	4.47	-
PK	2.4882G	64.22	74.00	-9.78	32.34	3	Horizontal	178	1.06	-	31.88	27.83	4.51	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	95.71	Inf	-Inf	32.17	3	Vertical	170	1.01	-	63.54	27.69	4.48	-
AV	2.4835G	47.90	54.00	-6.10	32.28	3	Vertical	170	1.01	-	15.62	27.80	4.48	-
PK	2.4652G	105.31	Inf	-Inf	32.17	3	Vertical	170	1.01	-	73.14	27.69	4.48	-
PK	2.4838G	59.78	74.00	-14.22	32.28	3	Vertical	170	1.01	-	27.50	27.80	4.48	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	101.00	Inf	-Inf	32.16	3	Horizontal	183	1.04	-	68.84	27.68	4.48	-
AV	2.4835G	49.06	54.00	-4.94	32.28	3	Horizontal	183	1.04	-	16.78	27.80	4.48	-
PK	2.4592G	109.95	Inf	-Inf	32.14	3	Horizontal	183	1.04	-	77.81	27.66	4.48	-
PK	2.4846G	60.34	74.00	-13.66	32.29	3	Horizontal	183	1.04	-	28.05	27.81	4.48	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92732G	32.38	54.00	-21.62	5.59	3	Vertical	96	1.79	-	26.79	32.96	6.91	34.28
AV	7.38504G	37.67	54.00	-16.33	10.49	3	Vertical	22	1.76	-	27.18	36.69	8.61	34.81
PK	4.92636G	44.81	74.00	-29.19	5.59	3	Vertical	96	1.79	-	39.22	32.96	6.91	34.28
PK	7.38916G	49.57	74.00	-24.43	10.48	3	Vertical	22	1.76	-	39.09	36.67	8.62	34.81

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9258G	32.36	54.00	-21.64	5.58	3	Horizontal	176	1.66	-	26.78	32.95	6.91	34.28
AV	7.3822G	37.63	54.00	-16.37	10.51	3	Horizontal	192	1.06	-	27.12	36.71	8.61	34.81
PK	4.92816G	44.41	74.00	-29.59	5.60	3	Horizontal	176	1.66	-	38.81	32.97	6.91	34.28
PK	7.38724G	49.64	74.00	-24.36	10.49	3	Horizontal	192	1.06	-	39.15	36.68	8.62	34.81

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	93.75	Inf	-Inf	32.16	3	Vertical	166	1.01	-	61.59	27.69	4.47	-
AV	2.4835G	49.09	54.00	-4.91	32.30	3	Vertical	166	1.01	-	16.79	27.80	4.50	-
PK	2.4644G	102.79	Inf	-Inf	32.16	3	Vertical	166	1.01	-	70.63	27.69	4.47	-
PK	2.4835G	62.07	74.00	-11.93	32.30	3	Vertical	166	1.01	-	29.77	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	99.35	Inf	-Inf	32.15	3	Horizontal	181	1.06	-	67.20	27.68	4.47	-
AV	2.4835G	51.65	54.00	-2.35	32.30	3	Horizontal	181	1.06	-	19.35	27.80	4.50	-
PK	2.4618G	108.75	Inf	-Inf	32.14	3	Horizontal	181	1.06	-	76.61	27.67	4.47	-
PK	2.4835G	63.61	74.00	-10.39	32.30	3	Horizontal	181	1.06	-	31.31	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94264G	31.25	54.00	-22.75	4.97	3	Vertical	193	2.26	-	26.28	33.06	6.35	34.44
AV	7.38732G	36.29	54.00	-17.71	9.96	3	Vertical	9	2.75	-	26.33	36.68	8.11	34.83
PK	4.94444G	43.55	74.00	-30.45	4.98	3	Vertical	193	2.26	-	38.57	33.07	6.35	34.44
PK	7.40928G	49.05	74.00	-24.95	9.88	3	Vertical	9	2.75	-	39.17	36.60	8.12	34.84

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94096G	31.24	54.00	-22.76	4.95	3	Horizontal	254	2.33	-	26.29	33.05	6.34	34.44
AV	7.38798G	36.28	54.00	-17.72	9.95	3	Horizontal	54	2.22	-	26.33	36.67	8.11	34.83
PK	4.91996G	43.25	74.00	-30.75	4.81	3	Horizontal	254	2.33	-	38.44	32.92	6.33	34.44
PK	7.39812G	48.22	74.00	-25.78	9.88	3	Horizontal	54	2.22	-	38.34	36.61	8.11	34.84

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	89.91	Inf	-Inf	32.16	3	Vertical	168	1.02	-	57.75	27.69	4.47	-
AV	2.4835G	48.62	54.00	-5.38	32.30	3	Vertical	168	1.02	-	16.32	27.80	4.50	-
PK	2.4686G	99.50	Inf	-Inf	32.19	3	Vertical	168	1.02	-	67.31	27.71	4.48	-
PK	2.4964G	60.38	74.00	-13.62	32.40	3	Vertical	168	1.02	-	27.98	27.88	4.52	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.467G	95.44	Inf	-Inf	32.18	3	Horizontal	180	1.30	-	63.26	27.70	4.48	-
AV	2.4835G	50.36	54.00	-3.64	32.30	3	Horizontal	180	1.30	-	18.06	27.80	4.50	-
PK	2.4652G	105.16	Inf	-Inf	32.16	3	Horizontal	180	1.30	-	73.00	27.69	4.47	-
PK	2.4836G	71.71	74.00	-2.29	32.30	3	Horizontal	180	1.30	-	39.41	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94418G	31.26	54.00	-22.74	4.98	3	Vertical	158	1.50	-	26.28	33.07	6.35	34.44
AV	7.42494G	36.14	54.00	-17.86	9.89	3	Vertical	124	1.00	-	26.25	36.60	8.14	34.85
PK	4.93962G	43.76	74.00	-30.24	4.94	3	Vertical	158	1.50	-	38.82	33.04	6.34	34.44
PK	7.4166G	48.77	74.00	-25.23	9.89	3	Vertical	124	1.00	-	38.88	36.60	8.13	34.84

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94406G	31.25	54.00	-22.75	4.97	3	Horizontal	120	1.28	-	26.28	33.06	6.35	34.44
AV	7.42716G	36.18	54.00	-17.82	9.90	3	Horizontal	213	1.50	-	26.28	36.60	8.15	34.85
PK	4.94082G	43.38	74.00	-30.62	4.94	3	Horizontal	120	1.28	-	38.44	33.04	6.34	34.44
PK	7.40172G	49.04	74.00	-24.96	9.87	3	Horizontal	213	1.50	-	39.17	36.60	8.11	34.84

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.42	54.00	-6.58	31.75	3	Vertical	232	1.05	-	15.67	27.38	4.37	-
AV	2.4146G	92.63	Inf	-Inf	31.86	3	Vertical	232	1.05	-	60.77	27.46	4.40	-
PK	2.3844G	58.53	74.00	-15.47	31.73	3	Vertical	232	1.05	-	26.80	27.37	4.36	-
PK	2.4166G	101.31	Inf	-Inf	31.87	3	Vertical	232	1.05	-	69.44	27.47	4.40	-


802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.66	54.00	-2.34	31.75	3	Horizontal	179	1.33	-	19.91	27.38	4.37	-
AV	2.4148G	102.08	Inf	-Inf	31.86	3	Horizontal	179	1.33	-	70.22	27.46	4.40	-
PK	2.3898G	61.80	74.00	-12.20	31.75	3	Horizontal	179	1.33	-	30.05	27.38	4.37	-
PK	2.4148G	110.65	Inf	-Inf	31.86	3	Horizontal	179	1.33	-	78.79	27.46	4.40	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	30.92	54.00	-23.08	4.42	3	Vertical	143	2.58	-	26.50	32.60	6.27	34.45
PK	4.81914G	43.52	74.00	-30.48	4.40	3	Vertical	143	2.58	-	39.12	32.58	6.27	34.45


802.11n HT20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82406G	31.27	54.00	-22.73	4.42	3	Horizontal	246	1.60	-	26.85	32.60	6.27	34.45
PK	4.81938G	43.40	74.00	-30.60	4.40	3	Horizontal	246	1.60	-	39.00	32.58	6.27	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.42	54.00	-6.58	31.75	3	Vertical	232	1.06	-	15.67	27.38	4.37	-
AV	2.4144G	94.65	Inf	-Inf	31.86	3	Vertical	232	1.06	-	62.79	27.46	4.40	-
PK	2.3858G	58.95	74.00	-15.05	31.74	3	Vertical	232	1.06	-	27.21	27.37	4.37	-
PK	2.4148G	104.26	Inf	-Inf	31.86	3	Vertical	232	1.06	-	72.40	27.46	4.40	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.25	54.00	-1.75	31.75	3	Horizontal	180	1.35	-	20.50	27.38	4.37	-
AV	2.4146G	103.87	Inf	-Inf	31.86	3	Horizontal	180	1.35	-	72.01	27.46	4.40	-
PK	2.389G	62.52	74.00	-11.48	31.75	3	Horizontal	180	1.35	-	30.77	27.38	4.37	-
PK	2.4118G	112.96	Inf	-Inf	31.85	3	Horizontal	180	1.35	-	81.11	27.45	4.40	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.92	54.00	-8.08	31.75	3	Vertical	231	1.00	-	14.17	27.38	4.37	-
AV	2.4434G	96.71	Inf	-Inf	32.01	3	Vertical	231	1.00	-	64.70	27.57	4.44	-
AV	2.4842G	47.39	54.00	-6.61	32.31	3	Vertical	231	1.00	-	15.08	27.81	4.50	-
PK	2.3478G	56.93	74.00	-17.07	31.62	3	Vertical	231	1.00	-	25.31	27.29	4.33	-
PK	2.441G	105.48	Inf	-Inf	32.00	3	Vertical	231	1.00	-	73.48	27.56	4.44	-
PK	2.4918G	59.30	74.00	-14.70	32.36	3	Vertical	231	1.00	-	26.94	27.85	4.51	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.59	54.00	-6.41	31.75	3	Horizontal	181	1.16	-	15.84	27.38	4.37	-
AV	2.445G	104.95	Inf	-Inf	32.03	3	Horizontal	181	1.16	-	72.92	27.58	4.45	-
AV	2.4835G	49.75	54.00	-4.25	32.30	3	Horizontal	181	1.16	-	17.45	27.80	4.50	-
PK	2.3886G	59.58	74.00	-14.42	31.75	3	Horizontal	181	1.16	-	27.83	27.38	4.37	-
PK	2.4446G	114.28	Inf	-Inf	32.02	3	Horizontal	181	1.16	-	82.26	27.58	4.44	-
PK	2.4838G	62.74	74.00	-11.26	32.30	3	Horizontal	181	1.16	-	30.44	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	32.59	54.00	-21.41	4.61	3	Vertical	175	1.49	-	27.98	32.75	6.30	34.44
AV	7.31742G	36.65	54.00	-17.35	10.10	3	Vertical	146	2.08	-	26.55	36.77	8.14	34.81
PK	4.8761G	45.87	74.00	-28.13	4.62	3	Vertical	175	1.49	-	41.25	32.75	6.31	34.44
PK	7.317G	49.13	74.00	-24.87	10.10	3	Vertical	146	2.08	-	39.03	36.77	8.14	34.81

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87424G	31.80	54.00	-22.20	4.61	3	Horizontal	234	1.66	-	27.19	32.75	6.30	34.44
AV	7.3155G	36.81	54.00	-17.19	10.09	3	Horizontal	235	1.64	-	26.72	36.76	8.14	34.81
PK	4.86986G	44.31	74.00	-29.69	4.60	3	Horizontal	234	1.66	-	39.71	32.74	6.30	34.44
PK	7.31046G	49.47	74.00	-24.53	10.07	3	Horizontal	235	1.64	-	39.40	36.74	8.14	34.81

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4514G	97.86	Inf	-Inf	32.06	3	Vertical	227	1.11	-	65.80	27.61	4.45	-
AV	2.4835G	49.32	54.00	-4.68	32.30	3	Vertical	227	1.11	-	17.02	27.80	4.50	-
PK	2.4512G	106.43	Inf	-Inf	32.06	3	Vertical	227	1.11	-	74.37	27.61	4.45	-
PK	2.4844G	60.45	74.00	-13.55	32.31	3	Vertical	227	1.11	-	28.14	27.81	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4492G	104.80	Inf	-Inf	32.05	3	Horizontal	180	1.06	-	72.75	27.60	4.45	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	180	1.06	-	20.00	27.80	4.50	-
PK	2.4518G	113.41	Inf	-Inf	32.07	3	Horizontal	180	1.06	-	81.34	27.61	4.46	-
PK	2.485G	65.39	74.00	-8.61	32.31	3	Horizontal	180	1.06	-	33.08	27.81	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	94.41	Inf	-Inf	32.09	3	Vertical	228	1.13	-	62.32	27.63	4.46	-
AV	2.4844G	48.87	54.00	-5.13	32.31	3	Vertical	228	1.13	-	16.56	27.81	4.50	-
PK	2.4694G	103.45	Inf	-Inf	32.20	3	Vertical	228	1.13	-	71.25	27.72	4.48	-
PK	2.4836G	60.38	74.00	-13.62	32.30	3	Vertical	228	1.13	-	28.08	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	101.46	Inf	-Inf	32.09	3	Horizontal	179	1.06	-	69.37	27.63	4.46	-
AV	2.4835G	52.14	54.00	-1.86	32.30	3	Horizontal	179	1.06	-	19.84	27.80	4.50	-
PK	2.4556G	110.60	Inf	-Inf	32.09	3	Horizontal	179	1.06	-	78.51	27.63	4.46	-
PK	2.4842G	65.32	74.00	-8.68	32.31	3	Horizontal	179	1.06	-	33.01	27.81	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92382G	31.40	54.00	-22.60	4.83	3	Vertical	178	1.50	-	26.57	32.94	6.33	34.44
AV	7.37706G	36.44	54.00	-17.56	10.03	3	Vertical	217	1.50	-	26.41	36.74	8.12	34.83
PK	4.92118G	43.86	74.00	-30.14	4.82	3	Vertical	178	1.50	-	39.04	32.93	6.33	34.44
PK	7.37898G	48.68	74.00	-25.32	10.02	3	Vertical	217	1.50	-	38.66	36.73	8.12	34.83

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93822G	31.22	54.00	-22.78	4.93	3	Horizontal	124	1.50	-	26.29	33.03	6.34	34.44
AV	7.371G	36.52	54.00	-17.48	10.06	3	Horizontal	140	1.63	-	26.46	36.77	8.12	34.83
PK	4.93882G	43.95	74.00	-30.05	4.93	3	Horizontal	124	1.50	-	39.02	33.03	6.34	34.44
PK	7.37268G	49.06	74.00	-24.94	10.05	3	Horizontal	140	1.63	-	39.01	36.76	8.12	34.83

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4738G	91.34	Inf	-Inf	32.23	3	Vertical	229	1.10	-	59.11	27.74	4.49	-
AV	2.4835G	49.32	54.00	-4.68	32.30	3	Vertical	229	1.10	-	17.02	27.80	4.50	-
PK	2.4726G	100.14	Inf	-Inf	32.23	3	Vertical	229	1.10	-	67.91	27.74	4.49	-
PK	2.4835G	60.26	74.00	-13.74	32.30	3	Vertical	229	1.10	-	27.96	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4728G	99.10	Inf	-Inf	32.23	3	Horizontal	179	1.28	-	66.87	27.74	4.49	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	179	1.28	-	20.00	27.80	4.50	-
PK	2.4724G	107.99	Inf	-Inf	32.21	3	Horizontal	179	1.28	-	75.78	27.73	4.48	-
PK	2.4835G	63.48	74.00	-10.52	32.30	3	Horizontal	179	1.28	-	31.18	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9409G	31.33	54.00	-22.67	4.95	3	Vertical	157	2.20	-	26.38	33.05	6.34	34.44
AV	7.3866G	36.30	54.00	-17.70	9.96	3	Vertical	101	1.50	-	26.34	36.68	8.11	34.83
PK	4.91954G	44.03	74.00	-29.97	4.81	3	Vertical	157	2.20	-	39.22	32.92	6.33	34.44
PK	7.41432G	48.81	74.00	-25.19	9.89	3	Vertical	101	1.50	-	38.92	36.60	8.13	34.84

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9427G	31.25	54.00	-22.75	4.97	3	Horizontal	176	2.78	-	26.28	33.06	6.35	34.44
AV	7.38912G	36.36	54.00	-17.64	9.95	3	Horizontal	341	2.52	-	26.41	36.67	8.11	34.83
PK	4.94462G	44.01	74.00	-29.99	4.98	3	Horizontal	176	2.78	-	39.03	33.07	6.35	34.44
PK	7.40928G	48.16	74.00	-25.84	9.88	3	Horizontal	341	2.52	-	38.28	36.60	8.12	34.84

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4748G	87.76	Inf	-Inf	32.24	3	Vertical	228	1.12	-	55.52	27.75	4.49	-
AV	2.4835G	48.62	54.00	-5.38	32.30	3	Vertical	228	1.12	-	16.32	27.80	4.50	-
PK	2.467G	97.23	Inf	-Inf	32.18	3	Vertical	228	1.12	-	65.05	27.70	4.48	-
PK	2.4835G	65.59	74.00	-8.41	32.30	3	Vertical	228	1.12	-	33.29	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.473G	94.94	Inf	-Inf	32.23	3	Horizontal	180	1.28	-	62.71	27.74	4.49	-
AV	2.4835G	50.75	54.00	-3.25	32.30	3	Horizontal	180	1.28	-	18.45	27.80	4.50	-
PK	2.4694G	104.54	Inf	-Inf	32.20	3	Horizontal	180	1.28	-	72.34	27.72	4.48	-
PK	2.4835G	71.98	74.00	-2.02	32.30	3	Horizontal	180	1.28	-	39.68	27.80	4.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94136G	31.24	54.00	-22.76	4.95	3	Vertical	118	1.67	-	26.29	33.05	6.34	34.44
AV	7.42854G	36.19	54.00	-17.81	9.90	3	Vertical	252	2.28	-	26.29	36.60	8.15	34.85
PK	4.95006G	43.72	74.00	-30.28	5.02	3	Vertical	118	1.67	-	38.70	33.10	6.35	34.43
PK	7.42242G	48.07	74.00	-25.93	9.89	3	Vertical	252	2.28	-	38.18	36.60	8.14	34.85

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94298G	31.25	54.00	-22.75	4.97	3	Horizontal	171	2.62	-	26.28	33.06	6.35	34.44
AV	7.42386G	36.22	54.00	-17.78	9.89	3	Horizontal	102	2.38	-	26.33	36.60	8.14	34.85
PK	4.93692G	43.15	74.00	-30.85	4.92	3	Horizontal	171	2.62	-	38.23	33.02	6.34	34.44
PK	7.4055G	47.98	74.00	-26.02	9.88	3	Horizontal	102	2.38	-	38.10	36.60	8.12	34.84

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.59	54.00	-5.41	31.75	3	Vertical	167	1.07	-	16.84	27.38	4.37	-
AV	2.4236G	90.33	Inf	-Inf	31.90	3	Vertical	167	1.07	-	58.43	27.49	4.41	-
AV	2.4844G	47.87	54.00	-6.13	32.31	3	Vertical	167	1.07	-	15.56	27.81	4.50	-
PK	2.3888G	58.44	74.00	-15.56	31.75	3	Vertical	167	1.07	-	26.69	27.38	4.37	-
PK	2.4168G	99.30	Inf	-Inf	31.87	3	Vertical	167	1.07	-	67.43	27.47	4.40	-
PK	2.4864G	59.14	74.00	-14.86	32.33	3	Vertical	167	1.07	-	26.81	27.82	4.51	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.51	54.00	-2.49	31.75	3	Horizontal	179	1.31	-	19.76	27.38	4.37	-
AV	2.4248G	96.32	Inf	-Inf	31.92	3	Horizontal	179	1.31	-	64.40	27.50	4.42	-
AV	2.4844G	48.39	54.00	-5.61	32.31	3	Horizontal	179	1.31	-	16.08	27.81	4.50	-
PK	2.39G	62.13	74.00	-11.87	31.75	3	Horizontal	179	1.31	-	30.38	27.38	4.37	-
PK	2.428G	104.84	Inf	-Inf	31.93	3	Horizontal	179	1.31	-	72.91	27.51	4.42	-
PK	2.4996G	58.67	74.00	-15.33	32.42	3	Horizontal	179	1.31	-	26.25	27.90	4.52	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85032G	28.85	54.00	-25.15	4.55	3	Vertical	184	2.35	-	24.30	32.70	6.29	34.44
AV	7.27408G	34.36	54.00	-19.64	10.15	3	Vertical	108	2.23	-	24.21	36.80	8.15	34.80
PK	4.84088G	42.29	74.00	-31.71	4.49	3	Vertical	184	2.35	-	37.80	32.66	6.28	34.45
PK	7.26332G	48.60	74.00	-25.40	10.22	3	Vertical	108	2.23	-	38.38	36.85	8.16	34.79

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85272G	28.89	54.00	-25.11	4.56	3	Horizontal	70	2.88	-	24.33	32.71	6.29	34.44
AV	7.27556G	34.35	54.00	-19.65	10.15	3	Horizontal	157	1.48	-	24.20	36.80	8.15	34.80
PK	4.84112G	42.62	74.00	-31.38	4.49	3	Horizontal	70	2.88	-	38.13	32.66	6.28	34.45
PK	7.27356G	47.97	74.00	-26.03	10.16	3	Horizontal	157	1.48	-	37.81	36.81	8.15	34.80

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.17	54.00	-6.83	31.75	3	Vertical	170	1.04	-	15.42	27.38	4.37	-
AV	2.4542G	91.10	Inf	-Inf	32.09	3	Vertical	170	1.04	-	59.01	27.63	4.46	-
AV	2.4835G	49.54	54.00	-4.46	32.30	3	Vertical	170	1.04	-	17.24	27.80	4.50	-
PK	2.3854G	58.25	74.00	-15.75	31.73	3	Vertical	170	1.04	-	26.52	27.37	4.36	-
PK	2.4542G	99.39	Inf	-Inf	32.09	3	Vertical	170	1.04	-	67.30	27.63	4.46	-
PK	2.4835G	60.26	74.00	-13.74	32.30	3	Vertical	170	1.04	-	27.96	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.36	54.00	-5.64	31.75	3	Horizontal	180	1.03	-	16.61	27.38	4.37	-
AV	2.4538G	96.18	Inf	-Inf	32.08	3	Horizontal	180	1.03	-	64.10	27.62	4.46	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	180	1.03	-	20.00	27.80	4.50	-
PK	2.3874G	58.62	74.00	-15.38	31.74	3	Horizontal	180	1.03	-	26.88	27.37	4.37	-
PK	2.4538G	104.47	Inf	-Inf	32.08	3	Horizontal	180	1.03	-	72.39	27.62	4.46	-
PK	2.4842G	64.20	74.00	-9.80	32.31	3	Horizontal	180	1.03	-	31.89	27.81	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88256G	29.19	54.00	-24.81	4.64	3	Vertical	279	2.96	-	24.55	32.77	6.31	34.44
AV	7.31032G	34.28	54.00	-19.72	10.07	3	Vertical	332	2.50	-	24.21	36.74	8.14	34.81
PK	4.881G	42.18	74.00	-31.82	4.63	3	Vertical	279	2.96	-	37.55	32.76	6.31	34.44
PK	7.31G	47.97	74.00	-26.03	10.07	3	Vertical	332	2.50	-	37.90	36.74	8.14	34.81

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88296G	29.19	54.00	-24.81	4.64	3	Horizontal	216	1.16	-	24.55	32.77	6.31	34.44
AV	7.31216G	34.27	54.00	-19.73	10.08	3	Horizontal	32	1.63	-	24.19	36.75	8.14	34.81
PK	4.87684G	42.19	74.00	-31.81	4.62	3	Horizontal	216	1.16	-	37.57	32.75	6.31	34.44
PK	7.31796G	47.81	74.00	-26.19	10.10	3	Horizontal	32	1.63	-	37.71	36.77	8.14	34.81

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.91	54.00	-7.09	31.75	3	Vertical	168	1.05	-	15.16	27.38	4.37	-
AV	2.4624G	94.12	Inf	-Inf	32.14	3	Vertical	168	1.05	-	61.98	27.67	4.47	-
AV	2.4835G	49.75	54.00	-4.25	32.30	3	Vertical	168	1.05	-	17.45	27.80	4.50	-
PK	2.3872G	58.35	74.00	-15.65	31.74	3	Vertical	168	1.05	-	26.61	27.37	4.37	-
PK	2.4648G	102.81	Inf	-Inf	32.16	3	Vertical	168	1.05	-	70.65	27.69	4.47	-
PK	2.484G	60.00	74.00	-14.00	32.30	3	Vertical	168	1.05	-	27.70	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.91	54.00	-7.09	31.75	3	Horizontal	185	1.04	-	15.16	27.38	4.37	-
AV	2.4608G	99.14	Inf	-Inf	32.13	3	Horizontal	185	1.04	-	67.01	27.66	4.47	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	185	1.04	-	20.00	27.80	4.50	-
PK	2.378G	57.95	74.00	-16.05	31.72	3	Horizontal	185	1.04	-	26.23	27.36	4.36	-
PK	2.4376G	107.89	Inf	-Inf	31.98	3	Horizontal	185	1.04	-	75.91	27.55	4.43	-
PK	2.484G	63.26	74.00	-10.74	32.30	3	Horizontal	185	1.04	-	30.96	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90276G	29.62	54.00	-24.38	4.70	3	Vertical	238	1.43	-	24.92	32.82	6.32	34.44
AV	7.35372G	34.67	54.00	-19.33	10.19	3	Vertical	96	2.67	-	24.48	36.88	8.13	34.82
PK	4.91268G	42.63	74.00	-31.37	4.77	3	Vertical	238	1.43	-	37.86	32.88	6.33	34.44
PK	7.36392G	48.02	74.00	-25.98	10.11	3	Vertical	96	2.67	-	37.91	36.82	8.12	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90292G	29.66	54.00	-24.34	4.70	3	Horizontal	58	2.43	-	24.96	32.82	6.32	34.44
AV	7.35488G	34.67	54.00	-19.33	10.18	3	Horizontal	354	1.08	-	24.49	36.87	8.13	34.82
PK	4.90556G	42.66	74.00	-31.34	4.71	3	Horizontal	58	2.43	-	37.95	32.83	6.32	34.44
PK	7.35592G	48.33	74.00	-25.67	10.17	3	Horizontal	354	1.08	-	38.16	36.86	8.13	34.82

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.65	54.00	-7.35	31.75	3	Vertical	168	1.02	-	14.90	27.38	4.37	-
AV	2.4614G	91.03	Inf	-Inf	32.14	3	Vertical	168	1.02	-	58.89	27.67	4.47	-
AV	2.4835G	49.54	54.00	-4.46	32.30	3	Vertical	168	1.02	-	17.24	27.80	4.50	-
PK	2.3746G	58.08	74.00	-15.92	31.70	3	Vertical	168	1.02	-	26.38	27.35	4.35	-
PK	2.4658G	100.40	Inf	-Inf	32.17	3	Vertical	168	1.02	-	68.23	27.69	4.48	-
PK	2.4838G	62.66	74.00	-11.34	32.30	3	Vertical	168	1.02	-	30.36	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.65	54.00	-7.35	31.75	3	Horizontal	179	1.20	-	14.90	27.38	4.37	-
AV	2.4458G	96.19	Inf	-Inf	32.03	3	Horizontal	179	1.20	-	64.16	27.58	4.45	-
AV	2.4835G	51.81	54.00	-2.19	32.30	3	Horizontal	179	1.20	-	19.51	27.80	4.50	-
PK	2.3726G	58.15	74.00	-15.85	31.70	3	Horizontal	179	1.20	-	26.45	27.35	4.35	-
PK	2.4478G	104.38	Inf	-Inf	32.04	3	Horizontal	179	1.20	-	72.34	27.59	4.45	-
PK	2.4838G	65.06	74.00	-8.94	32.30	3	Horizontal	179	1.20	-	32.76	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92104G	29.77	54.00	-24.23	4.82	3	Vertical	259	2.33	-	24.95	32.93	6.33	34.44
AV	7.37756G	34.72	54.00	-19.28	10.02	3	Vertical	97	1.60	-	24.70	36.73	8.12	34.83
PK	4.91776G	43.40	74.00	-30.60	4.80	3	Vertical	259	2.33	-	38.60	32.91	6.33	34.44
PK	7.38008G	48.05	74.00	-25.95	10.01	3	Vertical	97	1.60	-	38.04	36.72	8.12	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92092G	29.77	54.00	-24.23	4.82	3	Horizontal	256	2.81	-	24.95	32.93	6.33	34.44
AV	7.37584G	34.72	54.00	-19.28	10.03	3	Horizontal	75	1.39	-	24.69	36.74	8.12	34.83
PK	4.91244G	42.86	74.00	-31.14	4.76	3	Horizontal	256	2.81	-	38.10	32.87	6.33	34.44
PK	7.37812G	47.94	74.00	-26.06	10.02	3	Horizontal	75	1.39	-	37.92	36.73	8.12	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.65	54.00	-7.35	31.75	3	Vertical	165	1.05	-	14.90	27.38	4.37	-
AV	2.4596G	89.46	Inf	-Inf	32.13	3	Vertical	165	1.05	-	57.33	27.66	4.47	-
AV	2.4835G	49.54	54.00	-4.46	32.30	3	Vertical	165	1.05	-	17.24	27.80	4.50	-
PK	2.3784G	58.31	74.00	-15.69	31.72	3	Vertical	165	1.05	-	26.59	27.36	4.36	-
PK	2.4484G	97.96	Inf	-Inf	32.04	3	Vertical	165	1.05	-	65.92	27.59	4.45	-
PK	2.486G	61.88	74.00	-12.12	32.32	3	Vertical	165	1.05	-	29.56	27.82	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.91	54.00	-7.09	31.75	3	Horizontal	182	1.06	-	15.16	27.38	4.37	-
AV	2.46G	94.88	Inf	-Inf	32.13	3	Horizontal	182	1.06	-	62.75	27.66	4.47	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	182	1.06	-	20.00	27.80	4.50	-
PK	2.3864G	58.69	74.00	-15.31	31.74	3	Horizontal	182	1.06	-	26.95	27.37	4.37	-
PK	2.4604G	103.30	Inf	-Inf	32.13	3	Horizontal	182	1.06	-	71.17	27.66	4.47	-
PK	2.484G	67.59	74.00	-6.41	32.30	3	Horizontal	182	1.06	-	35.29	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92312G	29.79	54.00	-24.21	4.83	3	Vertical	160	2.00	-	24.96	32.94	6.33	34.44
AV	7.3808G	34.72	54.00	-19.28	10.01	3	Vertical	179	1.79	-	24.71	36.72	8.12	34.83
PK	4.9286G	42.93	74.00	-31.07	4.87	3	Vertical	160	2.00	-	38.06	32.97	6.34	34.44
PK	7.3878G	48.06	74.00	-25.94	9.95	3	Vertical	179	1.79	-	38.11	36.67	8.11	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92104G	29.72	54.00	-24.28	4.82	3	Horizontal	313	1.18	-	24.90	32.93	6.33	34.44
AV	7.38016G	34.70	54.00	-19.30	10.01	3	Horizontal	80	2.98	-	24.69	36.72	8.12	34.83
PK	4.91852G	43.16	74.00	-30.84	4.80	3	Horizontal	313	1.18	-	38.36	32.91	6.33	34.44
PK	7.3772G	48.11	74.00	-25.89	10.03	3	Horizontal	80	2.98	-	38.08	36.74	8.12	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.37	54.00	-5.63	31.75	3	Vertical	227	1.19	-	16.62	27.38	4.37	-
AV	2.4384G	90.23	Inf	-Inf	31.99	3	Vertical	227	1.19	-	58.24	27.55	4.44	-
AV	2.4844G	48.13	54.00	-5.87	32.31	3	Vertical	227	1.19	-	15.82	27.81	4.50	-
PK	2.3896G	58.51	74.00	-15.49	31.75	3	Vertical	227	1.19	-	26.76	27.38	4.37	-
PK	2.4384G	98.64	Inf	-Inf	31.99	3	Vertical	227	1.19	-	66.65	27.55	4.44	-
PK	2.4835G	58.97	74.00	-15.03	32.30	3	Vertical	227	1.19	-	26.67	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.25	54.00	-1.75	31.75	3	Horizontal	180	1.23	-	20.50	27.38	4.37	-
AV	2.4396G	97.37	Inf	-Inf	32.00	3	Horizontal	180	1.23	-	65.37	27.56	4.44	-
AV	2.4835G	49.96	54.00	-4.04	32.30	3	Horizontal	180	1.23	-	17.66	27.80	4.50	-
PK	2.3892G	62.44	74.00	-11.56	31.75	3	Horizontal	180	1.23	-	30.69	27.38	4.37	-
PK	2.4396G	105.86	Inf	-Inf	32.00	3	Horizontal	180	1.23	-	73.86	27.56	4.44	-
PK	2.4835G	62.12	74.00	-11.88	32.30	3	Horizontal	180	1.23	-	29.82	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84912G	29.01	54.00	-24.99	4.54	3	Vertical	153	2.87	-	24.47	32.70	6.29	34.45
AV	7.27236G	34.49	54.00	-19.51	10.16	3	Vertical	246	1.11	-	24.33	36.81	8.15	34.80
PK	4.83432G	43.12	74.00	-30.88	4.47	3	Vertical	153	2.87	-	38.65	32.64	6.28	34.45
PK	7.27556G	48.47	74.00	-25.53	10.15	3	Vertical	246	1.11	-	38.32	36.80	8.15	34.80

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85132G	29.05	54.00	-24.95	4.55	3	Horizontal	245	1.57	-	24.50	32.70	6.29	34.44
AV	7.27368G	34.50	54.00	-19.50	10.16	3	Horizontal	145	2.26	-	24.34	36.81	8.15	34.80
PK	4.83864G	42.47	74.00	-31.53	4.48	3	Horizontal	245	1.57	-	37.99	32.65	6.28	34.45
PK	7.27412G	48.10	74.00	-25.90	10.15	3	Horizontal	145	2.26	-	37.95	36.80	8.15	34.80

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.91	54.00	-6.09	31.75	3	Vertical	223	1.43	-	16.16	27.38	4.37	-
AV	2.4446G	91.23	Inf	-Inf	32.02	3	Vertical	223	1.43	-	59.21	27.58	4.44	-
AV	2.4862G	48.64	54.00	-5.36	32.32	3	Vertical	223	1.43	-	16.32	27.82	4.50	-
PK	2.3898G	59.61	74.00	-14.39	31.75	3	Vertical	223	1.43	-	27.86	27.38	4.37	-
PK	2.4442G	99.27	Inf	-Inf	32.02	3	Vertical	223	1.43	-	67.25	27.58	4.44	-
PK	2.4835G	59.53	74.00	-14.47	32.30	3	Vertical	223	1.43	-	27.23	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.11	54.00	-1.89	31.75	3	Horizontal	179	1.30	-	20.36	27.38	4.37	-
AV	2.4446G	98.77	Inf	-Inf	32.02	3	Horizontal	179	1.30	-	66.75	27.58	4.44	-
AV	2.4835G	51.30	54.00	-2.70	32.30	3	Horizontal	179	1.30	-	19.00	27.80	4.50	-
PK	2.3894G	63.11	74.00	-10.89	31.75	3	Horizontal	179	1.30	-	31.36	27.38	4.37	-
PK	2.4446G	107.12	Inf	-Inf	32.02	3	Horizontal	179	1.30	-	75.10	27.58	4.44	-
PK	2.4862G	61.93	74.00	-12.07	32.32	3	Horizontal	179	1.30	-	29.61	27.82	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86288G	29.28	54.00	-24.72	4.59	3	Vertical	353	1.45	-	24.69	32.73	6.30	34.44
AV	7.275G	34.53	54.00	-19.47	10.15	3	Vertical	332	2.67	-	24.38	36.80	8.15	34.80
PK	4.8558G	42.44	74.00	-31.56	4.56	3	Vertical	353	1.45	-	37.88	32.71	6.29	34.44
PK	7.28028G	48.27	74.00	-25.73	10.13	3	Vertical	332	2.67	-	38.14	36.78	8.15	34.80

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86156G	29.28	54.00	-24.72	4.58	3	Horizontal	336	2.01	-	24.70	32.72	6.30	34.44
AV	7.27656G	34.53	54.00	-19.47	10.14	3	Horizontal	120	1.66	-	24.39	36.79	8.15	34.80
PK	4.85456G	42.00	74.00	-32.00	4.56	3	Horizontal	336	2.01	-	37.44	32.71	6.29	34.44
PK	7.2738G	47.53	74.00	-26.47	10.15	3	Horizontal	120	1.66	-	37.38	36.80	8.15	34.80

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.42	54.00	-6.58	31.75	3	Vertical	225	1.07	-	15.67	27.38	4.37	-
AV	2.4194G	91.12	Inf	-Inf	31.89	3	Vertical	225	1.07	-	59.23	27.48	4.41	-
AV	2.4835G	49.09	54.00	-4.91	32.30	3	Vertical	225	1.07	-	16.79	27.80	4.50	-
PK	2.3526G	59.02	74.00	-14.98	31.64	3	Vertical	225	1.07	-	27.38	27.31	4.33	-
PK	2.4206G	99.60	Inf	-Inf	31.89	3	Vertical	225	1.07	-	67.71	27.48	4.41	-
PK	2.4838G	60.13	74.00	-13.87	32.30	3	Vertical	225	1.07	-	27.83	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.98	54.00	-4.02	31.75	3	Horizontal	180	1.32	-	18.23	27.38	4.37	-
AV	2.4198G	98.84	Inf	-Inf	31.89	3	Horizontal	180	1.32	-	66.95	27.48	4.41	-
AV	2.4835G	51.47	54.00	-2.53	32.30	3	Horizontal	180	1.32	-	19.17	27.80	4.50	-
PK	2.3898G	59.61	74.00	-14.39	31.75	3	Horizontal	180	1.32	-	27.86	27.38	4.37	-
PK	2.4214G	107.43	Inf	-Inf	31.90	3	Horizontal	180	1.32	-	75.53	27.49	4.41	-
PK	2.4838G	62.32	74.00	-11.68	32.30	3	Horizontal	180	1.32	-	30.02	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.884G	29.37	54.00	-24.63	4.64	3	Vertical	286	2.41	-	24.73	32.77	6.31	34.44
AV	7.31176G	34.45	54.00	-19.55	10.08	3	Vertical	64	1.23	-	24.37	36.75	8.14	34.81
PK	4.86616G	42.86	74.00	-31.14	4.59	3	Vertical	286	2.41	-	38.27	32.73	6.30	34.44
PK	7.31212G	47.44	74.00	-26.56	10.08	3	Vertical	64	1.23	-	37.36	36.75	8.14	34.81

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88312G	29.32	54.00	-24.68	4.64	3	Horizontal	83	2.29	-	24.68	32.77	6.31	34.44
AV	7.30964G	34.44	54.00	-19.56	10.07	3	Horizontal	192	2.64	-	24.37	36.74	8.14	34.81
PK	4.87596G	42.37	74.00	-31.63	4.62	3	Horizontal	83	2.29	-	37.75	32.75	6.31	34.44
PK	7.3096G	47.77	74.00	-26.23	10.07	3	Horizontal	192	2.64	-	37.70	36.74	8.14	34.81

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.65	54.00	-7.35	31.75	3	Vertical	223	1.43	-	14.90	27.38	4.37	-
AV	2.4442G	85.95	Inf	-Inf	32.02	3	Vertical	223	1.43	-	53.93	27.58	4.44	-
AV	2.4835G	49.09	54.00	-4.91	32.30	3	Vertical	223	1.43	-	16.79	27.80	4.50	-
PK	2.3526G	58.48	74.00	-15.52	31.64	3	Vertical	223	1.43	-	26.84	27.31	4.33	-
PK	2.4502G	94.54	Inf	-Inf	32.05	3	Vertical	223	1.43	-	62.49	27.60	4.45	-
PK	2.4874G	59.89	74.00	-14.11	32.33	3	Vertical	223	1.43	-	27.56	27.82	4.51	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.42	54.00	-6.58	31.75	3	Horizontal	180	1.24	-	15.67	27.38	4.37	-
AV	2.4442G	93.54	Inf	-Inf	32.02	3	Horizontal	180	1.24	-	61.52	27.58	4.44	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	180	1.24	-	20.00	27.80	4.50	-
PK	2.3746G	58.08	74.00	-15.92	31.70	3	Horizontal	180	1.24	-	26.38	27.35	4.35	-
PK	2.4422G	102.05	Inf	-Inf	32.01	3	Horizontal	180	1.24	-	70.04	27.57	4.44	-
PK	2.4854G	63.22	74.00	-10.78	32.31	3	Horizontal	180	1.24	-	30.91	27.81	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90308G	29.55	54.00	-24.45	4.70	3	Vertical	230	2.41	-	24.85	32.82	6.32	34.44
AV	7.35076G	34.57	54.00	-19.43	10.21	3	Vertical	57	1.29	-	24.36	36.90	8.13	34.82
PK	4.90124G	43.09	74.00	-30.91	4.69	3	Vertical	230	2.41	-	38.40	32.81	6.32	34.44
PK	7.35068G	47.97	74.00	-26.03	10.21	3	Vertical	57	1.29	-	37.76	36.90	8.13	34.82

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90304G	29.64	54.00	-24.36	4.70	3	Horizontal	293	2.26	-	24.94	32.82	6.32	34.44
AV	7.33452G	34.55	54.00	-19.45	10.15	3	Horizontal	117	1.90	-	24.40	36.84	8.13	34.82
PK	4.89804G	42.08	74.00	-31.92	4.68	3	Horizontal	293	2.26	-	37.40	32.80	6.32	34.44
PK	7.34704G	47.72	74.00	-26.28	10.20	3	Horizontal	117	1.90	-	37.52	36.89	8.13	34.82

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.65	54.00	-7.35	31.75	3	Vertical	222	1.45	-	14.90	27.38	4.37	-
AV	2.4476G	86.12	Inf	-Inf	32.04	3	Vertical	222	1.45	-	54.08	27.59	4.45	-
AV	2.484G	48.86	54.00	-5.14	32.30	3	Vertical	222	1.45	-	16.56	27.80	4.50	-
PK	2.3728G	58.97	74.00	-15.03	31.70	3	Vertical	222	1.45	-	27.27	27.35	4.35	-
PK	2.4496G	94.44	Inf	-Inf	32.05	3	Vertical	222	1.45	-	62.39	27.60	4.45	-
PK	2.4868G	59.76	74.00	-14.24	32.33	3	Vertical	222	1.45	-	27.43	27.82	4.51	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.43	54.00	-6.57	31.75	3	Horizontal	179	1.30	-	15.68	27.38	4.37	-
AV	2.4484G	93.85	Inf	-Inf	32.04	3	Horizontal	179	1.30	-	61.81	27.59	4.45	-
AV	2.4835G	51.30	54.00	-2.70	32.30	3	Horizontal	179	1.30	-	19.00	27.80	4.50	-
PK	2.3712G	58.21	74.00	-15.79	31.69	3	Horizontal	179	1.30	-	26.52	27.34	4.35	-
PK	2.4468G	102.92	Inf	-Inf	32.04	3	Horizontal	179	1.30	-	70.88	27.59	4.45	-
PK	2.488G	62.10	74.00	-11.90	32.34	3	Horizontal	179	1.30	-	29.76	27.83	4.51	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9072G	29.63	54.00	-24.37	4.72	3	Vertical	18	2.38	-	24.91	32.84	6.32	34.44
AV	7.35504G	34.64	54.00	-19.36	10.18	3	Vertical	301	2.22	-	24.46	36.87	8.13	34.82
PK	4.91044G	42.63	74.00	-31.37	4.75	3	Vertical	18	2.38	-	37.88	32.86	6.33	34.44
PK	7.34704G	48.30	74.00	-25.70	10.20	3	Vertical	301	2.22	-	38.10	36.89	8.13	34.82

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90308G	29.67	54.00	-24.33	4.70	3	Horizontal	242	1.01	-	24.97	32.82	6.32	34.44
AV	7.3532G	34.69	54.00	-19.31	10.19	3	Horizontal	261	2.81	-	24.50	36.88	8.13	34.82
PK	4.9016G	42.95	74.00	-31.05	4.69	3	Horizontal	242	1.01	-	38.26	32.81	6.32	34.44
PK	7.36404G	47.96	74.00	-26.04	10.11	3	Horizontal	261	2.81	-	37.85	36.82	8.12	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	46.90	54.00	-7.10	31.75	3	Vertical	226	1.15	-	15.15	27.38	4.37	-
AV	2.4682G	82.57	Inf	-Inf	32.19	3	Vertical	226	1.15	-	50.38	27.71	4.48	-
AV	2.4835G	49.32	54.00	-4.68	32.30	3	Vertical	226	1.15	-	17.02	27.80	4.50	-
PK	2.3742G	58.01	74.00	-15.99	31.70	3	Vertical	226	1.15	-	26.31	27.35	4.35	-
PK	2.4538G	90.66	Inf	-Inf	32.08	3	Vertical	226	1.15	-	58.58	27.62	4.46	-
PK	2.4838G	59.87	74.00	-14.13	32.30	3	Vertical	226	1.15	-	27.57	27.80	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.91	54.00	-7.09	31.75	3	Horizontal	179	1.29	-	15.16	27.38	4.37	-
AV	2.469G	89.44	Inf	-Inf	32.19	3	Horizontal	179	1.29	-	57.25	27.71	4.48	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	179	1.29	-	20.00	27.80	4.50	-
PK	2.3818G	58.17	74.00	-15.83	31.72	3	Horizontal	179	1.29	-	26.45	27.36	4.36	-
PK	2.4678G	98.39	Inf	-Inf	32.19	3	Horizontal	179	1.29	-	66.20	27.71	4.48	-
PK	2.4842G	64.59	74.00	-9.41	32.31	3	Horizontal	179	1.29	-	32.28	27.81	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.921G	29.74	54.00	-24.26	4.82	3	Vertical	217	2.54	-	24.92	32.93	6.33	34.44
AV	7.37568G	34.67	54.00	-19.33	10.04	3	Vertical	311	2.63	-	24.63	36.75	8.12	34.83
PK	4.91816G	43.32	74.00	-30.68	4.80	3	Vertical	217	2.54	-	38.52	32.91	6.33	34.44
PK	7.37036G	47.67	74.00	-26.33	10.07	3	Vertical	311	2.63	-	37.60	36.78	8.12	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92088G	29.82	54.00	-24.18	4.82	3	Horizontal	128	1.15	-	25.00	32.93	6.33	34.44
AV	7.37804G	34.66	54.00	-19.34	10.02	3	Horizontal	105	1.23	-	24.64	36.73	8.12	34.83
PK	4.91836G	42.87	74.00	-31.13	4.80	3	Horizontal	128	1.15	-	38.07	32.91	6.33	34.44
PK	7.36316G	47.71	74.00	-26.29	10.11	3	Horizontal	105	1.23	-	37.60	36.82	8.12	34.83