


802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3796G	46.85	54.00	-7.15	31.72	3	Vertical	224	1.26	-	15.13	27.36	4.36	-
AV	2.4748G	82.84	Inf	-Inf	32.24	3	Vertical	224	1.26	-	50.60	27.75	4.49	-
AV	2.4835G	49.54	54.00	-4.46	32.30	3	Vertical	224	1.26	-	17.24	27.80	4.50	-
PK	2.3824G	59.18	74.00	-14.82	31.72	3	Vertical	224	1.26	-	27.46	27.36	4.36	-
PK	2.4752G	91.70	Inf	-Inf	32.24	3	Vertical	224	1.26	-	59.46	27.75	4.49	-
PK	2.4844G	65.93	74.00	-8.07	32.31	3	Vertical	224	1.26	-	33.62	27.81	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.65	54.00	-7.35	31.75	3	Horizontal	179	1.29	-	14.90	27.38	4.37	-
AV	2.4732G	89.54	Inf	-Inf	32.23	3	Horizontal	179	1.29	-	57.31	27.74	4.49	-
AV	2.4835G	52.14	54.00	-1.86	32.30	3	Horizontal	179	1.29	-	19.84	27.80	4.50	-
PK	2.3788G	57.81	74.00	-16.19	31.72	3	Horizontal	179	1.29	-	26.09	27.36	4.36	-
PK	2.4488G	98.02	Inf	-Inf	32.05	3	Horizontal	179	1.29	-	65.97	27.60	4.45	-
PK	2.4844G	70.65	74.00	-3.35	32.31	3	Horizontal	179	1.29	-	38.34	27.81	4.50	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92236G	29.74	54.00	-24.26	4.82	3	Vertical	136	2.68	-	24.92	32.93	6.33	34.44
AV	7.37836G	34.66	54.00	-19.34	10.02	3	Vertical	70	2.67	-	24.64	36.73	8.12	34.83
PK	4.92428G	43.63	74.00	-30.37	4.84	3	Vertical	136	2.68	-	38.79	32.95	6.33	34.44
PK	7.38432G	47.70	74.00	-26.30	9.98	3	Vertical	70	2.67	-	37.72	36.69	8.12	34.83

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91972G	29.78	54.00	-24.22	4.81	3	Horizontal	4	1.32	-	24.97	32.92	6.33	34.44
AV	7.38224G	34.67	54.00	-19.33	10.00	3	Horizontal	11	1.44	-	24.67	36.71	8.12	34.83
PK	4.92352G	42.43	74.00	-31.57	4.83	3	Horizontal	4	1.32	-	37.60	32.94	6.33	34.44
PK	7.38872G	47.83	74.00	-26.17	9.95	3	Horizontal	11	1.44	-	37.88	36.67	8.11	34.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.79	54.00	-6.21	31.86	3	Vertical	164	1.00	-	15.93	27.38	4.48	-
AV	2.4206G	97.54	Inf	-Inf	31.95	3	Vertical	164	1.00	-	65.59	27.48	4.47	-
PK	2.3892G	60.13	74.00	-13.87	31.86	3	Vertical	164	1.00	-	28.27	27.38	4.48	-
PK	2.4194G	109.09	Inf	-Inf	31.95	3	Vertical	164	1.00	-	77.14	27.48	4.47	-


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.64	54.00	-4.36	31.86	3	Horizontal	178	1.11	-	17.78	27.38	4.48	-
AV	2.42G	102.23	Inf	-Inf	31.95	3	Horizontal	178	1.11	-	70.28	27.48	4.47	-
PK	2.3894G	62.00	74.00	-12.00	31.86	3	Horizontal	178	1.11	-	30.14	27.38	4.48	-
PK	2.4166G	114.71	Inf	-Inf	31.94	3	Horizontal	178	1.11	-	82.77	27.47	4.47	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82176G	31.64	54.00	-22.36	5.20	3	Vertical	31	2.63	-	26.44	32.59	6.90	34.29
PK	4.81576G	44.59	74.00	-29.41	5.17	3	Vertical	31	2.63	-	39.42	32.56	6.90	34.29


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8232G	31.73	54.00	-22.27	5.20	3	Horizontal	76	1.14	-	26.53	32.59	6.90	34.29
PK	4.82488G	43.52	74.00	-30.48	5.21	3	Horizontal	76	1.14	-	38.31	32.60	6.90	34.29

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.61	54.00	-5.39	31.75	3	Vertical	165	1.07	-	16.86	27.38	4.37	-
AV	2.425G	100.58	Inf	-Inf	31.92	3	Vertical	165	1.07	-	68.66	27.50	4.42	-
PK	2.3898G	60.10	74.00	-13.90	31.75	3	Vertical	165	1.07	-	28.35	27.38	4.37	-
PK	2.4252G	112.04	Inf	-Inf	31.92	3	Vertical	165	1.07	-	80.12	27.50	4.42	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.65	54.00	-2.35	31.75	3	Horizontal	171	1.08	-	19.90	27.38	4.37	-
AV	2.425G	105.80	Inf	-Inf	31.92	3	Horizontal	171	1.08	-	73.88	27.50	4.42	-
PK	2.3898G	65.84	74.00	-8.16	31.75	3	Horizontal	171	1.08	-	34.09	27.38	4.37	-
PK	2.4206G	117.24	Inf	-Inf	31.89	3	Horizontal	171	1.08	-	85.35	27.48	4.41	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.31	54.00	-7.69	31.75	3	Vertical	175	1.06	-	14.56	27.38	4.37	-
AV	2.4294G	100.69	Inf	-Inf	31.94	3	Vertical	175	1.06	-	68.75	27.52	4.42	-
AV	2.4878G	47.30	54.00	-6.70	32.34	3	Vertical	175	1.06	-	14.96	27.83	4.51	-
PK	2.3582G	58.59	74.00	-15.41	31.66	3	Vertical	175	1.06	-	26.93	27.32	4.34	-
PK	2.4294G	111.91	Inf	-Inf	31.94	3	Vertical	175	1.06	-	79.97	27.52	4.42	-
PK	2.4858G	59.14	74.00	-14.86	32.31	3	Vertical	175	1.06	-	26.83	27.81	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.82	54.00	-7.18	31.75	3	Horizontal	179	1.33	-	15.07	27.38	4.37	-
AV	2.4314G	107.25	Inf	-Inf	31.96	3	Horizontal	179	1.33	-	75.29	27.53	4.43	-
AV	2.4835G	48.26	54.00	-5.74	32.30	3	Horizontal	179	1.33	-	15.96	27.80	4.50	-
PK	2.3894G	58.51	74.00	-15.49	31.75	3	Horizontal	179	1.33	-	26.76	27.38	4.37	-
PK	2.4286G	118.93	Inf	-Inf	31.93	3	Horizontal	179	1.33	-	87.00	27.51	4.42	-
PK	2.4835G	59.97	74.00	-14.03	32.30	3	Horizontal	179	1.33	-	27.67	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87304G	30.72	54.00	-23.28	4.61	3	Vertical	268	1.08	-	26.11	32.75	6.30	34.44
AV	7.31502G	36.52	54.00	-17.48	10.09	3	Vertical	309	2.24	-	26.43	36.76	8.14	34.81
PK	4.87234G	43.76	74.00	-30.24	4.60	3	Vertical	268	1.08	-	39.16	32.74	6.30	34.44
PK	7.3123G	49.73	74.00	-24.27	10.08	3	Vertical	309	2.24	-	39.65	36.75	8.14	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87858G	31.04	54.00	-22.96	4.63	3	Horizontal	112	1.50	-	26.41	32.76	6.31	34.44
AV	7.31492G	37.51	54.00	-16.49	10.09	3	Horizontal	225	1.01	-	27.42	36.76	8.14	34.81
PK	4.87622G	43.96	74.00	-30.04	4.62	3	Horizontal	112	1.50	-	39.34	32.75	6.31	34.44
PK	7.3128G	50.32	74.00	-23.68	10.08	3	Horizontal	225	1.01	-	40.24	36.75	8.14	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	100.11	Inf	-Inf	32.16	3	Vertical	159	1.06	-	67.95	27.69	4.47	-
AV	2.4835G	48.49	54.00	-5.51	32.30	3	Vertical	159	1.06	-	16.19	27.80	4.50	-
PK	2.46G	112.66	Inf	-Inf	32.13	3	Vertical	159	1.06	-	80.53	27.66	4.47	-
PK	2.4838G	61.47	74.00	-12.53	32.30	3	Vertical	159	1.06	-	29.17	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	106.01	Inf	-Inf	32.15	3	Horizontal	176	1.28	-	73.86	27.68	4.47	-
AV	2.4835G	51.05	54.00	-2.95	32.30	3	Horizontal	176	1.28	-	18.75	27.80	4.50	-
PK	2.463G	119.35	Inf	-Inf	32.15	3	Horizontal	176	1.28	-	87.20	27.68	4.47	-
PK	2.484G	64.99	74.00	-9.01	32.30	3	Horizontal	176	1.28	-	32.69	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	95.48	Inf	-Inf	32.16	3	Vertical	165	1.00	-	63.32	27.68	4.48	-
AV	2.4842G	47.91	54.00	-6.09	32.29	3	Vertical	165	1.00	-	15.62	27.81	4.48	-
PK	2.4674G	107.55	Inf	-Inf	32.18	3	Vertical	165	1.00	-	75.37	27.70	4.48	-
PK	2.4914G	60.06	74.00	-13.94	32.33	3	Vertical	165	1.00	-	27.73	27.85	4.48	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4608G	100.17	Inf	-Inf	32.14	3	Horizontal	181	1.50	-	68.03	27.66	4.48	-
AV	2.4835G	49.06	54.00	-4.94	32.28	3	Horizontal	181	1.50	-	16.78	27.80	4.48	-
PK	2.4606G	112.37	Inf	-Inf	32.14	3	Horizontal	181	1.50	-	80.23	27.66	4.48	-
PK	2.4842G	60.91	74.00	-13.09	32.29	3	Horizontal	181	1.50	-	28.62	27.81	4.48	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9238G	32.33	54.00	-21.67	5.57	3	Vertical	132	2.53	-	26.76	32.94	6.91	34.28
AV	7.37616G	37.61	54.00	-16.39	10.53	3	Vertical	177	1.86	-	27.08	36.74	8.60	34.81
PK	4.93388G	44.47	74.00	-29.53	5.63	3	Vertical	132	2.53	-	38.84	33.00	6.91	34.28
PK	7.38G	50.31	74.00	-23.69	10.52	3	Vertical	177	1.86	-	39.79	36.72	8.61	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92444G	32.44	54.00	-21.56	5.58	3	Horizontal	119	1.17	-	26.86	32.95	6.91	34.28
AV	7.37604G	37.61	54.00	-16.39	10.53	3	Horizontal	299	1.96	-	27.08	36.74	8.60	34.81
PK	4.92412G	44.41	74.00	-29.59	5.57	3	Horizontal	119	1.17	-	38.84	32.94	6.91	34.28
PK	7.383G	50.06	74.00	-23.94	10.50	3	Horizontal	299	1.96	-	39.56	36.70	8.61	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	93.41	Inf	-Inf	32.15	3	Vertical	168	1.12	-	61.26	27.68	4.47	-
AV	2.4835G	48.93	54.00	-5.07	32.30	3	Vertical	168	1.12	-	16.63	27.80	4.50	-
PK	2.4656G	105.59	Inf	-Inf	32.17	3	Vertical	168	1.12	-	73.42	27.69	4.48	-
PK	2.4835G	60.25	74.00	-13.75	32.30	3	Vertical	168	1.12	-	27.95	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	98.09	Inf	-Inf	32.16	3	Horizontal	181	1.50	-	65.93	27.69	4.47	-
AV	2.4835G	51.22	54.00	-2.78	32.30	3	Horizontal	181	1.50	-	18.92	27.80	4.50	-
PK	2.462G	110.20	Inf	-Inf	32.14	3	Horizontal	181	1.50	-	78.06	27.67	4.47	-
PK	2.4835G	63.76	74.00	-10.24	32.30	3	Horizontal	181	1.50	-	31.46	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94252G	31.97	54.00	-22.03	4.97	3	Vertical	298	2.31	-	27.00	33.06	6.35	34.44
AV	7.39108G	36.92	54.00	-17.08	9.92	3	Vertical	202	2.22	-	27.00	36.65	8.11	34.84
PK	4.943G	44.61	74.00	-29.39	4.97	3	Vertical	298	2.31	-	39.64	33.06	6.35	34.44
PK	7.39244G	49.85	74.00	-24.15	9.92	3	Vertical	202	2.22	-	39.93	36.65	8.11	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94324G	31.97	54.00	-22.03	4.97	3	Horizontal	56	1.13	-	27.00	33.06	6.35	34.44
AV	7.391G	36.92	54.00	-17.08	9.92	3	Horizontal	348	2.35	-	27.00	36.65	8.11	34.84
PK	4.94216G	44.51	74.00	-29.49	4.96	3	Horizontal	56	1.13	-	39.55	33.05	6.35	34.44
PK	7.40944G	49.64	74.00	-24.36	9.88	3	Horizontal	348	2.35	-	39.76	36.60	8.12	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	90.37	Inf	-Inf	32.15	3	Vertical	169	1.15	-	58.22	27.68	4.47	-
AV	2.4835G	47.62	54.00	-6.38	32.30	3	Vertical	169	1.15	-	15.32	27.80	4.50	-
PK	2.464G	102.45	Inf	-Inf	32.15	3	Vertical	169	1.15	-	70.30	27.68	4.47	-
PK	2.4835G	67.89	74.00	-6.11	32.30	3	Vertical	169	1.15	-	35.59	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	95.32	Inf	-Inf	32.16	3	Horizontal	180	1.49	-	63.16	27.69	4.47	-
AV	2.4835G	48.93	54.00	-5.07	32.30	3	Horizontal	180	1.49	-	16.63	27.80	4.50	-
PK	2.4654G	107.57	Inf	-Inf	32.16	3	Horizontal	180	1.49	-	75.41	27.69	4.47	-
PK	2.4835G	72.35	74.00	-1.65	32.30	3	Horizontal	180	1.49	-	40.05	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94252G	31.97	54.00	-22.03	4.97	3	Vertical	170	1.18	-	27.00	33.06	6.35	34.44
AV	7.42548G	36.86	54.00	-17.14	9.90	3	Vertical	302	1.73	-	26.96	36.60	8.15	34.85
PK	4.9452G	44.62	74.00	-29.38	4.98	3	Vertical	170	1.18	-	39.64	33.07	6.35	34.44
PK	7.41576G	50.19	74.00	-23.81	9.89	3	Vertical	302	1.73	-	40.30	36.60	8.13	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94384G	31.97	54.00	-22.03	4.97	3	Horizontal	48	2.03	-	27.00	33.06	6.35	34.44
AV	7.42368G	37.00	54.00	-17.00	9.89	3	Horizontal	69	1.95	-	27.11	36.60	8.14	34.85
PK	4.93436G	44.63	74.00	-29.37	4.91	3	Horizontal	48	2.03	-	39.72	33.01	6.34	34.44
PK	7.41132G	49.75	74.00	-24.25	9.89	3	Horizontal	69	1.95	-	39.86	36.60	8.13	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.68	54.00	-8.32	31.75	3	Vertical	237	1.07	-	13.93	27.38	4.37	-
AV	2.4144G	91.61	Inf	-Inf	31.86	3	Vertical	237	1.07	-	59.75	27.46	4.40	-
PK	2.384G	57.95	74.00	-16.05	31.73	3	Vertical	237	1.07	-	26.22	27.37	4.36	-
PK	2.4148G	103.77	Inf	-Inf	31.86	3	Vertical	237	1.07	-	71.91	27.46	4.40	-


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.98	54.00	-6.02	31.75	3	Horizontal	183	1.26	-	16.23	27.38	4.37	-
AV	2.4136G	99.83	Inf	-Inf	31.85	3	Horizontal	183	1.26	-	67.98	27.45	4.40	-
PK	2.3894G	59.77	74.00	-14.23	31.75	3	Horizontal	183	1.26	-	28.02	27.38	4.37	-
PK	2.4142G	111.42	Inf	-Inf	31.86	3	Horizontal	183	1.26	-	79.56	27.46	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82472G	31.35	54.00	-22.65	4.42	3	Vertical	130	1.60	-	26.93	32.60	6.27	34.45
PK	4.81572G	44.03	74.00	-29.97	4.38	3	Vertical	130	1.60	-	39.65	32.56	6.27	34.45


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82744G	31.09	54.00	-22.91	4.44	3	Horizontal	211	1.78	-	26.65	32.61	6.28	34.45
PK	4.8328G	44.02	74.00	-29.98	4.46	3	Horizontal	211	1.78	-	39.56	32.63	6.28	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.83	54.00	-7.17	31.75	3	Vertical	144	2.33	-	15.08	27.38	4.37	-
AV	2.4144G	93.46	Inf	-Inf	31.86	3	Vertical	144	2.33	-	61.60	27.46	4.40	-
PK	2.3874G	59.11	74.00	-14.89	31.74	3	Vertical	144	2.33	-	27.37	27.37	4.37	-
PK	2.4154G	105.45	Inf	-Inf	31.86	3	Vertical	144	2.33	-	73.59	27.46	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.26	54.00	-3.74	31.75	3	Horizontal	182	1.19	-	18.51	27.38	4.37	-
AV	2.4146G	101.47	Inf	-Inf	31.86	3	Horizontal	182	1.19	-	69.61	27.46	4.40	-
PK	2.3898G	63.14	74.00	-10.86	31.75	3	Horizontal	182	1.19	-	31.39	27.38	4.37	-
PK	2.4136G	113.32	Inf	-Inf	31.85	3	Horizontal	182	1.19	-	81.47	27.45	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.31	54.00	-7.69	31.75	3	Vertical	139	2.17	-	14.56	27.38	4.37	-
AV	2.4454G	97.53	Inf	-Inf	32.03	3	Vertical	139	2.17	-	65.50	27.58	4.45	-
AV	2.4842G	47.79	54.00	-6.21	32.31	3	Vertical	139	2.17	-	15.48	27.81	4.50	-
PK	2.3618G	58.33	74.00	-15.67	31.66	3	Vertical	139	2.17	-	26.67	27.32	4.34	-
PK	2.4438G	108.54	Inf	-Inf	32.02	3	Vertical	139	2.17	-	76.52	27.58	4.44	-
PK	2.4846G	61.17	74.00	-12.83	32.31	3	Vertical	139	2.17	-	28.86	27.81	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.98	54.00	-6.02	31.75	3	Horizontal	181	1.29	-	16.23	27.38	4.37	-
AV	2.4454G	104.85	Inf	-Inf	32.03	3	Horizontal	181	1.29	-	72.82	27.58	4.45	-
AV	2.4835G	50.34	54.00	-3.66	32.30	3	Horizontal	181	1.29	-	18.04	27.80	4.50	-
PK	2.3894G	59.25	74.00	-14.75	31.75	3	Horizontal	181	1.29	-	27.50	27.38	4.37	-
PK	2.4446G	116.77	Inf	-Inf	32.02	3	Horizontal	181	1.29	-	84.75	27.58	4.44	-
PK	2.4898G	64.17	74.00	-9.83	32.35	3	Horizontal	181	1.29	-	31.82	27.84	4.51	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8738G	31.59	54.00	-22.41	4.61	3	Vertical	257	1.38	-	26.98	32.75	6.30	34.44
AV	7.31382G	36.69	54.00	-17.31	10.09	3	Vertical	86	1.67	-	26.60	36.76	8.14	34.81
PK	4.87116G	45.17	74.00	-28.83	4.60	3	Vertical	257	1.38	-	40.57	32.74	6.30	34.44
PK	7.30736G	50.57	74.00	-23.43	10.06	3	Vertical	86	1.67	-	40.51	36.73	8.14	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87382G	31.99	54.00	-22.01	4.61	3	Horizontal	248	1.66	-	27.38	32.75	6.30	34.44
AV	7.31376G	36.69	54.00	-17.31	10.09	3	Horizontal	251	1.49	-	26.60	36.76	8.14	34.81
PK	4.87146G	45.29	74.00	-28.71	4.60	3	Horizontal	248	1.66	-	40.69	32.74	6.30	34.44
PK	7.30636G	49.37	74.00	-24.63	10.06	3	Horizontal	251	1.49	-	39.31	36.73	8.14	34.81

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4488G	96.92	Inf	-Inf	32.05	3	Vertical	140	2.18	-	64.87	27.60	4.45	-
AV	2.4842G	48.50	54.00	-5.50	32.31	3	Vertical	140	2.18	-	16.19	27.81	4.50	-
PK	2.4498G	108.26	Inf	-Inf	32.05	3	Vertical	140	2.18	-	76.21	27.60	4.45	-
PK	2.4866G	60.41	74.00	-13.59	32.33	3	Vertical	140	2.18	-	28.08	27.82	4.51	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4488G	103.98	Inf	-Inf	32.05	3	Horizontal	182	1.30	-	71.93	27.60	4.45	-
AV	2.4835G	52.01	54.00	-1.99	32.30	3	Horizontal	182	1.30	-	19.71	27.80	4.50	-
PK	2.4524G	116.29	Inf	-Inf	32.07	3	Horizontal	182	1.30	-	84.22	27.61	4.46	-
PK	2.486G	67.40	74.00	-6.60	32.32	3	Horizontal	182	1.30	-	35.08	27.82	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4536G	92.07	Inf	-Inf	32.08	3	Vertical	227	1.14	-	59.99	27.62	4.46	-
AV	2.4842G	47.40	54.00	-6.60	32.31	3	Vertical	227	1.14	-	15.09	27.81	4.50	-
PK	2.4704G	104.71	Inf	-Inf	32.20	3	Vertical	227	1.14	-	72.51	27.72	4.48	-
PK	2.4835G	59.97	74.00	-14.03	32.30	3	Vertical	227	1.14	-	27.67	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	100.05	Inf	-Inf	32.08	3	Horizontal	184	1.28	-	67.97	27.62	4.46	-
AV	2.4835G	50.75	54.00	-3.25	32.30	3	Horizontal	184	1.28	-	18.45	27.80	4.50	-
PK	2.456G	111.97	Inf	-Inf	32.10	3	Horizontal	184	1.28	-	79.87	27.64	4.46	-
PK	2.4835G	64.79	74.00	-9.21	32.30	3	Horizontal	184	1.28	-	32.49	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92604G	31.79	54.00	-22.21	4.86	3	Vertical	276	1.23	-	26.93	32.96	6.34	34.44
AV	7.38G	37.18	54.00	-16.82	10.01	3	Vertical	211	2.29	-	27.17	36.72	8.12	34.83
PK	4.9226G	44.40	74.00	-29.60	4.83	3	Vertical	276	1.23	-	39.57	32.94	6.33	34.44
PK	7.38328G	50.02	74.00	-23.98	9.99	3	Vertical	211	2.29	-	40.03	36.70	8.12	34.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92636G	31.79	54.00	-22.21	4.86	3	Horizontal	352	1.27	-	26.93	32.96	6.34	34.44
AV	7.38132G	37.24	54.00	-16.76	10.00	3	Horizontal	265	1.64	-	27.24	36.71	8.12	34.83
PK	4.92984G	44.35	74.00	-29.65	4.88	3	Horizontal	352	1.27	-	39.47	32.98	6.34	34.44
PK	7.38012G	50.03	74.00	-23.97	10.01	3	Horizontal	265	1.64	-	40.02	36.72	8.12	34.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4734G	90.30	Inf	-Inf	32.23	3	Vertical	228	1.03	-	58.07	27.74	4.49	-
AV	2.4835G	48.30	54.00	-5.70	32.30	3	Vertical	228	1.03	-	16.00	27.80	4.50	-
PK	2.475G	102.42	Inf	-Inf	32.24	3	Vertical	228	1.03	-	70.18	27.75	4.49	-
PK	2.4835G	60.78	74.00	-13.22	32.30	3	Vertical	228	1.03	-	28.48	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4746G	97.83	Inf	-Inf	32.24	3	Horizontal	182	1.16	-	65.59	27.75	4.49	-
AV	2.4835G	52.25	54.00	-1.75	32.30	3	Horizontal	182	1.16	-	19.95	27.80	4.50	-
PK	2.4746G	110.00	Inf	-Inf	32.24	3	Horizontal	182	1.16	-	77.76	27.75	4.49	-
PK	2.4835G	67.10	74.00	-6.90	32.30	3	Horizontal	182	1.16	-	34.80	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94276G	31.97	54.00	-22.03	4.97	3	Vertical	86	1.47	-	27.00	33.06	6.35	34.44
AV	7.39152G	36.91	54.00	-17.09	9.92	3	Vertical	26	2.48	-	26.99	36.65	8.11	34.84
PK	4.94388G	45.18	74.00	-28.82	4.97	3	Vertical	86	1.47	-	40.21	33.06	6.35	34.44
PK	7.40716G	49.56	74.00	-24.44	9.88	3	Vertical	26	2.48	-	39.68	36.60	8.12	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94328G	31.97	54.00	-22.03	4.97	3	Horizontal	195	2.20	-	27.00	33.06	6.35	34.44
AV	7.39112G	36.92	54.00	-17.08	9.92	3	Horizontal	60	1.27	-	27.00	36.65	8.11	34.84
PK	4.943G	44.96	74.00	-29.04	4.97	3	Horizontal	195	2.20	-	39.99	33.06	6.35	34.44
PK	7.4026G	50.60	74.00	-23.40	9.87	3	Horizontal	60	1.27	-	40.73	36.60	8.11	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4764G	86.87	Inf	-Inf	32.25	3	Vertical	224	1.04	-	54.62	27.76	4.49	-
AV	2.4835G	47.39	54.00	-6.61	32.30	3	Vertical	224	1.04	-	15.09	27.80	4.50	-
PK	2.477G	99.44	Inf	-Inf	32.25	3	Vertical	224	1.04	-	67.19	27.76	4.49	-
PK	2.4835G	66.19	74.00	-7.81	32.30	3	Vertical	224	1.04	-	33.89	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.475G	94.08	Inf	-Inf	32.24	3	Horizontal	182	1.16	-	61.84	27.75	4.49	-
AV	2.4835G	49.52	54.00	-4.48	32.30	3	Horizontal	182	1.16	-	17.22	27.80	4.50	-
PK	2.4746G	107.09	Inf	-Inf	32.24	3	Horizontal	182	1.16	-	74.85	27.75	4.49	-
PK	2.4835G	72.22	74.00	-1.78	32.30	3	Horizontal	182	1.16	-	39.92	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9442G	31.98	54.00	-22.02	4.98	3	Vertical	37	1.64	-	27.00	33.07	6.35	34.44
AV	7.42264G	36.90	54.00	-17.10	9.89	3	Vertical	4	1.09	-	27.01	36.60	8.14	34.85
PK	4.93744G	44.55	74.00	-29.45	4.92	3	Vertical	37	1.64	-	39.63	33.02	6.34	34.44
PK	7.4086G	49.63	74.00	-24.37	9.88	3	Vertical	4	1.09	-	39.75	36.60	8.12	34.84


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94424G	31.98	54.00	-22.02	4.98	3	Horizontal	279	1.43	-	27.00	33.07	6.35	34.44
AV	7.4254G	36.94	54.00	-17.06	9.90	3	Horizontal	176	2.32	-	27.04	36.60	8.15	34.85
PK	4.9414G	44.85	74.00	-29.15	4.95	3	Horizontal	279	1.43	-	39.90	33.05	6.34	34.44
PK	7.40664G	49.75	74.00	-24.25	9.88	3	Horizontal	176	2.32	-	39.87	36.60	8.12	34.84

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.11	54.00	-4.89	31.75	3	Vertical	166	1.07	-	17.36	27.38	4.37	-
AV	2.4252G	91.50	Inf	-Inf	31.92	3	Vertical	166	1.07	-	59.58	27.50	4.42	-
AV	2.4844G	47.63	54.00	-6.37	32.31	3	Vertical	166	1.07	-	15.32	27.81	4.50	-
PK	2.3892G	59.88	74.00	-14.12	31.75	3	Vertical	166	1.07	-	28.13	27.38	4.37	-
PK	2.4256G	103.11	Inf	-Inf	31.92	3	Vertical	166	1.07	-	71.19	27.50	4.42	-
PK	2.4864G	59.36	74.00	-14.64	32.33	3	Vertical	166	1.07	-	27.03	27.82	4.51	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.33	54.00	-1.67	31.75	3	Horizontal	175	1.00	-	20.58	27.38	4.37	-
AV	2.4256G	96.58	Inf	-Inf	31.92	3	Horizontal	175	1.00	-	64.66	27.50	4.42	-
AV	2.4835G	49.32	54.00	-4.68	32.30	3	Horizontal	175	1.00	-	17.02	27.80	4.50	-
PK	2.39G	63.67	74.00	-10.33	31.75	3	Horizontal	175	1.00	-	31.92	27.38	4.37	-
PK	2.4252G	108.65	Inf	-Inf	31.92	3	Horizontal	175	1.00	-	76.73	27.50	4.42	-
PK	2.4835G	60.83	74.00	-13.17	32.30	3	Horizontal	175	1.00	-	28.53	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82488G	31.35	54.00	-22.65	4.42	3	Vertical	197	1.50	-	26.93	32.60	6.27	34.45
AV	7.25576G	37.65	54.00	-16.35	10.25	3	Vertical	87	1.96	-	27.40	36.88	8.16	34.79
PK	4.83512G	43.81	74.00	-30.19	4.47	3	Vertical	197	1.50	-	39.34	32.64	6.28	34.45
PK	7.25464G	50.31	74.00	-23.69	10.25	3	Vertical	87	1.96	-	40.06	36.88	8.16	34.79


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8516G	31.21	54.00	-22.79	4.55	3	Horizontal	262	1.50	-	26.66	32.70	6.29	34.44
AV	7.25448G	37.66	54.00	-16.34	10.25	3	Horizontal	314	1.49	-	27.41	36.88	8.16	34.79
PK	4.82656G	44.47	74.00	-29.53	4.44	3	Horizontal	262	1.50	-	40.03	32.61	6.28	34.45
PK	7.26968G	50.40	74.00	-23.60	10.18	3	Horizontal	314	1.49	-	40.22	36.82	8.16	34.80

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.82	54.00	-7.18	31.75	3	Vertical	166	1.15	-	15.07	27.38	4.37	-
AV	2.4542G	90.08	Inf	-Inf	32.09	3	Vertical	166	1.15	-	57.99	27.63	4.46	-
AV	2.4835G	49.15	54.00	-4.85	32.30	3	Vertical	166	1.15	-	16.85	27.80	4.50	-
PK	2.3522G	58.28	74.00	-15.72	31.63	3	Vertical	166	1.15	-	26.65	27.30	4.33	-
PK	2.4546G	101.94	Inf	-Inf	32.09	3	Vertical	166	1.15	-	69.85	27.63	4.46	-
PK	2.4846G	60.56	74.00	-13.44	32.31	3	Vertical	166	1.15	-	28.25	27.81	4.50	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.20	54.00	-5.80	31.75	3	Horizontal	177	1.29	-	16.45	27.38	4.37	-
AV	2.4546G	95.52	Inf	-Inf	32.09	3	Horizontal	177	1.29	-	63.43	27.63	4.46	-
AV	2.4835G	52.01	54.00	-1.99	32.30	3	Horizontal	177	1.29	-	19.71	27.80	4.50	-
PK	2.353G	59.56	74.00	-14.44	31.64	3	Horizontal	177	1.29	-	27.92	27.31	4.33	-
PK	2.451G	107.01	Inf	-Inf	32.06	3	Horizontal	177	1.29	-	74.95	27.61	4.45	-
PK	2.4842G	63.52	74.00	-10.48	32.31	3	Horizontal	177	1.29	-	31.21	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88696G	31.46	54.00	-22.54	4.64	3	Vertical	81	1.50	-	26.82	32.77	6.31	34.44
AV	7.29468G	37.50	54.00	-16.50	10.07	3	Vertical	346	1.50	-	27.43	36.72	8.15	34.80
PK	4.87G	44.44	74.00	-29.56	4.60	3	Vertical	81	1.50	-	39.84	32.74	6.30	34.44
PK	7.29244G	50.71	74.00	-23.29	10.08	3	Vertical	346	1.50	-	40.63	36.73	8.15	34.80

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88936G	31.31	54.00	-22.69	4.65	3	Horizontal	360	2.33	-	26.66	32.78	6.31	34.44
AV	7.2922G	37.45	54.00	-16.55	10.08	3	Horizontal	311	2.45	-	27.37	36.73	8.15	34.80
PK	4.86032G	44.15	74.00	-29.85	4.58	3	Horizontal	360	2.33	-	39.57	32.72	6.30	34.44
PK	7.297G	49.83	74.00	-24.17	10.05	3	Horizontal	311	2.45	-	39.78	36.71	8.15	34.81

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.68	54.00	-8.32	31.75	3	Vertical	170	1.01	-	13.93	27.38	4.37	-
AV	2.4628G	92.49	Inf	-Inf	32.15	3	Vertical	170	1.01	-	60.34	27.68	4.47	-
AV	2.4835G	49.32	54.00	-4.68	32.30	3	Vertical	170	1.01	-	17.02	27.80	4.50	-
PK	2.374G	58.05	74.00	-15.95	31.70	3	Vertical	170	1.01	-	26.35	27.35	4.35	-
PK	2.466G	105.15	Inf	-Inf	32.18	3	Vertical	170	1.01	-	72.97	27.70	4.48	-
PK	2.4852G	60.42	74.00	-13.58	32.31	3	Vertical	170	1.01	-	28.11	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.19	54.00	-7.81	31.75	3	Horizontal	180	1.06	-	14.44	27.38	4.37	-
AV	2.4344G	97.28	Inf	-Inf	31.97	3	Horizontal	180	1.06	-	65.31	27.54	4.43	-
AV	2.4835G	51.97	54.00	-2.03	32.30	3	Horizontal	180	1.06	-	19.67	27.80	4.50	-
PK	2.3808G	57.75	74.00	-16.25	31.72	3	Horizontal	180	1.06	-	26.03	27.36	4.36	-
PK	2.464G	109.29	Inf	-Inf	32.15	3	Horizontal	180	1.06	-	77.14	27.68	4.47	-
PK	2.484G	63.07	74.00	-10.93	32.30	3	Horizontal	180	1.06	-	30.77	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92384G	31.83	54.00	-22.17	4.83	3	Vertical	97	1.01	-	27.00	32.94	6.33	34.44
AV	7.35056G	37.51	54.00	-16.49	10.21	3	Vertical	287	1.50	-	27.30	36.90	8.13	34.82
PK	4.92056G	44.23	74.00	-29.77	4.81	3	Vertical	97	1.01	-	39.42	32.92	6.33	34.44
PK	7.34784G	50.13	74.00	-23.87	10.20	3	Vertical	287	1.50	-	39.93	36.89	8.13	34.82

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	31.83	54.00	-22.17	4.83	3	Horizontal	70	2.54	-	27.00	32.94	6.33	34.44
AV	7.3512G	37.50	54.00	-16.50	10.20	3	Horizontal	145	2.35	-	27.30	36.89	8.13	34.82
PK	4.90808G	44.31	74.00	-29.69	4.73	3	Horizontal	70	2.54	-	39.58	32.85	6.32	34.44
PK	7.3412G	49.61	74.00	-24.39	10.17	3	Horizontal	145	2.35	-	39.44	36.86	8.13	34.82

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	45.67	54.00	-8.33	31.75	3	Vertical	170	1.00	-	13.92	27.38	4.37	-
AV	2.4618G	90.30	Inf	-Inf	32.14	3	Vertical	170	1.00	-	58.16	27.67	4.47	-
AV	2.4835G	49.70	54.00	-4.30	32.30	3	Vertical	170	1.00	-	17.40	27.80	4.50	-
PK	2.385G	58.68	74.00	-15.32	31.73	3	Vertical	170	1.00	-	26.95	27.37	4.36	-
PK	2.4634G	102.70	Inf	-Inf	32.15	3	Vertical	170	1.00	-	70.55	27.68	4.47	-
PK	2.4838G	63.61	74.00	-10.39	32.30	3	Vertical	170	1.00	-	31.31	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.68	54.00	-8.32	31.75	3	Horizontal	182	1.04	-	13.93	27.38	4.37	-
AV	2.4522G	95.25	Inf	-Inf	32.07	3	Horizontal	182	1.04	-	63.18	27.61	4.46	-
AV	2.4835G	52.38	54.00	-1.62	32.30	3	Horizontal	182	1.04	-	20.08	27.80	4.50	-
PK	2.3798G	57.69	74.00	-16.31	31.72	3	Horizontal	182	1.04	-	25.97	27.36	4.36	-
PK	2.4518G	108.11	Inf	-Inf	32.07	3	Horizontal	182	1.04	-	76.04	27.61	4.46	-
PK	2.4842G	68.66	74.00	-5.34	32.31	3	Horizontal	182	1.04	-	36.35	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9244G	31.84	54.00	-22.16	4.84	3	Vertical	77	1.63	-	27.00	32.95	6.33	34.44
AV	7.35292G	37.47	54.00	-16.53	10.19	3	Vertical	351	1.84	-	27.28	36.88	8.13	34.82
PK	4.91472G	44.64	74.00	-29.36	4.78	3	Vertical	77	1.63	-	39.86	32.89	6.33	34.44
PK	7.35252G	50.18	74.00	-23.82	10.19	3	Vertical	351	1.84	-	39.99	36.88	8.13	34.82

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9248G	31.85	54.00	-22.15	4.84	3	Horizontal	307	1.25	-	27.01	32.95	6.33	34.44
AV	7.3518G	37.49	54.00	-16.51	10.20	3	Horizontal	35	2.90	-	27.29	36.89	8.13	34.82
PK	4.89944G	44.11	74.00	-29.89	4.68	3	Horizontal	307	1.25	-	39.43	32.80	6.32	34.44
PK	7.3518G	50.14	74.00	-23.86	10.20	3	Horizontal	35	2.90	-	39.94	36.89	8.13	34.82

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	45.68	54.00	-8.32	31.75	3	Vertical	170	1.01	-	13.93	27.38	4.37	-
AV	2.4632G	89.00	Inf	-Inf	32.15	3	Vertical	170	1.01	-	56.85	27.68	4.47	-
AV	2.4835G	49.52	54.00	-4.48	32.30	3	Vertical	170	1.01	-	17.22	27.80	4.50	-
PK	2.39G	58.01	74.00	-15.99	31.75	3	Vertical	170	1.01	-	26.26	27.38	4.37	-
PK	2.4636G	101.16	Inf	-Inf	32.15	3	Vertical	170	1.01	-	69.01	27.68	4.47	-
PK	2.4835G	67.28	74.00	-6.72	32.30	3	Vertical	170	1.01	-	34.98	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.68	54.00	-8.32	31.75	3	Horizontal	180	1.48	-	13.93	27.38	4.37	-
AV	2.4632G	93.97	Inf	-Inf	32.15	3	Horizontal	180	1.48	-	61.82	27.68	4.47	-
AV	2.4835G	51.82	54.00	-2.18	32.30	3	Horizontal	180	1.48	-	19.52	27.80	4.50	-
PK	2.3752G	58.30	74.00	-15.70	31.70	3	Horizontal	180	1.48	-	26.60	27.35	4.35	-
PK	2.4644G	106.49	Inf	-Inf	32.16	3	Horizontal	180	1.48	-	74.33	27.69	4.47	-
PK	2.4835G	70.19	74.00	-3.81	32.30	3	Horizontal	180	1.48	-	37.89	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94192G	32.06	54.00	-21.94	4.96	3	Vertical	165	1.65	-	27.10	33.05	6.35	34.44
AV	7.36608G	37.27	54.00	-16.73	10.09	3	Vertical	70	2.98	-	27.18	36.80	8.12	34.83
PK	4.9232G	44.63	74.00	-29.37	4.83	3	Vertical	165	1.65	-	39.80	32.94	6.33	34.44
PK	7.36856G	50.73	74.00	-23.27	10.08	3	Vertical	70	2.98	-	40.65	36.79	8.12	34.83


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94312G	31.97	54.00	-22.03	4.97	3	Horizontal	190	1.90	-	27.00	33.06	6.35	34.44
AV	7.37072G	37.30	54.00	-16.70	10.07	3	Horizontal	286	1.97	-	27.23	36.78	8.12	34.83
PK	4.92408G	44.46	74.00	-29.54	4.83	3	Horizontal	190	1.90	-	39.63	32.94	6.33	34.44
PK	7.37688G	50.32	74.00	-23.68	10.03	3	Horizontal	286	1.97	-	40.29	36.74	8.12	34.83

**802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.91	54.00	-7.09	31.75	3	Vertical	234	1.01	-	15.16	27.38	4.37	-
AV	2.4396G	89.33	Inf	-Inf	32.00	3	Vertical	234	1.01	-	57.33	27.56	4.44	-
AV	2.4835G	47.39	54.00	-6.61	32.30	3	Vertical	234	1.01	-	15.09	27.80	4.50	-
PK	2.3812G	58.44	74.00	-15.56	31.72	3	Vertical	234	1.01	-	26.72	27.36	4.36	-
PK	2.4372G	101.63	Inf	-Inf	31.98	3	Vertical	234	1.01	-	69.65	27.55	4.43	-
PK	2.4872G	59.83	74.00	-14.17	32.33	3	Vertical	234	1.01	-	27.50	27.82	4.51	-


**802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.09	54.00	-1.91	31.75	3	Horizontal	181	1.38	-	20.34	27.38	4.37	-
AV	2.44G	97.28	Inf	-Inf	32.00	3	Horizontal	181	1.38	-	65.28	27.56	4.44	-
AV	2.4835G	50.24	54.00	-3.76	32.30	3	Horizontal	181	1.38	-	17.94	27.80	4.50	-
PK	2.39G	64.61	74.00	-9.39	31.75	3	Horizontal	181	1.38	-	32.86	27.38	4.37	-
PK	2.438G	109.08	Inf	-Inf	31.99	3	Horizontal	181	1.38	-	77.09	27.55	4.44	-
PK	2.4852G	63.16	74.00	-10.84	32.31	3	Horizontal	181	1.38	-	30.85	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.846G	31.43	54.00	-22.57	4.52	3	Vertical	360	1.46	-	26.91	32.68	6.29	34.45
AV	7.25216G	37.87	54.00	-16.13	10.26	3	Vertical	51	2.30	-	27.61	36.89	8.16	34.79
PK	4.8436G	43.88	74.00	-30.12	4.51	3	Vertical	360	1.46	-	39.37	32.67	6.29	34.45
PK	7.26224G	50.32	74.00	-23.68	10.22	3	Vertical	51	2.30	-	40.10	36.85	8.16	34.79

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84904G	31.28	54.00	-22.72	4.54	3	Horizontal	350	1.50	-	26.74	32.70	6.29	34.45
AV	7.25288G	37.78	54.00	-16.22	10.26	3	Horizontal	322	1.48	-	27.52	36.89	8.16	34.79
PK	4.85184G	43.81	74.00	-30.19	4.55	3	Horizontal	350	1.50	-	39.26	32.70	6.29	34.44
PK	7.2588G	50.20	74.00	-23.80	10.23	3	Horizontal	322	1.48	-	39.97	36.86	8.16	34.79

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.54	54.00	-6.46	31.75	3	Vertical	232	1.15	-	15.79	27.38	4.37	-
AV	2.445G	90.49	Inf	-Inf	32.03	3	Vertical	232	1.15	-	58.46	27.58	4.45	-
AV	2.4835G	48.26	54.00	-5.74	32.30	3	Vertical	232	1.15	-	15.96	27.80	4.50	-
PK	2.3898G	59.01	74.00	-14.99	31.75	3	Vertical	232	1.15	-	27.26	27.38	4.37	-
PK	2.4446G	101.43	Inf	-Inf	32.02	3	Vertical	232	1.15	-	69.41	27.58	4.44	-
PK	2.4862G	59.98	74.00	-14.02	32.32	3	Vertical	232	1.15	-	27.66	27.82	4.50	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.21	54.00	-2.79	31.75	3	Horizontal	181	1.31	-	19.46	27.38	4.37	-
AV	2.445G	97.92	Inf	-Inf	32.03	3	Horizontal	181	1.31	-	65.89	27.58	4.45	-
AV	2.4835G	51.38	54.00	-2.62	32.30	3	Horizontal	181	1.31	-	19.08	27.80	4.50	-
PK	2.3898G	65.39	74.00	-8.61	31.75	3	Horizontal	181	1.31	-	33.64	27.38	4.37	-
PK	2.4394G	108.65	Inf	-Inf	32.00	3	Horizontal	181	1.31	-	76.65	27.56	4.44	-
PK	2.485G	65.81	74.00	-8.19	32.31	3	Horizontal	181	1.31	-	33.50	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.82	54.00	-7.18	31.75	3	Vertical	232	1.20	-	15.07	27.38	4.37	-
AV	2.419G	89.65	Inf	-Inf	31.89	3	Vertical	232	1.20	-	57.76	27.48	4.41	-
AV	2.4842G	48.27	54.00	-5.73	32.31	3	Vertical	232	1.20	-	15.96	27.81	4.50	-
PK	2.369G	58.61	74.00	-15.39	31.69	3	Vertical	232	1.20	-	26.92	27.34	4.35	-
PK	2.4186G	102.20	Inf	-Inf	31.88	3	Vertical	232	1.20	-	70.32	27.47	4.41	-
PK	2.4838G	60.38	74.00	-13.62	32.30	3	Vertical	232	1.20	-	28.08	27.80	4.50	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.57	54.00	-4.43	31.75	3	Horizontal	182	1.19	-	17.82	27.38	4.37	-
AV	2.419G	97.31	Inf	-Inf	31.89	3	Horizontal	182	1.19	-	65.42	27.48	4.41	-
AV	2.4835G	51.05	54.00	-2.95	32.30	3	Horizontal	182	1.19	-	18.75	27.80	4.50	-
PK	2.3894G	61.25	74.00	-12.75	31.75	3	Horizontal	182	1.19	-	29.50	27.38	4.37	-
PK	2.4246G	109.68	Inf	-Inf	31.92	3	Horizontal	182	1.19	-	77.76	27.50	4.42	-
PK	2.4842G	62.44	74.00	-11.56	32.31	3	Horizontal	182	1.19	-	30.13	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88768G	31.39	54.00	-22.61	4.65	3	Vertical	309	1.50	-	26.74	32.78	6.31	34.44
AV	7.291G	37.38	54.00	-16.62	10.09	3	Vertical	15	1.20	-	27.29	36.74	8.15	34.80
PK	4.86256G	43.98	74.00	-30.02	4.59	3	Vertical	309	1.50	-	39.39	32.73	6.30	34.44
PK	7.297G	50.20	74.00	-23.80	10.05	3	Vertical	15	1.20	-	40.15	36.71	8.15	34.81

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88784G	31.48	54.00	-22.52	4.65	3	Horizontal	233	1.50	-	26.83	32.78	6.31	34.44
AV	7.29372G	37.43	54.00	-16.57	10.08	3	Horizontal	216	1.00	-	27.35	36.73	8.15	34.80
PK	4.88352G	44.39	74.00	-29.61	4.64	3	Horizontal	233	1.50	-	39.75	32.77	6.31	34.44
PK	7.291G	50.52	74.00	-23.48	10.09	3	Horizontal	216	1.00	-	40.43	36.74	8.15	34.80

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.31	54.00	-7.69	31.75	3	Vertical	233	1.15	-	14.56	27.38	4.37	-
AV	2.4458G	86.28	Inf	-Inf	32.03	3	Vertical	233	1.15	-	54.25	27.58	4.45	-
AV	2.4862G	48.28	54.00	-5.72	32.32	3	Vertical	233	1.15	-	15.96	27.82	4.50	-
PK	2.3722G	58.80	74.00	-15.20	31.69	3	Vertical	233	1.15	-	27.11	27.34	4.35	-
PK	2.4478G	98.07	Inf	-Inf	32.04	3	Vertical	233	1.15	-	66.03	27.59	4.45	-
PK	2.4835G	59.72	74.00	-14.28	32.30	3	Vertical	233	1.15	-	27.42	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.31	54.00	-6.69	31.75	3	Horizontal	182	1.29	-	15.56	27.38	4.37	-
AV	2.4482G	93.83	Inf	-Inf	32.04	3	Horizontal	182	1.29	-	61.79	27.59	4.45	-
AV	2.4838G	51.86	54.00	-2.14	32.30	3	Horizontal	182	1.29	-	19.56	27.80	4.50	-
PK	2.389G	58.82	74.00	-15.18	31.75	3	Horizontal	182	1.29	-	27.07	27.38	4.37	-
PK	2.449G	106.00	Inf	-Inf	32.05	3	Horizontal	182	1.29	-	73.95	27.60	4.45	-
PK	2.4846G	63.83	74.00	-10.17	32.31	3	Horizontal	182	1.29	-	31.52	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.68	54.00	-8.32	31.75	3	Vertical	225	1.17	-	13.93	27.38	4.37	-
AV	2.45G	85.25	Inf	-Inf	32.05	3	Vertical	225	1.17	-	53.20	27.60	4.45	-
AV	2.4844G	47.63	54.00	-6.37	32.31	3	Vertical	225	1.17	-	15.32	27.81	4.50	-
PK	2.382G	57.94	74.00	-16.06	31.72	3	Vertical	225	1.17	-	26.22	27.36	4.36	-
PK	2.4476G	97.77	Inf	-Inf	32.04	3	Vertical	225	1.17	-	65.73	27.59	4.45	-
PK	2.4848G	59.58	74.00	-14.42	32.31	3	Vertical	225	1.17	-	27.27	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.44	54.00	-7.56	31.75	3	Horizontal	183	1.40	-	14.69	27.38	4.37	-
AV	2.4476G	93.52	Inf	-Inf	32.04	3	Horizontal	183	1.40	-	61.48	27.59	4.45	-
AV	2.4835G	51.53	54.00	-2.47	32.30	3	Horizontal	183	1.40	-	19.23	27.80	4.50	-
PK	2.3604G	57.82	74.00	-16.18	31.66	3	Horizontal	183	1.40	-	26.16	27.32	4.34	-
PK	2.4476G	105.28	Inf	-Inf	32.04	3	Horizontal	183	1.40	-	73.24	27.59	4.45	-
PK	2.4856G	65.30	74.00	-8.70	32.31	3	Horizontal	183	1.40	-	32.99	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92208G	31.80	54.00	-22.20	4.82	3	Vertical	149	1.58	-	26.98	32.93	6.33	34.44
AV	7.35232G	37.49	54.00	-16.51	10.20	3	Vertical	181	2.82	-	27.29	36.89	8.13	34.82
PK	4.89832G	44.14	74.00	-29.86	4.68	3	Vertical	149	1.58	-	39.46	32.80	6.32	34.44
PK	7.35072G	49.96	74.00	-24.04	10.21	3	Vertical	181	2.82	-	39.75	36.90	8.13	34.82


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9232G	31.73	54.00	-22.27	4.83	3	Horizontal	183	2.40	-	26.90	32.94	6.33	34.44
AV	7.3532G	37.47	54.00	-16.53	10.19	3	Horizontal	42	1.68	-	27.28	36.88	8.13	34.82
PK	4.90768G	45.14	74.00	-28.86	4.73	3	Horizontal	183	2.40	-	40.41	32.85	6.32	34.44
PK	7.36552G	49.69	74.00	-24.31	10.10	3	Horizontal	42	1.68	-	39.59	36.81	8.12	34.83

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.68	54.00	-8.32	31.75	3	Vertical	227	1.09	-	13.93	27.38	4.37	-
AV	2.469G	80.09	Inf	-Inf	32.19	3	Vertical	227	1.09	-	47.90	27.71	4.48	-
AV	2.4835G	48.08	54.00	-5.92	32.30	3	Vertical	227	1.09	-	15.78	27.80	4.50	-
PK	2.3582G	57.70	74.00	-16.30	31.66	3	Vertical	227	1.09	-	26.04	27.32	4.34	-
PK	2.4662G	92.13	Inf	-Inf	32.18	3	Vertical	227	1.09	-	59.95	27.70	4.48	-
PK	2.4838G	59.92	74.00	-14.08	32.30	3	Vertical	227	1.09	-	27.62	27.80	4.50	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.68	54.00	-8.32	31.75	3	Horizontal	180	1.04	-	13.93	27.38	4.37	-
AV	2.4526G	87.81	Inf	-Inf	32.08	3	Horizontal	180	1.04	-	55.73	27.62	4.46	-
AV	2.4835G	51.68	54.00	-2.32	32.30	3	Horizontal	180	1.04	-	19.38	27.80	4.50	-
PK	2.3846G	58.02	74.00	-15.98	31.73	3	Horizontal	180	1.04	-	26.29	27.37	4.36	-
PK	2.447G	99.97	Inf	-Inf	32.04	3	Horizontal	180	1.04	-	67.93	27.59	4.45	-
PK	2.4835G	63.50	74.00	-10.50	32.30	3	Horizontal	180	1.04	-	31.20	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92296G	31.72	54.00	-22.28	4.83	3	Vertical	142	2.00	-	26.89	32.94	6.33	34.44
AV	7.3526G	37.48	54.00	-16.52	10.19	3	Vertical	81	2.19	-	27.29	36.88	8.13	34.82
PK	4.8964G	44.05	74.00	-29.95	4.67	3	Vertical	142	2.00	-	39.38	32.79	6.32	34.44
PK	7.38468G	50.23	74.00	-23.77	9.98	3	Vertical	81	2.19	-	40.25	36.69	8.12	34.83

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92448G	31.84	54.00	-22.16	4.84	3	Horizontal	166	1.28	-	27.00	32.95	6.33	34.44
AV	7.35412G	37.46	54.00	-16.54	10.19	3	Horizontal	177	1.18	-	27.27	36.88	8.13	34.82
PK	4.92832G	44.08	74.00	-29.92	4.87	3	Horizontal	166	1.28	-	39.21	32.97	6.34	34.44
PK	7.35444G	50.20	74.00	-23.80	10.18	3	Horizontal	177	1.18	-	40.02	36.87	8.13	34.82

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	45.67	54.00	-8.33	31.75	3	Vertical	227	1.04	-	13.92	27.38	4.37	-
AV	2.4744G	80.04	Inf	-Inf	32.24	3	Vertical	227	1.04	-	47.80	27.75	4.49	-
AV	2.4844G	47.40	54.00	-6.60	32.31	3	Vertical	227	1.04	-	15.09	27.81	4.50	-
PK	2.3888G	58.49	74.00	-15.51	31.75	3	Vertical	227	1.04	-	26.74	27.38	4.37	-
PK	2.4748G	93.35	Inf	-Inf	32.24	3	Vertical	227	1.04	-	61.11	27.75	4.49	-
PK	2.484G	67.13	74.00	-6.87	32.30	3	Vertical	227	1.04	-	34.83	27.80	4.50	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	45.67	54.00	-8.33	31.75	3	Horizontal	181	1.17	-	13.92	27.38	4.37	-
AV	2.476G	87.49	Inf	-Inf	32.25	3	Horizontal	181	1.17	-	55.24	27.76	4.49	-
AV	2.4835G	50.06	54.00	-3.94	32.30	3	Horizontal	181	1.17	-	17.76	27.80	4.50	-
PK	2.3792G	58.25	74.00	-15.75	31.72	3	Horizontal	181	1.17	-	26.53	27.36	4.36	-
PK	2.4768G	100.34	Inf	-Inf	32.25	3	Horizontal	181	1.17	-	68.09	27.76	4.49	-
PK	2.49G	69.88	74.00	-4.12	32.35	3	Horizontal	181	1.17	-	37.53	27.84	4.51	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9436G	31.97	54.00	-22.03	4.97	3	Vertical	60	1.70	-	27.00	33.06	6.35	34.44
AV	7.36896G	37.33	54.00	-16.67	10.08	3	Vertical	70	2.33	-	27.25	36.79	8.12	34.83
PK	4.93864G	44.43	74.00	-29.57	4.93	3	Vertical	60	1.70	-	39.50	33.03	6.34	34.44
PK	7.38664G	49.29	74.00	-24.71	9.96	3	Vertical	70	2.33	-	39.33	36.68	8.11	34.83

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94296G	31.97	54.00	-22.03	4.97	3	Horizontal	249	1.23	-	27.00	33.06	6.35	34.44
AV	7.37384G	37.26	54.00	-16.74	10.05	3	Horizontal	93	3.00	-	27.21	36.76	8.12	34.83
PK	4.9432G	44.41	74.00	-29.59	4.97	3	Horizontal	249	1.23	-	39.44	33.06	6.35	34.44
PK	7.39624G	49.92	74.00	-24.08	9.89	3	Horizontal	93	3.00	-	40.03	36.62	8.11	34.84

802.11n HT20_Nss1,(MCS8)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.91	54.00	-6.09	31.75	3	Vertical	169	1.05	-	16.16	27.38	4.37	-
AV	2.4198G	98.53	Inf	-Inf	31.89	3	Vertical	169	1.05	-	66.64	27.48	4.41	-
PK	2.3692G	58.35	74.00	-15.65	31.69	3	Vertical	169	1.05	-	26.66	27.34	4.35	-
PK	2.4186G	108.35	Inf	-Inf	31.88	3	Vertical	169	1.05	-	76.47	27.47	4.41	-


802.11n HT20_Nss1,(MCS8)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.35	54.00	-2.65	31.75	3	Horizontal	181	1.30	-	19.60	27.38	4.37	-
AV	2.4196G	105.39	Inf	-Inf	31.89	3	Horizontal	181	1.30	-	73.50	27.48	4.41	-
PK	2.39G	63.96	74.00	-10.04	31.75	3	Horizontal	181	1.30	-	32.21	27.38	4.37	-
PK	2.4186G	116.30	Inf	-Inf	31.88	3	Horizontal	181	1.30	-	84.42	27.47	4.41	-

**802.11n HT20_Nss1,(MCS8)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82562G	30.47	54.00	-23.53	4.43	3	Vertical	68	2.64	-	26.04	32.60	6.28	34.45
PK	4.82592G	42.40	74.00	-31.60	4.43	3	Vertical	68	2.64	-	37.97	32.60	6.28	34.45


**802.11n HT20_Nss1,(MCS8)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82412G	30.47	54.00	-23.53	4.42	3	Horizontal	131	2.10	-	26.05	32.60	6.27	34.45
PK	4.83234G	42.38	74.00	-31.62	4.46	3	Horizontal	131	2.10	-	37.92	32.63	6.28	34.45

802.11n HT20_Nss1,(MCS8)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.36	54.00	-5.64	31.75	3	Vertical	170	1.08	-	16.61	27.38	4.37	-
AV	2.4244G	99.98	Inf	-Inf	31.92	3	Vertical	170	1.08	-	68.06	27.50	4.42	-
PK	2.3884G	59.17	74.00	-14.83	31.75	3	Vertical	170	1.08	-	27.42	27.38	4.37	-
PK	2.42G	109.56	Inf	-Inf	31.89	3	Vertical	170	1.08	-	77.67	27.48	4.41	-


802.11n HT20_Nss1,(MCS8)_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.39	54.00	-1.61	31.75	3	Horizontal	180	1.31	-	20.64	27.38	4.37	-
AV	2.4246G	107.02	Inf	-Inf	31.92	3	Horizontal	180	1.31	-	75.10	27.50	4.42	-
PK	2.3898G	63.03	74.00	-10.97	31.75	3	Horizontal	180	1.31	-	31.28	27.38	4.37	-
PK	2.4232G	117.02	Inf	-Inf	31.90	3	Horizontal	180	1.31	-	85.12	27.49	4.41	-

802.11n HT20_Nss1,(MCS8)_2TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.91	54.00	-7.09	31.75	3	Vertical	170	1.10	-	15.16	27.38	4.37	-
AV	2.431G	102.26	Inf	-Inf	31.94	3	Vertical	170	1.10	-	70.32	27.52	4.42	-
AV	2.4878G	47.90	54.00	-6.10	32.34	3	Vertical	170	1.10	-	15.56	27.83	4.51	-
PK	2.3826G	58.60	74.00	-15.40	31.73	3	Vertical	170	1.10	-	26.87	27.37	4.36	-
PK	2.435G	111.43	Inf	-Inf	31.97	3	Vertical	170	1.10	-	79.46	27.54	4.43	-
PK	2.4874G	59.21	74.00	-14.79	32.33	3	Vertical	170	1.10	-	26.88	27.82	4.51	-


802.11n HT20_Nss1,(MCS8)_2TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.80	54.00	-5.20	31.75	3	Horizontal	180	1.19	-	17.05	27.38	4.37	-
AV	2.4426G	109.20	Inf	-Inf	32.01	3	Horizontal	180	1.19	-	77.19	27.57	4.44	-
AV	2.4835G	50.56	54.00	-3.44	32.30	3	Horizontal	180	1.19	-	18.26	27.80	4.50	-
PK	2.3898G	61.22	74.00	-12.78	31.75	3	Horizontal	180	1.19	-	29.47	27.38	4.37	-
PK	2.4438G	119.86	Inf	-Inf	32.02	3	Horizontal	180	1.19	-	87.84	27.58	4.44	-
PK	2.4846G	63.22	74.00	-10.78	32.31	3	Horizontal	180	1.19	-	30.91	27.81	4.50	-

802.11n HT20_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86692G	30.78	54.00	-23.22	4.59	3	Vertical	340	2.69	-	26.19	32.73	6.30	34.44
AV	7.31628G	36.56	54.00	-17.44	10.10	3	Vertical	188	2.50	-	26.46	36.77	8.14	34.81
PK	4.86782G	42.93	74.00	-31.07	4.60	3	Vertical	340	2.69	-	38.33	32.74	6.30	34.44
PK	7.32192G	48.64	74.00	-25.36	10.12	3	Vertical	188	2.50	-	38.52	36.79	8.14	34.81

802.11n HT20_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86878G	30.80	54.00	-23.20	4.60	3	Horizontal	358	2.94	-	26.20	32.74	6.30	34.44
AV	7.31502G	36.54	54.00	-17.46	10.09	3	Horizontal	224	2.93	-	26.45	36.76	8.14	34.81
PK	4.8644G	43.35	74.00	-30.65	4.59	3	Horizontal	358	2.94	-	38.76	32.73	6.30	34.44
PK	7.3005G	48.98	74.00	-25.02	10.03	3	Horizontal	224	2.93	-	38.95	36.70	8.14	34.81

802.11n HT20_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4624G	101.56	Inf	-Inf	32.14	3	Vertical	170	1.05	-	69.42	27.67	4.47	-
AV	2.4844G	48.39	54.00	-5.61	32.31	3	Vertical	170	1.05	-	16.08	27.81	4.50	-
PK	2.4632G	110.87	Inf	-Inf	32.15	3	Vertical	170	1.05	-	78.72	27.68	4.47	-
PK	2.4992G	58.97	74.00	-15.03	32.42	3	Vertical	170	1.05	-	26.55	27.90	4.52	-

802.11n HT20_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	107.82	Inf	-Inf	32.15	3	Horizontal	180	1.12	-	75.67	27.68	4.47	-
AV	2.4835G	52.14	54.00	-1.86	32.30	3	Horizontal	180	1.12	-	19.84	27.80	4.50	-
PK	2.4508G	118.11	Inf	-Inf	32.05	3	Horizontal	180	1.12	-	86.06	27.60	4.45	-
PK	2.4844G	63.04	74.00	-10.96	32.31	3	Horizontal	180	1.12	-	30.73	27.81	4.50	-

802.11n HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	97.71	Inf	-Inf	32.16	3	Vertical	169	1.06	-	65.55	27.69	4.47	-
AV	2.4835G	48.62	54.00	-5.38	32.30	3	Vertical	169	1.06	-	16.32	27.80	4.50	-
PK	2.4582G	107.25	Inf	-Inf	32.11	3	Vertical	169	1.06	-	75.14	27.65	4.46	-
PK	2.486G	60.21	74.00	-13.79	32.32	3	Vertical	169	1.06	-	27.89	27.82	4.50	-

802.11n HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.467G	104.29	Inf	-Inf	32.18	3	Horizontal	180	1.28	-	72.11	27.70	4.48	-
AV	2.4835G	52.14	54.00	-1.86	32.30	3	Horizontal	180	1.28	-	19.84	27.80	4.50	-
PK	2.4686G	114.51	Inf	-Inf	32.19	3	Horizontal	180	1.28	-	82.32	27.71	4.48	-
PK	2.4835G	63.86	74.00	-10.14	32.30	3	Horizontal	180	1.28	-	31.56	27.80	4.50	-

802.11n HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9387G	31.22	54.00	-22.78	4.93	3	Vertical	224	2.86	-	26.29	33.03	6.34	34.44
AV	7.37532G	36.46	54.00	-17.54	10.04	3	Vertical	264	1.23	-	26.42	36.75	8.12	34.83
PK	4.91908G	43.01	74.00	-30.99	4.80	3	Vertical	224	2.86	-	38.21	32.91	6.33	34.44
PK	7.39098G	48.79	74.00	-25.21	9.92	3	Vertical	264	1.23	-	38.87	36.65	8.11	34.84

802.11n HT20_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93888G	31.22	54.00	-22.78	4.93	3	Horizontal	101	1.48	-	26.29	33.03	6.34	34.44
AV	7.37532G	36.46	54.00	-17.54	10.04	3	Horizontal	250	1.04	-	26.42	36.75	8.12	34.83
PK	4.9378G	43.59	74.00	-30.41	4.93	3	Horizontal	101	1.48	-	38.66	33.03	6.34	34.44
PK	7.37658G	48.49	74.00	-25.51	10.03	3	Horizontal	250	1.04	-	38.46	36.74	8.12	34.83

802.11n HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	94.37	Inf	-Inf	32.15	3	Vertical	169	1.06	-	62.22	27.68	4.47	-
AV	2.4835G	49.09	54.00	-4.91	32.30	3	Vertical	169	1.06	-	16.79	27.80	4.50	-
PK	2.463G	103.90	Inf	-Inf	32.15	3	Vertical	169	1.06	-	71.75	27.68	4.47	-
PK	2.4835G	61.32	74.00	-12.68	32.30	3	Vertical	169	1.06	-	29.02	27.80	4.50	-

802.11n HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	100.95	Inf	-Inf	32.19	3	Horizontal	181	1.29	-	68.76	27.71	4.48	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	181	1.29	-	20.00	27.80	4.50	-
PK	2.469G	111.51	Inf	-Inf	32.19	3	Horizontal	181	1.29	-	79.32	27.71	4.48	-
PK	2.4835G	64.07	74.00	-9.93	32.30	3	Horizontal	181	1.29	-	31.77	27.80	4.50	-

802.11n HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94126G	31.33	54.00	-22.67	4.95	3	Vertical	306	1.11	-	26.38	33.05	6.34	34.44
AV	7.386G	36.30	54.00	-17.70	9.96	3	Vertical	110	1.28	-	26.34	36.68	8.11	34.83
PK	4.94438G	43.36	74.00	-30.64	4.98	3	Vertical	306	1.11	-	38.38	33.07	6.35	34.44
PK	7.40838G	48.17	74.00	-25.83	9.88	3	Vertical	110	1.28	-	38.29	36.60	8.12	34.84

802.11n HT20_Nss1,(MCS8)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94102G	31.33	54.00	-22.67	4.95	3	Horizontal	139	2.92	-	26.38	33.05	6.34	34.44
AV	7.38744G	36.29	54.00	-17.71	9.96	3	Horizontal	328	2.66	-	26.33	36.68	8.11	34.83
PK	4.93418G	43.54	74.00	-30.46	4.91	3	Horizontal	139	2.92	-	38.63	33.01	6.34	34.44
PK	7.39878G	47.63	74.00	-26.37	9.88	3	Horizontal	328	2.66	-	37.75	36.61	8.11	34.84

802.11n HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	85.73	Inf	-Inf	32.16	3	Vertical	171	1.05	-	53.57	27.69	4.47	-
AV	2.4835G	48.12	54.00	-5.88	32.30	3	Vertical	171	1.05	-	15.82	27.80	4.50	-
PK	2.4656G	95.38	Inf	-Inf	32.17	3	Vertical	171	1.05	-	63.21	27.69	4.48	-
PK	2.4914G	60.10	74.00	-13.90	32.36	3	Vertical	171	1.05	-	27.74	27.85	4.51	-

802.11n HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4674G	93.18	Inf	-Inf	32.18	3	Horizontal	179	1.28	-	61.00	27.70	4.48	-
AV	2.4835G	49.96	54.00	-4.04	32.30	3	Horizontal	179	1.28	-	17.66	27.80	4.50	-
PK	2.4736G	103.39	Inf	-Inf	32.23	3	Horizontal	179	1.28	-	71.16	27.74	4.49	-
PK	2.4835G	72.25	74.00	-1.75	32.30	3	Horizontal	179	1.28	-	39.95	27.80	4.50	-

802.11n HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94172G	31.25	54.00	-22.75	4.96	3	Vertical	37	1.55	-	26.29	33.05	6.35	34.44
AV	7.42518G	36.15	54.00	-17.85	9.90	3	Vertical	234	1.77	-	26.25	36.60	8.15	34.85
PK	4.9587G	43.31	74.00	-30.69	5.06	3	Vertical	37	1.55	-	38.25	33.13	6.36	34.43
PK	7.42914G	47.66	74.00	-26.34	9.90	3	Vertical	234	1.77	-	37.76	36.60	8.15	34.85

802.11n HT20_Nss1,(MCS8)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.941G	31.33	54.00	-22.67	4.95	3	Horizontal	246	2.25	-	26.38	33.05	6.34	34.44
AV	7.42332G	36.12	54.00	-17.88	9.89	3	Horizontal	20	2.24	-	26.23	36.60	8.14	34.85
PK	4.9479G	42.88	74.00	-31.12	5.00	3	Horizontal	246	2.25	-	37.88	33.09	6.35	34.44
PK	7.40814G	48.04	74.00	-25.96	9.88	3	Horizontal	20	2.24	-	38.16	36.60	8.12	34.84

802.11n HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.91	54.00	-6.09	31.75	3	Vertical	169	1.08	-	16.16	27.38	4.37	-
AV	2.424G	86.03	Inf	-Inf	31.91	3	Vertical	169	1.08	-	54.12	27.50	4.41	-
AV	2.4868G	47.89	54.00	-6.11	32.33	3	Vertical	169	1.08	-	15.56	27.82	4.51	-
PK	2.3384G	58.29	74.00	-15.71	31.57	3	Vertical	169	1.08	-	26.72	27.25	4.32	-
PK	2.426G	94.76	Inf	-Inf	31.92	3	Vertical	169	1.08	-	62.84	27.50	4.42	-
PK	2.4972G	58.88	74.00	-15.12	32.40	3	Vertical	169	1.08	-	26.48	27.88	4.52	-

802.11n HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.52	54.00	-3.48	31.75	3	Horizontal	179	1.30	-	18.77	27.38	4.37	-
AV	2.4252G	93.04	Inf	-Inf	31.92	3	Horizontal	179	1.30	-	61.12	27.50	4.42	-
AV	2.4844G	48.39	54.00	-5.61	32.31	3	Horizontal	179	1.30	-	16.08	27.81	4.50	-
PK	2.3892G	60.25	74.00	-13.75	31.75	3	Horizontal	179	1.30	-	28.50	27.38	4.37	-
PK	2.4136G	102.33	Inf	-Inf	31.85	3	Horizontal	179	1.30	-	70.48	27.45	4.40	-
PK	2.486G	59.41	74.00	-14.59	32.32	3	Horizontal	179	1.30	-	27.09	27.82	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85188G	29.00	54.00	-25.00	4.55	3	Vertical	26	2.41	-	24.45	32.70	6.29	34.44
AV	7.27272G	34.56	54.00	-19.44	10.16	3	Vertical	321	2.83	-	24.40	36.81	8.15	34.80
PK	4.8536G	42.31	74.00	-31.69	4.56	3	Vertical	26	2.41	-	37.75	32.71	6.29	34.44
PK	7.27528G	47.31	74.00	-26.69	10.15	3	Vertical	321	2.83	-	37.16	36.80	8.15	34.80

802.11n HT40_Nss1,(MCS8)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85036G	29.02	54.00	-24.98	4.55	3	Horizontal	183	1.04	-	24.47	32.70	6.29	34.44
AV	7.27416G	34.52	54.00	-19.48	10.15	3	Horizontal	146	1.43	-	24.37	36.80	8.15	34.80
PK	4.83728G	42.40	74.00	-31.60	4.48	3	Horizontal	183	1.04	-	37.92	32.65	6.28	34.45
PK	7.2714G	47.37	74.00	-26.63	10.17	3	Horizontal	146	1.43	-	37.20	36.81	8.16	34.80

802.11n HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.58	54.00	-5.42	31.75	3	Vertical	168	1.08	-	16.83	27.38	4.37	-
AV	2.4246G	91.07	Inf	-Inf	31.92	3	Vertical	168	1.08	-	59.15	27.50	4.42	-
AV	2.4835G	48.12	54.00	-5.88	32.30	3	Vertical	168	1.08	-	15.82	27.80	4.50	-
PK	2.3882G	59.29	74.00	-14.71	31.75	3	Vertical	168	1.08	-	27.54	27.38	4.37	-
PK	2.4254G	99.87	Inf	-Inf	31.92	3	Vertical	168	1.08	-	67.95	27.50	4.42	-
PK	2.4842G	60.07	74.00	-13.93	32.31	3	Vertical	168	1.08	-	27.76	27.81	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.51	54.00	-2.49	31.75	3	Horizontal	180	1.30	-	19.76	27.38	4.37	-
AV	2.4242G	97.79	Inf	-Inf	31.92	3	Horizontal	180	1.30	-	65.87	27.50	4.42	-
AV	2.4835G	50.36	54.00	-3.64	32.30	3	Horizontal	180	1.30	-	18.06	27.80	4.50	-
PK	2.3898G	62.53	74.00	-11.47	31.75	3	Horizontal	180	1.30	-	30.78	27.38	4.37	-
PK	2.435G	108.34	Inf	-Inf	31.97	3	Horizontal	180	1.30	-	76.37	27.54	4.43	-
PK	2.4858G	60.81	74.00	-13.19	32.31	3	Horizontal	180	1.30	-	28.50	27.81	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86348G	29.23	54.00	-24.77	4.59	3	Vertical	89	2.25	-	24.64	32.73	6.30	34.44
AV	7.27708G	34.57	54.00	-19.43	10.14	3	Vertical	134	2.33	-	24.43	36.79	8.15	34.80
PK	4.86312G	42.83	74.00	-31.17	4.59	3	Vertical	89	2.25	-	38.24	32.73	6.30	34.44
PK	7.27732G	47.90	74.00	-26.10	10.14	3	Vertical	134	2.33	-	37.76	36.79	8.15	34.80

802.11n HT40_Nss1,(MCS8)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86376G	29.32	54.00	-24.68	4.59	3	Horizontal	235	1.13	-	24.73	32.73	6.30	34.44
AV	7.2728G	34.53	54.00	-19.47	10.16	3	Horizontal	240	1.08	-	24.37	36.81	8.15	34.80
PK	4.85128G	42.50	74.00	-31.50	4.55	3	Horizontal	235	1.13	-	37.95	32.70	6.29	34.44
PK	7.27132G	47.96	74.00	-26.04	10.17	3	Horizontal	240	1.08	-	37.79	36.81	8.16	34.80

802.11n HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.42	54.00	-6.58	31.75	3	Vertical	170	1.01	-	15.67	27.38	4.37	-
AV	2.4546G	91.15	Inf	-Inf	32.09	3	Vertical	170	1.01	-	59.06	27.63	4.46	-
AV	2.4842G	49.33	54.00	-4.67	32.31	3	Vertical	170	1.01	-	17.02	27.81	4.50	-
PK	2.371G	59.09	74.00	-14.91	31.69	3	Vertical	170	1.01	-	27.40	27.34	4.35	-
PK	2.4486G	100.09	Inf	-Inf	32.04	3	Vertical	170	1.01	-	68.05	27.59	4.45	-
PK	2.4842G	60.01	74.00	-13.99	32.31	3	Vertical	170	1.01	-	27.70	27.81	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.61	54.00	-4.39	31.75	3	Horizontal	181	1.18	-	17.86	27.38	4.37	-
AV	2.4414G	97.51	Inf	-Inf	32.01	3	Horizontal	181	1.18	-	65.50	27.57	4.44	-
AV	2.4835G	52.30	54.00	-1.70	32.30	3	Horizontal	181	1.18	-	20.00	27.80	4.50	-
PK	2.3894G	59.97	74.00	-14.03	31.75	3	Horizontal	181	1.18	-	28.22	27.38	4.37	-
PK	2.4462G	107.73	Inf	-Inf	32.03	3	Horizontal	181	1.18	-	75.70	27.58	4.45	-
PK	2.4838G	64.31	74.00	-9.69	32.30	3	Horizontal	181	1.18	-	32.01	27.80	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8652G	29.31	54.00	-24.69	4.59	3	Vertical	293	1.55	-	24.72	32.73	6.30	34.44
AV	7.2896G	34.75	54.00	-19.25	10.09	3	Vertical	165	2.12	-	24.66	36.74	8.15	34.80
PK	4.87656G	42.84	74.00	-31.16	4.62	3	Vertical	293	1.55	-	38.22	32.75	6.31	34.44
PK	7.3328G	48.53	74.00	-25.47	10.14	3	Vertical	165	2.12	-	38.39	36.83	8.13	34.82

802.11n HT40_Nss1,(MCS8)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8809G	29.58	54.00	-24.42	4.63	3	Horizontal	62	2.98	-	24.95	32.76	6.31	34.44
AV	7.2905G	34.73	54.00	-19.27	10.09	3	Horizontal	115	1.50	-	24.64	36.74	8.15	34.80
PK	4.8869G	42.38	74.00	-31.62	4.64	3	Horizontal	62	2.98	-	37.74	32.77	6.31	34.44
PK	7.3303G	48.42	74.00	-25.58	10.13	3	Horizontal	115	1.50	-	38.29	36.82	8.13	34.82

802.11n HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3574G	46.80	54.00	-7.20	31.65	3	Vertical	169	1.04	-	15.15	27.31	4.34	-
AV	2.4626G	88.99	Inf	-Inf	32.15	3	Vertical	169	1.04	-	56.84	27.68	4.47	-
AV	2.4842G	48.87	54.00	-5.13	32.31	3	Vertical	169	1.04	-	16.56	27.81	4.50	-
PK	2.373G	58.15	74.00	-15.85	31.70	3	Vertical	169	1.04	-	26.45	27.35	4.35	-
PK	2.4638G	98.20	Inf	-Inf	32.15	3	Vertical	169	1.04	-	66.05	27.68	4.47	-
PK	2.4998G	60.01	74.00	-13.99	32.42	3	Vertical	169	1.04	-	27.59	27.90	4.52	-

802.11n HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.17	54.00	-6.83	31.75	3	Horizontal	178	1.07	-	15.42	27.38	4.37	-
AV	2.4618G	95.14	Inf	-Inf	32.14	3	Horizontal	178	1.07	-	63.00	27.67	4.47	-
AV	2.4835G	52.46	54.00	-1.54	32.30	3	Horizontal	178	1.07	-	20.16	27.80	4.50	-
PK	2.3898G	58.98	74.00	-15.02	31.75	3	Horizontal	178	1.07	-	27.23	27.38	4.37	-
PK	2.4414G	105.40	Inf	-Inf	32.01	3	Horizontal	178	1.07	-	73.39	27.57	4.44	-
PK	2.4862G	64.08	74.00	-9.92	32.32	3	Horizontal	178	1.07	-	31.76	27.82	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9032G	29.77	54.00	-24.23	4.70	3	Vertical	336	1.58	-	25.07	32.82	6.32	34.44
AV	7.3508G	34.81	54.00	-19.19	10.21	3	Vertical	329	1.27	-	24.60	36.90	8.13	34.82
PK	4.8753G	42.44	74.00	-31.56	4.62	3	Vertical	336	1.58	-	37.82	32.75	6.31	34.44
PK	7.3525G	48.33	74.00	-25.67	10.19	3	Vertical	329	1.27	-	38.14	36.88	8.13	34.82

802.11n HT40_Nss1,(MCS8)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9049G	29.81	54.00	-24.19	4.71	3	Horizontal	292	2.17	-	25.10	32.83	6.32	34.44
AV	7.3508G	34.78	54.00	-19.22	10.21	3	Horizontal	16	2.88	-	24.57	36.90	8.13	34.82
PK	4.9069G	43.51	74.00	-30.49	4.72	3	Horizontal	292	2.17	-	38.79	32.84	6.32	34.44
PK	7.3459G	47.51	74.00	-26.49	10.19	3	Horizontal	16	2.88	-	37.32	36.88	8.13	34.82

802.11n HT40_Nss1,(MCS8)_2TX

2452MHz_TX




09/05/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.91	54.00	-7.09	31.75	3	Vertical	150	1.49	-	15.16	27.38	4.37	-
AV	2.4676G	86.97	Inf	-Inf	32.19	3	Vertical	150	1.49	-	54.78	27.71	4.48	-
AV	2.4868G	48.15	54.00	-5.85	32.33	3	Vertical	150	1.49	-	15.82	27.82	4.51	-
PK	2.368G	58.56	74.00	-15.44	31.69	3	Vertical	150	1.49	-	26.87	27.34	4.35	-
PK	2.4664G	96.46	Inf	-Inf	32.18	3	Vertical	150	1.49	-	64.28	27.70	4.48	-
PK	2.4952G	58.88	74.00	-15.12	32.39	3	Vertical	150	1.49	-	26.49	27.87	4.52	-

802.11n HT40_Nss1,(MCS8)_2TX

2452MHz_TX




09/05/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.67	54.00	-6.33	31.75	3	Horizontal	179	1.06	-	15.92	27.38	4.37	-
AV	2.462G	97.16	Inf	-Inf	32.14	3	Horizontal	179	1.06	-	65.02	27.67	4.47	-
AV	2.4835G	52.14	54.00	-1.86	32.30	3	Horizontal	179	1.06	-	19.84	27.80	4.50	-
PK	2.366G	58.81	74.00	-15.19	31.67	3	Horizontal	179	1.06	-	27.14	27.33	4.34	-
PK	2.4472G	107.06	Inf	-Inf	32.04	3	Horizontal	179	1.06	-	75.02	27.59	4.45	-
PK	2.4868G	62.59	74.00	-11.41	32.33	3	Horizontal	179	1.06	-	30.26	27.82	4.51	-

802.11n HT40_Nss1,(MCS8)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9206G	29.87	54.00	-24.13	4.81	3	Vertical	119	2.30	-	25.06	32.92	6.33	34.44
AV	7.3765G	34.88	54.00	-19.12	10.03	3	Vertical	358	1.39	-	24.85	36.74	8.12	34.83
PK	4.9174G	43.81	74.00	-30.19	4.79	3	Vertical	119	2.30	-	39.02	32.90	6.33	34.44
PK	7.3666G	47.72	74.00	-26.28	10.09	3	Vertical	358	1.39	-	37.63	36.80	8.12	34.83

802.11n HT40_Nss1,(MCS8)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9199G	29.97	54.00	-24.03	4.81	3	Horizontal	250	1.00	-	25.16	32.92	6.33	34.44
AV	7.3519G	34.85	54.00	-19.15	10.20	3	Horizontal	132	2.85	-	24.65	36.89	8.13	34.82
PK	4.881G	43.16	74.00	-30.84	4.63	3	Horizontal	250	1.00	-	38.53	32.76	6.31	34.44
PK	7.3506G	48.51	74.00	-25.49	10.21	3	Horizontal	132	2.85	-	38.30	36.90	8.13	34.82

802.11n HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3606G	42.71	54.00	-11.29	31.66	3	Vertical	174	1.04	-	11.05	27.32	4.34	-
AV	2.4598G	86.25	Inf	-Inf	32.13	3	Vertical	174	1.04	-	54.12	27.66	4.47	-
AV	2.4835G	45.50	54.00	-8.50	32.30	3	Vertical	174	1.04	-	13.20	27.80	4.50	-
PK	2.3638G	53.89	74.00	-20.11	31.67	3	Vertical	174	1.04	-	22.22	27.33	4.34	-
PK	2.449G	96.95	Inf	-Inf	32.05	3	Vertical	174	1.04	-	64.90	27.60	4.45	-
PK	2.4835G	55.83	74.00	-18.17	32.30	3	Vertical	174	1.04	-	23.53	27.80	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	43.68	54.00	-10.32	31.75	3	Horizontal	179	1.50	-	11.93	27.38	4.37	-
AV	2.463G	92.88	Inf	-Inf	32.15	3	Horizontal	179	1.50	-	60.73	27.68	4.47	-
AV	2.4835G	52.25	54.00	-1.75	32.30	3	Horizontal	179	1.50	-	19.95	27.80	4.50	-
PK	2.3674G	54.11	74.00	-19.89	31.68	3	Horizontal	179	1.50	-	22.43	27.33	4.35	-
PK	2.4682G	104.77	Inf	-Inf	32.19	3	Horizontal	179	1.50	-	72.58	27.71	4.48	-
PK	2.4835G	63.82	74.00	-10.18	32.30	3	Horizontal	179	1.50	-	31.52	27.80	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9229G	29.78	54.00	-24.22	4.83	3	Vertical	149	1.21	-	24.95	32.94	6.33	34.44
AV	7.3753G	34.68	54.00	-19.32	10.04	3	Vertical	295	1.68	-	24.64	36.75	8.12	34.83
PK	4.9232G	42.58	74.00	-31.42	4.83	3	Vertical	149	1.21	-	37.75	32.94	6.33	34.44
PK	7.3849G	47.75	74.00	-26.25	9.98	3	Vertical	295	1.68	-	37.77	36.69	8.12	34.83

802.11n HT40_Nss1,(MCS8)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.921G	29.74	54.00	-24.26	4.82	3	Horizontal	318	2.85	-	24.92	32.93	6.33	34.44
AV	7.3756G	34.71	54.00	-19.29	10.04	3	Horizontal	248	2.04	-	24.67	36.75	8.12	34.83
PK	4.9237G	43.18	74.00	-30.82	4.83	3	Horizontal	318	2.85	-	38.35	32.94	6.33	34.44
PK	7.3874G	48.71	74.00	-25.29	9.96	3	Horizontal	248	2.04	-	38.75	36.68	8.11	34.83

802.11n HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3632G	42.58	54.00	-11.42	31.67	3	Vertical	175	1.01	-	10.91	27.33	4.34	-
AV	2.46G	85.36	Inf	-Inf	32.13	3	Vertical	175	1.01	-	53.23	27.66	4.47	-
AV	2.4835G	46.56	54.00	-7.44	32.30	3	Vertical	175	1.01	-	14.26	27.80	4.50	-
PK	2.382G	53.43	74.00	-20.57	31.72	3	Vertical	175	1.01	-	21.71	27.36	4.36	-
PK	2.4588G	96.37	Inf	-Inf	32.12	3	Vertical	175	1.01	-	64.25	27.65	4.47	-
PK	2.4835G	61.02	74.00	-12.98	32.30	3	Vertical	175	1.01	-	28.72	27.80	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	42.76	54.00	-11.24	31.75	3	Horizontal	182	1.05	-	11.01	27.38	4.37	-
AV	2.4492G	92.20	Inf	-Inf	32.05	3	Horizontal	182	1.05	-	60.15	27.60	4.45	-
AV	2.4835G	52.32	54.00	-1.68	32.30	3	Horizontal	182	1.05	-	20.02	27.80	4.50	-
PK	2.3752G	54.87	74.00	-19.13	31.70	3	Horizontal	182	1.05	-	23.17	27.35	4.35	-
PK	2.4492G	104.46	Inf	-Inf	32.05	3	Horizontal	182	1.05	-	72.41	27.60	4.45	-
PK	2.486G	68.70	74.00	-5.30	32.32	3	Horizontal	182	1.05	-	36.38	27.82	4.50	-

802.11n HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9239G	29.98	54.00	-24.02	4.83	3	Vertical	278	2.30	-	25.15	32.94	6.33	34.44
AV	7.3764G	34.61	54.00	-19.39	10.03	3	Vertical	92	1.59	-	24.58	36.74	8.12	34.83
PK	4.9353G	42.83	74.00	-31.17	4.91	3	Vertical	278	2.30	-	37.92	33.01	6.34	34.44
PK	7.3624G	48.33	74.00	-25.67	10.12	3	Vertical	92	1.59	-	38.21	36.83	8.12	34.83

802.11n HT40_Nss1,(MCS8)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.941G	29.68	54.00	-24.32	4.95	3	Horizontal	192	1.28	-	24.73	33.05	6.34	34.44
AV	7.3805G	34.63	54.00	-19.37	10.01	3	Horizontal	61	2.90	-	24.62	36.72	8.12	34.83
PK	4.9192G	42.94	74.00	-31.06	4.81	3	Horizontal	192	1.28	-	38.13	32.92	6.33	34.44
PK	7.3802G	48.49	74.00	-25.51	10.01	3	Horizontal	61	2.90	-	38.48	36.72	8.12	34.83

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.90	54.00	-7.10	31.75	3	Vertical	170	1.08	-	15.15	27.38	4.37	-
AV	2.4204G	96.96	Inf	-Inf	31.89	3	Vertical	170	1.08	-	65.07	27.48	4.41	-
PK	2.3898G	58.38	74.00	-15.62	31.75	3	Vertical	170	1.08	-	26.63	27.38	4.37	-
PK	2.4176G	109.10	Inf	-Inf	31.88	3	Vertical	170	1.08	-	77.22	27.47	4.41	-


802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.87	54.00	-3.13	31.75	3	Horizontal	181	1.25	-	19.12	27.38	4.37	-
AV	2.4138G	103.70	Inf	-Inf	31.86	3	Horizontal	181	1.25	-	71.84	27.46	4.40	-
PK	2.3896G	63.30	74.00	-10.70	31.75	3	Horizontal	181	1.25	-	31.55	27.38	4.37	-
PK	2.4112G	116.43	Inf	-Inf	31.84	3	Horizontal	181	1.25	-	84.59	27.44	4.40	-

**802.11ax HEW20_Nss1,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8242G	31.35	54.00	-22.65	4.42	3	Vertical	118	1.86	-	26.93	32.60	6.27	34.45
PK	4.82172G	43.72	74.00	-30.28	4.41	3	Vertical	118	1.86	-	39.31	32.59	6.27	34.45


**802.11ax HEW20_Nss1,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8248G	31.17	54.00	-22.83	4.42	3	Horizontal	333	1.97	-	26.75	32.60	6.27	34.45
PK	4.81876G	44.00	74.00	-30.00	4.40	3	Horizontal	333	1.97	-	39.60	32.58	6.27	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.20	54.00	-5.80	31.75	3	Vertical	167	1.08	-	16.45	27.38	4.37	-
AV	2.4248G	99.61	Inf	-Inf	31.92	3	Vertical	167	1.08	-	67.69	27.50	4.42	-
PK	2.3888G	60.35	74.00	-13.65	31.75	3	Vertical	167	1.08	-	28.60	27.38	4.37	-
PK	2.4234G	111.34	Inf	-Inf	31.90	3	Vertical	167	1.08	-	79.44	27.49	4.41	-


802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.07	54.00	-1.93	31.75	3	Horizontal	179	1.09	-	20.32	27.38	4.37	-
AV	2.4248G	105.75	Inf	-Inf	31.92	3	Horizontal	179	1.09	-	73.83	27.50	4.42	-
PK	2.3894G	64.27	74.00	-9.73	31.75	3	Horizontal	179	1.09	-	32.52	27.38	4.37	-
PK	2.4222G	118.08	Inf	-Inf	31.90	3	Horizontal	179	1.09	-	86.18	27.49	4.41	-

**802.11ax HEW20_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.57	54.00	-7.43	31.75	3	Vertical	168	1.06	-	14.82	27.38	4.37	-
AV	2.4298G	102.08	Inf	-Inf	31.94	3	Vertical	168	1.06	-	70.14	27.52	4.42	-
AV	2.4866G	47.55	54.00	-6.45	32.33	3	Vertical	168	1.06	-	15.22	27.82	4.51	-
PK	2.3734G	58.75	74.00	-15.25	31.70	3	Vertical	168	1.06	-	27.05	27.35	4.35	-
PK	2.4314G	114.17	Inf	-Inf	31.96	3	Vertical	168	1.06	-	82.21	27.53	4.43	-
PK	2.485G	59.15	74.00	-14.85	32.31	3	Vertical	168	1.06	-	26.84	27.81	4.50	-


**802.11ax HEW20_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.41	54.00	-5.59	31.75	3	Horizontal	179	1.34	-	16.66	27.38	4.37	-
AV	2.4298G	108.62	Inf	-Inf	31.94	3	Horizontal	179	1.34	-	76.68	27.52	4.42	-
AV	2.4835G	50.52	54.00	-3.48	32.30	3	Horizontal	179	1.34	-	18.22	27.80	4.50	-
PK	2.389G	60.86	74.00	-13.14	31.75	3	Horizontal	179	1.34	-	29.11	27.38	4.37	-
PK	2.4286G	120.22	Inf	-Inf	31.93	3	Horizontal	179	1.34	-	88.29	27.51	4.42	-
PK	2.4842G	64.14	74.00	-9.86	32.31	3	Horizontal	179	1.34	-	31.83	27.81	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87382G	32.07	54.00	-21.93	4.61	3	Vertical	174	1.59	-	27.46	32.75	6.30	34.44
AV	7.31382G	37.27	54.00	-16.73	10.09	3	Vertical	168	1.27	-	27.18	36.76	8.14	34.81
PK	4.8693G	45.14	74.00	-28.86	4.60	3	Vertical	174	1.59	-	40.54	32.74	6.30	34.44
PK	7.30664G	50.20	74.00	-23.80	10.06	3	Vertical	168	1.27	-	40.14	36.73	8.14	34.81

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87382G	32.15	54.00	-21.85	4.61	3	Horizontal	248	1.65	-	27.54	32.75	6.30	34.44
AV	7.31376G	37.43	54.00	-16.57	10.09	3	Horizontal	227	1.00	-	27.34	36.76	8.14	34.81
PK	4.87438G	44.77	74.00	-29.23	4.61	3	Horizontal	248	1.65	-	40.16	32.75	6.30	34.44
PK	7.3146G	51.56	74.00	-22.44	10.09	3	Horizontal	227	1.00	-	41.47	36.76	8.14	34.81

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.464G	100.37	Inf	-Inf	32.15	3	Vertical	169	1.07	-	68.22	27.68	4.47	-
AV	2.4835G	48.26	54.00	-5.74	32.30	3	Vertical	169	1.07	-	15.96	27.80	4.50	-
PK	2.464G	113.05	Inf	-Inf	32.15	3	Vertical	169	1.07	-	80.90	27.68	4.47	-
PK	2.4842G	60.27	74.00	-13.73	32.31	3	Vertical	169	1.07	-	27.96	27.81	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4498G	106.91	Inf	-Inf	32.05	3	Horizontal	177	1.30	-	74.86	27.60	4.45	-
AV	2.4835G	51.38	54.00	-2.62	32.30	3	Horizontal	177	1.30	-	19.08	27.80	4.50	-
PK	2.452G	119.78	Inf	-Inf	32.07	3	Horizontal	177	1.30	-	87.71	27.61	4.46	-
PK	2.485G	63.02	74.00	-10.98	32.31	3	Horizontal	177	1.30	-	30.71	27.81	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	96.17	Inf	-Inf	32.15	3	Vertical	170	1.01	-	64.02	27.68	4.47	-
AV	2.4842G	47.63	54.00	-6.37	32.31	3	Vertical	170	1.01	-	15.32	27.81	4.50	-
PK	2.4644G	108.56	Inf	-Inf	32.16	3	Vertical	170	1.01	-	76.40	27.69	4.47	-
PK	2.485G	59.34	74.00	-14.66	32.31	3	Vertical	170	1.01	-	27.03	27.81	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	102.85	Inf	-Inf	32.09	3	Horizontal	182	1.04	-	70.76	27.63	4.46	-
AV	2.4835G	51.68	54.00	-2.32	32.30	3	Horizontal	182	1.04	-	19.38	27.80	4.50	-
PK	2.456G	115.36	Inf	-Inf	32.10	3	Horizontal	182	1.04	-	83.26	27.64	4.46	-
PK	2.4836G	64.15	74.00	-9.85	32.30	3	Horizontal	182	1.04	-	31.85	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92584G	31.59	54.00	-22.41	4.86	3	Vertical	230	1.67	-	26.73	32.96	6.34	34.44
AV	7.376G	36.97	54.00	-17.03	10.03	3	Vertical	154	2.11	-	26.94	36.74	8.12	34.83
PK	4.92496G	44.68	74.00	-29.32	4.84	3	Vertical	230	1.67	-	39.84	32.95	6.33	34.44
PK	7.38928G	50.10	74.00	-23.90	9.94	3	Vertical	154	2.11	-	40.16	36.66	8.11	34.83

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9262G	31.60	54.00	-22.40	4.86	3	Horizontal	106	1.10	-	26.74	32.96	6.34	34.44
AV	7.37604G	36.97	54.00	-17.03	10.03	3	Horizontal	86	2.37	-	26.94	36.74	8.12	34.83
PK	4.92564G	44.63	74.00	-29.37	4.85	3	Horizontal	106	1.10	-	39.78	32.95	6.34	34.44
PK	7.3832G	50.78	74.00	-23.22	9.99	3	Horizontal	86	2.37	-	40.79	36.70	8.12	34.83

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4618G	91.52	Inf	-Inf	32.14	3	Vertical	168	1.02	-	59.38	27.67	4.47	-
AV	2.4835G	48.08	54.00	-5.92	32.30	3	Vertical	168	1.02	-	15.78	27.80	4.50	-
PK	2.4636G	103.52	Inf	-Inf	32.15	3	Vertical	168	1.02	-	71.37	27.68	4.47	-
PK	2.484G	60.25	74.00	-13.75	32.30	3	Vertical	168	1.02	-	27.95	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	98.07	Inf	-Inf	32.16	3	Horizontal	179	1.50	-	65.91	27.69	4.47	-
AV	2.4835G	50.91	54.00	-3.09	32.30	3	Horizontal	179	1.50	-	18.61	27.80	4.50	-
PK	2.4674G	109.95	Inf	-Inf	32.18	3	Horizontal	179	1.50	-	77.77	27.70	4.48	-
PK	2.4836G	64.39	74.00	-9.61	32.30	3	Horizontal	179	1.50	-	32.09	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94252G	31.78	54.00	-22.22	4.97	3	Vertical	218	2.43	-	26.81	33.06	6.35	34.44
AV	7.391G	36.74	54.00	-17.26	9.92	3	Vertical	203	1.12	-	26.82	36.65	8.11	34.84
PK	4.94164G	45.13	74.00	-28.87	4.95	3	Vertical	218	2.43	-	40.18	33.05	6.34	34.44
PK	7.40484G	49.49	74.00	-24.51	9.88	3	Vertical	203	1.12	-	39.61	36.60	8.12	34.84

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94256G	31.78	54.00	-22.22	4.97	3	Horizontal	226	2.42	-	26.81	33.06	6.35	34.44
AV	7.391G	36.74	54.00	-17.26	9.92	3	Horizontal	219	1.56	-	26.82	36.65	8.11	34.84
PK	4.93176G	44.56	74.00	-29.44	4.89	3	Horizontal	226	2.42	-	39.67	32.99	6.34	34.44
PK	7.39452G	49.44	74.00	-24.56	9.90	3	Horizontal	219	1.56	-	39.54	36.63	8.11	34.84

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4646G	84.38	Inf	-Inf	32.16	3	Vertical	172	1.02	-	52.22	27.69	4.47	-
AV	2.4835G	46.89	54.00	-7.11	32.30	3	Vertical	172	1.02	-	14.59	27.80	4.50	-
PK	2.4654G	97.01	Inf	-Inf	32.16	3	Vertical	172	1.02	-	64.85	27.69	4.47	-
PK	2.4836G	62.20	74.00	-11.80	32.30	3	Vertical	172	1.02	-	29.90	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	91.43	Inf	-Inf	32.16	3	Horizontal	181	1.29	-	59.27	27.69	4.47	-
AV	2.4835G	48.30	54.00	-5.70	32.30	3	Horizontal	181	1.29	-	16.00	27.80	4.50	-
PK	2.4662G	104.69	Inf	-Inf	32.18	3	Horizontal	181	1.29	-	72.51	27.70	4.48	-
PK	2.4835G	71.82	74.00	-2.18	32.30	3	Horizontal	181	1.29	-	39.52	27.80	4.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94464G	31.79	54.00	-22.21	4.98	3	Vertical	84	1.48	-	26.81	33.07	6.35	34.44
AV	7.42408G	36.74	54.00	-17.26	9.89	3	Vertical	11	1.54	-	26.85	36.60	8.14	34.85
PK	4.95048G	45.26	74.00	-28.74	5.02	3	Vertical	84	1.48	-	40.24	33.10	6.35	34.43
PK	7.41944G	49.49	74.00	-24.51	9.90	3	Vertical	11	1.54	-	39.59	36.60	8.14	34.84


802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94444G	31.79	54.00	-22.21	4.98	3	Horizontal	232	1.89	-	26.81	33.07	6.35	34.44
AV	7.42544G	36.68	54.00	-17.32	9.90	3	Horizontal	205	1.02	-	26.78	36.60	8.15	34.85
PK	4.9422G	44.73	74.00	-29.27	4.96	3	Horizontal	232	1.89	-	39.77	33.05	6.35	34.44
PK	7.4216G	49.46	74.00	-24.54	9.90	3	Horizontal	205	1.02	-	39.56	36.60	8.14	34.84

**802.11ax HEW40_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.67	54.00	-7.33	31.75	3	Vertical	171	1.08	-	14.92	27.38	4.37	-
AV	2.4248G	84.20	Inf	-Inf	31.92	3	Vertical	171	1.08	-	52.28	27.50	4.42	-
AV	2.498G	46.70	54.00	-7.30	32.41	3	Vertical	171	1.08	-	14.29	27.89	4.52	-
PK	2.39G	58.01	74.00	-15.99	31.75	3	Vertical	171	1.08	-	26.26	27.38	4.37	-
PK	2.4284G	96.43	Inf	-Inf	31.93	3	Vertical	171	1.08	-	64.50	27.51	4.42	-
PK	2.486G	58.65	74.00	-15.35	32.32	3	Vertical	171	1.08	-	26.33	27.82	4.50	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.46	54.00	-4.54	31.75	3	Horizontal	182	1.24	-	17.71	27.38	4.37	-
AV	2.416G	90.93	Inf	-Inf	31.86	3	Horizontal	182	1.24	-	59.07	27.46	4.40	-
AV	2.4844G	47.40	54.00	-6.60	32.31	3	Horizontal	182	1.24	-	15.09	27.81	4.50	-
PK	2.3888G	60.27	74.00	-13.73	31.75	3	Horizontal	182	1.24	-	28.52	27.38	4.37	-
PK	2.4272G	103.23	Inf	-Inf	31.93	3	Horizontal	182	1.24	-	71.30	27.51	4.42	-
PK	2.4888G	59.77	74.00	-14.23	32.34	3	Horizontal	182	1.24	-	27.43	27.83	4.51	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84984G	31.28	54.00	-22.72	4.54	3	Vertical	82	1.58	-	26.74	32.70	6.29	34.45
AV	7.2576G	37.71	54.00	-16.29	10.24	3	Vertical	135	2.95	-	27.47	36.87	8.16	34.79
PK	4.8516G	43.87	74.00	-30.13	4.55	3	Vertical	82	1.58	-	39.32	32.70	6.29	34.44
PK	7.25208G	50.74	74.00	-23.26	10.26	3	Vertical	135	2.95	-	40.48	36.89	8.16	34.79


802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84824G	31.27	54.00	-22.73	4.53	3	Horizontal	196	2.43	-	26.74	32.69	6.29	34.45
AV	7.25472G	37.75	54.00	-16.25	10.25	3	Horizontal	244	3.00	-	27.50	36.88	8.16	34.79
PK	4.85696G	44.49	74.00	-29.51	4.56	3	Horizontal	196	2.43	-	39.93	32.71	6.29	34.44
PK	7.27936G	50.35	74.00	-23.65	10.13	3	Horizontal	244	3.00	-	40.22	36.78	8.15	34.80

**802.11ax HEW40_Nss1,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.20	54.00	-5.80	31.75	3	Vertical	169	1.08	-	16.45	27.38	4.37	-
AV	2.4246G	90.58	Inf	-Inf	31.92	3	Vertical	169	1.08	-	58.66	27.50	4.42	-
AV	2.4846G	47.79	54.00	-6.21	32.31	3	Vertical	169	1.08	-	15.48	27.81	4.50	-
PK	2.389G	59.13	74.00	-14.87	31.75	3	Vertical	169	1.08	-	27.38	27.38	4.37	-
PK	2.4294G	102.15	Inf	-Inf	31.94	3	Vertical	169	1.08	-	70.21	27.52	4.42	-
PK	2.4835G	60.09	74.00	-13.91	32.30	3	Vertical	169	1.08	-	27.79	27.80	4.50	-

**802.11ax HEW40_Nss1,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.21	54.00	-2.79	31.75	3	Horizontal	181	1.18	-	19.46	27.38	4.37	-
AV	2.4294G	96.71	Inf	-Inf	31.94	3	Horizontal	181	1.18	-	64.77	27.52	4.42	-
AV	2.4835G	50.15	54.00	-3.85	32.30	3	Horizontal	181	1.18	-	17.85	27.80	4.50	-
PK	2.387G	63.30	74.00	-10.70	31.74	3	Horizontal	181	1.18	-	31.56	27.37	4.37	-
PK	2.4234G	108.81	Inf	-Inf	31.90	3	Horizontal	181	1.18	-	76.91	27.49	4.41	-
PK	2.485G	61.63	74.00	-12.37	32.31	3	Horizontal	181	1.18	-	29.32	27.81	4.50	-

**802.11ax HEW40_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.07	54.00	-6.93	31.75	3	Vertical	168	1.00	-	15.32	27.38	4.37	-
AV	2.4546G	90.36	Inf	-Inf	32.09	3	Vertical	168	1.00	-	58.27	27.63	4.46	-
AV	2.4835G	49.76	54.00	-4.24	32.30	3	Vertical	168	1.00	-	17.46	27.80	4.50	-
PK	2.3806G	59.13	74.00	-14.87	31.72	3	Vertical	168	1.00	-	27.41	27.36	4.36	-
PK	2.4518G	102.27	Inf	-Inf	32.07	3	Vertical	168	1.00	-	70.20	27.61	4.46	-
PK	2.4846G	61.48	74.00	-12.52	32.31	3	Vertical	168	1.00	-	29.17	27.81	4.50	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.01	54.00	-4.99	31.75	3	Horizontal	182	1.23	-	17.26	27.38	4.37	-
AV	2.4522G	96.76	Inf	-Inf	32.07	3	Horizontal	182	1.23	-	64.69	27.61	4.46	-
AV	2.4835G	52.16	54.00	-1.84	32.30	3	Horizontal	182	1.23	-	19.86	27.80	4.50	-
PK	2.3894G	59.88	74.00	-14.12	31.75	3	Horizontal	182	1.23	-	28.13	27.38	4.37	-
PK	2.447G	108.42	Inf	-Inf	32.04	3	Horizontal	182	1.23	-	76.38	27.59	4.45	-
PK	2.4846G	65.17	74.00	-8.83	32.31	3	Horizontal	182	1.23	-	32.86	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86976G	31.41	54.00	-22.59	4.60	3	Vertical	323	2.88	-	26.81	32.74	6.30	34.44
AV	7.29204G	37.53	54.00	-16.47	10.08	3	Vertical	250	2.64	-	27.45	36.73	8.15	34.80
PK	4.88712G	43.72	74.00	-30.28	4.64	3	Vertical	323	2.88	-	39.08	32.77	6.31	34.44
PK	7.31828G	49.95	74.00	-24.05	10.10	3	Vertical	250	2.64	-	39.85	36.77	8.14	34.81


802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88792G	31.39	54.00	-22.61	4.65	3	Horizontal	45	1.99	-	26.74	32.78	6.31	34.44
AV	7.32964G	37.48	54.00	-16.52	10.13	3	Horizontal	49	2.33	-	27.35	36.82	8.13	34.82
PK	4.86664G	43.81	74.00	-30.19	4.59	3	Horizontal	45	1.99	-	39.22	32.73	6.30	34.44
PK	7.2954G	49.78	74.00	-24.22	10.07	3	Horizontal	49	2.33	-	39.71	36.72	8.15	34.80

**802.11ax HEW40_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.68	54.00	-8.32	31.75	3	Vertical	171	1.02	-	13.93	27.38	4.37	-
AV	2.4632G	89.09	Inf	-Inf	32.15	3	Vertical	171	1.02	-	56.94	27.68	4.47	-
AV	2.4844G	47.87	54.00	-6.13	32.31	3	Vertical	171	1.02	-	15.56	27.81	4.50	-
PK	2.38G	58.73	74.00	-15.27	31.72	3	Vertical	171	1.02	-	27.01	27.36	4.36	-
PK	2.4372G	101.37	Inf	-Inf	31.98	3	Vertical	171	1.02	-	69.39	27.55	4.43	-
PK	2.4835G	60.09	74.00	-13.91	32.30	3	Vertical	171	1.02	-	27.79	27.80	4.50	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.67	54.00	-7.33	31.75	3	Horizontal	180	1.26	-	14.92	27.38	4.37	-
AV	2.4548G	96.21	Inf	-Inf	32.09	3	Horizontal	180	1.26	-	64.12	27.63	4.46	-
AV	2.4835G	51.97	54.00	-2.03	32.30	3	Horizontal	180	1.26	-	19.67	27.80	4.50	-
PK	2.3832G	58.32	74.00	-15.68	31.73	3	Horizontal	180	1.26	-	26.59	27.37	4.36	-
PK	2.4532G	108.54	Inf	-Inf	32.08	3	Horizontal	180	1.26	-	76.46	27.62	4.46	-
PK	2.4856G	64.01	74.00	-9.99	32.31	3	Horizontal	180	1.26	-	31.70	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.922G	31.80	54.00	-22.20	4.82	3	Vertical	349	1.92	-	26.98	32.93	6.33	34.44
AV	7.35448G	37.54	54.00	-16.46	10.18	3	Vertical	81	2.12	-	27.36	36.87	8.13	34.82
PK	4.90528G	44.15	74.00	-29.85	4.71	3	Vertical	349	1.92	-	39.44	32.83	6.32	34.44
PK	7.36352G	50.89	74.00	-23.11	10.11	3	Vertical	81	2.12	-	40.78	36.82	8.12	34.83


802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9232G	31.82	54.00	-22.18	4.83	3	Horizontal	162	2.34	-	26.99	32.94	6.33	34.44
AV	7.35248G	37.57	54.00	-16.43	10.20	3	Horizontal	236	1.66	-	27.37	36.89	8.13	34.82
PK	4.91192G	44.27	74.00	-29.73	4.76	3	Horizontal	162	2.34	-	39.51	32.87	6.33	34.44
PK	7.34984G	50.63	74.00	-23.37	10.21	3	Horizontal	236	1.66	-	40.42	36.90	8.13	34.82

**802.11ax HEW40_Nss1,(MCS0)_2TX
2457MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	45.67	54.00	-8.33	31.75	3	Vertical	171	1.04	-	13.92	27.38	4.37	-
AV	2.4598G	85.07	Inf	-Inf	32.13	3	Vertical	171	1.04	-	52.94	27.66	4.47	-
AV	2.4835G	47.62	54.00	-6.38	32.30	3	Vertical	171	1.04	-	15.32	27.80	4.50	-
PK	2.3578G	58.21	74.00	-15.79	31.66	3	Vertical	171	1.04	-	26.55	27.32	4.34	-
PK	2.4522G	97.13	Inf	-Inf	32.07	3	Vertical	171	1.04	-	65.06	27.61	4.46	-
PK	2.4882G	59.77	74.00	-14.23	32.34	3	Vertical	171	1.04	-	27.43	27.83	4.51	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2457MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.94	54.00	-8.06	31.75	3	Horizontal	181	1.05	-	14.19	27.38	4.37	-
AV	2.451G	92.06	Inf	-Inf	32.06	3	Horizontal	181	1.05	-	60.00	27.61	4.45	-
AV	2.4835G	52.25	54.00	-1.75	32.30	3	Horizontal	181	1.05	-	19.95	27.80	4.50	-
PK	2.3858G	58.64	74.00	-15.36	31.74	3	Horizontal	181	1.05	-	26.90	27.37	4.37	-
PK	2.4522G	103.32	Inf	-Inf	32.07	3	Horizontal	181	1.05	-	71.25	27.61	4.46	-
PK	2.4878G	66.49	74.00	-7.51	32.34	3	Horizontal	181	1.05	-	34.15	27.83	4.51	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92384G	31.83	54.00	-22.17	4.83	3	Vertical	84	2.81	-	27.00	32.94	6.33	34.44
AV	7.35108G	37.50	54.00	-16.50	10.20	3	Vertical	207	1.13	-	27.30	36.89	8.13	34.82
PK	4.9096G	44.26	74.00	-29.74	4.75	3	Vertical	84	2.81	-	39.51	32.86	6.33	34.44
PK	7.38924G	51.13	74.00	-22.87	9.94	3	Vertical	207	1.13	-	41.19	36.66	8.11	34.83


802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9236G	31.82	54.00	-22.18	4.83	3	Horizontal	268	1.11	-	26.99	32.94	6.33	34.44
AV	7.35316G	37.56	54.00	-16.44	10.19	3	Horizontal	73	1.63	-	27.37	36.88	8.13	34.82
PK	4.93152G	44.60	74.00	-29.40	4.89	3	Horizontal	268	1.11	-	39.71	32.99	6.34	34.44
PK	7.38428G	49.81	74.00	-24.19	9.98	3	Horizontal	73	1.63	-	39.83	36.69	8.12	34.83

**802.11ax HEW40_Nss1,(MCS0)_2TX
2462MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	45.41	54.00	-8.59	31.75	3	Vertical	171	1.03	-	13.66	27.38	4.37	-
AV	2.4592G	84.44	Inf	-Inf	32.13	3	Vertical	171	1.03	-	52.31	27.66	4.47	-
AV	2.4835G	47.86	54.00	-6.14	32.30	3	Vertical	171	1.03	-	15.56	27.80	4.50	-
PK	2.372G	57.72	74.00	-16.28	31.69	3	Vertical	171	1.03	-	26.03	27.34	4.35	-
PK	2.4652G	96.44	Inf	-Inf	32.16	3	Vertical	171	1.03	-	64.28	27.69	4.47	-
PK	2.4835G	63.79	74.00	-10.21	32.30	3	Vertical	171	1.03	-	31.49	27.80	4.50	-


**802.11ax HEW40_Nss1,(MCS0)_2TX
2462MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	45.41	54.00	-8.59	31.75	3	Horizontal	182	1.05	-	13.66	27.38	4.37	-
AV	2.4528G	90.96	Inf	-Inf	32.08	3	Horizontal	182	1.05	-	58.88	27.62	4.46	-
AV	2.4835G	51.38	54.00	-2.62	32.30	3	Horizontal	182	1.05	-	19.08	27.80	4.50	-
PK	2.3728G	57.67	74.00	-16.33	31.70	3	Horizontal	182	1.05	-	25.97	27.35	4.35	-
PK	2.454G	104.26	Inf	-Inf	32.08	3	Horizontal	182	1.05	-	72.18	27.62	4.46	-
PK	2.4844G	71.20	74.00	-2.80	32.31	3	Horizontal	182	1.05	-	38.89	27.81	4.50	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	32.37	54.00	-21.63	4.83	3	Vertical	170	1.78	-	27.54	32.94	6.33	34.44
AV	7.37376G	37.18	54.00	-16.82	10.05	3	Vertical	327	1.50	-	27.13	36.76	8.12	34.83
PK	4.92008G	44.60	74.00	-29.40	4.81	3	Vertical	170	1.78	-	39.79	32.92	6.33	34.44
PK	7.36872G	49.77	74.00	-24.23	10.08	3	Vertical	327	1.50	-	39.69	36.79	8.12	34.83

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	32.10	54.00	-21.90	4.83	3	Horizontal	4	1.18	-	27.27	32.94	6.33	34.44
AV	7.37216G	37.28	54.00	-16.72	10.06	3	Horizontal	337	1.20	-	27.22	36.77	8.12	34.83
PK	4.94256G	44.39	74.00	-29.61	4.97	3	Horizontal	4	1.18	-	39.42	33.06	6.35	34.44
PK	7.38472G	49.81	74.00	-24.19	9.98	3	Horizontal	337	1.20	-	39.83	36.69	8.12	34.83



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	PK	319.06M	35.63	46.00	-10.37	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	Pass	PK	319.06M	35.74	46.00	-10.26	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	319.06M	35.67	46.00	-10.33	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	62.98M	28.72	40.00	-11.28	3	Vertical	0	1.00	-
2437MHz	Pass	PK	127M	26.01	43.50	-17.49	3	Vertical	0	1.00	-
2437MHz	Pass	PK	233.7M	27.70	46.00	-18.30	3	Vertical	0	1.00	-
2437MHz	Pass	PK	319.06M	30.26	46.00	-15.74	3	Vertical	0	1.00	-
2437MHz	Pass	PK	352.04M	30.72	46.00	-15.28	3	Vertical	0	1.00	-
2437MHz	Pass	PK	400.54M	27.74	46.00	-18.26	3	Vertical	0	1.00	-
2437MHz	Pass	PK	62.98M	24.82	40.00	-15.18	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	224M	29.56	46.00	-16.44	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	288.02M	35.16	46.00	-10.84	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	319.06M	35.63	46.00	-10.37	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	400.54M	32.06	46.00	-13.94	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	511.12M	28.28	46.00	-17.72	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	62.98M	28.15	40.00	-11.85	3	Vertical	360	1.00	-
2437MHz	Pass	PK	127M	26.44	43.50	-17.06	3	Vertical	360	1.00	-
2437MHz	Pass	PK	249.22M	27.73	46.00	-18.27	3	Vertical	360	1.00	-
2437MHz	Pass	PK	319.06M	30.87	46.00	-15.13	3	Vertical	360	1.00	-
2437MHz	Pass	PK	352.04M	30.13	46.00	-15.87	3	Vertical	360	1.00	-
2437MHz	Pass	PK	400.54M	28.65	46.00	-17.35	3	Vertical	360	1.00	-
2437MHz	Pass	PK	62.98M	24.82	40.00	-15.18	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	224M	31.33	46.00	-14.67	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	288.02M	35.21	46.00	-10.79	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	319.06M	35.74	46.00	-10.26	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	400.54M	31.98	46.00	-14.02	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	575.14M	30.38	46.00	-15.62	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	62.98M	28.16	40.00	-11.84	3	Vertical	360	1.00	-
2437MHz	Pass	PK	146.4M	26.69	43.50	-16.81	3	Vertical	360	1.00	-
2437MHz	Pass	PK	239.52M	28.26	46.00	-17.74	3	Vertical	360	1.00	-
2437MHz	Pass	PK	319.06M	29.86	46.00	-16.14	3	Vertical	360	1.00	-
2437MHz	Pass	PK	352.04M	32.08	46.00	-13.92	3	Vertical	360	1.00	-
2437MHz	Pass	PK	641.1M	32.80	46.00	-13.20	3	Vertical	360	1.00	-
2437MHz	Pass	PK	62.98M	24.97	40.00	-15.03	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	255.04M	33.50	46.00	-12.50	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	288.02M	34.73	46.00	-11.27	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	319.06M	35.67	46.00	-10.33	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	400.54M	31.81	46.00	-14.19	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	511.12M	28.97	46.00	-17.03	3	Horizontal	0	1.00	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


2437MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	28.72	40.00	-11.28	-14.62	3	Vertical	0	1.00	-	43.34	11.57	1.29	27.48
PK	127M	26.01	43.50	-17.49	-8.27	3	Vertical	0	1.00	-	34.28	17.13	1.85	27.25
PK	233.7M	27.70	46.00	-18.30	-8.63	3	Vertical	0	1.00	-	36.33	15.58	2.54	26.75
PK	319.06M	30.26	46.00	-15.74	-4.96	3	Vertical	0	1.00	-	35.22	18.75	3.00	26.71
PK	352.04M	30.72	46.00	-15.28	-4.15	3	Vertical	0	1.00	-	34.87	19.57	3.15	26.87
PK	400.54M	27.74	46.00	-18.26	-2.79	3	Vertical	0	1.00	-	30.53	21.02	3.38	27.19

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)

2437MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	24.82	40.00	-15.18	-14.62	3	Horizontal	360	1.00	-	39.44	11.57	1.29	27.48
PK	224M	29.56	46.00	-16.44	-9.74	3	Horizontal	360	1.00	-	39.30	14.57	2.48	26.79
PK	288.02M	35.16	46.00	-10.84	-5.79	3	Horizontal	360	1.00	-	40.95	17.99	2.85	26.63
PK	319.06M	35.63	46.00	-10.37	-4.96	3	Horizontal	360	1.00	-	40.59	18.75	3.00	26.71
PK	400.54M	32.06	46.00	-13.94	-2.79	3	Horizontal	360	1.00	-	34.85	21.02	3.38	27.19
PK	511.12M	28.28	46.00	-17.72	-1.17	3	Horizontal	360	1.00	-	29.45	22.80	3.85	27.82