



**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX**  
**2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	36.69	54.00	-17.31	4.61	3	Vertical	174	1.42	-	32.08	32.75	6.30	34.44
AV	7.3116G	39.20	54.00	-14.80	10.08	3	Vertical	170	1.06	-	29.12	36.75	8.14	34.81
PK	4.8738G	47.35	74.00	-26.65	4.61	3	Vertical	174	1.42	-	42.74	32.75	6.30	34.44
PK	7.313G	51.54	74.00	-22.46	10.08	3	Vertical	170	1.06	-	41.46	36.75	8.14	34.81

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX**  
**2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	35.93	54.00	-18.07	4.61	3	Horizontal	247	1.40	-	31.32	32.75	6.30	34.44
AV	7.3116G	39.13	54.00	-14.87	10.08	3	Horizontal	227	1.00	-	29.05	36.75	8.14	34.81
PK	4.874G	47.57	74.00	-26.43	4.61	3	Horizontal	247	1.40	-	42.96	32.75	6.30	34.44
PK	7.31G	51.79	74.00	-22.21	10.07	3	Horizontal	227	1.00	-	41.72	36.74	8.14	34.81

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX**  
**2457MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	110.21	Inf	-Inf	32.16	3	Vertical	168	1.04	-	78.05	27.69	4.47	-
AV	2.4842G	47.62	54.00	-6.38	32.31	3	Vertical	168	1.04	-	15.31	27.81	4.50	-
PK	2.465G	118.98	Inf	-Inf	32.16	3	Vertical	168	1.04	-	86.82	27.69	4.47	-
PK	2.4836G	59.98	74.00	-14.02	32.30	3	Vertical	168	1.04	-	27.68	27.80	4.50	-


**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX**  
**2457MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	115.76	Inf	-Inf	32.16	3	Horizontal	180	1.27	-	83.60	27.69	4.47	-
AV	2.4835G	48.98	54.00	-5.02	32.30	3	Horizontal	180	1.27	-	16.68	27.80	4.50	-
PK	2.4652G	125.05	Inf	-Inf	32.16	3	Horizontal	180	1.27	-	92.89	27.69	4.47	-
PK	2.484G	64.33	74.00	-9.67	32.30	3	Horizontal	180	1.27	-	32.03	27.80	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4702G	108.16	Inf	-Inf	32.20	3	Vertical	172	1.00	-	75.96	27.72	4.48	-
AV	2.4835G	47.52	54.00	-6.48	32.30	3	Vertical	172	1.00	-	15.22	27.80	4.50	-
PK	2.4704G	117.57	Inf	-Inf	32.20	3	Vertical	172	1.00	-	85.37	27.72	4.48	-
PK	2.4842G	61.81	74.00	-12.19	32.31	3	Vertical	172	1.00	-	29.50	27.81	4.50	-


802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4702G	115.55	Inf	-Inf	32.20	3	Horizontal	178	1.32	-	83.35	27.72	4.48	-
AV	2.4835G	49.51	54.00	-4.49	32.30	3	Horizontal	178	1.32	-	17.21	27.80	4.50	-
PK	2.4702G	125.99	Inf	-Inf	32.20	3	Horizontal	178	1.32	-	93.79	27.72	4.48	-
PK	2.484G	67.63	74.00	-6.37	32.30	3	Horizontal	178	1.32	-	35.33	27.80	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX  
2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.941G	36.59	54.00	-17.41	4.95	3	Vertical	191	1.40	-	31.64	33.05	6.34	34.44
AV	7.4116G	37.37	54.00	-16.63	9.89	3	Vertical	194	1.77	-	27.48	36.60	8.13	34.84
PK	4.9422G	47.66	74.00	-26.34	4.96	3	Vertical	191	1.40	-	42.70	33.05	6.35	34.44
PK	7.4308G	49.82	74.00	-24.18	9.90	3	Vertical	194	1.77	-	39.92	36.60	8.15	34.85


**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX  
2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9408G	35.97	54.00	-18.03	4.94	3	Horizontal	114	1.76	-	31.03	33.04	6.34	34.44
AV	7.4114G	37.91	54.00	-16.09	9.89	3	Horizontal	146	1.33	-	28.02	36.60	8.13	34.84
PK	4.9408G	46.74	74.00	-27.26	4.94	3	Horizontal	114	1.76	-	41.80	33.04	6.34	34.44
PK	7.4258G	49.40	74.00	-24.60	9.90	3	Horizontal	146	1.33	-	39.50	36.60	8.15	34.85

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4754G	103.75	Inf	-Inf	32.24	3	Vertical	170	1.00	-	71.51	27.75	4.49	-
AV	2.4835G	48.25	54.00	-5.75	32.30	3	Vertical	170	1.00	-	15.95	27.80	4.50	-
PK	2.475G	112.66	Inf	-Inf	32.24	3	Vertical	170	1.00	-	80.42	27.75	4.49	-
PK	2.4835G	62.98	74.00	-11.02	32.30	3	Vertical	170	1.00	-	30.68	27.80	4.50	-


802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

2467MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4752G	110.67	Inf	-Inf	32.24	3	Horizontal	177	1.36	-	78.43	27.75	4.49	-
AV	2.4835G	50.46	54.00	-3.54	32.30	3	Horizontal	177	1.36	-	18.16	27.80	4.50	-
PK	2.475G	120.77	Inf	-Inf	32.24	3	Horizontal	177	1.36	-	88.53	27.75	4.49	-
PK	2.4842G	68.75	74.00	-5.25	32.31	3	Horizontal	177	1.36	-	36.44	27.81	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX**  
**2467MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9506G	32.74	54.00	-21.26	5.02	3	Vertical	198	1.50	-	27.72	33.10	6.35	34.43
AV	7.3532G	36.97	54.00	-17.03	10.19	3	Vertical	86	1.48	-	26.78	36.88	8.13	34.82
PK	4.9736G	44.41	74.00	-29.59	5.12	3	Vertical	198	1.50	-	39.29	33.19	6.36	34.43
PK	7.3596G	49.06	74.00	-24.94	10.13	3	Vertical	86	1.48	-	38.93	36.84	8.12	34.83

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX**  
**2467MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9506G	32.66	54.00	-21.34	5.02	3	Horizontal	113	1.90	-	27.64	33.10	6.35	34.43
AV	7.3564G	37.01	54.00	-16.99	10.17	3	Horizontal	18	1.86	-	26.84	36.86	8.13	34.82
PK	4.9518G	44.57	74.00	-29.43	5.03	3	Horizontal	113	1.90	-	39.54	33.11	6.35	34.43
PK	7.3518G	49.28	74.00	-24.72	10.20	3	Horizontal	18	1.86	-	39.08	36.89	8.13	34.82

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX  
2472MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4802G	91.07	Inf	-Inf	32.28	3	Vertical	171	1.01	-	58.79	27.78	4.50	-
AV	2.4835G	47.78	54.00	-6.22	32.30	3	Vertical	171	1.01	-	15.48	27.80	4.50	-
PK	2.4806G	101.83	Inf	-Inf	32.28	3	Vertical	171	1.01	-	69.55	27.78	4.50	-
PK	2.4835G	65.77	74.00	-8.23	32.30	3	Vertical	171	1.01	-	33.47	27.80	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX  
2472MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.48G	98.05	Inf	-Inf	32.28	3	Horizontal	178	1.03	-	65.77	27.78	4.50	-
AV	2.4835G	49.72	54.00	-4.28	32.30	3	Horizontal	178	1.03	-	17.42	27.80	4.50	-
PK	2.48G	109.95	Inf	-Inf	32.28	3	Horizontal	178	1.03	-	77.67	27.78	4.50	-
PK	2.4835G	72.13	74.00	-1.87	32.30	3	Horizontal	178	1.03	-	39.83	27.80	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX**  
**2472MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9776G	32.03	54.00	-21.97	5.15	3	Vertical	296	1.59	-	26.88	33.21	6.37	34.43
AV	7.371G	36.88	54.00	-17.12	10.06	3	Vertical	65	1.86	-	26.82	36.77	8.12	34.83
PK	4.9506G	43.67	74.00	-30.33	5.02	3	Vertical	296	1.59	-	38.65	33.10	6.35	34.43
PK	7.4328G	48.62	74.00	-25.38	9.91	3	Vertical	65	1.86	-	38.71	36.60	8.16	34.85

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX**  
**2472MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9746G	31.96	54.00	-22.04	5.13	3	Horizontal	129	2.75	-	26.83	33.20	6.36	34.43
AV	7.3698G	36.90	54.00	-17.10	10.07	3	Horizontal	15	2.16	-	26.83	36.78	8.12	34.83
PK	4.9838G	44.34	74.00	-29.66	5.18	3	Horizontal	129	2.75	-	39.16	33.24	6.37	34.43
PK	7.373G	50.33	74.00	-23.67	10.05	3	Horizontal	15	2.16	-	40.28	36.76	8.12	34.83



802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.33	54.00	-7.67	31.75	3	Vertical	163	1.01	-	14.58	27.38	4.37	-
AV	2.4038G	103.52	Inf	-Inf	31.81	3	Vertical	163	1.01	-	71.71	27.42	4.39	-
PK	2.3776G	57.95	74.00	-16.05	31.72	3	Vertical	163	1.01	-	26.23	27.36	4.36	-
PK	2.404G	113.45	Inf	-Inf	31.81	3	Vertical	163	1.01	-	81.64	27.42	4.39	-


802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.74	54.00	-6.26	31.75	3	Horizontal	180	1.07	-	15.99	27.38	4.37	-
AV	2.405G	110.81	Inf	-Inf	31.81	3	Horizontal	180	1.07	-	79.00	27.42	4.39	-
PK	2.3888G	63.40	74.00	-10.60	31.75	3	Horizontal	180	1.07	-	31.65	27.38	4.37	-
PK	2.4052G	122.13	Inf	-Inf	31.81	3	Horizontal	180	1.07	-	90.32	27.42	4.39	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX  
2412MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8088G	34.99	54.00	-19.01	4.36	3	Vertical	172	1.50	-	30.63	32.54	6.27	34.45
PK	4.8092G	46.80	74.00	-27.20	4.36	3	Vertical	172	1.50	-	42.44	32.54	6.27	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX  
2412MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8092G	35.04	54.00	-18.96	4.36	3	Horizontal	243	1.76	-	30.68	32.54	6.27	34.45
PK	4.8114G	47.07	74.00	-26.93	4.37	3	Horizontal	243	1.76	-	42.70	32.55	6.27	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX  
2417MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.07	54.00	-7.93	31.75	3	Vertical	149	2.71	-	14.32	27.38	4.37	-
AV	2.4098G	101.65	Inf	-Inf	31.83	3	Vertical	149	2.71	-	69.82	27.44	4.39	-
PK	2.3868G	57.64	74.00	-16.36	31.74	3	Vertical	149	2.71	-	25.90	27.37	4.37	-
PK	2.411G	112.20	Inf	-Inf	31.84	3	Vertical	149	2.71	-	80.36	27.44	4.40	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX  
2417MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.83	54.00	-7.17	31.75	3	Horizontal	183	1.28	-	15.08	27.38	4.37	-
AV	2.4098G	111.84	Inf	-Inf	31.83	3	Horizontal	183	1.28	-	80.01	27.44	4.39	-
PK	2.39G	61.81	74.00	-12.19	31.75	3	Horizontal	183	1.28	-	30.06	27.38	4.37	-
PK	2.4098G	122.85	Inf	-Inf	31.83	3	Horizontal	183	1.28	-	91.02	27.44	4.39	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	46.04	54.00	-7.96	31.74	3	Vertical	168	1.03	-	14.30	27.37	4.37	-
AV	2.445G	104.97	Inf	-Inf	32.03	3	Vertical	168	1.03	-	72.94	27.58	4.45	-
AV	2.4986G	47.09	54.00	-6.91	32.41	3	Vertical	168	1.03	-	14.68	27.89	4.52	-
PK	2.3382G	58.57	74.00	-15.43	31.57	3	Vertical	168	1.03	-	27.00	27.25	4.32	-
PK	2.4434G	114.84	Inf	-Inf	32.01	3	Vertical	168	1.03	-	82.83	27.57	4.44	-
PK	2.4934G	58.18	74.00	-15.82	32.38	3	Vertical	168	1.03	-	25.80	27.86	4.52	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.33	54.00	-7.67	31.75	3	Horizontal	181	1.30	-	14.58	27.38	4.37	-
AV	2.445G	113.17	Inf	-Inf	32.03	3	Horizontal	181	1.30	-	81.14	27.58	4.45	-
AV	2.4866G	47.56	54.00	-6.44	32.33	3	Horizontal	181	1.30	-	15.23	27.82	4.51	-
PK	2.3426G	59.27	74.00	-14.73	31.59	3	Horizontal	181	1.30	-	27.68	27.27	4.32	-
PK	2.4442G	122.98	Inf	-Inf	32.02	3	Horizontal	181	1.30	-	90.96	27.58	4.44	-
PK	2.4874G	58.58	74.00	-15.42	32.33	3	Horizontal	181	1.30	-	26.25	27.82	4.51	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8886G	35.27	54.00	-18.73	4.65	3	Vertical	174	1.31	-	30.62	32.78	6.31	34.44
AV	7.3326G	37.43	54.00	-16.57	10.14	3	Vertical	1	2.75	-	27.29	36.83	8.13	34.82
PK	4.8894G	47.06	74.00	-26.94	4.65	3	Vertical	174	1.31	-	42.41	32.78	6.31	34.44
PK	7.3584G	49.42	74.00	-24.58	10.15	3	Vertical	1	2.75	-	39.27	36.85	8.12	34.82

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8884G	35.50	54.00	-18.50	4.65	3	Horizontal	113	1.86	-	30.85	32.78	6.31	34.44
AV	7.3324G	39.06	54.00	-14.94	10.14	3	Horizontal	226	1.00	-	28.92	36.83	8.13	34.82
PK	4.8868G	47.06	74.00	-26.94	4.64	3	Horizontal	113	1.86	-	42.42	32.77	6.31	34.44
PK	7.3314G	51.55	74.00	-22.45	10.14	3	Horizontal	226	1.00	-	41.41	36.83	8.13	34.82

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2457MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	106.17	Inf	-Inf	32.16	3	Vertical	169	1.02	-	74.01	27.69	4.47	-
AV	2.4842G	47.29	54.00	-6.71	32.31	3	Vertical	169	1.02	-	14.98	27.81	4.50	-
PK	2.4634G	116.98	Inf	-Inf	32.15	3	Vertical	169	1.02	-	84.83	27.68	4.47	-
PK	2.4846G	59.73	74.00	-14.27	32.31	3	Vertical	169	1.02	-	27.42	27.81	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2457MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	112.90	Inf	-Inf	32.16	3	Horizontal	183	1.50	-	80.74	27.69	4.47	-
AV	2.4844G	48.03	54.00	-5.97	32.31	3	Horizontal	183	1.50	-	15.72	27.81	4.50	-
PK	2.4648G	123.04	Inf	-Inf	32.16	3	Horizontal	183	1.50	-	90.88	27.69	4.47	-
PK	2.4874G	62.39	74.00	-11.61	32.33	3	Horizontal	183	1.50	-	30.06	27.82	4.51	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2462MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	105.59	Inf	-Inf	32.20	3	Vertical	168	1.01	-	73.39	27.72	4.48	-
AV	2.4842G	47.54	54.00	-6.46	32.31	3	Vertical	168	1.01	-	15.23	27.81	4.50	-
PK	2.4698G	116.41	Inf	-Inf	32.20	3	Vertical	168	1.01	-	84.21	27.72	4.48	-
PK	2.4846G	60.26	74.00	-13.74	32.31	3	Vertical	168	1.01	-	27.95	27.81	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2462MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.47G	112.52	Inf	-Inf	32.20	3	Horizontal	181	1.74	-	80.32	27.72	4.48	-
AV	2.4835G	48.69	54.00	-5.31	32.30	3	Horizontal	181	1.74	-	16.39	27.80	4.50	-
PK	2.4696G	124.06	Inf	-Inf	32.20	3	Horizontal	181	1.74	-	91.86	27.72	4.48	-
PK	2.4842G	65.63	74.00	-8.37	32.31	3	Horizontal	181	1.74	-	33.32	27.81	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.939G	35.20	54.00	-18.80	4.93	3	Vertical	192	1.63	-	30.27	33.03	6.34	34.44
AV	7.3514G	37.26	54.00	-16.74	10.20	3	Vertical	112	2.74	-	27.06	36.89	8.13	34.82
PK	4.9382G	46.85	74.00	-27.15	4.93	3	Vertical	192	1.63	-	41.92	33.03	6.34	34.44
PK	7.3568G	49.25	74.00	-24.75	10.17	3	Vertical	112	2.74	-	39.08	36.86	8.13	34.82


**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.939G	34.81	54.00	-19.19	4.93	3	Horizontal	116	1.77	-	29.88	33.03	6.34	34.44
AV	7.349G	37.28	54.00	-16.72	10.21	3	Horizontal	224	1.50	-	27.07	36.90	8.13	34.82
PK	4.9412G	47.33	74.00	-26.67	4.95	3	Horizontal	116	1.77	-	42.38	33.05	6.34	34.44
PK	7.4356G	50.31	74.00	-23.69	9.91	3	Horizontal	224	1.50	-	40.40	36.60	8.16	34.85




**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2467MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.474G	101.26	Inf	-Inf	32.23	3	Vertical	171	1.00	-	69.03	27.74	4.49	-
AV	2.4835G	47.78	54.00	-6.22	32.30	3	Vertical	171	1.00	-	15.48	27.80	4.50	-
PK	2.4732G	112.10	Inf	-Inf	32.23	3	Vertical	171	1.00	-	79.87	27.74	4.49	-
PK	2.4836G	63.66	74.00	-10.34	32.30	3	Vertical	171	1.00	-	31.36	27.80	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**2467MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.475G	108.11	Inf	-Inf	32.24	3	Horizontal	178	1.02	-	75.87	27.75	4.49	-
AV	2.4835G	50.09	54.00	-3.91	32.30	3	Horizontal	178	1.02	-	17.79	27.80	4.50	-
PK	2.4738G	118.73	Inf	-Inf	32.23	3	Horizontal	178	1.02	-	86.50	27.74	4.49	-
PK	2.4838G	67.79	74.00	-6.21	32.30	3	Horizontal	178	1.02	-	35.49	27.80	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2467MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.939G	32.94	54.00	-21.06	4.93	3	Vertical	192	1.42	-	28.01	33.03	6.34	34.44
AV	7.351G	37.35	54.00	-16.65	10.20	3	Vertical	172	2.98	-	27.15	36.89	8.13	34.82
PK	4.9638G	44.97	74.00	-29.03	5.09	3	Vertical	192	1.42	-	39.88	33.16	6.36	34.43
PK	7.3882G	48.69	74.00	-25.31	9.95	3	Vertical	172	2.98	-	38.74	36.67	8.11	34.83

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2467MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9392G	32.61	54.00	-21.39	4.94	3	Horizontal	112	1.00	-	27.67	33.04	6.34	34.44
AV	7.3522G	37.25	54.00	-16.75	10.20	3	Horizontal	346	1.67	-	27.05	36.89	8.13	34.82
PK	4.9652G	44.80	74.00	-29.20	5.09	3	Horizontal	112	1.00	-	39.71	33.16	6.36	34.43
PK	7.4262G	49.36	74.00	-24.64	9.90	3	Horizontal	346	1.67	-	39.46	36.60	8.15	34.85

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2472MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.479G	91.35	Inf	-Inf	32.26	3	Vertical	172	1.00	-	59.09	27.77	4.49	-
AV	2.4835G	48.25	54.00	-5.75	32.30	3	Vertical	172	1.00	-	15.95	27.80	4.50	-
PK	2.48G	103.34	Inf	-Inf	32.28	3	Vertical	172	1.00	-	71.06	27.78	4.50	-
PK	2.4835G	67.17	74.00	-6.83	32.30	3	Vertical	172	1.00	-	34.87	27.80	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2472MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4782G	98.08	Inf	-Inf	32.26	3	Horizontal	182	1.01	-	65.82	27.77	4.49	-
AV	2.4835G	50.63	54.00	-3.37	32.30	3	Horizontal	182	1.01	-	18.33	27.80	4.50	-
PK	2.4794G	109.51	Inf	-Inf	32.28	3	Horizontal	182	1.01	-	77.23	27.78	4.50	-
PK	2.4835G	72.05	74.00	-1.95	32.30	3	Horizontal	182	1.01	-	39.75	27.80	4.50	-

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2472MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9768G	32.13	54.00	-21.87	5.15	3	Vertical	202	1.84	-	26.98	33.21	6.37	34.43
AV	7.3666G	37.12	54.00	-16.88	10.09	3	Vertical	286	1.09	-	27.03	36.80	8.12	34.83
PK	4.958G	44.42	74.00	-29.58	5.05	3	Vertical	202	1.84	-	39.37	33.13	6.35	34.43
PK	7.3862G	49.18	74.00	-24.82	9.96	3	Vertical	286	1.09	-	39.22	36.68	8.11	34.83


**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
2472MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9766G	32.13	54.00	-21.87	5.15	3	Horizontal	201	1.87	-	26.98	33.21	6.37	34.43
AV	7.3688G	37.09	54.00	-16.91	10.08	3	Horizontal	66	2.41	-	27.01	36.79	8.12	34.83
PK	4.9456G	43.96	74.00	-30.04	4.98	3	Horizontal	201	1.87	-	38.98	33.07	6.35	34.44
PK	7.3736G	49.33	74.00	-24.67	10.05	3	Horizontal	66	2.41	-	39.28	36.76	8.12	34.83

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2412MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.33	54.00	-7.67	31.75	3	Vertical	170	1.00	-	14.58	27.38	4.37	-
AV	2.4082G	99.62	Inf	-Inf	31.82	3	Vertical	170	1.00	-	67.80	27.43	4.39	-
PK	2.386G	58.49	74.00	-15.51	31.74	3	Vertical	170	1.00	-	26.75	27.37	4.37	-
PK	2.4062G	111.69	Inf	-Inf	31.81	3	Vertical	170	1.00	-	79.88	27.42	4.39	-


802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

2412MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.37	54.00	-5.63	31.75	3	Horizontal	185	1.12	-	16.62	27.38	4.37	-
AV	2.4082G	106.98	Inf	-Inf	31.82	3	Horizontal	185	1.12	-	75.16	27.43	4.39	-
PK	2.3892G	59.58	74.00	-14.42	31.75	3	Horizontal	185	1.12	-	27.83	27.38	4.37	-
PK	2.4048G	118.09	Inf	-Inf	31.81	3	Horizontal	185	1.12	-	86.28	27.42	4.39	-

**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX  
2412MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8138G	32.90	54.00	-21.10	4.38	3	Vertical	142	1.62	-	28.52	32.56	6.27	34.45
PK	4.8158G	45.38	74.00	-28.62	4.38	3	Vertical	142	1.62	-	41.00	32.56	6.27	34.45


**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX  
2412MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8138G	32.29	54.00	-21.71	4.38	3	Horizontal	235	1.50	-	27.91	32.56	6.27	34.45
PK	4.8102G	44.40	74.00	-29.60	4.36	3	Horizontal	235	1.50	-	40.04	32.54	6.27	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


2417MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.58	54.00	-7.42	31.75	3	Vertical	168	1.00	-	14.83	27.38	4.37	-
AV	2.4146G	101.56	Inf	-Inf	31.86	3	Vertical	168	1.00	-	69.70	27.46	4.40	-
PK	2.3728G	58.32	74.00	-15.68	31.70	3	Vertical	168	1.00	-	26.62	27.35	4.35	-
PK	2.4148G	112.41	Inf	-Inf	31.86	3	Vertical	168	1.00	-	80.55	27.46	4.40	-


802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

2417MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.57	54.00	-5.43	31.75	3	Horizontal	180	1.32	-	16.82	27.38	4.37	-
AV	2.415G	109.36	Inf	-Inf	31.86	3	Horizontal	180	1.32	-	77.50	27.46	4.40	-
PK	2.3888G	60.76	74.00	-13.24	31.75	3	Horizontal	180	1.32	-	29.01	27.38	4.37	-
PK	2.4138G	120.12	Inf	-Inf	31.86	3	Horizontal	180	1.32	-	88.26	27.46	4.40	-

**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX  
2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.07	54.00	-7.93	31.75	3	Vertical	168	1.03	-	14.32	27.38	4.37	-
AV	2.4442G	102.02	Inf	-Inf	32.02	3	Vertical	168	1.03	-	70.00	27.58	4.44	-
AV	2.4994G	47.10	54.00	-6.90	32.42	3	Vertical	168	1.03	-	14.68	27.90	4.52	-
PK	2.3518G	58.10	74.00	-15.90	31.63	3	Vertical	168	1.03	-	26.47	27.30	4.33	-
PK	2.443G	112.70	Inf	-Inf	32.01	3	Vertical	168	1.03	-	80.69	27.57	4.44	-
PK	2.497G	59.22	74.00	-14.78	32.40	3	Vertical	168	1.03	-	26.82	27.88	4.52	-

**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX  
2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.33	54.00	-7.67	31.75	3	Horizontal	183	1.45	-	14.58	27.38	4.37	-
AV	2.4406G	109.91	Inf	-Inf	32.00	3	Horizontal	183	1.45	-	77.91	27.56	4.44	-
AV	2.4842G	47.54	54.00	-6.46	32.31	3	Horizontal	183	1.45	-	15.23	27.81	4.50	-
PK	2.3466G	57.85	74.00	-16.15	31.61	3	Horizontal	183	1.45	-	26.24	27.29	4.32	-
PK	2.4402G	120.57	Inf	-Inf	32.00	3	Horizontal	183	1.45	-	88.57	27.56	4.44	-
PK	2.497G	59.72	74.00	-14.28	32.40	3	Horizontal	183	1.45	-	27.32	27.88	4.52	-



802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8838G	33.96	54.00	-20.04	4.64	3	Vertical	175	1.63	-	29.32	32.77	6.31	34.44
AV	7.2768G	37.43	54.00	-16.57	10.14	3	Vertical	316	1.56	-	27.29	36.79	8.15	34.80
PK	4.8842G	45.88	74.00	-28.12	4.64	3	Vertical	175	1.63	-	41.24	32.77	6.31	34.44
PK	7.261G	49.13	74.00	-24.87	10.23	3	Vertical	316	1.56	-	38.90	36.86	8.16	34.79

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8848G	34.03	54.00	-19.97	4.64	3	Horizontal	245	1.69	-	29.39	32.77	6.31	34.44
AV	7.2748G	37.46	54.00	-16.54	10.15	3	Horizontal	334	2.61	-	27.31	36.80	8.15	34.80
PK	4.8826G	46.36	74.00	-27.64	4.64	3	Horizontal	245	1.69	-	41.72	32.77	6.31	34.44
PK	7.2668G	50.11	74.00	-23.89	10.19	3	Horizontal	334	2.61	-	39.92	36.83	8.16	34.80

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4608G	103.21	Inf	-Inf	32.13	3	Vertical	169	1.06	-	71.08	27.66	4.47	-
AV	2.4838G	47.53	54.00	-6.47	32.30	3	Vertical	169	1.06	-	15.23	27.80	4.50	-
PK	2.4622G	114.57	Inf	-Inf	32.14	3	Vertical	169	1.06	-	82.43	27.67	4.47	-
PK	2.4848G	59.42	74.00	-14.58	32.31	3	Vertical	169	1.06	-	27.11	27.81	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4606G	109.88	Inf	-Inf	32.13	3	Horizontal	184	1.18	-	77.75	27.66	4.47	-
AV	2.4835G	49.12	54.00	-4.88	32.30	3	Horizontal	184	1.18	-	16.82	27.80	4.50	-
PK	2.4648G	120.91	Inf	-Inf	32.16	3	Horizontal	184	1.18	-	88.75	27.69	4.47	-
PK	2.4866G	60.61	74.00	-13.39	32.33	3	Horizontal	184	1.18	-	28.28	27.82	4.51	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	102.30	Inf	-Inf	32.18	3	Vertical	169	1.02	-	70.12	27.70	4.48	-
AV	2.4835G	48.02	54.00	-5.98	32.30	3	Vertical	169	1.02	-	15.72	27.80	4.50	-
PK	2.4684G	114.04	Inf	-Inf	32.19	3	Vertical	169	1.02	-	81.85	27.71	4.48	-
PK	2.485G	59.79	74.00	-14.21	32.31	3	Vertical	169	1.02	-	27.48	27.81	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	108.84	Inf	-Inf	32.18	3	Horizontal	178	1.70	-	76.66	27.70	4.48	-
AV	2.4835G	49.72	54.00	-4.28	32.30	3	Horizontal	178	1.70	-	17.42	27.80	4.50	-
PK	2.4676G	120.07	Inf	-Inf	32.19	3	Horizontal	178	1.70	-	87.88	27.71	4.48	-
PK	2.4835G	61.28	74.00	-12.72	32.30	3	Horizontal	178	1.70	-	28.98	27.80	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9386G	32.15	54.00	-21.85	4.93	3	Vertical	107	1.70	-	27.22	33.03	6.34	34.44
AV	7.3526G	37.32	54.00	-16.68	10.19	3	Vertical	216	1.63	-	27.13	36.88	8.13	34.82
PK	4.9206G	44.66	74.00	-29.34	4.81	3	Vertical	107	1.70	-	39.85	32.92	6.33	34.44
PK	7.3644G	49.41	74.00	-24.59	10.10	3	Vertical	216	1.63	-	39.31	36.81	8.12	34.83

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9392G	32.25	54.00	-21.75	4.94	3	Horizontal	193	3.00	-	27.31	33.04	6.34	34.44
AV	7.3376G	37.29	54.00	-16.71	10.16	3	Horizontal	137	1.22	-	27.13	36.85	8.13	34.82
PK	4.9588G	45.31	74.00	-28.69	5.07	3	Horizontal	193	3.00	-	40.24	33.14	6.36	34.43
PK	7.3532G	48.90	74.00	-25.10	10.19	3	Horizontal	137	1.22	-	38.71	36.88	8.13	34.82

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4706G	98.45	Inf	-Inf	32.20	3	Vertical	167	1.01	-	66.25	27.72	4.48	-
AV	2.4835G	49.12	54.00	-4.88	32.30	3	Vertical	167	1.01	-	16.82	27.80	4.50	-
PK	2.472G	110.74	Inf	-Inf	32.21	3	Vertical	167	1.01	-	78.53	27.73	4.48	-
PK	2.4835G	63.06	74.00	-10.94	32.30	3	Vertical	167	1.01	-	30.76	27.80	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4692G	105.08	Inf	-Inf	32.20	3	Horizontal	181	1.73	-	72.88	27.72	4.48	-
AV	2.4835G	51.77	54.00	-2.23	32.30	3	Horizontal	181	1.73	-	19.47	27.80	4.50	-
PK	2.4724G	116.60	Inf	-Inf	32.21	3	Horizontal	181	1.73	-	84.39	27.73	4.48	-
PK	2.4835G	66.69	74.00	-7.31	32.30	3	Horizontal	181	1.73	-	34.39	27.80	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9792G	32.10	54.00	-21.90	5.16	3	Vertical	105	1.04	-	26.94	33.22	6.37	34.43
AV	7.3528G	37.32	54.00	-16.68	10.19	3	Vertical	294	2.96	-	27.13	36.88	8.13	34.82
PK	4.9222G	45.16	74.00	-28.84	4.82	3	Vertical	105	1.04	-	40.34	32.93	6.33	34.44
PK	7.3928G	48.96	74.00	-25.04	9.91	3	Vertical	294	2.96	-	39.05	36.64	8.11	34.84

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2467MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9784G	32.11	54.00	-21.89	5.15	3	Horizontal	271	1.10	-	26.96	33.21	6.37	34.43
AV	7.3528G	37.32	54.00	-16.68	10.19	3	Horizontal	122	1.27	-	27.13	36.88	8.13	34.82
PK	4.9674G	43.86	74.00	-30.14	5.10	3	Horizontal	271	1.10	-	38.76	33.17	6.36	34.43
PK	7.3868G	49.59	74.00	-24.41	9.96	3	Horizontal	122	1.27	-	39.63	36.68	8.11	34.83

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.479G	87.36	Inf	-Inf	32.26	3	Vertical	171	1.00	-	55.10	27.77	4.49	-
AV	2.4835G	47.53	54.00	-6.47	32.30	3	Vertical	171	1.00	-	15.23	27.80	4.50	-
PK	2.4756G	98.95	Inf	-Inf	32.24	3	Vertical	171	1.00	-	66.71	27.75	4.49	-
PK	2.4835G	61.72	74.00	-12.28	32.30	3	Vertical	171	1.00	-	29.42	27.80	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.476G	94.33	Inf	-Inf	32.25	3	Horizontal	180	1.04	-	62.08	27.76	4.49	-
AV	2.4835G	49.52	54.00	-4.48	32.30	3	Horizontal	180	1.04	-	17.22	27.80	4.50	-
PK	2.4748G	105.63	Inf	-Inf	32.24	3	Horizontal	180	1.04	-	73.39	27.75	4.49	-
PK	2.4835G	72.32	74.00	-1.68	32.30	3	Horizontal	180	1.04	-	40.02	27.80	4.50	-

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9768G	32.13	54.00	-21.87	5.15	3	Vertical	357	1.94	-	26.98	33.21	6.37	34.43
AV	7.369G	37.18	54.00	-16.82	10.08	3	Vertical	211	1.81	-	27.10	36.79	8.12	34.83
PK	4.9874G	43.88	74.00	-30.12	5.19	3	Vertical	357	1.94	-	38.69	33.25	6.37	34.43
PK	7.4434G	49.26	74.00	-24.74	9.92	3	Vertical	211	1.81	-	39.34	36.60	8.17	34.85

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


2472MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9812G	32.08	54.00	-21.92	5.16	3	Horizontal	178	2.94	-	26.92	33.22	6.37	34.43
AV	7.366G	37.12	54.00	-16.88	10.09	3	Horizontal	269	2.83	-	27.03	36.80	8.12	34.83
PK	4.9232G	43.99	74.00	-30.01	4.83	3	Horizontal	178	2.94	-	39.16	32.94	6.33	34.44
PK	7.3942G	49.75	74.00	-24.25	9.90	3	Horizontal	269	2.83	-	39.85	36.63	8.11	34.84




**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)**  
**2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.92	54.00	-6.08	31.75	3	Vertical	160	1.08	-	16.17	27.38	4.37	-
AV	2.4036G	93.71	Inf	-Inf	31.80	3	Vertical	160	1.08	-	61.91	27.41	4.39	-
AV	2.4948G	47.26	54.00	-6.74	32.39	3	Vertical	160	1.08	-	14.87	27.87	4.52	-
PK	2.39G	59.30	74.00	-14.70	31.75	3	Vertical	160	1.08	-	27.55	27.38	4.37	-
PK	2.4044G	104.73	Inf	-Inf	31.81	3	Vertical	160	1.08	-	72.92	27.42	4.39	-
PK	2.4992G	59.01	74.00	-14.99	32.42	3	Vertical	160	1.08	-	26.59	27.90	4.52	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)**  
**2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.00	54.00	-3.00	31.75	3	Horizontal	175	1.28	-	19.25	27.38	4.37	-
AV	2.4036G	100.15	Inf	-Inf	31.80	3	Horizontal	175	1.28	-	68.35	27.41	4.39	-
AV	2.488G	47.49	54.00	-6.51	32.34	3	Horizontal	175	1.28	-	15.15	27.83	4.51	-
PK	2.3892G	62.24	74.00	-11.76	31.75	3	Horizontal	175	1.28	-	30.49	27.38	4.37	-
PK	2.404G	110.88	Inf	-Inf	31.81	3	Horizontal	175	1.28	-	79.07	27.42	4.39	-
PK	2.4876G	59.03	74.00	-14.97	32.34	3	Horizontal	175	1.28	-	26.69	27.83	4.51	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8689G	31.70	54.00	-22.30	4.60	3	Vertical	276	2.49	-	27.10	32.74	6.30	34.44
AV	7.2614G	37.77	54.00	-16.23	10.22	3	Vertical	28	2.00	-	27.55	36.85	8.16	34.79
PK	4.8287G	43.79	74.00	-30.21	4.44	3	Vertical	276	2.49	-	39.35	32.61	6.28	34.45
PK	7.26348G	49.68	74.00	-24.32	10.22	3	Vertical	28	2.00	-	39.46	36.85	8.16	34.79

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8666G	31.77	54.00	-22.23	4.59	3	Horizontal	159	1.50	-	27.18	32.73	6.30	34.44
AV	7.26266G	37.75	54.00	-16.25	10.22	3	Horizontal	251	2.27	-	27.53	36.85	8.16	34.79
PK	4.82G	44.58	74.00	-29.42	4.40	3	Horizontal	159	1.50	-	40.18	32.58	6.27	34.45
PK	7.26278G	49.73	74.00	-24.27	10.22	3	Horizontal	251	2.27	-	39.51	36.85	8.16	34.79

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


2427MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.75	54.00	-5.25	31.75	3	Vertical	167	1.09	-	17.00	27.38	4.37	-
AV	2.4252G	95.32	Inf	-Inf	31.92	3	Vertical	167	1.09	-	63.40	27.50	4.42	-
PK	2.3896G	60.85	74.00	-13.15	31.75	3	Vertical	167	1.09	-	29.10	27.38	4.37	-
PK	2.4244G	107.36	Inf	-Inf	31.92	3	Vertical	167	1.09	-	75.44	27.50	4.42	-


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)

2427MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.14	54.00	-1.86	31.75	3	Horizontal	178	1.20	-	20.39	27.38	4.37	-
AV	2.4244G	100.84	Inf	-Inf	31.92	3	Horizontal	178	1.20	-	68.92	27.50	4.42	-
PK	2.39G	66.05	74.00	-7.95	31.75	3	Horizontal	178	1.20	-	34.30	27.38	4.37	-
PK	2.4204G	112.64	Inf	-Inf	31.89	3	Horizontal	178	1.20	-	80.75	27.48	4.41	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Vertical	170	1.06	-	14.50	27.38	4.37	-
AV	2.455G	97.88	Inf	-Inf	32.09	3	Vertical	170	1.06	-	65.79	27.63	4.46	-
AV	2.4835G	49.29	54.00	-4.71	32.30	3	Vertical	170	1.06	-	16.99	27.80	4.50	-
PK	2.3678G	58.16	74.00	-15.84	31.69	3	Vertical	170	1.06	-	26.47	27.34	4.35	-
PK	2.4546G	108.72	Inf	-Inf	32.09	3	Vertical	170	1.06	-	76.63	27.63	4.46	-
PK	2.4842G	60.15	74.00	-13.85	32.31	3	Vertical	170	1.06	-	27.84	27.81	4.50	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.00	54.00	-7.00	31.75	3	Horizontal	182	1.17	-	15.25	27.38	4.37	-
AV	2.455G	103.72	Inf	-Inf	32.09	3	Horizontal	182	1.17	-	71.63	27.63	4.46	-
AV	2.4835G	52.10	54.00	-1.90	32.30	3	Horizontal	182	1.17	-	19.80	27.80	4.50	-
PK	2.3882G	58.17	74.00	-15.83	31.75	3	Horizontal	182	1.17	-	26.42	27.38	4.37	-
PK	2.4554G	114.93	Inf	-Inf	32.09	3	Horizontal	182	1.17	-	82.84	27.63	4.46	-
PK	2.4854G	65.00	74.00	-9.00	32.31	3	Horizontal	182	1.17	-	32.69	27.81	4.50	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9224G	31.99	54.00	-22.01	4.82	3	Vertical	254	2.68	-	27.17	32.93	6.33	34.44
AV	7.31282G	37.62	54.00	-16.38	10.08	3	Vertical	120	1.32	-	27.54	36.75	8.14	34.81
PK	4.918G	43.58	74.00	-30.42	4.80	3	Vertical	254	2.68	-	38.78	32.91	6.33	34.44
PK	7.31456G	49.68	74.00	-24.32	10.09	3	Vertical	120	1.32	-	39.59	36.76	8.14	34.81


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86922G	31.61	54.00	-22.39	4.60	3	Horizontal	286	1.17	-	27.01	32.74	6.30	34.44
AV	7.31408G	37.54	54.00	-16.46	10.09	3	Horizontal	151	2.69	-	27.45	36.76	8.14	34.81
PK	4.8707G	44.13	74.00	-29.87	4.60	3	Horizontal	286	1.17	-	39.53	32.74	6.30	34.44
PK	7.31538G	49.57	74.00	-24.43	10.09	3	Horizontal	151	2.69	-	39.48	36.76	8.14	34.81

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Vertical	168	1.02	-	14.50	27.38	4.37	-
AV	2.463G	97.12	Inf	-Inf	32.15	3	Vertical	168	1.02	-	64.97	27.68	4.47	-
AV	2.4835G	49.08	54.00	-4.92	32.30	3	Vertical	168	1.02	-	16.78	27.80	4.50	-
PK	2.3554G	58.00	74.00	-16.00	31.64	3	Vertical	168	1.02	-	26.36	27.31	4.33	-
PK	2.4638G	108.57	Inf	-Inf	32.15	3	Vertical	168	1.02	-	76.42	27.68	4.47	-
PK	2.4838G	59.96	74.00	-14.04	32.30	3	Vertical	168	1.02	-	27.66	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Horizontal	183	1.16	-	14.50	27.38	4.37	-
AV	2.4634G	102.44	Inf	-Inf	32.15	3	Horizontal	183	1.16	-	70.29	27.68	4.47	-
AV	2.4835G	51.48	54.00	-2.52	32.30	3	Horizontal	183	1.16	-	19.18	27.80	4.50	-
PK	2.3566G	57.93	74.00	-16.07	31.64	3	Horizontal	183	1.16	-	26.29	27.31	4.33	-
PK	2.4578G	113.66	Inf	-Inf	32.11	3	Horizontal	183	1.16	-	81.55	27.65	4.46	-
PK	2.4854G	62.60	74.00	-11.40	32.31	3	Horizontal	183	1.16	-	30.29	27.81	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.25	54.00	-7.75	31.75	3	Vertical	164	1.05	-	14.50	27.38	4.37	-
AV	2.462G	96.66	Inf	-Inf	32.14	3	Vertical	164	1.05	-	64.52	27.67	4.47	-
AV	2.4835G	48.87	54.00	-5.13	32.30	3	Vertical	164	1.05	-	16.57	27.80	4.50	-
PK	2.3788G	58.38	74.00	-15.62	31.72	3	Vertical	164	1.05	-	26.66	27.36	4.36	-
PK	2.4584G	108.38	Inf	-Inf	32.11	3	Vertical	164	1.05	-	76.27	27.65	4.46	-
PK	2.4848G	60.21	74.00	-13.79	32.31	3	Vertical	164	1.05	-	27.90	27.81	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.25	54.00	-7.75	31.75	3	Horizontal	177	1.16	-	14.50	27.38	4.37	-
AV	2.462G	102.21	Inf	-Inf	32.14	3	Horizontal	177	1.16	-	70.07	27.67	4.47	-
AV	2.4835G	51.31	54.00	-2.69	32.30	3	Horizontal	177	1.16	-	19.01	27.80	4.50	-
PK	2.3564G	58.39	74.00	-15.61	31.64	3	Horizontal	177	1.16	-	26.75	27.31	4.33	-
PK	2.4696G	114.08	Inf	-Inf	32.20	3	Horizontal	177	1.16	-	81.88	27.72	4.48	-
PK	2.4844G	63.33	74.00	-10.67	32.31	3	Horizontal	177	1.16	-	31.02	27.81	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90594G	31.82	54.00	-22.18	4.72	3	Vertical	78	1.25	-	27.10	32.84	6.32	34.44
AV	7.3569G	37.73	54.00	-16.27	10.17	3	Vertical	184	1.70	-	27.56	36.86	8.13	34.82
PK	4.90618G	43.38	74.00	-30.62	4.72	3	Vertical	78	1.25	-	38.66	32.84	6.32	34.44
PK	7.35104G	49.63	74.00	-24.37	10.20	3	Vertical	184	1.70	-	39.43	36.89	8.13	34.82

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90412G	31.78	54.00	-22.22	4.70	3	Horizontal	32	1.02	-	27.08	32.82	6.32	34.44
AV	7.35238G	37.71	54.00	-16.29	10.20	3	Horizontal	197	1.17	-	27.51	36.89	8.13	34.82
PK	4.9066G	44.09	74.00	-29.91	4.72	3	Horizontal	32	1.02	-	39.37	32.84	6.32	34.44
PK	7.3567G	49.72	74.00	-24.28	10.17	3	Horizontal	197	1.17	-	39.55	36.86	8.13	34.82




**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2457MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Vertical	169	1.03	-	14.50	27.38	4.37	-
AV	2.4614G	93.47	Inf	-Inf	32.14	3	Vertical	169	1.03	-	61.33	27.67	4.47	-
AV	2.4835G	49.29	54.00	-4.71	32.30	3	Vertical	169	1.03	-	16.99	27.80	4.50	-
PK	2.3702G	57.69	74.00	-16.31	31.69	3	Vertical	169	1.03	-	26.00	27.34	4.35	-
PK	2.4586G	105.99	Inf	-Inf	32.11	3	Vertical	169	1.03	-	73.88	27.65	4.46	-
PK	2.4835G	60.43	74.00	-13.57	32.30	3	Vertical	169	1.03	-	28.13	27.80	4.50	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2457MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Horizontal	178	1.17	-	14.50	27.38	4.37	-
AV	2.461G	98.68	Inf	-Inf	32.14	3	Horizontal	178	1.17	-	66.54	27.67	4.47	-
AV	2.4835G	51.64	54.00	-2.36	32.30	3	Horizontal	178	1.17	-	19.34	27.80	4.50	-
PK	2.3686G	57.96	74.00	-16.04	31.69	3	Horizontal	178	1.17	-	26.27	27.34	4.35	-
PK	2.4622G	110.34	Inf	-Inf	32.14	3	Horizontal	178	1.17	-	78.20	27.67	4.47	-
PK	2.4835G	63.52	74.00	-10.48	32.30	3	Horizontal	178	1.17	-	31.22	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91832G	31.93	54.00	-22.07	4.80	3	Vertical	246	1.84	-	27.13	32.91	6.33	34.44
AV	7.36652G	37.58	54.00	-16.42	10.09	3	Vertical	130	2.80	-	27.49	36.80	8.12	34.83
PK	4.91754G	44.26	74.00	-29.74	4.80	3	Vertical	246	1.84	-	39.46	32.91	6.33	34.44
PK	7.36936G	49.80	74.00	-24.20	10.07	3	Vertical	130	2.80	-	39.73	36.78	8.12	34.83


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91828G	31.83	54.00	-22.17	4.80	3	Horizontal	289	2.98	-	27.03	32.91	6.33	34.44
AV	7.37348G	37.57	54.00	-16.43	10.05	3	Horizontal	199	1.99	-	27.52	36.76	8.12	34.83
PK	4.91846G	43.93	74.00	-30.07	4.80	3	Horizontal	289	2.98	-	39.13	32.91	6.33	34.44
PK	7.37272G	49.50	74.00	-24.50	10.05	3	Horizontal	199	1.99	-	39.45	36.76	8.12	34.83

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.25	54.00	-7.75	31.75	3	Vertical	167	1.06	-	14.50	27.38	4.37	-
AV	2.4636G	89.78	Inf	-Inf	32.15	3	Vertical	167	1.06	-	57.63	27.68	4.47	-
AV	2.4835G	48.19	54.00	-5.81	32.30	3	Vertical	167	1.06	-	15.89	27.80	4.50	-
PK	2.386G	57.95	74.00	-16.05	31.74	3	Vertical	167	1.06	-	26.21	27.37	4.37	-
PK	2.4644G	101.87	Inf	-Inf	32.16	3	Vertical	167	1.06	-	69.71	27.69	4.47	-
PK	2.4835G	67.24	74.00	-6.76	32.30	3	Vertical	167	1.06	-	34.94	27.80	4.50	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.25	54.00	-7.75	31.75	3	Horizontal	181	1.15	-	14.50	27.38	4.37	-
AV	2.4644G	95.03	Inf	-Inf	32.16	3	Horizontal	181	1.15	-	62.87	27.69	4.47	-
AV	2.4835G	50.08	54.00	-3.92	32.30	3	Horizontal	181	1.15	-	17.78	27.80	4.50	-
PK	2.384G	57.93	74.00	-16.07	31.73	3	Horizontal	181	1.15	-	26.20	27.37	4.36	-
PK	2.4644G	107.48	Inf	-Inf	32.16	3	Horizontal	181	1.15	-	75.32	27.69	4.47	-
PK	2.4835G	71.63	74.00	-2.37	32.30	3	Horizontal	181	1.15	-	39.33	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.943G	32.63	54.00	-21.37	4.97	3	Vertical	192	1.50	-	27.66	33.06	6.35	34.44
AV	7.3488G	37.64	54.00	-16.36	10.21	3	Vertical	170	1.44	-	27.43	36.90	8.13	34.82
PK	4.9414G	45.21	74.00	-28.79	4.95	3	Vertical	192	1.50	-	40.26	33.05	6.34	34.44
PK	7.3738G	49.75	74.00	-24.25	10.05	3	Vertical	170	1.44	-	39.70	36.76	8.12	34.83


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)

2462MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9398G	32.23	54.00	-21.77	4.94	3	Horizontal	85	2.81	-	27.29	33.04	6.34	34.44
AV	7.3524G	37.71	54.00	-16.29	10.20	3	Horizontal	200	2.78	-	27.51	36.89	8.13	34.82
PK	4.9042G	44.36	74.00	-29.64	4.71	3	Horizontal	85	2.81	-	39.65	32.83	6.32	34.44
PK	7.3596G	49.76	74.00	-24.24	10.13	3	Horizontal	200	2.78	-	39.63	36.84	8.12	34.83

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)**  
**2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.70	54.00	-6.30	31.75	3	Vertical	231	1.01	-	15.95	27.38	4.37	-
AV	2.416G	85.56	Inf	-Inf	31.86	3	Vertical	231	1.01	-	53.70	27.46	4.40	-
AV	2.4912G	47.24	54.00	-6.76	32.36	3	Vertical	231	1.01	-	14.88	27.85	4.51	-
PK	2.3656G	58.53	74.00	-15.47	31.67	3	Vertical	231	1.01	-	26.86	27.33	4.34	-
PK	2.4176G	97.65	Inf	-Inf	31.88	3	Vertical	231	1.01	-	65.77	27.47	4.41	-
PK	2.4984G	58.66	74.00	-15.34	32.41	3	Vertical	231	1.01	-	26.25	27.89	4.52	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)**  
**2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.40	54.00	-1.60	31.75	3	Horizontal	181	1.08	-	20.65	27.38	4.37	-
AV	2.4152G	93.68	Inf	-Inf	31.86	3	Horizontal	181	1.08	-	61.82	27.46	4.40	-
AV	2.4948G	47.26	54.00	-6.74	32.39	3	Horizontal	181	1.08	-	14.87	27.87	4.52	-
PK	2.39G	63.80	74.00	-10.20	31.75	3	Horizontal	181	1.08	-	32.05	27.38	4.37	-
PK	2.4168G	105.67	Inf	-Inf	31.87	3	Horizontal	181	1.08	-	73.80	27.47	4.40	-
PK	2.4908G	59.03	74.00	-14.97	32.35	3	Horizontal	181	1.08	-	26.68	27.84	4.51	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8652G	31.58	54.00	-22.42	4.59	3	Vertical	120	1.46	-	26.99	32.73	6.30	34.44
AV	7.26118G	37.59	54.00	-16.41	10.23	3	Vertical	272	1.25	-	27.36	36.86	8.16	34.79
PK	4.888G	43.49	74.00	-30.51	4.65	3	Vertical	120	1.46	-	38.84	32.78	6.31	34.44
PK	7.26648G	50.10	74.00	-23.90	10.19	3	Vertical	272	1.25	-	39.91	36.83	8.16	34.80


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8656G	31.68	54.00	-22.32	4.59	3	Horizontal	109	1.50	-	27.09	32.73	6.30	34.44
AV	7.27058G	37.63	54.00	-16.37	10.18	3	Horizontal	307	1.02	-	27.45	36.82	8.16	34.80
PK	4.8928G	43.86	74.00	-30.14	4.67	3	Horizontal	109	1.50	-	39.19	32.79	6.32	34.44
PK	7.26132G	50.07	74.00	-23.93	10.22	3	Horizontal	307	1.02	-	39.85	36.85	8.16	34.79

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)**  
**2427MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.24	54.00	-6.76	31.75	3	Vertical	226	1.01	-	15.49	27.38	4.37	-
AV	2.4154G	92.81	Inf	-Inf	31.86	3	Vertical	226	1.01	-	60.95	27.46	4.40	-
AV	2.4954G	47.26	54.00	-6.74	32.39	3	Vertical	226	1.01	-	14.87	27.87	4.52	-
PK	2.3894G	58.94	74.00	-15.06	31.75	3	Vertical	226	1.01	-	27.19	27.38	4.37	-
PK	2.4202G	104.01	Inf	-Inf	31.89	3	Vertical	226	1.01	-	72.12	27.48	4.41	-
PK	2.4862G	58.75	74.00	-15.25	32.32	3	Vertical	226	1.01	-	26.43	27.82	4.50	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)**  
**2427MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.58	54.00	-2.42	31.75	3	Horizontal	180	1.26	-	19.83	27.38	4.37	-
AV	2.4146G	101.13	Inf	-Inf	31.86	3	Horizontal	180	1.26	-	69.27	27.46	4.40	-
AV	2.4842G	47.72	54.00	-6.28	32.31	3	Horizontal	180	1.26	-	15.41	27.81	4.50	-
PK	2.389G	63.97	74.00	-10.03	31.75	3	Horizontal	180	1.26	-	32.22	27.38	4.37	-
PK	2.4158G	112.85	Inf	-Inf	31.86	3	Horizontal	180	1.26	-	80.99	27.46	4.40	-
PK	2.4938G	59.77	74.00	-14.23	32.38	3	Horizontal	180	1.26	-	27.39	27.86	4.52	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Vertical	227	1.16	-	14.50	27.38	4.37	-
AV	2.4458G	93.94	Inf	-Inf	32.03	3	Vertical	227	1.16	-	61.91	27.58	4.45	-
AV	2.4835G	48.19	54.00	-5.81	32.30	3	Vertical	227	1.16	-	15.89	27.80	4.50	-
PK	2.381G	58.32	74.00	-15.68	31.72	3	Vertical	227	1.16	-	26.60	27.36	4.36	-
PK	2.4474G	105.20	Inf	-Inf	32.04	3	Vertical	227	1.16	-	73.16	27.59	4.45	-
PK	2.4846G	59.85	74.00	-14.15	32.31	3	Vertical	227	1.16	-	27.54	27.81	4.50	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)**  
**2437MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.51	54.00	-7.49	31.75	3	Horizontal	181	1.26	-	14.76	27.38	4.37	-
AV	2.4446G	101.69	Inf	-Inf	32.02	3	Horizontal	181	1.26	-	69.67	27.58	4.44	-
AV	2.4835G	52.39	54.00	-1.61	32.30	3	Horizontal	181	1.26	-	20.09	27.80	4.50	-
PK	2.3882G	58.69	74.00	-15.31	31.75	3	Horizontal	181	1.26	-	26.94	27.38	4.37	-
PK	2.4486G	112.69	Inf	-Inf	32.04	3	Horizontal	181	1.26	-	80.65	27.59	4.45	-
PK	2.4842G	66.46	74.00	-7.54	32.31	3	Horizontal	181	1.26	-	34.15	27.81	4.50	-



802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86958G	31.42	54.00	-22.58	4.60	3	Vertical	48	2.92	-	26.82	32.74	6.30	34.44
AV	7.31362G	37.44	54.00	-16.56	10.08	3	Vertical	325	1.88	-	27.36	36.75	8.14	34.81
PK	4.87014G	43.62	74.00	-30.38	4.60	3	Vertical	48	2.92	-	39.02	32.74	6.30	34.44
PK	7.3067G	49.91	74.00	-24.09	10.06	3	Vertical	325	1.88	-	39.85	36.73	8.14	34.81

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9232G	31.91	54.00	-22.09	4.83	3	Horizontal	356	1.50	-	27.08	32.94	6.33	34.44
AV	7.275G	37.74	54.00	-16.26	10.15	3	Horizontal	83	1.50	-	27.59	36.80	8.15	34.80
PK	4.9146G	44.91	74.00	-29.09	4.78	3	Horizontal	356	1.50	-	40.13	32.89	6.33	34.44
PK	7.2926G	50.55	74.00	-23.45	10.08	3	Horizontal	83	1.50	-	40.47	36.73	8.15	34.80

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Vertical	144	2.21	-	14.50	27.38	4.37	-
AV	2.449G	91.52	Inf	-Inf	32.05	3	Vertical	144	2.21	-	59.47	27.60	4.45	-
AV	2.4835G	48.19	54.00	-5.81	32.30	3	Vertical	144	2.21	-	15.89	27.80	4.50	-
PK	2.3854G	58.65	74.00	-15.35	31.73	3	Vertical	144	2.21	-	26.92	27.37	4.36	-
PK	2.4514G	102.86	Inf	-Inf	32.06	3	Vertical	144	2.21	-	70.80	27.61	4.45	-
PK	2.4838G	59.59	74.00	-14.41	32.30	3	Vertical	144	2.21	-	27.29	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2447MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.25	54.00	-7.75	31.75	3	Horizontal	181	1.24	-	14.50	27.38	4.37	-
AV	2.4486G	100.15	Inf	-Inf	32.04	3	Horizontal	181	1.24	-	68.11	27.59	4.45	-
AV	2.4835G	52.10	54.00	-1.90	32.30	3	Horizontal	181	1.24	-	19.80	27.80	4.50	-
PK	2.3586G	58.14	74.00	-15.86	31.66	3	Horizontal	181	1.24	-	26.48	27.32	4.34	-
PK	2.4498G	111.90	Inf	-Inf	32.05	3	Horizontal	181	1.24	-	79.85	27.60	4.45	-
PK	2.4835G	67.92	74.00	-6.08	32.30	3	Horizontal	181	1.24	-	35.62	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	46.23	54.00	-7.77	31.75	3	Vertical	227	1.13	-	14.48	27.38	4.37	-
AV	2.4536G	86.34	Inf	-Inf	32.08	3	Vertical	227	1.13	-	54.26	27.62	4.46	-
AV	2.4835G	48.19	54.00	-5.81	32.30	3	Vertical	227	1.13	-	15.89	27.80	4.50	-
PK	2.388G	58.81	74.00	-15.19	31.75	3	Vertical	227	1.13	-	27.06	27.38	4.37	-
PK	2.4572G	97.49	Inf	-Inf	32.10	3	Vertical	227	1.13	-	65.39	27.64	4.46	-
PK	2.4852G	59.41	74.00	-14.59	32.31	3	Vertical	227	1.13	-	27.10	27.81	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.25	54.00	-7.75	31.75	3	Horizontal	182	1.27	-	14.50	27.38	4.37	-
AV	2.454G	93.81	Inf	-Inf	32.08	3	Horizontal	182	1.27	-	61.73	27.62	4.46	-
AV	2.4835G	51.79	54.00	-2.21	32.30	3	Horizontal	182	1.27	-	19.49	27.80	4.50	-
PK	2.368G	58.36	74.00	-15.64	31.69	3	Horizontal	182	1.27	-	26.67	27.34	4.35	-
PK	2.4628G	105.18	Inf	-Inf	32.15	3	Horizontal	182	1.27	-	73.03	27.68	4.47	-
PK	2.484G	67.00	74.00	-7.00	32.30	3	Horizontal	182	1.27	-	34.70	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90404G	31.68	54.00	-22.32	4.70	3	Vertical	155	2.76	-	26.98	32.82	6.32	34.44
AV	7.35328G	37.60	54.00	-16.40	10.19	3	Vertical	146	2.98	-	27.41	36.88	8.13	34.82
PK	4.90748G	44.62	74.00	-29.38	4.72	3	Vertical	155	2.76	-	39.90	32.84	6.32	34.44
PK	7.3542G	50.01	74.00	-23.99	10.18	3	Vertical	146	2.98	-	39.83	36.87	8.13	34.82


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)

2452MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90614G	31.62	54.00	-22.38	4.72	3	Horizontal	268	2.72	-	26.90	32.84	6.32	34.44
AV	7.35176G	37.62	54.00	-16.38	10.20	3	Horizontal	193	1.91	-	27.42	36.89	8.13	34.82
PK	4.90032G	43.53	74.00	-30.47	4.68	3	Horizontal	268	2.72	-	38.85	32.80	6.32	34.44
PK	7.35464G	49.47	74.00	-24.53	10.18	3	Horizontal	193	1.91	-	39.29	36.87	8.13	34.82

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)**  
**2457MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.62	54.00	-7.38	31.75	3	Vertical	225	1.01	-	14.87	27.38	4.37	-
AV	2.473G	83.52	Inf	-Inf	32.23	3	Vertical	225	1.01	-	51.29	27.74	4.49	-
AV	2.4835G	49.06	54.00	-4.94	32.30	3	Vertical	225	1.01	-	16.76	27.80	4.50	-
PK	2.365G	58.64	74.00	-15.36	31.67	3	Vertical	225	1.01	-	26.97	27.33	4.34	-
PK	2.4754G	94.95	Inf	-Inf	32.24	3	Vertical	225	1.01	-	62.71	27.75	4.49	-
PK	2.4854G	63.15	74.00	-10.85	32.31	3	Vertical	225	1.01	-	30.84	27.81	4.50	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)**  
**2457MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.62	54.00	-7.38	31.75	3	Horizontal	182	1.02	-	14.87	27.38	4.37	-
AV	2.4742G	90.85	Inf	-Inf	32.24	3	Horizontal	182	1.02	-	58.61	27.75	4.49	-
AV	2.4835G	52.27	54.00	-1.73	32.30	3	Horizontal	182	1.02	-	19.97	27.80	4.50	-
PK	2.3862G	59.30	74.00	-14.70	31.74	3	Horizontal	182	1.02	-	27.56	27.37	4.37	-
PK	2.4698G	103.23	Inf	-Inf	32.20	3	Horizontal	182	1.02	-	71.03	27.72	4.48	-
PK	2.485G	72.12	74.00	-1.88	32.31	3	Horizontal	182	1.02	-	39.81	27.81	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91744G	31.81	54.00	-22.19	4.79	3	Vertical	34	1.39	-	27.02	32.90	6.33	34.44
AV	7.373G	37.40	54.00	-16.60	10.05	3	Vertical	185	2.26	-	27.35	36.76	8.12	34.83
PK	4.91034G	43.99	74.00	-30.01	4.75	3	Vertical	34	1.39	-	39.24	32.86	6.33	34.44
PK	7.37216G	49.53	74.00	-24.47	10.06	3	Vertical	185	2.26	-	39.47	36.77	8.12	34.83

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91854G	31.73	54.00	-22.27	4.80	3	Horizontal	336	1.00	-	26.93	32.91	6.33	34.44
AV	7.36618G	37.49	54.00	-16.51	10.09	3	Horizontal	39	1.76	-	27.40	36.80	8.12	34.83
PK	4.91356G	43.97	74.00	-30.03	4.77	3	Horizontal	336	1.00	-	39.20	32.88	6.33	34.44
PK	7.3716G	50.62	74.00	-23.38	10.06	3	Horizontal	39	1.76	-	40.56	36.77	8.12	34.83

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.62	54.00	-7.38	31.75	3	Vertical	225	1.02	-	14.87	27.38	4.37	-
AV	2.4732G	83.24	Inf	-Inf	32.23	3	Vertical	225	1.02	-	51.01	27.74	4.49	-
AV	2.4835G	48.59	54.00	-5.41	32.30	3	Vertical	225	1.02	-	16.29	27.80	4.50	-
PK	2.3696G	58.53	74.00	-15.47	31.69	3	Vertical	225	1.02	-	26.84	27.34	4.35	-
PK	2.4672G	95.46	Inf	-Inf	32.18	3	Vertical	225	1.02	-	63.28	27.70	4.48	-
PK	2.484G	65.66	74.00	-8.34	32.30	3	Vertical	225	1.02	-	33.36	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.62	54.00	-7.38	31.75	3	Horizontal	182	1.01	-	14.87	27.38	4.37	-
AV	2.4732G	90.53	Inf	-Inf	32.23	3	Horizontal	182	1.01	-	58.30	27.74	4.49	-
AV	2.4835G	50.91	54.00	-3.09	32.30	3	Horizontal	182	1.01	-	18.61	27.80	4.50	-
PK	2.3752G	59.38	74.00	-14.62	31.70	3	Horizontal	182	1.01	-	27.68	27.35	4.35	-
PK	2.4772G	102.44	Inf	-Inf	32.25	3	Horizontal	182	1.01	-	70.19	27.76	4.49	-
PK	2.484G	71.39	74.00	-2.61	32.30	3	Horizontal	182	1.01	-	39.09	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92198G	31.89	54.00	-22.11	4.82	3	Vertical	130	2.69	-	27.07	32.93	6.33	34.44
AV	7.38616G	37.30	54.00	-16.70	9.96	3	Vertical	324	2.32	-	27.34	36.68	8.11	34.83
PK	4.92752G	43.95	74.00	-30.05	4.87	3	Vertical	130	2.69	-	39.08	32.97	6.34	34.44
PK	7.38312G	49.25	74.00	-24.75	9.99	3	Vertical	324	2.32	-	39.26	36.70	8.12	34.83

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92094G	31.88	54.00	-22.12	4.82	3	Horizontal	51	2.47	-	27.06	32.93	6.33	34.44
AV	7.38546G	37.33	54.00	-16.67	9.98	3	Horizontal	187	2.94	-	27.35	36.69	8.12	34.83
PK	4.92768G	44.31	74.00	-29.69	4.87	3	Horizontal	51	2.47	-	39.44	32.97	6.34	34.44
PK	7.3823G	48.94	74.00	-25.06	10.00	3	Horizontal	187	2.94	-	38.94	36.71	8.12	34.83




**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX  
2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.64	54.00	-6.36	31.75	3	Vertical	169	1.10	-	15.89	27.38	4.37	-
AV	2.416G	87.12	Inf	-Inf	31.86	3	Vertical	169	1.10	-	55.26	27.46	4.40	-
AV	2.5G	47.65	54.00	-6.35	32.43	3	Vertical	169	1.10	-	15.22	27.90	4.53	-
PK	2.39G	60.98	74.00	-13.02	31.75	3	Vertical	169	1.10	-	29.23	27.38	4.37	-
PK	2.4136G	98.56	Inf	-Inf	31.85	3	Vertical	169	1.10	-	66.71	27.45	4.40	-
PK	2.4996G	59.78	74.00	-14.22	32.42	3	Vertical	169	1.10	-	27.36	27.90	4.52	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX  
2422MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.48	54.00	-2.52	31.75	3	Horizontal	179	1.47	-	19.73	27.38	4.37	-
AV	2.414G	95.23	Inf	-Inf	31.86	3	Horizontal	179	1.47	-	63.37	27.46	4.40	-
AV	2.5G	47.65	54.00	-6.35	32.43	3	Horizontal	179	1.47	-	15.22	27.90	4.53	-
PK	2.3892G	65.96	74.00	-8.04	31.75	3	Horizontal	179	1.47	-	34.21	27.38	4.37	-
PK	2.4092G	106.21	Inf	-Inf	31.83	3	Horizontal	179	1.47	-	74.38	27.44	4.39	-
PK	2.4944G	60.28	74.00	-13.72	32.39	3	Horizontal	179	1.47	-	27.89	27.87	4.52	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX


2422MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84568G	31.36	54.00	-22.64	4.52	3	Vertical	174	2.69	-	26.84	32.68	6.29	34.45
AV	7.27018G	37.64	54.00	-16.36	10.18	3	Vertical	62	1.74	-	27.46	36.82	8.16	34.80
PK	4.83984G	43.46	74.00	-30.54	4.49	3	Vertical	174	2.69	-	38.97	32.66	6.28	34.45
PK	7.26172G	50.46	74.00	-23.54	10.22	3	Vertical	62	1.74	-	40.24	36.85	8.16	34.79


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX

2422MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.847G	31.28	54.00	-22.72	4.53	3	Horizontal	237	1.50	-	26.75	32.69	6.29	34.45
AV	7.26366G	37.56	54.00	-16.44	10.22	3	Horizontal	130	1.98	-	27.34	36.85	8.16	34.79
PK	4.8455G	43.34	74.00	-30.66	4.52	3	Horizontal	237	1.50	-	38.82	32.68	6.29	34.45
PK	7.2684G	49.53	74.00	-24.47	10.19	3	Horizontal	130	1.98	-	39.34	36.83	8.16	34.80

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX  
2427MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.77	54.00	-5.23	31.75	3	Vertical	168	1.00	-	17.02	27.38	4.37	-
AV	2.4242G	94.67	Inf	-Inf	31.92	3	Vertical	168	1.00	-	62.75	27.50	4.42	-
AV	2.4978G	47.64	54.00	-6.36	32.41	3	Vertical	168	1.00	-	15.23	27.89	4.52	-
PK	2.3898G	60.72	74.00	-13.28	31.75	3	Vertical	168	1.00	-	28.97	27.38	4.37	-
PK	2.4254G	105.66	Inf	-Inf	31.92	3	Vertical	168	1.00	-	73.74	27.50	4.42	-
PK	2.4966G	59.00	74.00	-15.00	32.40	3	Vertical	168	1.00	-	26.60	27.88	4.52	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_2TX  
2427MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.22	54.00	-1.78	31.75	3	Horizontal	179	1.17	-	20.47	27.38	4.37	-
AV	2.4246G	101.54	Inf	-Inf	31.92	3	Horizontal	179	1.17	-	69.62	27.50	4.42	-
AV	2.4842G	48.10	54.00	-5.90	32.31	3	Horizontal	179	1.17	-	15.79	27.81	4.50	-
PK	2.3894G	63.93	74.00	-10.07	31.75	3	Horizontal	179	1.17	-	32.18	27.38	4.37	-
PK	2.4246G	113.41	Inf	-Inf	31.92	3	Horizontal	179	1.17	-	81.49	27.50	4.42	-
PK	2.4998G	59.78	74.00	-14.22	32.42	3	Horizontal	179	1.17	-	27.36	27.90	4.52	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.62	54.00	-7.38	31.75	3	Vertical	170	1.05	-	14.87	27.38	4.37	-
AV	2.4554G	97.47	Inf	-Inf	32.09	3	Vertical	170	1.05	-	65.38	27.63	4.46	-
AV	2.4835G	48.59	54.00	-5.41	32.30	3	Vertical	170	1.05	-	16.29	27.80	4.50	-
PK	2.3542G	59.04	74.00	-14.96	31.64	3	Vertical	170	1.05	-	27.40	27.31	4.33	-
PK	2.4418G	109.44	Inf	-Inf	32.01	3	Vertical	170	1.05	-	77.43	27.57	4.44	-
PK	2.4838G	60.47	74.00	-13.53	32.30	3	Vertical	170	1.05	-	28.17	27.80	4.50	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX**  
**2437MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.39	54.00	-6.61	31.75	3	Horizontal	181	1.43	-	15.64	27.38	4.37	-
AV	2.4394G	104.61	Inf	-Inf	32.00	3	Horizontal	181	1.43	-	72.61	27.56	4.44	-
AV	2.4835G	51.62	54.00	-2.38	32.30	3	Horizontal	181	1.43	-	19.32	27.80	4.50	-
PK	2.3882G	58.47	74.00	-15.53	31.75	3	Horizontal	181	1.43	-	26.72	27.38	4.37	-
PK	2.4554G	115.69	Inf	-Inf	32.09	3	Horizontal	181	1.43	-	83.60	27.63	4.46	-
PK	2.4838G	63.62	74.00	-10.38	32.30	3	Horizontal	181	1.43	-	31.32	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2437MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8693G	31.42	54.00	-22.58	4.60	3	Vertical	226	2.49	-	26.82	32.74	6.30	34.44
AV	7.31166G	37.43	54.00	-16.57	10.08	3	Vertical	193	1.07	-	27.35	36.75	8.14	34.81
PK	4.872G	43.37	74.00	-30.63	4.60	3	Vertical	226	2.49	-	38.77	32.74	6.30	34.44
PK	7.30862G	50.71	74.00	-23.29	10.06	3	Vertical	193	1.07	-	40.65	36.73	8.14	34.81


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX

2437MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86994G	31.52	54.00	-22.48	4.60	3	Horizontal	145	2.70	-	26.92	32.74	6.30	34.44
AV	7.31292G	37.53	54.00	-16.47	10.08	3	Horizontal	76	1.82	-	27.45	36.75	8.14	34.81
PK	4.87076G	43.41	74.00	-30.59	4.60	3	Horizontal	145	2.70	-	38.81	32.74	6.30	34.44
PK	7.31032G	49.56	74.00	-24.44	10.07	3	Horizontal	76	1.82	-	39.49	36.74	8.14	34.81

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX  
2447MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.62	54.00	-7.38	31.75	3	Vertical	169	1.02	-	14.87	27.38	4.37	-
AV	2.4634G	95.18	Inf	-Inf	32.15	3	Vertical	169	1.02	-	63.03	27.68	4.47	-
AV	2.4835G	48.59	54.00	-5.41	32.30	3	Vertical	169	1.02	-	16.29	27.80	4.50	-
PK	2.3654G	59.41	74.00	-14.59	31.67	3	Vertical	169	1.02	-	27.74	27.33	4.34	-
PK	2.4606G	106.48	Inf	-Inf	32.13	3	Vertical	169	1.02	-	74.35	27.66	4.47	-
PK	2.4838G	60.59	74.00	-13.41	32.30	3	Vertical	169	1.02	-	28.29	27.80	4.50	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX  
2447MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.88	54.00	-7.12	31.75	3	Horizontal	181	1.38	-	15.13	27.38	4.37	-
AV	2.4498G	101.71	Inf	-Inf	32.05	3	Horizontal	181	1.38	-	69.66	27.60	4.45	-
AV	2.4835G	51.95	54.00	-2.05	32.30	3	Horizontal	181	1.38	-	19.65	27.80	4.50	-
PK	2.349G	58.40	74.00	-15.60	31.63	3	Horizontal	181	1.38	-	26.77	27.30	4.33	-
PK	2.463G	113.22	Inf	-Inf	32.15	3	Horizontal	181	1.38	-	81.07	27.68	4.47	-
PK	2.4835G	64.85	74.00	-9.15	32.30	3	Horizontal	181	1.38	-	32.55	27.80	4.50	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX  
2452MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.62	54.00	-7.38	31.75	3	Vertical	171	1.02	-	14.87	27.38	4.37	-
AV	2.4632G	87.65	Inf	-Inf	32.15	3	Vertical	171	1.02	-	55.50	27.68	4.47	-
AV	2.4844G	48.10	54.00	-5.90	32.31	3	Vertical	171	1.02	-	15.79	27.81	4.50	-
PK	2.3792G	58.00	74.00	-16.00	31.72	3	Vertical	171	1.02	-	26.28	27.36	4.36	-
PK	2.4592G	99.63	Inf	-Inf	32.13	3	Vertical	171	1.02	-	67.50	27.66	4.47	-
PK	2.4835G	61.23	74.00	-12.77	32.30	3	Vertical	171	1.02	-	28.93	27.80	4.50	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX  
2452MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.62	54.00	-7.38	31.75	3	Horizontal	182	1.17	-	14.87	27.38	4.37	-
AV	2.4548G	95.08	Inf	-Inf	32.09	3	Horizontal	182	1.17	-	62.99	27.63	4.46	-
AV	2.4835G	51.62	54.00	-2.38	32.30	3	Horizontal	182	1.17	-	19.32	27.80	4.50	-
PK	2.356G	58.37	74.00	-15.63	31.64	3	Horizontal	182	1.17	-	26.73	27.31	4.33	-
PK	2.4548G	106.02	Inf	-Inf	32.09	3	Horizontal	182	1.17	-	73.93	27.63	4.46	-
PK	2.4835G	69.58	74.00	-4.42	32.30	3	Horizontal	182	1.17	-	37.28	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90668G	31.63	54.00	-22.37	4.72	3	Vertical	24	2.25	-	26.91	32.84	6.32	34.44
AV	7.35232G	37.53	54.00	-16.47	10.20	3	Vertical	76	2.53	-	27.33	36.89	8.13	34.82
PK	4.9079G	43.40	74.00	-30.60	4.73	3	Vertical	24	2.25	-	38.67	32.85	6.32	34.44
PK	7.35614G	49.81	74.00	-24.19	10.17	3	Vertical	76	2.53	-	39.64	36.86	8.13	34.82

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2452MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9047G	31.60	54.00	-22.40	4.71	3	Horizontal	269	1.48	-	26.89	32.83	6.32	34.44
AV	7.35482G	37.58	54.00	-16.42	10.18	3	Horizontal	51	1.94	-	27.40	36.87	8.13	34.82
PK	4.9013G	43.50	74.00	-30.50	4.69	3	Horizontal	269	1.48	-	38.81	32.81	6.32	34.44
PK	7.36094G	49.94	74.00	-24.06	10.12	3	Horizontal	51	1.94	-	39.82	36.83	8.12	34.83




**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX  
2457MHz\_TX**



23/05/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.62	54.00	-7.38	31.75	3	Vertical	169	1.06	-	14.87	27.38	4.37	-
AV	2.463G	87.30	Inf	-Inf	32.15	3	Vertical	169	1.06	-	55.15	27.68	4.47	-
AV	2.4842G	48.10	54.00	-5.90	32.31	3	Vertical	169	1.06	-	15.79	27.81	4.50	-
PK	2.3678G	59.24	74.00	-14.76	31.69	3	Vertical	169	1.06	-	27.55	27.34	4.35	-
PK	2.4722G	98.68	Inf	-Inf	32.21	3	Vertical	169	1.06	-	66.47	27.73	4.48	-
PK	2.4842G	61.79	74.00	-12.21	32.31	3	Vertical	169	1.06	-	29.48	27.81	4.50	-

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX  
2457MHz\_TX**




23/05/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3802G	46.82	54.00	-7.18	31.72	3	Horizontal	180	1.31	-	15.10	27.36	4.36	-
AV	2.4594G	93.87	Inf	-Inf	32.13	3	Horizontal	180	1.31	-	61.74	27.66	4.47	-
AV	2.4835G	52.27	54.00	-1.73	32.30	3	Horizontal	180	1.31	-	19.97	27.80	4.50	-
PK	2.3766G	58.75	74.00	-15.25	31.71	3	Horizontal	180	1.31	-	27.04	27.35	4.36	-
PK	2.459G	105.55	Inf	-Inf	32.12	3	Horizontal	180	1.31	-	73.43	27.65	4.47	-
PK	2.4835G	71.07	74.00	-2.93	32.30	3	Horizontal	180	1.31	-	38.77	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2457MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91874G	31.73	54.00	-22.27	4.80	3	Vertical	176	1.53	-	26.93	32.91	6.33	34.44
AV	7.37324G	37.40	54.00	-16.60	10.05	3	Vertical	268	2.55	-	27.35	36.76	8.12	34.83
PK	4.919G	43.69	74.00	-30.31	4.80	3	Vertical	176	1.53	-	38.89	32.91	6.33	34.44
PK	7.37192G	49.40	74.00	-24.60	10.06	3	Vertical	268	2.55	-	39.34	36.77	8.12	34.83


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX

2457MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91868G	31.83	54.00	-22.17	4.80	3	Horizontal	76	1.06	-	27.03	32.91	6.33	34.44
AV	7.36618G	37.40	54.00	-16.60	10.09	3	Horizontal	334	2.92	-	27.31	36.80	8.12	34.83
PK	4.91358G	43.83	74.00	-30.17	4.77	3	Horizontal	76	1.06	-	39.06	32.88	6.33	34.44
PK	7.37274G	49.58	74.00	-24.42	10.05	3	Horizontal	334	2.92	-	39.53	36.76	8.12	34.83

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX**  
**2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.62	54.00	-7.38	31.75	3	Vertical	170	1.04	-	14.87	27.38	4.37	-
AV	2.4648G	85.14	Inf	-Inf	32.16	3	Vertical	170	1.04	-	52.98	27.69	4.47	-
AV	2.4864G	48.12	54.00	-5.88	32.33	3	Vertical	170	1.04	-	15.79	27.82	4.51	-
PK	2.3668G	58.45	74.00	-15.55	31.68	3	Vertical	170	1.04	-	26.77	27.33	4.35	-
PK	2.4688G	96.57	Inf	-Inf	32.19	3	Vertical	170	1.04	-	64.38	27.71	4.48	-
PK	2.484G	62.68	74.00	-11.32	32.30	3	Vertical	170	1.04	-	30.38	27.80	4.50	-


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX**  
**2462MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.62	54.00	-7.38	31.75	3	Horizontal	181	1.36	-	14.87	27.38	4.37	-
AV	2.4648G	91.57	Inf	-Inf	32.16	3	Horizontal	181	1.36	-	59.41	27.69	4.47	-
AV	2.4835G	52.11	54.00	-1.89	32.30	3	Horizontal	181	1.36	-	19.81	27.80	4.50	-
PK	2.378G	59.08	74.00	-14.92	31.72	3	Horizontal	181	1.36	-	27.36	27.36	4.36	-
PK	2.4636G	102.58	Inf	-Inf	32.15	3	Horizontal	181	1.36	-	70.43	27.68	4.47	-
PK	2.4835G	70.63	74.00	-3.37	32.30	3	Horizontal	181	1.36	-	38.33	27.80	4.50	-

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX


2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91972G	31.85	54.00	-22.15	4.81	3	Vertical	100	1.29	-	27.04	32.92	6.33	34.44
AV	7.38128G	37.38	54.00	-16.62	10.00	3	Vertical	22	1.68	-	27.38	36.71	8.12	34.83
PK	4.9231G	44.32	74.00	-29.68	4.83	3	Vertical	100	1.29	-	39.49	32.94	6.33	34.44
PK	7.3833G	49.49	74.00	-24.51	9.99	3	Vertical	22	1.68	-	39.50	36.70	8.12	34.83

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_2TX

2462MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92086G	31.87	54.00	-22.13	4.82	3	Horizontal	240	2.49	-	27.05	32.93	6.33	34.44
AV	7.3823G	37.28	54.00	-16.72	10.00	3	Horizontal	163	2.35	-	27.28	36.71	8.12	34.83
PK	4.9246G	43.99	74.00	-30.01	4.84	3	Horizontal	240	2.49	-	39.15	32.95	6.33	34.44
PK	7.38456G	49.29	74.00	-24.71	9.98	3	Horizontal	163	2.35	-	39.31	36.69	8.12	34.83



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port1)	Pass	PK	62.98M	33.69	40.00	-6.31	3	Vertical	0	1.00	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	PK	62.98M	32.59	40.00	-7.41	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	62.98M	33.69	40.00	-6.31	3	Vertical	0	1.00	-
2437MHz	Pass	PK	247.28M	29.98	46.00	-16.02	3	Vertical	0	1.00	-
2437MHz	Pass	PK	319.06M	29.30	46.00	-16.70	3	Vertical	0	1.00	-
2437MHz	Pass	PK	400.54M	28.46	46.00	-17.54	3	Vertical	0	1.00	-
2437MHz	Pass	PK	559.62M	27.26	46.00	-18.74	3	Vertical	0	1.00	-
2437MHz	Pass	PK	641.1M	30.38	46.00	-15.62	3	Vertical	0	1.00	-
2437MHz	Pass	PK	62.98M	31.76	40.00	-8.24	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	107.6M	25.88	43.50	-17.62	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	146.4M	24.41	43.50	-19.09	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	288.02M	33.08	46.00	-12.92	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	400.54M	30.56	46.00	-15.44	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	577.08M	28.82	46.00	-17.18	3	Horizontal	360	1.00	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	49.4M	22.77	40.00	-17.23	3	Vertical	360	1.00	-
2437MHz	Pass	PK	62.98M	32.59	40.00	-7.41	3	Vertical	360	1.00	-
2437MHz	Pass	PK	127M	21.26	43.50	-22.24	3	Vertical	360	1.00	-
2437MHz	Pass	PK	258.92M	29.13	46.00	-16.87	3	Vertical	360	1.00	-
2437MHz	Pass	PK	319.06M	29.20	46.00	-16.80	3	Vertical	360	1.00	-
2437MHz	Pass	PK	400.54M	28.36	46.00	-17.64	3	Vertical	360	1.00	-
2437MHz	Pass	PK	62.98M	31.76	40.00	-8.24	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	57.16M	26.40	40.00	-13.60	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	107.6M	25.88	43.50	-17.62	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	224M	27.73	46.00	-18.27	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	255.04M	30.87	46.00	-15.13	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	511.12M	29.30	46.00	-16.70	3	Horizontal	360	1.00	-

### 802.11b\_Nss1,(1Mbps)\_1TX(Port1)


### 2437MHz\_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	33.69	40.00	-6.31	-14.62	3	Vertical	0	1.00	-	48.31	11.57	1.29	27.48
PK	247.28M	29.98	46.00	-16.02	-6.87	3	Vertical	0	1.00	-	36.85	17.21	2.61	26.69
PK	319.06M	29.30	46.00	-16.70	-4.96	3	Vertical	0	1.00	-	34.26	18.75	3.00	26.71
PK	400.54M	28.46	46.00	-17.54	-2.79	3	Vertical	0	1.00	-	31.25	21.02	3.38	27.19
PK	559.62M	27.26	46.00	-18.74	0.19	3	Vertical	0	1.00	-	27.07	24.15	4.02	27.98
PK	641.1M	30.38	46.00	-15.62	0.39	3	Vertical	0	1.00	-	29.99	24.05	4.36	28.02


### 802.11b\_Nss1,(1Mbps)\_1TX(Port1)

### 2437MHz\_Switching power supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	31.76	40.00	-8.24	-14.62	3	Horizontal	360	1.00	-	46.38	11.57	1.29	27.48
PK	107.6M	25.88	43.50	-17.62	-8.79	3	Horizontal	360	1.00	-	34.67	16.83	1.70	27.32
PK	146.4M	24.41	43.50	-19.09	-9.49	3	Horizontal	360	1.00	-	33.90	15.69	1.98	27.16
PK	288.02M	33.08	46.00	-12.92	-5.79	3	Horizontal	360	1.00	-	38.87	17.99	2.85	26.63
PK	400.54M	30.56	46.00	-15.44	-2.79	3	Horizontal	360	1.00	-	33.35	21.02	3.38	27.19
PK	577.08M	28.82	46.00	-17.18	0.00	3	Horizontal	360	1.00	-	28.82	23.87	4.10	27.97

**802.11b\_Nss1,(1Mbps)\_1TX(Port2)**  
**2437MHz\_Switching power supply**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	22.77	40.00	-17.23	-12.97	3	Vertical	360	1.00	-	35.74	13.41	1.12	27.50
PK	62.98M	32.59	40.00	-7.41	-14.62	3	Vertical	360	1.00	-	47.21	11.57	1.29	27.48
PK	127M	21.26	43.50	-22.24	-8.27	3	Vertical	360	1.00	-	29.53	17.13	1.85	27.25
PK	258.92M	29.13	46.00	-16.87	-5.42	3	Vertical	360	1.00	-	34.55	18.57	2.68	26.67
PK	319.06M	29.20	46.00	-16.80	-4.96	3	Vertical	360	1.00	-	34.16	18.75	3.00	26.71
PK	400.54M	28.36	46.00	-17.64	-2.79	3	Vertical	360	1.00	-	31.15	21.02	3.38	27.19

**802.11b\_Nss1,(1Mbps)\_1TX(Port2)**  
**2437MHz\_Switching power supply**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	31.76	40.00	-8.24	-14.62	3	Horizontal	360	1.00	-	46.38	11.57	1.29	27.48
PK	57.16M	26.40	40.00	-13.60	-14.46	3	Horizontal	360	1.00	-	40.86	11.81	1.23	27.50
PK	107.6M	25.88	43.50	-17.62	-8.79	3	Horizontal	360	1.00	-	34.67	16.83	1.70	27.32
PK	224M	27.73	46.00	-18.27	-9.74	3	Horizontal	360	1.00	-	37.47	14.57	2.48	26.79
PK	255.04M	30.87	46.00	-15.13	-5.89	3	Horizontal	360	1.00	-	36.76	18.12	2.66	26.67
PK	511.12M	29.30	46.00	-16.70	-1.17	3	Horizontal	360	1.00	-	30.47	22.80	3.85	27.82





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port1)	Pass	PK	62.98M	33.23	40.00	-6.77	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port2)	Pass	PK	62.98M	33.05	40.00	-6.95	3	Vertical	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_2TX	Pass	PK	62.98M	33.14	40.00	-6.86	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	62.98M	33.23	40.00	-6.77	3	Vertical	360	1.00	-
2437MHz	Pass	PK	127M	25.65	43.50	-17.85	3	Vertical	360	1.00	-
2437MHz	Pass	PK	165.8M	23.92	43.50	-19.58	3	Vertical	360	1.00	-
2437MHz	Pass	PK	245.34M	29.54	46.00	-16.46	3	Vertical	360	1.00	-
2437MHz	Pass	PK	319.06M	31.61	46.00	-14.39	3	Vertical	360	1.00	-
2437MHz	Pass	PK	641.1M	30.08	46.00	-15.92	3	Vertical	360	1.00	-
2437MHz	Pass	PK	31.94M	20.29	40.00	-19.71	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	62.98M	30.93	40.00	-9.07	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	127M	22.22	43.50	-21.28	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	319.06M	35.32	46.00	-10.68	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	352.04M	29.12	46.00	-16.88	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	511.12M	27.75	46.00	-18.25	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	62.98M	33.05	40.00	-6.95	3	Vertical	0	1.00	-
2437MHz	Pass	PK	127M	24.71	43.50	-18.79	3	Vertical	0	1.00	-
2437MHz	Pass	PK	159.98M	22.32	43.50	-21.18	3	Vertical	0	1.00	-
2437MHz	Pass	PK	319.06M	31.95	46.00	-14.05	3	Vertical	0	1.00	-
2437MHz	Pass	PK	352.04M	29.70	46.00	-16.30	3	Vertical	0	1.00	-
2437MHz	Pass	PK	400.54M	28.03	46.00	-17.97	3	Vertical	0	1.00	-
2437MHz	Pass	PK	62.98M	29.81	40.00	-10.19	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	107.6M	22.28	43.50	-21.22	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	288.02M	33.83	46.00	-12.17	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	319.06M	33.84	46.00	-12.16	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	483.96M	25.72	46.00	-20.28	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	641.1M	28.89	46.00	-17.11	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	47.46M	26.14	40.00	-13.86	3	Vertical	360	1.00	-
2437MHz	Pass	PK	62.98M	33.14	40.00	-6.86	3	Vertical	360	1.00	-
2437MHz	Pass	PK	127M	28.38	43.50	-15.12	3	Vertical	360	1.00	-
2437MHz	Pass	PK	241.46M	28.28	46.00	-17.72	3	Vertical	360	1.00	-
2437MHz	Pass	PK	319.06M	33.43	46.00	-12.57	3	Vertical	360	1.00	-
2437MHz	Pass	PK	352.04M	31.85	46.00	-14.15	3	Vertical	360	1.00	-
2437MHz	Pass	PK	62.98M	30.32	40.00	-9.68	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	127M	24.08	43.50	-19.42	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	191.02M	25.82	43.50	-17.68	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	288.02M	35.01	46.00	-10.99	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	319.06M	32.94	46.00	-13.06	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	400.54M	29.37	46.00	-16.63	3	Horizontal	0	1.00	-

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2437MHz\_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	33.23	40.00	-6.77	-14.62	3	Vertical	360	1.00	-	47.85	11.57	1.29	27.48
PK	127M	25.65	43.50	-17.85	-8.27	3	Vertical	360	1.00	-	33.92	17.13	1.85	27.25
PK	165.8M	23.92	43.50	-19.58	-10.08	3	Vertical	360	1.00	-	34.00	14.88	2.12	27.08
PK	245.34M	29.54	46.00	-16.46	-7.12	3	Vertical	360	1.00	-	36.66	16.98	2.60	26.70
PK	319.06M	31.61	46.00	-14.39	-4.96	3	Vertical	360	1.00	-	36.57	18.75	3.00	26.71
PK	641.1M	30.08	46.00	-15.92	0.39	3	Vertical	360	1.00	-	29.69	24.05	4.36	28.02

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port1)


2437MHz\_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	20.29	40.00	-19.71	-4.42	3	Horizontal	0	1.00	-	24.71	22.23	0.91	27.56
PK	62.98M	30.93	40.00	-9.07	-14.62	3	Horizontal	0	1.00	-	45.55	11.57	1.29	27.48
PK	127M	22.22	43.50	-21.28	-8.27	3	Horizontal	0	1.00	-	30.49	17.13	1.85	27.25
PK	319.06M	35.32	46.00	-10.68	-4.96	3	Horizontal	0	1.00	-	40.28	18.75	3.00	26.71
PK	352.04M	29.12	46.00	-16.88	-4.15	3	Horizontal	0	1.00	-	33.27	19.57	3.15	26.87
PK	511.12M	27.75	46.00	-18.25	-1.17	3	Horizontal	0	1.00	-	28.92	22.80	3.85	27.82

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)**


**2437MHz\_Switching power supply**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	33.05	40.00	-6.95	-14.62	3	Vertical	0	1.00	-	47.67	11.57	1.29	27.48
PK	127M	24.71	43.50	-18.79	-8.27	3	Vertical	0	1.00	-	32.98	17.13	1.85	27.25
PK	159.98M	22.32	43.50	-21.18	-10.12	3	Vertical	0	1.00	-	32.44	14.91	2.08	27.11
PK	319.06M	31.95	46.00	-14.05	-4.96	3	Vertical	0	1.00	-	36.91	18.75	3.00	26.71
PK	352.04M	29.70	46.00	-16.30	-4.15	3	Vertical	0	1.00	-	33.85	19.57	3.15	26.87
PK	400.54M	28.03	46.00	-17.97	-2.79	3	Vertical	0	1.00	-	30.82	21.02	3.38	27.19


**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX(Port2)**

**2437MHz\_Switching power supply**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	29.81	40.00	-10.19	-14.62	3	Horizontal	360	1.00	-	44.43	11.57	1.29	27.48
PK	107.6M	22.28	43.50	-21.22	-8.79	3	Horizontal	360	1.00	-	31.07	16.83	1.70	27.32
PK	288.02M	33.83	46.00	-12.17	-5.79	3	Horizontal	360	1.00	-	39.62	17.99	2.85	26.63
PK	319.06M	33.84	46.00	-12.16	-4.96	3	Horizontal	360	1.00	-	38.80	18.75	3.00	26.71
PK	483.96M	25.72	46.00	-20.28	-1.31	3	Horizontal	360	1.00	-	27.03	22.65	3.74	27.70
PK	641.1M	28.89	46.00	-17.11	0.39	3	Horizontal	360	1.00	-	28.50	24.05	4.36	28.02

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX**  
**2437MHz\_Switching power supply**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	26.14	40.00	-13.86	-12.17	3	Vertical	360	1.00	-	38.31	14.24	1.10	27.51
PK	62.98M	33.14	40.00	-6.86	-14.62	3	Vertical	360	1.00	-	47.76	11.57	1.29	27.48
PK	127M	28.38	43.50	-15.12	-8.27	3	Vertical	360	1.00	-	36.65	17.13	1.85	27.25
PK	241.46M	28.28	46.00	-17.72	-7.60	3	Vertical	360	1.00	-	35.88	16.54	2.58	26.72
PK	319.06M	33.43	46.00	-12.57	-4.96	3	Vertical	360	1.00	-	38.39	18.75	3.00	26.71
PK	352.04M	31.85	46.00	-14.15	-4.15	3	Vertical	360	1.00	-	36.00	19.57	3.15	26.87

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX**  
**2437MHz\_Switching power supply**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	30.32	40.00	-9.68	-14.62	3	Horizontal	0	1.00	-	44.94	11.57	1.29	27.48
PK	127M	24.08	43.50	-19.42	-8.27	3	Horizontal	0	1.00	-	32.35	17.13	1.85	27.25
PK	191.02M	25.82	43.50	-17.68	-10.53	3	Horizontal	0	1.00	-	36.35	14.11	2.29	26.93
PK	288.02M	35.01	46.00	-10.99	-5.79	3	Horizontal	0	1.00	-	40.80	17.99	2.85	26.63
PK	319.06M	32.94	46.00	-13.06	-4.96	3	Horizontal	0	1.00	-	37.90	18.75	3.00	26.71
PK	400.54M	29.37	46.00	-16.63	-2.79	3	Horizontal	0	1.00	-	32.16	21.02	3.38	27.19