


802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59742G	45.04	54.00	-8.96	15.76	3	Vertical	180	2.08	-	29.28	38.61	11.66	34.51
PK	6.49998G	57.45	68.20	-10.75	8.31	3	Vertical	210	1.55	-	49.14	35.60	7.35	34.64
PK	10.39844G	54.49	68.20	-13.71	13.58	3	Vertical	190	1.79	-	40.91	38.70	9.52	34.64
PK	15.59556G	58.13	74.00	-15.87	15.76	3	Vertical	180	2.08	-	42.37	38.61	11.66	34.51

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60378G	43.88	54.00	-10.12	15.73	3	Horizontal	230	2.21	-	28.15	38.59	11.66	34.52
PK	6.49998G	54.57	68.20	-13.63	8.31	3	Horizontal	137	1.51	-	46.26	35.60	7.35	34.64
PK	10.39724G	54.61	68.20	-13.59	13.58	3	Horizontal	107	1.50	-	41.03	38.70	9.52	34.64
PK	15.61302G	56.79	74.00	-17.21	15.72	3	Horizontal	230	2.21	-	41.07	38.57	11.67	34.52

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	45.50	54.00	-8.50	5.15	3	Vertical	208	1.50	-	40.35	33.10	6.49	34.44
AV	5.2472G	103.08	Inf	-Inf	5.05	3	Vertical	208	1.50	-	98.03	32.91	6.58	34.44
AV	5.3678G	46.12	54.00	-7.88	5.21	3	Vertical	208	1.50	-	40.91	32.94	6.72	34.45
PK	5.0966G	57.28	74.00	-16.72	5.20	3	Vertical	208	1.50	-	52.08	33.19	6.45	34.44
PK	5.2442G	114.26	Inf	-Inf	5.05	3	Vertical	208	1.50	-	109.21	32.91	6.58	34.44
PK	5.3522G	59.00	74.00	-15.00	5.16	3	Vertical	208	1.50	-	53.84	32.90	6.71	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	45.49	54.00	-8.51	5.15	3	Horizontal	120	1.71	-	40.34	33.10	6.49	34.44
AV	5.2424G	100.65	Inf	-Inf	5.06	3	Horizontal	120	1.71	-	95.59	32.92	6.58	34.44
AV	5.369G	45.59	54.00	-8.41	5.21	3	Horizontal	120	1.71	-	40.38	32.94	6.72	34.45
PK	5.132G	57.56	74.00	-16.44	5.18	3	Horizontal	120	1.71	-	52.38	33.14	6.48	34.44
PK	5.2454G	112.27	Inf	-Inf	5.05	3	Horizontal	120	1.71	-	107.22	32.91	6.58	34.44
PK	5.3738G	57.89	74.00	-16.11	5.23	3	Horizontal	120	1.71	-	52.66	32.95	6.73	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71852G	43.67	54.00	-10.33	15.54	3	Vertical	68	2.93	-	28.13	38.42	11.71	34.59
PK	6.54995G	56.11	68.20	-12.09	8.34	3	Vertical	212	1.49	-	47.77	35.60	7.39	34.65
PK	10.48688G	53.03	68.20	-15.17	13.66	3	Vertical	110	1.39	-	39.37	38.61	9.55	34.50
PK	15.71356G	56.20	74.00	-17.80	15.53	3	Vertical	68	2.93	-	40.67	38.41	11.71	34.59

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72908G	43.51	54.00	-10.49	15.54	3	Horizontal	282	1.74	-	27.97	38.43	11.71	34.60
PK	6.55G	52.82	68.20	-15.38	8.34	3	Horizontal	140	1.48	-	44.48	35.60	7.39	34.65
PK	10.48564G	53.40	68.20	-14.80	13.66	3	Horizontal	16	1.43	-	39.74	38.61	9.55	34.50
PK	15.71204G	55.81	74.00	-18.19	15.53	3	Horizontal	282	1.74	-	40.28	38.41	11.71	34.59

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.50	54.00	-8.50	5.15	3	Vertical	209	1.48	-	40.35	33.10	6.49	34.44
AV	5.2612G	103.13	Inf	-Inf	5.09	3	Vertical	209	1.48	-	98.04	32.94	6.60	34.45
AV	5.362G	46.27	54.00	-7.73	5.19	3	Vertical	209	1.48	-	41.08	32.92	6.72	34.45
PK	5.1442G	57.32	74.00	-16.68	5.16	3	Vertical	209	1.48	-	52.16	33.11	6.49	34.44
PK	5.263G	115.50	Inf	-Inf	5.10	3	Vertical	209	1.48	-	110.40	32.95	6.60	34.45
PK	5.3902G	58.95	74.00	-15.05	5.28	3	Vertical	209	1.48	-	53.67	32.98	6.75	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1298G	45.34	54.00	-8.66	5.18	3	Horizontal	118	1.65	-	40.16	33.14	6.48	34.44
AV	5.257G	100.99	Inf	-Inf	5.08	3	Horizontal	118	1.65	-	95.91	32.93	6.60	34.45
AV	5.374G	45.79	54.00	-8.21	5.23	3	Horizontal	118	1.65	-	40.56	32.95	6.73	34.45
PK	5.1154G	56.94	74.00	-17.06	5.20	3	Horizontal	118	1.65	-	51.74	33.17	6.47	34.44
PK	5.2546G	112.36	Inf	-Inf	5.06	3	Horizontal	118	1.65	-	107.30	32.92	6.59	34.45
PK	5.3938G	57.44	74.00	-16.56	5.29	3	Horizontal	118	1.65	-	52.15	32.99	6.75	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7716G	43.79	54.00	-10.21	15.58	3	Vertical	168	2.13	-	28.21	38.47	11.73	34.62
PK	6.57489G	56.21	68.20	-11.99	8.51	3	Vertical	212	1.49	-	47.70	35.75	7.41	34.65
PK	10.517G	53.11	68.20	-15.09	13.77	3	Vertical	326	1.64	-	39.34	38.68	9.56	34.47
PK	15.77732G	55.97	74.00	-18.03	15.59	3	Vertical	168	2.13	-	40.38	38.48	11.74	34.63

802.11a_Nss1,(6Mbps)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77172G	43.79	54.00	-10.21	15.58	3	Horizontal	130	1.53	-	28.21	38.47	11.73	34.62
PK	6.57491G	53.06	68.20	-15.14	8.51	3	Horizontal	141	1.44	-	44.55	35.75	7.41	34.65
PK	10.52G	52.49	68.20	-15.71	13.79	3	Horizontal	288	2.55	-	38.70	38.70	9.56	34.47
PK	15.7848G	55.89	74.00	-18.11	15.59	3	Horizontal	130	1.53	-	40.30	38.48	11.74	34.63

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	103.18	Inf	-Inf	5.29	3	Vertical	210	1.60	-	97.89	33.09	6.65	34.45
AV	5.35G	48.05	54.00	-5.95	5.15	3	Vertical	210	1.60	-	42.90	32.90	6.70	34.45
PK	5.2936G	115.02	Inf	-Inf	5.26	3	Vertical	210	1.60	-	109.76	33.07	6.64	34.45
PK	5.3516G	61.91	74.00	-12.09	5.15	3	Vertical	210	1.60	-	56.76	32.90	6.70	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	100.63	Inf	-Inf	5.30	3	Horizontal	117	1.63	-	95.33	33.10	6.65	34.45
AV	5.35G	46.71	54.00	-7.29	5.15	3	Horizontal	117	1.63	-	41.56	32.90	6.70	34.45
PK	5.2928G	112.62	Inf	-Inf	5.26	3	Horizontal	117	1.63	-	107.36	33.07	6.64	34.45
PK	5.352G	59.07	74.00	-14.93	5.15	3	Horizontal	117	1.63	-	53.92	32.90	6.70	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89492G	43.69	54.00	-10.31	15.50	3	Vertical	219	1.94	-	28.19	38.41	11.79	34.70
PK	6.62499G	55.00	68.20	-13.20	8.64	3	Vertical	213	1.57	-	46.36	35.85	7.45	34.66
PK	10.59944G	53.20	68.20	-15.00	14.25	3	Vertical	169	1.50	-	38.95	39.10	9.59	34.44
PK	15.89896G	55.95	74.00	-18.05	15.48	3	Vertical	219	1.94	-	40.47	38.40	11.79	34.71

802.11a_Nss1,(6Mbps)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90552G	43.77	54.00	-10.23	15.47	3	Horizontal	112	1.60	-	28.30	38.39	11.79	34.71
PK	6.62511G	52.15	68.20	-16.05	8.64	3	Horizontal	141	1.47	-	43.51	35.85	7.45	34.66
PK	10.5978G	53.47	68.20	-14.73	14.24	3	Horizontal	192	1.07	-	39.23	39.09	9.59	34.44
PK	15.90544G	55.62	74.00	-18.38	15.47	3	Horizontal	112	1.60	-	40.15	38.39	11.79	34.71

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3282G	102.79	Inf	-Inf	5.22	3	Vertical	210	1.57	-	97.57	32.99	6.68	34.45
AV	5.35G	50.44	54.00	-3.56	5.15	3	Vertical	210	1.57	-	45.29	32.90	6.70	34.45
PK	5.3284G	114.45	Inf	-Inf	5.22	3	Vertical	210	1.57	-	109.23	32.99	6.68	34.45
PK	5.351G	65.95	74.00	-8.05	5.15	3	Vertical	210	1.57	-	60.80	32.90	6.70	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3226G	100.12	Inf	-Inf	5.23	3	Horizontal	117	1.70	-	94.89	33.01	6.67	34.45
AV	5.3502G	48.84	54.00	-5.16	5.15	3	Horizontal	117	1.70	-	43.69	32.90	6.70	34.45
PK	5.321G	111.92	Inf	-Inf	5.24	3	Horizontal	117	1.70	-	106.68	33.02	6.67	34.45
PK	5.3656G	63.98	74.00	-10.02	5.20	3	Horizontal	117	1.70	-	58.78	32.93	6.72	34.45

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63G	40.39	54.00	-13.61	14.24	3	Vertical	292	1.11	-	26.15	39.07	9.60	34.43
AV	15.956G	43.71	54.00	-10.29	15.41	3	Vertical	161	1.67	-	28.30	38.34	11.81	34.74
PK	6.65009G	55.18	68.20	-13.02	8.62	3	Vertical	213	1.55	-	46.56	35.80	7.48	34.66
PK	10.63448G	52.26	74.00	-21.74	14.25	3	Vertical	292	1.11	-	38.01	39.07	9.61	34.43
PK	15.96844G	56.54	74.00	-17.46	15.40	3	Vertical	161	1.67	-	41.14	38.33	11.82	34.75

802.11a_Nss1,(6Mbps)_1TX(Port1)


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63028G	40.50	54.00	-13.50	14.24	3	Horizontal	127	2.32	-	26.26	39.07	9.60	34.43
AV	15.95256G	43.77	54.00	-10.23	15.42	3	Horizontal	355	1.40	-	28.35	38.35	11.81	34.74
PK	6.6498G	51.00	68.20	-17.20	8.62	3	Horizontal	142	1.44	-	42.38	35.80	7.48	34.66
PK	10.64384G	53.88	74.00	-20.12	14.24	3	Horizontal	127	2.32	-	39.64	39.06	9.61	34.43
PK	15.96844G	56.54	74.00	-17.46	15.40	3	Horizontal	355	1.40	-	41.14	38.33	11.82	34.75

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.94	54.00	-7.06	5.45	3	Vertical	208	1.44	-	41.49	33.12	6.79	34.46
AV	5.4942G	102.33	Inf	-Inf	5.54	3	Vertical	208	1.44	-	96.79	33.19	6.81	34.46
PK	5.4676G	66.30	68.20	-1.90	5.47	3	Vertical	208	1.44	-	60.83	33.14	6.79	34.46
PK	5.4942G	114.16	Inf	-Inf	5.54	3	Vertical	208	1.44	-	108.62	33.19	6.81	34.46

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.90	54.00	-8.10	5.45	3	Horizontal	119	2.81	-	40.45	33.12	6.79	34.46
AV	5.498G	98.99	Inf	-Inf	5.55	3	Horizontal	119	2.81	-	93.44	33.20	6.81	34.46
PK	5.4658G	61.72	68.20	-6.48	5.46	3	Horizontal	119	2.81	-	56.26	33.13	6.79	34.46
PK	5.4944G	110.92	Inf	-Inf	5.54	3	Horizontal	119	2.81	-	105.38	33.19	6.81	34.46

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00724G	41.07	54.00	-12.93	14.26	3	Vertical	90	2.75	-	26.81	38.81	9.74	34.29
PK	6.87492G	50.18	68.20	-18.02	8.97	3	Vertical	197	2.22	-	41.21	35.90	7.76	34.69
PK	10.99756G	53.12	74.00	-20.88	14.23	3	Vertical	90	2.75	-	38.89	38.80	9.73	34.30
PK	16.49152G	56.25	68.20	-11.95	16.20	3	Vertical	308	1.00	-	40.05	38.86	12.03	34.69

802.11a_Nss1,(6Mbps)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00988G	40.99	54.00	-13.01	14.26	3	Horizontal	327	2.83	-	26.73	38.81	9.74	34.29
PK	6.87322G	49.23	68.20	-18.97	8.96	3	Horizontal	97	1.50	-	40.27	35.89	7.76	34.69
PK	11.008G	53.18	74.00	-20.82	14.26	3	Horizontal	327	2.83	-	38.92	38.81	9.74	34.29
PK	16.49252G	56.20	68.20	-12.00	16.20	3	Horizontal	78	2.44	-	40.00	38.86	12.03	34.69

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.72	54.00	-8.28	5.45	3	Vertical	210	1.46	-	40.27	33.12	6.79	34.46
AV	5.5824G	102.76	Inf	-Inf	5.51	3	Vertical	210	1.46	-	97.25	33.13	6.85	34.47
PK	5.4612G	57.39	68.20	-10.81	5.45	3	Vertical	210	1.46	-	51.94	33.12	6.79	34.46
PK	5.5776G	114.51	Inf	-Inf	5.49	3	Vertical	210	1.46	-	109.02	33.11	6.85	34.47
PK	5.7252G	58.25	68.20	-9.95	6.01	3	Vertical	210	1.46	-	52.24	33.60	6.90	34.49

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.33	54.00	-8.67	5.45	3	Horizontal	118	1.45	-	39.88	33.12	6.79	34.46
AV	5.5788G	99.47	Inf	-Inf	5.50	3	Horizontal	118	1.45	-	93.97	33.12	6.85	34.47
PK	5.4678G	56.80	68.20	-11.40	5.47	3	Horizontal	118	1.45	-	51.33	33.14	6.79	34.46
PK	5.586G	111.59	Inf	-Inf	5.52	3	Horizontal	118	1.45	-	106.07	33.14	6.85	34.47
PK	5.73G	57.36	68.20	-10.84	6.06	3	Horizontal	118	1.45	-	51.30	33.64	6.91	34.49

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16932G	41.24	54.00	-12.76	14.66	3	Vertical	300	1.43	-	26.58	39.04	9.80	34.18
PK	6.975G	50.68	68.20	-17.52	9.24	3	Vertical	194	1.66	-	41.44	36.00	7.95	34.71
PK	11.15544G	53.39	74.00	-20.61	14.61	3	Vertical	300	1.43	-	38.78	39.01	9.79	34.19
PK	16.74172G	57.05	68.20	-11.15	16.56	3	Vertical	242	1.99	-	40.49	38.72	12.13	34.29

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16704G	41.33	54.00	-12.67	14.64	3	Horizontal	213	1.53	-	26.69	39.03	9.79	34.18
PK	6.97516G	49.62	68.20	-18.58	9.24	3	Horizontal	104	1.50	-	40.38	36.00	7.95	34.71
PK	11.16888G	53.75	74.00	-20.25	14.65	3	Horizontal	213	1.53	-	39.10	39.04	9.79	34.18
PK	16.73328G	56.56	68.20	-11.64	16.56	3	Horizontal	314	1.84	-	40.00	38.73	12.13	34.30

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	101.49	Inf	-Inf	5.81	3	Vertical	227	1.62	-	95.68	33.40	6.89	34.48
PK	5.694G	113.48	Inf	-Inf	5.80	3	Vertical	227	1.62	-	107.68	33.39	6.89	34.48
PK	5.7252G	65.53	68.20	-2.67	6.01	3	Vertical	227	1.62	-	59.52	33.60	6.90	34.49

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	98.13	Inf	-Inf	5.81	3	Horizontal	121	1.46	-	92.32	33.40	6.89	34.48
PK	5.6992G	110.06	Inf	-Inf	5.81	3	Horizontal	121	1.46	-	104.25	33.40	6.89	34.48
PK	5.7264G	61.19	68.20	-7.01	6.02	3	Horizontal	121	1.46	-	55.17	33.61	6.90	34.49

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39964G	41.33	54.00	-12.67	14.86	3	Vertical	105	1.47	-	26.47	39.00	9.88	34.02
PK	7.13296G	49.61	68.20	-18.59	10.13	3	Vertical	227	1.50	-	39.48	36.76	8.12	34.75
PK	11.40204G	53.46	74.00	-20.54	14.86	3	Vertical	105	1.47	-	38.60	39.00	9.88	34.02
PK	17.1044G	55.56	68.20	-12.64	16.74	3	Vertical	136	2.97	-	38.82	38.40	12.28	33.94

802.11a_Nss1,(6Mbps)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40424G	41.42	54.00	-12.58	14.86	3	Horizontal	158	2.71	-	26.56	39.00	9.88	34.02
PK	7.1487G	49.43	68.20	-18.77	10.26	3	Horizontal	102	1.50	-	39.17	36.89	8.13	34.76
PK	11.40308G	53.51	74.00	-20.49	14.86	3	Horizontal	158	2.71	-	38.65	39.00	9.88	34.02
PK	17.10416G	56.09	68.20	-12.11	16.74	3	Horizontal	96	2.56	-	39.35	38.40	12.28	33.94

802.11a_Nss1,(6Mbps)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.33	54.00	-8.67	5.45	3	Vertical	229	1.59	-	39.88	33.12	6.79	34.46
AV	5.7248G	102.49	Inf	-Inf	6.01	3	Vertical	229	1.59	-	96.48	33.60	6.90	34.49
PK	5.4608G	56.41	68.20	-11.79	5.45	3	Vertical	229	1.59	-	50.96	33.12	6.79	34.46
PK	5.7224G	113.68	Inf	-Inf	5.99	3	Vertical	229	1.59	-	107.69	33.58	6.90	34.49
PK	5.876G	60.15	68.20	-8.05	6.64	3	Vertical	229	1.59	-	53.51	34.15	7.00	34.51

802.11a_Nss1,(6Mbps)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	45.25	54.00	-8.75	5.42	3	Horizontal	116	1.23	-	39.83	33.10	6.78	34.46
AV	5.7224G	100.27	Inf	-Inf	5.99	3	Horizontal	116	1.23	-	94.28	33.58	6.90	34.49
PK	5.4608G	55.54	68.20	-12.66	5.45	3	Horizontal	116	1.23	-	50.09	33.12	6.79	34.46
PK	5.7236G	111.95	Inf	-Inf	6.00	3	Horizontal	116	1.23	-	105.95	33.59	6.90	34.49
PK	5.9024G	59.74	68.20	-8.46	6.62	3	Horizontal	116	1.23	-	53.12	34.11	7.02	34.51

802.11a_Nss1,(6Mbps)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43G	41.22	54.00	-12.78	14.89	3	Vertical	149	1.89	-	26.33	39.00	9.89	34.00
PK	7.15548G	50.01	68.20	-18.19	10.27	3	Vertical	204	3.00	-	39.74	36.89	8.14	34.76
PK	11.44404G	53.45	74.00	-20.55	14.90	3	Vertical	149	1.89	-	38.55	39.00	9.89	33.99
PK	17.16456G	57.02	68.20	-11.18	16.71	3	Vertical	257	2.40	-	40.31	38.40	12.30	33.99

802.11a_Nss1,(6Mbps)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43588G	41.21	54.00	-12.79	14.90	3	Horizontal	293	2.70	-	26.31	39.00	9.89	33.99
PK	7.1456G	50.52	68.20	-17.68	10.23	3	Horizontal	227	1.07	-	40.29	36.86	8.13	34.76
PK	11.43616G	53.69	74.00	-20.31	14.90	3	Horizontal	293	2.70	-	38.79	39.00	9.89	33.99
PK	17.15004G	55.83	68.20	-12.37	16.72	3	Horizontal	84	1.18	-	39.11	38.40	12.30	33.98

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	102.53	Inf	-Inf	6.16	3	Vertical	228	1.60	-	96.37	33.74	6.91	34.49
PK	5.6034G	58.58	68.20	-9.62	5.60	3	Vertical	228	1.60	-	52.98	33.21	6.86	34.47
PK	5.7498G	113.43	Inf	-Inf	6.22	3	Vertical	228	1.60	-	107.21	33.80	6.91	34.49
PK	6.0414G	59.75	68.20	-8.45	6.96	3	Vertical	228	1.60	-	52.79	34.37	7.12	34.53

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	99.80	Inf	-Inf	6.20	3	Horizontal	179	1.58	-	93.60	33.78	6.91	34.49
PK	5.6442G	58.83	68.20	-9.37	5.69	3	Horizontal	179	1.58	-	53.14	33.29	6.88	34.48
PK	5.7438G	110.78	Inf	-Inf	6.17	3	Horizontal	179	1.58	-	104.61	33.75	6.91	34.49
PK	5.9574G	59.62	68.20	-8.58	6.93	3	Horizontal	179	1.58	-	52.69	34.37	7.07	34.51

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49496G	41.23	54.00	-12.77	14.96	3	Vertical	295	2.83	-	26.27	39.00	9.91	33.95
PK	7.22105G	49.56	68.20	-18.64	10.23	3	Vertical	33	1.22	-	39.33	36.84	8.17	34.78
PK	11.48896G	53.27	74.00	-20.73	14.95	3	Vertical	295	2.83	-	38.32	39.00	9.91	33.96
PK	17.22872G	56.54	68.20	-11.66	16.72	3	Vertical	120	2.46	-	39.82	38.43	12.33	34.04

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48144G	41.30	54.00	-12.70	14.95	3	Horizontal	168	1.31	-	26.35	39.00	9.91	33.96
PK	7.22825G	49.53	68.20	-18.67	10.25	3	Horizontal	228	1.29	-	39.28	36.86	8.17	34.78
PK	11.48408G	53.83	74.00	-20.17	14.95	3	Horizontal	168	1.31	-	38.88	39.00	9.91	33.96
PK	17.23852G	56.74	68.20	-11.46	16.72	3	Horizontal	282	1.38	-	40.02	38.44	12.33	34.05

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	102.34	Inf	-Inf	6.32	3	Vertical	229	1.64	-	96.02	33.88	6.93	34.49
PK	5.629G	58.00	68.20	-10.20	5.65	3	Vertical	229	1.64	-	52.35	33.26	6.87	34.48
PK	5.7802G	113.36	Inf	-Inf	6.29	3	Vertical	229	1.64	-	107.07	33.86	6.92	34.49
PK	6.061G	60.05	68.20	-8.15	6.96	3	Vertical	229	1.64	-	53.09	34.36	7.13	34.53

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	99.43	Inf	-Inf	6.29	3	Horizontal	180	1.63	-	93.14	33.86	6.92	34.49
PK	5.6122G	58.50	68.20	-9.70	5.61	3	Horizontal	180	1.63	-	52.89	33.22	6.86	34.47
PK	5.7814G	110.97	Inf	-Inf	6.29	3	Horizontal	180	1.63	-	104.68	33.86	6.92	34.49
PK	5.9806G	60.49	68.20	-7.71	6.85	3	Horizontal	180	1.63	-	53.64	34.28	7.09	34.52

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57656G	40.77	54.00	-13.23	14.86	3	Vertical	273	1.85	-	25.91	38.92	9.94	34.00
PK	7.23159G	50.37	68.20	-17.83	10.25	3	Vertical	227	1.66	-	40.12	36.86	8.17	34.78
PK	11.572G	53.53	74.00	-20.47	14.88	3	Vertical	273	1.85	-	38.65	38.93	9.94	33.99
PK	17.3524G	57.00	68.20	-11.20	16.91	3	Vertical	191	1.91	-	40.09	38.66	12.38	34.13

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57896G	40.76	54.00	-13.24	14.86	3	Horizontal	186	1.59	-	25.90	38.92	9.94	34.00
PK	7.2252G	50.73	68.20	-17.47	10.24	3	Horizontal	112	1.66	-	40.49	36.85	8.17	34.78
PK	11.57088G	52.91	74.00	-21.09	14.88	3	Horizontal	186	1.59	-	38.03	38.93	9.94	33.99
PK	17.35948G	56.26	68.20	-11.94	16.92	3	Horizontal	288	2.47	-	39.34	38.68	12.38	34.14

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	102.92	Inf	-Inf	6.49	3	Vertical	229	1.50	-	96.43	34.04	6.95	34.50
PK	5.6018G	58.25	68.20	-9.95	5.59	3	Vertical	229	1.50	-	52.66	33.20	6.86	34.47
PK	5.8322G	115.10	Inf	-Inf	6.55	3	Vertical	229	1.50	-	108.55	34.09	6.96	34.50
PK	5.9474G	61.12	68.20	-7.08	6.93	3	Vertical	229	1.50	-	54.19	34.38	7.06	34.51

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	99.56	Inf	-Inf	6.55	3	Horizontal	179	1.50	-	93.01	34.09	6.96	34.50
PK	5.5478G	58.18	68.20	-10.02	5.37	3	Horizontal	179	1.50	-	52.81	33.01	6.83	34.47
PK	5.831G	110.82	Inf	-Inf	6.55	3	Horizontal	179	1.50	-	104.27	34.09	6.96	34.50
PK	6.0626G	60.78	68.20	-7.42	6.94	3	Horizontal	179	1.50	-	53.84	34.35	7.13	34.54

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27365G	37.54	54.00	-16.46	10.16	3	Vertical	360	1.50	-	27.38	36.81	8.15	34.80
AV	11.64288G	40.93	54.00	-13.07	14.78	3	Vertical	146	1.60	-	26.15	38.86	9.96	34.04
PK	7.28137G	50.00	74.00	-24.00	10.12	3	Vertical	360	1.50	-	39.88	36.77	8.15	34.80
PK	11.65956G	53.66	74.00	-20.34	14.76	3	Vertical	146	1.60	-	38.90	38.84	9.97	34.05
PK	17.4674G	57.61	68.20	-10.59	17.07	3	Vertical	324	1.50	-	40.54	38.87	12.42	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28141G	38.41	54.00	-15.59	10.12	3	Horizontal	230	1.00	-	28.29	36.77	8.15	34.80
AV	11.64068G	40.84	54.00	-13.16	14.78	3	Horizontal	38	1.23	-	26.06	38.86	9.96	34.04
PK	7.27813G	50.66	74.00	-23.34	10.14	3	Horizontal	230	1.00	-	40.52	36.79	8.15	34.80
PK	11.64408G	54.91	74.00	-19.09	14.78	3	Horizontal	38	1.23	-	40.13	38.86	9.96	34.04
PK	17.46876G	57.18	68.20	-11.02	17.06	3	Horizontal	68	1.50	-	40.12	38.87	12.42	34.23

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.46	54.00	-2.54	5.15	3	Vertical	207	1.39	-	46.31	33.10	6.49	34.44
AV	5.1864G	103.22	Inf	-Inf	5.11	3	Vertical	207	1.39	-	98.11	33.03	6.52	34.44
PK	5.1498G	70.10	74.00	-3.90	5.15	3	Vertical	207	1.39	-	64.95	33.10	6.49	34.44
PK	5.1844G	112.22	Inf	-Inf	5.11	3	Vertical	207	1.39	-	107.11	33.03	6.52	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.63	54.00	-4.37	5.15	3	Horizontal	119	1.50	-	44.48	33.10	6.49	34.44
AV	5.1772G	100.52	Inf	-Inf	5.12	3	Horizontal	119	1.50	-	95.40	33.05	6.51	34.44
PK	5.1494G	66.54	74.00	-7.46	5.15	3	Horizontal	119	1.50	-	61.39	33.10	6.49	34.44
PK	5.1848G	110.34	Inf	-Inf	5.11	3	Horizontal	119	1.50	-	105.23	33.03	6.52	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5314G	43.39	54.00	-10.61	15.90	3	Vertical	168	1.75	-	27.49	38.74	11.63	34.47
PK	6.475G	55.85	68.20	-12.35	8.06	3	Vertical	212	1.44	-	47.79	35.35	7.34	34.63
PK	10.36204G	52.86	68.20	-15.34	13.48	3	Vertical	126	2.23	-	39.38	38.66	9.51	34.69
PK	15.54304G	55.28	74.00	-18.72	15.87	3	Vertical	168	1.75	-	39.41	38.71	11.64	34.48

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53244G	43.39	54.00	-10.61	15.90	3	Horizontal	143	1.92	-	27.49	38.74	11.63	34.47
PK	6.4748G	54.15	68.20	-14.05	8.06	3	Horizontal	125	1.48	-	46.09	35.35	7.34	34.63
PK	10.35624G	53.42	68.20	-14.78	13.47	3	Horizontal	298	1.88	-	39.95	38.66	9.51	34.70
PK	15.53908G	56.18	74.00	-17.82	15.87	3	Horizontal	143	1.92	-	40.31	38.72	11.63	34.48

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.78	54.00	-9.22	5.15	3	Vertical	209	1.46	-	39.63	33.10	6.49	34.44
AV	5.206G	103.54	Inf	-Inf	5.09	3	Vertical	209	1.46	-	98.45	32.99	6.54	34.44
PK	5.1496G	57.12	74.00	-16.88	5.15	3	Vertical	209	1.46	-	51.97	33.10	6.49	34.44
PK	5.1964G	113.09	Inf	-Inf	5.10	3	Vertical	209	1.46	-	107.99	33.01	6.53	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.68	54.00	-10.32	5.15	3	Horizontal	117	1.72	-	38.53	33.10	6.49	34.44
AV	5.2064G	101.01	Inf	-Inf	5.09	3	Horizontal	117	1.72	-	95.92	32.99	6.54	34.44
PK	5.1308G	55.63	74.00	-18.37	5.18	3	Horizontal	117	1.72	-	50.45	33.14	6.48	34.44
PK	5.2076G	110.40	Inf	-Inf	5.08	3	Horizontal	117	1.72	-	105.32	32.98	6.54	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59192G	43.28	54.00	-10.72	15.77	3	Vertical	247	1.93	-	27.51	38.62	11.66	34.51
PK	6.4998G	56.27	68.20	-11.93	8.31	3	Vertical	233	1.68	-	47.96	35.60	7.35	34.64
PK	10.40808G	53.48	68.20	-14.72	13.59	3	Vertical	134	2.84	-	39.89	38.69	9.52	34.62
PK	15.60544G	55.76	74.00	-18.24	15.73	3	Vertical	247	1.93	-	40.03	38.59	11.66	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60292G	43.21	54.00	-10.79	15.73	3	Horizontal	168	1.39	-	27.48	38.59	11.66	34.52
PK	6.5G	53.79	68.20	-14.41	8.32	3	Horizontal	126	1.51	-	45.47	35.60	7.36	34.64
PK	10.39268G	53.26	68.20	-14.94	13.56	3	Horizontal	178	2.24	-	39.70	38.69	9.52	34.65
PK	15.59104G	55.53	74.00	-18.47	15.77	3	Horizontal	168	1.39	-	39.76	38.62	11.66	34.51

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.67	54.00	-11.33	5.15	3	Vertical	211	1.50	-	37.52	33.10	6.49	34.44
AV	5.2454G	103.29	Inf	-Inf	5.05	3	Vertical	211	1.50	-	98.24	32.91	6.58	34.44
AV	5.351G	43.49	54.00	-10.51	5.15	3	Vertical	211	1.50	-	38.34	32.90	6.70	34.45
PK	5.1014G	54.35	74.00	-19.65	5.22	3	Vertical	211	1.50	-	49.13	33.20	6.46	34.44
PK	5.2436G	112.48	Inf	-Inf	5.05	3	Vertical	211	1.50	-	107.43	32.91	6.58	34.44
PK	5.372G	54.97	74.00	-19.03	5.22	3	Vertical	211	1.50	-	49.75	32.94	6.73	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1284G	42.24	54.00	-11.76	5.18	3	Horizontal	119	1.50	-	37.06	33.14	6.48	34.44
AV	5.2472G	100.34	Inf	-Inf	5.05	3	Horizontal	119	1.50	-	95.29	32.91	6.58	34.44
AV	5.35G	42.48	54.00	-11.52	5.15	3	Horizontal	119	1.50	-	37.33	32.90	6.70	34.45
PK	5.1248G	54.29	74.00	-19.71	5.18	3	Horizontal	119	1.50	-	49.11	33.15	6.47	34.44
PK	5.2472G	109.35	Inf	-Inf	5.05	3	Horizontal	119	1.50	-	104.30	32.91	6.58	34.44
PK	5.3684G	54.76	74.00	-19.24	5.21	3	Horizontal	119	1.50	-	49.55	32.94	6.72	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72816G	43.63	54.00	-10.37	15.54	3	Vertical	228	2.80	-	28.09	38.43	11.71	34.60
PK	6.54992G	54.96	68.20	-13.24	8.34	3	Vertical	234	1.64	-	46.62	35.60	7.39	34.65
PK	10.47708G	53.26	68.20	-14.94	13.65	3	Vertical	287	1.39	-	39.61	38.62	9.55	34.52
PK	15.72776G	56.05	74.00	-17.95	15.54	3	Vertical	228	2.80	-	40.51	38.43	11.71	34.60

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72652G	43.62	54.00	-10.38	15.55	3	Horizontal	288	2.10	-	28.07	38.43	11.71	34.59
PK	6.54996G	52.71	68.20	-15.49	8.34	3	Horizontal	126	1.50	-	44.37	35.60	7.39	34.65
PK	10.48324G	52.79	68.20	-15.41	13.66	3	Horizontal	87	1.77	-	39.13	38.62	9.55	34.51
PK	15.71964G	55.86	74.00	-18.14	15.54	3	Horizontal	288	2.10	-	40.32	38.42	11.71	34.59

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	42.96	54.00	-11.04	5.15	3	Vertical	207	1.42	-	37.81	33.10	6.49	34.44
AV	5.2648G	104.48	Inf	-Inf	5.11	3	Vertical	207	1.42	-	99.37	32.96	6.60	34.45
AV	5.3572G	44.72	54.00	-9.28	5.17	3	Vertical	207	1.42	-	39.55	32.91	6.71	34.45
PK	5.1256G	55.09	74.00	-18.91	5.18	3	Vertical	207	1.42	-	49.91	33.15	6.47	34.44
PK	5.263G	113.49	Inf	-Inf	5.10	3	Vertical	207	1.42	-	108.39	32.95	6.60	34.45
PK	5.3608G	56.13	74.00	-17.87	5.18	3	Vertical	207	1.42	-	50.95	32.92	6.71	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	42.69	54.00	-11.31	5.15	3	Horizontal	115	1.73	-	37.54	33.10	6.49	34.44
AV	5.2666G	101.42	Inf	-Inf	5.13	3	Horizontal	115	1.73	-	96.29	32.97	6.61	34.45
AV	5.3734G	43.13	54.00	-10.87	5.23	3	Horizontal	115	1.73	-	37.90	32.95	6.73	34.45
PK	5.1328G	54.51	74.00	-19.49	5.17	3	Horizontal	115	1.73	-	49.34	33.13	6.48	34.44
PK	5.266G	110.56	Inf	-Inf	5.12	3	Horizontal	115	1.73	-	105.44	32.96	6.61	34.45
PK	5.3782G	55.14	74.00	-18.86	5.24	3	Horizontal	115	1.73	-	49.90	32.96	6.73	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7706G	44.17	54.00	-9.83	15.58	3	Vertical	133	1.07	-	28.59	38.47	11.73	34.62
PK	6.57496G	55.31	68.20	-12.89	8.51	3	Vertical	233	1.58	-	46.80	35.75	7.41	34.65
PK	10.52816G	53.27	68.20	-14.93	13.84	3	Vertical	146	1.53	-	39.43	38.74	9.57	34.47
PK	15.78452G	56.45	74.00	-17.55	15.59	3	Vertical	133	1.07	-	40.86	38.48	11.74	34.63

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77028G	44.16	54.00	-9.84	15.58	3	Horizontal	15	1.38	-	28.58	38.47	11.73	34.62
PK	6.57484G	52.39	68.20	-15.81	8.51	3	Horizontal	116	1.52	-	43.88	35.75	7.41	34.65
PK	10.52124G	52.95	68.20	-15.25	13.81	3	Horizontal	244	2.18	-	39.14	38.71	9.57	34.47
PK	15.78048G	57.59	74.00	-16.41	15.59	3	Horizontal	15	1.38	-	42.00	38.48	11.74	34.63

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	104.67	Inf	-Inf	5.26	3	Vertical	207	1.37	-	99.41	33.07	6.64	34.45
AV	5.35G	46.35	54.00	-7.65	5.15	3	Vertical	207	1.37	-	41.20	32.90	6.70	34.45
PK	5.2952G	114.17	Inf	-Inf	5.27	3	Vertical	207	1.37	-	108.90	33.08	6.64	34.45
PK	5.3504G	60.62	74.00	-13.38	5.15	3	Vertical	207	1.37	-	55.47	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	101.61	Inf	-Inf	5.26	3	Horizontal	117	1.62	-	96.35	33.07	6.64	34.45
AV	5.35G	44.44	54.00	-9.56	5.15	3	Horizontal	117	1.62	-	39.29	32.90	6.70	34.45
PK	5.3064G	110.75	Inf	-Inf	5.27	3	Horizontal	117	1.62	-	105.48	33.07	6.65	34.45
PK	5.3516G	57.42	74.00	-16.58	5.15	3	Horizontal	117	1.62	-	52.27	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8974G	44.06	54.00	-9.94	15.49	3	Vertical	79	2.15	-	28.57	38.40	11.79	34.70
PK	6.62492G	53.84	68.20	-14.36	8.64	3	Vertical	231	1.50	-	45.20	35.85	7.45	34.66
PK	10.59564G	53.55	68.20	-14.65	14.22	3	Vertical	224	1.88	-	39.33	39.08	9.59	34.45
PK	15.90524G	55.99	74.00	-18.01	15.47	3	Vertical	79	2.15	-	40.52	38.39	11.79	34.71

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8974G	44.06	54.00	-9.94	15.49	3	Horizontal	214	3.00	-	28.57	38.40	11.79	34.70
PK	6.62504G	50.73	68.20	-17.47	8.64	3	Horizontal	165	1.50	-	42.09	35.85	7.45	34.66
PK	10.59488G	52.98	68.20	-15.22	14.21	3	Horizontal	46	2.12	-	38.77	39.07	9.59	34.45
PK	15.9036G	56.88	74.00	-17.12	15.48	3	Horizontal	214	3.00	-	41.40	38.40	11.79	34.71

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3254G	103.91	Inf	-Inf	5.22	3	Vertical	206	1.36	-	98.69	33.00	6.67	34.45
AV	5.35G	47.59	54.00	-6.41	5.15	3	Vertical	206	1.36	-	42.44	32.90	6.70	34.45
PK	5.324G	113.68	Inf	-Inf	5.22	3	Vertical	206	1.36	-	108.46	33.00	6.67	34.45
PK	5.353G	63.27	74.00	-10.73	5.17	3	Vertical	206	1.36	-	58.10	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	100.78	Inf	-Inf	5.24	3	Horizontal	117	1.61	-	95.54	33.02	6.67	34.45
AV	5.3502G	45.42	54.00	-8.58	5.15	3	Horizontal	117	1.61	-	40.27	32.90	6.70	34.45
PK	5.3238G	109.78	Inf	-Inf	5.22	3	Horizontal	117	1.61	-	104.56	33.00	6.67	34.45
PK	5.3518G	60.79	74.00	-13.21	5.15	3	Horizontal	117	1.61	-	55.64	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63016G	40.78	54.00	-13.22	14.24	3	Vertical	276	1.96	-	26.54	39.07	9.60	34.43
AV	15.95016G	44.18	54.00	-9.82	15.42	3	Vertical	317	1.70	-	28.76	38.35	11.81	34.74
PK	6.64992G	54.13	68.20	-14.07	8.62	3	Vertical	234	1.69	-	45.51	35.80	7.48	34.66
PK	10.64124G	53.17	74.00	-20.83	14.24	3	Vertical	276	1.96	-	38.93	39.06	9.61	34.43
PK	15.95552G	56.83	74.00	-17.17	15.41	3	Vertical	317	1.70	-	41.42	38.34	11.81	34.74

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63G	40.78	54.00	-13.22	14.24	3	Horizontal	76	2.22	-	26.54	39.07	9.60	34.43
AV	15.96G	44.16	54.00	-9.84	15.41	3	Horizontal	247	1.10	-	28.75	38.34	11.81	34.74
PK	6.65004G	50.88	68.20	-17.32	8.62	3	Horizontal	146	1.50	-	42.26	35.80	7.48	34.66
PK	10.63832G	53.27	74.00	-20.73	14.24	3	Horizontal	76	2.22	-	39.03	39.06	9.61	34.43
PK	15.95944G	57.18	74.00	-16.82	15.41	3	Horizontal	247	1.10	-	41.77	38.34	11.81	34.74

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.28	54.00	-8.72	5.45	3	Vertical	208	1.44	-	39.83	33.12	6.79	34.46
AV	5.4936G	103.26	Inf	-Inf	5.54	3	Vertical	208	1.44	-	97.72	33.19	6.81	34.46
PK	5.4682G	64.73	68.20	-3.47	5.47	3	Vertical	208	1.44	-	59.26	33.14	6.79	34.46
PK	5.4934G	112.38	Inf	-Inf	5.54	3	Vertical	208	1.44	-	106.84	33.19	6.81	34.46

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.48	54.00	-10.52	5.45	3	Horizontal	116	1.50	-	38.03	33.12	6.79	34.46
AV	5.4944G	99.33	Inf	-Inf	5.54	3	Horizontal	116	1.50	-	93.79	33.19	6.81	34.46
PK	5.4666G	61.38	68.20	-6.82	5.46	3	Horizontal	116	1.50	-	55.92	33.13	6.79	34.46
PK	5.4946G	108.76	Inf	-Inf	5.54	3	Horizontal	116	1.50	-	103.22	33.19	6.81	34.46

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00252G	41.20	54.00	-12.80	14.24	3	Vertical	207	1.83	-	26.96	38.80	9.74	34.30
PK	6.87516G	49.83	68.20	-18.37	8.97	3	Vertical	229	1.50	-	40.86	35.90	7.76	34.69
PK	10.99852G	53.41	74.00	-20.59	14.23	3	Vertical	207	1.83	-	39.18	38.80	9.73	34.30
PK	16.5024G	56.98	68.20	-11.22	16.24	3	Vertical	212	2.09	-	40.74	38.90	12.03	34.69

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0086G	41.27	54.00	-12.73	14.26	3	Horizontal	91	2.39	-	27.01	38.81	9.74	34.29
PK	6.87452G	49.54	68.20	-18.66	8.97	3	Horizontal	108	1.63	-	40.57	35.90	7.76	34.69
PK	11.00436G	53.73	74.00	-20.27	14.24	3	Horizontal	91	2.39	-	39.49	38.80	9.74	34.30
PK	16.50512G	56.82	68.20	-11.38	16.24	3	Horizontal	348	2.34	-	40.58	38.89	12.03	34.68

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	43.27	54.00	-10.73	5.44	3	Vertical	209	1.46	-	37.83	33.11	6.79	34.46
AV	5.5824G	103.47	Inf	-Inf	5.51	3	Vertical	209	1.46	-	97.96	33.13	6.85	34.47
PK	5.4678G	55.26	68.20	-12.94	5.47	3	Vertical	209	1.46	-	49.79	33.14	6.79	34.46
PK	5.5842G	112.59	Inf	-Inf	5.52	3	Vertical	209	1.46	-	107.07	33.14	6.85	34.47
PK	5.7252G	55.13	68.20	-13.07	6.01	3	Vertical	209	1.46	-	49.12	33.60	6.90	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4456G	42.41	54.00	-11.59	5.41	3	Horizontal	116	1.36	-	37.00	33.09	6.78	34.46
AV	5.5854G	100.49	Inf	-Inf	5.52	3	Horizontal	116	1.36	-	94.97	33.14	6.85	34.47
PK	5.466G	54.28	68.20	-13.92	5.46	3	Horizontal	116	1.36	-	48.82	33.13	6.79	34.46
PK	5.5848G	109.19	Inf	-Inf	5.52	3	Horizontal	116	1.36	-	103.67	33.14	6.85	34.47
PK	5.7294G	54.83	68.20	-13.37	6.06	3	Horizontal	116	1.36	-	48.77	33.64	6.91	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16268G	41.55	54.00	-12.45	14.63	3	Vertical	300	2.64	-	26.92	39.03	9.79	34.19
PK	6.975G	49.26	68.20	-18.94	9.24	3	Vertical	227	1.60	-	40.02	36.00	7.95	34.71
PK	11.164G	53.65	74.00	-20.35	14.63	3	Vertical	300	2.64	-	39.02	39.03	9.79	34.19
PK	16.73964G	56.87	68.20	-11.33	16.56	3	Vertical	360	2.02	-	40.31	38.72	12.13	34.29


802.11n HT20_Nss1,(MCS0)_1TX(Port1)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1556G	41.49	54.00	-12.51	14.61	3	Horizontal	189	2.31	-	26.88	39.01	9.79	34.19
PK	6.97156G	49.18	68.20	-19.02	9.24	3	Horizontal	106	1.47	-	39.94	36.00	7.95	34.71
PK	11.16724G	53.75	74.00	-20.25	14.64	3	Horizontal	189	2.31	-	39.11	39.03	9.79	34.18
PK	16.74384G	56.90	68.20	-11.30	16.55	3	Horizontal	312	2.05	-	40.35	38.71	12.13	34.29

802.11n HT20_Nss1,(MCS0)_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.692G	102.39	Inf	-Inf	5.79	3	Vertical	210	1.40	-	96.60	33.38	6.89	34.48
PK	5.6964G	111.91	Inf	-Inf	5.80	3	Vertical	210	1.40	-	106.11	33.39	6.89	34.48
PK	5.7328G	66.41	68.20	-1.79	6.08	3	Vertical	210	1.40	-	60.33	33.66	6.91	34.49


802.11n HT20_Nss1,(MCS0)_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6924G	99.69	Inf	-Inf	5.79	3	Horizontal	120	1.41	-	93.90	33.38	6.89	34.48
PK	5.6924G	109.07	Inf	-Inf	5.79	3	Horizontal	120	1.41	-	103.28	33.38	6.89	34.48
PK	5.7316G	65.31	68.20	-2.89	6.07	3	Horizontal	120	1.41	-	59.24	33.65	6.91	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40172G	41.71	54.00	-12.29	14.86	3	Vertical	302	2.50	-	26.85	39.00	9.88	34.02
PK	7.11512G	49.09	68.20	-19.11	9.97	3	Vertical	204	1.50	-	39.12	36.62	8.10	34.75
PK	11.3924G	53.90	74.00	-20.10	14.86	3	Vertical	302	2.50	-	39.04	39.02	9.87	34.03
PK	17.095G	56.31	68.20	-11.89	16.74	3	Vertical	292	2.23	-	39.57	38.40	12.27	33.93

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40052G	41.71	54.00	-12.29	14.86	3	Horizontal	107	2.97	-	26.85	39.00	9.88	34.02
PK	7.12644G	49.42	68.20	-18.78	10.07	3	Horizontal	228	1.01	-	39.35	36.71	8.11	34.75
PK	11.39328G	54.04	74.00	-19.96	14.86	3	Horizontal	107	2.97	-	39.18	39.01	9.87	34.02
PK	17.10816G	57.35	68.20	-10.85	16.74	3	Horizontal	96	1.58	-	40.61	38.40	12.28	33.94

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7248G	103.03	Inf	-Inf	6.01	3	Vertical	214	2.25	-	97.02	33.60	6.90	34.49
PK	5.468G	53.81	68.20	-14.39	5.47	3	Vertical	214	2.25	-	48.34	33.14	6.79	34.46
PK	5.726G	111.97	Inf	-Inf	6.02	3	Vertical	214	2.25	-	105.95	33.61	6.90	34.49
PK	5.894G	56.50	68.20	-11.70	6.61	3	Vertical	214	2.25	-	49.89	34.11	7.01	34.51

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7248G	100.03	Inf	-Inf	6.01	3	Horizontal	120	1.34	-	94.02	33.60	6.90	34.49
PK	5.4668G	53.02	68.20	-15.18	5.46	3	Horizontal	120	1.34	-	47.56	33.13	6.79	34.46
PK	5.7248G	108.78	Inf	-Inf	6.01	3	Horizontal	120	1.34	-	102.77	33.60	6.90	34.49
PK	5.9768G	56.22	68.20	-11.98	6.86	3	Horizontal	120	1.34	-	49.36	34.29	7.09	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43012G	41.50	54.00	-12.50	14.89	3	Vertical	287	2.13	-	26.61	39.00	9.89	34.00
PK	7.15001G	50.50	68.20	-17.70	10.28	3	Vertical	229	1.50	-	40.22	36.90	8.14	34.76
PK	11.43168G	54.28	74.00	-19.72	14.89	3	Vertical	287	2.13	-	39.39	39.00	9.89	34.00
PK	17.15884G	56.69	68.20	-11.51	16.72	3	Vertical	307	1.23	-	39.97	38.40	12.30	33.98

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43112G	41.49	54.00	-12.51	14.89	3	Horizontal	182	2.98	-	26.60	39.00	9.89	34.00
PK	7.14999G	50.86	68.20	-17.34	10.27	3	Horizontal	227	1.50	-	40.59	36.90	8.13	34.76
PK	11.44948G	54.03	74.00	-19.97	14.90	3	Horizontal	182	2.98	-	39.13	39.00	9.89	33.99
PK	17.1646G	56.60	68.20	-11.60	16.71	3	Horizontal	35	2.94	-	39.89	38.40	12.30	33.99

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	100.05	Inf	-Inf	6.19	3	Vertical	208	1.50	-	93.86	33.77	6.91	34.49
PK	5.571G	56.67	68.20	-11.53	5.46	3	Vertical	208	1.50	-	51.21	33.08	6.85	34.47
PK	5.7414G	114.36	Inf	-Inf	6.15	3	Vertical	208	1.50	-	108.21	33.73	6.91	34.49
PK	5.9682G	55.78	68.20	-12.42	6.89	3	Vertical	208	1.50	-	48.89	34.33	7.08	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	98.32	Inf	-Inf	6.12	3	Horizontal	116	1.00	-	92.20	33.70	6.91	34.49
PK	5.6202G	55.33	68.20	-12.87	5.64	3	Horizontal	116	1.00	-	49.69	33.24	6.87	34.47
PK	5.7426G	111.51	Inf	-Inf	6.16	3	Horizontal	116	1.00	-	105.35	33.74	6.91	34.49
PK	6.0234G	56.39	68.20	-11.81	6.88	3	Horizontal	116	1.00	-	49.51	34.29	7.12	34.53

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48628G	41.53	54.00	-12.47	14.95	3	Vertical	61	2.39	-	26.58	39.00	9.91	33.96
PK	7.19533G	49.92	68.20	-18.28	10.22	3	Vertical	225	1.50	-	39.70	36.81	8.18	34.77
PK	11.49268G	53.99	74.00	-20.01	14.95	3	Vertical	61	2.39	-	39.04	39.00	9.91	33.96
PK	17.23772G	56.36	68.20	-11.84	16.72	3	Vertical	236	2.80	-	39.64	38.44	12.33	34.05

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49824G	41.55	54.00	-12.45	14.96	3	Horizontal	66	1.71	-	26.59	39.00	9.91	33.95
PK	7.18761G	49.99	68.20	-18.21	10.22	3	Horizontal	103	1.50	-	39.77	36.82	8.17	34.77
PK	11.48676G	54.41	74.00	-19.59	14.95	3	Horizontal	66	1.71	-	39.46	39.00	9.91	33.96
PK	17.22908G	56.20	68.20	-12.00	16.72	3	Horizontal	108	2.06	-	39.48	38.43	12.33	34.04

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	100.81	Inf	-Inf	6.32	3	Vertical	212	1.50	-	94.49	33.88	6.93	34.49
PK	5.6038G	56.42	68.20	-11.78	5.60	3	Vertical	212	1.50	-	50.82	33.21	6.86	34.47
PK	5.7826G	113.10	Inf	-Inf	6.30	3	Vertical	212	1.50	-	106.80	33.87	6.92	34.49
PK	5.971G	56.49	68.20	-11.71	6.88	3	Vertical	212	1.50	-	49.61	34.32	7.08	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	96.29	Inf	-Inf	6.32	3	Horizontal	146	1.50	-	89.97	33.88	6.93	34.49
PK	5.6098G	54.74	68.20	-13.46	5.61	3	Horizontal	146	1.50	-	49.13	33.22	6.86	34.47
PK	5.7934G	108.52	Inf	-Inf	6.32	3	Horizontal	146	1.50	-	102.20	33.89	6.93	34.50
PK	5.9938G	55.61	68.20	-12.59	6.80	3	Horizontal	146	1.50	-	48.81	34.22	7.10	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56344G	40.96	54.00	-13.04	14.89	3	Vertical	136	1.94	-	26.07	38.94	9.94	33.99
PK	7.22957G	49.97	68.20	-18.23	10.25	3	Vertical	201	1.50	-	39.72	36.86	8.17	34.78
PK	11.57724G	53.91	74.00	-20.09	14.86	3	Vertical	136	1.94	-	39.05	38.92	9.94	34.00
PK	17.35544G	56.25	68.20	-11.95	16.91	3	Vertical	324	2.31	-	39.34	38.67	12.38	34.14

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57464G	40.98	54.00	-13.02	14.87	3	Horizontal	34	2.26	-	26.11	38.93	9.94	34.00
PK	7.21285G	49.72	68.20	-18.48	10.23	3	Horizontal	50	1.50	-	39.49	36.83	8.18	34.78
PK	11.57592G	53.38	74.00	-20.62	14.86	3	Horizontal	34	2.26	-	38.52	38.92	9.94	34.00
PK	17.34936G	56.82	68.20	-11.38	16.90	3	Horizontal	20	2.72	-	39.92	38.65	12.38	34.13

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	101.12	Inf	-Inf	6.56	3	Vertical	209	1.50	-	94.56	34.10	6.96	34.50
PK	5.6246G	55.87	68.20	-12.33	5.65	3	Vertical	209	1.50	-	50.22	33.25	6.87	34.47
PK	5.8322G	113.87	Inf	-Inf	6.55	3	Vertical	209	1.50	-	107.32	34.09	6.96	34.50
PK	5.9426G	56.83	68.20	-11.37	6.91	3	Vertical	209	1.50	-	49.92	34.36	7.06	34.51

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	99.32	Inf	-Inf	6.48	3	Horizontal	116	1.08	-	92.84	34.03	6.95	34.50
PK	5.5826G	55.09	68.20	-13.11	5.51	3	Horizontal	116	1.08	-	49.58	33.13	6.85	34.47
PK	5.831G	112.17	Inf	-Inf	6.55	3	Horizontal	116	1.08	-	105.62	34.09	6.96	34.50
PK	5.9414G	56.20	68.20	-12.00	6.90	3	Horizontal	116	1.08	-	49.30	34.35	7.06	34.51

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28125G	37.51	54.00	-16.49	10.12	3	Vertical	198	1.40	-	27.39	36.77	8.15	34.80
AV	11.64808G	40.99	54.00	-13.01	14.78	3	Vertical	37	1.17	-	26.21	38.85	9.97	34.04
PK	7.28865G	50.64	74.00	-23.36	10.10	3	Vertical	198	1.40	-	40.54	36.75	8.15	34.80
PK	11.65044G	54.11	74.00	-19.89	14.78	3	Vertical	37	1.17	-	39.33	38.85	9.97	34.04
PK	17.48424G	57.40	68.20	-10.80	17.07	3	Vertical	27	1.91	-	40.33	38.88	12.43	34.24

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28117G	37.52	54.00	-16.48	10.13	3	Horizontal	163	1.50	-	27.39	36.78	8.15	34.80
AV	11.64004G	40.94	54.00	-13.06	14.78	3	Horizontal	20	1.64	-	26.16	38.86	9.96	34.04
PK	7.27253G	50.57	74.00	-23.43	10.16	3	Horizontal	163	1.50	-	40.41	36.81	8.15	34.80
PK	11.6564G	53.76	74.00	-20.24	14.76	3	Horizontal	20	1.64	-	39.00	38.84	9.97	34.05
PK	17.47852G	57.39	68.20	-10.81	17.08	3	Horizontal	346	2.84	-	40.31	38.88	12.43	34.23

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.28	54.00	-1.72	5.15	3	Vertical	202	1.46	-	47.13	33.10	6.49	34.44
AV	5.1944G	98.66	Inf	-Inf	5.10	3	Vertical	202	1.46	-	93.56	33.01	6.53	34.44
PK	5.1484G	65.60	74.00	-8.40	5.15	3	Vertical	202	1.46	-	60.45	33.10	6.49	34.44
PK	5.1808G	107.59	Inf	-Inf	5.12	3	Vertical	202	1.46	-	102.47	33.04	6.52	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.95	54.00	-3.05	5.15	3	Horizontal	116	1.75	-	45.80	33.10	6.49	34.44
AV	5.1932G	96.85	Inf	-Inf	5.09	3	Horizontal	116	1.75	-	91.76	33.01	6.52	34.44
PK	5.15G	62.18	74.00	-11.82	5.15	3	Horizontal	116	1.75	-	57.03	33.10	6.49	34.44
PK	5.1988G	106.52	Inf	-Inf	5.09	3	Horizontal	116	1.75	-	101.43	33.00	6.53	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56024G	43.39	54.00	-10.61	15.83	3	Vertical	301	1.76	-	27.56	38.68	11.64	34.49
PK	6.4875G	56.77	68.20	-11.43	8.19	3	Vertical	208	1.46	-	48.58	35.48	7.35	34.64
PK	10.38296G	53.08	68.20	-15.12	13.54	3	Vertical	56	1.62	-	39.54	38.68	9.52	34.66
PK	15.56404G	55.18	74.00	-18.82	15.82	3	Vertical	301	1.76	-	39.36	38.67	11.64	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56024G	43.39	54.00	-10.61	15.83	3	Horizontal	90	2.93	-	27.56	38.68	11.64	34.49
PK	6.4875G	54.28	68.20	-13.92	8.19	3	Horizontal	138	1.47	-	46.09	35.48	7.35	34.64
PK	10.3874G	53.32	68.20	-14.88	13.56	3	Horizontal	181	2.37	-	39.76	38.69	9.52	34.65
PK	15.56908G	56.32	74.00	-17.68	15.82	3	Horizontal	90	2.93	-	40.50	38.66	11.65	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.02	54.00	-6.98	5.15	3	Vertical	202	1.50	-	41.87	33.10	6.49	34.44
AV	5.2252G	100.58	Inf	-Inf	5.07	3	Vertical	202	1.50	-	95.51	32.95	6.56	34.44
PK	5.1352G	58.32	74.00	-15.68	5.17	3	Vertical	202	1.50	-	53.15	33.13	6.48	34.44
PK	5.226G	110.35	Inf	-Inf	5.07	3	Vertical	202	1.50	-	105.28	32.95	6.56	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.51	54.00	-7.49	5.15	3	Horizontal	116	1.72	-	41.36	33.10	6.49	34.44
AV	5.2264G	97.67	Inf	-Inf	5.07	3	Horizontal	116	1.72	-	92.60	32.95	6.56	34.44
PK	5.144G	58.61	74.00	-15.39	5.16	3	Horizontal	116	1.72	-	53.45	33.11	6.49	34.44
PK	5.2256G	107.24	Inf	-Inf	5.07	3	Horizontal	116	1.72	-	102.17	32.95	6.56	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69832G	43.36	54.00	-10.64	15.52	3	Vertical	231	2.83	-	27.84	38.40	11.70	34.58
PK	6.53746G	55.65	68.20	-12.55	8.33	3	Vertical	208	1.45	-	47.32	35.60	7.38	34.65
PK	10.4596G	53.18	68.20	-15.02	13.64	3	Vertical	211	2.79	-	39.54	38.64	9.54	34.54
PK	15.69836G	55.65	74.00	-18.35	15.52	3	Vertical	231	2.83	-	40.13	38.40	11.70	34.58

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68048G	43.39	54.00	-10.61	15.56	3	Horizontal	333	2.20	-	27.83	38.44	11.69	34.57
PK	6.53758G	53.47	68.20	-14.73	8.33	3	Horizontal	139	1.34	-	45.14	35.60	7.38	34.65
PK	10.46072G	53.79	68.20	-14.41	13.64	3	Horizontal	251	1.38	-	40.15	38.64	9.54	34.54
PK	15.6836G	56.68	74.00	-17.32	15.56	3	Horizontal	333	2.20	-	41.12	38.43	11.70	34.57

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.262G	100.93	Inf	-Inf	5.10	3	Vertical	202	1.34	-	95.83	32.95	6.60	34.45
AV	5.35G	47.77	54.00	-6.23	5.15	3	Vertical	202	1.34	-	42.62	32.90	6.70	34.45
PK	5.2792G	110.44	Inf	-Inf	5.19	3	Vertical	202	1.34	-	105.25	33.02	6.62	34.45
PK	5.3528G	59.80	74.00	-14.20	5.17	3	Vertical	202	1.34	-	54.63	32.91	6.71	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2568G	96.83	Inf	-Inf	5.08	3	Horizontal	116	1.83	-	91.75	32.93	6.60	34.45
AV	5.3528G	46.00	54.00	-8.00	5.17	3	Horizontal	116	1.83	-	40.83	32.91	6.71	34.45
PK	5.2768G	106.36	Inf	-Inf	5.18	3	Horizontal	116	1.83	-	101.18	33.01	6.62	34.45
PK	5.358G	57.65	74.00	-16.35	5.18	3	Horizontal	116	1.83	-	52.47	32.92	6.71	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80832G	43.84	54.00	-10.16	15.59	3	Vertical	269	2.78	-	28.25	38.49	11.75	34.65
PK	6.58742G	55.20	68.20	-13.00	8.59	3	Vertical	207	1.47	-	46.61	35.82	7.42	34.65
PK	10.54208G	52.86	68.20	-15.34	13.92	3	Vertical	82	1.57	-	38.94	38.81	9.57	34.46
PK	15.81928G	55.69	74.00	-18.31	15.58	3	Vertical	269	2.78	-	40.11	38.48	11.75	34.65

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81396G	43.89	54.00	-10.11	15.59	3	Horizontal	78	2.94	-	28.30	38.49	11.75	34.65
PK	6.58722G	52.20	68.20	-16.00	8.59	3	Horizontal	140	1.50	-	43.61	35.82	7.42	34.65
PK	10.5394G	53.04	68.20	-15.16	13.90	3	Horizontal	36	1.63	-	39.14	38.80	9.57	34.47
PK	15.80384G	55.73	74.00	-18.27	15.61	3	Horizontal	78	2.94	-	40.12	38.50	11.75	34.64

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	98.95	Inf	-Inf	5.30	3	Vertical	203	1.35	-	93.65	33.10	6.65	34.45
AV	5.35G	49.74	54.00	-4.26	5.15	3	Vertical	203	1.35	-	44.59	32.90	6.70	34.45
PK	5.2984G	108.58	Inf	-Inf	5.28	3	Vertical	203	1.35	-	103.30	33.09	6.64	34.45
PK	5.3544G	61.68	74.00	-12.32	5.17	3	Vertical	203	1.35	-	56.51	32.91	6.71	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2996G	95.23	Inf	-Inf	5.29	3	Horizontal	119	1.62	-	89.94	33.10	6.64	34.45
AV	5.35G	47.47	54.00	-6.53	5.15	3	Horizontal	119	1.62	-	42.32	32.90	6.70	34.45
PK	5.3076G	104.74	Inf	-Inf	5.27	3	Horizontal	119	1.62	-	99.47	33.07	6.65	34.45
PK	5.3504G	60.13	74.00	-13.87	5.15	3	Horizontal	119	1.62	-	54.98	32.90	6.70	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61044G	40.76	54.00	-13.24	14.25	3	Vertical	324	2.62	-	26.51	39.09	9.60	34.44
AV	15.93076G	43.94	54.00	-10.06	15.44	3	Vertical	50	1.30	-	28.50	38.37	11.80	34.73
PK	6.6375G	52.79	68.20	-15.41	8.63	3	Vertical	198	1.35	-	44.16	35.82	7.47	34.66
PK	10.619G	52.78	74.00	-21.22	14.24	3	Vertical	324	2.62	-	38.54	39.08	9.60	34.44
PK	15.92268G	55.78	74.00	-18.22	15.46	3	Vertical	50	1.30	-	40.32	38.38	11.80	34.72

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61016G	40.76	54.00	-13.24	14.25	3	Horizontal	307	2.72	-	26.51	39.09	9.60	34.44
AV	15.92752G	43.96	54.00	-10.04	15.45	3	Horizontal	186	2.23	-	28.51	38.37	11.80	34.72
PK	6.6373G	50.33	68.20	-17.87	8.64	3	Horizontal	141	1.40	-	41.69	35.83	7.47	34.66
PK	10.616G	52.78	74.00	-21.22	14.24	3	Horizontal	307	2.72	-	38.54	39.08	9.60	34.44
PK	15.92936G	55.77	74.00	-18.23	15.45	3	Horizontal	186	2.23	-	40.32	38.37	11.80	34.72

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	47.65	54.00	-6.35	5.45	3	Vertical	204	1.30	-	42.20	33.12	6.79	34.46
AV	5.5136G	98.56	Inf	-Inf	5.51	3	Vertical	204	1.30	-	93.05	33.15	6.82	34.46
PK	5.47G	61.21	68.20	-6.99	5.47	3	Vertical	204	1.30	-	55.74	33.14	6.79	34.46
PK	5.514G	108.00	Inf	-Inf	5.50	3	Vertical	204	1.30	-	102.50	33.14	6.82	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	45.93	54.00	-8.07	5.44	3	Horizontal	119	2.80	-	40.49	33.11	6.79	34.46
AV	5.5212G	95.04	Inf	-Inf	5.48	3	Horizontal	119	2.80	-	89.56	33.12	6.82	34.46
PK	5.4688G	58.50	68.20	-9.70	5.47	3	Horizontal	119	2.80	-	53.03	33.14	6.79	34.46
PK	5.5148G	105.00	Inf	-Inf	5.50	3	Horizontal	119	2.80	-	99.50	33.14	6.82	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0158G	41.23	54.00	-12.77	14.27	3	Vertical	124	2.35	-	26.96	38.82	9.74	34.29
PK	6.88762G	49.80	68.20	-18.40	9.05	3	Vertical	192	1.50	-	40.75	35.95	7.79	34.69
PK	11.02212G	53.21	74.00	-20.79	14.28	3	Vertical	124	2.35	-	38.93	38.82	9.74	34.28
PK	16.52108G	56.53	68.20	-11.67	16.24	3	Vertical	21	2.78	-	40.29	38.86	12.04	34.66

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01812G	41.25	54.00	-12.75	14.27	3	Horizontal	73	1.73	-	26.98	38.82	9.74	34.29
PK	6.89166G	48.52	68.20	-19.68	9.07	3	Horizontal	190	1.50	-	39.45	35.97	7.79	34.69
PK	11.02304G	52.84	74.00	-21.16	14.28	3	Horizontal	73	1.73	-	38.56	38.82	9.74	34.28
PK	16.52756G	56.93	68.20	-11.27	16.24	3	Horizontal	310	2.28	-	40.69	38.84	12.04	34.64

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

5510MHz_TX




EUT Y
SET 17.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.16	54.00	-4.84	5.45	3	Vertical	202	1.41	-	43.71	33.12	6.79	34.46
AV	5.5052G	100.58	Inf	-Inf	5.53	3	Vertical	202	1.41	-	95.05	33.18	6.81	34.46
PK	5.468G	67.07	68.20	-1.13	5.47	3	Vertical	202	1.41	-	61.60	33.14	6.79	34.46
PK	5.4968G	110.10	Inf	-Inf	5.54	3	Vertical	202	1.41	-	104.56	33.19	6.81	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.73	54.00	-8.27	5.44	3	Vertical	203	1.39	-	40.29	33.11	6.79	34.46
AV	5.5388G	98.42	Inf	-Inf	5.41	3	Vertical	203	1.39	-	93.01	33.04	6.83	34.46
PK	5.4608G	58.61	68.20	-9.59	5.45	3	Vertical	203	1.39	-	53.16	33.12	6.79	34.46
PK	5.5536G	107.93	Inf	-Inf	5.38	3	Vertical	203	1.39	-	102.55	33.01	6.84	34.47

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	44.99	54.00	-9.01	5.43	3	Horizontal	119	2.78	-	39.56	33.10	6.79	34.46
AV	5.5376G	95.69	Inf	-Inf	5.42	3	Horizontal	119	2.78	-	90.27	33.05	6.83	34.46
PK	5.4676G	56.29	68.20	-11.91	5.47	3	Horizontal	119	2.78	-	50.82	33.14	6.79	34.46
PK	5.5396G	105.56	Inf	-Inf	5.41	3	Horizontal	119	2.78	-	100.15	33.04	6.83	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10684G	41.28	54.00	-12.72	14.45	3	Vertical	25	1.88	-	26.83	38.91	9.77	34.23
PK	6.93734G	50.61	68.20	-17.59	9.18	3	Vertical	192	1.54	-	41.43	36.00	7.88	34.70
PK	11.09468G	53.77	74.00	-20.23	14.43	3	Vertical	25	1.88	-	39.34	38.89	9.77	34.23
PK	16.65036G	56.69	68.20	-11.51	16.40	3	Vertical	309	2.93	-	40.29	38.75	12.09	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10752G	41.20	54.00	-12.80	14.47	3	Horizontal	54	2.33	-	26.73	38.92	9.77	34.22
PK	6.93846G	49.54	68.20	-18.66	9.18	3	Horizontal	104	1.50	-	40.36	36.00	7.88	34.70
PK	11.10092G	53.72	74.00	-20.28	14.44	3	Horizontal	54	2.33	-	39.28	38.90	9.77	34.23
PK	16.64192G	57.15	68.20	-11.05	16.38	3	Horizontal	223	1.92	-	40.77	38.74	12.09	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6628G	99.95	Inf	-Inf	5.73	3	Vertical	203	1.26	-	94.22	33.33	6.88	34.48
PK	5.6754G	108.90	Inf	-Inf	5.76	3	Vertical	203	1.26	-	103.14	33.35	6.89	34.48
PK	5.7276G	64.26	68.20	-3.94	6.03	3	Vertical	203	1.26	-	58.23	33.62	6.90	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.661G	95.97	Inf	-Inf	5.72	3	Horizontal	119	1.35	-	90.25	33.32	6.88	34.48
PK	5.6742G	105.05	Inf	-Inf	5.76	3	Horizontal	119	1.35	-	99.29	33.35	6.89	34.48
PK	5.727G	60.71	68.20	-7.49	6.03	3	Horizontal	119	1.35	-	54.68	33.62	6.90	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33028G	41.48	54.00	-12.52	14.92	3	Vertical	211	2.25	-	26.56	39.14	9.85	34.07
PK	7.08366G	49.81	68.20	-18.39	9.77	3	Vertical	198	1.50	-	40.04	36.43	8.08	34.74
PK	11.33644G	53.66	74.00	-20.34	14.92	3	Vertical	211	2.25	-	38.74	39.13	9.85	34.06
PK	17.00188G	56.45	68.20	-11.75	16.78	3	Vertical	249	2.48	-	39.67	38.40	12.24	33.86

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3306G	41.48	54.00	-12.52	14.92	3	Horizontal	158	2.11	-	26.56	39.14	9.85	34.07
PK	7.09594G	49.61	68.20	-18.59	9.83	3	Horizontal	105	1.63	-	39.78	36.48	8.09	34.74
PK	11.33524G	53.84	74.00	-20.16	14.91	3	Horizontal	158	2.11	-	38.93	39.13	9.85	34.07
PK	17.01436G	56.90	68.20	-11.30	16.77	3	Horizontal	7	2.51	-	40.13	38.40	12.24	33.87

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	100.35	Inf	-Inf	5.99	3	Vertical	214	1.50	-	94.36	33.58	6.90	34.49
PK	5.4628G	56.33	68.20	-11.87	5.46	3	Vertical	214	1.50	-	50.87	33.13	6.79	34.46
PK	5.716G	108.79	Inf	-Inf	5.94	3	Vertical	214	1.50	-	102.85	33.53	6.90	34.49
PK	5.9776G	61.24	68.20	-6.96	6.86	3	Vertical	214	1.50	-	54.38	34.29	7.09	34.52

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	97.29	Inf	-Inf	5.86	3	Horizontal	120	1.43	-	91.43	33.44	6.90	34.48
PK	5.4652G	57.06	68.20	-11.14	5.46	3	Horizontal	120	1.43	-	51.60	33.13	6.79	34.46
PK	5.7004G	105.79	Inf	-Inf	5.82	3	Horizontal	120	1.43	-	99.97	33.40	6.90	34.48
PK	5.8624G	59.46	68.20	-8.74	6.67	3	Horizontal	120	1.43	-	52.79	34.18	6.99	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41572G	41.56	54.00	-12.44	14.87	3	Vertical	123	2.31	-	26.69	39.00	9.88	34.01
PK	7.13386G	49.78	68.20	-18.42	10.14	3	Vertical	199	2.17	-	39.64	36.77	8.12	34.75
PK	11.41112G	53.77	74.00	-20.23	14.87	3	Vertical	123	2.31	-	38.90	39.00	9.88	34.01
PK	17.1386G	56.81	68.20	-11.39	16.72	3	Vertical	18	2.40	-	40.09	38.40	12.29	33.97

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41124G	41.58	54.00	-12.42	14.87	3	Horizontal	165	2.94	-	26.71	39.00	9.88	34.01
PK	7.14066G	49.58	68.20	-18.62	10.20	3	Horizontal	104	1.50	-	39.38	36.83	8.13	34.76
PK	11.41552G	53.62	74.00	-20.38	14.87	3	Horizontal	165	2.94	-	38.75	39.00	9.88	34.01
PK	17.13956G	56.50	68.20	-11.70	16.72	3	Horizontal	354	1.11	-	39.78	38.40	12.29	33.97

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	99.30	Inf	-Inf	6.19	3	Vertical	213	1.59	-	93.11	33.77	6.91	34.49
PK	5.5606G	58.64	68.20	-9.56	5.41	3	Vertical	213	1.59	-	53.23	33.04	6.84	34.47
PK	5.7418G	108.86	Inf	-Inf	6.15	3	Vertical	213	1.59	-	102.71	33.73	6.91	34.49
PK	6.0022G	59.62	68.20	-8.58	6.80	3	Vertical	213	1.59	-	52.82	34.21	7.11	34.52

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	95.90	Inf	-Inf	6.25	3	Horizontal	121	1.40	-	89.65	33.82	6.92	34.49
PK	5.5762G	58.73	68.20	-9.47	5.48	3	Horizontal	121	1.40	-	53.25	33.10	6.85	34.47
PK	5.7658G	105.08	Inf	-Inf	6.26	3	Horizontal	121	1.40	-	98.82	33.83	6.92	34.49
PK	6.0202G	58.01	68.20	-10.19	6.88	3	Horizontal	121	1.40	-	51.13	34.28	7.12	34.52

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51276G	41.12	54.00	-12.88	14.95	3	Vertical	90	1.35	-	26.17	38.99	9.92	33.96
PK	7.19795G	50.21	68.20	-17.99	10.21	3	Vertical	177	2.29	-	40.00	36.80	8.18	34.77
PK	11.51008G	53.32	74.00	-20.68	14.95	3	Vertical	90	1.35	-	38.37	38.99	9.92	33.96
PK	17.25848G	57.43	68.20	-10.77	16.74	3	Vertical	359	1.04	-	40.69	38.46	12.34	34.06

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.514G	41.13	54.00	-12.87	14.95	3	Horizontal	180	1.24	-	26.18	38.99	9.92	33.96
PK	7.20343G	50.08	68.20	-18.12	10.21	3	Horizontal	112	1.74	-	39.87	36.81	8.18	34.78
PK	11.5008G	53.23	74.00	-20.77	14.96	3	Horizontal	180	1.24	-	38.27	39.00	9.91	33.95
PK	17.27028G	56.65	68.20	-11.55	16.74	3	Horizontal	252	1.59	-	39.91	38.47	12.34	34.07

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8094G	99.12	Inf	-Inf	6.40	3	Vertical	212	1.52	-	92.72	33.96	6.94	34.50
PK	5.5994G	58.20	68.20	-10.00	5.59	3	Vertical	212	1.52	-	52.61	33.20	6.86	34.47
PK	5.8094G	108.70	Inf	-Inf	6.40	3	Vertical	212	1.52	-	102.30	33.96	6.94	34.50
PK	5.957G	58.33	68.20	-9.87	6.93	3	Vertical	212	1.52	-	51.40	34.37	7.07	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8082G	95.79	Inf	-Inf	6.39	3	Horizontal	154	1.57	-	89.40	33.95	6.94	34.50
PK	5.5442G	58.28	68.20	-9.92	5.38	3	Horizontal	154	1.57	-	52.90	33.02	6.83	34.47
PK	5.8082G	104.98	Inf	-Inf	6.39	3	Horizontal	154	1.57	-	98.59	33.95	6.94	34.50
PK	6.0866G	58.07	68.20	-10.13	6.85	3	Horizontal	154	1.57	-	51.22	34.25	7.14	34.54

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58024G	40.93	54.00	-13.07	14.86	3	Vertical	141	2.35	-	26.07	38.92	9.94	34.00
PK	7.23819G	50.60	68.20	-17.60	10.26	3	Vertical	171	1.00	-	40.34	36.88	8.17	34.79
PK	11.59044G	52.75	74.00	-21.25	14.84	3	Vertical	141	2.35	-	37.91	38.91	9.94	34.01
PK	17.3928G	56.99	68.20	-11.21	17.00	3	Vertical	264	2.66	-	39.99	38.78	12.39	34.17

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58916G	40.96	54.00	-13.04	14.84	3	Horizontal	29	2.72	-	26.12	38.91	9.94	34.01
PK	7.24971G	49.73	68.20	-18.47	10.27	3	Horizontal	275	1.50	-	39.46	36.90	8.16	34.79
PK	11.58452G	53.42	74.00	-20.58	14.86	3	Horizontal	29	2.72	-	38.56	38.92	9.94	34.00
PK	17.37972G	56.45	68.20	-11.75	16.97	3	Horizontal	108	2.29	-	39.48	38.74	12.39	34.16

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.79	54.00	-5.21	5.15	3	Vertical	203	1.50	-	43.64	33.10	6.49	34.44
AV	5.225G	94.69	Inf	-Inf	5.07	3	Vertical	203	1.50	-	89.62	32.95	6.56	34.44
AV	5.356G	47.03	54.00	-6.97	5.17	3	Vertical	203	1.50	-	41.86	32.91	6.71	34.45
PK	5.144G	61.05	74.00	-12.95	5.16	3	Vertical	203	1.50	-	55.89	33.11	6.49	34.44
PK	5.226G	103.27	Inf	-Inf	5.07	3	Vertical	203	1.50	-	98.20	32.95	6.56	34.44
PK	5.401G	58.56	74.00	-15.44	5.31	3	Vertical	203	1.50	-	53.25	33.00	6.76	34.45

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.80	54.00	-6.20	5.15	3	Horizontal	119	1.75	-	42.65	33.10	6.49	34.44
AV	5.191G	92.17	Inf	-Inf	5.10	3	Horizontal	119	1.75	-	87.07	33.02	6.52	34.44
AV	5.356G	46.01	54.00	-7.99	5.17	3	Horizontal	119	1.75	-	40.84	32.91	6.71	34.45
PK	5.138G	58.47	74.00	-15.53	5.16	3	Horizontal	119	1.75	-	53.31	33.12	6.48	34.44
PK	5.192G	101.14	Inf	-Inf	5.10	3	Horizontal	119	1.75	-	96.04	33.02	6.52	34.44
PK	5.364G	57.73	74.00	-16.27	5.20	3	Horizontal	119	1.75	-	52.53	32.93	6.72	34.45

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6251G	43.42	54.00	-10.58	15.69	3	Vertical	245	1.61	-	27.73	38.55	11.67	34.53
PK	6.51262G	58.32	68.20	-9.88	8.32	3	Vertical	208	1.52	-	50.00	35.60	7.36	34.64
PK	10.41876G	52.62	68.20	-15.58	13.60	3	Vertical	221	1.78	-	39.02	38.68	9.53	34.61
PK	15.63104G	55.58	74.00	-18.42	15.68	3	Vertical	245	1.61	-	39.90	38.54	11.67	34.53

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62728G	43.53	54.00	-10.47	15.69	3	Horizontal	181	1.68	-	27.84	38.55	11.67	34.53
PK	6.51238G	55.85	68.20	-12.35	8.32	3	Horizontal	130	1.54	-	47.53	35.60	7.36	34.64
PK	10.42312G	53.25	68.20	-14.95	13.61	3	Horizontal	281	2.05	-	39.64	38.68	9.53	34.60
PK	15.6282G	56.47	74.00	-17.53	15.68	3	Horizontal	181	1.68	-	40.79	38.54	11.67	34.53

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.98	54.00	-8.02	5.15	3	Vertical	203	1.30	-	40.83	33.10	6.49	34.44
AV	5.285G	95.11	Inf	-Inf	5.22	3	Vertical	203	1.30	-	89.89	33.04	6.63	34.45
AV	5.35G	51.72	54.00	-2.28	5.15	3	Vertical	203	1.30	-	46.57	32.90	6.70	34.45
PK	5.139G	57.57	74.00	-16.43	5.16	3	Vertical	203	1.30	-	52.41	33.12	6.48	34.44
PK	5.298G	103.85	Inf	-Inf	5.28	3	Vertical	203	1.30	-	98.57	33.09	6.64	34.45
PK	5.537G	58.69	68.20	-9.51	5.42	3	Vertical	203	1.30	-	53.27	33.05	6.83	34.46

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.79	54.00	-8.21	5.15	3	Horizontal	119	1.65	-	40.64	33.10	6.49	34.44
AV	5.284G	91.23	Inf	-Inf	5.22	3	Horizontal	119	1.65	-	86.01	33.04	6.63	34.45
AV	5.35G	48.87	54.00	-5.13	5.15	3	Horizontal	119	1.65	-	43.72	32.90	6.70	34.45
PK	5.05G	57.05	74.00	-16.95	4.99	3	Horizontal	119	1.65	-	52.06	33.00	6.42	34.43
PK	5.286G	99.77	Inf	-Inf	5.22	3	Horizontal	119	1.65	-	94.55	33.04	6.63	34.45
PK	5.497G	57.84	68.20	-10.36	5.54	3	Horizontal	119	1.65	-	52.30	33.19	6.81	34.46

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86714G	43.95	54.00	-10.05	15.52	3	Vertical	307	2.51	-	28.43	38.43	11.77	34.68
PK	6.61254G	56.89	68.20	-11.31	8.65	3	Vertical	206	1.28	-	48.24	35.87	7.44	34.66
PK	10.57738G	53.45	68.20	-14.75	14.12	3	Vertical	323	2.57	-	39.33	38.99	9.58	34.45
PK	15.87414G	55.78	74.00	-18.22	15.52	3	Vertical	307	2.51	-	40.26	38.43	11.78	34.69

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87304G	43.96	54.00	-10.04	15.52	3	Horizontal	240	2.04	-	28.44	38.43	11.78	34.69
PK	6.61242G	54.21	68.20	-13.99	8.66	3	Horizontal	141	1.57	-	45.55	35.88	7.44	34.66
PK	10.57558G	53.16	68.20	-15.04	14.11	3	Horizontal	327	2.26	-	39.05	38.98	9.58	34.45
PK	15.8654G	56.61	74.00	-17.39	15.52	3	Horizontal	240	2.04	-	41.09	38.43	11.77	34.68

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.71	54.00	-5.29	5.45	3	Vertical	203	1.41	-	43.26	33.12	6.79	34.46
AV	5.5066G	98.47	Inf	-Inf	5.53	3	Vertical	203	1.41	-	92.94	33.18	6.81	34.46
PK	5.467G	66.03	68.20	-2.17	5.46	3	Vertical	203	1.41	-	60.57	33.13	6.79	34.46
PK	5.507G	107.64	Inf	-Inf	5.52	3	Vertical	203	1.41	-	102.12	33.17	6.81	34.46
PK	5.762G	55.16	68.20	-13.04	6.25	3	Vertical	203	1.41	-	48.91	33.82	6.92	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.68	54.00	-9.32	5.45	3	Horizontal	119	2.90	-	39.23	33.12	6.79	34.46
AV	5.545G	94.12	Inf	-Inf	5.38	3	Horizontal	119	2.90	-	88.74	33.02	6.83	34.47
PK	5.464G	57.96	68.20	-10.24	5.46	3	Horizontal	119	2.90	-	52.50	33.13	6.79	34.46
PK	5.547G	102.98	Inf	-Inf	5.37	3	Horizontal	119	2.90	-	97.61	33.01	6.83	34.47
PK	5.771G	54.26	68.20	-13.94	6.27	3	Horizontal	119	2.90	-	47.99	33.84	6.92	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05678G	41.31	54.00	-12.69	14.36	3	Vertical	172	2.30	-	26.95	38.86	9.76	34.26
PK	6.91258G	51.29	68.20	-16.91	9.13	3	Vertical	211	1.62	-	42.16	36.00	7.83	34.70
PK	11.0614G	53.23	74.00	-20.77	14.36	3	Vertical	172	2.30	-	38.87	38.86	9.76	34.26
PK	16.5933G	56.09	68.20	-12.11	16.24	3	Vertical	259	2.44	-	39.85	38.71	12.07	34.54

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06266G	41.34	54.00	-12.66	14.36	3	Horizontal	238	1.65	-	26.98	38.86	9.76	34.26
PK	6.91218G	50.16	68.20	-18.04	9.13	3	Horizontal	171	1.61	-	41.03	36.00	7.83	34.70
PK	11.05888G	53.40	74.00	-20.60	14.36	3	Horizontal	238	1.65	-	39.04	38.86	9.76	34.26
PK	16.58592G	56.85	68.20	-11.35	16.25	3	Horizontal	171	1.17	-	40.60	38.73	12.07	34.55

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.40	54.00	-8.60	5.45	3	Vertical	205	1.43	-	39.95	33.12	6.79	34.46
AV	5.605G	98.52	Inf	-Inf	5.60	3	Vertical	205	1.43	-	92.92	33.21	6.86	34.47
PK	5.468G	57.69	68.20	-10.51	5.47	3	Vertical	205	1.43	-	52.22	33.14	6.79	34.46
PK	5.607G	107.67	Inf	-Inf	5.60	3	Vertical	205	1.43	-	102.07	33.21	6.86	34.47
PK	5.734G	61.20	68.20	-7.00	6.09	3	Vertical	205	1.43	-	55.11	33.67	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.03	54.00	-10.97	5.45	3	Horizontal	122	2.74	-	37.58	33.12	6.79	34.46
AV	5.604G	95.03	Inf	-Inf	5.60	3	Horizontal	122	2.74	-	89.43	33.21	6.86	34.47
PK	5.452G	54.50	74.00	-19.50	5.43	3	Horizontal	122	2.74	-	49.07	33.10	6.79	34.46
PK	5.607G	103.99	Inf	-Inf	5.60	3	Horizontal	122	2.74	-	98.39	33.21	6.86	34.47
PK	5.729G	56.82	68.20	-11.38	6.05	3	Horizontal	122	2.74	-	50.77	33.63	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22128G	41.56	54.00	-12.44	14.78	3	Vertical	255	2.27	-	26.78	39.12	9.81	34.15
PK	7.01266G	49.48	68.20	-18.72	9.38	3	Vertical	200	1.50	-	40.10	36.08	8.01	34.71
PK	11.22358G	53.42	74.00	-20.58	14.79	3	Vertical	255	2.27	-	38.63	39.12	9.81	34.14
PK	16.8298G	56.84	68.20	-11.36	16.60	3	Vertical	307	1.81	-	40.24	38.57	12.17	34.14

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2234G	41.66	54.00	-12.34	14.79	3	Horizontal	178	2.29	-	26.87	39.12	9.81	34.14
PK	7.01254G	50.11	68.20	-18.09	9.38	3	Horizontal	188	1.55	-	40.73	36.08	8.01	34.71
PK	11.22014G	54.12	74.00	-19.88	14.78	3	Horizontal	178	2.29	-	39.34	39.12	9.81	34.15
PK	16.83114G	57.96	68.20	-10.24	16.60	3	Horizontal	343	2.23	-	41.36	38.57	12.17	34.14

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.07	54.00	-11.93	5.45	3	Vertical	214	1.59	-	36.62	33.12	6.79	34.46
AV	5.685G	95.96	Inf	-Inf	5.78	3	Vertical	214	1.59	-	90.18	33.37	6.89	34.48
PK	5.467G	52.11	68.20	-16.09	5.46	3	Vertical	214	1.59	-	46.65	33.13	6.79	34.46
PK	5.687G	105.04	Inf	-Inf	5.78	3	Vertical	214	1.59	-	99.26	33.37	6.89	34.48
PK	5.866G	55.44	68.20	-12.76	6.66	3	Vertical	214	1.59	-	48.78	34.17	6.99	34.50

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.447G	41.93	54.00	-12.07	5.41	3	Horizontal	119	1.42	-	36.52	33.09	6.78	34.46
AV	5.704G	92.95	Inf	-Inf	5.85	3	Horizontal	119	1.42	-	87.10	33.43	6.90	34.48
PK	5.466G	52.77	68.20	-15.43	5.46	3	Horizontal	119	1.42	-	47.31	33.13	6.79	34.46
PK	5.707G	102.14	Inf	-Inf	5.88	3	Horizontal	119	1.42	-	96.26	33.46	6.90	34.48
PK	5.873G	55.48	68.20	-12.72	6.65	3	Horizontal	119	1.42	-	48.83	34.15	7.00	34.50

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38188G	41.54	54.00	-12.46	14.88	3	Vertical	74	2.53	-	26.66	39.04	9.87	34.03
PK	7.1123G	50.03	68.20	-18.17	9.95	3	Vertical	162	1.83	-	40.08	36.60	8.10	34.75
PK	11.3845G	53.58	74.00	-20.42	14.87	3	Vertical	74	2.53	-	38.71	39.03	9.87	34.03
PK	17.06584G	55.90	68.20	-12.30	16.75	3	Vertical	346	2.74	-	39.15	38.40	12.26	33.91

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3824G	41.44	54.00	-12.56	14.88	3	Horizontal	113	2.99	-	26.56	39.04	9.87	34.03
PK	7.11254G	49.56	68.20	-18.64	9.95	3	Horizontal	216	1.52	-	39.61	36.60	8.10	34.75
PK	11.37848G	53.44	74.00	-20.56	14.87	3	Horizontal	113	2.99	-	38.57	39.04	9.87	34.04
PK	17.07416G	56.16	68.20	-12.04	16.75	3	Horizontal	68	2.16	-	39.41	38.40	12.27	33.92

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	95.83	Inf	-Inf	6.25	3	Vertical	214	1.43	-	89.58	33.82	6.92	34.49
PK	5.6478G	56.56	68.20	-11.64	5.70	3	Vertical	214	1.43	-	50.86	33.30	6.88	34.48
PK	5.7618G	104.56	Inf	-Inf	6.25	3	Vertical	214	1.43	-	98.31	33.82	6.92	34.49
PK	5.943G	56.52	68.20	-11.68	6.91	3	Vertical	214	1.43	-	49.61	34.36	7.06	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	93.03	Inf	-Inf	6.32	3	Horizontal	154	1.59	-	86.71	33.89	6.93	34.50
PK	5.6394G	54.14	68.20	-14.06	5.67	3	Horizontal	154	1.59	-	48.47	33.28	6.87	34.48
PK	5.7918G	101.85	Inf	-Inf	6.31	3	Horizontal	154	1.59	-	95.54	33.88	6.93	34.50
PK	5.949G	55.99	68.20	-12.21	6.94	3	Horizontal	154	1.59	-	49.05	34.39	7.06	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54884G	40.94	54.00	-13.06	14.90	3	Vertical	334	1.61	-	26.04	38.95	9.93	33.98
PK	7.21871G	49.82	68.20	-18.38	10.23	3	Vertical	164	1.50	-	39.59	36.84	8.17	34.78
PK	11.5498G	52.97	74.00	-21.03	14.90	3	Vertical	334	1.61	-	38.07	38.95	9.93	33.98
PK	17.32048G	57.63	68.20	-10.57	16.81	3	Vertical	168	2.15	-	40.82	38.56	12.36	34.11

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54874G	40.94	54.00	-13.06	14.90	3	Horizontal	236	2.65	-	26.04	38.95	9.93	33.98
PK	7.21867G	49.80	68.20	-18.40	10.23	3	Horizontal	184	1.55	-	39.57	36.84	8.17	34.78
PK	11.55264G	53.51	74.00	-20.49	14.90	3	Horizontal	236	2.65	-	38.61	38.95	9.93	33.98
PK	17.32328G	56.35	68.20	-11.85	16.83	3	Horizontal	113	1.98	-	39.52	38.57	12.37	34.11

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.86	54.00	-5.14	5.15	3	Vertical	204	1.50	-	43.71	33.10	6.49	34.44
AV	5.2224G	91.58	Inf	-Inf	5.08	3	Vertical	204	1.50	-	86.50	32.96	6.56	34.44
AV	5.35G	51.82	54.00	-2.18	5.15	3	Vertical	204	1.50	-	46.67	32.90	6.70	34.45
PK	5.15G	58.86	74.00	-15.14	5.15	3	Vertical	204	1.50	-	53.71	33.10	6.49	34.44
PK	5.2008G	100.02	Inf	-Inf	5.09	3	Vertical	204	1.50	-	94.93	33.00	6.53	34.44
PK	5.3796G	63.13	74.00	-10.87	5.25	3	Vertical	204	1.50	-	57.88	32.96	6.74	34.45

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.99	54.00	-6.01	5.15	3	Horizontal	118	1.69	-	42.84	33.10	6.49	34.44
AV	5.1996G	89.12	Inf	-Inf	5.09	3	Horizontal	118	1.69	-	84.03	33.00	6.53	34.44
AV	5.35G	48.67	54.00	-5.33	5.15	3	Horizontal	118	1.69	-	43.52	32.90	6.70	34.45
PK	5.1492G	57.44	74.00	-16.56	5.15	3	Horizontal	118	1.69	-	52.29	33.10	6.49	34.44
PK	5.2044G	97.68	Inf	-Inf	5.09	3	Horizontal	118	1.69	-	92.59	32.99	6.54	34.44
PK	5.4636G	54.71	68.20	-13.49	5.46	3	Horizontal	118	1.69	-	49.25	33.13	6.79	34.46

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75302G	43.97	54.00	-10.03	15.57	3	Vertical	13	2.17	-	28.40	38.45	11.73	34.61
PK	6.56242G	56.71	68.20	-11.49	8.42	3	Vertical	207	1.40	-	48.29	35.67	7.40	34.65
PK	10.49926G	53.29	68.20	-14.91	13.68	3	Vertical	69	1.77	-	39.61	38.60	9.56	34.48
PK	15.75178G	56.46	74.00	-17.54	15.56	3	Vertical	13	2.17	-	40.90	38.45	11.72	34.61

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7518G	43.96	54.00	-10.04	15.56	3	Horizontal	45	1.47	-	28.40	38.45	11.72	34.61
PK	6.56226G	54.14	68.20	-14.06	8.42	3	Horizontal	148	1.63	-	45.72	35.67	7.40	34.65
PK	10.50212G	52.41	68.20	-15.79	13.69	3	Horizontal	281	1.42	-	38.72	38.61	9.56	34.48
PK	15.75456G	56.13	74.00	-17.87	15.57	3	Horizontal	45	1.47	-	40.56	38.45	11.73	34.61

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y
SET 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.90	54.00	-2.10	5.15	3	Vertical	204	1.50	-	46.75	33.10	6.49	34.44
AV	5.226G	92.11	Inf	-Inf	5.07	3	Vertical	204	1.50	-	87.04	32.95	6.56	34.44
AV	5.35G	54.58	54.00	0.58	5.15	3	Vertical	204	1.50	-	49.43	32.90	6.70	34.45
PK	5.1468G	62.18	74.00	-11.82	5.16	3	Vertical	204	1.50	-	57.02	33.11	6.49	34.44
PK	5.2272G	100.82	Inf	-Inf	5.07	3	Vertical	204	1.50	-	95.75	32.95	6.56	34.44
PK	5.3508G	65.45	74.00	-8.55	5.15	3	Vertical	204	1.50	-	60.30	32.90	6.70	34.45

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.78	54.00	-5.22	5.45	3	Vertical	205	1.40	-	43.33	33.12	6.79	34.46
AV	5.582G	93.71	Inf	-Inf	5.51	3	Vertical	205	1.40	-	88.20	33.13	6.85	34.47
PK	5.4692G	58.78	68.20	-9.42	5.47	3	Vertical	205	1.40	-	53.31	33.14	6.79	34.46
PK	5.6228G	102.04	Inf	-Inf	5.65	3	Vertical	205	1.40	-	96.39	33.25	6.87	34.47
PK	5.7488G	64.86	68.20	-3.34	6.21	3	Vertical	205	1.40	-	58.65	33.79	6.91	34.49

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3876G	44.13	54.00	-9.87	5.28	3	Horizontal	118	1.39	-	38.85	32.98	6.75	34.45
AV	5.6204G	89.16	Inf	-Inf	5.64	3	Horizontal	118	1.39	-	83.52	33.24	6.87	34.47
PK	5.4668G	54.01	68.20	-14.19	5.46	3	Horizontal	118	1.39	-	48.55	33.13	6.79	34.46
PK	5.6204G	97.06	Inf	-Inf	5.64	3	Horizontal	118	1.39	-	91.42	33.24	6.87	34.47
PK	5.7368G	61.60	68.20	-6.60	6.11	3	Horizontal	118	1.39	-	55.49	33.69	6.91	34.49

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14436G	41.50	54.00	-12.50	14.58	3	Vertical	116	1.92	-	26.92	38.99	9.79	34.20
PK	6.96242G	51.58	68.20	-16.62	9.23	3	Vertical	199	1.50	-	42.35	36.00	7.93	34.70
PK	11.1362G	53.44	74.00	-20.56	14.55	3	Vertical	116	1.92	-	38.89	38.97	9.78	34.20
PK	16.71282G	56.68	68.20	-11.52	16.55	3	Vertical	133	2.16	-	40.13	38.77	12.12	34.34

802.11ac VHT160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14324G	41.60	54.00	-12.40	14.58	3	Horizontal	317	2.37	-	27.02	38.99	9.79	34.20
PK	6.9627G	52.11	68.20	-16.09	9.23	3	Horizontal	218	1.57	-	42.88	36.00	7.93	34.70
PK	11.1416G	54.04	74.00	-19.96	14.57	3	Horizontal	317	2.37	-	39.47	38.98	9.79	34.20
PK	16.71018G	56.32	68.20	-11.88	16.56	3	Horizontal	233	1.68	-	39.76	38.78	12.12	34.34

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.50	54.00	-7.50	5.15	3	Vertical	206	1.47	-	41.35	33.10	6.49	34.44
AV	5.1812G	101.67	Inf	-Inf	5.12	3	Vertical	206	1.47	-	96.55	33.04	6.52	34.44
PK	5.1494G	62.51	74.00	-11.49	5.15	3	Vertical	206	1.47	-	57.36	33.10	6.49	34.44
PK	5.1742G	113.67	Inf	-Inf	5.12	3	Vertical	206	1.47	-	108.55	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	45.89	54.00	-8.11	5.15	3	Horizontal	117	1.62	-	40.74	33.10	6.49	34.44
AV	5.1882G	100.66	Inf	-Inf	5.10	3	Horizontal	117	1.62	-	95.56	33.02	6.52	34.44
PK	5.1498G	62.81	74.00	-11.19	5.15	3	Horizontal	117	1.62	-	57.66	33.10	6.49	34.44
PK	5.1882G	112.62	Inf	-Inf	5.10	3	Horizontal	117	1.62	-	107.52	33.02	6.52	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54672G	43.42	54.00	-10.58	15.87	3	Vertical	177	1.89	-	27.55	38.71	11.64	34.48
PK	6.47509G	55.02	68.20	-13.18	8.06	3	Vertical	197	1.50	-	46.96	35.35	7.34	34.63
PK	10.35056G	52.94	68.20	-15.26	13.44	3	Vertical	25	1.81	-	39.50	38.65	9.50	34.71
PK	15.53064G	56.08	74.00	-17.92	15.90	3	Vertical	177	1.89	-	40.18	38.74	11.63	34.47

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54584G	43.42	54.00	-10.58	15.87	3	Horizontal	121	1.02	-	27.55	38.71	11.64	34.48
PK	6.47503G	53.49	68.20	-14.71	8.06	3	Horizontal	124	1.41	-	45.43	35.35	7.34	34.63
PK	10.36096G	53.28	68.20	-14.92	13.48	3	Horizontal	93	1.93	-	39.80	38.66	9.51	34.69
PK	15.54676G	56.05	74.00	-17.95	15.87	3	Horizontal	121	1.02	-	40.18	38.71	11.64	34.48

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.78	54.00	-9.22	5.15	3	Vertical	206	1.50	-	39.63	33.10	6.49	34.44
AV	5.2084G	102.88	Inf	-Inf	5.08	3	Vertical	206	1.50	-	97.80	32.98	6.54	34.44
PK	5.1436G	56.30	74.00	-17.70	5.16	3	Vertical	206	1.50	-	51.14	33.11	6.49	34.44
PK	5.2052G	113.56	Inf	-Inf	5.09	3	Vertical	206	1.50	-	108.47	32.99	6.54	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.45	54.00	-9.55	5.15	3	Horizontal	117	1.72	-	39.30	33.10	6.49	34.44
AV	5.1976G	101.25	Inf	-Inf	5.09	3	Horizontal	117	1.72	-	96.16	33.00	6.53	34.44
PK	5.1496G	56.57	74.00	-17.43	5.15	3	Horizontal	117	1.72	-	51.42	33.10	6.49	34.44
PK	5.1992G	113.09	Inf	-Inf	5.09	3	Horizontal	117	1.72	-	108.00	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58824G	44.84	54.00	-9.16	15.77	3	Vertical	285	1.66	-	29.07	38.62	11.66	34.51
PK	6.50002G	56.74	68.20	-11.46	8.32	3	Vertical	209	1.54	-	48.42	35.60	7.36	34.64
PK	10.39976G	52.96	68.20	-15.24	13.59	3	Vertical	13	1.82	-	39.37	38.70	9.52	34.63
PK	15.58872G	58.48	74.00	-15.52	15.77	3	Vertical	285	1.66	-	42.71	38.62	11.66	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59028G	44.85	54.00	-9.15	15.77	3	Horizontal	160	1.50	-	29.08	38.62	11.66	34.51
PK	6.50008G	53.94	68.20	-14.26	8.32	3	Horizontal	139	1.50	-	45.62	35.60	7.36	34.64
PK	10.40558G	52.92	68.20	-15.28	13.58	3	Horizontal	44	1.96	-	39.34	38.69	9.52	34.63
PK	15.60054G	58.67	74.00	-15.33	15.75	3	Horizontal	160	1.50	-	42.92	38.60	11.66	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.71	54.00	-11.29	5.15	3	Vertical	206	1.50	-	37.56	33.10	6.49	34.44
AV	5.2478G	103.12	Inf	-Inf	5.04	3	Vertical	206	1.50	-	98.08	32.90	6.58	34.44
AV	5.3528G	43.79	54.00	-10.21	5.17	3	Vertical	206	1.50	-	38.62	32.91	6.71	34.45
PK	5.1482G	54.14	74.00	-19.86	5.15	3	Vertical	206	1.50	-	48.99	33.10	6.49	34.44
PK	5.2454G	114.67	Inf	-Inf	5.05	3	Vertical	206	1.50	-	109.62	32.91	6.58	34.44
PK	5.3888G	55.23	74.00	-18.77	5.28	3	Vertical	206	1.50	-	49.95	32.98	6.75	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1302G	42.57	54.00	-11.43	5.18	3	Horizontal	119	1.72	-	37.39	33.14	6.48	34.44
AV	5.2478G	100.85	Inf	-Inf	5.04	3	Horizontal	119	1.72	-	95.81	32.90	6.58	34.44
AV	5.3546G	43.03	54.00	-10.97	5.17	3	Horizontal	119	1.72	-	37.86	32.91	6.71	34.45
PK	5.1404G	53.95	74.00	-20.05	5.17	3	Horizontal	119	1.72	-	48.78	33.12	6.49	34.44
PK	5.2346G	111.24	Inf	-Inf	5.06	3	Horizontal	119	1.72	-	106.18	32.93	6.57	34.44
PK	5.3768G	54.01	74.00	-19.99	5.23	3	Horizontal	119	1.72	-	48.78	32.95	6.73	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72956G	43.54	54.00	-10.46	15.55	3	Vertical	222	2.11	-	27.99	38.43	11.72	34.60
PK	6.55002G	55.67	68.20	-12.53	8.34	3	Vertical	211	1.49	-	47.33	35.60	7.39	34.65
PK	10.4838G	53.16	68.20	-15.04	13.67	3	Vertical	106	1.83	-	39.49	38.62	9.55	34.50
PK	15.71612G	56.26	74.00	-17.74	15.54	3	Vertical	222	2.11	-	40.72	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72964G	43.54	54.00	-10.46	15.55	3	Horizontal	231	1.93	-	27.99	38.43	11.72	34.60
PK	6.54987G	52.41	68.20	-15.79	8.34	3	Horizontal	141	1.42	-	44.07	35.60	7.39	34.65
PK	10.47196G	52.85	68.20	-15.35	13.66	3	Horizontal	24	1.26	-	39.19	38.63	9.55	34.52
PK	15.7228G	56.20	74.00	-17.80	15.54	3	Horizontal	231	1.93	-	40.66	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	42.71	54.00	-11.29	5.15	3	Vertical	204	1.60	-	37.56	33.10	6.49	34.44
AV	5.257G	103.22	Inf	-Inf	5.08	3	Vertical	204	1.60	-	98.14	32.93	6.60	34.45
AV	5.3578G	44.21	54.00	-9.79	5.18	3	Vertical	204	1.60	-	39.03	32.92	6.71	34.45
PK	5.1154G	53.50	74.00	-20.50	5.20	3	Vertical	204	1.60	-	48.30	33.17	6.47	34.44
PK	5.2576G	113.15	Inf	-Inf	5.08	3	Vertical	204	1.60	-	108.07	32.93	6.60	34.45
PK	5.3746G	55.64	74.00	-18.36	5.23	3	Vertical	204	1.60	-	50.41	32.95	6.73	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1304G	42.57	54.00	-11.43	5.18	3	Horizontal	118	1.71	-	37.39	33.14	6.48	34.44
AV	5.2516G	100.77	Inf	-Inf	5.05	3	Horizontal	118	1.71	-	95.72	32.91	6.59	34.45
AV	5.3578G	43.42	54.00	-10.58	5.18	3	Horizontal	118	1.71	-	38.24	32.92	6.71	34.45
PK	5.1322G	53.53	74.00	-20.47	5.18	3	Horizontal	118	1.71	-	48.35	33.14	6.48	34.44
PK	5.266G	111.25	Inf	-Inf	5.12	3	Horizontal	118	1.71	-	106.13	32.96	6.61	34.45
PK	5.371G	54.22	74.00	-19.78	5.22	3	Horizontal	118	1.71	-	49.00	32.94	6.73	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77964G	43.97	54.00	-10.03	15.59	3	Vertical	239	2.25	-	28.38	38.48	11.74	34.63
PK	6.57492G	55.66	68.20	-12.54	8.51	3	Vertical	212	1.48	-	47.15	35.75	7.41	34.65
PK	10.51108G	52.63	68.20	-15.57	13.74	3	Vertical	59	1.81	-	38.89	38.66	9.56	34.48
PK	15.77604G	56.23	74.00	-17.77	15.58	3	Vertical	239	2.25	-	40.65	38.48	11.73	34.63

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7706G	43.92	54.00	-10.08	15.58	3	Horizontal	127	1.34	-	28.34	38.47	11.73	34.62
PK	6.57481G	52.85	68.20	-15.35	8.51	3	Horizontal	142	1.50	-	44.34	35.75	7.41	34.65
PK	10.52328G	52.70	68.20	-15.50	13.82	3	Horizontal	160	2.04	-	38.88	38.72	9.57	34.47
PK	15.7702G	56.45	74.00	-17.55	15.58	3	Horizontal	127	1.34	-	40.87	38.47	11.73	34.62

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	103.28	Inf	-Inf	5.28	3	Vertical	208	1.54	-	98.00	33.09	6.64	34.45
AV	5.35G	46.85	54.00	-7.15	5.15	3	Vertical	208	1.54	-	41.70	32.90	6.70	34.45
PK	5.2964G	114.88	Inf	-Inf	5.28	3	Vertical	208	1.54	-	109.60	33.09	6.64	34.45
PK	5.3508G	60.87	74.00	-13.13	5.15	3	Vertical	208	1.54	-	55.72	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	100.68	Inf	-Inf	5.27	3	Horizontal	116	1.65	-	95.41	33.08	6.64	34.45
AV	5.3504G	44.92	54.00	-9.08	5.15	3	Horizontal	116	1.65	-	39.77	32.90	6.70	34.45
PK	5.304G	111.63	Inf	-Inf	5.28	3	Horizontal	116	1.65	-	106.35	33.08	6.65	34.45
PK	5.3512G	58.69	74.00	-15.31	5.15	3	Horizontal	116	1.65	-	53.54	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8982G	43.93	54.00	-10.07	15.49	3	Vertical	83	2.17	-	28.44	38.40	11.79	34.70
PK	6.62493G	54.68	68.20	-13.52	8.64	3	Vertical	212	1.47	-	46.04	35.85	7.45	34.66
PK	10.59096G	52.99	68.20	-15.21	14.19	3	Vertical	295	2.25	-	38.80	39.05	9.59	34.45
PK	15.89588G	56.27	74.00	-17.73	15.49	3	Vertical	83	2.17	-	40.78	38.40	11.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89732G	43.81	54.00	-10.19	15.49	3	Horizontal	77	1.32	-	28.32	38.40	11.79	34.70
PK	6.62495G	51.94	68.20	-16.26	8.64	3	Horizontal	144	1.59	-	43.30	35.85	7.45	34.66
PK	10.6066G	53.34	74.00	-20.66	14.25	3	Horizontal	195	1.57	-	39.09	39.09	9.60	34.44
PK	15.90704G	56.72	74.00	-17.28	15.47	3	Horizontal	77	1.32	-	41.25	38.39	11.79	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	102.16	Inf	-Inf	5.24	3	Vertical	208	1.50	-	96.92	33.02	6.67	34.45
AV	5.35G	49.27	54.00	-4.73	5.15	3	Vertical	208	1.50	-	44.12	32.90	6.70	34.45
PK	5.326G	113.72	Inf	-Inf	5.22	3	Vertical	208	1.50	-	108.50	33.00	6.67	34.45
PK	5.353G	62.08	74.00	-11.92	5.17	3	Vertical	208	1.50	-	56.91	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	99.55	Inf	-Inf	5.24	3	Horizontal	116	1.74	-	94.31	33.02	6.67	34.45
AV	5.35G	47.34	54.00	-6.66	5.15	3	Horizontal	116	1.74	-	42.19	32.90	6.70	34.45
PK	5.3238G	111.33	Inf	-Inf	5.22	3	Horizontal	116	1.74	-	106.11	33.00	6.67	34.45
PK	5.352G	60.15	74.00	-13.85	5.15	3	Horizontal	116	1.74	-	55.00	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63016G	40.42	54.00	-13.58	14.24	3	Vertical	12	2.06	-	26.18	39.07	9.60	34.43
AV	15.96232G	43.87	54.00	-10.13	15.40	3	Vertical	101	1.72	-	28.47	38.34	11.81	34.75
PK	6.64999G	54.84	68.20	-13.36	8.62	3	Vertical	213	1.50	-	46.22	35.80	7.48	34.66
PK	10.63692G	52.82	74.00	-21.18	14.24	3	Vertical	12	2.06	-	38.58	39.06	9.61	34.43
PK	15.95912G	56.33	74.00	-17.67	15.41	3	Vertical	101	1.72	-	40.92	38.34	11.81	34.74

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63G	40.31	54.00	-13.69	14.24	3	Horizontal	51	2.39	-	26.07	39.07	9.60	34.43
AV	15.95G	43.69	54.00	-10.31	15.42	3	Horizontal	250	2.32	-	28.27	38.35	11.81	34.74
PK	6.64996G	49.74	68.20	-18.46	8.62	3	Horizontal	136	1.50	-	41.12	35.80	7.48	34.66
PK	10.63164G	52.55	74.00	-21.45	14.24	3	Horizontal	51	2.39	-	38.31	39.07	9.60	34.43
PK	15.95004G	56.64	74.00	-17.36	15.42	3	Horizontal	250	2.32	-	41.22	38.35	11.81	34.74

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.29	54.00	-8.71	5.45	3	Vertical	205	1.38	-	39.84	33.12	6.79	34.46
AV	5.494G	101.98	Inf	-Inf	5.54	3	Vertical	205	1.38	-	96.44	33.19	6.81	34.46
PK	5.4692G	60.76	68.20	-7.44	5.47	3	Vertical	205	1.38	-	55.29	33.14	6.79	34.46
PK	5.4958G	114.39	Inf	-Inf	5.54	3	Vertical	205	1.38	-	108.85	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.89	54.00	-11.11	5.45	3	Horizontal	106	2.82	-	37.44	33.12	6.79	34.46
AV	5.4976G	94.61	Inf	-Inf	5.55	3	Horizontal	106	2.82	-	89.06	33.20	6.81	34.46
PK	5.4688G	54.97	68.20	-13.23	5.47	3	Horizontal	106	2.82	-	49.50	33.14	6.79	34.46
PK	5.4946G	107.01	Inf	-Inf	5.54	3	Horizontal	106	2.82	-	101.47	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99428G	40.93	54.00	-13.07	14.22	3	Vertical	196	2.31	-	26.71	38.79	9.73	34.30
PK	6.87483G	50.01	68.20	-18.19	8.97	3	Vertical	196	1.54	-	41.04	35.90	7.76	34.69
PK	10.99176G	52.89	74.00	-21.11	14.22	3	Vertical	196	2.31	-	38.67	38.79	9.73	34.30
PK	16.4986G	57.04	68.20	-11.16	16.23	3	Vertical	255	1.23	-	40.81	38.89	12.03	34.69

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00928G	40.92	54.00	-13.08	14.26	3	Horizontal	351	2.25	-	26.66	38.81	9.74	34.29
PK	6.87734G	48.65	68.20	-19.55	8.99	3	Horizontal	103	1.40	-	39.66	35.91	7.77	34.69
PK	11.00272G	54.44	74.00	-19.56	14.24	3	Horizontal	351	2.25	-	40.20	38.80	9.74	34.30
PK	16.50556G	56.31	68.20	-11.89	16.24	3	Horizontal	36	1.79	-	40.07	38.89	12.03	34.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.23	54.00	-10.77	5.45	3	Vertical	206	1.37	-	37.78	33.12	6.79	34.46
AV	5.5788G	102.94	Inf	-Inf	5.50	3	Vertical	206	1.37	-	97.44	33.12	6.85	34.47
PK	5.469G	54.46	68.20	-13.74	5.47	3	Vertical	206	1.37	-	48.99	33.14	6.79	34.46
PK	5.5836G	113.36	Inf	-Inf	5.51	3	Vertical	206	1.37	-	107.85	33.13	6.85	34.47
PK	5.7252G	54.71	68.20	-13.49	6.01	3	Vertical	206	1.37	-	48.70	33.60	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	42.30	54.00	-11.70	5.43	3	Horizontal	121	2.85	-	36.87	33.10	6.79	34.46
AV	5.5854G	99.88	Inf	-Inf	5.52	3	Horizontal	121	2.85	-	94.36	33.14	6.85	34.47
PK	5.4654G	53.60	68.20	-14.60	5.46	3	Horizontal	121	2.85	-	48.14	33.13	6.79	34.46
PK	5.5824G	110.30	Inf	-Inf	5.51	3	Horizontal	121	2.85	-	104.79	33.13	6.85	34.47
PK	5.73G	54.11	68.20	-14.09	6.06	3	Horizontal	121	2.85	-	48.05	33.64	6.91	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16028G	41.40	54.00	-12.60	14.62	3	Vertical	251	2.36	-	26.78	39.02	9.79	34.19
PK	6.97539G	50.42	68.20	-17.78	9.24	3	Vertical	195	1.60	-	41.18	36.00	7.95	34.71
PK	11.15068G	53.66	74.00	-20.34	14.60	3	Vertical	251	2.36	-	39.06	39.00	9.79	34.19
PK	16.73972G	56.87	68.20	-11.33	16.56	3	Vertical	306	1.11	-	40.31	38.72	12.13	34.29


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16652G	41.33	54.00	-12.67	14.64	3	Horizontal	322	1.10	-	26.69	39.03	9.79	34.18
PK	6.97692G	49.26	68.20	-18.94	9.25	3	Horizontal	103	1.48	-	40.01	36.00	7.96	34.71
PK	11.15076G	53.45	74.00	-20.55	14.60	3	Horizontal	322	1.10	-	38.85	39.00	9.79	34.19
PK	16.73684G	56.77	68.20	-11.43	16.56	3	Horizontal	26	1.37	-	40.21	38.73	12.13	34.30

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.706G	100.88	Inf	-Inf	5.87	3	Vertical	227	1.68	-	95.01	33.45	6.90	34.48
PK	5.6992G	112.15	Inf	-Inf	5.81	3	Vertical	227	1.68	-	106.34	33.40	6.89	34.48
PK	5.7264G	64.19	68.20	-4.01	6.02	3	Vertical	227	1.68	-	58.17	33.61	6.90	34.49


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	97.70	Inf	-Inf	5.85	3	Horizontal	178	1.58	-	91.85	33.43	6.90	34.48
PK	5.7012G	109.02	Inf	-Inf	5.83	3	Horizontal	178	1.58	-	103.19	33.41	6.90	34.48
PK	5.7252G	58.70	68.20	-9.50	6.01	3	Horizontal	178	1.58	-	52.69	33.60	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39812G	41.46	54.00	-12.54	14.86	3	Vertical	313	1.90	-	26.60	39.00	9.88	34.02
PK	7.12346G	49.66	68.20	-18.54	10.05	3	Vertical	228	1.49	-	39.61	36.69	8.11	34.75
PK	11.39172G	54.33	74.00	-19.67	14.86	3	Vertical	313	1.90	-	39.47	39.02	9.87	34.03
PK	17.1068G	57.10	68.20	-11.10	16.74	3	Vertical	164	2.49	-	40.36	38.40	12.28	33.94

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40052G	41.46	54.00	-12.54	14.86	3	Horizontal	192	1.32	-	26.60	39.00	9.88	34.02
PK	7.12352G	49.41	68.20	-18.79	10.05	3	Horizontal	106	1.50	-	39.36	36.69	8.11	34.75
PK	11.4072G	54.27	74.00	-19.73	14.87	3	Horizontal	192	1.32	-	39.40	39.00	9.88	34.01
PK	17.10164G	56.42	68.20	-11.78	16.74	3	Horizontal	243	2.35	-	39.68	38.40	12.28	33.94

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	42.28	54.00	-11.72	5.42	3	Vertical	229	1.75	-	36.86	33.10	6.78	34.46
AV	5.7188G	102.04	Inf	-Inf	5.96	3	Vertical	229	1.75	-	96.08	33.55	6.90	34.49
PK	5.4692G	52.56	68.20	-15.64	5.47	3	Vertical	229	1.75	-	47.09	33.14	6.79	34.46
PK	5.7116G	112.10	Inf	-Inf	5.90	3	Vertical	229	1.75	-	106.20	33.49	6.90	34.49
PK	5.864G	55.41	68.20	-12.79	6.66	3	Vertical	229	1.75	-	48.75	34.17	6.99	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	42.13	54.00	-11.87	5.43	3	Horizontal	117	1.41	-	36.70	33.10	6.79	34.46
AV	5.7188G	99.22	Inf	-Inf	5.96	3	Horizontal	117	1.41	-	93.26	33.55	6.90	34.49
PK	5.4644G	53.14	68.20	-15.06	5.46	3	Horizontal	117	1.41	-	47.68	33.13	6.79	34.46
PK	5.7236G	108.84	Inf	-Inf	6.00	3	Horizontal	117	1.41	-	102.84	33.59	6.90	34.49
PK	5.9324G	54.73	68.20	-13.47	6.83	3	Horizontal	117	1.41	-	47.90	34.29	7.05	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43204G	41.35	54.00	-12.65	14.89	3	Vertical	251	2.05	-	26.46	39.00	9.89	34.00
PK	7.15056G	49.22	68.20	-18.98	10.28	3	Vertical	230	1.63	-	38.94	36.90	8.14	34.76
PK	11.44812G	53.97	74.00	-20.03	14.90	3	Vertical	251	2.05	-	39.07	39.00	9.89	33.99
PK	17.16208G	56.13	68.20	-12.07	16.71	3	Vertical	356	1.36	-	39.42	38.40	12.30	33.99

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43572G	41.35	54.00	-12.65	14.90	3	Horizontal	266	1.40	-	26.45	39.00	9.89	33.99
PK	7.14993G	49.38	68.20	-18.82	10.27	3	Horizontal	109	1.50	-	39.11	36.90	8.13	34.76
PK	11.43604G	53.71	74.00	-20.29	14.90	3	Horizontal	266	1.40	-	38.81	39.00	9.89	33.99
PK	17.1644G	55.86	68.20	-12.34	16.71	3	Horizontal	197	1.72	-	39.15	38.40	12.30	33.99

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	102.33	Inf	-Inf	6.16	3	Vertical	228	1.60	-	96.17	33.74	6.91	34.49
PK	5.6058G	54.99	68.20	-13.21	5.60	3	Vertical	228	1.60	-	49.39	33.21	6.86	34.47
PK	5.7498G	113.05	Inf	-Inf	6.22	3	Vertical	228	1.60	-	106.83	33.80	6.91	34.49
PK	5.973G	55.20	68.20	-13.00	6.88	3	Vertical	228	1.60	-	48.32	34.31	7.09	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	99.14	Inf	-Inf	6.22	3	Horizontal	178	1.66	-	92.92	33.80	6.91	34.49
PK	5.6382G	53.83	68.20	-14.37	5.67	3	Horizontal	178	1.66	-	48.16	33.28	6.87	34.48
PK	5.7486G	109.18	Inf	-Inf	6.21	3	Horizontal	178	1.66	-	102.97	33.79	6.91	34.49
PK	6.0222G	55.18	68.20	-13.02	6.88	3	Horizontal	178	1.66	-	48.30	34.29	7.12	34.53

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48864G	41.29	54.00	-12.71	14.95	3	Vertical	216	1.50	-	26.34	39.00	9.91	33.96
PK	7.18135G	49.67	68.20	-18.53	10.23	3	Vertical	231	2.06	-	39.44	36.84	8.16	34.77
PK	11.48288G	53.55	74.00	-20.45	14.95	3	Vertical	216	1.50	-	38.60	39.00	9.91	33.96
PK	17.23804G	55.94	68.20	-12.26	16.72	3	Vertical	129	1.44	-	39.22	38.44	12.33	34.05

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48128G	41.32	54.00	-12.68	14.95	3	Horizontal	334	2.49	-	26.37	39.00	9.91	33.96
PK	7.17961G	49.68	68.20	-18.52	10.23	3	Horizontal	106	1.50	-	39.45	36.84	8.16	34.77
PK	11.48732G	54.01	74.00	-19.99	14.95	3	Horizontal	334	2.49	-	39.06	39.00	9.91	33.96
PK	17.2366G	56.48	68.20	-11.72	16.73	3	Horizontal	193	2.37	-	39.75	38.44	12.33	34.04

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	101.99	Inf	-Inf	6.30	3	Vertical	229	1.60	-	95.69	33.87	6.92	34.49
PK	5.605G	54.06	68.20	-14.14	5.60	3	Vertical	229	1.60	-	48.46	33.21	6.86	34.47
PK	5.7802G	111.43	Inf	-Inf	6.29	3	Vertical	229	1.60	-	105.14	33.86	6.92	34.49
PK	5.9518G	55.12	68.20	-13.08	6.95	3	Vertical	229	1.60	-	48.17	34.39	7.07	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	99.24	Inf	-Inf	6.28	3	Horizontal	178	1.56	-	92.96	33.85	6.92	34.49
PK	5.6158G	54.56	68.20	-13.64	5.63	3	Horizontal	178	1.56	-	48.93	33.23	6.87	34.47
PK	5.7778G	109.06	Inf	-Inf	6.29	3	Horizontal	178	1.56	-	102.77	33.86	6.92	34.49
PK	6.001G	55.53	68.20	-12.67	6.79	3	Horizontal	178	1.56	-	48.74	34.20	7.11	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5704G	40.97	54.00	-13.03	14.88	3	Vertical	278	1.27	-	26.09	38.93	9.94	33.99
PK	7.23116G	49.28	68.20	-18.92	10.25	3	Vertical	226	1.50	-	39.03	36.86	8.17	34.78
PK	11.57528G	53.39	74.00	-20.61	14.86	3	Vertical	278	1.27	-	38.53	38.92	9.94	34.00
PK	17.35368G	56.69	68.20	-11.51	16.90	3	Vertical	169	1.68	-	39.79	38.66	12.38	34.14

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57716G	40.91	54.00	-13.09	14.86	3	Horizontal	312	1.50	-	26.05	38.92	9.94	34.00
PK	7.22951G	49.66	68.20	-18.54	10.25	3	Horizontal	227	1.28	-	39.41	36.86	8.17	34.78
PK	11.5706G	53.64	74.00	-20.36	14.88	3	Horizontal	312	1.50	-	38.76	38.93	9.94	33.99
PK	17.35608G	56.81	68.20	-11.39	16.91	3	Horizontal	251	1.50	-	39.90	38.67	12.38	34.14

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	102.50	Inf	-Inf	6.46	3	Vertical	228	1.50	-	96.04	34.01	6.95	34.50
PK	5.6078G	55.14	68.20	-13.06	5.61	3	Vertical	228	1.50	-	49.53	33.22	6.86	34.47
PK	5.8274G	112.01	Inf	-Inf	6.51	3	Vertical	228	1.50	-	105.50	34.06	6.95	34.50
PK	5.9834G	56.58	68.20	-11.62	6.85	3	Vertical	228	1.50	-	49.73	34.27	7.10	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	99.68	Inf	-Inf	6.49	3	Horizontal	180	1.70	-	93.19	34.04	6.95	34.50
PK	5.6474G	53.54	68.20	-14.66	5.69	3	Horizontal	180	1.70	-	47.85	33.29	6.88	34.48
PK	5.8298G	111.05	Inf	-Inf	6.54	3	Horizontal	180	1.70	-	104.51	34.08	6.96	34.50
PK	5.9822G	55.16	68.20	-13.04	6.84	3	Horizontal	180	1.70	-	48.32	34.27	7.09	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28098G	37.56	54.00	-16.44	10.13	3	Vertical	230	2.23	-	27.43	36.78	8.15	34.80
AV	11.64G	41.00	54.00	-13.00	14.78	3	Vertical	246	1.50	-	26.22	38.86	9.96	34.04
PK	7.27971G	49.79	74.00	-24.21	10.13	3	Vertical	230	2.23	-	39.66	36.78	8.15	34.80
PK	11.6542G	53.67	74.00	-20.33	14.77	3	Vertical	246	1.50	-	38.90	38.85	9.97	34.05
PK	17.47184G	57.43	68.20	-10.77	17.07	3	Vertical	0	1.50	-	40.36	38.87	12.43	34.23

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28121G	38.28	54.00	-15.72	10.13	3	Horizontal	227	1.00	-	28.15	36.78	8.15	34.80
AV	11.64092G	41.09	54.00	-12.91	14.78	3	Horizontal	107	1.50	-	26.31	38.86	9.96	34.04
PK	7.28079G	49.86	74.00	-24.14	10.13	3	Horizontal	227	1.00	-	39.73	36.78	8.15	34.80
PK	11.64184G	53.62	74.00	-20.38	14.78	3	Horizontal	107	1.50	-	38.84	38.86	9.96	34.04
PK	17.47506G	57.09	68.20	-11.11	17.08	3	Horizontal	259	1.50	-	40.01	38.88	12.43	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.68	54.00	-6.32	5.15	3	Vertical	208	1.50	-	42.53	33.10	6.49	34.44
AV	5.2028G	97.58	Inf	-Inf	5.08	3	Vertical	208	1.50	-	92.50	32.99	6.53	34.44
PK	5.1484G	61.18	74.00	-12.82	5.15	3	Vertical	208	1.50	-	56.03	33.10	6.49	34.44
PK	5.194G	109.44	Inf	-Inf	5.10	3	Vertical	208	1.50	-	104.34	33.01	6.53	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.78	54.00	-6.22	5.15	3	Horizontal	119	1.62	-	42.63	33.10	6.49	34.44
AV	5.1936G	96.43	Inf	-Inf	5.10	3	Horizontal	119	1.62	-	91.33	33.01	6.53	34.44
PK	5.1472G	62.77	74.00	-11.23	5.16	3	Horizontal	119	1.62	-	57.61	33.11	6.49	34.44
PK	5.1928G	108.89	Inf	-Inf	5.09	3	Horizontal	119	1.62	-	103.80	33.01	6.52	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56344G	43.63	54.00	-10.37	15.82	3	Vertical	207	1.91	-	27.81	38.67	11.64	34.49
PK	6.4875G	56.42	68.20	-11.78	8.19	3	Vertical	210	1.50	-	48.23	35.48	7.35	34.64
PK	10.3828G	52.94	68.20	-15.26	13.54	3	Vertical	341	2.87	-	39.40	38.68	9.52	34.66
PK	15.55832G	55.48	74.00	-18.52	15.83	3	Vertical	207	1.91	-	39.65	38.68	11.64	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55024G	43.60	54.00	-10.40	15.86	3	Horizontal	84	1.47	-	27.74	38.70	11.64	34.48
PK	6.48758G	53.41	68.20	-14.79	8.19	3	Horizontal	130	1.58	-	45.22	35.48	7.35	34.64
PK	10.37184G	53.52	68.20	-14.68	13.50	3	Horizontal	310	2.92	-	40.02	38.67	9.51	34.68
PK	15.55312G	55.73	74.00	-18.27	15.85	3	Horizontal	84	1.47	-	39.88	38.69	11.64	34.48

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.85	54.00	-10.15	5.15	3	Vertical	207	1.50	-	38.70	33.10	6.49	34.44
AV	5.2472G	98.64	Inf	-Inf	5.05	3	Vertical	207	1.50	-	93.59	32.91	6.58	34.44
PK	5.1488G	54.80	74.00	-19.20	5.15	3	Vertical	207	1.50	-	49.65	33.10	6.49	34.44
PK	5.2484G	110.21	Inf	-Inf	5.05	3	Vertical	207	1.50	-	105.16	32.90	6.59	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.47	54.00	-10.53	5.15	3	Horizontal	114	1.71	-	38.32	33.10	6.49	34.44
AV	5.2452G	96.43	Inf	-Inf	5.05	3	Horizontal	114	1.71	-	91.38	32.91	6.58	34.44
PK	5.1472G	54.02	74.00	-19.98	5.16	3	Horizontal	114	1.71	-	48.86	33.11	6.49	34.44
PK	5.2292G	107.15	Inf	-Inf	5.06	3	Horizontal	114	1.71	-	102.09	32.94	6.56	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70824G	43.57	54.00	-10.43	15.54	3	Vertical	146	1.05	-	28.03	38.41	11.71	34.58
PK	6.53758G	55.20	68.20	-13.00	8.33	3	Vertical	210	1.50	-	46.87	35.60	7.38	34.65
PK	10.47944G	52.62	68.20	-15.58	13.66	3	Vertical	282	1.84	-	38.96	38.62	9.55	34.51
PK	15.69184G	55.26	74.00	-18.74	15.55	3	Vertical	146	1.05	-	39.71	38.42	11.70	34.57

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7092G	43.34	54.00	-10.66	15.54	3	Horizontal	243	2.97	-	27.80	38.41	11.71	34.58
PK	6.53742G	51.89	68.20	-16.31	8.33	3	Horizontal	140	1.50	-	43.56	35.60	7.38	34.65
PK	10.46808G	52.03	68.20	-16.17	13.65	3	Horizontal	144	1.00	-	38.38	38.63	9.55	34.53
PK	15.68976G	56.28	74.00	-17.72	15.55	3	Horizontal	243	2.97	-	40.73	38.42	11.70	34.57

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2728G	99.10	Inf	-Inf	5.15	3	Vertical	208	1.57	-	93.95	32.99	6.61	34.45
AV	5.35G	45.16	54.00	-8.84	5.15	3	Vertical	208	1.57	-	40.01	32.90	6.70	34.45
PK	5.2728G	110.89	Inf	-Inf	5.15	3	Vertical	208	1.57	-	105.74	32.99	6.61	34.45
PK	5.3588G	56.63	74.00	-17.37	5.18	3	Vertical	208	1.57	-	51.45	32.92	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.274G	96.45	Inf	-Inf	5.17	3	Horizontal	116	1.62	-	91.28	33.00	6.62	34.45
AV	5.3504G	44.03	54.00	-9.97	5.15	3	Horizontal	116	1.62	-	38.88	32.90	6.70	34.45
PK	5.274G	107.22	Inf	-Inf	5.17	3	Horizontal	116	1.62	-	102.05	33.00	6.62	34.45
PK	5.3524G	55.43	74.00	-18.57	5.16	3	Horizontal	116	1.62	-	50.27	32.90	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82096G	43.83	54.00	-10.17	15.57	3	Vertical	11	1.09	-	28.26	38.48	11.75	34.66
PK	6.58742G	54.98	68.20	-13.22	8.59	3	Vertical	209	1.50	-	46.39	35.82	7.42	34.65
PK	10.5288G	52.60	68.20	-15.60	13.84	3	Vertical	91	2.72	-	38.76	38.74	9.57	34.47
PK	15.80528G	55.89	74.00	-18.11	15.59	3	Vertical	11	1.09	-	40.30	38.49	11.75	34.65

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82472G	43.87	54.00	-10.13	15.58	3	Horizontal	145	1.27	-	28.29	38.48	11.76	34.66
PK	6.58774G	52.50	68.20	-15.70	8.60	3	Horizontal	139	1.47	-	43.90	35.83	7.42	34.65
PK	10.55648G	53.24	68.20	-14.96	14.00	3	Horizontal	233	2.27	-	39.24	38.88	9.58	34.46
PK	15.79008G	55.60	74.00	-18.40	15.59	3	Horizontal	145	1.27	-	40.01	38.49	11.74	34.64

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	98.71	Inf	-Inf	5.28	3	Vertical	208	1.53	-	93.43	33.09	6.64	34.45
AV	5.35G	51.18	54.00	-2.82	5.15	3	Vertical	208	1.53	-	46.03	32.90	6.70	34.45
PK	5.3124G	110.46	Inf	-Inf	5.26	3	Vertical	208	1.53	-	105.20	33.05	6.66	34.45
PK	5.35G	62.01	74.00	-11.99	5.15	3	Vertical	208	1.53	-	56.86	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	95.70	Inf	-Inf	5.24	3	Horizontal	117	1.73	-	90.46	33.02	6.67	34.45
AV	5.35G	49.03	54.00	-4.97	5.15	3	Horizontal	117	1.73	-	43.88	32.90	6.70	34.45
PK	5.3008G	107.37	Inf	-Inf	5.30	3	Horizontal	117	1.73	-	102.07	33.10	6.65	34.45
PK	5.3504G	60.65	74.00	-13.35	5.15	3	Horizontal	117	1.73	-	55.50	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60176G	40.75	54.00	-13.25	14.25	3	Vertical	30	2.38	-	26.50	39.10	9.59	34.44
AV	15.94776G	43.87	54.00	-10.13	15.42	3	Vertical	302	1.25	-	28.45	38.35	11.81	34.74
PK	6.6375G	54.01	68.20	-14.19	8.63	3	Vertical	210	1.34	-	45.38	35.82	7.47	34.66
PK	10.61368G	52.47	74.00	-21.53	14.25	3	Vertical	30	2.38	-	38.22	39.09	9.60	34.44
PK	15.92672G	55.95	74.00	-18.05	15.45	3	Vertical	302	1.25	-	40.50	38.37	11.80	34.72

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60048G	40.76	54.00	-13.24	14.25	3	Horizontal	294	1.45	-	26.51	39.10	9.59	34.44
AV	15.94744G	44.00	54.00	-10.00	15.42	3	Horizontal	225	1.59	-	28.58	38.35	11.81	34.74
PK	6.6375G	52.07	68.20	-16.13	8.63	3	Horizontal	140	1.54	-	43.44	35.82	7.47	34.66
PK	10.62744G	52.60	74.00	-21.40	14.24	3	Horizontal	294	1.45	-	38.36	39.07	9.60	34.43
PK	15.94568G	56.37	74.00	-17.63	15.42	3	Horizontal	225	1.59	-	40.95	38.35	11.81	34.74