


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.33	54.00	-6.67	5.45	3	Vertical	205	1.39	-	41.88	33.12	6.79	34.46
AV	5.494G	98.84	Inf	-Inf	5.54	3	Vertical	205	1.39	-	93.30	33.19	6.81	34.46
PK	5.4692G	64.23	68.20	-3.97	5.47	3	Vertical	205	1.39	-	58.76	33.14	6.79	34.46
PK	5.4976G	110.19	Inf	-Inf	5.55	3	Vertical	205	1.39	-	104.64	33.20	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.54	54.00	-9.46	5.45	3	Horizontal	117	2.86	-	39.09	33.12	6.79	34.46
AV	5.4976G	94.80	Inf	-Inf	5.55	3	Horizontal	117	2.86	-	89.25	33.20	6.81	34.46
PK	5.4688G	60.46	68.20	-7.74	5.47	3	Horizontal	117	2.86	-	54.99	33.14	6.79	34.46
PK	5.5128G	106.67	Inf	-Inf	5.51	3	Horizontal	117	2.86	-	101.16	33.15	6.82	34.46

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01248G	41.12	54.00	-12.88	14.26	3	Vertical	91	2.39	-	26.86	38.81	9.74	34.29
PK	6.8875G	49.27	68.20	-18.93	9.05	3	Vertical	227	1.49	-	40.22	35.95	7.79	34.69
PK	11.01128G	53.03	74.00	-20.97	14.26	3	Vertical	91	2.39	-	38.77	38.81	9.74	34.29
PK	16.54112G	56.91	68.20	-11.29	16.25	3	Vertical	62	2.42	-	40.66	38.82	12.05	34.62

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00992G	41.09	54.00	-12.91	14.26	3	Horizontal	149	2.11	-	26.83	38.81	9.74	34.29
PK	6.90046G	48.39	68.20	-19.81	9.11	3	Horizontal	185	1.50	-	39.28	36.00	7.81	34.70
PK	11.03608G	52.96	74.00	-21.04	14.32	3	Horizontal	149	2.11	-	38.64	38.84	9.75	34.27
PK	16.53608G	56.70	68.20	-11.50	16.25	3	Horizontal	12	1.53	-	40.45	38.83	12.05	34.63

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.72	54.00	-8.28	5.45	3	Vertical	207	1.41	-	40.27	33.12	6.79	34.46
AV	5.5648G	99.98	Inf	-Inf	5.43	3	Vertical	207	1.41	-	94.55	33.06	6.84	34.47
PK	5.4684G	61.00	68.20	-7.20	5.47	3	Vertical	207	1.41	-	55.53	33.14	6.79	34.46
PK	5.566G	112.47	Inf	-Inf	5.43	3	Vertical	207	1.41	-	107.04	33.06	6.84	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.89	54.00	-10.11	5.45	3	Horizontal	119	2.76	-	38.44	33.12	6.79	34.46
AV	5.5456G	96.73	Inf	-Inf	5.38	3	Horizontal	119	2.76	-	91.35	33.02	6.83	34.47
PK	5.47G	57.20	68.20	-11.00	5.47	3	Horizontal	119	2.76	-	51.73	33.14	6.79	34.46
PK	5.5524G	109.16	Inf	-Inf	5.38	3	Horizontal	119	2.76	-	103.78	33.01	6.84	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12G	41.31	54.00	-12.69	14.50	3	Vertical	352	2.97	-	26.81	38.94	9.78	34.22
PK	6.93742G	48.88	68.20	-19.32	9.18	3	Vertical	226	1.49	-	39.70	36.00	7.88	34.70
PK	11.10592G	53.58	74.00	-20.42	14.45	3	Vertical	352	2.97	-	39.13	38.91	9.77	34.23
PK	16.64416G	56.66	68.20	-11.54	16.38	3	Vertical	114	1.26	-	40.28	38.74	12.09	34.45


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11936G	41.30	54.00	-12.70	14.50	3	Horizontal	293	1.82	-	26.80	38.94	9.78	34.22
PK	6.95342G	48.90	68.20	-19.30	9.21	3	Horizontal	98	1.50	-	39.69	36.00	7.91	34.70
PK	11.11328G	53.12	74.00	-20.88	14.49	3	Horizontal	293	1.82	-	38.63	38.93	9.78	34.22
PK	16.63G	56.15	68.20	-12.05	16.35	3	Horizontal	342	2.88	-	39.80	38.73	12.09	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6634G	97.73	Inf	-Inf	5.73	3	Vertical	209	1.46	-	92.00	33.33	6.88	34.48
PK	5.6808G	108.62	Inf	-Inf	5.77	3	Vertical	209	1.46	-	102.85	33.36	6.89	34.48
PK	5.7276G	58.16	68.20	-10.04	6.03	3	Vertical	209	1.46	-	52.13	33.62	6.90	34.49


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6622G	94.86	Inf	-Inf	5.72	3	Horizontal	118	1.32	-	89.14	33.32	6.88	34.48
PK	5.664G	106.05	Inf	-Inf	5.73	3	Horizontal	118	1.32	-	100.32	33.33	6.88	34.48
PK	5.7252G	56.36	68.20	-11.84	6.01	3	Horizontal	118	1.32	-	50.35	33.60	6.90	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.328G	41.51	54.00	-12.49	14.92	3	Vertical	86	2.51	-	26.59	39.14	9.85	34.07
PK	7.09454G	49.28	68.20	-18.92	9.83	3	Vertical	201	1.44	-	39.45	36.48	8.09	34.74
PK	11.3272G	53.42	74.00	-20.58	14.93	3	Vertical	86	2.51	-	38.49	39.15	9.85	34.07
PK	16.99872G	56.27	68.20	-11.93	16.77	3	Vertical	267	2.47	-	39.50	38.40	12.23	33.86

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32128G	41.43	54.00	-12.57	14.93	3	Horizontal	20	1.35	-	26.50	39.16	9.85	34.08
PK	7.09326G	49.27	68.20	-18.93	9.81	3	Horizontal	104	1.41	-	39.46	36.47	8.08	34.74
PK	11.35432G	53.51	74.00	-20.49	14.90	3	Horizontal	20	1.35	-	38.61	39.09	9.86	34.05
PK	16.99136G	56.41	68.20	-11.79	16.77	3	Horizontal	28	2.65	-	39.64	38.41	12.23	33.87

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	42.30	54.00	-11.70	5.42	3	Vertical	228	1.62	-	36.88	33.10	6.78	34.46
AV	5.7076G	98.99	Inf	-Inf	5.88	3	Vertical	228	1.62	-	93.11	33.46	6.90	34.48
PK	5.4676G	52.40	68.20	-15.80	5.47	3	Vertical	228	1.62	-	46.93	33.14	6.79	34.46
PK	5.6968G	109.49	Inf	-Inf	5.80	3	Vertical	228	1.62	-	103.69	33.39	6.89	34.48
PK	5.9692G	55.71	68.20	-12.49	6.88	3	Vertical	228	1.62	-	48.83	34.32	7.08	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4244G	41.97	54.00	-12.03	5.36	3	Horizontal	162	1.58	-	36.61	33.05	6.77	34.46
AV	5.7064G	92.27	Inf	-Inf	5.87	3	Horizontal	162	1.58	-	86.40	33.45	6.90	34.48
PK	5.464G	52.69	68.20	-15.51	5.46	3	Horizontal	162	1.58	-	47.23	33.13	6.79	34.46
PK	5.6932G	102.29	Inf	-Inf	5.80	3	Horizontal	162	1.58	-	96.49	33.39	6.89	34.48
PK	5.9032G	55.00	68.20	-13.20	6.63	3	Horizontal	162	1.58	-	48.37	34.12	7.02	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40368G	41.51	54.00	-12.49	14.86	3	Vertical	128	1.50	-	26.65	39.00	9.88	34.02
PK	7.1399G	49.15	68.20	-19.05	10.20	3	Vertical	34	2.19	-	38.95	36.82	8.13	34.75
PK	11.40792G	54.69	74.00	-19.31	14.87	3	Vertical	128	1.50	-	39.82	39.00	9.88	34.01
PK	17.1196G	56.90	68.20	-11.30	16.73	3	Vertical	214	1.50	-	40.17	38.40	12.28	33.95

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4072G	41.51	54.00	-12.49	14.87	3	Horizontal	68	1.50	-	26.64	39.00	9.88	34.01
PK	7.11982G	50.08	68.20	-18.12	10.02	3	Horizontal	101	1.44	-	40.06	36.66	8.11	34.75
PK	11.4024G	54.02	74.00	-19.98	14.86	3	Horizontal	68	1.50	-	39.16	39.00	9.88	34.02
PK	17.148G	56.33	68.20	-11.87	16.71	3	Horizontal	13	1.94	-	39.62	38.40	12.29	33.98

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	99.63	Inf	-Inf	6.25	3	Vertical	210	1.50	-	93.38	33.82	6.92	34.49
PK	5.6206G	55.12	68.20	-13.08	5.64	3	Vertical	210	1.50	-	49.48	33.24	6.87	34.47
PK	5.7586G	110.44	Inf	-Inf	6.25	3	Vertical	210	1.50	-	104.19	33.82	6.92	34.49
PK	5.953G	55.76	68.20	-12.44	6.95	3	Vertical	210	1.50	-	48.81	34.39	7.07	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	96.14	Inf	-Inf	6.25	3	Horizontal	165	1.50	-	89.89	33.82	6.92	34.49
PK	5.6458G	53.90	68.20	-14.30	5.69	3	Horizontal	165	1.50	-	48.21	33.29	6.88	34.48
PK	5.7646G	106.11	Inf	-Inf	6.26	3	Horizontal	165	1.50	-	99.85	33.83	6.92	34.49
PK	6.0538G	55.11	68.20	-13.09	6.98	3	Horizontal	165	1.50	-	48.13	34.38	7.13	34.53

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49296G	41.19	54.00	-12.81	14.96	3	Vertical	140	3.00	-	26.23	39.00	9.91	33.95
PK	7.18999G	49.91	68.20	-18.29	10.22	3	Vertical	129	1.50	-	39.69	36.82	8.17	34.77
PK	11.52016G	53.10	74.00	-20.90	14.94	3	Vertical	140	3.00	-	38.16	38.98	9.92	33.96
PK	17.27268G	56.72	68.20	-11.48	16.75	3	Vertical	201	1.80	-	39.97	38.47	12.35	34.07

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50696G	41.22	54.00	-12.78	14.95	3	Horizontal	42	1.25	-	26.27	38.99	9.91	33.95
PK	7.20047G	50.11	68.20	-18.09	10.21	3	Horizontal	231	1.50	-	39.90	36.80	8.18	34.77
PK	11.5164G	53.03	74.00	-20.97	14.94	3	Horizontal	42	1.25	-	38.09	38.98	9.92	33.96
PK	17.24716G	56.48	68.20	-11.72	16.74	3	Horizontal	238	1.83	-	39.74	38.45	12.34	34.05

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	99.28	Inf	-Inf	6.32	3	Vertical	225	1.49	-	92.96	33.88	6.93	34.49
PK	5.6018G	54.11	68.20	-14.09	5.59	3	Vertical	225	1.49	-	48.52	33.20	6.86	34.47
PK	5.7962G	109.19	Inf	-Inf	6.32	3	Vertical	225	1.49	-	102.87	33.89	6.93	34.50
PK	5.9834G	55.68	68.20	-12.52	6.85	3	Vertical	225	1.49	-	48.83	34.27	7.10	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7782G	96.24	Inf	-Inf	6.29	3	Horizontal	153	1.57	-	89.95	33.86	6.92	34.49
PK	5.6402G	53.92	68.20	-14.28	5.67	3	Horizontal	153	1.57	-	48.25	33.28	6.87	34.48
PK	5.7794G	106.31	Inf	-Inf	6.29	3	Horizontal	153	1.57	-	100.02	33.86	6.92	34.49
PK	5.9318G	55.56	68.20	-12.64	6.83	3	Horizontal	153	1.57	-	48.73	34.29	7.05	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60904G	41.07	54.00	-12.93	14.82	3	Vertical	31	1.50	-	26.25	38.89	9.95	34.02
PK	7.24343G	49.64	68.20	-18.56	10.26	3	Vertical	187	2.24	-	39.38	36.89	8.16	34.79
PK	11.59104G	53.70	74.00	-20.30	14.84	3	Vertical	31	1.50	-	38.86	38.91	9.94	34.01
PK	17.38668G	56.96	68.20	-11.24	16.99	3	Vertical	360	1.49	-	39.97	38.76	12.39	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60896G	41.07	54.00	-12.93	14.82	3	Horizontal	291	1.50	-	26.25	38.89	9.95	34.02
PK	7.23691G	50.02	68.20	-18.18	10.25	3	Horizontal	227	1.05	-	39.77	36.87	8.17	34.79
PK	11.60664G	53.71	74.00	-20.29	14.82	3	Horizontal	291	1.50	-	38.89	38.89	9.95	34.02
PK	17.38756G	56.79	68.20	-11.41	16.99	3	Horizontal	342	2.49	-	39.80	38.76	12.39	34.16

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	95.58	Inf	-Inf	6.23	3	Vertical	230	1.71	-	89.35	33.81	6.91	34.49
PK	5.5854G	54.94	68.20	-13.26	5.52	3	Vertical	230	1.71	-	49.42	33.14	6.85	34.47
PK	5.7942G	106.28	Inf	-Inf	6.32	3	Vertical	230	1.71	-	99.96	33.89	6.93	34.50
PK	5.9394G	56.50	68.20	-11.70	6.89	3	Vertical	230	1.71	-	49.61	34.34	7.06	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	92.26	Inf	-Inf	6.32	3	Horizontal	156	1.54	-	85.94	33.89	6.93	34.50
PK	5.613G	53.59	68.20	-14.61	5.62	3	Horizontal	156	1.54	-	47.97	33.23	6.86	34.47
PK	5.7906G	103.40	Inf	-Inf	6.32	3	Horizontal	156	1.54	-	97.08	33.88	6.93	34.49
PK	5.9478G	55.58	68.20	-12.62	6.94	3	Horizontal	156	1.54	-	48.64	34.39	7.06	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51016G	40.90	54.00	-13.10	14.95	3	Vertical	224	1.05	-	25.95	38.99	9.92	33.96
PK	7.22221G	49.46	68.20	-18.74	10.23	3	Vertical	204	1.50	-	39.23	36.84	8.17	34.78
PK	11.5812G	53.15	74.00	-20.85	14.86	3	Vertical	224	1.05	-	38.29	38.92	9.94	34.00
PK	17.35236G	56.37	68.20	-11.83	16.91	3	Vertical	88	1.54	-	39.46	38.66	12.38	34.13

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5196G	40.83	54.00	-13.17	14.94	3	Horizontal	180	1.50	-	25.89	38.98	9.92	33.96
PK	7.22192G	49.79	68.20	-18.41	10.23	3	Horizontal	230	1.15	-	39.56	36.84	8.17	34.78
PK	11.57432G	53.12	74.00	-20.88	14.87	3	Horizontal	180	1.50	-	38.25	38.93	9.94	34.00
PK	17.33268G	56.27	68.20	-11.93	16.85	3	Horizontal	69	2.62	-	39.42	38.60	12.37	34.12

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.70	54.00	-11.30	5.15	3	Vertical	213	1.50	-	37.55	33.10	6.49	34.44
AV	5.288G	92.74	Inf	-Inf	5.23	3	Vertical	213	1.50	-	87.51	33.05	6.63	34.45
AV	5.35G	51.37	54.00	-2.63	5.15	3	Vertical	213	1.50	-	46.22	32.90	6.70	34.45
PK	5.111G	53.50	74.00	-20.50	5.20	3	Vertical	213	1.50	-	48.30	33.18	6.46	34.44
PK	5.282G	104.65	Inf	-Inf	5.20	3	Vertical	213	1.50	-	99.45	33.03	6.62	34.45
PK	5.357G	62.38	74.00	-11.62	5.17	3	Vertical	213	1.50	-	57.21	32.91	6.71	34.45

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.95	54.00	-11.05	5.15	3	Horizontal	119	1.63	-	37.80	33.10	6.49	34.44
AV	5.274G	90.97	Inf	-Inf	5.17	3	Horizontal	119	1.63	-	85.80	33.00	6.62	34.45
AV	5.35G	49.03	54.00	-4.97	5.15	3	Horizontal	119	1.63	-	43.88	32.90	6.70	34.45
PK	5.08G	53.45	74.00	-20.55	5.13	3	Horizontal	119	1.63	-	48.32	33.12	6.44	34.43
PK	5.279G	101.81	Inf	-Inf	5.19	3	Horizontal	119	1.63	-	96.62	33.02	6.62	34.45
PK	5.36G	61.76	74.00	-12.24	5.18	3	Horizontal	119	1.63	-	56.58	32.92	6.71	34.45

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.898G	43.83	54.00	-10.17	15.49	3	Vertical	14	1.45	-	28.34	38.40	11.79	34.70
PK	6.6125G	57.11	68.20	-11.09	8.65	3	Vertical	214	1.50	-	48.46	35.87	7.44	34.66
PK	10.59792G	52.63	68.20	-15.57	14.24	3	Vertical	143	1.66	-	38.39	39.09	9.59	34.44
PK	15.90216G	55.70	74.00	-18.30	15.48	3	Vertical	14	1.45	-	40.22	38.40	11.79	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89832G	43.83	54.00	-10.17	15.49	3	Horizontal	357	2.60	-	28.34	38.40	11.79	34.70
PK	6.6125G	52.84	68.20	-15.36	8.65	3	Horizontal	145	1.43	-	44.19	35.87	7.44	34.66
PK	10.5928G	52.68	68.20	-15.52	14.20	3	Horizontal	76	2.54	-	38.48	39.06	9.59	34.45
PK	15.86296G	56.46	74.00	-17.54	15.53	3	Horizontal	357	2.60	-	40.93	38.44	11.77	34.68

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.84	54.00	-4.16	5.45	3	Vertical	210	1.43	-	44.39	33.12	6.79	34.46
AV	5.545G	96.99	Inf	-Inf	5.38	3	Vertical	210	1.43	-	91.61	33.02	6.83	34.47
PK	5.468G	63.27	68.20	-4.93	5.47	3	Vertical	210	1.43	-	57.80	33.14	6.79	34.46
PK	5.509G	108.55	Inf	-Inf	5.51	3	Vertical	210	1.43	-	103.04	33.16	6.81	34.46
PK	5.753G	55.17	68.20	-13.03	6.23	3	Vertical	210	1.43	-	48.94	33.81	6.91	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.07	54.00	-6.93	5.45	3	Horizontal	120	2.82	-	41.62	33.12	6.79	34.46
AV	5.546G	93.30	Inf	-Inf	5.38	3	Horizontal	120	2.82	-	87.92	33.02	6.83	34.47
PK	5.462G	61.53	68.20	-6.67	5.45	3	Horizontal	120	2.82	-	56.08	33.12	6.79	34.46
PK	5.549G	103.96	Inf	-Inf	5.36	3	Horizontal	120	2.82	-	98.60	33.00	6.83	34.47
PK	5.772G	53.68	68.20	-14.52	6.27	3	Horizontal	120	2.82	-	47.41	33.84	6.92	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04848G	41.12	54.00	-12.88	14.33	3	Vertical	148	1.59	-	26.79	38.85	9.75	34.27
PK	6.91237G	50.25	68.20	-17.95	9.13	3	Vertical	230	1.54	-	41.12	36.00	7.83	34.70
PK	11.0944G	53.19	74.00	-20.81	14.43	3	Vertical	148	1.59	-	38.76	38.89	9.77	34.23
PK	16.56968G	56.58	68.20	-11.62	16.25	3	Vertical	263	1.02	-	40.33	38.76	12.06	34.57

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04928G	41.13	54.00	-12.87	14.33	3	Horizontal	325	2.44	-	26.80	38.85	9.75	34.27
PK	6.91269G	48.56	68.20	-19.64	9.13	3	Horizontal	104	1.62	-	39.43	36.00	7.83	34.70
PK	11.04576G	53.46	74.00	-20.54	14.33	3	Horizontal	325	2.44	-	39.13	38.85	9.75	34.27
PK	16.58216G	56.65	68.20	-11.55	16.26	3	Horizontal	93	2.17	-	40.39	38.74	12.07	34.55

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.58	54.00	-8.42	5.45	3	Vertical	211	1.50	-	40.13	33.12	6.79	34.46
AV	5.617G	97.99	Inf	-Inf	5.63	3	Vertical	211	1.50	-	92.36	33.23	6.87	34.47
PK	5.47G	57.95	68.20	-10.25	5.47	3	Vertical	211	1.50	-	52.48	33.14	6.79	34.46
PK	5.613G	109.72	Inf	-Inf	5.62	3	Vertical	211	1.50	-	104.10	33.23	6.86	34.47
PK	5.727G	62.34	68.20	-5.86	6.03	3	Vertical	211	1.50	-	56.31	33.62	6.90	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.39	54.00	-10.61	5.45	3	Horizontal	120	1.50	-	37.94	33.12	6.79	34.46
AV	5.604G	93.95	Inf	-Inf	5.60	3	Horizontal	120	1.50	-	88.35	33.21	6.86	34.47
PK	5.466G	53.66	68.20	-14.54	5.46	3	Horizontal	120	1.50	-	48.20	33.13	6.79	34.46
PK	5.618G	104.62	Inf	-Inf	5.64	3	Horizontal	120	1.50	-	98.98	33.24	6.87	34.47
PK	5.726G	58.58	68.20	-9.62	6.02	3	Horizontal	120	1.50	-	52.56	33.61	6.90	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23552G	41.53	54.00	-12.47	14.82	3	Vertical	61	1.76	-	26.71	39.14	9.82	34.14
PK	7.01255G	49.71	68.20	-18.49	9.38	3	Vertical	200	2.16	-	40.33	36.08	8.01	34.71
PK	11.20016G	53.73	74.00	-20.27	14.75	3	Vertical	61	1.76	-	38.98	39.10	9.81	34.16
PK	16.8004G	56.32	68.20	-11.88	16.56	3	Vertical	301	2.38	-	39.76	38.60	12.15	34.19

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2352G	41.53	54.00	-12.47	14.82	3	Horizontal	300	2.57	-	26.71	39.14	9.82	34.14
PK	7.01276G	49.31	68.20	-18.89	9.38	3	Horizontal	105	1.54	-	39.93	36.08	8.01	34.71
PK	11.18528G	53.91	74.00	-20.09	14.70	3	Horizontal	300	2.57	-	39.21	39.07	9.80	34.17
PK	16.84584G	56.93	68.20	-11.27	16.60	3	Horizontal	38	1.41	-	40.33	38.55	12.17	34.12

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	42.07	54.00	-11.93	5.42	3	Vertical	213	1.50	-	36.65	33.10	6.78	34.46
AV	5.6684G	95.39	Inf	-Inf	5.74	3	Vertical	213	1.50	-	89.65	33.34	6.88	34.48
PK	5.4656G	52.75	68.20	-15.45	5.46	3	Vertical	213	1.50	-	47.29	33.13	6.79	34.46
PK	5.6684G	106.48	Inf	-Inf	5.74	3	Vertical	213	1.50	-	100.74	33.34	6.88	34.48
PK	5.8952G	55.43	68.20	-12.77	6.62	3	Vertical	213	1.50	-	48.81	34.11	7.02	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	41.84	54.00	-12.16	5.37	3	Horizontal	122	1.47	-	36.47	33.06	6.77	34.46
AV	5.666G	91.89	Inf	-Inf	5.73	3	Horizontal	122	1.47	-	86.16	33.33	6.88	34.48
PK	5.462G	52.16	68.20	-16.04	5.45	3	Horizontal	122	1.47	-	46.71	33.12	6.79	34.46
PK	5.6744G	102.59	Inf	-Inf	5.76	3	Horizontal	122	1.47	-	96.83	33.35	6.89	34.48
PK	5.9444G	54.47	68.20	-13.73	6.92	3	Horizontal	122	1.47	-	47.55	34.37	7.06	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40016G	41.39	54.00	-12.61	14.86	3	Vertical	299	2.44	-	26.53	39.00	9.88	34.02
PK	7.10628G	48.95	68.20	-19.25	9.91	3	Vertical	229	1.50	-	39.04	36.55	8.10	34.74
PK	11.39504G	53.96	74.00	-20.04	14.87	3	Vertical	299	2.44	-	39.09	39.01	9.88	34.02
PK	17.03016G	56.06	68.20	-12.14	16.77	3	Vertical	223	1.39	-	39.29	38.40	12.25	33.88

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41632G	41.45	54.00	-12.55	14.87	3	Horizontal	294	1.90	-	26.58	39.00	9.88	34.01
PK	7.10885G	49.09	68.20	-19.11	9.93	3	Horizontal	101	1.50	-	39.16	36.57	8.10	34.74
PK	11.41088G	53.45	74.00	-20.55	14.87	3	Horizontal	294	1.90	-	38.58	39.00	9.88	34.01
PK	17.10088G	56.31	68.20	-11.89	16.74	3	Horizontal	296	2.30	-	39.57	38.40	12.28	33.94

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	95.58	Inf	-Inf	6.23	3	Vertical	230	1.71	-	89.35	33.81	6.91	34.49
PK	5.5854G	54.94	68.20	-13.26	5.52	3	Vertical	230	1.71	-	49.42	33.14	6.85	34.47
PK	5.7942G	106.28	Inf	-Inf	6.32	3	Vertical	230	1.71	-	99.96	33.89	6.93	34.50
PK	5.9394G	56.50	68.20	-11.70	6.89	3	Vertical	230	1.71	-	49.61	34.34	7.06	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	92.26	Inf	-Inf	6.32	3	Horizontal	156	1.54	-	85.94	33.89	6.93	34.50
PK	5.613G	53.59	68.20	-14.61	5.62	3	Horizontal	156	1.54	-	47.97	33.23	6.86	34.47
PK	5.7906G	103.40	Inf	-Inf	6.32	3	Horizontal	156	1.54	-	97.08	33.88	6.93	34.49
PK	5.9478G	55.58	68.20	-12.62	6.94	3	Horizontal	156	1.54	-	48.64	34.39	7.06	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51016G	40.90	54.00	-13.10	14.95	3	Vertical	224	1.05	-	25.95	38.99	9.92	33.96
PK	7.22221G	49.46	68.20	-18.74	10.23	3	Vertical	204	1.50	-	39.23	36.84	8.17	34.78
PK	11.5812G	53.15	74.00	-20.85	14.86	3	Vertical	224	1.05	-	38.29	38.92	9.94	34.00
PK	17.35236G	56.37	68.20	-11.83	16.91	3	Vertical	88	1.54	-	39.46	38.66	12.38	34.13

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5196G	40.83	54.00	-13.17	14.94	3	Horizontal	180	1.50	-	25.89	38.98	9.92	33.96
PK	7.22192G	49.79	68.20	-18.41	10.23	3	Horizontal	230	1.15	-	39.56	36.84	8.17	34.78
PK	11.57432G	53.12	74.00	-20.88	14.87	3	Horizontal	180	1.50	-	38.25	38.93	9.94	34.00
PK	17.33268G	56.27	68.20	-11.93	16.85	3	Horizontal	69	2.62	-	39.42	38.60	12.37	34.12

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.66	54.00	-7.34	5.15	3	Vertical	211	1.54	-	41.51	33.10	6.49	34.44
AV	5.2728G	89.92	Inf	-Inf	5.15	3	Vertical	211	1.54	-	84.77	32.99	6.61	34.45
AV	5.35G	47.54	54.00	-6.46	5.15	3	Vertical	211	1.54	-	42.39	32.90	6.70	34.45
PK	5.15G	56.49	74.00	-17.51	5.15	3	Vertical	211	1.54	-	51.34	33.10	6.49	34.44
PK	5.2056G	101.30	Inf	-Inf	5.09	3	Vertical	211	1.54	-	96.21	32.99	6.54	34.44
PK	5.4732G	54.79	68.20	-13.41	5.49	3	Vertical	211	1.54	-	49.30	33.15	6.80	34.46

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.39	54.00	-7.61	5.15	3	Horizontal	119	1.61	-	41.24	33.10	6.49	34.44
AV	5.2248G	87.47	Inf	-Inf	5.07	3	Horizontal	119	1.61	-	82.40	32.95	6.56	34.44
AV	5.35G	45.38	54.00	-8.62	5.15	3	Horizontal	119	1.61	-	40.23	32.90	6.70	34.45
PK	5.148G	55.38	74.00	-18.62	5.15	3	Horizontal	119	1.61	-	50.23	33.10	6.49	34.44
PK	5.2224G	97.71	Inf	-Inf	5.08	3	Horizontal	119	1.61	-	92.63	32.96	6.56	34.44
PK	5.5248G	54.09	68.20	-14.11	5.46	3	Horizontal	119	1.61	-	48.63	33.10	6.82	34.46

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74952G	44.08	54.00	-9.92	15.56	3	Vertical	272	1.95	-	28.52	38.45	11.72	34.61
PK	6.56246G	57.24	68.20	-10.96	8.42	3	Vertical	213	1.54	-	48.82	35.67	7.40	34.65
PK	10.4966G	52.96	68.20	-15.24	13.67	3	Vertical	324	1.24	-	39.29	38.60	9.56	34.49
PK	15.74694G	56.88	74.00	-17.12	15.56	3	Vertical	272	1.95	-	41.32	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7514G	44.09	54.00	-9.91	15.56	3	Horizontal	161	1.25	-	28.53	38.45	11.72	34.61
PK	6.56252G	54.27	68.20	-13.93	8.43	3	Horizontal	143	1.48	-	45.84	35.68	7.40	34.65
PK	10.50318G	53.04	68.20	-15.16	13.70	3	Horizontal	311	1.63	-	39.34	38.62	9.56	34.48
PK	15.74854G	56.99	74.00	-17.01	15.56	3	Horizontal	161	1.25	-	41.43	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.85	54.00	-7.15	5.45	3	Vertical	212	1.50	-	41.40	33.12	6.79	34.46
AV	5.618G	92.37	Inf	-Inf	5.64	3	Vertical	212	1.50	-	86.73	33.24	6.87	34.47
PK	5.468G	57.35	68.20	-10.85	5.47	3	Vertical	212	1.50	-	51.88	33.14	6.79	34.46
PK	5.5868G	103.03	Inf	-Inf	5.53	3	Vertical	212	1.50	-	97.50	33.15	6.85	34.47
PK	5.7536G	64.61	68.20	-3.59	6.23	3	Vertical	212	1.50	-	58.38	33.81	6.91	34.49

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.78	54.00	-10.22	5.45	3	Horizontal	118	1.27	-	38.33	33.12	6.79	34.46
AV	5.6084G	88.94	Inf	-Inf	5.61	3	Horizontal	118	1.27	-	83.33	33.22	6.86	34.47
PK	5.4668G	53.37	68.20	-14.83	5.46	3	Horizontal	118	1.27	-	47.91	33.13	6.79	34.46
PK	5.5664G	99.12	Inf	-Inf	5.44	3	Horizontal	118	1.27	-	93.68	33.07	6.84	34.47
PK	5.7548G	61.42	68.20	-6.78	6.23	3	Horizontal	118	1.27	-	55.19	33.81	6.91	34.49

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14336G	41.62	54.00	-12.38	14.58	3	Vertical	225	1.60	-	27.04	38.99	9.79	34.20
PK	6.9645G	50.24	68.20	-17.96	9.22	3	Vertical	313	2.23	-	41.02	36.00	7.93	34.71
PK	11.138G	53.91	74.00	-20.09	14.56	3	Vertical	225	1.60	-	39.35	38.98	9.78	34.20
PK	16.71354G	57.32	68.20	-10.88	16.55	3	Vertical	254	1.17	-	40.77	38.77	12.12	34.34

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14286G	41.61	54.00	-12.39	14.58	3	Horizontal	155	1.41	-	27.03	38.99	9.79	34.20
PK	6.96886G	49.49	68.20	-18.71	9.23	3	Horizontal	99	1.61	-	40.26	36.00	7.94	34.71
PK	11.14398G	54.46	74.00	-19.54	14.58	3	Horizontal	155	1.41	-	39.88	38.99	9.79	34.20
PK	16.70554G	56.58	68.20	-11.62	16.56	3	Horizontal	269	1.38	-	40.02	38.79	12.12	34.35

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.27	54.00	-3.73	5.15	3	Vertical	141	1.75	-	45.12	33.10	6.49	34.44
AV	5.1864G	101.88	Inf	-Inf	5.11	3	Vertical	141	1.75	-	96.77	33.03	6.52	34.44
PK	5.1484G	67.20	74.00	-6.80	5.15	3	Vertical	141	1.75	-	62.05	33.10	6.49	34.44
PK	5.185G	111.42	Inf	-Inf	5.11	3	Vertical	141	1.75	-	106.31	33.03	6.52	34.44

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.03	54.00	-4.97	5.15	3	Horizontal	244	1.48	-	43.88	33.10	6.49	34.44
AV	5.1824G	100.53	Inf	-Inf	5.12	3	Horizontal	244	1.48	-	95.41	33.04	6.52	34.44
PK	5.15G	64.73	74.00	-9.27	5.15	3	Horizontal	244	1.48	-	59.58	33.10	6.49	34.44
PK	5.1754G	110.11	Inf	-Inf	5.12	3	Horizontal	244	1.48	-	104.99	33.05	6.51	34.44

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.549G	43.72	54.00	-10.28	15.86	3	Vertical	259	1.82	-	27.86	38.70	11.64	34.48
PK	6.47519G	51.13	68.20	-17.07	8.06	3	Vertical	145	1.43	-	43.07	35.35	7.34	34.63
PK	10.36532G	53.99	68.20	-14.21	13.49	3	Vertical	180	2.09	-	40.50	38.67	9.51	34.69
PK	15.53492G	56.30	74.00	-17.70	15.89	3	Vertical	259	1.82	-	40.41	38.73	11.63	34.47

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54856G	43.72	54.00	-10.28	15.86	3	Horizontal	266	2.14	-	27.86	38.70	11.64	34.48
PK	6.47503G	53.05	68.20	-15.15	8.06	3	Horizontal	247	1.00	-	44.99	35.35	7.34	34.63
PK	10.3542G	53.88	68.20	-14.32	13.46	3	Horizontal	47	1.76	-	40.42	38.65	9.51	34.70
PK	15.54268G	57.21	74.00	-16.79	15.87	3	Horizontal	266	2.14	-	41.34	38.71	11.64	34.48

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.18	54.00	-9.82	5.15	3	Vertical	140	1.74	-	39.03	33.10	6.49	34.44
AV	5.1948G	102.90	Inf	-Inf	5.10	3	Vertical	140	1.74	-	97.80	33.01	6.53	34.44
PK	5.1264G	55.25	74.00	-18.75	5.18	3	Vertical	140	1.74	-	50.07	33.15	6.47	34.44
PK	5.2056G	112.18	Inf	-Inf	5.09	3	Vertical	140	1.74	-	107.09	32.99	6.54	34.44

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.73	54.00	-10.27	5.15	3	Horizontal	244	1.58	-	38.58	33.10	6.49	34.44
AV	5.1944G	100.92	Inf	-Inf	5.10	3	Horizontal	244	1.58	-	95.82	33.01	6.53	34.44
PK	5.136G	55.90	74.00	-18.10	5.17	3	Horizontal	244	1.58	-	50.73	33.13	6.48	34.44
PK	5.196G	110.13	Inf	-Inf	5.10	3	Horizontal	244	1.58	-	105.03	33.01	6.53	34.44

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6018G	43.77	54.00	-10.23	15.74	3	Vertical	138	2.12	-	28.03	38.60	11.66	34.52
PK	6.49999G	52.64	68.20	-15.56	8.31	3	Vertical	142	1.44	-	44.33	35.60	7.35	34.64
PK	10.39418G	53.43	68.20	-14.77	13.57	3	Vertical	42	2.38	-	39.86	38.69	9.52	34.64
PK	15.59556G	56.54	74.00	-17.46	15.76	3	Vertical	138	2.12	-	40.78	38.61	11.66	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60126G	43.66	54.00	-10.34	15.75	3	Horizontal	13	1.50	-	27.91	38.60	11.66	34.51
PK	6.49995G	52.13	68.20	-16.07	8.31	3	Horizontal	249	1.00	-	43.82	35.60	7.35	34.64
PK	10.39724G	54.41	68.20	-13.79	13.58	3	Horizontal	357	1.50	-	40.83	38.70	9.52	34.64
PK	15.61074G	56.35	74.00	-17.65	15.72	3	Horizontal	13	1.50	-	40.63	38.58	11.66	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.09	54.00	-10.91	5.15	3	Vertical	141	1.67	-	37.94	33.10	6.49	34.44
AV	5.2352G	103.11	Inf	-Inf	5.06	3	Vertical	141	1.67	-	98.05	32.93	6.57	34.44
AV	5.3534G	43.41	54.00	-10.59	5.17	3	Vertical	141	1.67	-	38.24	32.91	6.71	34.45
PK	5.1494G	54.95	74.00	-19.05	5.15	3	Vertical	141	1.67	-	49.80	33.10	6.49	34.44
PK	5.2334G	112.13	Inf	-Inf	5.06	3	Vertical	141	1.67	-	107.07	32.93	6.57	34.44
PK	5.3534G	54.93	74.00	-19.07	5.17	3	Vertical	141	1.67	-	49.76	32.91	6.71	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	42.81	54.00	-11.19	5.18	3	Horizontal	247	1.50	-	37.63	33.14	6.48	34.44
AV	5.234G	100.05	Inf	-Inf	5.06	3	Horizontal	247	1.50	-	94.99	32.93	6.57	34.44
AV	5.3894G	42.34	54.00	-11.66	5.28	3	Horizontal	247	1.50	-	37.06	32.98	6.75	34.45
PK	5.1254G	55.19	74.00	-18.81	5.18	3	Horizontal	247	1.50	-	50.01	33.15	6.47	34.44
PK	5.2436G	108.90	Inf	-Inf	5.05	3	Horizontal	247	1.50	-	103.85	32.91	6.58	34.44
PK	5.3708G	54.27	74.00	-19.73	5.22	3	Horizontal	247	1.50	-	49.05	32.94	6.73	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72984G	44.18	54.00	-9.82	15.55	3	Vertical	286	2.36	-	28.63	38.43	11.72	34.60
PK	6.54972G	50.69	68.20	-17.51	8.34	3	Vertical	143	1.30	-	42.35	35.60	7.39	34.65
PK	10.4896G	53.86	68.20	-14.34	13.66	3	Vertical	290	1.02	-	40.20	38.61	9.55	34.50
PK	15.71148G	57.21	74.00	-16.79	15.53	3	Vertical	286	2.36	-	41.68	38.41	11.71	34.59

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72964G	44.07	54.00	-9.93	15.55	3	Horizontal	233	1.68	-	28.52	38.43	11.72	34.60
PK	6.54992G	52.35	68.20	-15.85	8.34	3	Horizontal	252	1.50	-	44.01	35.60	7.39	34.65
PK	10.48776G	53.69	68.20	-14.51	13.66	3	Horizontal	196	2.48	-	40.03	38.61	9.55	34.50
PK	15.71032G	56.99	74.00	-17.01	15.54	3	Horizontal	233	1.68	-	41.45	38.41	11.71	34.58

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.08	54.00	-10.92	5.15	3	Vertical	139	1.82	-	37.93	33.10	6.49	34.44
AV	5.257G	103.45	Inf	-Inf	5.08	3	Vertical	139	1.82	-	98.37	32.93	6.60	34.45
AV	5.3578G	44.09	54.00	-9.91	5.18	3	Vertical	139	1.82	-	38.91	32.92	6.71	34.45
PK	5.1496G	54.49	74.00	-19.51	5.15	3	Vertical	139	1.82	-	49.34	33.10	6.49	34.44
PK	5.2564G	112.46	Inf	-Inf	5.07	3	Vertical	139	1.82	-	107.39	32.93	6.59	34.45
PK	5.3692G	55.89	74.00	-18.11	5.21	3	Vertical	139	1.82	-	50.68	32.94	6.72	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	42.58	54.00	-11.42	5.15	3	Horizontal	257	1.29	-	37.43	33.10	6.49	34.44
AV	5.2546G	100.40	Inf	-Inf	5.06	3	Horizontal	257	1.29	-	95.34	32.92	6.59	34.45
AV	5.3578G	42.84	54.00	-11.16	5.18	3	Horizontal	257	1.29	-	37.66	32.92	6.71	34.45
PK	5.1484G	55.08	74.00	-18.92	5.15	3	Horizontal	257	1.29	-	49.93	33.10	6.49	34.44
PK	5.2552G	109.34	Inf	-Inf	5.06	3	Horizontal	257	1.29	-	104.28	32.92	6.59	34.45
PK	5.3722G	54.94	74.00	-19.06	5.22	3	Horizontal	257	1.29	-	49.72	32.94	6.73	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77372G	44.34	54.00	-9.66	15.57	3	Vertical	347	2.03	-	28.77	38.47	11.73	34.63
PK	6.57484G	51.11	68.20	-17.09	8.51	3	Vertical	139	1.47	-	42.60	35.75	7.41	34.65
PK	10.52432G	53.87	68.20	-14.33	13.82	3	Vertical	163	1.80	-	40.05	38.72	9.57	34.47
PK	15.7802G	56.59	74.00	-17.41	15.59	3	Vertical	347	2.03	-	41.00	38.48	11.74	34.63

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7788G	44.27	54.00	-9.73	15.59	3	Horizontal	284	1.25	-	28.68	38.48	11.74	34.63
PK	6.57488G	51.93	68.20	-16.27	8.51	3	Horizontal	247	1.50	-	43.42	35.75	7.41	34.65
PK	10.511G	53.11	68.20	-15.09	13.74	3	Horizontal	121	2.38	-	39.37	38.66	9.56	34.48
PK	15.7858G	56.77	74.00	-17.23	15.60	3	Horizontal	284	1.25	-	41.17	38.49	11.74	34.63

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	103.35	Inf	-Inf	5.30	3	Vertical	156	1.52	-	98.05	33.10	6.65	34.45
AV	5.35G	45.15	54.00	-8.85	5.15	3	Vertical	156	1.52	-	40.00	32.90	6.70	34.45
PK	5.306G	112.54	Inf	-Inf	5.28	3	Vertical	156	1.52	-	107.26	33.08	6.65	34.45
PK	5.3516G	62.02	74.00	-11.98	5.15	3	Vertical	156	1.52	-	56.87	32.90	6.70	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2944G	99.77	Inf	-Inf	5.27	3	Horizontal	228	1.62	-	94.50	33.08	6.64	34.45
AV	5.35G	43.23	54.00	-10.77	5.15	3	Horizontal	228	1.62	-	38.08	32.90	6.70	34.45
PK	5.294G	109.47	Inf	-Inf	5.27	3	Horizontal	228	1.62	-	104.20	33.08	6.64	34.45
PK	5.3508G	57.14	74.00	-16.86	5.15	3	Horizontal	228	1.62	-	51.99	32.90	6.70	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89544G	44.23	54.00	-9.77	15.49	3	Vertical	237	1.47	-	28.74	38.40	11.79	34.70
PK	6.6248G	50.09	68.20	-18.11	8.64	3	Vertical	137	1.47	-	41.45	35.85	7.45	34.66
PK	10.5904G	54.08	68.20	-14.12	14.19	3	Vertical	242	1.17	-	39.89	39.05	9.59	34.45
PK	15.8928G	56.80	74.00	-17.20	15.49	3	Vertical	237	1.47	-	41.31	38.41	11.78	34.70

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89312G	44.22	54.00	-9.78	15.49	3	Horizontal	273	1.48	-	28.73	38.41	11.78	34.70
PK	6.62492G	51.39	68.20	-16.81	8.64	3	Horizontal	248	1.64	-	42.75	35.85	7.45	34.66
PK	10.60272G	53.85	74.00	-20.15	14.25	3	Horizontal	133	1.62	-	39.60	39.10	9.59	34.44
PK	15.90808G	56.70	74.00	-17.30	15.47	3	Horizontal	273	1.48	-	41.23	38.39	11.79	34.71

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3256G	102.40	Inf	-Inf	5.22	3	Vertical	156	1.59	-	97.18	33.00	6.67	34.45
AV	5.35G	46.94	54.00	-7.06	5.15	3	Vertical	156	1.59	-	41.79	32.90	6.70	34.45
PK	5.3226G	112.07	Inf	-Inf	5.23	3	Vertical	156	1.59	-	106.84	33.01	6.67	34.45
PK	5.3616G	60.06	74.00	-13.94	5.19	3	Vertical	156	1.59	-	54.87	32.92	6.72	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	98.54	Inf	-Inf	5.25	3	Horizontal	256	1.36	-	93.29	33.03	6.67	34.45
AV	5.35G	44.14	54.00	-9.86	5.15	3	Horizontal	256	1.36	-	38.99	32.90	6.70	34.45
PK	5.3186G	108.65	Inf	-Inf	5.25	3	Horizontal	256	1.36	-	103.40	33.03	6.67	34.45
PK	5.3614G	57.34	74.00	-16.66	5.19	3	Horizontal	256	1.36	-	52.15	32.92	6.72	34.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63032G	41.04	54.00	-12.96	14.24	3	Vertical	204	1.92	-	26.80	39.07	9.60	34.43
AV	15.95064G	44.23	54.00	-9.77	15.42	3	Vertical	264	2.24	-	28.81	38.35	11.81	34.74
PK	6.64988G	50.63	68.20	-17.57	8.62	3	Vertical	138	1.50	-	42.01	35.80	7.48	34.66
PK	10.63184G	53.50	74.00	-20.50	14.24	3	Vertical	204	1.92	-	39.26	39.07	9.60	34.43
PK	15.96896G	56.54	74.00	-17.46	15.40	3	Vertical	264	2.24	-	41.14	38.33	11.82	34.75

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63004G	40.94	54.00	-13.06	14.24	3	Horizontal	244	1.03	-	26.70	39.07	9.60	34.43
AV	15.95088G	44.23	54.00	-9.78	15.42	3	Horizontal	219	2.13	-	28.80	38.35	11.81	34.74
PK	6.64991G	52.35	68.20	-15.85	8.62	3	Horizontal	248	1.56	-	43.73	35.80	7.48	34.66
PK	10.63248G	53.45	74.00	-20.55	14.24	3	Horizontal	244	1.03	-	39.21	39.07	9.60	34.43
PK	15.95184G	56.94	74.00	-17.06	15.42	3	Horizontal	219	2.13	-	41.52	38.35	11.81	34.74

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.07	54.00	-8.93	5.45	3	Vertical	138	1.66	-	39.62	33.12	6.79	34.46
AV	5.504G	103.60	Inf	-Inf	5.53	3	Vertical	138	1.66	-	98.07	33.18	6.81	34.46
PK	5.4674G	62.32	68.20	-5.88	5.46	3	Vertical	138	1.66	-	56.86	33.13	6.79	34.46
PK	5.4942G	113.20	Inf	-Inf	5.54	3	Vertical	138	1.66	-	107.66	33.19	6.81	34.46

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	43.52	54.00	-10.48	5.45	3	Horizontal	250	1.43	-	38.07	33.12	6.79	34.46
AV	5.5066G	100.13	Inf	-Inf	5.52	3	Horizontal	250	1.43	-	94.61	33.17	6.81	34.46
PK	5.4688G	58.86	68.20	-9.34	5.47	3	Horizontal	250	1.43	-	53.39	33.14	6.79	34.46
PK	5.5052G	109.30	Inf	-Inf	5.53	3	Horizontal	250	1.43	-	103.77	33.18	6.81	34.46

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00904G	41.53	54.00	-12.47	14.26	3	Vertical	357	1.00	-	27.27	38.81	9.74	34.29
PK	6.87336G	49.26	68.20	-18.94	8.96	3	Vertical	150	1.50	-	40.30	35.89	7.76	34.69
PK	10.99048G	53.63	74.00	-20.37	14.22	3	Vertical	357	1.00	-	39.41	38.79	9.73	34.30
PK	16.49516G	57.01	68.20	-11.19	16.22	3	Vertical	241	1.58	-	40.79	38.88	12.03	34.69

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9996G	41.44	54.00	-12.56	14.23	3	Horizontal	169	2.45	-	27.21	38.80	9.73	34.30
PK	6.87463G	49.68	68.20	-18.52	8.97	3	Horizontal	244	1.58	-	40.71	35.90	7.76	34.69
PK	10.99224G	54.38	74.00	-19.62	14.22	3	Horizontal	169	2.45	-	40.16	38.79	9.73	34.30
PK	16.49088G	57.39	68.20	-10.81	16.19	3	Horizontal	324	1.23	-	41.20	38.85	12.03	34.69

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	43.41	54.00	-10.59	5.44	3	Vertical	138	1.71	-	37.97	33.11	6.79	34.46
AV	5.5824G	104.28	Inf	-Inf	5.51	3	Vertical	138	1.71	-	98.77	33.13	6.85	34.47
PK	5.4648G	55.18	68.20	-13.02	5.46	3	Vertical	138	1.71	-	49.72	33.13	6.79	34.46
PK	5.583G	114.24	Inf	-Inf	5.51	3	Vertical	138	1.71	-	108.73	33.13	6.85	34.47
PK	5.7258G	54.76	68.20	-13.44	6.02	3	Vertical	138	1.71	-	48.74	33.61	6.90	34.49

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	42.68	54.00	-11.32	5.43	3	Horizontal	252	1.34	-	37.25	33.10	6.79	34.46
AV	5.5848G	101.25	Inf	-Inf	5.52	3	Horizontal	252	1.34	-	95.73	33.14	6.85	34.47
PK	5.4612G	54.45	68.20	-13.75	5.45	3	Horizontal	252	1.34	-	49.00	33.12	6.79	34.46
PK	5.5866G	110.25	Inf	-Inf	5.53	3	Horizontal	252	1.34	-	104.72	33.15	6.85	34.47
PK	5.7276G	55.29	68.20	-12.91	6.03	3	Horizontal	252	1.34	-	49.26	33.62	6.90	34.49

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16848G	41.78	54.00	-12.22	14.65	3	Vertical	241	2.20	-	27.13	39.04	9.79	34.18
PK	6.97677G	51.43	68.20	-16.77	9.25	3	Vertical	148	1.46	-	42.18	36.00	7.96	34.71
PK	11.1528G	54.04	74.00	-19.96	14.61	3	Vertical	241	2.20	-	39.43	39.01	9.79	34.19
PK	16.7326G	57.68	68.20	-10.52	16.56	3	Vertical	325	1.01	-	41.12	38.73	12.13	34.30

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16848G	41.65	54.00	-12.35	14.65	3	Horizontal	356	1.07	-	27.00	39.04	9.79	34.18
PK	6.97533G	49.65	68.20	-18.55	9.24	3	Horizontal	252	1.67	-	40.41	36.00	7.95	34.71
PK	11.16984G	54.10	74.00	-19.90	14.66	3	Horizontal	356	1.07	-	39.44	39.04	9.80	34.18
PK	16.74144G	57.08	68.20	-11.12	16.56	3	Horizontal	240	1.58	-	40.52	38.72	12.13	34.29

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	102.07	Inf	-Inf	5.86	3	Vertical	151	1.50	-	96.21	33.44	6.90	34.48
PK	5.7016G	111.47	Inf	-Inf	5.83	3	Vertical	151	1.50	-	105.64	33.41	6.90	34.48
PK	5.728G	60.35	68.20	-7.85	6.03	3	Vertical	151	1.50	-	54.32	33.62	6.90	34.49

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7056G	101.81	Inf	-Inf	5.86	3	Horizontal	252	1.11	-	95.95	33.44	6.90	34.48
PK	5.6956G	111.10	Inf	-Inf	5.80	3	Horizontal	252	1.11	-	105.30	33.39	6.89	34.48
PK	5.728G	60.61	68.20	-7.59	6.03	3	Horizontal	252	1.11	-	54.58	33.62	6.90	34.49

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40092G	41.87	54.00	-12.13	14.86	3	Vertical	181	1.15	-	27.01	39.00	9.88	34.02
PK	7.1386G	49.91	68.20	-18.29	10.18	3	Vertical	147	1.21	-	39.73	36.81	8.12	34.75
PK	11.39128G	54.77	74.00	-19.23	14.86	3	Vertical	181	1.15	-	39.91	39.02	9.87	34.03
PK	17.10444G	57.34	68.20	-10.86	16.74	3	Vertical	131	1.82	-	40.60	38.40	12.28	33.94

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39856G	41.87	54.00	-12.13	14.86	3	Horizontal	341	1.43	-	27.01	39.00	9.88	34.02
PK	7.1686G	49.94	68.20	-18.26	10.25	3	Horizontal	244	1.50	-	39.69	36.86	8.15	34.76
PK	11.40884G	54.89	74.00	-19.11	14.87	3	Horizontal	341	1.43	-	40.02	39.00	9.88	34.01
PK	17.10092G	57.08	68.20	-11.12	16.74	3	Horizontal	227	2.18	-	40.34	38.40	12.28	33.94

802.11a_Nss1,(6Mbps)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	42.48	54.00	-11.52	5.42	3	Vertical	151	1.31	-	37.06	33.10	6.78	34.46
AV	5.7224G	103.49	Inf	-Inf	5.99	3	Vertical	151	1.31	-	97.50	33.58	6.90	34.49
PK	5.468G	53.84	68.20	-14.36	5.47	3	Vertical	151	1.31	-	48.37	33.14	6.79	34.46
PK	5.726G	112.89	Inf	-Inf	6.02	3	Vertical	151	1.31	-	106.87	33.61	6.90	34.49
PK	5.978G	56.19	68.20	-12.01	6.86	3	Vertical	151	1.31	-	49.33	34.29	7.09	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.32	54.00	-11.68	5.45	3	Horizontal	251	1.08	-	36.87	33.12	6.79	34.46
AV	5.726G	103.42	Inf	-Inf	6.02	3	Horizontal	251	1.08	-	97.40	33.61	6.90	34.49
PK	5.4608G	54.25	68.20	-13.95	5.45	3	Horizontal	251	1.08	-	48.80	33.12	6.79	34.46
PK	5.726G	112.25	Inf	-Inf	6.02	3	Horizontal	251	1.08	-	106.23	33.61	6.90	34.49
PK	5.8736G	56.65	68.20	-11.55	6.65	3	Horizontal	251	1.08	-	50.00	34.15	7.00	34.50

802.11a_Nss1,(6Mbps)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43024G	41.77	54.00	-12.23	14.89	3	Vertical	139	2.38	-	26.88	39.00	9.89	34.00
PK	7.14972G	50.85	68.20	-17.35	10.27	3	Vertical	185	1.32	-	40.58	36.90	8.13	34.76
PK	11.44784G	55.05	74.00	-18.95	14.90	3	Vertical	139	2.38	-	40.15	39.00	9.89	33.99
PK	17.1662G	56.86	68.20	-11.34	16.71	3	Vertical	146	1.69	-	40.15	38.40	12.30	33.99

802.11a_Nss1,(6Mbps)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43072G	41.77	54.00	-12.23	14.89	3	Horizontal	68	1.58	-	26.88	39.00	9.89	34.00
PK	7.1502G	50.27	68.20	-17.93	10.28	3	Horizontal	240	1.65	-	39.99	36.90	8.14	34.76
PK	11.4306G	55.12	74.00	-18.88	14.89	3	Horizontal	68	1.58	-	40.23	39.00	9.89	34.00
PK	17.15152G	57.31	68.20	-10.89	16.72	3	Horizontal	81	1.55	-	40.59	38.40	12.30	33.98

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	103.63	Inf	-Inf	6.22	3	Vertical	152	1.37	-	97.41	33.80	6.91	34.49
PK	5.6382G	55.56	68.20	-12.64	5.67	3	Vertical	152	1.37	-	49.89	33.28	6.87	34.48
PK	5.7462G	112.47	Inf	-Inf	6.19	3	Vertical	152	1.37	-	106.28	33.77	6.91	34.49
PK	5.9838G	56.74	68.20	-11.46	6.84	3	Vertical	152	1.37	-	49.90	34.26	7.10	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	103.93	Inf	-Inf	6.22	3	Horizontal	251	1.06	-	97.71	33.80	6.91	34.49
PK	5.6214G	57.02	68.20	-11.18	5.64	3	Horizontal	251	1.06	-	51.38	33.24	6.87	34.47
PK	5.751G	113.12	Inf	-Inf	6.22	3	Horizontal	251	1.06	-	106.90	33.80	6.91	34.49
PK	5.9502G	56.46	68.20	-11.74	6.96	3	Horizontal	251	1.06	-	49.50	34.40	7.07	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4804G	41.84	54.00	-12.16	14.95	3	Vertical	163	1.90	-	26.89	39.00	9.91	33.96
PK	7.18121G	50.67	68.20	-17.53	10.23	3	Vertical	185	1.44	-	40.44	36.84	8.16	34.77
PK	11.4976G	54.92	74.00	-19.08	14.96	3	Vertical	163	1.90	-	39.96	39.00	9.91	33.95
PK	17.22736G	56.52	68.20	-11.68	16.72	3	Vertical	104	2.46	-	39.80	38.43	12.33	34.04

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49756G	41.92	54.00	-12.08	14.96	3	Horizontal	224	2.12	-	26.96	39.00	9.91	33.95
PK	7.18129G	50.55	68.20	-17.65	10.23	3	Horizontal	240	1.48	-	40.32	36.84	8.16	34.77
PK	11.48716G	54.54	74.00	-19.46	14.95	3	Horizontal	224	2.12	-	39.59	39.00	9.91	33.96
PK	17.24388G	57.18	68.20	-11.02	16.72	3	Horizontal	333	1.91	-	40.46	38.44	12.33	34.05

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	103.16	Inf	-Inf	6.29	3	Vertical	153	1.42	-	96.87	33.86	6.92	34.49
PK	5.599G	55.74	68.20	-12.46	5.59	3	Vertical	153	1.42	-	50.15	33.20	6.86	34.47
PK	5.7802G	112.32	Inf	-Inf	6.29	3	Vertical	153	1.42	-	106.03	33.86	6.92	34.49
PK	5.9554G	57.03	68.20	-11.17	6.94	3	Vertical	153	1.42	-	50.09	34.38	7.07	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	102.23	Inf	-Inf	6.32	3	Horizontal	250	1.28	-	95.91	33.88	6.93	34.49
PK	5.6242G	55.29	68.20	-12.91	5.65	3	Horizontal	250	1.28	-	49.64	33.25	6.87	34.47
PK	5.7898G	111.39	Inf	-Inf	6.32	3	Horizontal	250	1.28	-	105.07	33.88	6.93	34.49
PK	5.9506G	56.43	68.20	-11.77	6.96	3	Horizontal	250	1.28	-	49.47	34.40	7.07	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57796G	41.31	54.00	-12.69	14.86	3	Vertical	328	1.65	-	26.45	38.92	9.94	34.00
PK	7.22285G	50.14	68.20	-18.06	10.24	3	Vertical	241	1.49	-	39.90	36.85	8.17	34.78
PK	11.57692G	54.24	74.00	-19.76	14.86	3	Vertical	328	1.65	-	39.38	38.92	9.94	34.00
PK	17.3568G	57.62	68.20	-10.58	16.91	3	Vertical	16	1.57	-	40.71	38.67	12.38	34.14

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56148G	41.33	54.00	-12.67	14.88	3	Horizontal	343	1.35	-	26.45	38.94	9.93	33.99
PK	7.23049G	50.31	68.20	-17.89	10.25	3	Horizontal	241	1.49	-	40.06	36.86	8.17	34.78
PK	11.57708G	53.85	74.00	-20.15	14.86	3	Horizontal	343	1.35	-	38.99	38.92	9.94	34.00
PK	17.35736G	57.49	68.20	-10.71	16.91	3	Horizontal	173	2.47	-	40.58	38.67	12.38	34.14

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	104.00	Inf	-Inf	6.49	3	Vertical	150	1.42	-	97.51	34.04	6.95	34.50
PK	5.6078G	55.31	68.20	-12.89	5.61	3	Vertical	150	1.42	-	49.70	33.22	6.86	34.47
PK	5.8274G	112.82	Inf	-Inf	6.51	3	Vertical	150	1.42	-	106.31	34.06	6.95	34.50
PK	6.0842G	56.41	68.20	-11.79	6.86	3	Vertical	150	1.42	-	49.55	34.26	7.14	34.54

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	103.76	Inf	-Inf	6.47	3	Horizontal	250	1.18	-	97.29	34.02	6.95	34.50
PK	5.6462G	55.23	68.20	-12.97	5.69	3	Horizontal	250	1.18	-	49.54	33.29	6.88	34.48
PK	5.8214G	113.60	Inf	-Inf	6.48	3	Horizontal	250	1.18	-	107.12	34.03	6.95	34.50
PK	5.9438G	56.27	68.20	-11.93	6.91	3	Horizontal	250	1.18	-	49.36	34.36	7.06	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28109G	38.34	54.00	-15.66	10.13	3	Vertical	183	1.49	-	28.21	36.78	8.15	34.80
AV	11.64344G	41.48	54.00	-12.52	14.78	3	Vertical	227	1.70	-	26.70	38.86	9.96	34.04
PK	7.28081G	50.53	74.00	-23.47	10.13	3	Vertical	183	1.49	-	40.40	36.78	8.15	34.80
PK	11.64328G	54.16	74.00	-19.84	14.78	3	Vertical	227	1.70	-	39.38	38.86	9.96	34.04
PK	17.48056G	57.60	68.20	-10.60	17.08	3	Vertical	309	2.28	-	40.52	38.88	12.43	34.23

802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28141G	38.33	54.00	-15.67	10.12	3	Horizontal	238	1.50	-	28.21	36.77	8.15	34.80
AV	11.64168G	41.39	54.00	-12.61	14.78	3	Horizontal	44	1.50	-	26.61	38.86	9.96	34.04
PK	7.28505G	50.74	74.00	-23.26	10.11	3	Horizontal	238	1.50	-	40.63	36.76	8.15	34.80
PK	11.6428G	53.70	74.00	-20.30	14.78	3	Horizontal	44	1.50	-	38.92	38.86	9.96	34.04
PK	17.47184G	57.51	68.20	-10.69	17.07	3	Horizontal	24	1.50	-	40.44	38.87	12.43	34.23

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.17	54.00	-3.83	5.15	3	Vertical	156	1.50	-	45.02	33.10	6.49	34.44
AV	5.188G	100.85	Inf	-Inf	5.10	3	Vertical	156	1.50	-	95.75	33.02	6.52	34.44
PK	5.147G	66.75	74.00	-7.25	5.16	3	Vertical	156	1.50	-	61.59	33.11	6.49	34.44
PK	5.1876G	110.31	Inf	-Inf	5.10	3	Vertical	156	1.50	-	105.21	33.02	6.52	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	49.59	54.00	-4.41	5.15	3	Horizontal	247	1.78	-	44.44	33.10	6.49	34.44
AV	5.1776G	99.05	Inf	-Inf	5.11	3	Horizontal	247	1.78	-	93.94	33.04	6.51	34.44
PK	5.1474G	64.74	74.00	-9.26	5.16	3	Horizontal	247	1.78	-	59.58	33.11	6.49	34.44
PK	5.1772G	108.51	Inf	-Inf	5.12	3	Horizontal	247	1.78	-	103.39	33.05	6.51	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5448G	43.41	54.00	-10.59	15.87	3	Vertical	307	2.90	-	27.54	38.71	11.64	34.48
PK	6.4748G	50.70	68.20	-17.50	8.06	3	Vertical	143	1.01	-	42.64	35.35	7.34	34.63
PK	10.35048G	53.24	68.20	-14.96	13.44	3	Vertical	141	2.77	-	39.80	38.65	9.50	34.71
PK	15.54496G	55.74	74.00	-18.26	15.87	3	Vertical	307	2.90	-	39.87	38.71	11.64	34.48

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54956G	43.42	54.00	-10.58	15.86	3	Horizontal	252	1.20	-	27.56	38.70	11.64	34.48
PK	6.47504G	51.64	68.20	-16.56	8.06	3	Horizontal	247	1.00	-	43.58	35.35	7.34	34.63
PK	10.35636G	53.83	68.20	-14.37	13.47	3	Horizontal	173	1.37	-	40.36	38.66	9.51	34.70
PK	15.5368G	56.11	74.00	-17.89	15.89	3	Horizontal	252	1.20	-	40.22	38.73	11.63	34.47

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.61	54.00	-10.39	5.15	3	Vertical	157	1.50	-	38.46	33.10	6.49	34.44
AV	5.1976G	101.62	Inf	-Inf	5.09	3	Vertical	157	1.50	-	96.53	33.00	6.53	34.44
PK	5.15G	55.13	74.00	-18.87	5.15	3	Vertical	157	1.50	-	49.98	33.10	6.49	34.44
PK	5.2028G	111.50	Inf	-Inf	5.08	3	Vertical	157	1.50	-	106.42	32.99	6.53	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.23	54.00	-10.77	5.15	3	Horizontal	249	1.73	-	38.08	33.10	6.49	34.44
AV	5.1972G	99.45	Inf	-Inf	5.10	3	Horizontal	249	1.73	-	94.35	33.01	6.53	34.44
PK	5.1476G	55.80	74.00	-18.20	5.15	3	Horizontal	249	1.73	-	50.65	33.10	6.49	34.44
PK	5.2028G	108.45	Inf	-Inf	5.08	3	Horizontal	249	1.73	-	103.37	32.99	6.53	34.44

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6012G	43.23	54.00	-10.77	15.75	3	Vertical	68	2.19	-	27.48	38.60	11.66	34.51
PK	6.50008G	51.24	68.20	-16.96	8.32	3	Vertical	141	1.40	-	42.92	35.60	7.36	34.64
PK	10.39892G	53.37	68.20	-14.83	13.58	3	Vertical	24	1.99	-	39.79	38.70	9.52	34.64
PK	15.60256G	56.21	74.00	-17.79	15.73	3	Vertical	68	2.19	-	40.48	38.59	11.66	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60016G	43.23	54.00	-10.77	15.75	3	Horizontal	234	2.17	-	27.48	38.60	11.66	34.51
PK	6.49992G	51.36	68.20	-16.84	8.31	3	Horizontal	247	1.00	-	43.05	35.60	7.35	34.64
PK	10.39052G	52.67	68.20	-15.53	13.56	3	Horizontal	0	1.31	-	39.11	38.69	9.52	34.65
PK	15.60532G	56.60	74.00	-17.40	15.73	3	Horizontal	234	2.17	-	40.87	38.59	11.66	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.24	54.00	-11.76	5.15	3	Vertical	155	1.49	-	37.09	33.10	6.49	34.44
AV	5.234G	102.03	Inf	-Inf	5.06	3	Vertical	155	1.49	-	96.97	32.93	6.57	34.44
AV	5.35G	43.20	54.00	-10.80	5.15	3	Vertical	155	1.49	-	38.05	32.90	6.70	34.45
PK	5.1344G	53.61	74.00	-20.39	5.17	3	Vertical	155	1.49	-	48.44	33.13	6.48	34.44
PK	5.243G	111.39	Inf	-Inf	5.05	3	Vertical	155	1.49	-	106.34	32.91	6.58	34.44
PK	5.3558G	55.66	74.00	-18.34	5.17	3	Vertical	155	1.49	-	50.49	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.16	54.00	-11.84	5.15	3	Horizontal	246	1.50	-	37.01	33.10	6.49	34.44
AV	5.2334G	98.61	Inf	-Inf	5.06	3	Horizontal	246	1.50	-	93.55	32.93	6.57	34.44
AV	5.3828G	41.65	54.00	-12.35	5.26	3	Horizontal	246	1.50	-	36.39	32.97	6.74	34.45
PK	5.1326G	54.41	74.00	-19.59	5.17	3	Horizontal	246	1.50	-	49.24	33.13	6.48	34.44
PK	5.234G	107.48	Inf	-Inf	5.06	3	Horizontal	246	1.50	-	102.42	32.93	6.57	34.44
PK	5.3888G	53.47	74.00	-20.53	5.28	3	Horizontal	246	1.50	-	48.19	32.98	6.75	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72748G	43.62	54.00	-10.38	15.54	3	Vertical	42	2.00	-	28.08	38.43	11.71	34.60
PK	6.54988G	49.17	68.20	-19.03	8.34	3	Vertical	139	1.38	-	40.83	35.60	7.39	34.65
PK	10.47016G	52.38	68.20	-15.82	13.65	3	Vertical	243	2.64	-	38.73	38.63	9.55	34.53
PK	15.72032G	56.32	74.00	-17.68	15.54	3	Vertical	42	2.00	-	40.78	38.42	11.71	34.59

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72996G	43.53	54.00	-10.47	15.55	3	Horizontal	259	1.33	-	27.98	38.43	11.72	34.60
PK	6.54996G	51.08	68.20	-17.12	8.34	3	Horizontal	250	1.50	-	42.74	35.60	7.39	34.65
PK	10.47324G	52.49	68.20	-15.71	13.66	3	Horizontal	285	2.04	-	38.83	38.63	9.55	34.52
PK	15.7168G	55.78	74.00	-18.22	15.54	3	Horizontal	259	1.33	-	40.24	38.42	11.71	34.59

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.71	54.00	-11.29	5.15	3	Vertical	157	1.40	-	37.56	33.10	6.49	34.44
AV	5.2546G	103.14	Inf	-Inf	5.06	3	Vertical	157	1.40	-	98.08	32.92	6.59	34.45
AV	5.3578G	43.96	54.00	-10.04	5.18	3	Vertical	157	1.40	-	38.78	32.92	6.71	34.45
PK	5.1412G	54.09	74.00	-19.91	5.17	3	Vertical	157	1.40	-	48.92	33.12	6.49	34.44
PK	5.2564G	111.89	Inf	-Inf	5.07	3	Vertical	157	1.40	-	106.82	32.93	6.59	34.45
PK	5.3554G	55.78	74.00	-18.22	5.17	3	Vertical	157	1.40	-	50.61	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	42.59	54.00	-11.41	5.16	3	Horizontal	243	1.50	-	37.43	33.11	6.49	34.44
AV	5.2546G	99.12	Inf	-Inf	5.06	3	Horizontal	243	1.50	-	94.06	32.92	6.59	34.45
AV	5.4088G	42.05	54.00	-11.95	5.33	3	Horizontal	243	1.50	-	36.72	33.02	6.76	34.45
PK	5.1466G	54.51	74.00	-19.49	5.16	3	Horizontal	243	1.50	-	49.35	33.11	6.49	34.44
PK	5.2582G	108.66	Inf	-Inf	5.08	3	Horizontal	243	1.50	-	103.58	32.93	6.60	34.45
PK	5.3722G	53.95	74.00	-20.05	5.22	3	Horizontal	243	1.50	-	48.73	32.94	6.73	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77708G	44.09	54.00	-9.91	15.59	3	Vertical	220	1.21	-	28.50	38.48	11.74	34.63
PK	6.57464G	50.47	68.20	-17.73	8.51	3	Vertical	141	1.37	-	41.96	35.75	7.41	34.65
PK	10.51356G	52.71	68.20	-15.49	13.75	3	Vertical	134	1.96	-	38.96	38.67	9.56	34.48
PK	15.77824G	56.64	74.00	-17.36	15.59	3	Vertical	220	1.21	-	41.05	38.48	11.74	34.63

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77092G	44.17	54.00	-9.83	15.58	3	Horizontal	202	2.11	-	28.59	38.47	11.73	34.62
PK	6.57512G	49.60	68.20	-18.60	8.51	3	Horizontal	235	1.59	-	41.09	35.75	7.41	34.65
PK	10.51164G	53.01	68.20	-15.19	13.74	3	Horizontal	50	1.36	-	39.27	38.66	9.56	34.48
PK	15.783G	56.91	74.00	-17.09	15.59	3	Horizontal	202	2.11	-	41.32	38.48	11.74	34.63

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	103.99	Inf	-Inf	5.28	3	Vertical	155	1.31	-	98.71	33.09	6.64	34.45
AV	5.35G	46.01	54.00	-7.99	5.15	3	Vertical	155	1.31	-	40.86	32.90	6.70	34.45
PK	5.3064G	113.35	Inf	-Inf	5.27	3	Vertical	155	1.31	-	108.08	33.07	6.65	34.45
PK	5.35G	60.08	74.00	-13.92	5.15	3	Vertical	155	1.31	-	54.93	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	98.70	Inf	-Inf	5.26	3	Horizontal	240	1.63	-	93.44	33.07	6.64	34.45
AV	5.35G	42.77	54.00	-11.23	5.15	3	Horizontal	240	1.63	-	37.62	32.90	6.70	34.45
PK	5.2948G	107.90	Inf	-Inf	5.27	3	Horizontal	240	1.63	-	102.63	33.08	6.64	34.45
PK	5.35G	55.99	74.00	-18.01	5.15	3	Horizontal	240	1.63	-	50.84	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.897G	44.18	54.00	-9.82	15.49	3	Vertical	345	1.24	-	28.69	38.40	11.79	34.70
PK	6.62484G	48.93	68.20	-19.27	8.64	3	Vertical	140	1.06	-	40.29	35.85	7.45	34.66
PK	10.59G	53.10	68.20	-15.10	14.19	3	Vertical	30	1.90	-	38.91	39.05	9.59	34.45
PK	15.89448G	56.22	74.00	-17.78	15.50	3	Vertical	345	1.24	-	40.72	38.41	11.79	34.70

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89748G	44.06	54.00	-9.94	15.49	3	Horizontal	313	1.84	-	28.57	38.40	11.79	34.70
PK	6.62488G	51.06	68.20	-17.14	8.64	3	Horizontal	247	1.50	-	42.42	35.85	7.45	34.66
PK	10.59988G	53.78	68.20	-14.42	14.25	3	Horizontal	45	1.92	-	39.53	39.10	9.59	34.44
PK	15.9004G	56.39	74.00	-17.61	15.48	3	Horizontal	313	1.84	-	40.91	38.40	11.79	34.71

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3262G	102.47	Inf	-Inf	5.23	3	Vertical	155	1.38	-	97.24	33.00	6.68	34.45
AV	5.35G	46.35	54.00	-7.65	5.15	3	Vertical	155	1.38	-	41.20	32.90	6.70	34.45
PK	5.314G	111.90	Inf	-Inf	5.25	3	Vertical	155	1.38	-	106.65	33.04	6.66	34.45
PK	5.3502G	59.29	74.00	-14.71	5.15	3	Vertical	155	1.38	-	54.14	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	96.49	Inf	-Inf	5.23	3	Horizontal	225	1.61	-	91.26	33.01	6.67	34.45
AV	5.35G	43.26	54.00	-10.74	5.15	3	Horizontal	225	1.61	-	38.11	32.90	6.70	34.45
PK	5.3238G	105.62	Inf	-Inf	5.22	3	Horizontal	225	1.61	-	100.40	33.00	6.67	34.45
PK	5.3544G	55.61	74.00	-18.39	5.17	3	Horizontal	225	1.61	-	50.44	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63008G	40.78	54.00	-13.22	14.24	3	Vertical	2	2.14	-	26.54	39.07	9.60	34.43
AV	15.95044G	44.18	54.00	-9.82	15.42	3	Vertical	329	1.46	-	28.76	38.35	11.81	34.74
PK	6.65012G	50.56	68.20	-17.64	8.62	3	Vertical	155	1.24	-	41.94	35.80	7.48	34.66
PK	10.64988G	53.41	74.00	-20.59	14.23	3	Vertical	2	2.14	-	39.18	39.05	9.61	34.43
PK	15.96724G	57.09	74.00	-16.91	15.40	3	Vertical	329	1.46	-	41.69	38.33	11.82	34.75

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6334G	40.86	54.00	-13.14	14.24	3	Horizontal	192	1.50	-	26.62	39.07	9.60	34.43
AV	15.9504G	44.18	54.00	-9.82	15.42	3	Horizontal	137	1.59	-	28.76	38.35	11.81	34.74
PK	6.64984G	51.56	68.20	-16.64	8.62	3	Horizontal	248	1.64	-	42.94	35.80	7.48	34.66
PK	10.63836G	54.63	74.00	-19.37	14.24	3	Horizontal	192	1.50	-	40.39	39.06	9.61	34.43
PK	15.96504G	56.40	74.00	-17.60	15.40	3	Horizontal	137	1.59	-	41.00	38.33	11.82	34.75

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.71	54.00	-11.29	5.15	3	Vertical	157	1.40	-	37.56	33.10	6.49	34.44
AV	5.2546G	103.14	Inf	-Inf	5.06	3	Vertical	157	1.40	-	98.08	32.92	6.59	34.45
AV	5.3578G	43.96	54.00	-10.04	5.18	3	Vertical	157	1.40	-	38.78	32.92	6.71	34.45
PK	5.1412G	54.09	74.00	-19.91	5.17	3	Vertical	157	1.40	-	48.92	33.12	6.49	34.44
PK	5.2564G	111.89	Inf	-Inf	5.07	3	Vertical	157	1.40	-	106.82	32.93	6.59	34.45
PK	5.3554G	55.78	74.00	-18.22	5.17	3	Vertical	157	1.40	-	50.61	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	42.59	54.00	-11.41	5.16	3	Horizontal	243	1.50	-	37.43	33.11	6.49	34.44
AV	5.2546G	99.12	Inf	-Inf	5.06	3	Horizontal	243	1.50	-	94.06	32.92	6.59	34.45
AV	5.4088G	42.05	54.00	-11.95	5.33	3	Horizontal	243	1.50	-	36.72	33.02	6.76	34.45
PK	5.1466G	54.51	74.00	-19.49	5.16	3	Horizontal	243	1.50	-	49.35	33.11	6.49	34.44
PK	5.2582G	108.66	Inf	-Inf	5.08	3	Horizontal	243	1.50	-	103.58	32.93	6.60	34.45
PK	5.3722G	53.95	74.00	-20.05	5.22	3	Horizontal	243	1.50	-	48.73	32.94	6.73	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77708G	44.09	54.00	-9.91	15.59	3	Vertical	220	1.21	-	28.50	38.48	11.74	34.63
PK	6.57464G	50.47	68.20	-17.73	8.51	3	Vertical	141	1.37	-	41.96	35.75	7.41	34.65
PK	10.51356G	52.71	68.20	-15.49	13.75	3	Vertical	134	1.96	-	38.96	38.67	9.56	34.48
PK	15.77824G	56.64	74.00	-17.36	15.59	3	Vertical	220	1.21	-	41.05	38.48	11.74	34.63

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77092G	44.17	54.00	-9.83	15.58	3	Horizontal	202	2.11	-	28.59	38.47	11.73	34.62
PK	6.57512G	49.60	68.20	-18.60	8.51	3	Horizontal	235	1.59	-	41.09	35.75	7.41	34.65
PK	10.51164G	53.01	68.20	-15.19	13.74	3	Horizontal	50	1.36	-	39.27	38.66	9.56	34.48
PK	15.783G	56.91	74.00	-17.09	15.59	3	Horizontal	202	2.11	-	41.32	38.48	11.74	34.63

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	103.99	Inf	-Inf	5.28	3	Vertical	155	1.31	-	98.71	33.09	6.64	34.45
AV	5.35G	46.01	54.00	-7.99	5.15	3	Vertical	155	1.31	-	40.86	32.90	6.70	34.45
PK	5.3064G	113.35	Inf	-Inf	5.27	3	Vertical	155	1.31	-	108.08	33.07	6.65	34.45
PK	5.35G	60.08	74.00	-13.92	5.15	3	Vertical	155	1.31	-	54.93	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	98.70	Inf	-Inf	5.26	3	Horizontal	240	1.63	-	93.44	33.07	6.64	34.45
AV	5.35G	42.77	54.00	-11.23	5.15	3	Horizontal	240	1.63	-	37.62	32.90	6.70	34.45
PK	5.2948G	107.90	Inf	-Inf	5.27	3	Horizontal	240	1.63	-	102.63	33.08	6.64	34.45
PK	5.35G	55.99	74.00	-18.01	5.15	3	Horizontal	240	1.63	-	50.84	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.897G	44.18	54.00	-9.82	15.49	3	Vertical	345	1.24	-	28.69	38.40	11.79	34.70
PK	6.62484G	48.93	68.20	-19.27	8.64	3	Vertical	140	1.06	-	40.29	35.85	7.45	34.66
PK	10.59G	53.10	68.20	-15.10	14.19	3	Vertical	30	1.90	-	38.91	39.05	9.59	34.45
PK	15.89448G	56.22	74.00	-17.78	15.50	3	Vertical	345	1.24	-	40.72	38.41	11.79	34.70

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89748G	44.06	54.00	-9.94	15.49	3	Horizontal	313	1.84	-	28.57	38.40	11.79	34.70
PK	6.62488G	51.06	68.20	-17.14	8.64	3	Horizontal	247	1.50	-	42.42	35.85	7.45	34.66
PK	10.59988G	53.78	68.20	-14.42	14.25	3	Horizontal	45	1.92	-	39.53	39.10	9.59	34.44
PK	15.9004G	56.39	74.00	-17.61	15.48	3	Horizontal	313	1.84	-	40.91	38.40	11.79	34.71

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3262G	102.47	Inf	-Inf	5.23	3	Vertical	155	1.38	-	97.24	33.00	6.68	34.45
AV	5.35G	46.35	54.00	-7.65	5.15	3	Vertical	155	1.38	-	41.20	32.90	6.70	34.45
PK	5.314G	111.90	Inf	-Inf	5.25	3	Vertical	155	1.38	-	106.65	33.04	6.66	34.45
PK	5.3502G	59.29	74.00	-14.71	5.15	3	Vertical	155	1.38	-	54.14	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	96.49	Inf	-Inf	5.23	3	Horizontal	225	1.61	-	91.26	33.01	6.67	34.45
AV	5.35G	43.26	54.00	-10.74	5.15	3	Horizontal	225	1.61	-	38.11	32.90	6.70	34.45
PK	5.3238G	105.62	Inf	-Inf	5.22	3	Horizontal	225	1.61	-	100.40	33.00	6.67	34.45
PK	5.3544G	55.61	74.00	-18.39	5.17	3	Horizontal	225	1.61	-	50.44	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63008G	40.78	54.00	-13.22	14.24	3	Vertical	2	2.14	-	26.54	39.07	9.60	34.43
AV	15.95044G	44.18	54.00	-9.82	15.42	3	Vertical	329	1.46	-	28.76	38.35	11.81	34.74
PK	6.65012G	50.56	68.20	-17.64	8.62	3	Vertical	155	1.24	-	41.94	35.80	7.48	34.66
PK	10.64988G	53.41	74.00	-20.59	14.23	3	Vertical	2	2.14	-	39.18	39.05	9.61	34.43
PK	15.96724G	57.09	74.00	-16.91	15.40	3	Vertical	329	1.46	-	41.69	38.33	11.82	34.75

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6334G	40.86	54.00	-13.14	14.24	3	Horizontal	192	1.50	-	26.62	39.07	9.60	34.43
AV	15.9504G	44.18	54.00	-9.82	15.42	3	Horizontal	137	1.59	-	28.76	38.35	11.81	34.74
PK	6.64984G	51.56	68.20	-16.64	8.62	3	Horizontal	248	1.64	-	42.94	35.80	7.48	34.66
PK	10.63836G	54.63	74.00	-19.37	14.24	3	Horizontal	192	1.50	-	40.39	39.06	9.61	34.43
PK	15.96504G	56.40	74.00	-17.60	15.40	3	Horizontal	137	1.59	-	41.00	38.33	11.82	34.75

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	100.32	Inf	-Inf	6.22	3	Vertical	153	1.50	-	94.10	33.80	6.91	34.49
PK	5.649G	55.70	68.20	-12.50	5.70	3	Vertical	153	1.50	-	50.00	33.30	6.88	34.48
PK	5.7426G	113.97	Inf	-Inf	6.16	3	Vertical	153	1.50	-	107.81	33.74	6.91	34.49
PK	6.039G	56.22	68.20	-11.98	6.95	3	Vertical	153	1.50	-	49.27	34.36	7.12	34.53

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	100.88	Inf	-Inf	6.22	3	Horizontal	249	1.06	-	94.66	33.80	6.91	34.49
PK	5.5926G	55.32	68.20	-12.88	5.56	3	Horizontal	249	1.06	-	49.76	33.17	6.86	34.47
PK	5.7486G	113.33	Inf	-Inf	6.21	3	Horizontal	249	1.06	-	107.12	33.79	6.91	34.49
PK	6.0186G	55.48	68.20	-12.72	6.87	3	Horizontal	249	1.06	-	48.61	34.27	7.12	34.52

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49604G	41.53	54.00	-12.47	14.96	3	Vertical	31	2.34	-	26.57	39.00	9.91	33.95
PK	7.18121G	50.64	68.20	-17.56	10.23	3	Vertical	164	1.74	-	40.41	36.84	8.16	34.77
PK	11.49788G	53.78	74.00	-20.22	14.96	3	Vertical	31	2.34	-	38.82	39.00	9.91	33.95
PK	17.2376G	57.63	68.20	-10.57	16.72	3	Vertical	223	1.56	-	40.91	38.44	12.33	34.05

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49212G	41.59	54.00	-12.41	14.95	3	Horizontal	341	1.66	-	26.64	39.00	9.91	33.96
PK	7.17137G	50.29	68.20	-17.91	10.25	3	Horizontal	252	1.50	-	40.04	36.86	8.15	34.76
PK	11.48932G	54.01	74.00	-19.99	14.95	3	Horizontal	341	1.66	-	39.06	39.00	9.91	33.96
PK	17.23836G	56.42	68.20	-11.78	16.72	3	Horizontal	220	2.62	-	39.70	38.44	12.33	34.05

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	99.61	Inf	-Inf	6.32	3	Vertical	157	1.47	-	93.29	33.88	6.93	34.49
PK	5.557G	55.69	68.20	-12.51	5.40	3	Vertical	157	1.47	-	50.29	33.03	6.84	34.47
PK	5.7874G	112.57	Inf	-Inf	6.31	3	Vertical	157	1.47	-	106.26	33.87	6.93	34.49
PK	6.0502G	56.12	68.20	-12.08	7.00	3	Vertical	157	1.47	-	49.12	34.40	7.13	34.53

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	95.83	Inf	-Inf	6.32	3	Horizontal	249	1.50	-	89.51	33.88	6.93	34.49
PK	5.5318G	54.57	68.20	-13.63	5.44	3	Horizontal	249	1.50	-	49.13	33.07	6.83	34.46
PK	5.791G	108.19	Inf	-Inf	6.32	3	Horizontal	249	1.50	-	101.87	33.88	6.93	34.49
PK	6.0754G	55.50	68.20	-12.70	6.90	3	Horizontal	249	1.50	-	48.60	34.30	7.14	34.54

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27457G	37.27	54.00	-16.73	10.15	3	Vertical	78	1.50	-	27.12	36.80	8.15	34.80
AV	11.56G	40.97	54.00	-13.03	14.88	3	Vertical	354	1.33	-	26.09	38.94	9.93	33.99
PK	7.27845G	49.93	74.00	-24.07	10.14	3	Vertical	78	1.50	-	39.79	36.79	8.15	34.80
PK	11.57732G	53.69	74.00	-20.31	14.86	3	Vertical	354	1.33	-	38.83	38.92	9.94	34.00
PK	17.35548G	56.46	68.20	-11.74	16.91	3	Vertical	157	1.62	-	39.55	38.67	12.38	34.14

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27713G	37.23	54.00	-16.77	10.14	3	Horizontal	134	1.50	-	27.09	36.79	8.15	34.80
AV	11.57572G	40.96	54.00	-13.04	14.86	3	Horizontal	14	2.69	-	26.10	38.92	9.94	34.00
PK	7.27145G	50.64	74.00	-23.36	10.16	3	Horizontal	134	1.50	-	40.48	36.81	8.15	34.80
PK	11.56352G	53.68	74.00	-20.32	14.89	3	Horizontal	14	2.69	-	38.79	38.94	9.94	33.99
PK	17.36416G	57.26	68.20	-10.94	16.93	3	Horizontal	286	1.44	-	40.33	38.69	12.38	34.14

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	100.43	Inf	-Inf	6.46	3	Vertical	135	1.50	-	93.97	34.01	6.95	34.50
PK	5.6354G	55.87	68.20	-12.33	5.66	3	Vertical	135	1.50	-	50.21	33.27	6.87	34.48
PK	5.8322G	112.19	Inf	-Inf	6.55	3	Vertical	135	1.50	-	105.64	34.09	6.96	34.50
PK	5.9438G	56.76	68.20	-11.44	6.91	3	Vertical	135	1.50	-	49.85	34.36	7.06	34.51

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	100.34	Inf	-Inf	6.54	3	Horizontal	249	1.00	-	93.80	34.08	6.96	34.50
PK	5.5898G	55.25	68.20	-12.95	5.54	3	Horizontal	249	1.00	-	49.71	33.16	6.85	34.47
PK	5.8202G	112.57	Inf	-Inf	6.47	3	Horizontal	249	1.00	-	106.10	34.02	6.95	34.50
PK	6.059G	56.71	68.20	-11.49	6.96	3	Horizontal	249	1.00	-	49.75	34.36	7.13	34.53

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28125G	38.45	54.00	-15.55	10.12	3	Vertical	160	2.00	-	28.33	36.77	8.15	34.80
AV	11.64256G	41.02	54.00	-12.98	14.78	3	Vertical	196	1.53	-	26.24	38.86	9.96	34.04
PK	7.28145G	49.96	74.00	-24.04	10.12	3	Vertical	160	2.00	-	39.84	36.77	8.15	34.80
PK	11.65132G	53.76	74.00	-20.24	14.78	3	Vertical	196	1.53	-	38.98	38.85	9.97	34.04
PK	17.47504G	57.64	68.20	-10.56	17.08	3	Vertical	278	2.25	-	40.56	38.88	12.43	34.23

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28117G	37.76	54.00	-16.24	10.13	3	Horizontal	250	1.37	-	27.63	36.78	8.15	34.80
AV	11.64056G	41.03	54.00	-12.97	14.78	3	Horizontal	162	1.16	-	26.25	38.86	9.96	34.04
PK	7.28973G	49.82	74.00	-24.18	10.09	3	Horizontal	250	1.37	-	39.73	36.74	8.15	34.80
PK	11.64168G	53.59	74.00	-20.41	14.78	3	Horizontal	162	1.16	-	38.81	38.86	9.96	34.04
PK	17.48212G	57.76	68.20	-10.44	17.07	3	Horizontal	126	1.79	-	40.69	38.88	12.43	34.24

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.68	54.00	-2.32	5.15	3	Vertical	139	1.70	-	46.53	33.10	6.49	34.44
AV	5.2024G	97.95	Inf	-Inf	5.09	3	Vertical	139	1.70	-	92.86	33.00	6.53	34.44
PK	5.1496G	66.63	74.00	-7.37	5.15	3	Vertical	139	1.70	-	61.48	33.10	6.49	34.44
PK	5.1832G	107.90	Inf	-Inf	5.11	3	Vertical	139	1.70	-	102.79	33.03	6.52	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.43	54.00	-3.57	5.15	3	Horizontal	243	1.48	-	45.28	33.10	6.49	34.44
AV	5.1804G	95.16	Inf	-Inf	5.12	3	Horizontal	243	1.48	-	90.04	33.04	6.52	34.44
PK	5.1496G	67.21	74.00	-6.79	5.15	3	Horizontal	243	1.48	-	62.06	33.10	6.49	34.44
PK	5.1848G	105.56	Inf	-Inf	5.11	3	Horizontal	243	1.48	-	100.45	33.03	6.52	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56012G	43.39	54.00	-10.61	15.83	3	Vertical	350	2.17	-	27.56	38.68	11.64	34.49
PK	6.48746G	50.78	68.20	-17.42	8.18	3	Vertical	140	1.50	-	42.60	35.47	7.35	34.64
PK	10.3816G	53.33	68.20	-14.87	13.54	3	Vertical	167	1.63	-	39.79	38.68	9.52	34.66
PK	15.56636G	56.14	74.00	-17.86	15.83	3	Vertical	350	2.17	-	40.31	38.67	11.65	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56G	43.39	54.00	-10.61	15.83	3	Horizontal	3	2.03	-	27.56	38.68	11.64	34.49
PK	6.48758G	51.80	68.20	-16.40	8.19	3	Horizontal	244	1.00	-	43.61	35.48	7.35	34.64
PK	10.3784G	53.22	68.20	-14.98	13.52	3	Horizontal	317	1.57	-	39.70	38.68	9.51	34.67
PK	15.57096G	55.64	74.00	-18.36	15.81	3	Horizontal	3	2.03	-	39.83	38.66	11.65	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

5190MHz_TX




EUT Y
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	55.61	54.00	1.61	5.15	3	Vertical	139	1.70	-	50.46	33.10	6.49	34.44
AV	5.2028G	98.47	Inf	-Inf	5.08	3	Vertical	139	1.70	-	93.39	32.99	6.53	34.44
PK	5.15G	69.36	74.00	-4.64	5.15	3	Vertical	139	1.70	-	64.21	33.10	6.49	34.44
PK	5.1756G	108.11	Inf	-Inf	5.12	3	Vertical	139	1.70	-	102.99	33.05	6.51	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.28	54.00	-9.72	5.15	3	Vertical	162	1.31	-	39.13	33.10	6.49	34.44
AV	5.232G	97.88	Inf	-Inf	5.07	3	Vertical	162	1.31	-	92.81	32.94	6.57	34.44
PK	5.1496G	54.89	74.00	-19.11	5.15	3	Vertical	162	1.31	-	49.74	33.10	6.49	34.44
PK	5.2336G	106.77	Inf	-Inf	5.06	3	Vertical	162	1.31	-	101.71	32.93	6.57	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.35	54.00	-9.65	5.15	3	Horizontal	243	1.56	-	39.20	33.10	6.49	34.44
AV	5.2152G	95.48	Inf	-Inf	5.08	3	Horizontal	243	1.56	-	90.40	32.97	6.55	34.44
PK	5.148G	55.26	74.00	-18.74	5.15	3	Horizontal	243	1.56	-	50.11	33.10	6.49	34.44
PK	5.2148G	104.76	Inf	-Inf	5.08	3	Horizontal	243	1.56	-	99.68	32.97	6.55	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68236G	43.28	54.00	-10.72	15.57	3	Vertical	130	1.53	-	27.71	38.44	11.70	34.57
PK	6.53734G	50.16	68.20	-18.04	8.33	3	Vertical	140	1.50	-	41.83	35.60	7.38	34.65
PK	10.45876G	52.90	68.20	-15.30	13.64	3	Vertical	36	1.52	-	39.26	38.64	9.54	34.54
PK	15.69676G	55.35	74.00	-18.65	15.53	3	Vertical	130	1.53	-	39.82	38.41	11.70	34.58

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68596G	43.39	54.00	-10.61	15.56	3	Horizontal	151	2.09	-	27.83	38.43	11.70	34.57
PK	6.53742G	50.79	68.20	-17.41	8.33	3	Horizontal	251	1.47	-	42.46	35.60	7.38	34.65
PK	10.45548G	52.74	68.20	-15.46	13.63	3	Horizontal	149	1.18	-	39.11	38.64	9.54	34.55
PK	15.6846G	55.22	74.00	-18.78	15.56	3	Horizontal	151	2.09	-	39.66	38.43	11.70	34.57

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2748G	97.64	Inf	-Inf	5.17	3	Vertical	156	1.53	-	92.47	33.00	6.62	34.45
AV	5.35G	45.39	54.00	-8.61	5.15	3	Vertical	156	1.53	-	40.24	32.90	6.70	34.45
PK	5.262G	106.68	Inf	-Inf	5.10	3	Vertical	156	1.53	-	101.58	32.95	6.60	34.45
PK	5.3508G	59.93	74.00	-14.07	5.15	3	Vertical	156	1.53	-	54.78	32.90	6.70	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2532G	94.61	Inf	-Inf	5.05	3	Horizontal	242	1.60	-	89.56	32.91	6.59	34.45
AV	5.3508G	43.05	54.00	-10.95	5.15	3	Horizontal	242	1.60	-	37.90	32.90	6.70	34.45
PK	5.2572G	104.12	Inf	-Inf	5.08	3	Horizontal	242	1.60	-	99.04	32.93	6.60	34.45
PK	5.3556G	55.81	74.00	-18.19	5.17	3	Horizontal	242	1.60	-	50.64	32.91	6.71	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80276G	43.80	54.00	-10.20	15.61	3	Vertical	69	1.18	-	28.19	38.50	11.75	34.64
PK	6.5875G	53.21	68.20	-14.99	8.60	3	Vertical	207	1.45	-	44.61	35.83	7.42	34.65
PK	10.53096G	53.41	68.20	-14.79	13.85	3	Vertical	147	2.08	-	39.56	38.75	9.57	34.47
PK	15.8G	56.52	74.00	-17.48	15.60	3	Vertical	69	1.18	-	40.92	38.50	11.74	34.64

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80684G	43.82	54.00	-10.18	15.59	3	Horizontal	17	2.48	-	28.23	38.49	11.75	34.65
PK	6.5875G	51.99	68.20	-16.21	8.60	3	Horizontal	242	2.18	-	43.39	35.83	7.42	34.65
PK	10.5418G	53.46	68.20	-14.74	13.92	3	Horizontal	65	2.86	-	39.54	38.81	9.57	34.46
PK	15.8128G	55.88	74.00	-18.12	15.59	3	Horizontal	17	2.48	-	40.29	38.49	11.75	34.65

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3224G	96.17	Inf	-Inf	5.23	3	Vertical	154	1.56	-	90.94	33.01	6.67	34.45
AV	5.35G	47.62	54.00	-6.38	5.15	3	Vertical	154	1.56	-	42.47	32.90	6.70	34.45
PK	5.3012G	105.85	Inf	-Inf	5.30	3	Vertical	154	1.56	-	100.55	33.10	6.65	34.45
PK	5.3504G	61.04	74.00	-12.96	5.15	3	Vertical	154	1.56	-	55.89	32.90	6.70	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	91.66	Inf	-Inf	5.29	3	Horizontal	242	1.56	-	86.37	33.09	6.65	34.45
AV	5.35G	45.79	54.00	-8.21	5.15	3	Horizontal	242	1.56	-	40.64	32.90	6.70	34.45
PK	5.298G	101.40	Inf	-Inf	5.28	3	Horizontal	242	1.56	-	96.12	33.09	6.64	34.45
PK	5.366G	57.20	74.00	-16.80	5.20	3	Horizontal	242	1.56	-	52.00	32.93	6.72	34.45

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6148G	40.83	54.00	-13.17	14.25	3	Vertical	328	1.65	-	26.58	39.09	9.60	34.44
AV	15.93728G	44.03	54.00	-9.97	15.43	3	Vertical	334	2.56	-	28.60	38.36	11.80	34.73
PK	6.63742G	52.34	68.20	-15.86	8.64	3	Vertical	207	1.50	-	43.70	35.83	7.47	34.66
PK	10.62108G	52.71	74.00	-21.29	14.24	3	Vertical	328	1.65	-	38.47	39.08	9.60	34.44
PK	15.92332G	55.62	74.00	-18.38	15.46	3	Vertical	334	2.56	-	40.16	38.38	11.80	34.72

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.617G	40.80	54.00	-13.20	14.24	3	Horizontal	239	2.21	-	26.56	39.08	9.60	34.44
AV	15.93372G	43.93	54.00	-10.07	15.44	3	Horizontal	71	1.69	-	28.49	38.37	11.80	34.73
PK	6.63758G	50.50	68.20	-17.70	8.63	3	Horizontal	135	1.01	-	41.87	35.82	7.47	34.66
PK	10.61868G	53.29	74.00	-20.71	14.24	3	Horizontal	239	2.21	-	39.05	39.08	9.60	34.44
PK	15.9378G	56.09	74.00	-17.91	15.43	3	Horizontal	71	1.69	-	40.66	38.36	11.80	34.73

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.45	54.00	-5.55	5.45	3	Vertical	136	1.56	-	43.00	33.12	6.79	34.46
AV	5.5132G	99.21	Inf	-Inf	5.51	3	Vertical	136	1.56	-	93.70	33.15	6.82	34.46
PK	5.4692G	65.10	68.20	-3.10	5.47	3	Vertical	136	1.56	-	59.63	33.14	6.79	34.46
PK	5.4972G	108.97	Inf	-Inf	5.54	3	Vertical	136	1.56	-	103.43	33.19	6.81	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.55	54.00	-7.45	5.45	3	Horizontal	246	1.37	-	41.10	33.12	6.79	34.46
AV	5.526G	95.49	Inf	-Inf	5.46	3	Horizontal	246	1.37	-	90.03	33.10	6.82	34.46
PK	5.4692G	61.43	68.20	-6.77	5.47	3	Horizontal	246	1.37	-	55.96	33.14	6.79	34.46
PK	5.5204G	104.95	Inf	-Inf	5.48	3	Horizontal	246	1.37	-	99.47	33.12	6.82	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02596G	41.22	54.00	-12.78	14.29	3	Vertical	181	1.52	-	26.93	38.83	9.74	34.28
PK	6.88806G	48.68	68.20	-19.52	9.05	3	Vertical	180	1.27	-	39.63	35.95	7.79	34.69
PK	11.01148G	54.15	74.00	-19.85	14.26	3	Vertical	181	1.52	-	39.89	38.81	9.74	34.29
PK	16.52728G	56.82	68.20	-11.38	16.25	3	Vertical	206	1.67	-	40.57	38.85	12.04	34.64

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01616G	41.23	54.00	-12.77	14.27	3	Horizontal	137	3.00	-	26.96	38.82	9.74	34.29
PK	6.8875G	48.65	68.20	-19.55	9.05	3	Horizontal	253	1.00	-	39.60	35.95	7.79	34.69
PK	11.02976G	53.13	74.00	-20.87	14.30	3	Horizontal	137	3.00	-	38.83	38.83	9.75	34.28
PK	16.53392G	56.90	68.20	-11.30	16.25	3	Horizontal	196	2.13	-	40.65	38.83	12.05	34.63

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

5510MHz_TX




EUT Y
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.87	54.00	-5.13	5.45	3	Vertical	204	1.39	-	43.42	33.12	6.79	34.46
AV	5.4972G	100.09	Inf	-Inf	5.54	3	Vertical	204	1.39	-	94.55	33.19	6.81	34.46
PK	5.47G	67.47	68.20	-0.73	5.47	3	Vertical	204	1.39	-	62.00	33.14	6.79	34.46
PK	5.5028G	109.83	Inf	-Inf	5.54	3	Vertical	204	1.39	-	104.29	33.19	6.81	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.90	54.00	-7.10	5.45	3	Vertical	135	1.78	-	41.45	33.12	6.79	34.46
AV	5.546G	99.86	Inf	-Inf	5.38	3	Vertical	135	1.78	-	94.48	33.02	6.83	34.47
PK	5.4692G	59.65	68.20	-8.55	5.47	3	Vertical	135	1.78	-	54.18	33.14	6.79	34.46
PK	5.5368G	109.36	Inf	-Inf	5.42	3	Vertical	135	1.78	-	103.94	33.05	6.83	34.46

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.81	54.00	-8.19	5.45	3	Horizontal	248	1.22	-	40.36	33.12	6.79	34.46
AV	5.566G	97.30	Inf	-Inf	5.43	3	Horizontal	248	1.22	-	91.87	33.06	6.84	34.47
PK	5.4628G	58.13	68.20	-10.07	5.46	3	Horizontal	248	1.22	-	52.67	33.13	6.79	34.46
PK	5.5648G	106.71	Inf	-Inf	5.43	3	Horizontal	248	1.22	-	101.28	33.06	6.84	34.47

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10808G	41.21	54.00	-12.79	14.47	3	Vertical	348	1.06	-	26.74	38.92	9.77	34.22
PK	6.93798G	49.02	68.20	-19.18	9.18	3	Vertical	190	1.08	-	39.84	36.00	7.88	34.70
PK	11.1078G	53.46	74.00	-20.54	14.47	3	Vertical	348	1.06	-	38.99	38.92	9.77	34.22
PK	16.64132G	56.37	68.20	-11.83	16.37	3	Vertical	277	2.20	-	40.00	38.74	12.09	34.46


802.11n HT40_Nss1,(MCS0)_1TX(Port2)

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10928G	41.22	54.00	-12.78	14.47	3	Horizontal	166	2.40	-	26.75	38.92	9.77	34.22
PK	6.9373G	50.38	68.20	-17.82	9.18	3	Horizontal	252	1.00	-	41.20	36.00	7.88	34.70
PK	11.09448G	53.53	74.00	-20.47	14.43	3	Horizontal	166	2.40	-	39.10	38.89	9.77	34.23
PK	16.65156G	56.16	68.20	-12.04	16.40	3	Horizontal	175	1.57	-	39.76	38.75	12.09	34.44

802.11n HT40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6658G	98.64	Inf	-Inf	5.73	3	Vertical	147	1.54	-	92.91	33.33	6.88	34.48
PK	5.6712G	107.81	Inf	-Inf	5.74	3	Vertical	147	1.54	-	102.07	33.34	6.88	34.48
PK	5.7324G	59.12	68.20	-9.08	6.08	3	Vertical	147	1.54	-	53.04	33.66	6.91	34.49


802.11n HT40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.685G	97.16	Inf	-Inf	5.78	3	Horizontal	248	1.14	-	91.38	33.37	6.89	34.48
PK	5.6568G	106.30	Inf	-Inf	5.71	3	Horizontal	248	1.14	-	100.59	33.31	6.88	34.48
PK	5.7294G	62.15	68.20	-6.05	6.06	3	Horizontal	248	1.14	-	56.09	33.64	6.91	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33352G	41.46	54.00	-12.54	14.91	3	Vertical	252	1.31	-	26.55	39.13	9.85	34.07
PK	7.08338G	49.69	68.20	-18.51	9.77	3	Vertical	154	1.50	-	39.92	36.43	8.08	34.74
PK	11.3446G	53.84	74.00	-20.16	14.91	3	Vertical	252	1.31	-	38.93	39.11	9.86	34.06
PK	17.00064G	56.20	68.20	-12.00	16.78	3	Vertical	355	2.90	-	39.42	38.40	12.24	33.86

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33996G	41.45	54.00	-12.55	14.92	3	Horizontal	251	1.57	-	26.53	39.12	9.86	34.06
PK	7.08766G	49.78	68.20	-18.42	9.79	3	Horizontal	252	1.50	-	39.99	36.45	8.08	34.74
PK	11.33992G	53.89	74.00	-20.11	14.92	3	Horizontal	251	1.57	-	38.97	39.12	9.86	34.06
PK	17.0076G	56.14	68.20	-12.06	16.77	3	Horizontal	268	1.90	-	39.37	38.40	12.24	33.87

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7004G	100.30	Inf	-Inf	5.82	3	Vertical	148	1.53	-	94.48	33.40	6.90	34.48
PK	5.4628G	55.92	68.20	-12.28	5.46	3	Vertical	148	1.53	-	50.46	33.13	6.79	34.46
PK	5.7004G	109.66	Inf	-Inf	5.82	3	Vertical	148	1.53	-	103.84	33.40	6.90	34.48
PK	5.8756G	62.09	68.20	-6.11	6.64	3	Vertical	148	1.53	-	55.45	34.15	7.00	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7232G	99.03	Inf	-Inf	6.00	3	Horizontal	246	1.17	-	93.03	33.59	6.90	34.49
PK	5.4688G	56.15	68.20	-12.05	5.47	3	Horizontal	246	1.17	-	50.68	33.14	6.79	34.46
PK	5.722G	107.49	Inf	-Inf	5.99	3	Horizontal	246	1.17	-	101.50	33.58	6.90	34.49
PK	5.8756G	60.43	68.20	-7.77	6.64	3	Horizontal	246	1.17	-	53.79	34.15	7.00	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.417G	41.55	54.00	-12.45	14.87	3	Vertical	181	1.36	-	26.68	39.00	9.88	34.01
PK	7.1307G	49.73	68.20	-18.47	10.12	3	Vertical	360	1.86	-	39.61	36.75	8.12	34.75
PK	11.42016G	53.20	74.00	-20.80	14.87	3	Vertical	181	1.36	-	38.33	39.00	9.88	34.01
PK	17.128G	55.72	68.20	-12.48	16.73	3	Vertical	343	1.51	-	38.99	38.40	12.29	33.96

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41576G	41.56	54.00	-12.44	14.87	3	Horizontal	311	1.61	-	26.69	39.00	9.88	34.01
PK	7.13082G	49.90	68.20	-18.30	10.12	3	Horizontal	356	1.94	-	39.78	36.75	8.12	34.75
PK	11.4126G	53.63	74.00	-20.37	14.87	3	Horizontal	311	1.61	-	38.76	39.00	9.88	34.01
PK	17.1342G	56.61	68.20	-11.59	16.73	3	Horizontal	82	1.77	-	39.88	38.40	12.29	33.96

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	98.91	Inf	-Inf	6.24	3	Vertical	147	1.48	-	92.67	33.81	6.92	34.49
PK	5.6494G	54.78	68.20	-13.42	5.70	3	Vertical	147	1.48	-	49.08	33.30	6.88	34.48
PK	5.749G	107.20	Inf	-Inf	6.21	3	Vertical	147	1.48	-	100.99	33.79	6.91	34.49
PK	5.9518G	55.98	68.20	-12.22	6.95	3	Vertical	147	1.48	-	49.03	34.39	7.07	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	98.12	Inf	-Inf	6.24	3	Horizontal	246	1.13	-	91.88	33.81	6.92	34.49
PK	5.6194G	55.30	68.20	-12.90	5.64	3	Horizontal	246	1.13	-	49.66	33.24	6.87	34.47
PK	5.761G	106.42	Inf	-Inf	6.25	3	Horizontal	246	1.13	-	100.17	33.82	6.92	34.49
PK	5.929G	55.73	68.20	-12.47	6.81	3	Horizontal	246	1.13	-	48.92	34.27	7.05	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51548G	41.23	54.00	-12.77	14.94	3	Vertical	188	2.36	-	26.29	38.98	9.92	33.96
PK	7.19371G	50.60	68.20	-17.60	10.21	3	Vertical	162	1.71	-	40.39	36.81	8.17	34.77
PK	11.51304G	53.63	74.00	-20.37	14.95	3	Vertical	188	2.36	-	38.68	38.99	9.92	33.96
PK	17.27368G	56.51	68.20	-11.69	16.75	3	Vertical	2	1.23	-	39.76	38.47	12.35	34.07

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51236G	41.12	54.00	-12.88	14.95	3	Horizontal	317	2.38	-	26.17	38.99	9.92	33.96
PK	7.19443G	50.05	68.20	-18.15	10.21	3	Horizontal	252	1.48	-	39.84	36.81	8.17	34.77
PK	11.51276G	53.23	74.00	-20.77	14.95	3	Horizontal	317	2.38	-	38.28	38.99	9.92	33.96
PK	17.25996G	56.55	68.20	-11.65	16.74	3	Horizontal	235	2.84	-	39.81	38.46	12.34	34.06

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	99.91	Inf	-Inf	6.32	3	Vertical	148	1.48	-	93.59	33.88	6.93	34.49
PK	5.603G	55.25	68.20	-12.95	5.60	3	Vertical	148	1.48	-	49.65	33.21	6.86	34.47
PK	5.7914G	109.08	Inf	-Inf	6.32	3	Vertical	148	1.48	-	102.76	33.88	6.93	34.49
PK	5.9294G	56.63	68.20	-11.57	6.82	3	Vertical	148	1.48	-	49.81	34.28	7.05	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	98.10	Inf	-Inf	6.32	3	Horizontal	242	1.30	-	91.78	33.88	6.93	34.49
PK	5.6414G	54.21	68.20	-13.99	5.67	3	Horizontal	242	1.30	-	48.54	33.28	6.87	34.48
PK	5.7986G	107.48	Inf	-Inf	6.33	3	Horizontal	242	1.30	-	101.15	33.90	6.93	34.50
PK	5.9378G	55.38	68.20	-12.82	6.87	3	Horizontal	242	1.30	-	48.51	34.33	7.05	34.51

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58104G	40.93	54.00	-13.07	14.86	3	Vertical	169	1.23	-	26.07	38.92	9.94	34.00
PK	7.24379G	50.40	68.20	-17.80	10.26	3	Vertical	161	1.95	-	40.14	36.89	8.16	34.79
PK	11.5838G	53.63	74.00	-20.37	14.86	3	Vertical	169	1.23	-	38.77	38.92	9.94	34.00
PK	17.39136G	56.60	68.20	-11.60	16.99	3	Vertical	308	1.04	-	39.61	38.77	12.39	34.17

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58048G	40.93	54.00	-13.07	14.86	3	Horizontal	52	1.92	-	26.07	38.92	9.94	34.00
PK	7.25327G	50.17	74.00	-23.83	10.26	3	Horizontal	250	1.57	-	39.91	36.89	8.16	34.79
PK	11.59508G	53.36	74.00	-20.64	14.84	3	Horizontal	52	1.92	-	38.52	38.90	9.95	34.01
PK	17.39424G	56.60	68.20	-11.60	17.00	3	Horizontal	257	2.13	-	39.60	38.78	12.39	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.80	54.00	-6.20	5.15	3	Vertical	140	1.71	-	42.65	33.10	6.49	34.44
AV	5.206G	92.39	Inf	-Inf	5.09	3	Vertical	140	1.71	-	87.30	32.99	6.54	34.44
AV	5.353G	43.38	54.00	-10.62	5.17	3	Vertical	140	1.71	-	38.21	32.91	6.71	34.45
PK	5.14G	59.91	74.00	-14.09	5.17	3	Vertical	140	1.71	-	54.74	33.12	6.49	34.44
PK	5.224G	100.93	Inf	-Inf	5.07	3	Vertical	140	1.71	-	95.86	32.95	6.56	34.44
PK	5.441G	54.19	74.00	-19.81	5.40	3	Vertical	140	1.71	-	48.79	33.08	6.78	34.46

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.02	54.00	-6.98	5.15	3	Horizontal	243	1.54	-	41.87	33.10	6.49	34.44
AV	5.212G	89.72	Inf	-Inf	5.08	3	Horizontal	243	1.54	-	84.64	32.98	6.54	34.44
AV	5.447G	42.20	54.00	-11.80	5.41	3	Horizontal	243	1.54	-	36.79	33.09	6.78	34.46
PK	5.149G	57.23	74.00	-16.77	5.15	3	Horizontal	243	1.54	-	52.08	33.10	6.49	34.44
PK	5.215G	98.28	Inf	-Inf	5.08	3	Horizontal	243	1.54	-	93.20	32.97	6.55	34.44
PK	5.443G	53.89	74.00	-20.11	5.41	3	Horizontal	243	1.54	-	48.48	33.09	6.78	34.46

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62506G	43.42	54.00	-10.58	15.69	3	Vertical	299	2.34	-	27.73	38.55	11.67	34.53
PK	6.51254G	52.04	68.20	-16.16	8.32	3	Vertical	140	1.44	-	43.72	35.60	7.36	34.64
PK	10.41658G	52.87	68.20	-15.33	13.60	3	Vertical	60	2.80	-	39.27	38.68	9.53	34.61
PK	15.6334G	55.44	74.00	-18.56	15.66	3	Vertical	299	2.34	-	39.78	38.53	11.67	34.54

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.627G	43.53	54.00	-10.47	15.69	3	Horizontal	342	1.16	-	27.84	38.55	11.67	34.53
PK	6.5125G	49.64	68.20	-18.56	8.32	3	Horizontal	138	1.45	-	41.32	35.60	7.36	34.64
PK	10.42252G	52.87	68.20	-15.33	13.61	3	Horizontal	15	1.49	-	39.26	38.68	9.53	34.60
PK	15.63148G	56.17	74.00	-17.83	15.68	3	Horizontal	342	1.16	-	40.49	38.54	11.67	34.53

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	42.14	54.00	-11.86	5.15	3	Vertical	156	1.50	-	36.99	33.10	6.49	34.44
AV	5.297G	91.84	Inf	-Inf	5.28	3	Vertical	156	1.50	-	86.56	33.09	6.64	34.45
AV	5.351G	46.78	54.00	-7.22	5.15	3	Vertical	156	1.50	-	41.63	32.90	6.70	34.45
PK	5.135G	52.82	74.00	-21.18	5.17	3	Vertical	156	1.50	-	47.65	33.13	6.48	34.44
PK	5.274G	100.78	Inf	-Inf	5.17	3	Vertical	156	1.50	-	95.61	33.00	6.62	34.45
PK	5.524G	53.96	68.20	-14.24	5.46	3	Vertical	156	1.50	-	48.50	33.10	6.82	34.46

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	42.49	54.00	-11.51	5.15	3	Horizontal	241	1.50	-	37.34	33.10	6.49	34.44
AV	5.265G	88.05	Inf	-Inf	5.11	3	Horizontal	241	1.50	-	82.94	32.96	6.60	34.45
AV	5.353G	43.53	54.00	-10.47	5.17	3	Horizontal	241	1.50	-	38.36	32.91	6.71	34.45
PK	5.121G	53.01	74.00	-20.99	5.19	3	Horizontal	241	1.50	-	47.82	33.16	6.47	34.44
PK	5.265G	96.60	Inf	-Inf	5.11	3	Horizontal	241	1.50	-	91.49	32.96	6.60	34.45
PK	5.495G	54.96	68.20	-13.24	5.54	3	Horizontal	241	1.50	-	49.42	33.19	6.81	34.46

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87076G	43.83	54.00	-10.17	15.52	3	Vertical	332	1.56	-	28.31	38.43	11.78	34.69
PK	6.61246G	53.92	68.20	-14.28	8.66	3	Vertical	206	1.54	-	45.26	35.88	7.44	34.66
PK	10.58168G	53.27	68.20	-14.93	14.15	3	Vertical	49	2.50	-	39.12	39.01	9.59	34.45
PK	15.86584G	56.16	74.00	-17.84	15.52	3	Vertical	332	1.56	-	40.64	38.43	11.77	34.68

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87016G	43.94	54.00	-10.06	15.51	3	Horizontal	275	1.78	-	28.43	38.43	11.77	34.69
PK	6.61254G	53.08	68.20	-15.12	8.65	3	Horizontal	158	1.62	-	44.43	35.87	7.44	34.66
PK	10.58146G	53.16	68.20	-15.04	14.15	3	Horizontal	246	2.50	-	39.01	39.01	9.59	34.45
PK	15.8691G	56.31	74.00	-17.69	15.51	3	Horizontal	275	1.78	-	40.80	38.43	11.77	34.69

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.46	54.00	-8.54	5.45	3	Vertical	133	1.77	-	40.01	33.12	6.79	34.46
AV	5.545G	96.80	Inf	-Inf	5.38	3	Vertical	133	1.77	-	91.42	33.02	6.83	34.47
PK	5.47G	57.53	68.20	-10.67	5.47	3	Vertical	133	1.77	-	52.06	33.14	6.79	34.46
PK	5.545G	105.43	Inf	-Inf	5.38	3	Vertical	133	1.77	-	100.05	33.02	6.83	34.47
PK	5.726G	53.91	68.20	-14.29	6.02	3	Vertical	133	1.77	-	47.89	33.61	6.90	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.51	54.00	-10.49	5.45	3	Horizontal	248	1.27	-	38.06	33.12	6.79	34.46
AV	5.545G	94.01	Inf	-Inf	5.38	3	Horizontal	248	1.27	-	88.63	33.02	6.83	34.47
PK	5.464G	54.72	68.20	-13.48	5.46	3	Horizontal	248	1.27	-	49.26	33.13	6.79	34.46
PK	5.549G	102.85	Inf	-Inf	5.36	3	Horizontal	248	1.27	-	97.49	33.00	6.83	34.47
PK	5.757G	54.21	68.20	-13.99	6.23	3	Horizontal	248	1.27	-	47.98	33.81	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05956G	41.32	54.00	-12.68	14.36	3	Vertical	35	2.76	-	26.96	38.86	9.76	34.26
PK	6.91258G	50.44	68.20	-17.76	9.13	3	Vertical	211	1.47	-	41.31	36.00	7.83	34.70
PK	11.06154G	53.60	74.00	-20.40	14.36	3	Vertical	35	2.76	-	39.24	38.86	9.76	34.26
PK	16.58738G	56.28	68.20	-11.92	16.26	3	Vertical	58	1.48	-	40.02	38.73	12.07	34.54

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05688G	41.31	54.00	-12.69	14.36	3	Horizontal	186	1.17	-	26.95	38.86	9.76	34.26
PK	6.9125G	49.66	68.20	-18.54	9.13	3	Horizontal	208	1.47	-	40.53	36.00	7.83	34.70
PK	11.05932G	54.18	74.00	-19.82	14.36	3	Horizontal	186	1.17	-	39.82	38.86	9.76	34.26
PK	16.58854G	57.37	68.20	-10.83	16.25	3	Horizontal	170	2.17	-	41.12	38.72	12.07	34.54

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.04	54.00	-9.96	5.45	3	Vertical	137	1.67	-	38.59	33.12	6.79	34.46
AV	5.624G	97.35	Inf	-Inf	5.65	3	Vertical	137	1.67	-	91.70	33.25	6.87	34.47
PK	5.468G	54.90	68.20	-13.30	5.47	3	Vertical	137	1.67	-	49.43	33.14	6.79	34.46
PK	5.618G	106.41	Inf	-Inf	5.64	3	Vertical	137	1.67	-	100.77	33.24	6.87	34.47
PK	5.732G	57.48	68.20	-10.72	6.08	3	Vertical	137	1.67	-	51.40	33.66	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	42.72	54.00	-11.28	5.41	3	Horizontal	248	1.20	-	37.31	33.09	6.78	34.46
AV	5.623G	95.35	Inf	-Inf	5.65	3	Horizontal	248	1.20	-	89.70	33.25	6.87	34.47
PK	5.464G	53.62	68.20	-14.58	5.46	3	Horizontal	248	1.20	-	48.16	33.13	6.79	34.46
PK	5.625G	104.08	Inf	-Inf	5.64	3	Horizontal	248	1.20	-	98.44	33.25	6.87	34.48
PK	5.752G	55.85	68.20	-12.35	6.22	3	Horizontal	248	1.20	-	49.63	33.80	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22192G	41.56	54.00	-12.44	14.79	3	Vertical	163	1.66	-	26.77	39.12	9.81	34.14
PK	7.01266G	49.03	68.20	-19.17	9.38	3	Vertical	217	1.50	-	39.65	36.08	8.01	34.71
PK	11.2215G	53.66	74.00	-20.34	14.79	3	Vertical	163	1.66	-	38.87	39.12	9.81	34.14
PK	16.82594G	56.87	68.20	-11.33	16.58	3	Vertical	8	1.11	-	40.29	38.57	12.16	34.15

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22238G	41.55	54.00	-12.45	14.79	3	Horizontal	93	1.67	-	26.76	39.12	9.81	34.14
PK	7.01542G	50.24	68.20	-17.96	9.39	3	Horizontal	156	1.60	-	40.85	36.09	8.01	34.71
PK	11.2196G	53.43	74.00	-20.57	14.78	3	Horizontal	93	1.67	-	38.65	39.12	9.81	34.15
PK	16.8263G	56.97	68.20	-11.23	16.58	3	Horizontal	337	2.88	-	40.39	38.57	12.16	34.15

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	42.07	54.00	-11.93	5.40	3	Vertical	151	1.50	-	36.67	33.08	6.78	34.46
AV	5.683G	95.49	Inf	-Inf	5.78	3	Vertical	151	1.50	-	89.71	33.37	6.89	34.48
PK	5.462G	52.50	68.20	-15.70	5.45	3	Vertical	151	1.50	-	47.05	33.12	6.79	34.46
PK	5.68G	104.89	Inf	-Inf	5.77	3	Vertical	151	1.50	-	99.12	33.36	6.89	34.48
PK	5.857G	54.98	68.20	-13.22	6.67	3	Vertical	151	1.50	-	48.31	34.19	6.98	34.50

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	41.92	54.00	-12.08	5.41	3	Horizontal	247	1.24	-	36.51	33.09	6.78	34.46
AV	5.685G	93.92	Inf	-Inf	5.78	3	Horizontal	247	1.24	-	88.14	33.37	6.89	34.48
PK	5.465G	51.97	68.20	-16.23	5.46	3	Horizontal	247	1.24	-	46.51	33.13	6.79	34.46
PK	5.686G	102.37	Inf	-Inf	5.78	3	Horizontal	247	1.24	-	96.59	33.37	6.89	34.48
PK	5.934G	55.45	68.20	-12.75	6.84	3	Horizontal	247	1.24	-	48.61	34.30	7.05	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38272G	41.43	54.00	-12.57	14.87	3	Vertical	332	2.17	-	26.56	39.03	9.87	34.03
PK	7.11206G	48.89	68.20	-19.31	9.95	3	Vertical	215	1.63	-	38.94	36.60	8.10	34.75
PK	11.38068G	53.97	74.00	-20.03	14.88	3	Vertical	332	2.17	-	39.09	39.04	9.87	34.03
PK	17.06626G	56.83	68.20	-11.37	16.75	3	Vertical	133	2.79	-	40.08	38.40	12.26	33.91

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38444G	41.44	54.00	-12.56	14.87	3	Horizontal	249	2.38	-	26.57	39.03	9.87	34.03
PK	7.11286G	48.93	68.20	-19.27	9.95	3	Horizontal	209	1.70	-	38.98	36.60	8.10	34.75
PK	11.3841G	53.77	74.00	-20.23	14.87	3	Horizontal	249	2.38	-	38.90	39.03	9.87	34.03
PK	17.06894G	56.54	68.20	-11.66	16.75	3	Horizontal	263	2.77	-	39.79	38.40	12.26	33.91

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	96.03	Inf	-Inf	6.25	3	Vertical	148	1.40	-	89.78	33.82	6.92	34.49
PK	5.6406G	56.52	68.20	-11.68	5.67	3	Vertical	148	1.40	-	50.85	33.28	6.87	34.48
PK	5.7894G	104.20	Inf	-Inf	6.32	3	Vertical	148	1.40	-	97.88	33.88	6.93	34.49
PK	5.9502G	56.43	68.20	-11.77	6.96	3	Vertical	148	1.40	-	49.47	34.40	7.07	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.781G	94.50	Inf	-Inf	6.29	3	Horizontal	246	1.20	-	88.21	33.86	6.92	34.49
PK	5.6442G	55.28	68.20	-12.92	5.69	3	Horizontal	246	1.20	-	49.59	33.29	6.88	34.48
PK	5.7714G	103.35	Inf	-Inf	6.27	3	Horizontal	246	1.20	-	97.08	33.84	6.92	34.49
PK	6.0702G	55.76	68.20	-12.44	6.91	3	Horizontal	246	1.20	-	48.85	34.32	7.13	34.54

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54948G	41.05	54.00	-12.95	14.90	3	Vertical	69	2.45	-	26.15	38.95	9.93	33.98
PK	7.21911G	49.43	68.20	-18.77	10.23	3	Vertical	194	1.59	-	39.20	36.84	8.17	34.78
PK	11.54808G	52.83	74.00	-21.17	14.90	3	Vertical	69	2.45	-	37.93	38.95	9.93	33.98
PK	17.32036G	57.08	68.20	-11.12	16.81	3	Vertical	302	2.90	-	40.27	38.56	12.36	34.11

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54532G	41.03	54.00	-12.97	14.90	3	Horizontal	359	1.25	-	26.13	38.95	9.93	33.98
PK	7.21911G	50.36	68.20	-17.84	10.23	3	Horizontal	170	1.53	-	40.13	36.84	8.17	34.78
PK	11.54776G	52.80	74.00	-21.20	14.90	3	Horizontal	359	1.25	-	37.90	38.95	9.93	33.98
PK	17.3221G	56.56	68.20	-11.64	16.83	3	Horizontal	310	1.36	-	39.73	38.57	12.37	34.11

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.44	54.00	-7.56	5.15	3	Vertical	140	1.70	-	41.29	33.10	6.49	34.44
AV	5.2032G	89.58	Inf	-Inf	5.08	3	Vertical	140	1.70	-	84.50	32.99	6.53	34.44
AV	5.4036G	46.46	54.00	-7.54	5.32	3	Vertical	140	1.70	-	41.14	33.01	6.76	34.45
PK	5.15G	57.05	74.00	-16.95	5.15	3	Vertical	140	1.70	-	51.90	33.10	6.49	34.44
PK	5.202G	97.62	Inf	-Inf	5.09	3	Vertical	140	1.70	-	92.53	33.00	6.53	34.44
PK	5.4816G	54.45	68.20	-13.75	5.50	3	Vertical	140	1.70	-	48.95	33.16	6.80	34.46

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.76	54.00	-8.24	5.15	3	Horizontal	243	1.54	-	40.61	33.10	6.49	34.44
AV	5.1984G	86.78	Inf	-Inf	5.09	3	Horizontal	243	1.54	-	81.69	33.00	6.53	34.44
AV	5.4108G	43.95	54.00	-10.05	5.34	3	Horizontal	243	1.54	-	38.61	33.02	6.77	34.45
PK	5.15G	57.15	74.00	-16.85	5.15	3	Horizontal	243	1.54	-	52.00	33.10	6.49	34.44
PK	5.2032G	95.65	Inf	-Inf	5.08	3	Horizontal	243	1.54	-	90.57	32.99	6.53	34.44
PK	5.4672G	53.94	68.20	-14.26	5.46	3	Horizontal	243	1.54	-	48.48	33.13	6.79	34.46

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74842G	43.94	54.00	-10.06	15.56	3	Vertical	46	2.32	-	28.38	38.45	11.72	34.61
PK	6.5625G	56.81	68.20	-11.39	8.42	3	Vertical	166	1.63	-	48.39	35.67	7.40	34.65
PK	10.49848G	53.10	68.20	-15.10	13.68	3	Vertical	216	1.33	-	39.42	38.60	9.56	34.48
PK	15.75204G	55.90	74.00	-18.10	15.56	3	Vertical	46	2.32	-	40.34	38.45	11.72	34.61

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75006G	43.95	54.00	-10.05	15.56	3	Horizontal	15	2.40	-	28.39	38.45	11.72	34.61
PK	6.5625G	54.12	68.20	-14.08	8.42	3	Horizontal	140	1.62	-	45.70	35.67	7.40	34.65
PK	10.49632G	53.06	68.20	-15.14	13.67	3	Horizontal	100	2.53	-	39.39	38.60	9.56	34.49
PK	15.7536G	56.20	74.00	-17.80	15.57	3	Horizontal	15	2.40	-	40.63	38.45	11.73	34.61

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.61	54.00	-9.39	5.45	3	Vertical	149	1.49	-	39.16	33.12	6.79	34.46
AV	5.6012G	90.67	Inf	-Inf	5.59	3	Vertical	149	1.49	-	85.08	33.20	6.86	34.47
PK	5.4692G	55.71	68.20	-12.49	5.47	3	Vertical	149	1.49	-	50.24	33.14	6.79	34.46
PK	5.6072G	98.88	Inf	-Inf	5.60	3	Vertical	149	1.49	-	93.28	33.21	6.86	34.47
PK	5.7368G	63.82	68.20	-4.38	6.11	3	Vertical	149	1.49	-	57.71	33.69	6.91	34.49

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.27	54.00	-10.73	5.45	3	Horizontal	248	1.30	-	37.82	33.12	6.79	34.46
AV	5.6024G	87.95	Inf	-Inf	5.59	3	Horizontal	248	1.30	-	82.36	33.20	6.86	34.47
PK	5.4644G	53.45	68.20	-14.75	5.46	3	Horizontal	248	1.30	-	47.99	33.13	6.79	34.46
PK	5.606G	97.35	Inf	-Inf	5.60	3	Horizontal	248	1.30	-	91.75	33.21	6.86	34.47
PK	5.7344G	60.76	68.20	-7.44	6.10	3	Horizontal	248	1.30	-	54.66	33.68	6.91	34.49

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13968G	41.53	54.00	-12.47	14.56	3	Vertical	227	1.77	-	26.97	38.98	9.78	34.20
PK	6.96234G	50.67	68.20	-17.53	9.23	3	Vertical	197	1.52	-	41.44	36.00	7.93	34.70
PK	11.14144G	53.51	74.00	-20.49	14.57	3	Vertical	227	1.77	-	38.94	38.98	9.79	34.20
PK	16.71034G	56.61	68.20	-11.59	16.56	3	Vertical	85	1.06	-	40.05	38.78	12.12	34.34

802.11ac VHT160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1395G	41.53	54.00	-12.47	14.56	3	Horizontal	334	1.07	-	26.97	38.98	9.78	34.20
PK	6.96246G	50.87	68.20	-17.33	9.23	3	Horizontal	206	1.56	-	41.64	36.00	7.93	34.70
PK	11.1353G	53.91	74.00	-20.09	14.54	3	Horizontal	334	1.07	-	39.37	38.97	9.78	34.21
PK	16.70504G	56.30	68.20	-11.90	16.56	3	Horizontal	77	2.01	-	39.74	38.79	12.12	34.35

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.66	54.00	-8.34	5.15	3	Vertical	139	1.67	-	40.51	33.10	6.49	34.44
AV	5.1878G	100.19	Inf	-Inf	5.10	3	Vertical	139	1.67	-	95.09	33.02	6.52	34.44
PK	5.1476G	57.22	74.00	-16.78	5.15	3	Vertical	139	1.67	-	52.07	33.10	6.49	34.44
PK	5.1808G	111.20	Inf	-Inf	5.12	3	Vertical	139	1.67	-	106.08	33.04	6.52	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.85	54.00	-9.15	5.15	3	Horizontal	245	1.50	-	39.70	33.10	6.49	34.44
AV	5.1824G	98.26	Inf	-Inf	5.12	3	Horizontal	245	1.50	-	93.14	33.04	6.52	34.44
PK	5.1482G	56.43	74.00	-17.57	5.15	3	Horizontal	245	1.50	-	51.28	33.10	6.49	34.44
PK	5.1826G	109.25	Inf	-Inf	5.11	3	Horizontal	245	1.50	-	104.14	33.03	6.52	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54948G	43.58	54.00	-10.42	15.86	3	Vertical	302	1.51	-	27.72	38.70	11.64	34.48
PK	6.47502G	51.18	68.20	-17.02	8.06	3	Vertical	143	1.47	-	43.12	35.35	7.34	34.63
PK	10.37032G	53.91	68.20	-14.29	13.50	3	Vertical	116	1.41	-	40.41	38.67	9.51	34.68
PK	15.53946G	55.58	74.00	-18.42	15.87	3	Vertical	302	1.51	-	39.71	38.72	11.63	34.48

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54714G	43.58	54.00	-10.42	15.87	3	Horizontal	229	1.94	-	27.71	38.71	11.64	34.48
PK	6.47499G	52.16	68.20	-16.04	8.06	3	Horizontal	248	1.00	-	44.10	35.35	7.34	34.63
PK	10.35274G	53.22	68.20	-14.98	13.45	3	Horizontal	146	2.14	-	39.77	38.65	9.51	34.71
PK	15.53796G	56.18	74.00	-17.82	15.88	3	Horizontal	229	1.94	-	40.30	38.72	11.63	34.47

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.38	54.00	-9.62	5.15	3	Vertical	140	1.73	-	39.23	33.10	6.49	34.44
AV	5.1972G	102.15	Inf	-Inf	5.10	3	Vertical	140	1.73	-	97.05	33.01	6.53	34.44
PK	5.1404G	55.24	74.00	-18.76	5.17	3	Vertical	140	1.73	-	50.07	33.12	6.49	34.44
PK	5.1976G	114.09	Inf	-Inf	5.09	3	Vertical	140	1.73	-	109.00	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.88	54.00	-10.12	5.15	3	Horizontal	252	1.52	-	38.73	33.10	6.49	34.44
AV	5.1976G	99.89	Inf	-Inf	5.09	3	Horizontal	252	1.52	-	94.80	33.00	6.53	34.44
PK	5.15G	55.42	74.00	-18.58	5.15	3	Horizontal	252	1.52	-	50.27	33.10	6.49	34.44
PK	5.2044G	110.43	Inf	-Inf	5.09	3	Horizontal	252	1.52	-	105.34	32.99	6.54	34.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58968G	44.84	54.00	-9.16	15.77	3	Vertical	211	1.89	-	29.07	38.62	11.66	34.51
PK	6.50017G	51.45	68.20	-16.75	8.32	3	Vertical	62	2.40	-	43.13	35.60	7.36	34.64
PK	10.40084G	52.88	68.20	-15.32	13.59	3	Vertical	29	2.25	-	39.29	38.70	9.52	34.63
PK	15.609G	59.44	74.00	-14.56	15.72	3	Vertical	211	1.89	-	43.72	38.58	11.66	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58914G	44.84	54.00	-9.16	15.77	3	Horizontal	186	1.50	-	29.07	38.62	11.66	34.51
PK	6.50004G	51.53	68.20	-16.67	8.32	3	Horizontal	248	1.00	-	43.21	35.60	7.36	34.64
PK	10.38848G	52.95	68.20	-15.25	13.56	3	Horizontal	289	1.38	-	39.39	38.69	9.52	34.65
PK	15.60516G	58.74	74.00	-15.26	15.73	3	Horizontal	186	1.50	-	43.01	38.59	11.66	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.88	54.00	-11.12	5.15	3	Vertical	140	1.67	-	37.73	33.10	6.49	34.44
AV	5.234G	102.31	Inf	-Inf	5.06	3	Vertical	140	1.67	-	97.25	32.93	6.57	34.44
AV	5.3516G	43.32	54.00	-10.68	5.15	3	Vertical	140	1.67	-	38.17	32.90	6.70	34.45
PK	5.1344G	53.87	74.00	-20.13	5.17	3	Vertical	140	1.67	-	48.70	33.13	6.48	34.44
PK	5.2424G	113.05	Inf	-Inf	5.06	3	Vertical	140	1.67	-	107.99	32.92	6.58	34.44
PK	5.354G	54.50	74.00	-19.50	5.17	3	Vertical	140	1.67	-	49.33	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.54	54.00	-11.46	5.15	3	Horizontal	253	1.52	-	37.39	33.10	6.49	34.44
AV	5.2322G	99.47	Inf	-Inf	5.07	3	Horizontal	253	1.52	-	94.40	32.94	6.57	34.44
AV	5.3576G	42.38	54.00	-11.62	5.18	3	Horizontal	253	1.52	-	37.20	32.92	6.71	34.45
PK	5.111G	54.58	74.00	-19.42	5.20	3	Horizontal	253	1.52	-	49.38	33.18	6.46	34.44
PK	5.2412G	109.12	Inf	-Inf	5.06	3	Horizontal	253	1.52	-	104.06	32.92	6.58	34.44
PK	5.3522G	53.45	74.00	-20.55	5.16	3	Horizontal	253	1.52	-	48.29	32.90	6.71	34.45