


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71924G	44.14	54.00	-9.86	15.54	3	Vertical	191	1.94	-	28.60	38.42	11.71	34.59
PK	6.54988G	50.17	68.20	-18.03	8.34	3	Vertical	141	1.48	-	41.83	35.60	7.39	34.65
PK	10.48564G	54.90	68.20	-13.30	13.66	3	Vertical	89	1.50	-	41.24	38.61	9.55	34.50
PK	15.71248G	57.07	74.00	-16.93	15.53	3	Vertical	191	1.94	-	41.54	38.41	11.71	34.59

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72532G	43.86	54.00	-10.14	15.55	3	Horizontal	215	1.01	-	28.31	38.43	11.71	34.59
PK	6.54988G	50.54	68.20	-17.66	8.34	3	Horizontal	251	1.54	-	42.20	35.60	7.39	34.65
PK	10.47276G	52.66	68.20	-15.54	13.66	3	Horizontal	31	2.47	-	39.00	38.63	9.55	34.52
PK	15.72688G	56.57	74.00	-17.43	15.54	3	Horizontal	215	1.01	-	41.03	38.43	11.71	34.60

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.88	54.00	-11.12	5.15	3	Vertical	139	1.74	-	37.73	33.10	6.49	34.44
AV	5.2648G	102.46	Inf	-Inf	5.11	3	Vertical	139	1.74	-	97.35	32.96	6.60	34.45
AV	5.3578G	43.86	54.00	-10.14	5.18	3	Vertical	139	1.74	-	38.68	32.92	6.71	34.45
PK	5.1472G	53.61	74.00	-20.39	5.16	3	Vertical	139	1.74	-	48.45	33.11	6.49	34.44
PK	5.2648G	112.76	Inf	-Inf	5.11	3	Vertical	139	1.74	-	107.65	32.96	6.60	34.45
PK	5.3872G	55.09	74.00	-18.91	5.27	3	Vertical	139	1.74	-	49.82	32.97	6.75	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.63	54.00	-11.37	5.15	3	Horizontal	242	1.64	-	37.48	33.10	6.49	34.44
AV	5.254G	98.87	Inf	-Inf	5.06	3	Horizontal	242	1.64	-	93.81	32.92	6.59	34.45
AV	5.356G	42.45	54.00	-11.55	5.17	3	Horizontal	242	1.64	-	37.28	32.91	6.71	34.45
PK	5.1466G	54.71	74.00	-19.29	5.16	3	Horizontal	242	1.64	-	49.55	33.11	6.49	34.44
PK	5.2522G	109.40	Inf	-Inf	5.05	3	Horizontal	242	1.64	-	104.35	32.91	6.59	34.45
PK	5.3926G	54.37	74.00	-19.63	5.29	3	Horizontal	242	1.64	-	49.08	32.99	6.75	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77384G	43.92	54.00	-10.08	15.57	3	Vertical	150	1.48	-	28.35	38.47	11.73	34.63
PK	6.5752G	50.28	68.20	-17.92	8.51	3	Vertical	142	1.49	-	41.77	35.75	7.41	34.65
PK	10.52552G	52.08	68.20	-16.12	13.83	3	Vertical	113	1.82	-	38.25	38.73	9.57	34.47
PK	15.776G	56.01	74.00	-17.99	15.58	3	Vertical	150	1.48	-	40.43	38.48	11.73	34.63

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78368G	43.88	54.00	-10.12	15.59	3	Horizontal	227	1.98	-	28.29	38.48	11.74	34.63
PK	6.57496G	51.26	68.20	-16.94	8.51	3	Horizontal	250	1.48	-	42.75	35.75	7.41	34.65
PK	10.51156G	52.20	68.20	-16.00	13.74	3	Horizontal	120	1.68	-	38.46	38.66	9.56	34.48
PK	15.78664G	56.25	74.00	-17.75	15.60	3	Horizontal	227	1.98	-	40.65	38.49	11.74	34.63

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	101.87	Inf	-Inf	5.28	3	Vertical	156	1.49	-	96.59	33.09	6.64	34.45
AV	5.35G	46.05	54.00	-7.95	5.15	3	Vertical	156	1.49	-	40.90	32.90	6.70	34.45
PK	5.296G	113.38	Inf	-Inf	5.27	3	Vertical	156	1.49	-	108.11	33.08	6.64	34.45
PK	5.352G	59.76	74.00	-14.24	5.15	3	Vertical	156	1.49	-	54.61	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	98.69	Inf	-Inf	5.28	3	Horizontal	253	1.42	-	93.41	33.09	6.64	34.45
AV	5.35G	43.91	54.00	-10.09	5.15	3	Horizontal	253	1.42	-	38.76	32.90	6.70	34.45
PK	5.296G	109.10	Inf	-Inf	5.27	3	Horizontal	253	1.42	-	103.83	33.08	6.64	34.45
PK	5.35G	60.44	74.00	-13.56	5.15	3	Horizontal	253	1.42	-	55.29	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8978G	43.81	54.00	-10.19	15.49	3	Vertical	316	1.54	-	28.32	38.40	11.79	34.70
PK	6.62488G	49.51	68.20	-18.69	8.64	3	Vertical	140	1.46	-	40.87	35.85	7.45	34.66
PK	10.5972G	53.31	68.20	-14.89	14.23	3	Vertical	176	1.11	-	39.08	39.09	9.59	34.45
PK	15.89744G	55.46	74.00	-18.54	15.49	3	Vertical	316	1.54	-	39.97	38.40	11.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89456G	43.81	54.00	-10.19	15.50	3	Horizontal	174	1.96	-	28.31	38.41	11.79	34.70
PK	6.62484G	50.81	68.20	-17.39	8.64	3	Horizontal	250	1.50	-	42.17	35.85	7.45	34.66
PK	10.59688G	52.95	68.20	-15.25	14.22	3	Horizontal	288	2.98	-	38.73	39.08	9.59	34.45
PK	15.9022G	56.08	74.00	-17.92	15.48	3	Horizontal	174	1.96	-	40.60	38.40	11.79	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	100.86	Inf	-Inf	5.25	3	Vertical	139	1.71	-	95.61	33.03	6.67	34.45
AV	5.35G	45.71	54.00	-8.29	5.15	3	Vertical	139	1.71	-	40.56	32.90	6.70	34.45
PK	5.3214G	112.15	Inf	-Inf	5.23	3	Vertical	139	1.71	-	106.92	33.01	6.67	34.45
PK	5.353G	59.53	74.00	-14.47	5.17	3	Vertical	139	1.71	-	54.36	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	96.62	Inf	-Inf	5.23	3	Horizontal	252	1.46	-	91.39	33.01	6.67	34.45
AV	5.35G	43.62	54.00	-10.38	5.15	3	Horizontal	252	1.46	-	38.47	32.90	6.70	34.45
PK	5.3192G	109.54	Inf	-Inf	5.24	3	Horizontal	252	1.46	-	104.30	33.02	6.67	34.45
PK	5.3562G	55.88	74.00	-18.12	5.17	3	Horizontal	252	1.46	-	50.71	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63204G	40.62	54.00	-13.38	14.24	3	Vertical	161	2.07	-	26.38	39.07	9.60	34.43
AV	15.958G	43.94	54.00	-10.06	15.41	3	Vertical	342	2.17	-	28.53	38.34	11.81	34.74
PK	6.65G	49.90	68.20	-18.30	8.62	3	Vertical	141	1.47	-	41.28	35.80	7.48	34.66
PK	10.64592G	52.73	74.00	-21.27	14.23	3	Vertical	161	2.07	-	38.50	39.05	9.61	34.43
PK	15.96976G	56.62	74.00	-17.38	15.40	3	Vertical	342	2.17	-	41.22	38.33	11.82	34.75

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63392G	40.62	54.00	-13.38	14.25	3	Horizontal	222	1.64	-	26.37	39.07	9.61	34.43
AV	15.95184G	43.91	54.00	-10.09	15.42	3	Horizontal	6	2.13	-	28.49	38.35	11.81	34.74
PK	6.65G	51.21	68.20	-16.99	8.62	3	Horizontal	250	1.54	-	42.59	35.80	7.48	34.66
PK	10.64932G	52.81	74.00	-21.19	14.23	3	Horizontal	222	1.64	-	38.58	39.05	9.61	34.43
PK	15.96036G	56.57	74.00	-17.43	15.41	3	Horizontal	6	2.13	-	41.16	38.34	11.81	34.74

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	44.90	54.00	-9.10	5.45	3	Vertical	137	1.66	-	39.45	33.12	6.79	34.46
AV	5.5058G	101.54	Inf	-Inf	5.53	3	Vertical	137	1.66	-	96.01	33.18	6.81	34.46
PK	5.4686G	58.45	68.20	-9.75	5.47	3	Vertical	137	1.66	-	52.98	33.14	6.79	34.46
PK	5.5032G	113.13	Inf	-Inf	5.54	3	Vertical	137	1.66	-	107.59	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	43.30	54.00	-10.70	5.45	3	Horizontal	249	1.41	-	37.85	33.12	6.79	34.46
AV	5.4922G	98.10	Inf	-Inf	5.53	3	Horizontal	249	1.41	-	92.57	33.18	6.81	34.46
PK	5.462G	55.23	68.20	-12.97	5.45	3	Horizontal	249	1.41	-	49.78	33.12	6.79	34.46
PK	5.493G	109.92	Inf	-Inf	5.54	3	Horizontal	249	1.41	-	104.38	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9918G	41.04	54.00	-12.96	14.22	3	Vertical	336	2.86	-	26.82	38.79	9.73	34.30
PK	6.87228G	48.86	68.20	-19.34	8.96	3	Vertical	154	1.42	-	39.90	35.89	7.76	34.69
PK	11.00268G	53.11	74.00	-20.89	14.24	3	Vertical	336	2.86	-	38.87	38.80	9.74	34.30
PK	16.4936G	57.44	68.20	-10.76	16.21	3	Vertical	7	2.20	-	41.23	38.87	12.03	34.69

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00756G	41.01	54.00	-12.99	14.26	3	Horizontal	161	2.41	-	26.75	38.81	9.74	34.29
PK	6.88112G	48.78	68.20	-19.42	9.00	3	Horizontal	256	1.56	-	39.78	35.92	7.77	34.69
PK	11.00372G	53.30	74.00	-20.70	14.24	3	Horizontal	161	2.41	-	39.06	38.80	9.74	34.30
PK	16.49064G	57.03	68.20	-11.17	16.19	3	Horizontal	5	1.59	-	40.84	38.85	12.03	34.69

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.15	54.00	-10.85	5.45	3	Vertical	134	1.78	-	37.70	33.12	6.79	34.46
AV	5.5854G	103.29	Inf	-Inf	5.52	3	Vertical	134	1.78	-	97.77	33.14	6.85	34.47
PK	5.4678G	54.58	68.20	-13.62	5.47	3	Vertical	134	1.78	-	49.11	33.14	6.79	34.46
PK	5.5746G	114.82	Inf	-Inf	5.48	3	Vertical	134	1.78	-	109.34	33.10	6.85	34.47
PK	5.7288G	53.74	68.20	-14.46	6.05	3	Vertical	134	1.78	-	47.69	33.63	6.91	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.47	54.00	-11.53	5.45	3	Horizontal	249	1.36	-	37.02	33.12	6.79	34.46
AV	5.5848G	100.85	Inf	-Inf	5.52	3	Horizontal	249	1.36	-	95.33	33.14	6.85	34.47
PK	5.4624G	53.26	68.20	-14.94	5.45	3	Horizontal	249	1.36	-	47.81	33.12	6.79	34.46
PK	5.5854G	112.06	Inf	-Inf	5.52	3	Horizontal	249	1.36	-	106.54	33.14	6.85	34.47
PK	5.7252G	54.24	68.20	-13.96	6.01	3	Horizontal	249	1.36	-	48.23	33.60	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1666G	41.46	54.00	-12.54	14.64	3	Vertical	312	2.09	-	26.82	39.03	9.79	34.18
PK	6.97244G	48.89	68.20	-19.31	9.24	3	Vertical	191	1.25	-	39.65	36.00	7.95	34.71
PK	11.15444G	53.27	74.00	-20.73	14.61	3	Vertical	312	2.09	-	38.66	39.01	9.79	34.19
PK	16.7464G	55.94	68.20	-12.26	16.56	3	Vertical	71	2.94	-	39.38	38.71	12.13	34.28


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16044G	41.28	54.00	-12.72	14.62	3	Horizontal	270	2.94	-	26.66	39.02	9.79	34.19
PK	6.97496G	49.04	68.20	-19.16	9.24	3	Horizontal	254	1.00	-	39.80	36.00	7.95	34.71
PK	11.16112G	53.47	74.00	-20.53	14.62	3	Horizontal	270	2.94	-	38.85	39.02	9.79	34.19
PK	16.73248G	56.21	68.20	-11.99	16.57	3	Horizontal	215	2.35	-	39.64	38.74	12.13	34.30

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	100.08	Inf	-Inf	5.83	3	Vertical	136	1.58	-	94.25	33.41	6.90	34.48
PK	5.7052G	112.15	Inf	-Inf	5.86	3	Vertical	136	1.58	-	106.29	33.44	6.90	34.48
PK	5.726G	59.46	68.20	-8.74	6.02	3	Vertical	136	1.58	-	53.44	33.61	6.90	34.49


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	99.01	Inf	-Inf	5.84	3	Horizontal	250	1.29	-	93.17	33.42	6.90	34.48
PK	5.6988G	110.12	Inf	-Inf	5.81	3	Horizontal	250	1.29	-	104.31	33.40	6.89	34.48
PK	5.7252G	59.90	68.20	-8.30	6.01	3	Horizontal	250	1.29	-	53.89	33.60	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3988G	41.46	54.00	-12.54	14.86	3	Vertical	177	2.74	-	26.60	39.00	9.88	34.02
PK	7.125G	49.74	68.20	-18.46	10.06	3	Vertical	163	1.77	-	39.68	36.70	8.11	34.75
PK	11.404G	53.89	74.00	-20.11	14.86	3	Vertical	177	2.74	-	39.03	39.00	9.88	34.02
PK	17.10332G	56.98	68.20	-11.22	16.74	3	Vertical	0	1.50	-	40.24	38.40	12.28	33.94

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39864G	41.46	54.00	-12.54	14.86	3	Horizontal	73	1.21	-	26.60	39.00	9.88	34.02
PK	7.13044G	49.54	68.20	-18.66	10.11	3	Horizontal	247	1.15	-	39.43	36.74	8.12	34.75
PK	11.4004G	54.54	74.00	-19.46	14.86	3	Horizontal	73	1.21	-	39.68	39.00	9.88	34.02
PK	17.09848G	56.28	68.20	-11.92	16.73	3	Horizontal	214	1.50	-	39.55	38.40	12.27	33.94

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	42.38	54.00	-11.62	5.43	3	Vertical	136	1.73	-	36.95	33.10	6.79	34.46
AV	5.7176G	102.22	Inf	-Inf	5.95	3	Vertical	136	1.73	-	96.27	33.54	6.90	34.49
PK	5.4692G	53.35	68.20	-14.85	5.47	3	Vertical	136	1.73	-	47.88	33.14	6.79	34.46
PK	5.7152G	112.75	Inf	-Inf	5.93	3	Vertical	136	1.73	-	106.82	33.52	6.90	34.49
PK	5.9804G	55.30	68.20	-12.90	6.85	3	Vertical	136	1.73	-	48.45	34.28	7.09	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	42.09	54.00	-11.91	5.42	3	Horizontal	250	1.16	-	36.67	33.10	6.78	34.46
AV	5.7212G	102.19	Inf	-Inf	5.98	3	Horizontal	250	1.16	-	96.21	33.57	6.90	34.49
PK	5.4668G	52.85	68.20	-15.35	5.46	3	Horizontal	250	1.16	-	47.39	33.13	6.79	34.46
PK	5.7212G	111.69	Inf	-Inf	5.98	3	Horizontal	250	1.16	-	105.71	33.57	6.90	34.49
PK	5.8676G	56.02	68.20	-12.18	6.65	3	Horizontal	250	1.16	-	49.37	34.16	6.99	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43576G	41.35	54.00	-12.65	14.90	3	Vertical	360	2.08	-	26.45	39.00	9.89	33.99
PK	7.1462G	50.25	68.20	-17.95	10.24	3	Vertical	154	1.48	-	40.01	36.87	8.13	34.76
PK	11.43604G	53.52	74.00	-20.48	14.90	3	Vertical	360	2.08	-	38.62	39.00	9.89	33.99
PK	17.16752G	56.89	68.20	-11.31	16.71	3	Vertical	188	2.54	-	40.18	38.40	12.30	33.99

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43048G	41.36	54.00	-12.64	14.89	3	Horizontal	44	1.50	-	26.47	39.00	9.89	34.00
PK	7.14116G	49.77	68.20	-18.43	10.20	3	Horizontal	246	1.50	-	39.57	36.83	8.13	34.76
PK	11.43652G	54.49	74.00	-19.51	14.90	3	Horizontal	44	1.50	-	39.59	39.00	9.89	33.99
PK	17.15616G	56.57	68.20	-11.63	16.72	3	Horizontal	221	1.50	-	39.85	38.40	12.30	33.98

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	102.02	Inf	-Inf	6.22	3	Vertical	138	1.54	-	95.80	33.80	6.91	34.49
PK	5.6022G	54.41	68.20	-13.79	5.59	3	Vertical	138	1.54	-	48.82	33.20	6.86	34.47
PK	5.7498G	111.59	Inf	-Inf	6.22	3	Vertical	138	1.54	-	105.37	33.80	6.91	34.49
PK	6.0102G	55.26	68.20	-12.94	6.83	3	Vertical	138	1.54	-	48.43	34.24	7.11	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	102.91	Inf	-Inf	6.23	3	Horizontal	251	1.06	-	96.68	33.81	6.91	34.49
PK	5.487G	54.96	68.20	-13.24	5.51	3	Horizontal	251	1.06	-	49.45	33.17	6.80	34.46
PK	5.7378G	114.82	Inf	-Inf	6.12	3	Horizontal	251	1.06	-	108.70	33.70	6.91	34.49
PK	5.9418G	55.72	68.20	-12.48	6.90	3	Horizontal	251	1.06	-	48.82	34.35	7.06	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48184G	41.45	54.00	-12.55	14.95	3	Vertical	323	3.00	-	26.50	39.00	9.91	33.96
PK	7.18133G	49.68	68.20	-18.52	10.23	3	Vertical	190	1.05	-	39.45	36.84	8.16	34.77
PK	11.4812G	53.53	74.00	-20.47	14.95	3	Vertical	323	3.00	-	38.58	39.00	9.91	33.96
PK	17.24G	57.25	68.20	-10.95	16.72	3	Vertical	198	1.24	-	40.53	38.44	12.33	34.05

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49504G	41.48	54.00	-12.52	14.96	3	Horizontal	360	2.17	-	26.52	39.00	9.91	33.95
PK	7.18117G	49.99	68.20	-18.21	10.23	3	Horizontal	253	1.67	-	39.76	36.84	8.16	34.77
PK	11.49768G	54.07	74.00	-19.93	14.96	3	Horizontal	360	2.17	-	39.11	39.00	9.91	33.95
PK	17.24288G	56.26	68.20	-11.94	16.72	3	Horizontal	183	1.84	-	39.54	38.44	12.33	34.05

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	101.77	Inf	-Inf	6.29	3	Vertical	153	1.40	-	95.48	33.86	6.92	34.49
PK	5.6302G	55.14	68.20	-13.06	5.65	3	Vertical	153	1.40	-	49.49	33.26	6.87	34.48
PK	5.7826G	111.61	Inf	-Inf	6.30	3	Vertical	153	1.40	-	105.31	33.87	6.92	34.49
PK	5.9374G	55.47	68.20	-12.73	6.86	3	Vertical	153	1.40	-	48.61	34.32	7.05	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	102.17	Inf	-Inf	6.29	3	Horizontal	249	1.20	-	95.88	33.86	6.92	34.49
PK	5.6158G	54.00	68.20	-14.20	5.63	3	Horizontal	249	1.20	-	48.37	33.23	6.87	34.47
PK	5.7826G	112.40	Inf	-Inf	6.30	3	Horizontal	249	1.20	-	106.10	33.87	6.92	34.49
PK	6.0106G	55.06	68.20	-13.14	6.83	3	Horizontal	249	1.20	-	48.23	34.24	7.11	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57436G	40.83	54.00	-13.17	14.87	3	Vertical	330	2.44	-	25.96	38.93	9.94	34.00
PK	7.22209G	49.66	68.20	-18.54	10.23	3	Vertical	163	1.80	-	39.43	36.84	8.17	34.78
PK	11.57872G	53.88	74.00	-20.12	14.86	3	Vertical	330	2.44	-	39.02	38.92	9.94	34.00
PK	17.3616G	57.03	68.20	-11.17	16.92	3	Vertical	204	2.68	-	40.11	38.68	12.38	34.14

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5798G	40.90	54.00	-13.10	14.86	3	Horizontal	275	1.08	-	26.04	38.92	9.94	34.00
PK	7.23349G	49.83	68.20	-18.37	10.26	3	Horizontal	219	1.00	-	39.57	36.87	8.17	34.78
PK	11.56172G	53.55	74.00	-20.45	14.88	3	Horizontal	275	1.08	-	38.67	38.94	9.93	33.99
PK	17.36132G	56.81	68.20	-11.39	16.92	3	Horizontal	349	1.50	-	39.89	38.68	12.38	34.14

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	102.57	Inf	-Inf	6.47	3	Vertical	138	1.55	-	96.10	34.02	6.95	34.50
PK	5.6426G	55.52	68.20	-12.68	5.68	3	Vertical	138	1.55	-	49.84	33.29	6.87	34.48
PK	5.8238G	111.87	Inf	-Inf	6.49	3	Vertical	138	1.55	-	105.38	34.04	6.95	34.50
PK	6.053G	55.59	68.20	-12.61	6.99	3	Vertical	138	1.55	-	48.60	34.39	7.13	34.53

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	102.60	Inf	-Inf	6.51	3	Horizontal	250	1.12	-	96.09	34.06	6.95	34.50
PK	5.6054G	53.16	68.20	-15.04	5.60	3	Horizontal	250	1.12	-	47.56	33.21	6.86	34.47
PK	5.8226G	113.11	Inf	-Inf	6.49	3	Horizontal	250	1.12	-	106.62	34.04	6.95	34.50
PK	5.9978G	55.29	68.20	-12.91	6.80	3	Horizontal	250	1.12	-	48.49	34.21	7.11	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28105G	37.65	54.00	-16.35	10.13	3	Vertical	153	1.51	-	27.52	36.78	8.15	34.80
AV	11.64676G	40.95	54.00	-13.05	14.77	3	Vertical	73	1.47	-	26.18	38.85	9.96	34.04
PK	7.27625G	49.41	74.00	-24.59	10.15	3	Vertical	153	1.51	-	39.26	36.80	8.15	34.80
PK	11.6422G	53.57	74.00	-20.43	14.78	3	Vertical	73	1.47	-	38.79	38.86	9.96	34.04
PK	17.47116G	57.29	68.20	-10.91	17.07	3	Vertical	301	1.50	-	40.22	38.87	12.43	34.23

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28113G	37.65	54.00	-16.35	10.13	3	Horizontal	254	1.40	-	27.52	36.78	8.15	34.80
AV	11.64624G	40.96	54.00	-13.04	14.77	3	Horizontal	89	1.50	-	26.19	38.85	9.96	34.04
PK	7.28929G	49.69	74.00	-24.31	10.09	3	Horizontal	254	1.40	-	39.60	36.74	8.15	34.80
PK	11.6584G	53.33	74.00	-20.67	14.76	3	Horizontal	89	1.50	-	38.57	38.84	9.97	34.05
PK	17.48168G	57.05	68.20	-11.15	17.07	3	Horizontal	294	1.05	-	39.98	38.88	12.43	34.24

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.90	54.00	-5.10	5.15	3	Vertical	156	1.52	-	43.75	33.10	6.49	34.44
AV	5.1948G	96.19	Inf	-Inf	5.10	3	Vertical	156	1.52	-	91.09	33.01	6.53	34.44
PK	5.1484G	63.96	74.00	-10.04	5.15	3	Vertical	156	1.52	-	58.81	33.10	6.49	34.44
PK	5.1976G	107.25	Inf	-Inf	5.09	3	Vertical	156	1.52	-	102.16	33.00	6.53	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.61	54.00	-5.39	5.15	3	Horizontal	245	1.60	-	43.46	33.10	6.49	34.44
AV	5.1756G	94.62	Inf	-Inf	5.12	3	Horizontal	245	1.60	-	89.50	33.05	6.51	34.44
PK	5.148G	64.31	74.00	-9.69	5.15	3	Horizontal	245	1.60	-	59.16	33.10	6.49	34.44
PK	5.1932G	105.24	Inf	-Inf	5.09	3	Horizontal	245	1.60	-	100.15	33.01	6.52	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55992G	43.63	54.00	-10.37	15.83	3	Vertical	316	2.04	-	27.80	38.68	11.64	34.49
PK	6.48735G	51.55	68.20	-16.65	8.18	3	Vertical	145	1.42	-	43.37	35.47	7.35	34.64
PK	10.38366G	53.56	68.20	-14.64	13.54	3	Vertical	61	2.22	-	40.02	38.68	9.52	34.66
PK	15.57264G	55.37	74.00	-18.63	15.80	3	Vertical	316	2.04	-	39.57	38.65	11.65	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55596G	43.66	54.00	-10.34	15.84	3	Horizontal	40	1.22	-	27.82	38.69	11.64	34.49
PK	6.4876G	52.23	68.20	-15.97	8.19	3	Horizontal	252	1.00	-	44.04	35.48	7.35	34.64
PK	10.37214G	53.51	68.20	-14.69	13.50	3	Horizontal	109	2.19	-	40.01	38.67	9.51	34.68
PK	15.57978G	55.76	74.00	-18.24	15.79	3	Horizontal	40	1.22	-	39.97	38.64	11.65	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.60	54.00	-10.40	5.15	3	Vertical	153	1.50	-	38.45	33.10	6.49	34.44
AV	5.2336G	97.11	Inf	-Inf	5.06	3	Vertical	153	1.50	-	92.05	32.93	6.57	34.44
PK	5.1496G	53.82	74.00	-20.18	5.15	3	Vertical	153	1.50	-	48.67	33.10	6.49	34.44
PK	5.2312G	108.21	Inf	-Inf	5.07	3	Vertical	153	1.50	-	103.14	32.94	6.57	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.53	54.00	-10.47	5.15	3	Horizontal	242	1.53	-	38.38	33.10	6.49	34.44
AV	5.2176G	94.87	Inf	-Inf	5.07	3	Horizontal	242	1.53	-	89.80	32.96	6.55	34.44
PK	5.1488G	54.77	74.00	-19.23	5.15	3	Horizontal	242	1.53	-	49.62	33.10	6.49	34.44
PK	5.2172G	105.72	Inf	-Inf	5.08	3	Horizontal	242	1.53	-	100.64	32.97	6.55	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68814G	43.62	54.00	-10.38	15.55	3	Vertical	190	2.09	-	28.07	38.42	11.70	34.57
PK	6.53765G	50.61	68.20	-17.59	8.33	3	Vertical	144	1.39	-	42.28	35.60	7.38	34.65
PK	10.46498G	53.49	68.20	-14.71	13.66	3	Vertical	108	1.99	-	39.83	38.64	9.55	34.53
PK	15.69078G	55.88	74.00	-18.12	15.55	3	Vertical	190	2.09	-	40.33	38.42	11.70	34.57

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69054G	43.62	54.00	-10.38	15.55	3	Horizontal	6	1.14	-	28.07	38.42	11.70	34.57
PK	6.53738G	51.29	68.20	-16.91	8.33	3	Horizontal	250	1.00	-	42.96	35.60	7.38	34.65
PK	10.47386G	54.78	68.20	-13.42	13.66	3	Horizontal	221	1.74	-	41.12	38.63	9.55	34.52
PK	15.68442G	56.19	74.00	-17.81	15.56	3	Horizontal	6	1.14	-	40.63	38.43	11.70	34.57

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2756G	98.11	Inf	-Inf	5.17	3	Vertical	153	1.56	-	92.94	33.00	6.62	34.45
AV	5.35G	44.90	54.00	-9.10	5.15	3	Vertical	153	1.56	-	39.75	32.90	6.70	34.45
PK	5.2724G	109.34	Inf	-Inf	5.15	3	Vertical	153	1.56	-	104.19	32.99	6.61	34.45
PK	5.35G	58.83	74.00	-15.17	5.15	3	Vertical	153	1.56	-	53.68	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2548G	94.26	Inf	-Inf	5.06	3	Horizontal	253	1.29	-	89.20	32.92	6.59	34.45
AV	5.35G	43.03	54.00	-10.97	5.15	3	Horizontal	253	1.29	-	37.88	32.90	6.70	34.45
PK	5.2572G	105.88	Inf	-Inf	5.08	3	Horizontal	253	1.29	-	100.80	32.93	6.60	34.45
PK	5.3556G	54.53	74.00	-19.47	5.17	3	Horizontal	253	1.29	-	49.36	32.91	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81846G	44.04	54.00	-9.96	15.58	3	Vertical	20	2.31	-	28.46	38.48	11.75	34.65
PK	6.58749G	50.23	68.20	-17.97	8.59	3	Vertical	143	1.40	-	41.64	35.82	7.42	34.65
PK	10.55134G	53.29	68.20	-14.91	13.98	3	Vertical	284	2.01	-	39.31	38.86	9.58	34.46
PK	15.81G	56.36	74.00	-17.64	15.59	3	Vertical	20	2.31	-	40.77	38.49	11.75	34.65

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82302G	44.07	54.00	-9.93	15.57	3	Horizontal	25	1.02	-	28.50	38.48	11.75	34.66
PK	6.58758G	51.30	68.20	-16.90	8.60	3	Horizontal	251	1.60	-	42.70	35.83	7.42	34.65
PK	10.54054G	53.53	68.20	-14.67	13.90	3	Horizontal	126	2.30	-	39.63	38.80	9.57	34.47
PK	15.79806G	56.46	74.00	-17.54	15.60	3	Horizontal	25	1.02	-	40.86	38.50	11.74	34.64

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.32G	97.17	Inf	-Inf	5.24	3	Vertical	152	1.50	-	91.93	33.02	6.67	34.45
AV	5.35G	50.46	54.00	-3.54	5.15	3	Vertical	152	1.50	-	45.31	32.90	6.70	34.45
PK	5.3276G	108.44	Inf	-Inf	5.22	3	Vertical	152	1.50	-	103.22	32.99	6.68	34.45
PK	5.35G	63.59	74.00	-10.41	5.15	3	Vertical	152	1.50	-	58.44	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	93.07	Inf	-Inf	5.28	3	Horizontal	255	1.29	-	87.79	33.09	6.64	34.45
AV	5.35G	46.60	54.00	-7.40	5.15	3	Horizontal	255	1.29	-	41.45	32.90	6.70	34.45
PK	5.2976G	106.17	Inf	-Inf	5.28	3	Horizontal	255	1.29	-	100.89	33.09	6.64	34.45
PK	5.3516G	59.31	74.00	-14.69	5.15	3	Horizontal	255	1.29	-	54.16	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61508G	40.93	54.00	-13.07	14.24	3	Vertical	33	1.63	-	26.69	39.08	9.60	34.44
AV	15.94398G	44.25	54.00	-9.75	15.44	3	Vertical	253	1.85	-	28.81	38.36	11.81	34.73
PK	6.63744G	49.27	68.20	-18.93	8.64	3	Vertical	142	1.25	-	40.63	35.83	7.47	34.66
PK	10.6176G	53.79	74.00	-20.21	14.24	3	Vertical	33	1.63	-	39.55	39.08	9.60	34.44
PK	15.94326G	56.58	74.00	-17.42	15.44	3	Vertical	253	1.85	-	41.14	38.36	11.81	34.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62744G	40.93	54.00	-13.07	14.24	3	Horizontal	63	1.17	-	26.69	39.07	9.60	34.43
AV	15.94332G	44.13	54.00	-9.87	15.44	3	Horizontal	276	1.78	-	28.69	38.36	11.81	34.73
PK	6.63747G	49.64	68.20	-18.56	8.64	3	Horizontal	251	1.61	-	41.00	35.83	7.47	34.66
PK	10.6329G	53.15	74.00	-20.85	14.24	3	Horizontal	63	1.17	-	38.91	39.07	9.60	34.43
PK	15.93402G	56.41	74.00	-17.59	15.44	3	Horizontal	276	1.78	-	40.97	38.37	11.80	34.73

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.82	54.00	-7.18	5.45	3	Vertical	152	1.50	-	41.37	33.12	6.79	34.46
AV	5.494G	97.97	Inf	-Inf	5.54	3	Vertical	152	1.50	-	92.43	33.19	6.81	34.46
PK	5.4696G	62.95	68.20	-5.25	5.47	3	Vertical	152	1.50	-	57.48	33.14	6.79	34.46
PK	5.504G	109.17	Inf	-Inf	5.53	3	Vertical	152	1.50	-	103.64	33.18	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.32	54.00	-9.68	5.45	3	Horizontal	248	1.29	-	38.87	33.12	6.79	34.46
AV	5.5248G	94.42	Inf	-Inf	5.46	3	Horizontal	248	1.29	-	88.96	33.10	6.82	34.46
PK	5.466G	58.49	68.20	-9.71	5.46	3	Horizontal	248	1.29	-	53.03	33.13	6.79	34.46
PK	5.5164G	106.19	Inf	-Inf	5.49	3	Horizontal	248	1.29	-	100.70	33.13	6.82	34.46

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01598G	41.55	54.00	-12.45	14.27	3	Vertical	290	1.91	-	27.28	38.82	9.74	34.29
PK	6.88897G	48.83	68.20	-19.37	9.06	3	Vertical	156	1.41	-	39.77	35.96	7.79	34.69
PK	11.03248G	53.94	74.00	-20.06	14.30	3	Vertical	290	1.91	-	39.64	38.83	9.75	34.28
PK	16.53402G	57.33	68.20	-10.87	16.25	3	Vertical	355	1.50	-	41.08	38.83	12.05	34.63

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01682G	41.56	54.00	-12.44	14.27	3	Horizontal	48	1.46	-	27.29	38.82	9.74	34.29
PK	6.88674G	49.21	68.20	-18.99	9.04	3	Horizontal	259	1.50	-	40.17	35.95	7.78	34.69
PK	11.01676G	54.13	74.00	-19.87	14.27	3	Horizontal	48	1.46	-	39.86	38.82	9.74	34.29
PK	16.54152G	57.72	68.20	-10.48	16.25	3	Horizontal	2	2.18	-	41.47	38.82	12.05	34.62

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.81	54.00	-9.19	5.45	3	Vertical	151	1.44	-	39.36	33.12	6.79	34.46
AV	5.5668G	99.49	Inf	-Inf	5.44	3	Vertical	151	1.44	-	94.05	33.07	6.84	34.47
PK	5.47G	59.79	68.20	-8.41	5.47	3	Vertical	151	1.44	-	54.32	33.14	6.79	34.46
PK	5.5512G	110.55	Inf	-Inf	5.37	3	Vertical	151	1.44	-	105.18	33.00	6.84	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.99	54.00	-11.01	5.45	3	Horizontal	248	1.28	-	37.54	33.12	6.79	34.46
AV	5.5604G	96.08	Inf	-Inf	5.41	3	Horizontal	248	1.28	-	90.67	33.04	6.84	34.47
PK	5.4664G	55.64	68.20	-12.56	5.46	3	Horizontal	248	1.28	-	50.18	33.13	6.79	34.46
PK	5.556G	107.37	Inf	-Inf	5.39	3	Horizontal	248	1.28	-	101.98	33.02	6.84	34.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11014G	41.47	54.00	-12.53	14.47	3	Vertical	73	1.28	-	27.00	38.92	9.77	34.22
PK	6.93924G	48.84	68.20	-19.36	9.18	3	Vertical	183	1.16	-	39.66	36.00	7.88	34.70
PK	11.1G	53.52	74.00	-20.48	14.44	3	Vertical	73	1.28	-	39.08	38.90	9.77	34.23
PK	16.64934G	56.60	68.20	-11.60	16.40	3	Vertical	105	2.38	-	40.20	38.75	12.09	34.44


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10966G	41.46	54.00	-12.54	14.47	3	Horizontal	1.77	2.44	-	26.99	38.92	9.77	34.22
PK	6.9376G	49.28	68.20	-18.92	9.18	3	Horizontal	259	1.50	-	40.10	36.00	7.88	34.70
PK	11.1045G	53.65	74.00	-20.35	14.45	3	Horizontal	1.77	2.44	-	39.20	38.91	9.77	34.23
PK	16.64718G	57.51	68.20	-10.69	16.39	3	Horizontal	261	1.49	-	41.12	38.75	12.09	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6844G	98.33	Inf	-Inf	5.78	3	Vertical	151	1.50	-	92.55	33.37	6.89	34.48
PK	5.6628G	109.45	Inf	-Inf	5.73	3	Vertical	151	1.50	-	103.72	33.33	6.88	34.48
PK	5.7252G	58.09	68.20	-10.11	6.01	3	Vertical	151	1.50	-	52.08	33.60	6.90	34.49


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.661G	96.48	Inf	-Inf	5.72	3	Horizontal	250	1.08	-	90.76	33.32	6.88	34.48
PK	5.6664G	107.74	Inf	-Inf	5.73	3	Horizontal	250	1.08	-	102.01	33.33	6.88	34.48
PK	5.7306G	57.38	68.20	-10.82	6.06	3	Horizontal	250	1.08	-	51.32	33.64	6.91	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32698G	41.73	54.00	-12.27	14.93	3	Vertical	231	1.71	-	26.80	39.15	9.85	34.07
PK	7.0873G	49.95	68.20	-18.25	9.79	3	Vertical	166	1.78	-	40.16	36.45	8.08	34.74
PK	11.34606G	55.03	74.00	-18.97	14.91	3	Vertical	231	1.71	-	40.12	39.11	9.86	34.06
PK	17.00166G	57.12	68.20	-11.08	16.78	3	Vertical	104	1.15	-	40.34	38.40	12.24	33.86

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32734G	41.72	54.00	-12.28	14.93	3	Horizontal	345	2.16	-	26.79	39.15	9.85	34.07
PK	7.0877G	49.65	68.20	-18.55	9.79	3	Horizontal	248	1.17	-	39.86	36.45	8.08	34.74
PK	11.32812G	54.69	74.00	-19.31	14.92	3	Horizontal	345	2.16	-	39.77	39.14	9.85	34.07
PK	17.0238G	57.55	68.20	-10.65	16.76	3	Horizontal	216	1.47	-	40.79	38.40	12.24	33.88

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	42.34	54.00	-11.66	5.41	3	Vertical	150	1.50	-	36.93	33.09	6.78	34.46
AV	5.7196G	99.68	Inf	-Inf	5.97	3	Vertical	150	1.50	-	93.71	33.56	6.90	34.49
PK	5.4688G	52.64	68.20	-15.56	5.47	3	Vertical	150	1.50	-	47.17	33.14	6.79	34.46
PK	5.722G	110.12	Inf	-Inf	5.99	3	Vertical	150	1.50	-	104.13	33.58	6.90	34.49
PK	5.914G	55.80	68.20	-12.40	6.70	3	Vertical	150	1.50	-	49.10	34.18	7.03	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4316G	41.97	54.00	-12.03	5.38	3	Horizontal	248	1.16	-	36.59	33.06	6.78	34.46
AV	5.7232G	97.84	Inf	-Inf	6.00	3	Horizontal	248	1.16	-	91.84	33.59	6.90	34.49
PK	5.4604G	51.74	68.20	-16.46	5.45	3	Horizontal	248	1.16	-	46.29	33.12	6.79	34.46
PK	5.6932G	107.78	Inf	-Inf	5.80	3	Horizontal	248	1.16	-	101.98	33.39	6.89	34.48
PK	5.8672G	56.01	68.20	-12.19	6.66	3	Horizontal	248	1.16	-	49.35	34.17	6.99	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40736G	41.51	54.00	-12.49	14.87	3	Vertical	164	1.50	-	26.64	39.00	9.88	34.01
PK	7.13747G	49.95	68.20	-18.25	10.17	3	Vertical	186	1.24	-	39.78	36.80	8.12	34.75
PK	11.41832G	54.19	74.00	-19.81	14.87	3	Vertical	164	1.50	-	39.32	39.00	9.88	34.01
PK	17.12496G	57.40	68.20	-10.80	16.73	3	Vertical	344	1.37	-	40.67	38.40	12.29	33.96

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40184G	41.52	54.00	-12.48	14.86	3	Horizontal	129	1.50	-	26.66	39.00	9.88	34.02
PK	7.13769G	50.07	68.20	-18.13	10.17	3	Horizontal	246	1.50	-	39.90	36.80	8.12	34.75
PK	11.4G	53.95	74.00	-20.05	14.86	3	Horizontal	129	1.50	-	39.09	39.00	9.88	34.02
PK	17.11672G	56.04	68.20	-12.16	16.73	3	Horizontal	95	2.99	-	39.31	38.40	12.28	33.95

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	99.81	Inf	-Inf	6.24	3	Vertical	149	1.44	-	93.57	33.81	6.92	34.49
PK	5.629G	55.09	68.20	-13.11	5.65	3	Vertical	149	1.44	-	49.44	33.26	6.87	34.48
PK	5.7598G	109.49	Inf	-Inf	6.25	3	Vertical	149	1.44	-	103.24	33.82	6.92	34.49
PK	5.9254G	55.56	68.20	-12.64	6.78	3	Vertical	149	1.44	-	48.78	34.25	7.04	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	98.80	Inf	-Inf	6.24	3	Horizontal	250	1.05	-	92.56	33.81	6.92	34.49
PK	5.6062G	54.12	68.20	-14.08	5.60	3	Horizontal	250	1.05	-	48.52	33.21	6.86	34.47
PK	5.7682G	109.32	Inf	-Inf	6.27	3	Horizontal	250	1.05	-	103.05	33.84	6.92	34.49
PK	6.0502G	55.16	68.20	-13.04	7.00	3	Horizontal	250	1.05	-	48.16	34.40	7.13	34.53

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49352G	41.19	54.00	-12.81	14.96	3	Vertical	7	1.50	-	26.23	39.00	9.91	33.95
PK	7.19359G	50.46	68.20	-17.74	10.21	3	Vertical	165	1.76	-	40.25	36.81	8.17	34.77
PK	11.50144G	54.72	74.00	-19.28	14.96	3	Vertical	7	1.50	-	39.76	39.00	9.91	33.95
PK	17.24956G	56.52	68.20	-11.68	16.74	3	Vertical	17	1.01	-	39.78	38.45	12.34	34.05

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.492G	41.18	54.00	-12.82	14.95	3	Horizontal	123	1.50	-	26.23	39.00	9.91	33.96
PK	7.19381G	50.01	68.20	-18.19	10.21	3	Horizontal	249	1.10	-	39.80	36.81	8.17	34.77
PK	11.51472G	53.22	74.00	-20.78	14.95	3	Horizontal	123	1.50	-	38.27	38.99	9.92	33.96
PK	17.27572G	56.81	68.20	-11.39	16.75	3	Horizontal	269	2.07	-	40.06	38.48	12.35	34.08

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	99.42	Inf	-Inf	6.33	3	Vertical	150	1.42	-	93.09	33.90	6.93	34.50
PK	5.6486G	54.64	68.20	-13.56	5.70	3	Vertical	150	1.42	-	48.94	33.30	6.88	34.48
PK	5.7818G	109.96	Inf	-Inf	6.29	3	Vertical	150	1.42	-	103.67	33.86	6.92	34.49
PK	6.0926G	55.77	68.20	-12.43	6.83	3	Vertical	150	1.42	-	48.94	34.23	7.14	34.54

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	98.14	Inf	-Inf	6.32	3	Horizontal	248	1.01	-	91.82	33.88	6.93	34.49
PK	5.6066G	53.71	68.20	-14.49	5.60	3	Horizontal	248	1.01	-	48.11	33.21	6.86	34.47
PK	5.7986G	108.25	Inf	-Inf	6.33	3	Horizontal	248	1.01	-	101.92	33.90	6.93	34.50
PK	6.071G	55.53	68.20	-12.67	6.91	3	Horizontal	248	1.01	-	48.62	34.32	7.13	34.54

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57248G	41.03	54.00	-12.97	14.88	3	Vertical	17	2.45	-	26.15	38.93	9.94	33.99
PK	7.24378G	50.20	68.20	-18.00	10.26	3	Vertical	174	1.17	-	39.94	36.89	8.16	34.79
PK	11.5852G	52.93	74.00	-21.07	14.85	3	Vertical	17	2.45	-	38.08	38.91	9.94	34.00
PK	17.40052G	57.98	68.20	-10.22	17.03	3	Vertical	98	1.50	-	40.95	38.80	12.40	34.17

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5828G	41.05	54.00	-12.95	14.86	3	Horizontal	158	1.58	-	26.19	38.92	9.94	34.00
PK	7.24412G	49.84	68.20	-18.36	10.26	3	Horizontal	253	1.68	-	39.58	36.89	8.16	34.79
PK	11.57096G	53.31	74.00	-20.69	14.88	3	Horizontal	158	1.58	-	38.43	38.93	9.94	33.99
PK	17.39628G	57.41	68.20	-10.79	17.02	3	Horizontal	268	2.72	-	40.39	38.79	12.40	34.17

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.33	54.00	-7.67	5.15	3	Vertical	159	1.59	-	41.18	33.10	6.49	34.44
AV	5.222G	90.41	Inf	-Inf	5.08	3	Vertical	159	1.59	-	85.33	32.96	6.56	34.44
AV	5.351G	43.48	54.00	-10.52	5.15	3	Vertical	159	1.59	-	38.33	32.90	6.70	34.45
PK	5.135G	56.97	74.00	-17.03	5.17	3	Vertical	159	1.59	-	51.80	33.13	6.48	34.44
PK	5.196G	100.29	Inf	-Inf	5.10	3	Vertical	159	1.59	-	95.19	33.01	6.53	34.44
PK	5.359G	53.75	74.00	-20.25	5.18	3	Vertical	159	1.59	-	48.57	32.92	6.71	34.45

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.33	54.00	-6.67	5.15	3	Horizontal	254	1.56	-	42.18	33.10	6.49	34.44
AV	5.201G	88.69	Inf	-Inf	5.09	3	Horizontal	254	1.56	-	83.60	33.00	6.53	34.44
AV	5.358G	42.18	54.00	-11.82	5.18	3	Horizontal	254	1.56	-	37.00	32.92	6.71	34.45
PK	5.141G	57.73	74.00	-16.27	5.17	3	Horizontal	254	1.56	-	52.56	33.12	6.49	34.44
PK	5.219G	99.75	Inf	-Inf	5.07	3	Horizontal	254	1.56	-	94.68	32.96	6.55	34.44
PK	5.458G	53.11	74.00	-20.89	5.45	3	Horizontal	254	1.56	-	47.66	33.12	6.79	34.46

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60168G	43.38	54.00	-10.62	15.74	3	Vertical	200	2.36	-	27.64	38.60	11.66	34.52
PK	6.51242G	51.65	68.20	-16.55	8.32	3	Vertical	144	1.33	-	43.33	35.60	7.36	34.64
PK	10.44816G	52.32	68.20	-15.88	13.63	3	Vertical	75	1.84	-	38.69	38.65	9.54	34.56
PK	15.6532G	55.92	74.00	-18.08	15.62	3	Vertical	200	2.36	-	40.30	38.49	11.68	34.55

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60248G	43.37	54.00	-10.63	15.74	3	Horizontal	93	1.52	-	27.63	38.60	11.66	34.52
PK	6.5123G	52.04	68.20	-16.16	8.32	3	Horizontal	251	1.02	-	43.72	35.60	7.36	34.64
PK	10.3856G	52.45	68.20	-15.75	13.55	3	Horizontal	108	1.20	-	38.90	38.69	9.52	34.66
PK	15.59784G	55.64	74.00	-18.36	15.75	3	Horizontal	93	1.52	-	39.89	38.60	11.66	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.08	54.00	-11.92	5.15	3	Vertical	157	1.53	-	36.93	33.10	6.49	34.44
AV	5.292G	91.79	Inf	-Inf	5.26	3	Vertical	157	1.53	-	86.53	33.07	6.64	34.45
AV	5.35G	49.07	54.00	-4.93	5.15	3	Vertical	157	1.53	-	43.92	32.90	6.70	34.45
PK	5.145G	54.08	74.00	-19.92	5.16	3	Vertical	157	1.53	-	48.92	33.11	6.49	34.44
PK	5.303G	103.72	Inf	-Inf	5.29	3	Vertical	157	1.53	-	98.43	33.09	6.65	34.45
PK	5.506G	54.58	68.20	-13.62	5.53	3	Vertical	157	1.53	-	49.05	33.18	6.81	34.46

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.26	54.00	-11.74	5.15	3	Horizontal	254	1.38	-	37.11	33.10	6.49	34.44
AV	5.265G	87.29	Inf	-Inf	5.11	3	Horizontal	254	1.38	-	82.18	32.96	6.60	34.45
AV	5.35G	45.38	54.00	-8.62	5.15	3	Horizontal	254	1.38	-	40.23	32.90	6.70	34.45
PK	5.081G	53.59	74.00	-20.41	5.13	3	Horizontal	254	1.38	-	48.46	33.12	6.44	34.43
PK	5.28G	96.99	Inf	-Inf	5.19	3	Horizontal	254	1.38	-	91.80	33.02	6.62	34.45
PK	5.495G	53.75	68.20	-14.45	5.54	3	Horizontal	254	1.38	-	48.21	33.19	6.81	34.46

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84088G	43.85	54.00	-10.15	15.55	3	Vertical	268	2.78	-	28.30	38.46	11.76	34.67
PK	6.61255G	51.13	68.20	-17.07	8.65	3	Vertical	142	1.50	-	42.48	35.87	7.44	34.66
PK	10.5752G	52.73	68.20	-15.47	14.11	3	Vertical	182	1.32	-	38.62	38.98	9.58	34.45
PK	15.88456G	55.57	74.00	-18.43	15.50	3	Vertical	268	2.78	-	40.07	38.42	11.78	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84088G	43.85	54.00	-10.15	15.55	3	Horizontal	359	2.70	-	28.30	38.46	11.76	34.67
PK	6.61269G	51.54	68.20	-16.66	8.65	3	Horizontal	252	1.61	-	42.89	35.87	7.44	34.66
PK	10.56912G	52.70	68.20	-15.50	14.07	3	Horizontal	101	1.26	-	38.63	38.95	9.58	34.46
PK	15.90936G	56.07	74.00	-17.93	15.47	3	Horizontal	359	2.70	-	40.60	38.39	11.79	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.00	54.00	-8.00	5.45	3	Vertical	137	1.75	-	40.55	33.12	6.79	34.46
AV	5.545G	96.45	Inf	-Inf	5.38	3	Vertical	137	1.75	-	91.07	33.02	6.83	34.47
PK	5.468G	58.01	68.20	-10.19	5.47	3	Vertical	137	1.75	-	52.54	33.14	6.79	34.46
PK	5.505G	108.83	Inf	-Inf	5.53	3	Vertical	137	1.75	-	103.30	33.18	6.81	34.46
PK	5.751G	55.66	68.20	-12.54	6.22	3	Vertical	137	1.75	-	49.44	33.80	6.91	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.78	54.00	-10.22	5.45	3	Horizontal	252	1.27	-	38.33	33.12	6.79	34.46
AV	5.546G	93.23	Inf	-Inf	5.38	3	Horizontal	252	1.27	-	87.85	33.02	6.83	34.47
PK	5.468G	55.33	68.20	-12.87	5.47	3	Horizontal	252	1.27	-	49.86	33.14	6.79	34.46
PK	5.545G	105.28	Inf	-Inf	5.38	3	Horizontal	252	1.27	-	99.90	33.02	6.83	34.47
PK	5.764G	55.04	68.20	-13.16	6.26	3	Horizontal	252	1.27	-	48.78	33.83	6.92	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04544G	41.10	54.00	-12.90	14.33	3	Vertical	235	1.24	-	26.77	38.85	9.75	34.27
PK	6.91258G	49.47	68.20	-18.73	9.13	3	Vertical	154	1.39	-	40.34	36.00	7.83	34.70
PK	11.04976G	53.00	74.00	-21.00	14.33	3	Vertical	235	1.24	-	38.67	38.85	9.75	34.27
PK	16.622G	57.34	68.20	-10.86	16.31	3	Vertical	360	1.50	-	41.03	38.72	12.08	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02272G	41.09	54.00	-12.91	14.28	3	Horizontal	104	3.00	-	26.81	38.82	9.74	34.28
PK	6.91263G	48.74	68.20	-19.46	9.13	3	Horizontal	260	1.50	-	39.61	36.00	7.83	34.70
PK	11.05792G	52.99	74.00	-21.01	14.36	3	Horizontal	104	3.00	-	38.63	38.86	9.76	34.26
PK	16.55G	56.14	68.20	-12.06	16.24	3	Horizontal	249	1.03	-	39.90	38.80	12.05	34.61

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	43.93	54.00	-10.07	5.43	3	Vertical	152	1.48	-	38.50	33.10	6.79	34.46
AV	5.616G	97.14	Inf	-Inf	5.63	3	Vertical	152	1.48	-	91.51	33.23	6.87	34.47
PK	5.463G	54.52	68.20	-13.68	5.46	3	Vertical	152	1.48	-	49.06	33.13	6.79	34.46
PK	5.59G	107.73	Inf	-Inf	5.55	3	Vertical	152	1.48	-	102.18	33.16	6.86	34.47
PK	5.725G	59.60	68.20	-8.60	6.01	3	Vertical	152	1.48	-	53.59	33.60	6.90	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.72	54.00	-11.28	5.45	3	Horizontal	252	1.24	-	37.27	33.12	6.79	34.46
AV	5.618G	94.70	Inf	-Inf	5.64	3	Horizontal	252	1.24	-	89.06	33.24	6.87	34.47
PK	5.468G	53.47	68.20	-14.73	5.47	3	Horizontal	252	1.24	-	48.00	33.14	6.79	34.46
PK	5.59G	106.36	Inf	-Inf	5.55	3	Horizontal	252	1.24	-	100.81	33.16	6.86	34.47
PK	5.727G	56.89	68.20	-11.31	6.03	3	Horizontal	252	1.24	-	50.86	33.62	6.90	34.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23808G	41.51	54.00	-12.49	14.83	3	Vertical	69	1.58	-	26.68	39.14	9.82	34.13
PK	7.01282G	48.37	68.20	-19.83	9.38	3	Vertical	177	1.19	-	38.99	36.08	8.01	34.71
PK	11.24608G	53.51	74.00	-20.49	14.84	3	Vertical	69	1.58	-	38.67	39.15	9.82	34.13
PK	16.82104G	56.67	68.20	-11.53	16.58	3	Vertical	184	2.41	-	40.09	38.58	12.16	34.16

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.24224G	41.45	54.00	-12.55	14.83	3	Horizontal	152	1.89	-	26.62	39.14	9.82	34.13
PK	7.00959G	49.01	68.20	-19.19	9.36	3	Horizontal	252	1.00	-	39.65	36.06	8.01	34.71
PK	11.24576G	53.85	74.00	-20.15	14.84	3	Horizontal	152	1.89	-	39.01	39.15	9.82	34.13
PK	16.84712G	56.70	68.20	-11.50	16.61	3	Horizontal	188	2.96	-	40.09	38.55	12.17	34.11

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.27	54.00	-11.73	5.45	3	Vertical	151	1.50	-	36.82	33.12	6.79	34.46
AV	5.684G	95.20	Inf	-Inf	5.78	3	Vertical	151	1.50	-	89.42	33.37	6.89	34.48
PK	5.4644G	52.68	68.20	-15.52	5.46	3	Vertical	151	1.50	-	47.22	33.13	6.79	34.46
PK	5.7116G	105.18	Inf	-Inf	5.90	3	Vertical	151	1.50	-	99.28	33.49	6.90	34.49
PK	5.942G	55.71	68.20	-12.49	6.90	3	Vertical	151	1.50	-	48.81	34.35	7.06	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	41.99	54.00	-12.01	5.43	3	Horizontal	253	1.03	-	36.56	33.10	6.79	34.46
AV	5.6828G	94.25	Inf	-Inf	5.78	3	Horizontal	253	1.03	-	88.47	33.37	6.89	34.48
PK	5.4656G	52.47	68.20	-15.73	5.46	3	Horizontal	253	1.03	-	47.01	33.13	6.79	34.46
PK	5.7008G	105.35	Inf	-Inf	5.83	3	Horizontal	253	1.03	-	99.52	33.41	6.90	34.48
PK	5.9276G	56.13	68.20	-12.07	6.80	3	Horizontal	253	1.03	-	49.33	34.27	7.04	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40064G	41.39	54.00	-12.61	14.86	3	Vertical	112	2.55	-	26.53	39.00	9.88	34.02
PK	7.11253G	50.32	68.20	-17.88	9.95	3	Vertical	192	1.25	-	40.37	36.60	8.10	34.75
PK	11.38272G	52.70	74.00	-21.30	14.87	3	Vertical	112	2.55	-	37.83	39.03	9.87	34.03
PK	17.09896G	55.96	68.20	-12.24	16.74	3	Vertical	144	1.06	-	39.22	38.40	12.28	33.94

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39712G	41.39	54.00	-12.61	14.87	3	Horizontal	59	1.68	-	26.52	39.01	9.88	34.02
PK	7.10972G	49.06	68.20	-19.14	9.93	3	Horizontal	246	1.45	-	39.13	36.58	8.10	34.75
PK	11.38736G	53.52	74.00	-20.48	14.87	3	Horizontal	59	1.68	-	38.65	39.03	9.87	34.03
PK	17.0508G	56.38	68.20	-11.82	16.76	3	Horizontal	278	2.65	-	39.62	38.40	12.26	33.90

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	95.35	Inf	-Inf	6.23	3	Vertical	154	1.48	-	89.12	33.81	6.91	34.49
PK	5.6478G	55.70	68.20	-12.50	5.70	3	Vertical	154	1.48	-	50.00	33.30	6.88	34.48
PK	5.757G	106.28	Inf	-Inf	6.23	3	Vertical	154	1.48	-	100.05	33.81	6.91	34.49
PK	6.015G	55.48	68.20	-12.72	6.86	3	Vertical	154	1.48	-	48.62	34.26	7.12	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	94.55	Inf	-Inf	6.27	3	Horizontal	252	1.05	-	88.28	33.84	6.92	34.49
PK	5.6166G	54.69	68.20	-13.51	5.63	3	Horizontal	252	1.05	-	49.06	33.23	6.87	34.47
PK	5.7594G	105.83	Inf	-Inf	6.25	3	Horizontal	252	1.05	-	99.58	33.82	6.92	34.49
PK	5.9382G	55.90	68.20	-12.30	6.87	3	Horizontal	252	1.05	-	49.03	34.33	7.05	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	40.90	54.00	-13.10	14.95	3	Vertical	133	1.59	-	25.95	38.99	9.92	33.96
PK	7.21454G	50.46	68.20	-17.74	10.22	3	Vertical	166	1.67	-	40.24	36.83	8.17	34.78
PK	11.57864G	53.06	74.00	-20.94	14.86	3	Vertical	133	1.59	-	38.20	38.92	9.94	34.00
PK	17.32868G	55.91	68.20	-12.29	16.84	3	Vertical	194	1.77	-	39.07	38.59	12.37	34.12

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51368G	40.92	54.00	-13.08	14.95	3	Horizontal	291	1.51	-	25.97	38.99	9.92	33.96
PK	7.21856G	50.02	68.20	-18.18	10.23	3	Horizontal	253	1.68	-	39.79	36.84	8.17	34.78
PK	11.51464G	53.17	74.00	-20.83	14.95	3	Horizontal	291	1.51	-	38.22	38.99	9.92	33.96
PK	17.34868G	56.34	68.20	-11.86	16.90	3	Horizontal	0	1.24	-	39.44	38.65	12.38	34.13

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.74	54.00	-10.26	5.15	3	Vertical	157	1.53	-	38.59	33.10	6.49	34.44
AV	5.2956G	87.94	Inf	-Inf	5.27	3	Vertical	157	1.53	-	82.67	33.08	6.64	34.45
AV	5.4048G	46.63	54.00	-7.37	5.32	3	Vertical	157	1.53	-	41.31	33.01	6.76	34.45
PK	5.1492G	53.92	74.00	-20.08	5.15	3	Vertical	157	1.53	-	48.77	33.10	6.49	34.44
PK	5.2284G	98.46	Inf	-Inf	5.06	3	Vertical	157	1.53	-	93.40	32.94	6.56	34.44
PK	5.4948G	55.44	68.20	-12.76	5.54	3	Vertical	157	1.53	-	49.90	33.19	6.81	34.46

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.47	54.00	-9.53	5.15	3	Horizontal	255	1.50	-	39.32	33.10	6.49	34.44
AV	5.1972G	85.51	Inf	-Inf	5.10	3	Horizontal	255	1.50	-	80.41	33.01	6.53	34.44
AV	5.4084G	43.91	54.00	-10.09	5.33	3	Horizontal	255	1.50	-	38.58	33.02	6.76	34.45
PK	5.15G	53.12	74.00	-20.88	5.15	3	Horizontal	255	1.50	-	47.97	33.10	6.49	34.44
PK	5.2236G	97.28	Inf	-Inf	5.07	3	Horizontal	255	1.50	-	92.21	32.95	6.56	34.44
PK	5.5128G	53.93	68.20	-14.27	5.51	3	Horizontal	255	1.50	-	48.42	33.15	6.82	34.46

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74954G	44.08	54.00	-9.92	15.56	3	Vertical	236	2.03	-	28.52	38.45	11.72	34.61
PK	6.56246G	51.08	68.20	-17.12	8.42	3	Vertical	143	1.47	-	42.66	35.67	7.40	34.65
PK	10.50468G	52.95	68.20	-15.25	13.70	3	Vertical	106	2.49	-	39.25	38.62	9.56	34.48
PK	15.752G	56.83	74.00	-17.17	15.56	3	Vertical	236	2.03	-	41.27	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75358G	44.11	54.00	-9.89	15.57	3	Horizontal	329	2.34	-	28.54	38.45	11.73	34.61
PK	6.56256G	52.00	68.20	-16.20	8.43	3	Horizontal	251	1.56	-	43.57	35.68	7.40	34.65
PK	10.5022G	53.57	68.20	-14.63	13.69	3	Horizontal	82	1.34	-	39.88	38.61	9.56	34.48
PK	15.75434G	56.53	74.00	-17.47	15.57	3	Horizontal	329	2.34	-	40.96	38.45	11.73	34.61

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	44.43	54.00	-9.57	5.45	3	Vertical	153	1.63	-	38.98	33.12	6.79	34.46
AV	5.6156G	89.98	Inf	-Inf	5.63	3	Vertical	153	1.63	-	84.35	33.23	6.87	34.47
PK	5.4668G	54.49	68.20	-13.71	5.46	3	Vertical	153	1.63	-	49.03	33.13	6.79	34.46
PK	5.5868G	101.27	Inf	-Inf	5.53	3	Vertical	153	1.63	-	95.74	33.15	6.85	34.47
PK	5.7428G	62.07	68.20	-6.13	6.16	3	Vertical	153	1.63	-	55.91	33.74	6.91	34.49

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	42.80	54.00	-11.20	5.43	3	Horizontal	252	1.34	-	37.37	33.10	6.79	34.46
AV	5.6216G	86.79	Inf	-Inf	5.64	3	Horizontal	252	1.34	-	81.15	33.24	6.87	34.47
PK	5.4644G	53.26	68.20	-14.94	5.46	3	Horizontal	252	1.34	-	47.80	33.13	6.79	34.46
PK	5.6G	97.25	Inf	-Inf	5.59	3	Horizontal	252	1.34	-	91.66	33.20	6.86	34.47
PK	5.7428G	60.96	68.20	-7.24	6.16	3	Horizontal	252	1.34	-	54.80	33.74	6.91	34.49

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14226G	41.71	54.00	-12.29	14.57	3	Vertical	168	1.24	-	27.14	38.98	9.79	34.20
PK	6.9617G	48.97	68.20	-19.23	9.23	3	Vertical	42	1.12	-	39.74	36.00	7.93	34.70
PK	11.1446G	54.47	74.00	-19.53	14.58	3	Vertical	168	1.24	-	39.89	38.99	9.79	34.20
PK	16.71234G	56.88	68.20	-11.32	16.56	3	Vertical	263	1.49	-	40.32	38.78	12.12	34.34

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13942G	41.54	54.00	-12.46	14.56	3	Horizontal	14	1.29	-	26.98	38.98	9.78	34.20
PK	6.95654G	49.03	68.20	-19.17	9.22	3	Horizontal	243	1.54	-	39.81	36.00	7.92	34.70
PK	11.14106G	54.08	74.00	-19.92	14.57	3	Horizontal	14	1.29	-	39.51	38.98	9.79	34.20
PK	16.70678G	56.31	68.20	-11.89	16.56	3	Horizontal	323	2.01	-	39.75	38.79	12.12	34.35

802.11n HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.82	54.00	-6.18	5.15	3	Vertical	208	1.26	-	42.67	33.10	6.49	34.44
AV	5.1872G	103.16	Inf	-Inf	5.11	3	Vertical	208	1.26	-	98.05	33.03	6.52	34.44
PK	5.1484G	65.93	74.00	-8.07	5.15	3	Vertical	208	1.26	-	60.78	33.10	6.49	34.44
PK	5.1824G	113.14	Inf	-Inf	5.12	3	Vertical	208	1.26	-	108.02	33.04	6.52	34.44

802.11n HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.64	54.00	-7.36	5.15	3	Horizontal	118	1.63	-	41.49	33.10	6.49	34.44
AV	5.186G	100.99	Inf	-Inf	5.11	3	Horizontal	118	1.63	-	95.88	33.03	6.52	34.44
PK	5.1468G	66.44	74.00	-7.56	5.16	3	Horizontal	118	1.63	-	61.28	33.11	6.49	34.44
PK	5.173G	111.62	Inf	-Inf	5.12	3	Horizontal	118	1.63	-	106.50	33.05	6.51	34.44

802.11n HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53084G	43.38	54.00	-10.62	15.90	3	Vertical	225	1.13	-	27.48	38.74	11.63	34.47
PK	6.47492G	56.05	68.20	-12.15	8.06	3	Vertical	232	1.70	-	47.99	35.35	7.34	34.63
PK	10.3546G	52.78	68.20	-15.42	13.46	3	Vertical	208	1.52	-	39.32	38.65	9.51	34.70
PK	15.53168G	56.21	74.00	-17.79	15.90	3	Vertical	225	1.13	-	40.31	38.74	11.63	34.47

802.11n HT20_Nss1,(MCS8)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54696G	43.54	54.00	-10.46	15.87	3	Horizontal	82	1.20	-	27.67	38.71	11.64	34.48
PK	6.47516G	54.31	68.20	-13.89	8.06	3	Horizontal	123	1.41	-	46.25	35.35	7.34	34.63
PK	10.35252G	53.12	68.20	-15.08	13.45	3	Horizontal	199	2.88	-	39.67	38.65	9.51	34.71
PK	15.54448G	55.56	74.00	-18.44	15.87	3	Horizontal	82	1.20	-	39.69	38.71	11.64	34.48

802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	44.37	54.00	-9.63	5.15	3	Vertical	207	1.22	-	39.22	33.10	6.49	34.44
AV	5.2072G	103.47	Inf	-Inf	5.09	3	Vertical	207	1.22	-	98.38	32.99	6.54	34.44
PK	5.15G	56.84	74.00	-17.16	5.15	3	Vertical	207	1.22	-	51.69	33.10	6.49	34.44
PK	5.1932G	113.38	Inf	-Inf	5.09	3	Vertical	207	1.22	-	108.29	33.01	6.52	34.44

802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	43.45	54.00	-10.55	5.15	3	Horizontal	117	1.63	-	38.30	33.10	6.49	34.44
AV	5.1976G	100.59	Inf	-Inf	5.09	3	Horizontal	117	1.63	-	95.50	33.00	6.53	34.44
PK	5.1372G	54.64	74.00	-19.36	5.17	3	Horizontal	117	1.63	-	49.47	33.13	6.48	34.44
PK	5.1928G	110.83	Inf	-Inf	5.09	3	Horizontal	117	1.63	-	105.74	33.01	6.52	34.44

802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59644G	43.37	54.00	-10.63	15.76	3	Vertical	76	2.30	-	27.61	38.61	11.66	34.51
PK	6.49996G	55.37	68.20	-12.83	8.31	3	Vertical	201	2.01	-	47.06	35.60	7.35	34.64
PK	10.394G	53.38	68.20	-14.82	13.57	3	Vertical	46	1.99	-	39.81	38.69	9.52	34.64
PK	15.60364G	55.62	74.00	-18.38	15.73	3	Vertical	76	2.30	-	39.89	38.59	11.66	34.52

802.11n HT20_Nss1,(MCS8)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59544G	43.38	54.00	-10.62	15.76	3	Horizontal	274	1.81	-	27.62	38.61	11.66	34.51
PK	6.49992G	52.98	68.20	-15.22	8.31	3	Horizontal	121	1.39	-	44.67	35.60	7.35	34.64
PK	10.40756G	52.93	68.20	-15.27	13.59	3	Horizontal	143	2.69	-	39.34	38.69	9.52	34.62
PK	15.5948G	55.50	74.00	-18.50	15.76	3	Horizontal	274	1.81	-	39.74	38.61	11.66	34.51

802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1422G	42.92	54.00	-11.08	5.17	3	Vertical	203	1.37	-	37.75	33.12	6.49	34.44
AV	5.246G	102.81	Inf	-Inf	5.05	3	Vertical	203	1.37	-	97.76	32.91	6.58	34.44
AV	5.3528G	43.73	54.00	-10.27	5.17	3	Vertical	203	1.37	-	38.56	32.91	6.71	34.45
PK	5.1374G	54.41	74.00	-19.59	5.17	3	Vertical	203	1.37	-	49.24	33.13	6.48	34.44
PK	5.2436G	112.49	Inf	-Inf	5.05	3	Vertical	203	1.37	-	107.44	32.91	6.58	34.44
PK	5.3618G	55.37	74.00	-18.63	5.19	3	Vertical	203	1.37	-	50.18	32.92	6.72	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.41	54.00	-11.59	5.15	3	Horizontal	116	1.58	-	37.26	33.10	6.49	34.44
AV	5.2466G	100.05	Inf	-Inf	5.05	3	Horizontal	116	1.58	-	95.00	32.91	6.58	34.44
AV	5.3528G	42.74	54.00	-11.26	5.17	3	Horizontal	116	1.58	-	37.57	32.91	6.71	34.45
PK	5.1434G	54.89	74.00	-19.11	5.16	3	Horizontal	116	1.58	-	49.73	33.11	6.49	34.44
PK	5.2352G	110.03	Inf	-Inf	5.06	3	Horizontal	116	1.58	-	104.97	32.93	6.57	34.44
PK	5.35G	54.55	74.00	-19.45	5.15	3	Horizontal	116	1.58	-	49.40	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72948G	43.64	54.00	-10.36	15.55	3	Vertical	164	2.92	-	28.09	38.43	11.72	34.60
PK	6.54992G	54.89	68.20	-13.31	8.34	3	Vertical	232	1.65	-	46.55	35.60	7.39	34.65
PK	10.48472G	52.80	68.20	-15.40	13.67	3	Vertical	97	2.01	-	39.13	38.62	9.55	34.50
PK	15.71508G	55.91	74.00	-18.09	15.54	3	Vertical	164	2.92	-	40.37	38.42	11.71	34.59

802.11n HT20_Nss1,(MCS8)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72924G	43.63	54.00	-10.37	15.54	3	Horizontal	40	1.52	-	28.09	38.43	11.71	34.60
PK	6.54996G	53.41	68.20	-14.79	8.34	3	Horizontal	128	1.69	-	45.07	35.60	7.39	34.65
PK	10.48068G	53.19	68.20	-15.01	13.66	3	Horizontal	154	1.37	-	39.53	38.62	9.55	34.51
PK	15.72596G	55.54	74.00	-18.46	15.55	3	Horizontal	40	1.52	-	39.99	38.43	11.71	34.59

802.11n HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	43.35	54.00	-10.65	5.16	3	Vertical	206	1.42	-	38.19	33.11	6.49	34.44
AV	5.2648G	103.81	Inf	-Inf	5.11	3	Vertical	206	1.42	-	98.70	32.96	6.60	34.45
AV	5.3572G	44.99	54.00	-9.01	5.17	3	Vertical	206	1.42	-	39.82	32.91	6.71	34.45
PK	5.1214G	55.09	74.00	-18.91	5.19	3	Vertical	206	1.42	-	49.90	33.16	6.47	34.44
PK	5.2528G	114.19	Inf	-Inf	5.05	3	Vertical	206	1.42	-	109.14	32.91	6.59	34.45
PK	5.3518G	56.66	74.00	-17.34	5.15	3	Vertical	206	1.42	-	51.51	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	42.70	54.00	-11.30	5.15	3	Horizontal	115	1.52	-	37.55	33.10	6.49	34.44
AV	5.266G	100.62	Inf	-Inf	5.12	3	Horizontal	115	1.52	-	95.50	32.96	6.61	34.45
AV	5.3566G	43.35	54.00	-10.65	5.17	3	Horizontal	115	1.52	-	38.18	32.91	6.71	34.45
PK	5.1178G	54.87	74.00	-19.13	5.19	3	Horizontal	115	1.52	-	49.68	33.16	6.47	34.44
PK	5.2666G	110.99	Inf	-Inf	5.13	3	Horizontal	115	1.52	-	105.86	32.97	6.61	34.45
PK	5.3536G	55.06	74.00	-18.94	5.17	3	Horizontal	115	1.52	-	49.89	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77008G	44.16	54.00	-9.84	15.58	3	Vertical	109	1.82	-	28.58	38.47	11.73	34.62
PK	6.57496G	55.21	68.20	-12.99	8.51	3	Vertical	232	1.60	-	46.70	35.75	7.41	34.65
PK	10.52116G	52.68	68.20	-15.52	13.81	3	Vertical	232	1.20	-	38.87	38.71	9.57	34.47
PK	15.77216G	56.03	74.00	-17.97	15.58	3	Vertical	109	1.82	-	40.45	38.47	11.73	34.62

802.11n HT20_Nss1,(MCS8)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77336G	44.18	54.00	-9.82	15.58	3	Horizontal	66	1.48	-	28.60	38.47	11.73	34.62
PK	6.57508G	53.10	68.20	-15.10	8.51	3	Horizontal	127	1.62	-	44.59	35.75	7.41	34.65
PK	10.52788G	52.48	68.20	-15.72	13.84	3	Horizontal	240	1.48	-	38.64	38.74	9.57	34.47
PK	15.78656G	56.50	74.00	-17.50	15.60	3	Horizontal	66	1.48	-	40.90	38.49	11.74	34.63

802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	103.94	Inf	-Inf	5.26	3	Vertical	206	1.37	-	98.68	33.07	6.64	34.45
AV	5.35G	45.96	54.00	-8.04	5.15	3	Vertical	206	1.37	-	40.81	32.90	6.70	34.45
PK	5.2932G	114.32	Inf	-Inf	5.26	3	Vertical	206	1.37	-	109.06	33.07	6.64	34.45
PK	5.3536G	58.22	74.00	-15.78	5.17	3	Vertical	206	1.37	-	53.05	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	100.66	Inf	-Inf	5.26	3	Horizontal	116	1.58	-	95.40	33.07	6.64	34.45
AV	5.3524G	44.10	54.00	-9.90	5.16	3	Horizontal	116	1.58	-	38.94	32.90	6.71	34.45
PK	5.296G	110.23	Inf	-Inf	5.27	3	Horizontal	116	1.58	-	104.96	33.08	6.64	34.45
PK	5.3532G	57.36	74.00	-16.64	5.17	3	Horizontal	116	1.58	-	52.19	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89744G	44.06	54.00	-9.94	15.49	3	Vertical	280	1.07	-	28.57	38.40	11.79	34.70
PK	6.62472G	52.96	68.20	-15.24	8.64	3	Vertical	232	1.58	-	44.32	35.85	7.45	34.66
PK	10.59944G	53.36	68.20	-14.84	14.25	3	Vertical	186	2.07	-	39.11	39.10	9.59	34.44
PK	15.89804G	56.28	74.00	-17.72	15.49	3	Vertical	280	1.07	-	40.79	38.40	11.79	34.70

802.11n HT20_Nss1,(MCS8)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89744G	44.06	54.00	-9.94	15.49	3	Horizontal	302	2.18	-	28.57	38.40	11.79	34.70
PK	6.62496G	51.14	68.20	-17.06	8.64	3	Horizontal	136	1.50	-	42.50	35.85	7.45	34.66
PK	10.59344G	53.46	68.20	-14.74	14.21	3	Horizontal	209	2.85	-	39.25	39.07	9.59	34.45
PK	15.89932G	56.66	74.00	-17.34	15.48	3	Horizontal	302	2.18	-	41.18	38.40	11.79	34.71

802.11n HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	103.23	Inf	-Inf	5.25	3	Vertical	152	1.50	-	97.98	33.03	6.67	34.45
AV	5.351G	48.01	54.00	-5.99	5.15	3	Vertical	152	1.50	-	42.86	32.90	6.70	34.45
PK	5.3224G	114.02	Inf	-Inf	5.23	3	Vertical	152	1.50	-	108.79	33.01	6.67	34.45
PK	5.3512G	62.22	74.00	-11.78	5.15	3	Vertical	152	1.50	-	57.07	32.90	6.70	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	100.79	Inf	-Inf	5.25	3	Horizontal	117	1.60	-	95.54	33.03	6.67	34.45
AV	5.35G	46.46	54.00	-7.54	5.15	3	Horizontal	117	1.60	-	41.31	32.90	6.70	34.45
PK	5.3248G	110.51	Inf	-Inf	5.22	3	Horizontal	117	1.60	-	105.29	33.00	6.67	34.45
PK	5.3532G	62.01	74.00	-11.99	5.17	3	Horizontal	117	1.60	-	56.84	32.91	6.71	34.45

802.11n HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63104G	40.77	54.00	-13.23	14.24	3	Vertical	121	2.78	-	26.53	39.07	9.60	34.43
AV	15.95476G	44.12	54.00	-9.88	15.42	3	Vertical	181	2.44	-	28.70	38.35	11.81	34.74
PK	6.65G	53.33	68.20	-14.87	8.62	3	Vertical	230	1.52	-	44.71	35.80	7.48	34.66
PK	10.64832G	53.35	74.00	-20.65	14.23	3	Vertical	121	2.78	-	39.12	39.05	9.61	34.43
PK	15.95868G	56.18	74.00	-17.82	15.41	3	Vertical	181	2.44	-	40.77	38.34	11.81	34.74

802.11n HT20_Nss1,(MCS8)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63056G	40.78	54.00	-13.22	14.24	3	Horizontal	131	2.02	-	26.54	39.07	9.60	34.43
AV	15.96108G	44.13	54.00	-9.87	15.40	3	Horizontal	34	2.26	-	28.73	38.34	11.81	34.75
PK	6.65008G	52.56	68.20	-15.64	8.62	3	Horizontal	244	1.72	-	43.94	35.80	7.48	34.66
PK	10.64732G	53.13	74.00	-20.87	14.23	3	Horizontal	131	2.02	-	38.90	39.05	9.61	34.43
PK	15.95808G	56.85	74.00	-17.15	15.41	3	Horizontal	34	2.26	-	41.44	38.34	11.81	34.74

802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.22	54.00	-8.78	5.45	3	Vertical	209	1.48	-	39.77	33.12	6.79	34.46
AV	5.5052G	103.37	Inf	-Inf	5.53	3	Vertical	209	1.48	-	97.84	33.18	6.81	34.46
PK	5.4672G	63.97	68.20	-4.23	5.46	3	Vertical	209	1.48	-	58.51	33.13	6.79	34.46
PK	5.5054G	113.28	Inf	-Inf	5.53	3	Vertical	209	1.48	-	107.75	33.18	6.81	34.46

802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	43.63	54.00	-10.37	5.45	3	Horizontal	116	1.50	-	38.18	33.12	6.79	34.46
AV	5.495G	99.49	Inf	-Inf	5.54	3	Horizontal	116	1.50	-	93.95	33.19	6.81	34.46
PK	5.4692G	61.55	68.20	-6.65	5.47	3	Horizontal	116	1.50	-	56.08	33.14	6.79	34.46
PK	5.4958G	109.99	Inf	-Inf	5.54	3	Horizontal	116	1.50	-	104.45	33.19	6.81	34.46

802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00544G	41.23	54.00	-12.77	14.25	3	Vertical	155	2.66	-	26.98	38.81	9.74	34.30
PK	6.875G	49.83	68.20	-18.37	8.97	3	Vertical	225	1.50	-	40.86	35.90	7.76	34.69
PK	11.00264G	53.46	74.00	-20.54	14.24	3	Vertical	155	2.66	-	39.22	38.80	9.74	34.30
PK	16.49544G	57.13	68.20	-11.07	16.22	3	Vertical	43	2.13	-	40.91	38.88	12.03	34.69

802.11n HT20_Nss1,(MCS8)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00916G	41.27	54.00	-12.73	14.26	3	Horizontal	82	2.72	-	27.01	38.81	9.74	34.29
PK	6.86588G	49.77	68.20	-18.43	8.92	3	Horizontal	253	1.00	-	40.85	35.86	7.75	34.69
PK	10.99828G	53.79	74.00	-20.21	14.23	3	Horizontal	82	2.72	-	39.56	38.80	9.73	34.30
PK	16.49528G	57.13	68.20	-11.07	16.22	3	Horizontal	231	1.80	-	40.91	38.88	12.03	34.69

802.11n HT20_Nss1,(MCS8)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	43.23	54.00	-10.77	5.45	3	Vertical	151	1.48	-	37.78	33.12	6.79	34.46
AV	5.5854G	103.16	Inf	-Inf	5.52	3	Vertical	151	1.48	-	97.64	33.14	6.85	34.47
PK	5.4666G	54.72	68.20	-13.48	5.46	3	Vertical	151	1.48	-	49.26	33.13	6.79	34.46
PK	5.5842G	113.51	Inf	-Inf	5.52	3	Vertical	151	1.48	-	107.99	33.14	6.85	34.47
PK	5.73G	54.78	68.20	-13.42	6.06	3	Vertical	151	1.48	-	48.72	33.64	6.91	34.49

802.11n HT20_Nss1,(MCS8)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4468G	42.59	54.00	-11.41	5.41	3	Horizontal	223	1.64	-	37.18	33.09	6.78	34.46
AV	5.5854G	98.99	Inf	-Inf	5.52	3	Horizontal	223	1.64	-	93.47	33.14	6.85	34.47
PK	5.4612G	54.65	68.20	-13.55	5.45	3	Horizontal	223	1.64	-	49.20	33.12	6.79	34.46
PK	5.5722G	109.42	Inf	-Inf	5.47	3	Horizontal	223	1.64	-	103.95	33.09	6.85	34.47
PK	5.7276G	54.61	68.20	-13.59	6.03	3	Horizontal	223	1.64	-	48.58	33.62	6.90	34.49

802.11n HT20_Nss1,(MCS8)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16916G	41.49	54.00	-12.51	14.66	3	Vertical	184	1.12	-	26.83	39.04	9.80	34.18
PK	6.97468G	49.26	68.20	-18.94	9.24	3	Vertical	224	1.50	-	40.02	36.00	7.95	34.71
PK	11.15128G	54.30	74.00	-19.70	14.60	3	Vertical	184	1.12	-	39.70	39.00	9.79	34.19
PK	16.7312G	56.51	68.20	-11.69	16.56	3	Vertical	308	2.94	-	39.95	38.74	12.13	34.31


802.11n HT20_Nss1,(MCS8)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16848G	41.48	54.00	-12.52	14.65	3	Horizontal	223	1.93	-	26.83	39.04	9.79	34.18
PK	6.97488G	50.14	68.20	-18.06	9.24	3	Horizontal	250	1.00	-	40.90	36.00	7.95	34.71
PK	11.16064G	53.81	74.00	-20.19	14.62	3	Horizontal	223	1.93	-	39.19	39.02	9.79	34.19
PK	16.739G	57.07	68.20	-11.13	16.56	3	Horizontal	235	2.38	-	40.51	38.72	12.13	34.29

802.11n HT20_Nss1,(MCS8)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.706G	102.63	Inf	-Inf	5.87	3	Vertical	146	1.48	-	96.76	33.45	6.90	34.48
PK	5.7048G	113.97	Inf	-Inf	5.86	3	Vertical	146	1.48	-	108.11	33.44	6.90	34.48
PK	5.7264G	61.74	68.20	-6.46	6.02	3	Vertical	146	1.48	-	55.72	33.61	6.90	34.49


802.11n HT20_Nss1,(MCS8)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.704G	98.78	Inf	-Inf	5.85	3	Horizontal	132	1.50	-	92.93	33.43	6.90	34.48
PK	5.6956G	109.34	Inf	-Inf	5.80	3	Horizontal	132	1.50	-	103.54	33.39	6.89	34.48
PK	5.7292G	59.88	68.20	-8.32	6.05	3	Horizontal	132	1.50	-	53.83	33.63	6.91	34.49

802.11n HT20_Nss1,(MCS8)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40164G	41.71	54.00	-12.29	14.86	3	Vertical	357	2.69	-	26.85	39.00	9.88	34.02
PK	7.12456G	49.57	68.20	-18.63	10.06	3	Vertical	162	1.47	-	39.51	36.70	8.11	34.75
PK	11.4098G	54.07	74.00	-19.93	14.87	3	Vertical	357	2.69	-	39.20	39.00	9.88	34.01
PK	17.09704G	57.02	68.20	-11.18	16.73	3	Vertical	260	1.17	-	40.29	38.40	12.27	33.94

802.11n HT20_Nss1,(MCS8)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40276G	41.70	54.00	-12.30	14.86	3	Horizontal	170	1.00	-	26.84	39.00	9.88	34.02
PK	7.1322G	49.74	68.20	-18.46	10.13	3	Horizontal	250	1.61	-	39.61	36.76	8.12	34.75
PK	11.40332G	54.30	74.00	-19.70	14.86	3	Horizontal	170	1.00	-	39.44	39.00	9.88	34.02
PK	17.10108G	56.64	68.20	-11.56	16.74	3	Horizontal	108	2.44	-	39.90	38.40	12.28	33.94

802.11n HT20_Nss1,(MCS8)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7248G	103.23	Inf	-Inf	6.01	3	Vertical	148	1.50	-	97.22	33.60	6.90	34.49
PK	5.4632G	54.40	68.20	-13.80	5.46	3	Vertical	148	1.50	-	48.94	33.13	6.79	34.46
PK	5.726G	113.30	Inf	-Inf	6.02	3	Vertical	148	1.50	-	107.28	33.61	6.90	34.49
PK	5.8508G	56.48	68.20	-11.72	6.68	3	Vertical	148	1.50	-	49.80	34.20	6.98	34.50


802.11n HT20_Nss1,(MCS8)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7224G	99.70	Inf	-Inf	5.99	3	Horizontal	166	1.58	-	93.71	33.58	6.90	34.49
PK	5.468G	53.04	68.20	-15.16	5.47	3	Horizontal	166	1.58	-	47.57	33.14	6.79	34.46
PK	5.7236G	109.06	Inf	-Inf	6.00	3	Horizontal	166	1.58	-	103.06	33.59	6.90	34.49
PK	5.8604G	55.81	68.20	-12.39	6.66	3	Horizontal	166	1.58	-	49.15	34.18	6.98	34.50

802.11n HT20_Nss1,(MCS8)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43012G	41.61	54.00	-12.39	14.89	3	Vertical	100	1.42	-	26.72	39.00	9.89	34.00
PK	7.15008G	49.85	68.20	-18.35	10.28	3	Vertical	188	1.31	-	39.57	36.90	8.14	34.76
PK	11.43704G	54.00	74.00	-20.00	14.90	3	Vertical	100	1.42	-	39.10	39.00	9.89	33.99
PK	17.16628G	56.37	68.20	-11.83	16.71	3	Vertical	95	1.78	-	39.66	38.40	12.30	33.99


802.11n HT20_Nss1,(MCS8)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43044G	41.50	54.00	-12.50	14.89	3	Horizontal	302	2.44	-	26.61	39.00	9.89	34.00
PK	7.14992G	50.53	68.20	-17.67	10.27	3	Horizontal	250	1.61	-	40.26	36.90	8.13	34.76
PK	11.43848G	53.73	74.00	-20.27	14.90	3	Horizontal	302	2.44	-	38.83	39.00	9.89	33.99
PK	17.16228G	56.82	68.20	-11.38	16.71	3	Horizontal	330	2.90	-	40.11	38.40	12.30	33.99

802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	100.70	Inf	-Inf	6.19	3	Vertical	213	1.50	-	94.51	33.77	6.91	34.49
PK	5.6106G	55.10	68.20	-13.10	5.61	3	Vertical	213	1.50	-	49.49	33.22	6.86	34.47
PK	5.7414G	112.87	Inf	-Inf	6.15	3	Vertical	213	1.50	-	106.72	33.73	6.91	34.49
PK	5.9274G	55.81	68.20	-12.39	6.79	3	Vertical	213	1.50	-	49.02	34.26	7.04	34.51

802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	96.95	Inf	-Inf	6.22	3	Horizontal	154	1.50	-	90.73	33.80	6.91	34.49
PK	5.6418G	54.17	68.20	-14.03	5.67	3	Horizontal	154	1.50	-	48.50	33.28	6.87	34.48
PK	5.7378G	109.29	Inf	-Inf	6.12	3	Horizontal	154	1.50	-	103.17	33.70	6.91	34.49
PK	5.943G	55.41	68.20	-12.79	6.91	3	Horizontal	154	1.50	-	48.50	34.36	7.06	34.51

802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4858G	41.53	54.00	-12.47	14.95	3	Vertical	104	1.64	-	26.58	39.00	9.91	33.96
PK	7.18629G	50.06	68.20	-18.14	10.23	3	Vertical	308	2.40	-	39.83	36.83	8.17	34.77
PK	11.48524G	53.80	74.00	-20.20	14.95	3	Vertical	104	1.64	-	38.85	39.00	9.91	33.96
PK	17.24344G	56.01	68.20	-12.19	16.72	3	Vertical	37	1.48	-	39.29	38.44	12.33	34.05

802.11n HT20_Nss1,(MCS8)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.495G	41.52	54.00	-12.48	14.96	3	Horizontal	304	1.64	-	26.56	39.00	9.91	33.95
PK	7.18301G	50.03	68.20	-18.17	10.22	3	Horizontal	253	1.14	-	39.81	36.83	8.16	34.77
PK	11.4968G	54.05	74.00	-19.95	14.96	3	Horizontal	304	1.64	-	39.09	39.00	9.91	33.95
PK	17.2318G	57.42	68.20	-10.78	16.72	3	Horizontal	343	1.43	-	40.70	38.43	12.33	34.04

802.11n HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	100.80	Inf	-Inf	6.32	3	Vertical	149	1.46	-	94.48	33.88	6.93	34.49
PK	5.6446G	54.74	68.20	-13.46	5.69	3	Vertical	149	1.46	-	49.05	33.29	6.88	34.48
PK	5.7826G	112.88	Inf	-Inf	6.30	3	Vertical	149	1.46	-	106.58	33.87	6.92	34.49
PK	5.9542G	55.47	68.20	-12.73	6.94	3	Vertical	149	1.46	-	48.53	34.38	7.07	34.51

802.11n HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	94.45	Inf	-Inf	6.32	3	Horizontal	149	1.50	-	88.13	33.89	6.93	34.50
PK	5.6074G	53.92	68.20	-14.28	5.60	3	Horizontal	149	1.50	-	48.32	33.21	6.86	34.47
PK	5.7898G	106.70	Inf	-Inf	6.32	3	Horizontal	149	1.50	-	100.38	33.88	6.93	34.49
PK	5.9458G	54.47	68.20	-13.73	6.92	3	Horizontal	149	1.50	-	47.55	34.37	7.06	34.51

802.11n HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57448G	40.98	54.00	-13.02	14.87	3	Vertical	260	2.60	-	26.11	38.93	9.94	34.00
PK	7.22541G	50.04	68.20	-18.16	10.24	3	Vertical	162	1.80	-	39.80	36.85	8.17	34.78
PK	11.57156G	52.77	74.00	-21.23	14.88	3	Vertical	260	2.60	-	37.89	38.93	9.94	33.99
PK	17.36188G	56.29	68.20	-11.91	16.93	3	Vertical	36	1.78	-	39.36	38.69	12.38	34.14

802.11n HT20_Nss1,(MCS8)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56332G	41.06	54.00	-12.94	14.88	3	Horizontal	123	2.18	-	26.18	38.94	9.93	33.99
PK	7.22817G	50.38	68.20	-17.82	10.25	3	Horizontal	251	1.50	-	40.13	36.86	8.17	34.78
PK	11.57028G	53.70	74.00	-20.30	14.88	3	Horizontal	123	2.18	-	38.82	38.93	9.94	33.99
PK	17.35352G	56.27	68.20	-11.93	16.90	3	Horizontal	352	2.85	-	39.37	38.66	12.38	34.14

802.11n HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	101.47	Inf	-Inf	6.46	3	Vertical	141	1.50	-	95.01	34.01	6.95	34.50
PK	5.6018G	55.28	68.20	-12.92	5.59	3	Vertical	141	1.50	-	49.69	33.20	6.86	34.47
PK	5.8322G	113.31	Inf	-Inf	6.55	3	Vertical	141	1.50	-	106.76	34.09	6.96	34.50
PK	6.083G	55.59	68.20	-12.61	6.87	3	Vertical	141	1.50	-	48.72	34.27	7.14	34.54

802.11n HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	97.50	Inf	-Inf	6.46	3	Horizontal	154	1.47	-	91.04	34.01	6.95	34.50
PK	5.5658G	53.99	68.20	-14.21	5.43	3	Horizontal	154	1.47	-	48.56	33.06	6.84	34.47
PK	5.8226G	111.00	Inf	-Inf	6.49	3	Horizontal	154	1.47	-	104.51	34.04	6.95	34.50
PK	5.975G	55.00	68.20	-13.20	6.87	3	Horizontal	154	1.47	-	48.13	34.30	7.09	34.52

802.11n HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28117G	38.16	54.00	-15.84	10.13	3	Vertical	161	1.49	-	28.03	36.78	8.15	34.80
AV	11.6404G	41.03	54.00	-12.97	14.78	3	Vertical	102	2.07	-	26.25	38.86	9.96	34.04
PK	7.28949G	50.10	74.00	-23.90	10.09	3	Vertical	161	1.49	-	40.01	36.74	8.15	34.80
PK	11.65216G	52.92	74.00	-21.08	14.78	3	Vertical	102	2.07	-	38.14	38.85	9.97	34.04
PK	17.47G	56.47	68.20	-11.73	17.07	3	Vertical	355	2.15	-	39.40	38.87	12.43	34.23

802.11n HT20_Nss1,(MCS8)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28121G	38.47	54.00	-15.53	10.13	3	Horizontal	251	1.36	-	28.34	36.78	8.15	34.80
AV	11.64036G	40.93	54.00	-13.07	14.78	3	Horizontal	298	1.30	-	26.15	38.86	9.96	34.04
PK	7.27821G	49.89	74.00	-24.11	10.14	3	Horizontal	251	1.36	-	39.75	36.79	8.15	34.80
PK	11.64348G	52.92	74.00	-21.08	14.78	3	Horizontal	298	1.30	-	38.14	38.86	9.96	34.04
PK	17.47928G	57.17	68.20	-11.03	17.08	3	Horizontal	277	1.05	-	40.09	38.88	12.43	34.23

802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.29	54.00	-2.71	5.15	3	Vertical	203	1.46	-	46.14	33.10	6.49	34.44
AV	5.1944G	99.66	Inf	-Inf	5.10	3	Vertical	203	1.46	-	94.56	33.01	6.53	34.44
PK	5.148G	65.24	74.00	-8.76	5.15	3	Vertical	203	1.46	-	60.09	33.10	6.49	34.44
PK	5.2068G	109.58	Inf	-Inf	5.09	3	Vertical	203	1.46	-	104.49	32.99	6.54	34.44

802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.60	54.00	-4.40	5.15	3	Horizontal	120	1.73	-	44.45	33.10	6.49	34.44
AV	5.1936G	97.36	Inf	-Inf	5.10	3	Horizontal	120	1.73	-	92.26	33.01	6.53	34.44
PK	5.15G	63.64	74.00	-10.36	5.15	3	Horizontal	120	1.73	-	58.49	33.10	6.49	34.44
PK	5.2004G	106.90	Inf	-Inf	5.09	3	Horizontal	120	1.73	-	101.81	33.00	6.53	34.44

802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56G	43.39	54.00	-10.61	15.83	3	Vertical	232	1.71	-	27.56	38.68	11.64	34.49
PK	6.48742G	56.56	68.20	-11.64	8.18	3	Vertical	206	1.40	-	48.38	35.47	7.35	34.64
PK	10.37676G	53.62	68.20	-14.58	13.52	3	Vertical	254	1.79	-	40.10	38.68	9.51	34.67
PK	15.57988G	55.37	74.00	-18.63	15.79	3	Vertical	232	1.71	-	39.58	38.64	11.65	34.50

802.11n HT40_Nss1,(MCS8)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56028G	43.39	54.00	-10.61	15.83	3	Horizontal	43	1.95	-	27.56	38.68	11.64	34.49
PK	6.48766G	54.17	68.20	-14.03	8.19	3	Horizontal	128	1.50	-	45.98	35.48	7.35	34.64
PK	10.37996G	52.74	68.20	-15.46	13.53	3	Horizontal	50	1.29	-	39.21	38.68	9.51	34.66
PK	15.5682G	55.23	74.00	-18.77	15.82	3	Horizontal	43	1.95	-	39.41	38.66	11.65	34.49

802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.62	54.00	-9.38	5.15	3	Vertical	203	1.50	-	39.47	33.10	6.49	34.44
AV	5.226G	100.41	Inf	-Inf	5.07	3	Vertical	203	1.50	-	95.34	32.95	6.56	34.44
PK	5.1484G	55.46	74.00	-18.54	5.15	3	Vertical	203	1.50	-	50.31	33.10	6.49	34.44
PK	5.2208G	109.92	Inf	-Inf	5.07	3	Vertical	203	1.50	-	104.85	32.96	6.55	34.44

802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.70	54.00	-10.30	5.15	3	Horizontal	115	1.72	-	38.55	33.10	6.49	34.44
AV	5.2272G	97.31	Inf	-Inf	5.07	3	Horizontal	115	1.72	-	92.24	32.95	6.56	34.44
PK	5.1452G	54.95	74.00	-19.05	5.16	3	Horizontal	115	1.72	-	49.79	33.11	6.49	34.44
PK	5.2236G	107.14	Inf	-Inf	5.07	3	Horizontal	115	1.72	-	102.07	32.95	6.56	34.44

802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68248G	43.28	54.00	-10.72	15.57	3	Vertical	21	1.65	-	27.71	38.44	11.70	34.57
PK	6.53742G	55.42	68.20	-12.78	8.33	3	Vertical	208	1.44	-	47.09	35.60	7.38	34.65
PK	10.46052G	53.06	68.20	-15.14	13.64	3	Vertical	114	2.15	-	39.42	38.64	9.54	34.54
PK	15.68196G	56.23	74.00	-17.77	15.56	3	Vertical	21	1.65	-	40.67	38.44	11.69	34.57

802.11n HT40_Nss1,(MCS8)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68644G	43.28	54.00	-10.72	15.56	3	Horizontal	297	1.09	-	27.72	38.43	11.70	34.57
PK	6.53754G	53.29	68.20	-14.91	8.33	3	Horizontal	140	1.49	-	44.96	35.60	7.38	34.65
PK	10.45376G	52.85	68.20	-15.35	13.64	3	Horizontal	61	2.87	-	39.21	38.65	9.54	34.55
PK	15.6982G	55.68	74.00	-18.32	15.52	3	Horizontal	297	1.09	-	40.16	38.40	11.70	34.58

802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2588G	100.48	Inf	-Inf	5.09	3	Vertical	204	1.55	-	95.39	32.94	6.60	34.45
AV	5.3524G	45.28	54.00	-8.72	5.16	3	Vertical	204	1.55	-	40.12	32.90	6.71	34.45
PK	5.26G	110.46	Inf	-Inf	5.09	3	Vertical	204	1.55	-	105.37	32.94	6.60	34.45
PK	5.3508G	57.02	74.00	-16.98	5.15	3	Vertical	204	1.55	-	51.87	32.90	6.70	34.45

802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2608G	96.82	Inf	-Inf	5.09	3	Horizontal	118	1.56	-	91.73	32.94	6.60	34.45
AV	5.3504G	43.81	54.00	-10.19	5.15	3	Horizontal	118	1.56	-	38.66	32.90	6.70	34.45
PK	5.2672G	106.07	Inf	-Inf	5.13	3	Horizontal	118	1.56	-	100.94	32.97	6.61	34.45
PK	5.3608G	55.32	74.00	-18.68	5.18	3	Horizontal	118	1.56	-	50.14	32.92	6.71	34.45

802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8074G	43.83	54.00	-10.17	15.59	3	Vertical	32	1.51	-	28.24	38.49	11.75	34.65
PK	6.58734G	55.37	68.20	-12.83	8.59	3	Vertical	207	1.47	-	46.78	35.82	7.42	34.65
PK	10.5308G	52.60	68.20	-15.60	13.85	3	Vertical	326	2.96	-	38.75	38.75	9.57	34.47
PK	15.81136G	56.08	74.00	-17.92	15.59	3	Vertical	32	1.51	-	40.49	38.49	11.75	34.65

802.11n HT40_Nss1,(MCS8)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80828G	43.84	54.00	-10.16	15.59	3	Horizontal	224	1.80	-	28.25	38.49	11.75	34.65
PK	6.5875G	53.06	68.20	-15.14	8.60	3	Horizontal	140	1.49	-	44.46	35.83	7.42	34.65
PK	10.55G	53.24	68.20	-14.96	13.97	3	Horizontal	353	2.88	-	39.27	38.85	9.58	34.46
PK	15.80668G	56.95	74.00	-17.05	15.59	3	Horizontal	224	1.80	-	41.36	38.49	11.75	34.65

802.11n HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	98.99	Inf	-Inf	5.28	3	Vertical	202	1.34	-	93.71	33.09	6.64	34.45
AV	5.35G	48.02	54.00	-5.98	5.15	3	Vertical	202	1.34	-	42.87	32.90	6.70	34.45
PK	5.2964G	109.06	Inf	-Inf	5.28	3	Vertical	202	1.34	-	103.78	33.09	6.64	34.45
PK	5.3556G	60.34	74.00	-13.66	5.17	3	Vertical	202	1.34	-	55.17	32.91	6.71	34.45

802.11n HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	95.17	Inf	-Inf	5.28	3	Horizontal	116	1.57	-	89.89	33.09	6.64	34.45
AV	5.35G	45.21	54.00	-8.79	5.15	3	Horizontal	116	1.57	-	40.06	32.90	6.70	34.45
PK	5.296G	104.86	Inf	-Inf	5.27	3	Horizontal	116	1.57	-	99.59	33.08	6.64	34.45
PK	5.35G	56.99	74.00	-17.01	5.15	3	Horizontal	116	1.57	-	51.84	32.90	6.70	34.45

802.11n HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62688G	40.82	54.00	-13.18	14.24	3	Vertical	178	1.18	-	26.58	39.07	9.60	34.43
AV	15.9328G	43.93	54.00	-10.07	15.44	3	Vertical	259	2.44	-	28.49	38.37	11.80	34.73
PK	6.63734G	52.18	68.20	-16.02	8.64	3	Vertical	206	1.50	-	43.54	35.83	7.47	34.66
PK	10.62088G	53.14	74.00	-20.86	14.24	3	Vertical	178	1.18	-	38.90	39.08	9.60	34.44
PK	15.92876G	55.96	74.00	-18.04	15.45	3	Vertical	259	2.44	-	40.51	38.37	11.80	34.72

802.11n HT40_Nss1,(MCS8)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61096G	40.75	54.00	-13.25	14.25	3	Horizontal	247	1.61	-	26.50	39.09	9.60	34.44
AV	15.93508G	43.92	54.00	-10.08	15.43	3	Horizontal	8	1.13	-	28.49	38.36	11.80	34.73
PK	6.63758G	50.26	68.20	-17.94	8.63	3	Horizontal	242	2.21	-	41.63	35.82	7.47	34.66
PK	10.61372G	52.79	74.00	-21.21	14.25	3	Horizontal	247	1.61	-	38.54	39.09	9.60	34.44
PK	15.93864G	55.75	74.00	-18.25	15.43	3	Horizontal	8	1.13	-	40.32	38.36	11.80	34.73

802.11n HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.29	54.00	-7.71	5.45	3	Vertical	203	1.25	-	40.84	33.12	6.79	34.46
AV	5.506G	99.76	Inf	-Inf	5.53	3	Vertical	203	1.25	-	94.23	33.18	6.81	34.46
PK	5.466G	61.34	68.20	-6.86	5.46	3	Vertical	203	1.25	-	55.88	33.13	6.79	34.46
PK	5.5004G	110.75	Inf	-Inf	5.55	3	Vertical	203	1.25	-	105.20	33.20	6.81	34.46

802.11n HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.47	54.00	-9.53	5.45	3	Horizontal	238	1.21	-	39.02	33.12	6.79	34.46
AV	5.5148G	95.37	Inf	-Inf	5.50	3	Horizontal	238	1.21	-	89.87	33.14	6.82	34.46
PK	5.4692G	60.35	68.20	-7.85	5.47	3	Horizontal	238	1.21	-	54.88	33.14	6.79	34.46
PK	5.5184G	106.58	Inf	-Inf	5.49	3	Horizontal	238	1.21	-	101.09	33.13	6.82	34.46

802.11n HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01388G	41.10	54.00	-12.90	14.26	3	Vertical	311	2.75	-	26.84	38.81	9.74	34.29
PK	6.88754G	50.21	68.20	-17.99	9.05	3	Vertical	198	2.14	-	41.16	35.95	7.79	34.69
PK	11.02004G	53.19	74.00	-20.81	14.27	3	Vertical	311	2.75	-	38.92	38.82	9.74	34.29
PK	16.53056G	56.72	68.20	-11.48	16.24	3	Vertical	46	2.64	-	40.48	38.84	12.04	34.64

802.11n HT40_Nss1,(MCS8)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0136G	41.20	54.00	-12.80	14.26	3	Horizontal	130	1.75	-	26.94	38.81	9.74	34.29
PK	6.88718G	49.77	68.20	-18.43	9.05	3	Horizontal	253	1.00	-	40.72	35.95	7.79	34.69
PK	11.01332G	53.66	74.00	-20.34	14.26	3	Horizontal	130	1.75	-	39.40	38.81	9.74	34.29
PK	16.53584G	56.50	68.20	-11.70	16.25	3	Horizontal	206	2.98	-	40.25	38.83	12.05	34.63

802.11n HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.52	54.00	-8.48	5.45	3	Vertical	203	1.35	-	40.07	33.12	6.79	34.46
AV	5.5484G	100.75	Inf	-Inf	5.37	3	Vertical	203	1.35	-	95.38	33.01	6.83	34.47
PK	5.466G	58.21	68.20	-9.99	5.46	3	Vertical	203	1.35	-	52.75	33.13	6.79	34.46
PK	5.5624G	110.67	Inf	-Inf	5.42	3	Vertical	203	1.35	-	105.25	33.05	6.84	34.47

802.11n HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	43.26	54.00	-10.74	5.45	3	Horizontal	119	2.77	-	37.81	33.12	6.79	34.46
AV	5.546G	96.25	Inf	-Inf	5.38	3	Horizontal	119	2.77	-	90.87	33.02	6.83	34.47
PK	5.4676G	55.04	68.20	-13.16	5.47	3	Horizontal	119	2.77	-	49.57	33.14	6.79	34.46
PK	5.5552G	106.24	Inf	-Inf	5.39	3	Horizontal	119	2.77	-	100.85	33.02	6.84	34.47

802.11n HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10684G	41.28	54.00	-12.72	14.45	3	Vertical	342	2.90	-	26.83	38.91	9.77	34.23
PK	6.9373G	50.41	68.20	-17.79	9.18	3	Vertical	193	1.50	-	41.23	36.00	7.88	34.70
PK	11.10224G	53.54	74.00	-20.46	14.44	3	Vertical	342	2.90	-	39.10	38.90	9.77	34.23
PK	16.64892G	56.43	68.20	-11.77	16.40	3	Vertical	157	1.27	-	40.03	38.75	12.09	34.44

802.11n HT40_Nss1,(MCS8)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10976G	41.23	54.00	-12.77	14.47	3	Horizontal	69	2.35	-	26.76	38.92	9.77	34.22
PK	6.93762G	50.53	68.20	-17.67	9.18	3	Horizontal	250	1.00	-	41.35	36.00	7.88	34.70
PK	11.09932G	53.51	74.00	-20.49	14.44	3	Horizontal	69	2.35	-	39.07	38.90	9.77	34.23
PK	16.65324G	56.88	68.20	-11.32	16.40	3	Horizontal	245	1.05	-	40.48	38.75	12.09	34.44

802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	99.57	Inf	-Inf	5.73	3	Vertical	137	1.54	-	93.84	33.33	6.88	34.48
PK	5.6784G	109.91	Inf	-Inf	5.77	3	Vertical	137	1.54	-	104.14	33.36	6.89	34.48
PK	5.7318G	60.85	68.20	-7.35	6.07	3	Vertical	137	1.54	-	54.78	33.65	6.91	34.49

802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6658G	95.51	Inf	-Inf	5.73	3	Horizontal	120	1.37	-	89.78	33.33	6.88	34.48
PK	5.6664G	104.93	Inf	-Inf	5.73	3	Horizontal	120	1.37	-	99.20	33.33	6.88	34.48
PK	5.727G	57.06	68.20	-11.14	6.03	3	Horizontal	120	1.37	-	51.03	33.62	6.90	34.49

802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33004G	41.48	54.00	-12.52	14.92	3	Vertical	350	2.65	-	26.56	39.14	9.85	34.07
PK	7.0801G	50.83	68.20	-17.37	9.75	3	Vertical	190	1.48	-	41.08	36.42	8.07	34.74
PK	11.34124G	53.26	74.00	-20.74	14.92	3	Vertical	350	2.65	-	38.34	39.12	9.86	34.06
PK	17.01424G	56.75	68.20	-11.45	16.77	3	Vertical	204	1.77	-	39.98	38.40	12.24	33.87

802.11n HT40_Nss1,(MCS8)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33064G	41.48	54.00	-12.52	14.92	3	Horizontal	88	1.34	-	26.56	39.14	9.85	34.07
PK	7.0873G	49.70	68.20	-18.50	9.79	3	Horizontal	251	1.50	-	39.91	36.45	8.08	34.74
PK	11.3414G	54.06	74.00	-19.94	14.92	3	Horizontal	88	1.34	-	39.14	39.12	9.86	34.06
PK	17.0016G	56.82	68.20	-11.38	16.78	3	Horizontal	154	1.01	-	40.04	38.40	12.24	33.86

802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7016G	99.44	Inf	-Inf	5.83	3	Vertical	138	1.52	-	93.61	33.41	6.90	34.48
PK	5.4652G	52.60	68.20	-15.60	5.46	3	Vertical	138	1.52	-	47.14	33.13	6.79	34.46
PK	5.7064G	110.02	Inf	-Inf	5.87	3	Vertical	138	1.52	-	104.15	33.45	6.90	34.48
PK	5.878G	55.61	68.20	-12.59	6.63	3	Vertical	138	1.52	-	48.98	34.14	7.00	34.51

802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7064G	95.88	Inf	-Inf	5.87	3	Horizontal	165	1.49	-	90.01	33.45	6.90	34.48
PK	5.4604G	52.37	68.20	-15.83	5.45	3	Horizontal	165	1.49	-	46.92	33.12	6.79	34.46
PK	5.7184G	105.06	Inf	-Inf	5.96	3	Horizontal	165	1.49	-	99.10	33.55	6.90	34.49
PK	5.9236G	55.45	68.20	-12.75	6.77	3	Horizontal	165	1.49	-	48.68	34.24	7.04	34.51

802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42176G	41.54	54.00	-12.46	14.88	3	Vertical	91	1.93	-	26.66	39.00	9.88	34.00
PK	7.13758G	49.54	68.20	-18.66	10.17	3	Vertical	163	1.41	-	39.37	36.80	8.12	34.75
PK	11.42844G	53.77	74.00	-20.23	14.89	3	Vertical	91	1.93	-	38.88	39.00	9.89	34.00
PK	17.12688G	56.41	68.20	-11.79	16.73	3	Vertical	229	1.31	-	39.68	38.40	12.29	33.96

802.11n HT40_Nss1,(MCS8)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41548G	41.56	54.00	-12.44	14.87	3	Horizontal	260	2.66	-	26.69	39.00	9.88	34.01
PK	7.13746G	50.24	68.20	-17.96	10.17	3	Horizontal	250	1.74	-	40.07	36.80	8.12	34.75
PK	11.42644G	53.80	74.00	-20.20	14.89	3	Horizontal	260	2.66	-	38.91	39.00	9.89	34.00
PK	17.12156G	55.98	68.20	-12.22	16.73	3	Horizontal	161	1.13	-	39.25	38.40	12.28	33.95

802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	100.57	Inf	-Inf	6.25	3	Vertical	140	1.55	-	94.32	33.82	6.92	34.49
PK	5.4874G	55.39	68.20	-12.81	5.51	3	Vertical	140	1.55	-	49.88	33.17	6.80	34.46
PK	5.7574G	111.22	Inf	-Inf	6.24	3	Vertical	140	1.55	-	104.98	33.81	6.92	34.49
PK	5.9614G	55.75	68.20	-12.45	6.91	3	Vertical	140	1.55	-	48.84	34.35	7.08	34.52

802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	98.77	Inf	-Inf	6.23	3	Horizontal	140	1.01	-	92.54	33.81	6.91	34.49
PK	5.5426G	53.88	68.20	-14.32	5.39	3	Horizontal	140	1.01	-	48.49	33.03	6.83	34.47
PK	5.7454G	108.86	Inf	-Inf	6.18	3	Horizontal	140	1.01	-	102.68	33.76	6.91	34.49
PK	5.9374G	55.86	68.20	-12.34	6.86	3	Horizontal	140	1.01	-	49.00	34.32	7.05	34.51

802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51228G	41.22	54.00	-12.78	14.95	3	Vertical	194	1.95	-	26.27	38.99	9.92	33.96
PK	7.19351G	50.99	68.20	-17.21	10.21	3	Vertical	164	1.71	-	40.78	36.81	8.17	34.77
PK	11.50276G	53.69	74.00	-20.31	14.96	3	Vertical	194	1.95	-	38.73	39.00	9.91	33.95
PK	17.26112G	56.63	68.20	-11.57	16.74	3	Vertical	348	2.59	-	39.89	38.46	12.34	34.06

802.11n HT40_Nss1,(MCS8)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50908G	41.20	54.00	-12.80	14.95	3	Horizontal	5	2.54	-	26.25	38.99	9.92	33.96
PK	7.19391G	50.29	68.20	-17.91	10.21	3	Horizontal	252	1.47	-	40.08	36.81	8.17	34.77
PK	11.50736G	53.03	74.00	-20.97	14.96	3	Horizontal	5	2.54	-	38.07	38.99	9.92	33.95
PK	17.27292G	56.78	68.20	-11.42	16.75	3	Horizontal	194	2.03	-	40.03	38.47	12.35	34.07

802.11n HT40_Nss1,(MCS8)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	100.41	Inf	-Inf	6.32	3	Vertical	146	1.47	-	94.09	33.88	6.93	34.49
PK	5.6414G	55.23	68.20	-12.97	5.67	3	Vertical	146	1.47	-	49.56	33.28	6.87	34.48
PK	5.7926G	110.37	Inf	-Inf	6.32	3	Vertical	146	1.47	-	104.05	33.89	6.93	34.50
PK	6.029G	55.95	68.20	-12.25	6.91	3	Vertical	146	1.47	-	49.04	34.32	7.12	34.53

802.11n HT40_Nss1,(MCS8)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8118G	98.99	Inf	-Inf	6.41	3	Horizontal	244	1.18	-	92.58	33.97	6.94	34.50
PK	5.6306G	54.39	68.20	-13.81	5.65	3	Horizontal	244	1.18	-	48.74	33.26	6.87	34.48
PK	5.8082G	110.19	Inf	-Inf	6.39	3	Horizontal	244	1.18	-	103.80	33.95	6.94	34.50
PK	6.0122G	55.76	68.20	-12.44	6.84	3	Horizontal	244	1.18	-	48.92	34.25	7.11	34.52

802.11n HT40_Nss1,(MCS8)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58052G	40.93	54.00	-13.07	14.86	3	Vertical	245	1.71	-	26.07	38.92	9.94	34.00
PK	7.24635G	50.38	68.20	-17.82	10.26	3	Vertical	159	1.60	-	40.12	36.89	8.16	34.79
PK	11.58408G	52.67	74.00	-21.33	14.86	3	Vertical	245	1.71	-	37.81	38.92	9.94	34.00
PK	17.38304G	57.07	68.20	-11.13	16.98	3	Vertical	353	1.14	-	40.09	38.75	12.39	34.16


802.11n HT40_Nss1,(MCS8)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5922G	40.95	54.00	-13.05	14.85	3	Horizontal	28	2.06	-	26.10	38.91	9.95	34.01
PK	7.24267G	50.23	68.20	-17.97	10.27	3	Horizontal	219	1.50	-	39.96	36.89	8.17	34.79
PK	11.58992G	53.62	74.00	-20.38	14.84	3	Horizontal	28	2.06	-	38.78	38.91	9.94	34.01
PK	17.37948G	56.59	68.20	-11.61	16.97	3	Horizontal	53	2.83	-	39.62	38.74	12.39	34.16

**802.11ac VHT80_Nss1,(MCS0)_2TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.44	54.00	-3.56	5.15	3	Vertical	204	1.50	-	45.29	33.10	6.49	34.44
AV	5.222G	92.61	Inf	-Inf	5.08	3	Vertical	204	1.50	-	87.53	32.96	6.56	34.44
AV	5.353G	45.10	54.00	-8.90	5.17	3	Vertical	204	1.50	-	39.93	32.91	6.71	34.45
PK	5.15G	62.20	74.00	-11.80	5.15	3	Vertical	204	1.50	-	57.05	33.10	6.49	34.44
PK	5.226G	102.40	Inf	-Inf	5.07	3	Vertical	204	1.50	-	97.33	32.95	6.56	34.44
PK	5.353G	56.85	74.00	-17.15	5.17	3	Vertical	204	1.50	-	51.68	32.91	6.71	34.45

**802.11ac VHT80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.26	54.00	-4.74	5.15	3	Horizontal	118	1.65	-	44.11	33.10	6.49	34.44
AV	5.198G	90.30	Inf	-Inf	5.09	3	Horizontal	118	1.65	-	85.21	33.00	6.53	34.44
AV	5.36G	43.60	54.00	-10.40	5.18	3	Horizontal	118	1.65	-	38.42	32.92	6.71	34.45
PK	5.139G	60.19	74.00	-13.81	5.16	3	Horizontal	118	1.65	-	55.03	33.12	6.48	34.44
PK	5.196G	99.89	Inf	-Inf	5.10	3	Horizontal	118	1.65	-	94.79	33.01	6.53	34.44
PK	5.39G	55.86	74.00	-18.14	5.28	3	Horizontal	118	1.65	-	50.58	32.98	6.75	34.45


**802.11ac VHT80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62578G	43.53	54.00	-10.47	15.69	3	Vertical	228	1.03	-	27.84	38.55	11.67	34.53
PK	6.51242G	58.12	68.20	-10.08	8.32	3	Vertical	209	1.50	-	49.80	35.60	7.36	34.64
PK	10.42398G	53.59	68.20	-14.61	13.61	3	Vertical	229	1.71	-	39.98	38.68	9.53	34.60
PK	15.63474G	55.29	74.00	-18.71	15.66	3	Vertical	228	1.03	-	39.63	38.53	11.67	34.54

802.11ac VHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62688G	43.53	54.00	-10.47	15.69	3	Horizontal	43	2.61	-	27.84	38.55	11.67	34.53
PK	6.51242G	55.96	68.20	-12.24	8.32	3	Horizontal	139	1.40	-	47.64	35.60	7.36	34.64
PK	10.42202G	52.45	68.20	-15.75	13.61	3	Horizontal	24	2.91	-	38.84	38.68	9.53	34.60
PK	15.62756G	56.01	74.00	-17.99	15.68	3	Horizontal	43	2.61	-	40.33	38.54	11.67	34.53


802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.99	54.00	-10.01	5.15	3	Vertical	204	1.53	-	38.84	33.10	6.49	34.44
AV	5.287G	92.26	Inf	-Inf	5.23	3	Vertical	204	1.53	-	87.03	33.05	6.63	34.45
AV	5.35G	51.85	54.00	-2.15	5.15	3	Vertical	204	1.53	-	46.70	32.90	6.70	34.45
PK	5.133G	54.65	74.00	-19.35	5.17	3	Vertical	204	1.53	-	49.48	33.13	6.48	34.44
PK	5.284G	102.42	Inf	-Inf	5.22	3	Vertical	204	1.53	-	97.20	33.04	6.63	34.45
PK	5.359G	63.12	74.00	-10.88	5.18	3	Vertical	204	1.53	-	57.94	32.92	6.71	34.45

**802.11ac VHT80_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.39	54.00	-10.61	5.15	3	Horizontal	119	1.53	-	38.24	33.10	6.49	34.44
AV	5.278G	88.79	Inf	-Inf	5.18	3	Horizontal	119	1.53	-	83.61	33.01	6.62	34.45
AV	5.35G	48.63	54.00	-5.37	5.15	3	Horizontal	119	1.53	-	43.48	32.90	6.70	34.45
PK	5.149G	54.51	74.00	-19.49	5.15	3	Horizontal	119	1.53	-	49.36	33.10	6.49	34.44
PK	5.26G	98.64	Inf	-Inf	5.09	3	Horizontal	119	1.53	-	93.55	32.94	6.60	34.45
PK	5.463G	55.07	68.20	-13.13	5.46	3	Horizontal	119	1.53	-	49.61	33.13	6.79	34.46


**802.11ac VHT80_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87322G	43.96	54.00	-10.04	15.52	3	Vertical	101	2.74	-	28.44	38.43	11.78	34.69
PK	6.61258G	57.04	68.20	-11.16	8.65	3	Vertical	206	1.43	-	48.39	35.87	7.44	34.66
PK	10.57842G	52.96	68.20	-15.24	14.13	3	Vertical	328	1.12	-	38.83	38.99	9.59	34.45
PK	15.86802G	56.28	74.00	-17.72	15.51	3	Vertical	101	2.74	-	40.77	38.43	11.77	34.69

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87064G	43.83	54.00	-10.17	15.52	3	Horizontal	132	1.68	-	28.31	38.43	11.78	34.69
PK	6.61246G	54.13	68.20	-14.07	8.66	3	Horizontal	141	1.47	-	45.47	35.88	7.44	34.66
PK	10.57988G	53.56	68.20	-14.64	14.14	3	Horizontal	218	1.36	-	39.42	39.00	9.59	34.45
PK	15.87174G	56.59	74.00	-17.41	15.52	3	Horizontal	132	1.68	-	41.07	38.43	11.78	34.69

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.48	54.00	-9.52	5.15	3	Vertical	204	1.53	-	39.33	33.10	6.49	34.44
AV	5.287G	92.85	Inf	-Inf	5.23	3	Vertical	204	1.53	-	87.62	33.05	6.63	34.45
AV	5.35G	53.47	54.00	-0.53	5.15	3	Vertical	204	1.53	-	48.32	32.90	6.70	34.45
PK	5.148G	55.24	74.00	-18.76	5.15	3	Vertical	204	1.53	-	50.09	33.10	6.49	34.44
PK	5.282G	102.60	Inf	-Inf	5.20	3	Vertical	204	1.53	-	97.40	33.03	6.62	34.45
PK	5.353G	66.22	74.00	-7.78	5.17	3	Vertical	204	1.53	-	61.05	32.91	6.71	34.45
PK	5.474G	56.33	68.20	-11.87	5.49	3	Vertical	204	1.53	-	50.84	33.15	6.80	34.46

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.87	54.00	-3.13	5.45	3	Vertical	139	1.59	-	45.42	33.12	6.79	34.46
AV	5.527G	95.05	Inf	-Inf	5.45	3	Vertical	139	1.59	-	89.60	33.09	6.82	34.46
PK	5.47G	64.70	68.20	-3.50	5.47	3	Vertical	139	1.59	-	59.23	33.14	6.79	34.46
PK	5.494G	105.17	Inf	-Inf	5.54	3	Vertical	139	1.59	-	99.63	33.19	6.81	34.46
PK	5.733G	55.41	68.20	-12.79	6.08	3	Vertical	139	1.59	-	49.33	33.66	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.79	54.00	-4.21	5.45	3	Horizontal	240	1.28	-	44.34	33.12	6.79	34.46
AV	5.507G	91.48	Inf	-Inf	5.52	3	Horizontal	240	1.28	-	85.96	33.17	6.81	34.46
PK	5.469G	65.51	68.20	-2.69	5.47	3	Horizontal	240	1.28	-	60.04	33.14	6.79	34.46
PK	5.548G	101.86	Inf	-Inf	5.37	3	Horizontal	240	1.28	-	96.49	33.01	6.83	34.47
PK	5.755G	55.06	68.20	-13.14	6.23	3	Horizontal	240	1.28	-	48.83	33.81	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05554G	41.29	54.00	-12.71	14.35	3	Vertical	295	1.95	-	26.94	38.86	9.75	34.26
PK	6.9121G	50.46	68.20	-17.74	9.13	3	Vertical	164	1.58	-	41.33	36.00	7.83	34.70
PK	11.05924G	53.49	74.00	-20.51	14.36	3	Vertical	295	1.95	-	39.13	38.86	9.76	34.26
PK	16.58716G	56.30	68.20	-11.90	16.25	3	Vertical	73	1.02	-	40.05	38.73	12.07	34.55

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0561G	41.29	54.00	-12.71	14.35	3	Horizontal	135	1.85	-	26.94	38.86	9.75	34.26
PK	6.9125G	50.21	68.20	-17.99	9.13	3	Horizontal	253	1.00	-	41.08	36.00	7.83	34.70
PK	11.05744G	53.40	74.00	-20.60	14.36	3	Horizontal	135	1.85	-	39.04	38.86	9.76	34.26
PK	16.59186G	57.03	68.20	-11.17	16.25	3	Horizontal	96	1.45	-	40.78	38.72	12.07	34.54

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.31	54.00	-0.69	5.45	3	Vertical	139	1.59	-	47.86	33.12	6.79	34.46
AV	5.527G	95.38	Inf	-Inf	5.45	3	Vertical	139	1.59	-	89.93	33.09	6.82	34.46
PK	5.469G	67.25	68.20	-0.95	5.47	3	Vertical	139	1.59	-	61.78	33.14	6.79	34.46
PK	5.548G	105.89	Inf	-Inf	5.37	3	Vertical	139	1.59	-	100.52	33.01	6.83	34.47
PK	5.732G	55.73	68.20	-12.47	6.08	3	Vertical	139	1.59	-	49.65	33.66	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.27	54.00	-5.73	5.45	3	Vertical	138	1.66	-	42.82	33.12	6.79	34.46
AV	5.622G	97.28	Inf	-Inf	5.64	3	Vertical	138	1.66	-	91.64	33.24	6.87	34.47
PK	5.462G	62.00	68.20	-6.20	5.45	3	Vertical	138	1.66	-	56.55	33.12	6.79	34.46
PK	5.619G	107.27	Inf	-Inf	5.64	3	Vertical	138	1.66	-	101.63	33.24	6.87	34.47
PK	5.726G	64.61	68.20	-3.59	6.02	3	Vertical	138	1.66	-	58.59	33.61	6.90	34.49

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.46	54.00	-8.54	5.45	3	Horizontal	121	2.75	-	40.01	33.12	6.79	34.46
AV	5.607G	93.24	Inf	-Inf	5.60	3	Horizontal	121	2.75	-	87.64	33.21	6.86	34.47
PK	5.463G	58.45	68.20	-9.75	5.46	3	Horizontal	121	2.75	-	52.99	33.13	6.79	34.46
PK	5.575G	103.65	Inf	-Inf	5.48	3	Horizontal	121	2.75	-	98.17	33.10	6.85	34.47
PK	5.73G	58.08	68.20	-10.12	6.06	3	Horizontal	121	2.75	-	52.02	33.64	6.91	34.49

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21986G	41.58	54.00	-12.42	14.78	3	Vertical	27	2.55	-	26.80	39.12	9.81	34.15
PK	7.01238G	49.59	68.20	-18.61	9.37	3	Vertical	158	1.51	-	40.22	36.07	8.01	34.71
PK	11.21708G	53.55	74.00	-20.45	14.78	3	Vertical	27	2.55	-	38.77	39.12	9.81	34.15
PK	16.83318G	57.07	68.20	-11.13	16.60	3	Vertical	309	1.12	-	40.47	38.57	12.17	34.14

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2215G	41.56	54.00	-12.44	14.79	3	Horizontal	86	2.58	-	26.77	39.12	9.81	34.14
PK	7.01258G	50.17	68.20	-18.03	9.38	3	Horizontal	250	1.69	-	40.79	36.08	8.01	34.71
PK	11.22236G	54.74	74.00	-19.26	14.79	3	Horizontal	86	2.58	-	39.95	39.12	9.81	34.14
PK	16.83376G	57.74	68.20	-10.46	16.60	3	Horizontal	170	1.04	-	41.14	38.57	12.17	34.14


802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.27	54.00	-10.73	5.45	3	Vertical	153	1.39	-	37.82	33.12	6.79	34.46
AV	5.665G	95.75	Inf	-Inf	5.73	3	Vertical	153	1.39	-	90.02	33.33	6.88	34.48
PK	5.464G	53.48	68.20	-14.72	5.46	3	Vertical	153	1.39	-	48.02	33.13	6.79	34.46
PK	5.688G	106.59	Inf	-Inf	5.79	3	Vertical	153	1.39	-	100.80	33.38	6.89	34.48
PK	5.85G	58.29	68.20	-9.91	6.67	3	Vertical	153	1.39	-	51.62	34.20	6.97	34.50

802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	42.24	54.00	-11.76	5.43	3	Horizontal	132	1.58	-	36.81	33.10	6.79	34.46
AV	5.678G	92.37	Inf	-Inf	5.77	3	Horizontal	132	1.58	-	86.60	33.36	6.89	34.48
PK	5.464G	52.69	68.20	-15.51	5.46	3	Horizontal	132	1.58	-	47.23	33.13	6.79	34.46
PK	5.707G	103.04	Inf	-Inf	5.88	3	Horizontal	132	1.58	-	97.16	33.46	6.90	34.48
PK	5.854G	58.13	68.20	-10.07	6.67	3	Horizontal	132	1.58	-	51.46	34.19	6.98	34.50


802.11ac VHT80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38222G	41.44	54.00	-12.56	14.88	3	Vertical	2	2.57	-	26.56	39.04	9.87	34.03
PK	7.11242G	50.69	68.20	-17.51	9.95	3	Vertical	184	1.55	-	40.74	36.60	8.10	34.75
PK	11.37956G	53.26	74.00	-20.74	14.88	3	Vertical	2	2.57	-	38.38	39.04	9.87	34.03
PK	17.06886G	56.12	68.20	-12.08	16.75	3	Vertical	249	2.53	-	39.37	38.40	12.26	33.91

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37924G	41.53	54.00	-12.47	14.88	3	Horizontal	251	2.42	-	26.65	39.04	9.87	34.03
PK	7.11254G	50.51	68.20	-17.69	9.95	3	Horizontal	250	1.55	-	40.56	36.60	8.10	34.75
PK	11.3831G	53.65	74.00	-20.35	14.87	3	Horizontal	251	2.42	-	38.78	39.03	9.87	34.03
PK	17.07394G	56.62	68.20	-11.58	16.74	3	Horizontal	40	1.74	-	39.88	38.40	12.26	33.92

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	93.88	Inf	-Inf	6.22	3	Vertical	143	1.47	-	87.66	33.80	6.91	34.49
PK	5.6442G	60.10	68.20	-8.10	5.69	3	Vertical	143	1.47	-	54.41	33.29	6.88	34.48
PK	5.7906G	104.22	Inf	-Inf	6.32	3	Vertical	143	1.47	-	97.90	33.88	6.93	34.49
PK	6.0582G	55.74	68.20	-12.46	6.97	3	Vertical	143	1.47	-	48.77	34.37	7.13	34.53

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	92.32	Inf	-Inf	6.22	3	Horizontal	144	1.00	-	86.10	33.80	6.91	34.49
PK	5.6502G	57.86	68.35	-10.49	5.70	3	Horizontal	144	1.00	-	52.16	33.30	6.88	34.48
PK	5.7618G	102.46	Inf	-Inf	6.25	3	Horizontal	144	1.00	-	96.21	33.82	6.92	34.49
PK	6.0402G	54.91	68.20	-13.29	6.95	3	Horizontal	144	1.00	-	47.96	34.36	7.12	34.53

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54888G	40.94	54.00	-13.06	14.90	3	Vertical	187	1.58	-	26.04	38.95	9.93	33.98
PK	7.21831G	50.01	68.20	-18.19	10.23	3	Vertical	194	1.65	-	39.78	36.84	8.17	34.78
PK	11.54654G	54.17	74.00	-19.83	14.90	3	Vertical	187	1.58	-	39.27	38.95	9.93	33.98
PK	17.32224G	56.90	68.20	-11.30	16.83	3	Vertical	38	1.10	-	40.07	38.57	12.37	34.11

802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55208G	41.04	54.00	-12.96	14.90	3	Horizontal	100	2.88	-	26.14	38.95	9.93	33.98
PK	7.21867G	50.18	68.20	-18.02	10.23	3	Horizontal	250	1.63	-	39.95	36.84	8.17	34.78
PK	11.55098G	53.57	74.00	-20.43	14.90	3	Horizontal	100	2.88	-	38.67	38.95	9.93	33.98
PK	17.32502G	56.76	68.20	-11.44	16.84	3	Horizontal	155	1.87	-	39.92	38.58	12.37	34.11

802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.94	54.00	-3.06	5.15	3	Vertical	204	1.50	-	45.79	33.10	6.49	34.44
AV	5.2236G	89.61	Inf	-Inf	5.07	3	Vertical	204	1.50	-	84.54	32.95	6.56	34.44
AV	5.35G	50.56	54.00	-3.44	5.15	3	Vertical	204	1.50	-	45.41	32.90	6.70	34.45
PK	5.15G	64.58	74.00	-9.42	5.15	3	Vertical	204	1.50	-	59.43	33.10	6.49	34.44
PK	5.2296G	99.97	Inf	-Inf	5.06	3	Vertical	204	1.50	-	94.91	32.94	6.56	34.44
PK	5.376G	68.68	74.00	-5.32	5.23	3	Vertical	204	1.50	-	63.45	32.95	6.73	34.45
PK	5.4852G	59.99	68.20	-8.21	5.51	3	Vertical	204	1.50	-	54.48	33.17	6.80	34.46

802.11ac VHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.18	54.00	-4.82	5.15	3	Horizontal	116	1.73	-	44.03	33.10	6.49	34.44
AV	5.1972G	86.90	Inf	-Inf	5.10	3	Horizontal	116	1.73	-	81.80	33.01	6.53	34.44
AV	5.3508G	47.98	54.00	-6.02	5.15	3	Horizontal	116	1.73	-	42.83	32.90	6.70	34.45
PK	5.1252G	61.77	74.00	-12.23	5.18	3	Horizontal	116	1.73	-	56.59	33.15	6.47	34.44
PK	5.2392G	97.49	Inf	-Inf	5.06	3	Horizontal	116	1.73	-	92.43	32.92	6.58	34.44
PK	5.394G	64.03	74.00	-9.97	5.29	3	Horizontal	116	1.73	-	58.74	32.99	6.75	34.45


802.11ac VHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75362G	43.97	54.00	-10.03	15.57	3	Vertical	271	2.25	-	28.40	38.45	11.73	34.61
PK	6.56246G	56.74	68.20	-11.46	8.42	3	Vertical	218	1.60	-	48.32	35.67	7.40	34.65
PK	10.50292G	52.97	68.20	-15.23	13.69	3	Vertical	326	1.87	-	39.28	38.61	9.56	34.48
PK	15.75084G	56.85	74.00	-17.15	15.56	3	Vertical	271	2.25	-	41.29	38.45	11.72	34.61

802.11ac VHT160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74714G	43.93	54.00	-10.07	15.56	3	Horizontal	117	1.80	-	28.37	38.45	11.72	34.61
PK	6.5625G	54.90	68.20	-13.30	8.42	3	Horizontal	129	1.52	-	46.48	35.67	7.40	34.65
PK	10.49754G	52.86	68.20	-15.34	13.68	3	Horizontal	261	1.78	-	39.18	38.60	9.56	34.48
PK	15.74778G	56.27	74.00	-17.73	15.56	3	Horizontal	117	1.80	-	40.71	38.45	11.72	34.61

802.11ac VHT160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX




EUT Y
SET 12.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.62	54.00	-1.38	5.15	3	Vertical	204	1.50	-	47.47	33.10	6.49	34.44
AV	5.2224G	90.04	Inf	-Inf	5.08	3	Vertical	204	1.50	-	84.96	32.96	6.56	34.44
AV	5.35G	52.27	54.00	-1.73	5.15	3	Vertical	204	1.50	-	47.12	32.90	6.70	34.45
PK	5.1444G	65.75	74.00	-8.25	5.16	3	Vertical	204	1.50	-	60.59	33.11	6.49	34.44
PK	5.226G	101.03	Inf	-Inf	5.07	3	Vertical	204	1.50	-	95.96	32.95	6.56	34.44
PK	5.394G	70.06	74.00	-3.94	5.29	3	Vertical	204	1.50	-	64.77	32.99	6.75	34.45
PK	5.4684G	57.86	68.20	-10.34	5.47	3	Vertical	204	1.50	-	52.39	33.14	6.79	34.46

802.11ac VHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.17	54.00	-7.83	5.45	3	Vertical	137	1.62	-	40.72	33.12	6.79	34.46
AV	5.6228G	90.05	Inf	-Inf	5.65	3	Vertical	137	1.62	-	84.40	33.25	6.87	34.47
PK	5.4644G	60.54	68.20	-7.66	5.46	3	Vertical	137	1.62	-	55.08	33.13	6.79	34.46
PK	5.5784G	100.64	Inf	-Inf	5.49	3	Vertical	137	1.62	-	95.15	33.11	6.85	34.47
PK	5.7284G	66.58	68.20	-1.62	6.04	3	Vertical	137	1.62	-	60.54	33.63	6.90	34.49

802.11ac VHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT Y
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3576G	43.68	54.00	-10.32	5.18	3	Horizontal	120	1.49	-	38.50	32.92	6.71	34.45
AV	5.6192G	85.88	Inf	-Inf	5.64	3	Horizontal	120	1.49	-	80.24	33.24	6.87	34.47
PK	5.4644G	54.81	68.20	-13.39	5.46	3	Horizontal	120	1.49	-	49.35	33.13	6.79	34.46
PK	5.6216G	96.53	Inf	-Inf	5.64	3	Horizontal	120	1.49	-	90.89	33.24	6.87	34.47
PK	5.7272G	62.19	68.20	-6.01	6.03	3	Horizontal	120	1.49	-	56.16	33.62	6.90	34.49