


802.11ac VHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13668G	41.48	54.00	-12.52	14.55	3	Vertical	201	1.25	-	26.93	38.97	9.78	34.20
PK	11.14328G	53.43	74.00	-20.57	14.58	3	Vertical	201	1.25	-	38.85	38.99	9.79	34.20
PK	16.7079G	56.47	68.20	-11.73	16.56	3	Vertical	62	1.49	-	39.91	38.78	12.12	34.34

802.11ac VHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y
SET 13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14446G	41.50	54.00	-12.50	14.58	3	Horizontal	44	2.36	-	26.92	38.99	9.79	34.20
PK	11.14164G	53.81	74.00	-20.19	14.57	3	Horizontal	44	2.36	-	39.24	38.98	9.79	34.20
PK	16.70986G	56.50	68.20	-11.70	16.56	3	Horizontal	49	2.21	-	39.94	38.78	12.12	34.34

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	45.10	54.00	-8.90	5.15	3	Vertical	204	1.47	-	39.95	33.10	6.49	34.44
AV	5.1818G	101.08	Inf	-Inf	5.12	3	Vertical	204	1.47	-	95.96	33.04	6.52	34.44
PK	5.15G	58.15	74.00	-15.85	5.15	3	Vertical	204	1.47	-	53.00	33.10	6.49	34.44
PK	5.1862G	112.59	Inf	-Inf	5.11	3	Vertical	204	1.47	-	107.48	33.03	6.52	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.91	54.00	-9.09	5.15	3	Horizontal	118	1.62	-	39.76	33.10	6.49	34.44
AV	5.187G	99.98	Inf	-Inf	5.11	3	Horizontal	118	1.62	-	94.87	33.03	6.52	34.44
PK	5.1482G	58.03	74.00	-15.97	5.15	3	Horizontal	118	1.62	-	52.88	33.10	6.49	34.44
PK	5.1848G	111.80	Inf	-Inf	5.11	3	Horizontal	118	1.62	-	106.69	33.03	6.52	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5419G	43.53	54.00	-10.47	15.88	3	Vertical	312	2.40	-	27.65	38.72	11.64	34.48
PK	6.47493G	56.68	68.20	-11.52	8.06	3	Vertical	211	1.50	-	48.62	35.35	7.34	34.63
PK	10.36051G	52.99	68.20	-15.21	13.48	3	Vertical	162	1.63	-	39.51	38.66	9.51	34.69
PK	15.53791G	56.17	74.00	-17.83	15.88	3	Vertical	312	2.40	-	40.29	38.72	11.63	34.47

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53953G	43.63	54.00	-10.37	15.87	3	Horizontal	66	2.25	-	27.76	38.72	11.63	34.48
PK	6.4749G	54.80	68.20	-13.40	8.06	3	Horizontal	138	1.32	-	46.74	35.35	7.34	34.63
PK	10.35796G	53.72	68.20	-14.48	13.47	3	Horizontal	158	1.90	-	40.25	38.66	9.51	34.70
PK	15.54228G	55.69	74.00	-18.31	15.88	3	Horizontal	66	2.25	-	39.81	38.72	11.64	34.48

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.95	54.00	-10.05	5.15	3	Vertical	206	1.49	-	38.80	33.10	6.49	34.44
AV	5.2072G	101.71	Inf	-Inf	5.09	3	Vertical	206	1.49	-	96.62	32.99	6.54	34.44
PK	5.1484G	55.04	74.00	-18.96	5.15	3	Vertical	206	1.49	-	49.89	33.10	6.49	34.44
PK	5.1976G	113.10	Inf	-Inf	5.09	3	Vertical	206	1.49	-	108.01	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.51	54.00	-10.49	5.15	3	Horizontal	118	1.74	-	38.36	33.10	6.49	34.44
AV	5.202G	100.34	Inf	-Inf	5.09	3	Horizontal	118	1.74	-	95.25	33.00	6.53	34.44
PK	5.1496G	55.90	74.00	-18.10	5.15	3	Horizontal	118	1.74	-	50.75	33.10	6.49	34.44
PK	5.2032G	112.07	Inf	-Inf	5.08	3	Horizontal	118	1.74	-	106.99	32.99	6.53	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59118G	44.92	54.00	-9.08	15.77	3	Vertical	62	2.40	-	29.15	38.62	11.66	34.51
PK	6.5G	56.08	68.20	-12.12	8.32	3	Vertical	211	1.55	-	47.76	35.60	7.36	34.64
PK	10.38962G	53.14	68.20	-15.06	13.56	3	Vertical	112	1.70	-	39.58	38.69	9.52	34.65
PK	15.59718G	58.70	74.00	-15.30	15.76	3	Vertical	62	2.40	-	42.94	38.61	11.66	34.51


802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.591G	44.96	54.00	-9.04	15.77	3	Horizontal	220	3.00	-	29.19	38.62	11.66	34.51
PK	6.49996G	51.96	68.20	-16.24	8.31	3	Horizontal	248	1.01	-	43.65	35.60	7.35	34.64
PK	10.39802G	53.01	68.20	-15.19	13.58	3	Horizontal	105	1.53	-	39.43	38.70	9.52	34.64
PK	15.60186G	58.54	74.00	-15.46	15.74	3	Horizontal	220	3.00	-	42.80	38.60	11.66	34.52

**802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	42.86	54.00	-11.14	5.15	3	Vertical	204	1.50	-	37.71	33.10	6.49	34.44
AV	5.2472G	102.33	Inf	-Inf	5.05	3	Vertical	204	1.50	-	97.28	32.91	6.58	34.44
AV	5.354G	44.00	54.00	-10.00	5.17	3	Vertical	204	1.50	-	38.83	32.91	6.71	34.45
PK	5.0978G	54.14	74.00	-19.86	5.20	3	Vertical	204	1.50	-	48.94	33.19	6.45	34.44
PK	5.2484G	112.27	Inf	-Inf	5.05	3	Vertical	204	1.50	-	107.22	32.90	6.59	34.44
PK	5.3828G	55.42	74.00	-18.58	5.26	3	Vertical	204	1.50	-	50.16	32.97	6.74	34.45


**802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1314G	42.67	54.00	-11.33	5.18	3	Horizontal	120	1.71	-	37.49	33.14	6.48	34.44
AV	5.2484G	99.98	Inf	-Inf	5.05	3	Horizontal	120	1.71	-	94.93	32.90	6.59	34.44
AV	5.3588G	43.03	54.00	-10.97	5.18	3	Horizontal	120	1.71	-	37.85	32.92	6.71	34.45
PK	5.1266G	55.21	74.00	-18.79	5.18	3	Horizontal	120	1.71	-	50.03	33.15	6.47	34.44
PK	5.2442G	110.56	Inf	-Inf	5.05	3	Horizontal	120	1.71	-	105.51	32.91	6.58	34.44
PK	5.3708G	53.66	74.00	-20.34	5.22	3	Horizontal	120	1.71	-	48.44	32.94	6.73	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72169G	43.83	54.00	-10.17	15.54	3	Vertical	282	2.28	-	28.29	38.42	11.71	34.59
PK	6.55G	54.85	68.20	-13.35	8.34	3	Vertical	210	1.49	-	46.51	35.60	7.39	34.65
PK	10.48179G	53.00	68.20	-15.20	13.66	3	Vertical	63	1.29	-	39.34	38.62	9.55	34.51
PK	15.72211G	55.89	74.00	-18.11	15.54	3	Vertical	282	2.28	-	40.35	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72095G	43.71	54.00	-10.29	15.54	3	Horizontal	213	1.55	-	28.17	38.42	11.71	34.59
PK	6.55014G	52.72	68.20	-15.48	8.34	3	Horizontal	137	1.40	-	44.38	35.60	7.39	34.65
PK	10.47794G	53.27	68.20	-14.93	13.66	3	Horizontal	33	1.97	-	39.61	38.62	9.55	34.51
PK	15.72137G	56.25	74.00	-17.75	15.54	3	Horizontal	213	1.55	-	40.71	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	42.86	54.00	-11.14	5.16	3	Vertical	205	1.48	-	37.70	33.11	6.49	34.44
AV	5.2576G	102.13	Inf	-Inf	5.08	3	Vertical	205	1.48	-	97.05	32.93	6.60	34.45
AV	5.356G	44.67	54.00	-9.33	5.17	3	Vertical	205	1.48	-	39.50	32.91	6.71	34.45
PK	5.1394G	54.30	74.00	-19.70	5.16	3	Vertical	205	1.48	-	49.14	33.12	6.48	34.44
PK	5.257G	113.42	Inf	-Inf	5.08	3	Vertical	205	1.48	-	108.34	32.93	6.60	34.45
PK	5.353G	55.81	74.00	-18.19	5.17	3	Vertical	205	1.48	-	50.64	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	42.54	54.00	-11.46	5.15	3	Horizontal	116	1.50	-	37.39	33.10	6.49	34.44
AV	5.2528G	99.62	Inf	-Inf	5.05	3	Horizontal	116	1.50	-	94.57	32.91	6.59	34.45
AV	5.3566G	43.26	54.00	-10.74	5.17	3	Horizontal	116	1.50	-	38.09	32.91	6.71	34.45
PK	5.1454G	53.82	74.00	-20.18	5.16	3	Horizontal	116	1.50	-	48.66	33.11	6.49	34.44
PK	5.2558G	109.74	Inf	-Inf	5.06	3	Horizontal	116	1.50	-	104.68	32.92	6.59	34.45
PK	5.3764G	54.49	74.00	-19.51	5.23	3	Horizontal	116	1.50	-	49.26	32.95	6.73	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78034G	44.09	54.00	-9.91	15.59	3	Vertical	140	1.46	-	28.50	38.48	11.74	34.63
PK	6.57506G	55.21	68.20	-12.99	8.51	3	Vertical	209	1.50	-	46.70	35.75	7.41	34.65
PK	10.51861G	52.83	68.20	-15.37	13.78	3	Vertical	39	2.38	-	39.05	38.69	9.56	34.47
PK	15.7781G	56.40	74.00	-17.60	15.59	3	Vertical	140	1.46	-	40.81	38.48	11.74	34.63

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78053G	44.09	54.00	-9.91	15.59	3	Horizontal	123	1.38	-	28.50	38.48	11.74	34.63
PK	6.57481G	53.31	68.20	-14.89	8.51	3	Horizontal	141	1.50	-	44.80	35.75	7.41	34.65
PK	10.51925G	52.89	68.20	-15.31	13.79	3	Horizontal	86	1.30	-	39.10	38.70	9.56	34.47
PK	15.77891G	56.06	74.00	-17.94	15.59	3	Horizontal	123	1.38	-	40.47	38.48	11.74	34.63

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	102.41	Inf	-Inf	5.26	3	Vertical	207	1.54	-	97.15	33.07	6.64	34.45
AV	5.3516G	45.59	54.00	-8.41	5.15	3	Vertical	207	1.54	-	40.44	32.90	6.70	34.45
PK	5.2928G	113.68	Inf	-Inf	5.26	3	Vertical	207	1.54	-	108.42	33.07	6.64	34.45
PK	5.3528G	56.88	74.00	-17.12	5.17	3	Vertical	207	1.54	-	51.71	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2924G	99.59	Inf	-Inf	5.26	3	Horizontal	116	1.50	-	94.33	33.07	6.64	34.45
AV	5.3532G	43.64	54.00	-10.36	5.17	3	Horizontal	116	1.50	-	38.47	32.91	6.71	34.45
PK	5.304G	109.96	Inf	-Inf	5.28	3	Horizontal	116	1.50	-	104.68	33.08	6.65	34.45
PK	5.3792G	54.91	74.00	-19.09	5.25	3	Horizontal	116	1.50	-	49.66	32.96	6.74	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89876G	43.91	54.00	-10.09	15.48	3	Vertical	146	1.97	-	28.43	38.40	11.79	34.71
PK	6.62496G	54.13	68.20	-14.07	8.64	3	Vertical	197	1.47	-	45.49	35.85	7.45	34.66
PK	10.60179G	53.05	74.00	-20.95	14.25	3	Vertical	281	2.34	-	38.80	39.10	9.59	34.44
PK	15.90121G	56.73	74.00	-17.27	15.48	3	Vertical	146	1.97	-	41.25	38.40	11.79	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89934G	44.04	54.00	-9.96	15.48	3	Horizontal	83	2.48	-	28.56	38.40	11.79	34.71
PK	6.62498G	51.48	68.20	-16.72	8.64	3	Horizontal	238	1.68	-	42.84	35.85	7.45	34.66
PK	10.60143G	53.73	74.00	-20.27	14.25	3	Horizontal	360	1.16	-	39.48	39.10	9.59	34.44
PK	15.9019G	57.14	74.00	-16.86	15.48	3	Horizontal	83	2.48	-	41.66	38.40	11.79	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	102.10	Inf	-Inf	5.25	3	Vertical	207	1.57	-	96.85	33.04	6.66	34.45
AV	5.35G	47.00	54.00	-7.00	5.15	3	Vertical	207	1.57	-	41.85	32.90	6.70	34.45
PK	5.3164G	113.96	Inf	-Inf	5.24	3	Vertical	207	1.57	-	108.72	33.03	6.66	34.45
PK	5.3528G	62.80	74.00	-11.20	5.17	3	Vertical	207	1.57	-	57.63	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	99.24	Inf	-Inf	5.25	3	Horizontal	117	1.74	-	93.99	33.03	6.67	34.45
AV	5.3502G	45.35	54.00	-8.65	5.15	3	Horizontal	117	1.74	-	40.20	32.90	6.70	34.45
PK	5.317G	109.95	Inf	-Inf	5.24	3	Horizontal	117	1.74	-	104.71	33.03	6.66	34.45
PK	5.3534G	60.90	74.00	-13.10	5.17	3	Horizontal	117	1.74	-	55.73	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64199G	40.54	54.00	-13.46	14.24	3	Vertical	159	1.27	-	26.30	39.06	9.61	34.43
AV	15.96116G	44.00	54.00	-10.00	15.40	3	Vertical	25	1.71	-	28.60	38.34	11.81	34.75
PK	6.64982G	53.82	68.20	-14.38	8.62	3	Vertical	195	1.40	-	45.20	35.80	7.48	34.66
PK	10.64031G	52.75	74.00	-21.25	14.24	3	Vertical	159	1.27	-	38.51	39.06	9.61	34.43
PK	15.96071G	56.31	74.00	-17.69	15.41	3	Vertical	25	1.71	-	40.90	38.34	11.81	34.74

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64233G	40.54	54.00	-13.46	14.24	3	Horizontal	96	1.75	-	26.30	39.06	9.61	34.43
AV	15.96236G	43.98	54.00	-10.02	15.40	3	Horizontal	301	1.19	-	28.58	38.34	11.81	34.75
PK	6.64995G	51.81	68.20	-16.39	8.62	3	Horizontal	241	1.60	-	43.19	35.80	7.48	34.66
PK	10.63854G	53.41	74.00	-20.59	14.24	3	Horizontal	96	1.75	-	39.17	39.06	9.61	34.43
PK	15.9615G	56.90	74.00	-17.10	15.40	3	Horizontal	301	1.19	-	41.50	38.34	11.81	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.16	54.00	-8.84	5.45	3	Vertical	139	1.49	-	39.71	33.12	6.79	34.46
AV	5.5016G	102.57	Inf	-Inf	5.54	3	Vertical	139	1.49	-	97.03	33.19	6.81	34.46
PK	5.4694G	59.80	68.20	-8.40	5.47	3	Vertical	139	1.49	-	54.33	33.14	6.79	34.46
PK	5.5018G	114.83	Inf	-Inf	5.54	3	Vertical	139	1.49	-	109.29	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	43.29	54.00	-10.71	5.45	3	Horizontal	249	1.41	-	37.84	33.12	6.79	34.46
AV	5.4932G	98.51	Inf	-Inf	5.54	3	Horizontal	249	1.41	-	92.97	33.19	6.81	34.46
PK	5.4686G	55.64	68.20	-12.56	5.47	3	Horizontal	249	1.41	-	50.17	33.14	6.79	34.46
PK	5.4944G	110.17	Inf	-Inf	5.54	3	Horizontal	249	1.41	-	104.63	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00101G	41.16	54.00	-12.84	14.24	3	Vertical	345	1.80	-	26.92	38.80	9.74	34.30
PK	6.87484G	49.72	68.20	-18.48	8.97	3	Vertical	194	1.50	-	40.75	35.90	7.76	34.69
PK	11.00207G	54.06	74.00	-19.94	14.24	3	Vertical	345	1.80	-	39.82	38.80	9.74	34.30
PK	16.50179G	56.90	68.20	-11.30	16.24	3	Vertical	132	1.90	-	40.66	38.90	12.03	34.69

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00158G	41.06	54.00	-12.94	14.24	3	Horizontal	328	1.42	-	26.82	38.80	9.74	34.30
PK	6.8748G	49.78	68.20	-18.42	8.97	3	Horizontal	255	1.00	-	40.81	35.90	7.76	34.69
PK	11.00017G	53.88	74.00	-20.12	14.24	3	Horizontal	328	1.42	-	39.64	38.80	9.74	34.30
PK	16.49763G	57.04	68.20	-11.16	16.23	3	Horizontal	173	1.04	-	40.81	38.89	12.03	34.69

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.39	54.00	-10.61	5.45	3	Vertical	139	1.49	-	37.94	33.12	6.79	34.46
AV	5.5818G	102.71	Inf	-Inf	5.51	3	Vertical	139	1.49	-	97.20	33.13	6.85	34.47
PK	5.4696G	55.27	68.20	-12.93	5.47	3	Vertical	139	1.49	-	49.80	33.14	6.79	34.46
PK	5.5788G	114.86	Inf	-Inf	5.50	3	Vertical	139	1.49	-	109.36	33.12	6.85	34.47
PK	5.727G	54.39	68.20	-13.81	6.03	3	Vertical	139	1.49	-	48.36	33.62	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	42.55	54.00	-11.45	5.45	3	Horizontal	251	1.27	-	37.10	33.12	6.79	34.46
AV	5.586G	100.15	Inf	-Inf	5.52	3	Horizontal	251	1.27	-	94.63	33.14	6.85	34.47
PK	5.4678G	53.87	68.20	-14.33	5.47	3	Horizontal	251	1.27	-	48.40	33.14	6.79	34.46
PK	5.5788G	111.68	Inf	-Inf	5.53	3	Horizontal	251	1.27	-	106.15	33.15	6.85	34.47
PK	5.73G	53.86	68.20	-14.34	6.06	3	Horizontal	251	1.27	-	47.80	33.64	6.91	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15958G	41.26	54.00	-12.74	14.62	3	Vertical	314	1.75	-	26.64	39.02	9.79	34.19
PK	6.97496G	49.75	68.20	-18.45	9.24	3	Vertical	192	1.61	-	40.51	36.00	7.95	34.71
PK	11.16078G	53.37	74.00	-20.63	14.62	3	Vertical	314	1.75	-	38.75	39.02	9.79	34.19
PK	16.74095G	56.34	68.20	-11.86	16.56	3	Vertical	207	1.35	-	39.78	38.72	12.13	34.29


802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15952G	41.39	54.00	-12.61	14.62	3	Horizontal	7	2.20	-	26.77	39.02	9.79	34.19
PK	6.97512G	49.58	68.20	-18.62	9.24	3	Horizontal	241	1.00	-	40.34	36.00	7.95	34.71
PK	11.15913G	54.05	74.00	-19.95	14.62	3	Horizontal	7	2.20	-	39.43	39.02	9.79	34.19
PK	16.74114G	57.12	68.20	-11.08	16.56	3	Horizontal	322	2.23	-	40.56	38.72	12.13	34.29

**802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	100.98	Inf	-Inf	5.84	3	Vertical	140	1.50	-	95.14	33.42	6.90	34.48
PK	5.7056G	112.13	Inf	-Inf	5.86	3	Vertical	140	1.50	-	106.27	33.44	6.90	34.48
PK	5.7312G	60.76	68.20	-7.44	6.07	3	Vertical	140	1.50	-	54.69	33.65	6.91	34.49


**802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	101.23	Inf	-Inf	5.85	3	Horizontal	252	1.00	-	95.38	33.43	6.90	34.48
PK	5.7064G	112.80	Inf	-Inf	5.87	3	Horizontal	252	1.00	-	106.93	33.45	6.90	34.48
PK	5.7252G	62.20	68.20	-6.00	6.01	3	Horizontal	252	1.00	-	56.19	33.60	6.90	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40058G	41.58	54.00	-12.42	14.86	3	Vertical	99	1.30	-	26.72	39.00	9.88	34.02
PK	7.1252G	49.81	68.20	-18.39	10.06	3	Vertical	189	1.41	-	39.75	36.70	8.11	34.75
PK	11.40235G	54.84	74.00	-19.16	14.86	3	Vertical	99	1.30	-	39.98	39.00	9.88	34.02
PK	17.09943G	56.42	68.20	-11.78	16.74	3	Vertical	221	1.72	-	39.68	38.40	12.28	33.94


802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39985G	41.58	54.00	-12.42	14.86	3	Horizontal	263	1.35	-	26.72	39.00	9.88	34.02
PK	7.12476G	49.63	68.20	-18.57	10.06	3	Horizontal	252	1.00	-	39.57	36.70	8.11	34.75
PK	11.39802G	53.71	74.00	-20.29	14.86	3	Horizontal	263	1.35	-	38.85	39.00	9.88	34.02
PK	17.09756G	56.52	68.20	-11.68	16.73	3	Horizontal	68	1.56	-	39.79	38.40	12.27	33.94

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	42.65	54.00	-11.35	5.44	3	Vertical	138	1.57	-	37.21	33.11	6.79	34.46
AV	5.7188G	101.97	Inf	-Inf	5.96	3	Vertical	138	1.57	-	96.01	33.55	6.90	34.49
PK	5.4692G	53.37	68.20	-14.83	5.47	3	Vertical	138	1.57	-	47.90	33.14	6.79	34.46
PK	5.7188G	112.27	Inf	-Inf	5.96	3	Vertical	138	1.57	-	106.31	33.55	6.90	34.49
PK	5.9204G	55.62	68.20	-12.58	6.75	3	Vertical	138	1.57	-	48.87	34.22	7.04	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	42.37	54.00	-11.63	5.44	3	Horizontal	252	1.00	-	36.93	33.11	6.79	34.46
AV	5.7236G	102.81	Inf	-Inf	6.00	3	Horizontal	252	1.00	-	96.81	33.59	6.90	34.49
PK	5.4632G	51.82	68.20	-16.38	5.46	3	Horizontal	252	1.00	-	46.36	33.13	6.79	34.46
PK	5.7224G	112.13	Inf	-Inf	5.99	3	Horizontal	252	1.00	-	106.14	33.58	6.90	34.49
PK	5.8844G	55.96	68.20	-12.24	6.63	3	Horizontal	252	1.00	-	49.33	34.13	7.01	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43775G	41.34	54.00	-12.66	14.90	3	Vertical	44	1.97	-	26.44	39.00	9.89	33.99
PK	7.14968G	49.39	68.20	-18.81	10.27	3	Vertical	189	1.49	-	39.12	36.90	8.13	34.76
PK	11.44095G	54.16	74.00	-19.84	14.90	3	Vertical	44	1.97	-	39.26	39.00	9.89	33.99
PK	17.16224G	56.77	68.20	-11.43	16.71	3	Vertical	292	1.61	-	40.06	38.40	12.30	33.99


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43803G	41.45	54.00	-12.55	14.90	3	Horizontal	282	1.14	-	26.55	39.00	9.89	33.99
PK	7.14672G	48.78	68.20	-19.42	10.24	3	Horizontal	239	1.85	-	38.54	36.87	8.13	34.76
PK	11.43797G	53.65	74.00	-20.35	14.90	3	Horizontal	282	1.14	-	38.75	39.00	9.89	33.99
PK	17.15913G	56.56	68.20	-11.64	16.72	3	Horizontal	254	2.13	-	39.84	38.40	12.30	33.98

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	101.87	Inf	-Inf	6.22	3	Vertical	141	1.49	-	95.65	33.80	6.91	34.49
PK	5.481G	54.80	68.20	-13.40	5.50	3	Vertical	141	1.49	-	49.30	33.16	6.80	34.46
PK	5.7474G	111.87	Inf	-Inf	6.20	3	Vertical	141	1.49	-	105.67	33.78	6.91	34.49
PK	5.9694G	56.03	68.20	-12.17	6.88	3	Vertical	141	1.49	-	49.15	34.32	7.08	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	98.80	Inf	-Inf	6.12	3	Horizontal	143	1.01	-	92.68	33.70	6.91	34.49
PK	5.6106G	54.38	68.20	-13.82	5.61	3	Horizontal	143	1.01	-	48.77	33.22	6.86	34.47
PK	5.7522G	110.25	Inf	-Inf	6.22	3	Horizontal	143	1.01	-	104.03	33.80	6.91	34.49
PK	6.0318G	55.97	68.20	-12.23	6.92	3	Horizontal	143	1.01	-	49.05	34.33	7.12	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49016G	41.42	54.00	-12.58	14.95	3	Vertical	127	1.66	-	26.47	39.00	9.91	33.96
PK	7.18159G	49.62	68.20	-18.58	10.23	3	Vertical	220	1.50	-	39.39	36.84	8.16	34.77
PK	11.49041G	53.68	74.00	-20.32	14.95	3	Vertical	127	1.66	-	38.73	39.00	9.91	33.96
PK	17.23346G	56.64	68.20	-11.56	16.72	3	Vertical	192	1.03	-	39.92	38.43	12.33	34.04

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49016G	41.42	54.00	-12.58	14.95	3	Horizontal	115	1.92	-	26.47	39.00	9.91	33.96
PK	7.19477G	49.60	68.20	-18.60	10.22	3	Horizontal	338	1.50	-	39.38	36.81	8.18	34.77
PK	11.48983G	54.97	74.00	-19.03	14.95	3	Horizontal	115	1.92	-	40.02	39.00	9.91	33.96
PK	17.23589G	57.12	68.20	-11.08	16.73	3	Horizontal	217	2.25	-	40.39	38.44	12.33	34.04

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	102.60	Inf	-Inf	6.29	3	Vertical	145	1.53	-	96.31	33.86	6.92	34.49
PK	5.629G	53.89	68.20	-14.31	5.65	3	Vertical	145	1.53	-	48.24	33.26	6.87	34.48
PK	5.7862G	112.20	Inf	-Inf	6.31	3	Vertical	145	1.53	-	105.89	33.87	6.93	34.49
PK	5.9734G	55.42	68.20	-12.78	6.88	3	Vertical	145	1.53	-	48.54	34.31	7.09	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	103.38	Inf	-Inf	6.28	3	Horizontal	250	1.00	-	97.10	33.85	6.92	34.49
PK	5.6314G	54.17	68.20	-14.03	5.65	3	Horizontal	250	1.00	-	48.52	33.26	6.87	34.48
PK	5.7922G	113.21	Inf	-Inf	6.31	3	Horizontal	250	1.00	-	106.90	33.88	6.93	34.50
PK	6.0058G	56.32	68.20	-11.88	6.81	3	Horizontal	250	1.00	-	49.51	34.22	7.11	34.52

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57081G	40.87	54.00	-13.13	14.88	3	Vertical	261	1.08	-	25.99	38.93	9.94	33.99
PK	7.22201G	49.10	68.20	-19.10	10.23	3	Vertical	177	3.00	-	38.87	36.84	8.17	34.78
PK	11.57088G	52.79	74.00	-21.21	14.88	3	Vertical	261	1.08	-	37.91	38.93	9.94	33.99
PK	17.3562G	56.76	68.20	-11.44	16.91	3	Vertical	10	2.43	-	39.85	38.67	12.38	34.14

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56918G	40.88	54.00	-13.12	14.88	3	Horizontal	251	2.15	-	26.00	38.93	9.94	33.99
PK	7.23141G	49.73	68.20	-18.47	10.25	3	Horizontal	87	1.50	-	39.48	36.86	8.17	34.78
PK	11.56891G	53.39	74.00	-20.61	14.88	3	Horizontal	251	2.15	-	38.51	38.93	9.94	33.99
PK	17.35455G	56.75	68.20	-11.45	16.90	3	Horizontal	112	1.29	-	39.85	38.66	12.38	34.14

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	102.33	Inf	-Inf	6.46	3	Vertical	143	1.55	-	95.87	34.01	6.95	34.50
PK	5.6102G	54.35	68.20	-13.85	5.61	3	Vertical	143	1.55	-	48.74	33.22	6.86	34.47
PK	5.8202G	112.57	Inf	-Inf	6.47	3	Vertical	143	1.55	-	106.10	34.02	6.95	34.50
PK	5.9534G	55.17	68.20	-13.03	6.95	3	Vertical	143	1.55	-	48.22	34.39	7.07	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	101.95	Inf	-Inf	6.46	3	Horizontal	250	1.11	-	95.49	34.01	6.95	34.50
PK	5.5946G	54.26	68.20	-13.94	5.57	3	Horizontal	250	1.11	-	48.69	33.18	6.86	34.47
PK	5.8322G	112.18	Inf	-Inf	6.55	3	Horizontal	250	1.11	-	105.63	34.09	6.96	34.50
PK	5.9258G	55.32	68.20	-12.88	6.78	3	Horizontal	250	1.11	-	48.54	34.25	7.04	34.51

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28299G	37.31	54.00	-16.69	10.12	3	Vertical	210	1.50	-	27.19	36.77	8.15	34.80
AV	11.64822G	40.87	54.00	-13.13	14.78	3	Vertical	23	1.04	-	26.09	38.85	9.97	34.04
PK	7.28607G	49.63	74.00	-24.37	10.11	3	Vertical	210	1.50	-	39.52	36.76	8.15	34.80
PK	11.64872G	53.44	74.00	-20.56	14.78	3	Vertical	23	1.04	-	38.66	38.85	9.97	34.04
PK	17.47631G	57.29	68.20	-10.91	17.08	3	Vertical	234	1.23	-	40.21	38.88	12.43	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27705G	37.31	54.00	-16.69	10.14	3	Horizontal	201	1.78	-	27.17	36.79	8.15	34.80
AV	11.64789G	40.87	54.00	-13.13	14.78	3	Horizontal	168	1.92	-	26.09	38.85	9.97	34.04
PK	7.28113G	49.76	74.00	-24.24	10.13	3	Horizontal	201	1.78	-	39.63	36.78	8.15	34.80
PK	11.65094G	54.23	74.00	-19.77	14.78	3	Horizontal	168	1.92	-	39.45	38.85	9.97	34.04
PK	17.47604G	57.01	68.20	-11.19	17.08	3	Horizontal	143	2.43	-	39.93	38.88	12.43	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.27	54.00	-1.73	5.15	3	Vertical	208	1.50	-	47.12	33.10	6.49	34.44
AV	5.2016G	98.70	Inf	-Inf	5.09	3	Vertical	208	1.50	-	93.61	33.00	6.53	34.44
PK	5.1496G	64.89	74.00	-9.11	5.15	3	Vertical	208	1.50	-	59.74	33.10	6.49	34.44
PK	5.2052G	110.50	Inf	-Inf	5.09	3	Vertical	208	1.50	-	105.41	32.99	6.54	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.25	54.00	-2.75	5.15	3	Horizontal	117	1.54	-	46.10	33.10	6.49	34.44
AV	5.1928G	97.05	Inf	-Inf	5.09	3	Horizontal	117	1.54	-	91.96	33.01	6.52	34.44
PK	5.148G	63.41	74.00	-10.59	5.15	3	Horizontal	117	1.54	-	58.26	33.10	6.49	34.44
PK	5.1968G	108.92	Inf	-Inf	5.10	3	Horizontal	117	1.54	-	103.82	33.01	6.53	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55224G	43.57	54.00	-10.43	15.86	3	Vertical	180	1.62	-	27.71	38.70	11.64	34.48
PK	6.48748G	55.33	68.20	-12.87	8.18	3	Vertical	199	1.50	-	47.15	35.47	7.35	34.64
PK	10.38656G	53.42	68.20	-14.78	13.56	3	Vertical	154	1.60	-	39.86	38.69	9.52	34.65
PK	15.55264G	56.72	74.00	-17.28	15.85	3	Vertical	180	1.62	-	40.87	38.69	11.64	34.48

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55016G	43.45	54.00	-10.55	15.86	3	Horizontal	176	1.87	-	27.59	38.70	11.64	34.48
PK	6.48762G	53.99	68.20	-14.21	8.19	3	Horizontal	241	1.61	-	45.80	35.48	7.35	34.64
PK	10.38616G	53.34	68.20	-14.86	13.55	3	Horizontal	119	1.70	-	39.79	38.69	9.52	34.66
PK	15.55456G	55.40	74.00	-18.60	15.85	3	Horizontal	176	1.87	-	39.55	38.69	11.64	34.48

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	44.53	54.00	-9.47	5.15	3	Vertical	209	1.56	-	39.38	33.10	6.49	34.44
AV	5.2328G	99.17	Inf	-Inf	5.06	3	Vertical	209	1.56	-	94.11	32.93	6.57	34.44
PK	5.1456G	55.43	74.00	-18.57	5.16	3	Vertical	209	1.56	-	50.27	33.11	6.49	34.44
PK	5.2208G	110.19	Inf	-Inf	5.07	3	Vertical	209	1.56	-	105.12	32.96	6.55	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.11	54.00	-9.89	5.15	3	Horizontal	117	1.63	-	38.96	33.10	6.49	34.44
AV	5.222G	96.96	Inf	-Inf	5.08	3	Horizontal	117	1.63	-	91.88	32.96	6.56	34.44
PK	5.1348G	54.68	74.00	-19.32	5.17	3	Horizontal	117	1.63	-	49.51	33.13	6.48	34.44
PK	5.2392G	108.36	Inf	-Inf	5.06	3	Horizontal	117	1.63	-	103.30	32.92	6.58	34.44

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70968G	43.56	54.00	-10.44	15.54	3	Vertical	224	1.84	-	28.02	38.41	11.71	34.58
PK	6.5375G	55.05	68.20	-13.15	8.33	3	Vertical	213	1.48	-	46.72	35.60	7.38	34.65
PK	10.46408G	53.11	68.20	-15.09	13.64	3	Vertical	80	2.47	-	39.47	38.64	9.54	34.54
PK	15.68536G	55.48	74.00	-18.52	15.56	3	Vertical	224	1.84	-	39.92	38.43	11.70	34.57

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70816G	43.55	54.00	-10.45	15.54	3	Horizontal	259	1.57	-	28.01	38.41	11.71	34.58
PK	6.53754G	52.86	68.20	-15.34	8.33	3	Horizontal	130	1.50	-	44.53	35.60	7.38	34.65
PK	10.4696G	52.69	68.20	-15.51	13.65	3	Horizontal	247	1.35	-	39.04	38.63	9.55	34.53
PK	15.70272G	55.84	74.00	-18.16	15.52	3	Horizontal	259	1.57	-	40.32	38.40	11.70	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2728G	99.40	Inf	-Inf	5.15	3	Vertical	210	1.54	-	94.25	32.99	6.61	34.45
AV	5.35G	45.20	54.00	-8.80	5.15	3	Vertical	210	1.54	-	40.05	32.90	6.70	34.45
PK	5.278G	110.47	Inf	-Inf	5.18	3	Vertical	210	1.54	-	105.29	33.01	6.62	34.45
PK	5.3668G	56.34	74.00	-17.66	5.20	3	Vertical	210	1.54	-	51.14	32.93	6.72	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.254G	96.86	Inf	-Inf	5.06	3	Horizontal	118	1.64	-	91.80	32.92	6.59	34.45
AV	5.35G	43.63	54.00	-10.37	5.15	3	Horizontal	118	1.64	-	38.48	32.90	6.70	34.45
PK	5.2556G	108.09	Inf	-Inf	5.06	3	Horizontal	118	1.64	-	103.03	32.92	6.59	34.45
PK	5.3568G	55.45	74.00	-18.55	5.17	3	Horizontal	118	1.64	-	50.28	32.91	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81776G	43.91	54.00	-10.09	15.58	3	Vertical	255	1.32	-	28.33	38.48	11.75	34.65
PK	6.58744G	54.77	68.20	-13.43	8.59	3	Vertical	215	1.50	-	46.18	35.82	7.42	34.65
PK	10.53288G	53.12	68.20	-15.08	13.86	3	Vertical	288	1.46	-	39.26	38.76	9.57	34.47
PK	15.8088G	56.32	74.00	-17.68	15.59	3	Vertical	255	1.32	-	40.73	38.49	11.75	34.65

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82448G	43.97	54.00	-10.03	15.58	3	Horizontal	325	2.50	-	28.39	38.48	11.76	34.66
PK	6.58741G	52.96	68.20	-15.24	8.59	3	Horizontal	139	1.50	-	44.37	35.82	7.42	34.65
PK	10.54112G	52.75	68.20	-15.45	13.91	3	Horizontal	151	1.99	-	38.84	38.81	9.57	34.47
PK	15.81856G	56.46	74.00	-17.54	15.58	3	Horizontal	325	2.50	-	40.88	38.48	11.75	34.65

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	97.38	Inf	-Inf	5.25	3	Vertical	210	1.57	-	92.13	33.03	6.67	34.45
AV	5.35G	46.69	54.00	-7.31	5.15	3	Vertical	210	1.57	-	41.54	32.90	6.70	34.45
PK	5.3168G	108.21	Inf	-Inf	5.24	3	Vertical	210	1.57	-	102.97	33.03	6.66	34.45
PK	5.3572G	57.88	74.00	-16.12	5.17	3	Vertical	210	1.57	-	52.71	32.91	6.71	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	95.32	Inf	-Inf	5.29	3	Horizontal	118	1.59	-	90.03	33.09	6.65	34.45
AV	5.35G	45.26	54.00	-8.74	5.15	3	Horizontal	118	1.59	-	40.11	32.90	6.70	34.45
PK	5.3012G	106.86	Inf	-Inf	5.30	3	Horizontal	118	1.59	-	101.56	33.10	6.65	34.45
PK	5.3508G	55.89	74.00	-18.11	5.15	3	Horizontal	118	1.59	-	50.74	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60336G	40.82	54.00	-13.18	14.25	3	Vertical	134	1.55	-	26.57	39.10	9.59	34.44
AV	15.94696G	43.98	54.00	-10.02	15.42	3	Vertical	193	2.40	-	28.56	38.35	11.81	34.74
PK	6.63755G	52.11	68.20	-16.09	8.63	3	Vertical	216	1.50	-	43.48	35.82	7.47	34.66
PK	10.6064G	53.47	74.00	-20.53	14.25	3	Vertical	134	1.55	-	39.22	39.09	9.60	34.44
PK	15.93688G	56.30	74.00	-17.70	15.43	3	Vertical	193	2.40	-	40.87	38.36	11.80	34.73

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60032G	40.85	54.00	-13.15	14.25	3	Horizontal	333	1.92	-	26.60	39.10	9.59	34.44
AV	15.9428G	44.01	54.00	-9.99	15.44	3	Horizontal	261	1.91	-	28.57	38.36	11.81	34.73
PK	6.63716G	51.20	68.20	-17.00	8.64	3	Horizontal	248	1.68	-	42.56	35.83	7.47	34.66
PK	10.61288G	52.94	74.00	-21.06	14.25	3	Horizontal	333	1.92	-	38.69	39.09	9.60	34.44
PK	15.93336G	56.38	74.00	-17.62	15.44	3	Horizontal	261	1.91	-	40.94	38.37	11.80	34.73

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.58	54.00	-7.42	5.45	3	Vertical	140	1.57	-	41.13	33.12	6.79	34.46
AV	5.4968G	98.74	Inf	-Inf	5.54	3	Vertical	140	1.57	-	93.20	33.19	6.81	34.46
PK	5.4696G	60.53	68.20	-7.67	5.47	3	Vertical	140	1.57	-	55.06	33.14	6.79	34.46
PK	5.4972G	109.75	Inf	-Inf	5.54	3	Vertical	140	1.57	-	104.21	33.19	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.37	54.00	-9.63	5.45	3	Horizontal	139	1.57	-	38.92	33.12	6.79	34.46
AV	5.4968G	94.99	Inf	-Inf	5.54	3	Horizontal	139	1.57	-	89.45	33.19	6.81	34.46
PK	5.4688G	57.21	68.20	-10.99	5.47	3	Horizontal	139	1.57	-	51.74	33.14	6.79	34.46
PK	5.498G	107.23	Inf	-Inf	5.55	3	Horizontal	139	1.57	-	101.68	33.20	6.81	34.46

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03616G	41.34	54.00	-12.66	14.32	3	Vertical	129	1.24	-	27.02	38.84	9.75	34.27
PK	6.88778G	50.76	68.20	-17.44	9.05	3	Vertical	200	2.18	-	41.71	35.95	7.79	34.69
PK	11.03568G	54.20	74.00	-19.80	14.31	3	Vertical	129	1.24	-	39.89	38.84	9.75	34.28
PK	16.5356G	57.70	68.20	-10.50	16.25	3	Vertical	202	1.75	-	41.45	38.83	12.05	34.63

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01392G	41.32	54.00	-12.68	14.26	3	Horizontal	81	1.32	-	27.06	38.81	9.74	34.29
PK	6.88728G	50.64	68.20	-17.56	9.05	3	Horizontal	254	1.00	-	41.59	35.95	7.79	34.69
PK	11.0184G	53.18	74.00	-20.82	14.27	3	Horizontal	81	1.32	-	38.91	38.82	9.74	34.29
PK	16.52784G	57.28	68.20	-10.92	16.24	3	Horizontal	74	1.55	-	41.04	38.84	12.04	34.64

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.37	54.00	-9.63	5.45	3	Vertical	140	1.61	-	38.92	33.12	6.79	34.46
AV	5.542G	99.41	Inf	-Inf	5.39	3	Vertical	140	1.61	-	94.02	33.03	6.83	34.47
PK	5.4688G	56.34	68.20	-11.86	5.47	3	Vertical	140	1.61	-	50.87	33.14	6.79	34.46
PK	5.564G	111.89	Inf	-Inf	5.43	3	Vertical	140	1.61	-	106.46	33.06	6.84	34.47

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	42.92	54.00	-11.08	5.44	3	Horizontal	137	1.62	-	37.48	33.11	6.79	34.46
AV	5.5632G	95.44	Inf	-Inf	5.42	3	Horizontal	137	1.62	-	90.02	33.05	6.84	34.47
PK	5.4652G	54.18	68.20	-14.02	5.46	3	Horizontal	137	1.62	-	48.72	33.13	6.79	34.46
PK	5.562G	106.96	Inf	-Inf	5.42	3	Horizontal	137	1.62	-	101.54	33.05	6.84	34.47

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11904G	41.28	54.00	-12.72	14.50	3	Vertical	87	1.76	-	26.78	38.94	9.78	34.22
PK	6.93751G	50.37	68.20	-17.83	9.18	3	Vertical	195	1.50	-	41.19	36.00	7.88	34.70
PK	11.10808G	53.86	74.00	-20.14	14.47	3	Vertical	87	1.76	-	39.39	38.92	9.77	34.22
PK	16.65528G	57.41	68.20	-10.79	16.43	3	Vertical	42	2.21	-	40.98	38.76	12.10	34.43


802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11696G	41.36	54.00	-12.64	14.49	3	Horizontal	171	1.37	-	26.87	38.93	9.78	34.22
PK	6.9377G	49.93	68.20	-18.27	9.18	3	Horizontal	253	1.02	-	40.75	36.00	7.88	34.70
PK	11.09584G	53.82	74.00	-20.18	14.44	3	Horizontal	171	1.37	-	39.38	38.90	9.77	34.23
PK	16.63984G	56.67	68.20	-11.53	16.37	3	Horizontal	128	1.04	-	40.30	38.74	12.09	34.46

**802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6658G	98.49	Inf	-Inf	5.73	3	Vertical	154	1.42	-	92.76	33.33	6.88	34.48
PK	5.6658G	109.31	Inf	-Inf	5.73	3	Vertical	154	1.42	-	103.58	33.33	6.88	34.48
PK	5.7312G	61.51	68.20	-6.69	6.07	3	Vertical	154	1.42	-	55.44	33.65	6.91	34.49


**802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6616G	95.24	Inf	-Inf	5.72	3	Horizontal	135	1.68	-	89.52	33.32	6.88	34.48
PK	5.6796G	105.86	Inf	-Inf	5.77	3	Horizontal	135	1.68	-	100.09	33.36	6.89	34.48
PK	5.7468G	57.82	68.20	-10.38	6.19	3	Horizontal	135	1.68	-	51.63	33.77	6.91	34.49

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32248G	41.53	54.00	-12.47	14.94	3	Vertical	211	2.16	-	26.59	39.16	9.85	34.07
PK	6.93753G	48.85	68.20	-19.35	9.18	3	Vertical	27	1.50	-	39.67	36.00	7.88	34.70
PK	11.33696G	53.58	74.00	-20.42	14.92	3	Vertical	211	2.16	-	38.66	39.13	9.85	34.06
PK	16.99176G	56.92	68.20	-11.28	16.77	3	Vertical	185	1.82	-	40.15	38.41	12.23	33.87


802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32856G	41.60	54.00	-12.40	14.92	3	Horizontal	177	1.03	-	26.68	39.14	9.85	34.07
PK	6.93748G	48.42	68.20	-19.78	9.18	3	Horizontal	24	1.72	-	39.24	36.00	7.88	34.70
PK	11.32216G	54.87	74.00	-19.13	14.94	3	Horizontal	177	1.03	-	39.93	39.16	9.85	34.07
PK	17.02792G	56.56	68.20	-11.64	16.77	3	Horizontal	209	2.47	-	39.79	38.40	12.25	33.88

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4472G	42.32	54.00	-11.68	5.41	3	Vertical	154	1.45	-	36.91	33.09	6.78	34.46
AV	5.7232G	98.88	Inf	-Inf	6.00	3	Vertical	154	1.45	-	92.88	33.59	6.90	34.49
PK	5.47G	51.75	68.20	-16.45	5.47	3	Vertical	154	1.45	-	46.28	33.14	6.79	34.46
PK	5.7004G	108.57	Inf	-Inf	5.82	3	Vertical	154	1.45	-	102.75	33.40	6.90	34.48
PK	5.854G	55.58	68.20	-12.62	6.67	3	Vertical	154	1.45	-	48.91	34.19	6.98	34.50

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4436G	42.12	54.00	-11.88	5.41	3	Horizontal	148	1.00	-	36.71	33.09	6.78	34.46
AV	5.7232G	96.62	Inf	-Inf	6.00	3	Horizontal	148	1.00	-	90.62	33.59	6.90	34.49
PK	5.4652G	51.85	68.20	-16.35	5.46	3	Horizontal	148	1.00	-	46.39	33.13	6.79	34.46
PK	5.7172G	106.20	Inf	-Inf	5.95	3	Horizontal	148	1.00	-	100.25	33.54	6.90	34.49
PK	5.8504G	54.95	68.20	-13.25	6.68	3	Horizontal	148	1.00	-	48.27	34.20	6.98	34.50

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40968G	41.59	54.00	-12.41	14.87	3	Vertical	247	1.21	-	26.72	39.00	9.88	34.01
PK	7.13764G	50.05	68.20	-18.15	10.17	3	Vertical	191	1.46	-	39.88	36.80	8.12	34.75
PK	11.41816G	54.53	74.00	-19.47	14.87	3	Vertical	247	1.21	-	39.66	39.00	9.88	34.01
PK	17.13984G	56.50	68.20	-11.70	16.72	3	Vertical	343	2.57	-	39.78	38.40	12.29	33.97


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40736G	41.60	54.00	-12.40	14.87	3	Horizontal	147	1.09	-	26.73	39.00	9.88	34.01
PK	7.13776G	50.25	68.20	-17.95	10.17	3	Horizontal	253	1.76	-	40.08	36.80	8.12	34.75
PK	11.436G	54.43	74.00	-19.57	14.90	3	Horizontal	147	1.09	-	39.53	39.00	9.89	33.99
PK	17.1484G	57.20	68.20	-11.00	16.72	3	Horizontal	176	2.11	-	40.48	38.40	12.30	33.98

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	100.05	Inf	-Inf	6.24	3	Vertical	147	1.49	-	93.81	33.81	6.92	34.49
PK	5.6458G	55.12	68.20	-13.08	5.69	3	Vertical	147	1.49	-	49.43	33.29	6.88	34.48
PK	5.7538G	111.22	Inf	-Inf	6.23	3	Vertical	147	1.49	-	104.99	33.81	6.91	34.49
PK	5.9698G	55.86	68.20	-12.34	6.88	3	Vertical	147	1.49	-	48.98	34.32	7.08	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	98.20	Inf	-Inf	6.24	3	Horizontal	143	1.00	-	91.96	33.81	6.92	34.49
PK	5.647G	55.23	68.20	-12.97	5.69	3	Horizontal	143	1.00	-	49.54	33.29	6.88	34.48
PK	5.7442G	107.61	Inf	-Inf	6.17	3	Horizontal	143	1.00	-	101.44	33.75	6.91	34.49
PK	6.0538G	55.50	68.20	-12.70	6.98	3	Horizontal	143	1.00	-	48.52	34.38	7.13	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49288G	41.17	54.00	-12.83	14.96	3	Vertical	223	1.32	-	26.21	39.00	9.91	33.95
PK	7.19381G	49.99	68.20	-18.21	10.21	3	Vertical	165	1.82	-	39.78	36.81	8.17	34.77
PK	11.51168G	53.26	74.00	-20.74	14.95	3	Vertical	223	1.32	-	38.31	38.99	9.92	33.96
PK	17.24516G	56.67	68.20	-11.53	16.73	3	Vertical	232	1.01	-	39.94	38.45	12.33	34.05

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50608G	41.20	54.00	-12.80	14.95	3	Horizontal	347	2.16	-	26.25	38.99	9.91	33.95
PK	7.19797G	49.67	68.20	-18.53	10.21	3	Horizontal	242	1.56	-	39.46	36.80	8.18	34.77
PK	11.49104G	53.75	74.00	-20.25	14.95	3	Horizontal	347	2.16	-	38.80	39.00	9.91	33.96
PK	17.25204G	56.62	68.20	-11.58	16.73	3	Horizontal	134	1.63	-	39.89	38.45	12.34	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	99.84	Inf	-Inf	6.32	3	Vertical	147	1.48	-	93.52	33.88	6.93	34.49
PK	5.5082G	54.08	68.20	-14.12	5.52	3	Vertical	147	1.48	-	48.56	33.17	6.81	34.46
PK	5.8058G	110.37	Inf	-Inf	6.37	3	Vertical	147	1.48	-	104.00	33.93	6.94	34.50
PK	5.9666G	56.65	68.20	-11.55	6.89	3	Vertical	147	1.48	-	49.76	34.33	7.08	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	97.85	Inf	-Inf	6.32	3	Horizontal	143	1.00	-	91.53	33.89	6.93	34.50
PK	5.6054G	53.48	68.20	-14.72	5.60	3	Horizontal	143	1.00	-	47.88	33.21	6.86	34.47
PK	5.7854G	107.58	Inf	-Inf	6.30	3	Horizontal	143	1.00	-	101.28	33.87	6.92	34.49
PK	5.9498G	55.05	68.20	-13.15	6.95	3	Horizontal	143	1.00	-	48.10	34.40	7.06	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58208G	41.04	54.00	-12.96	14.86	3	Vertical	154	1.80	-	26.18	38.92	9.94	34.00
PK	7.24393G	49.94	68.20	-18.26	10.26	3	Vertical	162	1.60	-	39.68	36.89	8.16	34.79
PK	11.58752G	53.13	74.00	-20.87	14.85	3	Vertical	154	1.80	-	38.28	38.91	9.94	34.00
PK	17.38044G	57.12	68.20	-11.08	16.97	3	Vertical	97	2.24	-	40.15	38.74	12.39	34.16

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57824G	41.06	54.00	-12.94	14.86	3	Horizontal	151	1.15	-	26.20	38.92	9.94	34.00
PK	7.24339G	49.73	68.20	-18.47	10.26	3	Horizontal	251	2.07	-	39.47	36.89	8.16	34.79
PK	11.58352G	53.72	74.00	-20.28	14.86	3	Horizontal	151	1.15	-	38.86	38.92	9.94	34.00
PK	17.39916G	56.94	68.20	-11.26	17.03	3	Horizontal	164	2.50	-	39.91	38.80	12.40	34.17

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.10	54.00	-7.90	5.15	3	Vertical	210	1.50	-	40.95	33.10	6.49	34.44
AV	5.202G	92.47	Inf	-Inf	5.09	3	Vertical	210	1.50	-	87.38	33.00	6.53	34.44
AV	5.354G	44.36	54.00	-9.64	5.17	3	Vertical	210	1.50	-	39.19	32.91	6.71	34.45
PK	5.15G	57.62	74.00	-16.38	5.15	3	Vertical	210	1.50	-	52.47	33.10	6.49	34.44
PK	5.192G	103.67	Inf	-Inf	5.10	3	Vertical	210	1.50	-	98.57	33.02	6.52	34.44
PK	5.357G	55.26	74.00	-18.74	5.17	3	Vertical	210	1.50	-	50.09	32.91	6.71	34.45

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.07	54.00	-8.93	5.15	3	Horizontal	116	1.49	-	39.92	33.10	6.49	34.44
AV	5.203G	90.30	Inf	-Inf	5.08	3	Horizontal	116	1.49	-	85.22	32.99	6.53	34.44
AV	5.359G	42.70	54.00	-11.30	5.18	3	Horizontal	116	1.49	-	37.52	32.92	6.71	34.45
PK	5.127G	56.51	74.00	-17.49	5.19	3	Horizontal	116	1.49	-	51.32	33.15	6.48	34.44
PK	5.213G	101.58	Inf	-Inf	5.07	3	Horizontal	116	1.49	-	96.51	32.97	6.54	34.44
PK	5.362G	54.89	74.00	-19.11	5.19	3	Horizontal	116	1.49	-	49.70	32.92	6.72	34.45

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63464G	43.37	54.00	-10.63	15.66	3	Vertical	44	2.15	-	27.71	38.53	11.67	34.54
PK	6.5125G	57.30	68.20	-10.90	8.32	3	Vertical	213	1.49	-	48.98	35.60	7.36	34.64
PK	10.43296G	52.44	68.20	-15.76	13.62	3	Vertical	67	2.26	-	38.82	38.67	9.53	34.58
PK	15.62952G	56.29	74.00	-17.71	15.68	3	Vertical	44	2.15	-	40.61	38.54	11.67	34.53

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.64664G	43.46	54.00	-10.54	15.65	3	Horizontal	22	2.61	-	27.81	38.51	11.68	34.54
PK	6.51246G	54.96	68.20	-13.24	8.32	3	Horizontal	130	1.50	-	46.64	35.60	7.36	34.64
PK	10.4336G	53.62	68.20	-14.58	13.62	3	Horizontal	291	1.90	-	40.00	38.67	9.53	34.58
PK	15.65512G	56.28	74.00	-17.72	15.62	3	Horizontal	22	2.61	-	40.66	38.49	11.68	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	42.06	54.00	-11.94	5.19	3	Vertical	211	1.53	-	36.87	33.16	6.47	34.44
AV	5.276G	92.63	Inf	-Inf	5.17	3	Vertical	211	1.53	-	87.46	33.00	6.62	34.45
AV	5.35G	44.88	54.00	-9.12	5.15	3	Vertical	211	1.53	-	39.73	32.90	6.70	34.45
PK	5.141G	52.98	74.00	-21.02	5.17	3	Vertical	211	1.53	-	47.81	33.12	6.49	34.44
PK	5.314G	102.98	Inf	-Inf	5.25	3	Vertical	211	1.53	-	97.73	33.04	6.66	34.45
PK	5.516G	53.43	68.20	-14.77	5.50	3	Vertical	211	1.53	-	47.93	33.14	6.82	34.46

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	42.00	54.00	-12.00	5.17	3	Horizontal	121	1.69	-	36.83	33.13	6.48	34.44
AV	5.273G	90.25	Inf	-Inf	5.15	3	Horizontal	121	1.69	-	85.10	32.99	6.61	34.45
AV	5.353G	43.64	54.00	-10.36	5.17	3	Horizontal	121	1.69	-	38.47	32.91	6.71	34.45
PK	5.109G	54.09	74.00	-19.91	5.20	3	Horizontal	121	1.69	-	48.89	33.18	6.46	34.44
PK	5.3G	101.36	Inf	-Inf	5.29	3	Horizontal	121	1.69	-	96.07	33.10	6.64	34.45
PK	5.521G	53.96	68.20	-14.24	5.48	3	Horizontal	121	1.69	-	48.48	33.12	6.82	34.46

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8388G	43.83	54.00	-10.17	15.55	3	Vertical	247	1.03	-	28.28	38.46	11.76	34.67
PK	6.61247G	53.08	68.20	-15.12	8.66	3	Vertical	215	1.50	-	44.42	35.88	7.44	34.66
PK	10.58368G	52.88	68.20	-15.32	14.16	3	Vertical	161	1.04	-	38.72	39.02	9.59	34.45
PK	15.86904G	55.90	74.00	-18.10	15.51	3	Vertical	247	1.03	-	40.39	38.43	11.77	34.69

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88376G	43.82	54.00	-10.18	15.50	3	Horizontal	130	2.21	-	28.32	38.42	11.78	34.70
PK	6.61261G	50.09	68.20	-18.11	8.65	3	Horizontal	128	1.00	-	41.44	35.87	7.44	34.66
PK	10.57104G	53.10	68.20	-15.10	14.09	3	Horizontal	331	1.39	-	39.01	38.96	9.58	34.45
PK	15.84712G	55.98	74.00	-18.02	15.55	3	Horizontal	130	2.21	-	40.43	38.45	11.77	34.67

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.06	54.00	-5.94	5.45	3	Vertical	140	1.63	-	42.61	33.12	6.79	34.46
AV	5.545G	96.74	Inf	-Inf	5.38	3	Vertical	140	1.63	-	91.36	33.02	6.83	34.47
PK	5.461G	59.96	68.20	-8.24	5.45	3	Vertical	140	1.63	-	54.51	33.12	6.79	34.46
PK	5.506G	108.42	Inf	-Inf	5.53	3	Vertical	140	1.63	-	102.89	33.18	6.81	34.46
PK	5.725G	54.42	68.20	-13.78	6.01	3	Vertical	140	1.63	-	48.41	33.60	6.90	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.58	54.00	-9.42	5.45	3	Horizontal	136	1.67	-	39.13	33.12	6.79	34.46
AV	5.548G	92.73	Inf	-Inf	5.37	3	Horizontal	136	1.67	-	87.36	33.01	6.83	34.47
PK	5.462G	56.59	68.20	-11.61	5.45	3	Horizontal	136	1.67	-	51.14	33.12	6.79	34.46
PK	5.555G	103.50	Inf	-Inf	5.39	3	Horizontal	136	1.67	-	98.11	33.02	6.84	34.47
PK	5.777G	53.79	68.20	-14.41	6.28	3	Horizontal	136	1.67	-	47.51	33.85	6.92	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04992G	41.14	54.00	-12.86	14.33	3	Vertical	254	2.20	-	26.81	38.85	9.75	34.27
PK	6.91247G	50.28	68.20	-17.92	9.13	3	Vertical	195	1.47	-	41.15	36.00	7.83	34.70
PK	11.05808G	53.32	74.00	-20.68	14.36	3	Vertical	254	2.20	-	38.96	38.86	9.76	34.26
PK	16.58488G	56.97	68.20	-11.23	16.25	3	Vertical	209	2.47	-	40.72	38.73	12.07	34.55

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0392G	41.15	54.00	-12.85	14.32	3	Horizontal	110	2.68	-	26.83	38.84	9.75	34.27
PK	6.91224G	50.82	68.20	-17.38	9.13	3	Horizontal	255	1.01	-	41.69	36.00	7.83	34.70
PK	11.09104G	54.09	74.00	-19.91	14.42	3	Horizontal	110	2.68	-	39.67	38.89	9.77	34.24
PK	16.6028G	56.52	68.20	-11.68	16.25	3	Horizontal	246	1.39	-	40.27	38.70	12.07	34.52

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.86	54.00	-10.14	5.45	3	Vertical	210	1.50	-	38.41	33.12	6.79	34.46
AV	5.617G	97.20	Inf	-Inf	5.63	3	Vertical	210	1.50	-	91.57	33.23	6.87	34.47
PK	5.461G	54.86	68.20	-13.34	5.45	3	Vertical	210	1.50	-	49.41	33.12	6.79	34.46
PK	5.605G	108.08	Inf	-Inf	5.60	3	Vertical	210	1.50	-	102.48	33.21	6.86	34.47
PK	5.743G	57.62	68.20	-10.58	6.16	3	Vertical	210	1.50	-	51.46	33.74	6.91	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	42.53	54.00	-11.47	5.45	3	Horizontal	135	1.73	-	37.08	33.12	6.79	34.46
AV	5.603G	93.92	Inf	-Inf	5.60	3	Horizontal	135	1.73	-	88.32	33.21	6.86	34.47
PK	5.463G	53.48	68.20	-14.72	5.46	3	Horizontal	135	1.73	-	48.02	33.13	6.79	34.46
PK	5.607G	104.55	Inf	-Inf	5.60	3	Horizontal	135	1.73	-	98.95	33.21	6.86	34.47
PK	5.736G	55.40	68.20	-12.80	6.11	3	Horizontal	135	1.73	-	49.29	33.69	6.91	34.49

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23728G	41.52	54.00	-12.48	14.83	3	Vertical	141	2.20	-	26.69	39.14	9.82	34.13
PK	7.01247G	50.15	68.20	-18.05	9.37	3	Vertical	201	2.25	-	40.78	36.07	8.01	34.71
PK	11.2024G	53.70	74.00	-20.30	14.75	3	Vertical	141	2.20	-	38.95	39.10	9.81	34.16
PK	16.8252G	57.40	68.20	-10.80	16.58	3	Vertical	255	2.93	-	40.82	38.57	12.16	34.15

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2376G	41.51	54.00	-12.49	14.83	3	Horizontal	230	1.07	-	26.68	39.14	9.82	34.13
PK	7.01245G	49.70	68.20	-18.50	9.37	3	Horizontal	255	1.01	-	40.33	36.07	8.01	34.71
PK	11.20544G	54.19	74.00	-19.81	14.76	3	Horizontal	230	1.07	-	39.43	39.11	9.81	34.16
PK	16.83912G	56.75	68.20	-11.45	16.60	3	Horizontal	35	1.18	-	40.15	38.56	12.17	34.13

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	42.62	54.00	-11.38	5.43	3	Vertical	155	1.45	-	37.19	33.10	6.79	34.46
AV	5.6828G	96.93	Inf	-Inf	5.78	3	Vertical	155	1.45	-	91.15	33.37	6.89	34.48
PK	5.4644G	53.45	68.20	-14.75	5.46	3	Vertical	155	1.45	-	47.99	33.13	6.79	34.46
PK	5.672G	107.65	Inf	-Inf	5.75	3	Vertical	155	1.45	-	101.90	33.34	6.89	34.48
PK	5.8592G	55.06	68.20	-13.14	6.66	3	Vertical	155	1.45	-	48.40	34.18	6.98	34.50


802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	41.99	54.00	-12.01	5.45	3	Horizontal	142	1.00	-	36.54	33.12	6.79	34.46
AV	5.6876G	94.27	Inf	-Inf	5.79	3	Horizontal	142	1.00	-	88.48	33.38	6.89	34.48
PK	5.4608G	52.98	68.20	-15.22	5.45	3	Horizontal	142	1.00	-	47.53	33.12	6.79	34.46
PK	5.6852G	104.08	Inf	-Inf	5.78	3	Horizontal	142	1.00	-	98.30	33.37	6.89	34.48
PK	5.8568G	56.26	68.20	-11.94	6.67	3	Horizontal	142	1.00	-	49.59	34.19	6.98	34.50

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41808G	41.44	54.00	-12.56	14.87	3	Vertical	360	1.76	-	26.57	39.00	9.88	34.01
PK	7.11242G	48.98	68.20	-19.22	9.95	3	Vertical	202	1.33	-	39.03	36.60	8.10	34.75
PK	11.4184G	53.75	74.00	-20.25	14.87	3	Vertical	360	1.76	-	38.88	39.00	9.88	34.01
PK	17.09432G	56.60	68.20	-11.60	16.74	3	Vertical	183	2.94	-	39.86	38.40	12.27	33.93


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39984G	41.39	54.00	-12.61	14.86	3	Horizontal	130	3.00	-	26.53	39.00	9.88	34.02
PK	7.11255G	49.78	68.20	-18.42	9.95	3	Horizontal	252	1.00	-	39.83	36.60	8.10	34.75
PK	11.34464G	53.77	74.00	-20.23	14.91	3	Horizontal	130	3.00	-	38.86	39.11	9.86	34.06
PK	17.07144G	57.19	68.20	-11.01	16.74	3	Horizontal	263	1.50	-	40.45	38.40	12.26	33.92

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	94.78	Inf	-Inf	6.23	3	Vertical	146	1.48	-	88.55	33.81	6.91	34.49
PK	5.5602G	53.84	68.20	-14.36	5.41	3	Vertical	146	1.48	-	48.43	33.04	6.84	34.47
PK	5.757G	105.28	Inf	-Inf	6.23	3	Vertical	146	1.48	-	99.05	33.81	6.91	34.49
PK	6.0066G	55.41	68.20	-12.79	6.82	3	Vertical	146	1.48	-	48.59	34.23	7.11	34.52

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	92.80	Inf	-Inf	6.28	3	Horizontal	143	1.00	-	86.52	33.85	6.92	34.49
PK	5.6106G	53.17	68.20	-15.03	5.61	3	Horizontal	143	1.00	-	47.56	33.22	6.86	34.47
PK	5.775G	102.90	Inf	-Inf	6.28	3	Horizontal	143	1.00	-	96.62	33.85	6.92	34.49
PK	6.0462G	55.27	68.20	-12.93	6.98	3	Horizontal	143	1.00	-	48.29	34.38	7.13	34.53

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51304G	40.92	54.00	-13.08	14.95	3	Vertical	265	1.50	-	25.97	38.99	9.92	33.96
PK	7.21679G	49.69	68.20	-18.51	10.22	3	Vertical	168	1.50	-	39.47	36.83	8.17	34.78
PK	11.5644G	53.07	74.00	-20.93	14.89	3	Vertical	265	1.50	-	38.18	38.94	9.94	33.99
PK	17.3482G	56.82	68.20	-11.38	16.89	3	Vertical	332	1.39	-	39.93	38.64	12.38	34.13

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51416G	40.92	54.00	-13.08	14.95	3	Horizontal	305	2.04	-	25.97	38.99	9.92	33.96
PK	7.22351G	50.14	68.20	-18.06	10.24	3	Horizontal	231	1.62	-	39.90	36.85	8.17	34.78
PK	11.51672G	53.95	74.00	-20.05	14.94	3	Horizontal	305	2.04	-	39.01	38.98	9.92	33.96
PK	17.32436G	56.61	68.20	-11.59	16.83	3	Horizontal	219	1.50	-	39.78	38.57	12.37	34.11

802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.34	54.00	-5.66	5.15	3	Vertical	209	1.50	-	43.19	33.10	6.49	34.44
AV	5.1972G	90.39	Inf	-Inf	5.10	3	Vertical	209	1.50	-	85.29	33.01	6.53	34.44
AV	5.3832G	48.92	54.00	-5.08	5.26	3	Vertical	209	1.50	-	43.66	32.97	6.74	34.45
PK	5.1468G	58.98	74.00	-15.02	5.16	3	Vertical	209	1.50	-	53.82	33.11	6.49	34.44
PK	5.2128G	101.16	Inf	-Inf	5.07	3	Vertical	209	1.50	-	96.09	32.97	6.54	34.44
PK	5.4768G	55.95	68.20	-12.25	5.49	3	Vertical	209	1.50	-	50.46	33.15	6.80	34.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.50	54.00	-6.50	5.15	3	Horizontal	119	1.68	-	42.35	33.10	6.49	34.44
AV	5.1972G	88.58	Inf	-Inf	5.10	3	Horizontal	119	1.68	-	83.48	33.01	6.53	34.44
AV	5.3784G	46.85	54.00	-7.15	5.25	3	Horizontal	119	1.68	-	41.60	32.96	6.74	34.45
PK	5.1228G	56.76	74.00	-17.24	5.18	3	Horizontal	119	1.68	-	51.58	33.15	6.47	34.44
PK	5.2068G	98.37	Inf	-Inf	5.09	3	Horizontal	119	1.68	-	93.28	32.99	6.54	34.44
PK	5.5092G	54.21	68.20	-13.99	5.51	3	Horizontal	119	1.68	-	48.70	33.16	6.81	34.46