


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.27	54.00	-11.73	5.15	3	Vertical	209	1.50	-	37.12	33.10	6.49	34.44
AV	5.2008G	105.16	Inf	-Inf	5.09	3	Vertical	209	1.50	-	100.07	33.00	6.53	34.44
PK	5.1176G	54.23	74.00	-19.77	5.19	3	Vertical	209	1.50	-	49.04	33.16	6.47	34.44
PK	5.1992G	112.98	Inf	-Inf	5.09	3	Vertical	209	1.50	-	107.89	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.19	54.00	-11.81	5.15	3	Horizontal	116	1.49	-	37.04	33.10	6.49	34.44
AV	5.2008G	102.75	Inf	-Inf	5.09	3	Horizontal	116	1.49	-	97.66	33.00	6.53	34.44
PK	5.1284G	53.79	74.00	-20.21	5.18	3	Horizontal	116	1.49	-	48.61	33.14	6.48	34.44
PK	5.1996G	110.84	Inf	-Inf	5.09	3	Horizontal	116	1.49	-	105.75	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5526G	42.86	54.00	-11.14	15.85	3	Vertical	98	1.44	-	27.01	38.69	11.64	34.48
PK	6.49988G	46.77	68.20	-21.43	8.31	3	Vertical	158	1.86	-	38.46	35.60	7.35	34.64
PK	10.4084G	54.05	68.20	-14.15	13.59	3	Vertical	45	2.15	-	40.46	38.69	9.52	34.62
PK	15.566G	54.16	74.00	-19.84	15.83	3	Vertical	98	1.44	-	38.33	38.67	11.65	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5538G	42.86	54.00	-11.14	15.85	3	Horizontal	333	2.46	-	27.01	38.69	11.64	34.48
PK	6.49984G	49.53	68.20	-18.67	8.31	3	Horizontal	128	1.50	-	41.22	35.60	7.35	34.64
PK	10.4096G	53.83	68.20	-14.37	13.60	3	Horizontal	32	1.68	-	40.23	38.69	9.53	34.62
PK	15.5746G	54.19	74.00	-19.81	15.80	3	Horizontal	333	2.46	-	38.39	38.65	11.65	34.50

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	42.24	54.00	-11.76	5.19	3	Vertical	211	1.49	-	37.05	33.16	6.47	34.44
AV	5.2484G	105.66	Inf	-Inf	5.05	3	Vertical	211	1.49	-	100.61	32.90	6.59	34.44
AV	5.3696G	42.64	54.00	-11.36	5.22	3	Vertical	211	1.49	-	37.42	32.94	6.73	34.45
PK	5.0924G	53.88	74.00	-20.12	5.18	3	Vertical	211	1.49	-	48.70	33.17	6.45	34.44
PK	5.2484G	113.24	Inf	-Inf	5.05	3	Vertical	211	1.49	-	108.19	32.90	6.59	34.44
PK	5.3558G	54.69	74.00	-19.31	5.17	3	Vertical	211	1.49	-	49.52	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1326G	42.25	54.00	-11.75	5.17	3	Horizontal	119	1.64	-	37.08	33.13	6.48	34.44
AV	5.2484G	103.68	Inf	-Inf	5.05	3	Horizontal	119	1.64	-	98.63	32.90	6.59	34.44
AV	5.3756G	42.29	54.00	-11.71	5.23	3	Horizontal	119	1.64	-	37.06	32.95	6.73	34.45
PK	5.1236G	54.71	74.00	-19.29	5.18	3	Horizontal	119	1.64	-	49.53	33.15	6.47	34.44
PK	5.2484G	111.22	Inf	-Inf	5.05	3	Horizontal	119	1.64	-	106.17	32.90	6.59	34.44
PK	5.372G	54.25	74.00	-19.75	5.22	3	Horizontal	119	1.64	-	49.03	32.94	6.73	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.768G	42.93	54.00	-11.07	15.58	3	Vertical	340	1.48	-	27.35	38.47	11.73	34.62
PK	6.55016G	48.60	68.20	-19.60	8.34	3	Vertical	111	1.28	-	40.26	35.60	7.39	34.65
PK	10.4716G	53.90	68.20	-14.30	13.66	3	Vertical	17	2.66	-	40.24	38.63	9.55	34.52
PK	15.7502G	54.96	74.00	-19.04	15.56	3	Vertical	340	1.48	-	39.40	38.45	11.72	34.61

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7458G	43.94	54.00	-10.06	15.56	3	Horizontal	154	2.32	-	28.38	38.45	11.72	34.61
PK	6.55008G	51.06	68.20	-17.14	8.34	3	Horizontal	128	1.48	-	42.72	35.60	7.39	34.65
PK	10.4374G	52.79	68.20	-15.41	13.62	3	Horizontal	140	2.16	-	39.17	38.66	9.54	34.58
PK	15.711G	56.04	74.00	-17.96	15.53	3	Horizontal	154	2.32	-	40.51	38.41	11.71	34.59

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	42.25	54.00	-11.75	5.16	3	Vertical	211	1.54	-	37.09	33.11	6.49	34.44
AV	5.2516G	105.57	Inf	-Inf	5.05	3	Vertical	211	1.54	-	100.52	32.91	6.59	34.45
AV	5.356G	43.51	54.00	-10.49	5.17	3	Vertical	211	1.54	-	38.34	32.91	6.71	34.45
PK	5.1304G	53.92	74.00	-20.08	5.18	3	Vertical	211	1.54	-	48.74	33.14	6.48	34.44
PK	5.2522G	113.30	Inf	-Inf	5.05	3	Vertical	211	1.54	-	108.25	32.91	6.59	34.45
PK	5.3512G	54.42	74.00	-19.58	5.15	3	Vertical	211	1.54	-	49.27	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	42.25	54.00	-11.75	5.16	3	Horizontal	119	1.65	-	37.09	33.11	6.49	34.44
AV	5.2516G	103.34	Inf	-Inf	5.05	3	Horizontal	119	1.65	-	98.29	32.91	6.59	34.45
AV	5.356G	42.71	54.00	-11.29	5.17	3	Horizontal	119	1.65	-	37.54	32.91	6.71	34.45
PK	5.116G	54.38	74.00	-19.62	5.20	3	Horizontal	119	1.65	-	49.18	33.17	6.47	34.44
PK	5.2522G	111.30	Inf	-Inf	5.05	3	Horizontal	119	1.65	-	106.25	32.91	6.59	34.45
PK	5.3584G	53.79	74.00	-20.21	5.18	3	Horizontal	119	1.65	-	48.61	32.92	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7476G	43.95	54.00	-10.05	15.56	3	Vertical	36	2.37	-	28.39	38.45	11.72	34.61
PK	6.57496G	53.29	68.20	-14.91	8.51	3	Vertical	212	1.52	-	44.78	35.75	7.41	34.65
PK	10.5322G	52.73	68.20	-15.47	13.86	3	Vertical	314	2.24	-	38.87	38.76	9.57	34.47
PK	15.7472G	55.57	74.00	-18.43	15.56	3	Vertical	36	2.37	-	40.01	38.45	11.72	34.61

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7758G	44.00	54.00	-10.00	15.58	3	Horizontal	41	1.23	-	28.42	38.48	11.73	34.63
PK	6.57492G	50.17	68.20	-18.03	8.51	3	Horizontal	129	1.45	-	41.66	35.75	7.41	34.65
PK	10.4872G	52.01	68.20	-16.19	13.66	3	Horizontal	284	1.25	-	38.35	38.61	9.55	34.50
PK	15.7968G	55.61	74.00	-18.39	15.60	3	Horizontal	41	1.23	-	40.01	38.50	11.74	34.64

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	105.44	Inf	-Inf	5.29	3	Vertical	210	1.59	-	100.15	33.10	6.64	34.45
AV	5.3888G	42.90	54.00	-11.10	5.28	3	Vertical	210	1.59	-	37.62	32.98	6.75	34.45
PK	5.2996G	113.09	Inf	-Inf	5.29	3	Vertical	210	1.59	-	107.80	33.10	6.64	34.45
PK	5.396G	54.69	74.00	-19.31	5.30	3	Vertical	210	1.59	-	49.39	32.99	6.76	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	102.82	Inf	-Inf	5.29	3	Horizontal	118	1.59	-	97.53	33.10	6.64	34.45
AV	5.3912G	42.21	54.00	-11.79	5.28	3	Horizontal	118	1.59	-	36.93	32.98	6.75	34.45
PK	5.3008G	110.88	Inf	-Inf	5.30	3	Horizontal	118	1.59	-	105.58	33.10	6.65	34.45
PK	5.3896G	54.02	74.00	-19.98	5.28	3	Horizontal	118	1.59	-	48.74	32.98	6.75	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.947G	44.00	54.00	-10.00	15.42	3	Vertical	356	2.58	-	28.58	38.35	11.81	34.74
PK	6.62508G	52.45	68.20	-15.75	8.64	3	Vertical	213	1.47	-	43.81	35.85	7.45	34.66
PK	10.5756G	53.32	68.20	-14.88	14.11	3	Vertical	210	1.38	-	39.21	38.98	9.58	34.45
PK	15.906G	56.13	74.00	-17.87	15.47	3	Vertical	356	2.58	-	40.66	38.39	11.79	34.71

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9462G	44.00	54.00	-10.00	15.42	3	Horizontal	294	2.93	-	28.58	38.35	11.81	34.74
PK	6.62478G	50.12	68.20	-18.08	8.64	3	Horizontal	145	1.46	-	41.48	35.85	7.45	34.66
PK	10.573G	52.65	68.20	-15.55	14.09	3	Horizontal	181	2.28	-	38.56	38.96	9.58	34.45
PK	15.8858G	56.24	74.00	-17.76	15.49	3	Horizontal	294	2.93	-	40.75	38.41	11.78	34.70

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3284G	105.62	Inf	-Inf	5.22	3	Vertical	212	1.55	-	100.40	32.99	6.68	34.45
AV	5.3626G	43.90	54.00	-10.10	5.20	3	Vertical	212	1.55	-	38.70	32.93	6.72	34.45
PK	5.3282G	113.73	Inf	-Inf	5.22	3	Vertical	212	1.55	-	108.51	32.99	6.68	34.45
PK	5.352G	57.89	74.00	-16.11	5.15	3	Vertical	212	1.55	-	52.74	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3284G	102.95	Inf	-Inf	5.22	3	Horizontal	118	1.67	-	97.73	32.99	6.68	34.45
AV	5.3632G	42.89	54.00	-11.11	5.20	3	Horizontal	118	1.67	-	37.69	32.93	6.72	34.45
PK	5.328G	111.04	Inf	-Inf	5.22	3	Horizontal	118	1.67	-	105.82	32.99	6.68	34.45
PK	5.35G	55.50	74.00	-18.50	5.15	3	Horizontal	118	1.67	-	50.35	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6876G	40.66	54.00	-13.34	14.22	3	Vertical	328	2.70	-	26.44	39.01	9.62	34.41
AV	15.9476G	43.99	54.00	-10.01	15.42	3	Vertical	79	2.65	-	28.57	38.35	11.81	34.74
PK	6.65001G	52.85	68.20	-15.35	8.62	3	Vertical	212	1.50	-	44.23	35.80	7.48	34.66
PK	10.6894G	52.45	74.00	-21.55	14.22	3	Vertical	328	2.70	-	38.23	39.01	9.62	34.41
PK	15.9294G	56.39	74.00	-17.61	15.45	3	Vertical	79	2.65	-	40.94	38.37	11.80	34.72

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.687G	40.77	54.00	-13.23	14.22	3	Horizontal	347	2.42	-	26.55	39.01	9.62	34.41
AV	15.9578G	43.99	54.00	-10.01	15.41	3	Horizontal	187	1.31	-	28.58	38.34	11.81	34.74
PK	6.65006G	50.58	68.20	-17.62	8.62	3	Horizontal	146	1.51	-	41.96	35.80	7.48	34.66
PK	10.6662G	53.45	74.00	-20.55	14.23	3	Horizontal	347	2.42	-	39.22	39.03	9.62	34.42
PK	15.9726G	56.47	74.00	-17.53	15.40	3	Horizontal	187	1.31	-	41.07	38.33	11.82	34.75

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	43.28	54.00	-10.72	5.44	3	Vertical	208	1.43	-	37.84	33.11	6.79	34.46
AV	5.4916G	106.49	Inf	-Inf	5.53	3	Vertical	208	1.43	-	100.96	33.18	6.81	34.46
PK	5.4694G	56.75	68.20	-11.45	5.47	3	Vertical	208	1.43	-	51.28	33.14	6.79	34.46
PK	5.492G	114.74	Inf	-Inf	5.53	3	Vertical	208	1.43	-	109.21	33.18	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	42.52	54.00	-11.48	5.44	3	Horizontal	120	2.75	-	37.08	33.11	6.79	34.46
AV	5.4918G	102.99	Inf	-Inf	5.53	3	Horizontal	120	2.75	-	97.46	33.18	6.81	34.46
PK	5.4632G	54.97	68.20	-13.23	5.46	3	Horizontal	120	2.75	-	49.51	33.13	6.79	34.46
PK	5.4922G	110.97	Inf	-Inf	5.53	3	Horizontal	120	2.75	-	105.44	33.18	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.989G	41.12	54.00	-12.88	14.22	3	Vertical	321	1.03	-	26.90	38.79	9.73	34.30
PK	6.8748G	48.85	68.20	-19.35	8.97	3	Vertical	205	3.00	-	39.88	35.90	7.76	34.69
PK	10.9912G	52.98	74.00	-21.02	14.22	3	Vertical	321	1.03	-	38.76	38.79	9.73	34.30
PK	16.5314G	55.89	68.20	-12.31	16.25	3	Vertical	345	1.21	-	39.64	38.84	12.05	34.64

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.991G	41.11	54.00	-12.89	14.22	3	Horizontal	231	1.29	-	26.89	38.79	9.73	34.30
PK	6.903G	47.97	68.20	-20.23	9.12	3	Horizontal	92	1.88	-	38.85	36.00	7.82	34.70
PK	11.0476G	53.11	74.00	-20.89	14.33	3	Horizontal	231	1.29	-	38.78	38.85	9.75	34.27
PK	16.5424G	56.21	68.20	-11.99	16.25	3	Horizontal	333	2.00	-	39.96	38.82	12.05	34.62

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	42.49	54.00	-11.51	5.41	3	Vertical	211	1.46	-	37.08	33.09	6.78	34.46
AV	5.5806G	105.53	Inf	-Inf	5.50	3	Vertical	211	1.46	-	100.03	33.12	6.85	34.47
PK	5.466G	54.50	68.20	-13.70	5.46	3	Vertical	211	1.46	-	49.04	33.13	6.79	34.46
PK	5.5812G	113.47	Inf	-Inf	5.50	3	Vertical	211	1.46	-	107.97	33.12	6.85	34.47
PK	5.7282G	53.94	68.20	-14.26	6.04	3	Vertical	211	1.46	-	47.90	33.63	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	42.24	54.00	-11.76	5.41	3	Horizontal	119	1.46	-	36.83	33.09	6.78	34.46
AV	5.5806G	101.44	Inf	-Inf	5.50	3	Horizontal	119	1.46	-	95.94	33.12	6.85	34.47
PK	5.4672G	54.38	68.20	-13.82	5.46	3	Horizontal	119	1.46	-	48.92	33.13	6.79	34.46
PK	5.5806G	109.87	Inf	-Inf	5.50	3	Horizontal	119	1.46	-	104.37	33.12	6.85	34.47
PK	5.7252G	54.88	68.20	-13.32	6.01	3	Horizontal	119	1.46	-	48.87	33.60	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1258G	41.42	54.00	-12.58	14.52	3	Vertical	74	1.05	-	26.90	38.95	9.78	34.21
PK	6.97495G	48.71	68.20	-19.49	9.24	3	Vertical	53	1.40	-	39.47	36.00	7.95	34.71
PK	11.1692G	53.70	74.00	-20.30	14.66	3	Vertical	74	1.05	-	39.04	39.04	9.80	34.18
PK	16.7872G	56.26	68.20	-11.94	16.57	3	Vertical	303	1.53	-	39.69	38.63	12.15	34.21


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1182G	41.40	54.00	-12.60	14.50	3	Horizontal	211	2.05	-	26.90	38.94	9.78	34.22
PK	6.97317G	48.99	68.20	-19.21	9.24	3	Horizontal	103	2.20	-	39.75	36.00	7.95	34.71
PK	11.1612G	53.58	74.00	-20.42	14.62	3	Horizontal	211	2.05	-	38.96	39.02	9.79	34.19
PK	16.7606G	56.06	68.20	-12.14	16.56	3	Horizontal	242	1.76	-	39.50	38.68	12.14	34.26

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	105.02	Inf	-Inf	5.88	3	Vertical	214	1.58	-	99.14	33.47	6.90	34.49
PK	5.7084G	112.97	Inf	-Inf	5.88	3	Vertical	214	1.58	-	107.09	33.47	6.90	34.49
PK	5.7264G	57.57	68.20	-10.63	6.02	3	Vertical	214	1.58	-	51.55	33.61	6.90	34.49


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	101.13	Inf	-Inf	5.88	3	Horizontal	167	1.49	-	95.25	33.47	6.90	34.49
PK	5.708G	109.25	Inf	-Inf	5.88	3	Horizontal	167	1.49	-	103.37	33.46	6.90	34.48
PK	5.726G	56.10	68.20	-12.10	6.02	3	Horizontal	167	1.49	-	50.08	33.61	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)

5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.415G	41.58	54.00	-12.42	14.87	3	Vertical	22	1.46	-	26.71	39.00	9.88	34.01
PK	7.12279G	49.37	68.20	-18.83	10.04	3	Vertical	134	1.21	-	39.33	36.68	8.11	34.75
PK	11.4236G	53.81	74.00	-20.19	14.89	3	Vertical	22	1.46	-	38.92	39.00	9.89	34.00
PK	17.0524G	56.25	68.20	-11.95	16.76	3	Vertical	210	1.50	-	39.49	38.40	12.26	33.90

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4104G	41.71	54.00	-12.29	14.87	3	Horizontal	252	2.67	-	26.84	39.00	9.88	34.01
PK	7.12615G	49.30	68.20	-18.90	10.07	3	Horizontal	131	2.11	-	39.23	36.71	8.11	34.75
PK	11.3602G	54.22	74.00	-19.78	14.89	3	Horizontal	252	2.67	-	39.33	39.08	9.86	34.05
PK	17.088G	56.37	68.20	-11.83	16.74	3	Horizontal	130	2.76	-	39.63	38.40	12.27	33.93

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	111.79	Inf	-Inf	6.11	3	Vertical	212	1.49	-	105.68	33.69	6.91	34.49
PK	5.6154G	56.20	68.20	-12.00	5.63	3	Vertical	212	1.49	-	50.57	33.23	6.87	34.47
PK	5.7366G	120.03	Inf	-Inf	6.11	3	Vertical	212	1.49	-	113.92	33.69	6.91	34.49
PK	5.9406G	58.00	68.20	-10.20	6.89	3	Vertical	212	1.49	-	51.11	34.34	7.06	34.51

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	108.48	Inf	-Inf	6.11	3	Horizontal	131	1.50	-	102.37	33.69	6.91	34.49
PK	5.5506G	55.08	68.20	-13.12	5.37	3	Horizontal	131	1.50	-	49.71	33.00	6.84	34.47
PK	5.7366G	116.31	Inf	-Inf	6.11	3	Horizontal	131	1.50	-	110.20	33.69	6.91	34.49
PK	5.9442G	56.12	68.20	-12.08	6.92	3	Horizontal	131	1.50	-	49.20	34.37	7.06	34.51

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4544G	41.24	54.00	-12.76	14.92	3	Vertical	306	2.51	-	26.32	39.00	9.90	33.98
PK	7.18045G	49.34	68.20	-18.86	10.23	3	Vertical	150	1.19	-	39.11	36.84	8.16	34.77
PK	11.4932G	52.68	74.00	-21.32	14.96	3	Vertical	306	2.51	-	37.72	39.00	9.91	33.95
PK	17.2096G	59.02	68.20	-9.18	16.71	3	Vertical	216	1.49	-	42.31	38.41	12.32	34.02

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4418G	41.23	54.00	-12.77	14.90	3	Horizontal	315	2.66	-	26.33	39.00	9.89	33.99
PK	7.18252G	50.27	68.20	-17.93	10.22	3	Horizontal	98	2.30	-	40.05	36.83	8.16	34.77
PK	11.4544G	53.16	74.00	-20.84	14.92	3	Horizontal	315	2.66	-	38.24	39.00	9.90	33.98
PK	17.208G	57.23	68.20	-10.97	16.71	3	Horizontal	203	1.54	-	40.52	38.41	12.32	34.02

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	111.25	Inf	-Inf	6.31	3	Vertical	232	1.57	-	104.94	33.87	6.93	34.49
PK	5.617G	54.76	68.20	-13.44	5.63	3	Vertical	232	1.57	-	49.13	33.23	6.87	34.47
PK	5.7838G	118.61	Inf	-Inf	6.30	3	Vertical	232	1.57	-	112.31	33.87	6.92	34.49
PK	5.953G	57.89	68.20	-10.31	6.95	3	Vertical	232	1.57	-	50.94	34.39	7.07	34.51

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	108.25	Inf	-Inf	6.31	3	Horizontal	157	1.63	-	101.94	33.87	6.93	34.49
PK	5.6194G	55.83	68.20	-12.37	5.64	3	Horizontal	157	1.63	-	50.19	33.24	6.87	34.47
PK	5.7862G	116.55	Inf	-Inf	6.31	3	Horizontal	157	1.63	-	110.24	33.87	6.93	34.49
PK	6.0802G	55.45	68.20	-12.75	6.88	3	Horizontal	157	1.63	-	48.57	34.28	7.14	34.54

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6196G	41.10	54.00	-12.90	14.81	3	Vertical	344	2.83	-	26.29	38.88	9.95	34.02
PK	7.22939G	50.08	68.20	-18.12	10.25	3	Vertical	7	1.56	-	39.83	36.86	8.17	34.78
PK	11.5388G	54.30	74.00	-19.70	14.92	3	Vertical	344	2.83	-	39.38	38.96	9.93	33.97
PK	17.4024G	57.40	68.20	-10.80	17.03	3	Vertical	181	1.48	-	40.37	38.80	12.40	34.17

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.619G	41.21	54.00	-12.79	14.81	3	Horizontal	220	1.98	-	26.40	38.88	9.95	34.02
PK	7.22921G	50.36	68.20	-17.84	10.25	3	Horizontal	274	1.62	-	40.11	36.86	8.17	34.78
PK	11.5646G	53.73	74.00	-20.27	14.89	3	Horizontal	220	1.98	-	38.84	38.94	9.94	33.99
PK	17.3814G	56.92	68.20	-11.28	16.97	3	Horizontal	116	2.08	-	39.95	38.74	12.39	34.16

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	112.34	Inf	-Inf	6.56	3	Vertical	232	1.50	-	105.78	34.10	6.96	34.50
PK	5.6234G	56.61	68.20	-11.59	5.65	3	Vertical	232	1.50	-	50.96	33.25	6.87	34.47
PK	5.8334G	119.50	Inf	-Inf	6.56	3	Vertical	232	1.50	-	112.94	34.10	6.96	34.50
PK	5.969G	56.76	68.20	-11.44	6.88	3	Vertical	232	1.50	-	49.88	34.32	7.08	34.52

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	109.25	Inf	-Inf	6.56	3	Horizontal	158	1.66	-	102.69	34.10	6.96	34.50
PK	5.5598G	54.07	68.20	-14.13	5.41	3	Horizontal	158	1.66	-	48.66	33.04	6.84	34.47
PK	5.8334G	117.51	Inf	-Inf	6.56	3	Horizontal	158	1.66	-	110.95	34.10	6.96	34.50
PK	5.9414G	56.56	68.20	-11.64	6.90	3	Horizontal	158	1.66	-	49.66	34.35	7.06	34.51

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27893G	37.13	54.00	-16.87	10.13	3	Vertical	56	2.43	-	27.00	36.78	8.15	34.80
AV	11.6192G	41.21	54.00	-12.79	14.81	3	Vertical	349	1.00	-	26.40	38.88	9.95	34.02
PK	7.27926G	49.89	74.00	-24.11	10.13	3	Vertical	56	2.43	-	39.76	36.78	8.15	34.80
PK	11.6176G	53.66	74.00	-20.34	14.81	3	Vertical	349	1.00	-	38.85	38.88	9.95	34.02
PK	17.523G	57.77	68.20	-10.43	17.17	3	Vertical	177	1.50	-	40.60	38.99	12.45	34.27

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28209G	37.17	54.00	-16.83	10.12	3	Horizontal	12	1.68	-	27.05	36.77	8.15	34.80
AV	11.6226G	41.19	54.00	-12.81	14.81	3	Horizontal	349	1.00	-	26.38	38.88	9.96	34.03
PK	7.28191G	49.68	74.00	-24.32	10.12	3	Horizontal	12	1.68	-	39.56	36.77	8.15	34.80
PK	11.6194G	53.98	74.00	-20.02	14.81	3	Horizontal	349	1.00	-	39.17	38.88	9.95	34.02
PK	17.4886G	57.16	68.20	-11.04	17.08	3	Horizontal	96	1.50	-	40.08	38.89	12.43	34.24

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.97	54.00	-11.03	5.15	3	Vertical	207	1.53	-	37.82	33.10	6.49	34.44
AV	5.1732G	104.41	Inf	-Inf	5.12	3	Vertical	207	1.53	-	99.29	33.05	6.51	34.44
PK	5.1492G	55.84	74.00	-18.16	5.15	3	Vertical	207	1.53	-	50.69	33.10	6.49	34.44
PK	5.1726G	114.61	Inf	-Inf	5.12	3	Vertical	207	1.53	-	109.49	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.70	54.00	-11.30	5.15	3	Horizontal	117	1.79	-	37.55	33.10	6.49	34.44
AV	5.1724G	102.92	Inf	-Inf	5.13	3	Horizontal	117	1.79	-	97.79	33.06	6.51	34.44
PK	5.1432G	55.55	74.00	-18.45	5.16	3	Horizontal	117	1.79	-	50.39	33.11	6.49	34.44
PK	5.1726G	112.98	Inf	-Inf	5.12	3	Horizontal	117	1.79	-	107.86	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53492G	44.39	54.00	-9.61	15.89	3	Vertical	3	2.71	-	28.50	38.73	11.63	34.47
PK	6.47492G	54.21	68.20	-13.99	8.06	3	Vertical	210	1.49	-	46.15	35.35	7.34	34.63
PK	10.35196G	53.66	68.20	-14.54	13.44	3	Vertical	262	2.86	-	40.22	38.65	9.50	34.71
PK	15.53124G	56.30	74.00	-17.70	15.90	3	Vertical	3	2.71	-	40.40	38.74	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54516G	44.29	54.00	-9.71	15.87	3	Horizontal	41	1.93	-	28.42	38.71	11.64	34.48
PK	6.47484G	52.30	68.20	-15.90	8.06	3	Horizontal	129	1.49	-	44.24	35.35	7.34	34.63
PK	10.35488G	54.15	68.20	-14.05	13.46	3	Horizontal	273	2.22	-	40.69	38.65	9.51	34.70
PK	15.548G	56.23	74.00	-17.77	15.86	3	Horizontal	41	1.93	-	40.37	38.70	11.64	34.48

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.52	54.00	-11.48	5.15	3	Vertical	207	1.50	-	37.37	33.10	6.49	34.44
AV	5.2068G	105.00	Inf	-Inf	5.09	3	Vertical	207	1.50	-	99.91	32.99	6.54	34.44
PK	5.1392G	54.23	74.00	-19.77	5.16	3	Vertical	207	1.50	-	49.07	33.12	6.48	34.44
PK	5.2064G	114.86	Inf	-Inf	5.09	3	Vertical	207	1.50	-	109.77	32.99	6.54	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1312G	42.49	54.00	-11.51	5.18	3	Horizontal	120	1.73	-	37.31	33.14	6.48	34.44
AV	5.2076G	102.75	Inf	-Inf	5.08	3	Horizontal	120	1.73	-	97.67	32.98	6.54	34.44
PK	5.1204G	54.28	74.00	-19.72	5.19	3	Horizontal	120	1.73	-	49.09	33.16	6.47	34.44
PK	5.206G	112.77	Inf	-Inf	5.09	3	Horizontal	120	1.73	-	107.68	32.99	6.54	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6018G	44.57	54.00	-9.43	15.74	3	Vertical	294	1.10	-	28.83	38.60	11.66	34.52
PK	6.5G	53.70	68.20	-14.50	8.32	3	Vertical	208	1.50	-	45.38	35.60	7.36	34.64
PK	10.39128G	53.98	68.20	-14.22	13.56	3	Vertical	119	2.32	-	40.42	38.69	9.52	34.65
PK	15.5994G	57.15	74.00	-16.85	15.75	3	Vertical	294	1.10	-	41.40	38.60	11.66	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59548G	44.38	54.00	-9.62	15.76	3	Horizontal	142	1.37	-	28.62	38.61	11.66	34.51
PK	6.49988G	51.75	68.20	-16.45	8.31	3	Horizontal	139	1.50	-	43.44	35.60	7.35	34.64
PK	10.39328G	53.84	68.20	-14.36	13.57	3	Horizontal	261	1.62	-	40.27	38.69	9.52	34.64
PK	15.59972G	57.88	74.00	-16.12	15.75	3	Horizontal	142	1.37	-	42.13	38.60	11.66	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1278G	42.34	54.00	-11.66	5.18	3	Vertical	207	1.49	-	37.16	33.14	6.48	34.44
AV	5.2478G	104.93	Inf	-Inf	5.04	3	Vertical	207	1.49	-	99.89	32.90	6.58	34.44
AV	5.3522G	42.71	54.00	-11.29	5.16	3	Vertical	207	1.49	-	37.55	32.90	6.71	34.45
PK	5.1056G	54.32	74.00	-19.68	5.21	3	Vertical	207	1.49	-	49.11	33.19	6.46	34.44
PK	5.249G	114.90	Inf	-Inf	5.05	3	Vertical	207	1.49	-	109.85	32.90	6.59	34.44
PK	5.3522G	54.22	74.00	-19.78	5.16	3	Vertical	207	1.49	-	49.06	32.90	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1314G	42.31	54.00	-11.69	5.18	3	Horizontal	114	1.72	-	37.13	33.14	6.48	34.44
AV	5.2484G	102.71	Inf	-Inf	5.05	3	Horizontal	114	1.72	-	97.66	32.90	6.59	34.44
AV	5.3666G	42.26	54.00	-11.74	5.20	3	Horizontal	114	1.72	-	37.06	32.93	6.72	34.45
PK	5.1332G	53.59	74.00	-20.41	5.17	3	Horizontal	114	1.72	-	48.42	33.13	6.48	34.44
PK	5.2484G	112.34	Inf	-Inf	5.05	3	Horizontal	114	1.72	-	107.29	32.90	6.59	34.44
PK	5.35G	54.00	74.00	-20.00	5.15	3	Horizontal	114	1.72	-	48.85	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72548G	44.62	54.00	-9.38	15.55	3	Vertical	12	1.03	-	29.07	38.43	11.71	34.59
PK	6.55G	53.27	68.20	-14.93	8.34	3	Vertical	211	1.50	-	44.93	35.60	7.39	34.65
PK	10.4838G	53.82	68.20	-14.38	13.67	3	Vertical	336	1.06	-	40.15	38.62	9.55	34.50
PK	15.7188G	57.12	74.00	-16.88	15.54	3	Vertical	12	1.03	-	41.58	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72708G	44.62	54.00	-9.38	15.54	3	Horizontal	214	1.86	-	29.08	38.43	11.71	34.60
PK	6.55018G	51.22	68.20	-16.98	8.34	3	Horizontal	140	1.56	-	42.88	35.60	7.39	34.65
PK	10.48052G	53.64	68.20	-14.56	13.66	3	Horizontal	108	1.52	-	39.98	38.62	9.55	34.51
PK	15.71608G	56.47	74.00	-17.53	15.54	3	Horizontal	214	1.86	-	40.93	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.131G	42.30	54.00	-11.70	5.18	3	Vertical	208	1.50	-	37.12	33.14	6.48	34.44
AV	5.2522G	104.66	Inf	-Inf	5.05	3	Vertical	208	1.50	-	99.61	32.91	6.59	34.45
AV	5.3566G	42.98	54.00	-11.02	5.17	3	Vertical	208	1.50	-	37.81	32.91	6.71	34.45
PK	5.1334G	54.02	74.00	-19.98	5.17	3	Vertical	208	1.50	-	48.85	33.13	6.48	34.44
PK	5.2528G	114.12	Inf	-Inf	5.05	3	Vertical	208	1.50	-	109.07	32.91	6.59	34.45
PK	5.3506G	54.41	74.00	-19.59	5.15	3	Vertical	208	1.50	-	49.26	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1316G	42.31	54.00	-11.69	5.18	3	Horizontal	115	1.72	-	37.13	33.14	6.48	34.44
AV	5.2522G	102.41	Inf	-Inf	5.05	3	Horizontal	115	1.72	-	97.36	32.91	6.59	34.45
AV	5.3578G	42.45	54.00	-11.55	5.18	3	Horizontal	115	1.72	-	37.27	32.92	6.71	34.45
PK	5.1208G	53.86	74.00	-20.14	5.19	3	Horizontal	115	1.72	-	48.67	33.16	6.47	34.44
PK	5.2528G	111.75	Inf	-Inf	5.05	3	Horizontal	115	1.72	-	106.70	32.91	6.59	34.45
PK	5.3752G	54.00	74.00	-20.00	5.23	3	Horizontal	115	1.72	-	48.77	32.95	6.73	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77184G	44.79	54.00	-9.21	15.58	3	Vertical	300	1.39	-	29.21	38.47	11.73	34.62
PK	6.57512G	53.04	68.20	-15.16	8.51	3	Vertical	213	1.50	-	44.53	35.75	7.41	34.65
PK	10.52996G	53.24	68.20	-14.96	13.85	3	Vertical	329	2.39	-	39.39	38.75	9.57	34.47
PK	15.78632G	57.20	74.00	-16.80	15.60	3	Vertical	300	1.39	-	41.60	38.49	11.74	34.63

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77268G	44.80	54.00	-9.20	15.58	3	Horizontal	237	2.73	-	29.22	38.47	11.73	34.62
PK	6.57482G	51.06	68.20	-17.14	8.51	3	Horizontal	139	1.46	-	42.55	35.75	7.41	34.65
PK	10.51264G	53.76	68.20	-14.44	13.74	3	Horizontal	22	1.17	-	40.02	38.66	9.56	34.48
PK	15.77108G	58.08	74.00	-15.92	15.58	3	Horizontal	237	2.73	-	42.50	38.47	11.73	34.62

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	105.46	Inf	-Inf	5.27	3	Vertical	202	1.37	-	100.19	33.07	6.65	34.45
AV	5.3544G	43.58	54.00	-10.42	5.17	3	Vertical	202	1.37	-	38.41	32.91	6.71	34.45
PK	5.3064G	115.71	Inf	-Inf	5.27	3	Vertical	202	1.37	-	110.44	33.07	6.65	34.45
PK	5.3768G	54.84	74.00	-19.16	5.23	3	Vertical	202	1.37	-	49.61	32.95	6.73	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	102.17	Inf	-Inf	5.27	3	Horizontal	114	1.61	-	96.90	33.07	6.65	34.45
AV	5.3528G	42.63	54.00	-11.37	5.17	3	Horizontal	114	1.61	-	37.46	32.91	6.71	34.45
PK	5.308G	111.41	Inf	-Inf	5.27	3	Horizontal	114	1.61	-	106.14	33.07	6.65	34.45
PK	5.3552G	54.30	74.00	-19.70	5.17	3	Horizontal	114	1.61	-	49.13	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89468G	44.56	54.00	-9.44	15.50	3	Vertical	266	1.96	-	29.06	38.41	11.79	34.70
PK	6.62494G	52.46	68.20	-15.74	8.64	3	Vertical	210	1.58	-	43.82	35.85	7.45	34.66
PK	10.60048G	54.01	74.00	-19.99	14.25	3	Vertical	274	1.94	-	39.76	39.10	9.59	34.44
PK	15.89976G	56.74	74.00	-17.26	15.48	3	Vertical	266	1.96	-	41.26	38.40	11.79	34.71

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8948G	44.68	54.00	-9.32	15.50	3	Horizontal	165	2.39	-	29.18	38.41	11.79	34.70
PK	6.62476G	50.72	68.20	-17.48	8.64	3	Horizontal	139	1.49	-	42.08	35.85	7.45	34.66
PK	10.59348G	54.16	68.20	-14.04	14.21	3	Horizontal	12	1.86	-	39.95	39.07	9.59	34.45
PK	15.8904G	57.16	74.00	-16.84	15.49	3	Horizontal	165	2.39	-	41.67	38.41	11.78	34.70

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3278G	105.55	Inf	-Inf	5.22	3	Vertical	202	1.34	-	100.33	32.99	6.68	34.45
AV	5.3536G	43.74	54.00	-10.26	5.17	3	Vertical	202	1.34	-	38.57	32.91	6.71	34.45
PK	5.3286G	115.30	Inf	-Inf	5.22	3	Vertical	202	1.34	-	110.08	32.99	6.68	34.45
PK	5.3514G	57.50	74.00	-16.50	5.15	3	Vertical	202	1.34	-	52.35	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3262G	102.42	Inf	-Inf	5.23	3	Horizontal	115	1.70	-	97.19	33.00	6.68	34.45
AV	5.3558G	42.89	54.00	-11.11	5.17	3	Horizontal	115	1.70	-	37.72	32.91	6.71	34.45
PK	5.327G	112.58	Inf	-Inf	5.22	3	Horizontal	115	1.70	-	107.36	32.99	6.68	34.45
PK	5.3516G	54.54	74.00	-19.46	5.15	3	Horizontal	115	1.70	-	49.39	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63152G	41.71	54.00	-12.29	14.24	3	Vertical	107	1.86	-	27.47	39.07	9.60	34.43
AV	15.95784G	44.81	54.00	-9.19	15.41	3	Vertical	24	2.94	-	29.40	38.34	11.81	34.74
PK	6.64994G	52.78	68.20	-15.42	8.62	3	Vertical	197	1.50	-	44.16	35.80	7.48	34.66
PK	10.64364G	53.23	74.00	-20.77	14.24	3	Vertical	107	1.86	-	38.99	39.06	9.61	34.43
PK	15.95296G	57.04	74.00	-16.96	15.42	3	Vertical	24	2.94	-	41.62	38.35	11.81	34.74

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63808G	41.65	54.00	-12.35	14.24	3	Horizontal	200	2.10	-	27.41	39.06	9.61	34.43
AV	15.95104G	44.79	54.00	-9.21	15.42	3	Horizontal	132	2.07	-	29.37	38.35	11.81	34.74
PK	6.64982G	50.99	68.20	-17.21	8.62	3	Horizontal	144	1.50	-	42.37	35.80	7.48	34.66
PK	10.63336G	53.94	74.00	-20.06	14.24	3	Horizontal	200	2.10	-	39.70	39.07	9.60	34.43
PK	15.96612G	57.59	74.00	-16.41	15.40	3	Horizontal	132	2.07	-	42.19	38.33	11.82	34.75

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.52	54.00	-10.48	5.45	3	Vertical	206	1.36	-	38.07	33.12	6.79	34.46
AV	5.4928G	105.06	Inf	-Inf	5.54	3	Vertical	206	1.36	-	99.52	33.19	6.81	34.46
PK	5.4694G	56.86	68.20	-11.34	5.47	3	Vertical	206	1.36	-	51.39	33.14	6.79	34.46
PK	5.4936G	116.40	Inf	-Inf	5.54	3	Vertical	206	1.36	-	110.86	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.51	54.00	-11.49	5.45	3	Horizontal	116	2.85	-	37.06	33.12	6.79	34.46
AV	5.4938G	101.48	Inf	-Inf	5.54	3	Horizontal	116	2.85	-	95.94	33.19	6.81	34.46
PK	5.4678G	54.25	68.20	-13.95	5.47	3	Horizontal	116	2.85	-	48.78	33.14	6.79	34.46
PK	5.4924G	111.61	Inf	-Inf	5.53	3	Horizontal	116	2.85	-	106.08	33.18	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99644G	42.01	54.00	-11.99	14.23	3	Vertical	53	1.98	-	27.78	38.80	9.73	34.30
PK	6.87844G	49.90	68.20	-18.30	8.99	3	Vertical	186	1.62	-	40.91	35.91	7.77	34.69
PK	11.00892G	54.28	74.00	-19.72	14.26	3	Vertical	53	1.98	-	40.02	38.81	9.74	34.29
PK	16.494G	57.51	68.20	-10.69	16.21	3	Vertical	187	2.87	-	41.30	38.87	12.03	34.69

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00296G	42.03	54.00	-11.97	14.24	3	Horizontal	146	1.50	-	27.79	38.80	9.74	34.30
PK	6.87576G	48.86	68.20	-19.34	8.97	3	Horizontal	179	1.61	-	39.89	35.90	7.76	34.69
PK	11.00228G	54.61	74.00	-19.39	14.24	3	Horizontal	146	1.50	-	40.37	38.80	9.74	34.30
PK	16.49492G	57.45	68.20	-10.75	16.21	3	Horizontal	29	2.72	-	41.24	38.87	12.03	34.69

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	42.43	54.00	-11.57	5.43	3	Vertical	209	1.46	-	37.00	33.10	6.79	34.46
AV	5.5866G	104.54	Inf	-Inf	5.53	3	Vertical	209	1.46	-	99.01	33.15	6.85	34.47
PK	5.4648G	53.56	68.20	-14.64	5.46	3	Vertical	209	1.46	-	48.10	33.13	6.79	34.46
PK	5.5872G	115.16	Inf	-Inf	5.53	3	Vertical	209	1.46	-	109.63	33.15	6.85	34.47
PK	5.727G	54.69	68.20	-13.51	6.03	3	Vertical	209	1.46	-	48.66	33.62	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	42.29	54.00	-11.71	5.41	3	Horizontal	119	2.79	-	36.88	33.09	6.78	34.46
AV	5.5866G	101.22	Inf	-Inf	5.53	3	Horizontal	119	2.79	-	95.69	33.15	6.85	34.47
PK	5.4648G	53.45	68.20	-14.75	5.46	3	Horizontal	119	2.79	-	47.99	33.13	6.79	34.46
PK	5.5872G	111.29	Inf	-Inf	5.53	3	Horizontal	119	2.79	-	105.76	33.15	6.85	34.47
PK	5.7288G	53.69	68.20	-14.51	6.05	3	Horizontal	119	2.79	-	47.64	33.63	6.91	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16192G	42.53	54.00	-11.47	14.62	3	Vertical	187	1.17	-	27.91	39.02	9.79	34.19
PK	6.97886G	49.43	68.20	-18.77	9.25	3	Vertical	211	1.60	-	40.18	36.00	7.96	34.71
PK	11.15188G	54.45	74.00	-19.55	14.60	3	Vertical	187	1.17	-	39.85	39.00	9.79	34.19
PK	16.73336G	57.28	68.20	-10.92	16.56	3	Vertical	287	1.78	-	40.72	38.73	12.13	34.30


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1634G	42.54	54.00	-11.46	14.63	3	Horizontal	30	2.09	-	27.91	39.03	9.79	34.19
PK	6.97308G	49.67	68.20	-18.53	9.24	3	Horizontal	183	1.51	-	40.43	36.00	7.95	34.71
PK	11.16532G	55.54	74.00	-18.46	14.64	3	Horizontal	30	2.09	-	40.90	39.03	9.79	34.18
PK	16.73028G	57.91	68.20	-10.29	16.56	3	Horizontal	153	1.18	-	41.35	38.74	12.13	34.31

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	104.04	Inf	-Inf	5.88	3	Vertical	210	1.53	-	98.16	33.46	6.90	34.48
PK	5.7072G	114.01	Inf	-Inf	5.88	3	Vertical	210	1.53	-	108.13	33.46	6.90	34.48
PK	5.73G	56.82	68.20	-11.38	6.06	3	Vertical	210	1.53	-	50.76	33.64	6.91	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7064G	101.15	Inf	-Inf	5.87	3	Horizontal	117	1.39	-	95.28	33.45	6.90	34.48
PK	5.7084G	110.59	Inf	-Inf	5.88	3	Horizontal	117	1.39	-	104.71	33.47	6.90	34.49
PK	5.758G	56.03	68.20	-12.17	6.25	3	Horizontal	117	1.39	-	49.78	33.82	6.92	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39996G	42.45	54.00	-11.55	14.86	3	Vertical	349	2.56	-	27.59	39.00	9.88	34.02
PK	7.12776G	50.48	68.20	-17.72	10.08	3	Vertical	201	1.54	-	40.40	36.72	8.11	34.75
PK	11.40268G	54.71	74.00	-19.29	14.86	3	Vertical	349	2.56	-	39.85	39.00	9.88	34.02
PK	17.10484G	57.13	68.20	-11.07	16.74	3	Vertical	124	2.73	-	40.39	38.40	12.28	33.94

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40308G	42.43	54.00	-11.57	14.86	3	Horizontal	0	1.86	-	27.57	39.00	9.88	34.02
PK	7.12254G	49.77	68.20	-18.43	10.04	3	Horizontal	207	1.59	-	39.73	36.68	8.11	34.75
PK	11.39524G	55.69	74.00	-18.31	14.87	3	Horizontal	0	1.86	-	40.82	39.01	9.88	34.02
PK	17.10536G	56.62	68.20	-11.58	16.74	3	Horizontal	89	2.26	-	39.88	38.40	12.28	33.94

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	109.17	Inf	-Inf	6.11	3	Vertical	211	1.51	-	103.06	33.69	6.91	34.49
PK	5.6238G	55.61	68.20	-12.59	5.65	3	Vertical	211	1.51	-	49.96	33.25	6.87	34.47
PK	5.7366G	119.18	Inf	-Inf	6.11	3	Vertical	211	1.51	-	113.07	33.69	6.91	34.49
PK	5.9838G	55.48	68.20	-12.72	6.84	3	Vertical	211	1.51	-	48.64	34.26	7.10	34.52

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	105.92	Inf	-Inf	6.13	3	Horizontal	116	1.30	-	99.79	33.71	6.91	34.49
PK	5.637G	55.01	68.20	-13.19	5.66	3	Horizontal	116	1.30	-	49.35	33.27	6.87	34.48
PK	5.7378G	114.81	Inf	-Inf	6.12	3	Horizontal	116	1.30	-	108.69	33.70	6.91	34.49
PK	5.937G	55.35	68.20	-12.85	6.86	3	Horizontal	116	1.30	-	48.49	34.32	7.05	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49172G	42.42	54.00	-11.58	14.95	3	Vertical	99	1.11	-	27.47	39.00	9.91	33.96
PK	7.17991G	50.30	68.20	-17.90	10.23	3	Vertical	183	1.49	-	40.07	36.84	8.16	34.77
PK	11.49482G	54.44	74.00	-19.56	14.96	3	Vertical	99	1.11	-	39.48	39.00	9.91	33.95
PK	17.23616G	57.85	68.20	-10.35	16.73	3	Vertical	127	1.28	-	41.12	38.44	12.33	34.04

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49448G	42.46	54.00	-11.54	14.96	3	Horizontal	85	1.91	-	27.50	39.00	9.91	33.95
PK	7.18393G	50.65	68.20	-17.55	10.23	3	Horizontal	165	1.49	-	40.42	36.83	8.17	34.77
PK	11.49444G	54.69	74.00	-19.31	14.96	3	Horizontal	85	1.91	-	39.73	39.00	9.91	33.95
PK	17.23586G	57.14	68.20	-11.06	16.73	3	Horizontal	218	2.02	-	40.41	38.44	12.33	34.04

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	108.90	Inf	-Inf	6.32	3	Vertical	211	1.57	-	102.58	33.89	6.93	34.50
PK	5.6482G	55.74	68.20	-12.46	5.70	3	Vertical	211	1.57	-	50.04	33.30	6.88	34.48
PK	5.791G	118.31	Inf	-Inf	6.32	3	Vertical	211	1.57	-	111.99	33.88	6.93	34.49
PK	5.953G	56.27	68.20	-11.93	6.95	3	Vertical	211	1.57	-	49.32	34.39	7.07	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	107.34	Inf	-Inf	6.32	3	Horizontal	179	1.92	-	101.02	33.89	6.93	34.50
PK	5.6314G	54.67	68.20	-13.53	5.65	3	Horizontal	179	1.92	-	49.02	33.26	6.87	34.48
PK	5.7922G	117.18	Inf	-Inf	6.31	3	Horizontal	179	1.92	-	110.87	33.88	6.93	34.50
PK	5.959G	55.27	68.20	-12.93	6.91	3	Horizontal	179	1.92	-	48.36	34.36	7.07	34.52

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57268G	42.13	54.00	-11.87	14.87	3	Vertical	17	1.39	-	27.26	38.93	9.94	34.00
PK	7.23061G	50.20	68.20	-18.00	10.25	3	Vertical	149	1.54	-	39.95	36.86	8.17	34.78
PK	11.57132G	54.03	74.00	-19.97	14.88	3	Vertical	17	1.39	-	39.15	38.93	9.94	33.99
PK	17.35794G	56.69	68.20	-11.51	16.91	3	Vertical	148	1.86	-	39.78	38.67	12.38	34.14

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56864G	42.17	54.00	-11.83	14.88	3	Horizontal	168	2.05	-	27.29	38.93	9.94	33.99
PK	7.23067G	50.70	68.20	-17.50	10.25	3	Horizontal	182	1.49	-	40.45	36.86	8.17	34.78
PK	11.56534G	54.54	74.00	-19.46	14.88	3	Horizontal	168	2.05	-	39.66	38.93	9.94	33.99
PK	17.35412G	56.99	68.20	-11.21	16.90	3	Horizontal	203	1.23	-	40.09	38.66	12.38	34.14

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	109.35	Inf	-Inf	6.56	3	Vertical	212	1.49	-	102.79	34.10	6.96	34.50
PK	5.6078G	54.89	68.20	-13.31	5.61	3	Vertical	212	1.49	-	49.28	33.22	6.86	34.47
PK	5.8322G	117.89	Inf	-Inf	6.55	3	Vertical	212	1.49	-	111.34	34.09	6.96	34.50
PK	5.9534G	56.78	68.20	-11.42	6.95	3	Vertical	212	1.49	-	49.83	34.39	7.07	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	105.13	Inf	-Inf	6.56	3	Horizontal	130	1.34	-	98.57	34.10	6.96	34.50
PK	5.567G	54.05	68.20	-14.15	5.44	3	Horizontal	130	1.34	-	48.61	33.07	6.84	34.47
PK	5.8322G	115.24	Inf	-Inf	6.55	3	Horizontal	130	1.34	-	108.69	34.09	6.96	34.50
PK	6.0542G	56.12	68.20	-12.08	6.98	3	Horizontal	130	1.34	-	49.14	34.38	7.13	34.53

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27651G	38.24	54.00	-15.76	10.14	3	Vertical	197	1.55	-	28.10	36.79	8.15	34.80
AV	11.65088G	41.92	54.00	-12.08	14.78	3	Vertical	231	2.41	-	27.14	38.85	9.97	34.04
PK	7.28531G	50.08	74.00	-23.92	10.11	3	Vertical	197	1.55	-	39.97	36.76	8.15	34.80
PK	11.6501G	53.90	74.00	-20.10	14.78	3	Vertical	231	2.41	-	39.12	38.85	9.97	34.04
PK	17.4799G	58.80	68.20	-9.40	17.08	3	Vertical	302	2.39	-	41.72	38.88	12.43	34.23

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28141G	38.25	54.00	-15.75	10.12	3	Horizontal	192	1.45	-	28.13	36.77	8.15	34.80
AV	11.6475G	41.82	54.00	-12.18	14.77	3	Horizontal	15	2.91	-	27.05	38.85	9.96	34.04
PK	7.28065G	50.79	74.00	-23.21	10.13	3	Horizontal	192	1.45	-	40.66	36.78	8.15	34.80
PK	11.65368G	53.44	74.00	-20.56	14.77	3	Horizontal	15	2.91	-	38.67	38.85	9.97	34.05
PK	17.47156G	57.51	68.20	-10.69	17.07	3	Horizontal	195	1.31	-	40.44	38.87	12.43	34.23

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.52	54.00	-8.48	5.15	3	Vertical	206	1.53	-	40.37	33.10	6.49	34.44
AV	5.1744G	105.23	Inf	-Inf	5.12	3	Vertical	206	1.53	-	100.11	33.05	6.51	34.44
PK	5.1498G	59.89	74.00	-14.11	5.15	3	Vertical	206	1.53	-	54.74	33.10	6.49	34.44
PK	5.1736G	116.58	Inf	-Inf	5.12	3	Vertical	206	1.53	-	111.46	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	44.82	54.00	-9.18	5.15	3	Horizontal	117	1.74	-	39.67	33.10	6.49	34.44
AV	5.1762G	103.58	Inf	-Inf	5.12	3	Horizontal	117	1.74	-	98.46	33.05	6.51	34.44
PK	5.1466G	59.10	74.00	-14.90	5.16	3	Horizontal	117	1.74	-	53.94	33.11	6.49	34.44
PK	5.1752G	116.20	Inf	-Inf	5.12	3	Horizontal	117	1.74	-	111.08	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54158G	44.65	54.00	-9.35	15.88	3	Vertical	224	2.30	-	28.77	38.72	11.64	34.48
PK	6.47498G	55.94	68.20	-12.26	8.06	3	Vertical	197	1.50	-	47.88	35.35	7.34	34.63
PK	10.35754G	53.73	68.20	-14.47	13.47	3	Vertical	118	2.71	-	40.26	38.66	9.51	34.70
PK	15.53866G	57.70	74.00	-16.30	15.88	3	Vertical	224	2.30	-	41.82	38.72	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54952G	43.74	54.00	-10.26	15.86	3	Horizontal	180	1.87	-	27.88	38.70	11.64	34.48
PK	6.47498G	55.55	68.20	-12.65	8.06	3	Horizontal	188	1.68	-	47.49	35.35	7.34	34.63
PK	10.35868G	53.93	68.20	-14.27	13.47	3	Horizontal	62	2.08	-	40.46	38.66	9.51	34.70
PK	15.535G	56.07	74.00	-17.93	15.89	3	Horizontal	180	1.87	-	40.18	38.73	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	44.73	54.00	-9.27	5.15	3	Vertical	208	1.50	-	39.58	33.10	6.49	34.44
AV	5.208G	105.57	Inf	-Inf	5.08	3	Vertical	208	1.50	-	100.49	32.98	6.54	34.44
PK	5.1104G	56.40	74.00	-17.60	5.20	3	Vertical	208	1.50	-	51.20	33.18	6.46	34.44
PK	5.2028G	116.02	Inf	-Inf	5.08	3	Vertical	208	1.50	-	110.94	32.99	6.53	34.44

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	44.60	54.00	-9.40	5.15	3	Horizontal	117	1.76	-	39.45	33.10	6.49	34.44
AV	5.2024G	103.65	Inf	-Inf	5.09	3	Horizontal	117	1.76	-	98.56	33.00	6.53	34.44
PK	5.1468G	55.87	74.00	-18.13	5.16	3	Horizontal	117	1.76	-	50.71	33.11	6.49	34.44
PK	5.2024G	115.04	Inf	-Inf	5.09	3	Horizontal	117	1.76	-	109.95	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.542G	44.77	54.00	-9.23	15.88	3	Vertical	113	2.10	-	28.89	38.72	11.64	34.48
PK	6.49992G	56.82	68.20	-11.38	8.31	3	Vertical	211	1.50	-	48.51	35.60	7.35	34.64
PK	10.40418G	55.38	68.20	-12.82	13.59	3	Vertical	186	2.61	-	41.79	38.70	9.52	34.63
PK	15.5376G	55.63	74.00	-18.37	15.88	3	Vertical	113	2.10	-	39.75	38.72	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5488G	44.66	54.00	-9.34	15.86	3	Horizontal	182	1.82	-	28.80	38.70	11.64	34.48
PK	6.5G	54.09	68.20	-14.11	8.32	3	Horizontal	155	1.59	-	45.77	35.60	7.36	34.64
PK	10.3772G	52.94	68.20	-15.26	13.52	3	Horizontal	202	2.49	-	39.42	38.68	9.51	34.67
PK	15.60224G	56.74	74.00	-17.26	15.74	3	Horizontal	182	1.82	-	41.00	38.60	11.66	34.52

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1314G	43.86	54.00	-10.14	5.18	3	Vertical	208	1.50	-	38.68	33.14	6.48	34.44
AV	5.2478G	105.58	Inf	-Inf	5.04	3	Vertical	208	1.50	-	100.54	32.90	6.58	34.44
AV	5.3522G	44.86	54.00	-9.14	5.16	3	Vertical	208	1.50	-	39.70	32.90	6.71	34.45
PK	5.1386G	54.94	74.00	-19.06	5.16	3	Vertical	208	1.50	-	49.78	33.12	6.48	34.44
PK	5.2484G	115.99	Inf	-Inf	5.05	3	Vertical	208	1.50	-	110.94	32.90	6.59	34.44
PK	5.3888G	56.86	74.00	-17.14	5.28	3	Vertical	208	1.50	-	51.58	32.98	6.75	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1302G	43.76	54.00	-10.24	5.18	3	Horizontal	113	1.72	-	38.58	33.14	6.48	34.44
AV	5.2484G	103.06	Inf	-Inf	5.05	3	Horizontal	113	1.72	-	98.01	32.90	6.59	34.44
AV	5.3708G	43.75	54.00	-10.25	5.22	3	Horizontal	113	1.72	-	38.53	32.94	6.73	34.45
PK	5.114G	55.01	74.00	-18.99	5.20	3	Horizontal	113	1.72	-	49.81	33.17	6.47	34.44
PK	5.2436G	113.94	Inf	-Inf	5.05	3	Horizontal	113	1.72	-	108.89	32.91	6.58	34.44
PK	5.3504G	55.53	74.00	-18.47	5.15	3	Horizontal	113	1.72	-	50.38	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7676G	44.89	54.00	-9.11	15.58	3	Vertical	191	1.18	-	29.31	38.47	11.73	34.62
PK	6.54986G	56.07	68.20	-12.13	8.34	3	Vertical	209	1.54	-	47.73	35.60	7.39	34.65
PK	10.4816G	54.09	68.20	-14.11	13.66	3	Vertical	232	2.64	-	40.43	38.62	9.55	34.51
PK	15.77G	56.90	74.00	-17.10	15.58	3	Vertical	191	1.18	-	41.32	38.47	11.73	34.62

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72404G	44.60	54.00	-9.40	15.54	3	Horizontal	279	1.95	-	29.06	38.42	11.71	34.59
PK	6.54994G	53.57	68.20	-14.63	8.34	3	Horizontal	130	1.59	-	45.23	35.60	7.39	34.65
PK	10.47692G	53.62	68.20	-14.58	13.65	3	Horizontal	247	1.01	-	39.97	38.62	9.55	34.52
PK	15.71688G	57.08	74.00	-16.92	15.54	3	Horizontal	279	1.95	-	41.54	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	44.04	54.00	-9.96	5.16	3	Vertical	208	1.50	-	38.88	33.11	6.49	34.44
AV	5.254G	105.42	Inf	-Inf	5.06	3	Vertical	208	1.50	-	100.36	32.92	6.59	34.45
AV	5.3566G	46.05	54.00	-7.95	5.17	3	Vertical	208	1.50	-	40.88	32.91	6.71	34.45
PK	5.1472G	56.01	74.00	-17.99	5.16	3	Vertical	208	1.50	-	50.85	33.11	6.49	34.44
PK	5.2552G	115.99	Inf	-Inf	5.06	3	Vertical	208	1.50	-	110.93	32.92	6.59	34.45
PK	5.3542G	57.45	74.00	-16.55	5.17	3	Vertical	208	1.50	-	52.28	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	43.81	54.00	-10.19	5.16	3	Horizontal	115	1.66	-	38.65	33.11	6.49	34.44
AV	5.2576G	102.81	Inf	-Inf	5.08	3	Horizontal	115	1.66	-	97.73	32.93	6.60	34.45
AV	5.356G	44.51	54.00	-9.49	5.17	3	Horizontal	115	1.66	-	39.34	32.91	6.71	34.45
PK	5.15G	54.76	74.00	-19.24	5.15	3	Horizontal	115	1.66	-	49.61	33.10	6.49	34.44
PK	5.254G	113.71	Inf	-Inf	5.06	3	Horizontal	115	1.66	-	108.65	32.92	6.59	34.45
PK	5.356G	55.86	74.00	-18.14	5.17	3	Horizontal	115	1.66	-	50.69	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7714G	44.91	54.00	-9.09	15.58	3	Vertical	143	2.48	-	29.33	38.47	11.73	34.62
PK	6.57488G	55.99	68.20	-12.21	8.51	3	Vertical	209	1.58	-	47.48	35.75	7.41	34.65
PK	10.5231G	53.68	68.20	-14.52	13.82	3	Vertical	14	1.61	-	39.86	38.72	9.57	34.47
PK	15.78564G	57.39	74.00	-16.61	15.60	3	Vertical	143	2.48	-	41.79	38.49	11.74	34.63

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77936G	44.84	54.00	-9.16	15.59	3	Horizontal	216	2.32	-	29.25	38.48	11.74	34.63
PK	6.575G	53.23	68.20	-14.97	8.51	3	Horizontal	194	1.40	-	44.72	35.75	7.41	34.65
PK	10.52392G	54.05	68.20	-14.15	13.82	3	Horizontal	136	1.05	-	40.23	38.72	9.57	34.47
PK	15.77986G	56.93	74.00	-17.07	15.59	3	Horizontal	216	2.32	-	41.34	38.48	11.74	34.63

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	105.33	Inf	-Inf	5.29	3	Vertical	208	1.57	-	100.04	33.09	6.65	34.45
AV	5.3532G	46.65	54.00	-7.35	5.17	3	Vertical	208	1.57	-	41.48	32.91	6.71	34.45
PK	5.3044G	116.41	Inf	-Inf	5.28	3	Vertical	208	1.57	-	111.13	33.08	6.65	34.45
PK	5.3532G	59.80	74.00	-14.20	5.17	3	Vertical	208	1.57	-	54.63	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	102.72	Inf	-Inf	5.27	3	Horizontal	115	1.62	-	97.45	33.07	6.65	34.45
AV	5.3528G	45.22	54.00	-8.78	5.17	3	Horizontal	115	1.62	-	40.05	32.91	6.71	34.45
PK	5.3064G	114.03	Inf	-Inf	5.27	3	Horizontal	115	1.62	-	108.76	33.07	6.65	34.45
PK	5.3812G	57.24	74.00	-16.76	5.25	3	Horizontal	115	1.62	-	51.99	32.96	6.74	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90142G	44.54	54.00	-9.46	15.48	3	Vertical	89	1.03	-	29.06	38.40	11.79	34.71
PK	6.62488G	55.81	68.20	-12.39	8.64	3	Vertical	212	1.56	-	47.17	35.85	7.45	34.66
PK	10.5957G	53.64	68.20	-14.56	14.22	3	Vertical	251	1.47	-	39.42	39.08	9.59	34.45
PK	15.89584G	56.62	74.00	-17.38	15.49	3	Vertical	89	1.03	-	41.13	38.40	11.79	34.70

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8969G	44.42	54.00	-9.58	15.49	3	Horizontal	351	2.95	-	28.93	38.40	11.79	34.70
PK	6.625G	52.59	68.20	-15.61	8.64	3	Horizontal	142	1.47	-	43.95	35.85	7.45	34.66
PK	10.6036G	53.52	74.00	-20.48	14.25	3	Horizontal	23	1.88	-	39.27	39.10	9.59	34.44
PK	15.90258G	56.28	74.00	-17.72	15.48	3	Horizontal	351	2.95	-	40.80	38.40	11.79	34.71

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3252G	106.09	Inf	-Inf	5.22	3	Vertical	203	1.33	-	100.87	33.00	6.67	34.45
AV	5.3502G	47.46	54.00	-6.54	5.15	3	Vertical	203	1.33	-	42.31	32.90	6.70	34.45
PK	5.327G	117.42	Inf	-Inf	5.22	3	Vertical	203	1.33	-	112.20	32.99	6.68	34.45
PK	5.3506G	64.90	74.00	-9.10	5.15	3	Vertical	203	1.33	-	59.75	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3252G	102.75	Inf	-Inf	5.22	3	Horizontal	116	1.71	-	97.53	33.00	6.67	34.45
AV	5.3504G	45.40	54.00	-8.60	5.15	3	Horizontal	116	1.71	-	40.25	32.90	6.70	34.45
PK	5.3262G	114.24	Inf	-Inf	5.23	3	Horizontal	116	1.71	-	109.01	33.00	6.68	34.45
PK	5.352G	62.29	74.00	-11.71	5.15	3	Horizontal	116	1.71	-	57.14	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6414G	41.52	54.00	-12.48	14.24	3	Vertical	59	1.88	-	27.28	39.06	9.61	34.43
AV	15.95786G	44.69	54.00	-9.31	15.41	3	Vertical	329	2.19	-	29.28	38.34	11.81	34.74
PK	6.65006G	55.39	68.20	-12.81	8.62	3	Vertical	212	1.55	-	46.77	35.80	7.48	34.66
PK	10.64268G	53.67	74.00	-20.33	14.24	3	Vertical	59	1.88	-	39.43	39.06	9.61	34.43
PK	15.95618G	57.13	74.00	-16.87	15.41	3	Vertical	329	2.19	-	41.72	38.34	11.81	34.74

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64164G	41.52	54.00	-12.48	14.24	3	Horizontal	352	2.91	-	27.28	39.06	9.61	34.43
AV	15.95682G	44.70	54.00	-9.30	15.41	3	Horizontal	316	2.94	-	29.29	38.34	11.81	34.74
PK	6.65G	51.87	68.20	-16.33	8.62	3	Horizontal	142	1.50	-	43.25	35.80	7.48	34.66
PK	10.6441G	54.04	74.00	-19.96	14.24	3	Horizontal	352	2.91	-	39.80	39.06	9.61	34.43
PK	15.95942G	56.67	74.00	-17.33	15.41	3	Horizontal	316	2.94	-	41.26	38.34	11.81	34.74

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.23	54.00	-8.77	5.45	3	Vertical	206	1.36	-	39.78	33.12	6.79	34.46
AV	5.4942G	105.69	Inf	-Inf	5.54	3	Vertical	206	1.36	-	100.15	33.19	6.81	34.46
PK	5.469G	60.37	68.20	-7.83	5.47	3	Vertical	206	1.36	-	54.90	33.14	6.79	34.46
PK	5.4964G	117.20	Inf	-Inf	5.54	3	Vertical	206	1.36	-	111.66	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.69	54.00	-10.31	5.45	3	Horizontal	116	2.86	-	38.24	33.12	6.79	34.46
AV	5.4974G	102.02	Inf	-Inf	5.54	3	Horizontal	116	2.86	-	96.48	33.19	6.81	34.46
PK	5.4692G	57.45	68.20	-10.75	5.47	3	Horizontal	116	2.86	-	51.98	33.14	6.79	34.46
PK	5.4966G	113.82	Inf	-Inf	5.54	3	Horizontal	116	2.86	-	108.28	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99888G	42.11	54.00	-11.89	14.23	3	Vertical	56	2.05	-	27.88	38.80	9.73	34.30
PK	6.8759G	49.54	68.20	-18.66	8.97	3	Vertical	176	1.52	-	40.57	35.90	7.76	34.69
PK	10.99644G	54.83	74.00	-19.17	14.23	3	Vertical	56	2.05	-	40.60	38.80	9.73	34.30
PK	16.50408G	57.98	68.20	-10.22	16.24	3	Vertical	85	2.59	-	41.74	38.89	12.03	34.68

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0023G	42.13	54.00	-11.87	14.24	3	Horizontal	337	1.06	-	27.89	38.80	9.74	34.30
PK	6.87852G	49.08	68.20	-19.12	8.99	3	Horizontal	178	1.54	-	40.09	35.91	7.77	34.69
PK	11.00302G	54.44	74.00	-19.56	14.24	3	Horizontal	337	1.06	-	40.20	38.80	9.74	34.30
PK	16.50226G	57.25	68.20	-10.95	16.24	3	Horizontal	60	2.48	-	41.01	38.90	12.03	34.69

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4432G	43.87	54.00	-10.13	5.41	3	Vertical	208	1.45	-	38.46	33.09	6.78	34.46
AV	5.5836G	105.22	Inf	-Inf	5.51	3	Vertical	208	1.45	-	99.71	33.13	6.85	34.47
PK	5.4612G	56.59	68.20	-11.61	5.45	3	Vertical	208	1.45	-	51.14	33.12	6.79	34.46
PK	5.583G	115.52	Inf	-Inf	5.51	3	Vertical	208	1.45	-	110.01	33.13	6.85	34.47
PK	5.727G	55.15	68.20	-13.05	6.03	3	Vertical	208	1.45	-	49.12	33.62	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4456G	43.29	54.00	-10.71	5.41	3	Horizontal	119	2.80	-	37.88	33.09	6.78	34.46
AV	5.5854G	101.84	Inf	-Inf	5.52	3	Horizontal	119	2.80	-	96.32	33.14	6.85	34.47
PK	5.4678G	55.32	68.20	-12.88	5.47	3	Horizontal	119	2.80	-	49.85	33.14	6.79	34.46
PK	5.5836G	112.00	Inf	-Inf	5.51	3	Horizontal	119	2.80	-	106.49	33.13	6.85	34.47
PK	5.727G	54.11	68.20	-14.09	6.03	3	Horizontal	119	2.80	-	48.08	33.62	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16376G	42.55	54.00	-11.45	14.63	3	Vertical	272	2.30	-	27.92	39.03	9.79	34.19
PK	6.9787G	50.22	68.20	-17.98	9.25	3	Vertical	176	1.55	-	40.97	36.00	7.96	34.71
PK	11.16492G	54.23	74.00	-19.77	14.64	3	Vertical	272	2.30	-	39.59	39.03	9.79	34.18
PK	16.74402G	57.30	68.20	-10.90	16.56	3	Vertical	230	2.78	-	40.74	38.71	12.13	34.28


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15512G	42.60	54.00	-11.40	14.61	3	Horizontal	231	2.68	-	27.99	39.01	9.79	34.19
PK	6.9773G	49.28	68.20	-18.92	9.25	3	Horizontal	168	1.46	-	40.03	36.00	7.96	34.71
PK	11.16472G	54.41	74.00	-19.59	14.64	3	Horizontal	231	2.68	-	39.77	39.03	9.79	34.18
PK	16.74426G	57.97	68.20	-10.23	16.56	3	Horizontal	345	2.03	-	41.41	38.71	12.13	34.28

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7048G	104.69	Inf	-Inf	5.86	3	Vertical	211	1.47	-	98.83	33.44	6.90	34.48
PK	5.702G	115.74	Inf	-Inf	5.84	3	Vertical	211	1.47	-	109.90	33.42	6.90	34.48
PK	5.7292G	61.06	68.20	-7.14	6.05	3	Vertical	211	1.47	-	55.01	33.63	6.91	34.49


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	101.59	Inf	-Inf	5.86	3	Horizontal	177	1.59	-	95.73	33.44	6.90	34.48
PK	5.7072G	112.29	Inf	-Inf	5.88	3	Horizontal	177	1.59	-	106.41	33.46	6.90	34.48
PK	5.7284G	57.90	68.20	-10.30	6.04	3	Horizontal	177	1.59	-	51.86	33.63	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39648G	42.33	54.00	-11.67	14.87	3	Vertical	297	1.46	-	27.46	39.01	9.88	34.02
PK	7.1238G	49.84	68.20	-18.36	10.05	3	Vertical	199	1.61	-	39.79	36.69	8.11	34.75
PK	11.39632G	54.44	74.00	-19.56	14.87	3	Vertical	297	1.46	-	39.57	39.01	9.88	34.02
PK	17.10212G	57.46	68.20	-10.74	16.74	3	Vertical	83	1.31	-	40.72	38.40	12.28	33.94

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40326G	42.32	54.00	-11.68	14.86	3	Horizontal	319	2.10	-	27.46	39.00	9.88	34.02
PK	7.12608G	50.18	68.20	-18.02	10.07	3	Horizontal	161	1.60	-	40.11	36.71	8.11	34.75
PK	11.40352G	54.33	74.00	-19.67	14.86	3	Horizontal	319	2.10	-	39.47	39.00	9.88	34.02
PK	17.10256G	57.18	68.20	-11.02	16.74	3	Horizontal	355	2.64	-	40.44	38.40	12.28	33.94

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	106.70	Inf	-Inf	6.12	3	Vertical	211	1.50	-	100.58	33.70	6.91	34.49
PK	5.6106G	56.23	68.20	-11.97	5.61	3	Vertical	211	1.50	-	50.62	33.22	6.86	34.47
PK	5.7402G	116.75	Inf	-Inf	6.14	3	Vertical	211	1.50	-	110.61	33.72	6.91	34.49
PK	5.9514G	56.11	68.20	-12.09	6.95	3	Vertical	211	1.50	-	49.16	34.39	7.07	34.51

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	102.96	Inf	-Inf	6.16	3	Horizontal	119	1.32	-	96.80	33.74	6.91	34.49
PK	5.601G	55.89	68.20	-12.31	5.59	3	Horizontal	119	1.32	-	50.30	33.20	6.86	34.47
PK	5.7402G	113.22	Inf	-Inf	6.14	3	Horizontal	119	1.32	-	107.08	33.72	6.91	34.49
PK	5.979G	55.97	68.20	-12.23	6.85	3	Horizontal	119	1.32	-	49.12	34.28	7.09	34.52

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49408G	42.46	54.00	-11.54	14.96	3	Vertical	122	1.30	-	27.50	39.00	9.91	33.95
PK	7.18513G	50.68	68.20	-17.52	10.23	3	Vertical	144	1.53	-	40.45	36.83	8.17	34.77
PK	11.49218G	54.17	74.00	-19.83	14.95	3	Vertical	122	1.30	-	39.22	39.00	9.91	33.96
PK	17.23708G	57.01	68.20	-11.19	16.73	3	Vertical	129	2.20	-	40.28	38.44	12.33	34.04

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49462G	42.46	54.00	-11.54	14.96	3	Horizontal	82	2.90	-	27.50	39.00	9.91	33.95
PK	7.17671G	50.36	68.20	-17.84	10.24	3	Horizontal	158	1.59	-	40.12	36.85	8.16	34.77
PK	11.48694G	54.71	74.00	-19.29	14.95	3	Horizontal	82	2.90	-	39.76	39.00	9.91	33.96
PK	17.23606G	56.92	68.20	-11.28	16.73	3	Horizontal	88	2.93	-	40.19	38.44	12.33	34.04

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	106.35	Inf	-Inf	6.32	3	Vertical	212	1.58	-	100.03	33.89	6.93	34.50
PK	5.5786G	56.25	68.20	-11.95	5.49	3	Vertical	212	1.58	-	50.76	33.11	6.85	34.47
PK	5.7886G	117.05	Inf	-Inf	6.32	3	Vertical	212	1.58	-	110.73	33.88	6.93	34.49
PK	6.0838G	56.87	68.20	-11.33	6.86	3	Vertical	212	1.58	-	50.01	34.26	7.14	34.54

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	103.02	Inf	-Inf	6.32	3	Horizontal	120	1.42	-	96.70	33.89	6.93	34.50
PK	5.6458G	54.76	68.20	-13.44	5.69	3	Horizontal	120	1.42	-	49.07	33.29	6.88	34.48
PK	5.7874G	113.08	Inf	-Inf	6.31	3	Horizontal	120	1.42	-	106.77	33.87	6.93	34.49
PK	6.007G	56.31	68.20	-11.89	6.82	3	Horizontal	120	1.42	-	49.49	34.23	7.11	34.52

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56622G	42.18	54.00	-11.82	14.88	3	Vertical	70	1.59	-	27.30	38.93	9.94	33.99
PK	7.23285G	50.38	68.20	-17.82	10.26	3	Vertical	177	1.64	-	40.12	36.87	8.17	34.78
PK	11.57496G	54.55	74.00	-19.45	14.87	3	Vertical	70	1.59	-	39.68	38.93	9.94	34.00
PK	17.35998G	57.41	68.20	-10.79	16.92	3	Vertical	354	1.39	-	40.49	38.68	12.38	34.14


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5712G	42.15	54.00	-11.85	14.88	3	Horizontal	186	2.54	-	27.27	38.93	9.94	33.99
PK	7.23455G	50.72	68.20	-17.48	10.25	3	Horizontal	175	1.57	-	40.47	36.87	8.17	34.79
PK	11.57336G	54.03	74.00	-19.97	14.87	3	Horizontal	186	2.54	-	39.16	38.93	9.94	34.00
PK	17.35458G	56.81	68.20	-11.39	16.90	3	Horizontal	317	2.41	-	39.91	38.66	12.38	34.14

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.6354G	55.94	68.20	-12.26	5.66	3	Vertical	212	1.53	-	50.28	33.27	6.87	34.48
PK	5.831G	117.49	Inf	-Inf	6.55	3	Vertical	212	1.53	-	110.94	34.09	6.96	34.50
PK	6.071G	57.49	68.20	-10.71	6.91	3	Vertical	212	1.53	-	50.58	34.32	7.13	34.54


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.6426G	55.10	68.20	-13.10	5.68	3	Horizontal	179	1.72	-	49.42	33.29	6.87	34.48
PK	5.8298G	114.15	Inf	-Inf	6.54	3	Horizontal	179	1.72	-	107.61	34.08	6.96	34.50
PK	6.065G	56.52	68.20	-11.68	6.93	3	Horizontal	179	1.72	-	49.59	34.34	7.13	34.54

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27665G	38.32	54.00	-15.68	10.14	3	Vertical	173	1.55	-	28.18	36.79	8.15	34.80
AV	11.6471G	41.82	54.00	-12.18	14.77	3	Vertical	125	1.65	-	27.05	38.85	9.96	34.04
PK	7.27673G	50.35	74.00	-23.65	10.14	3	Vertical	173	1.55	-	40.21	36.79	8.15	34.80
PK	11.6508G	53.95	74.00	-20.05	14.78	3	Vertical	125	1.65	-	39.17	38.85	9.97	34.04
PK	17.4765G	57.74	68.20	-10.46	17.08	3	Vertical	219	2.38	-	40.66	38.88	12.43	34.23

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28121G	38.35	54.00	-15.65	10.13	3	Horizontal	171	1.51	-	28.22	36.78	8.15	34.80
AV	11.64636G	41.83	54.00	-12.17	14.77	3	Horizontal	149	1.27	-	27.06	38.85	9.96	34.04
PK	7.27981G	50.26	74.00	-23.74	10.13	3	Horizontal	171	1.51	-	40.13	36.78	8.15	34.80
PK	11.65112G	53.88	74.00	-20.12	14.78	3	Horizontal	149	1.27	-	39.10	38.85	9.97	34.04
PK	17.47818G	57.48	68.20	-10.72	17.08	3	Horizontal	161	1.70	-	40.40	38.88	12.43	34.23

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	42.54	54.00	-11.46	5.15	3	Vertical	142	1.70	-	37.39	33.10	6.49	34.44
AV	5.1718G	102.96	Inf	-Inf	5.13	3	Vertical	142	1.70	-	97.83	33.06	6.51	34.44
PK	5.15G	54.88	74.00	-19.12	5.15	3	Vertical	142	1.70	-	49.73	33.10	6.49	34.44
PK	5.1718G	110.91	Inf	-Inf	5.13	3	Vertical	142	1.70	-	105.78	33.06	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.36	54.00	-11.64	5.15	3	Horizontal	250	1.64	-	37.21	33.10	6.49	34.44
AV	5.1716G	101.57	Inf	-Inf	5.13	3	Horizontal	250	1.64	-	96.44	33.06	6.51	34.44
PK	5.1482G	54.17	74.00	-19.83	5.15	3	Horizontal	250	1.64	-	49.02	33.10	6.49	34.44
PK	5.172G	109.48	Inf	-Inf	5.13	3	Horizontal	250	1.64	-	104.35	33.06	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.4964G	43.73	54.00	-10.27	15.99	3	Vertical	132	1.72	-	27.74	38.81	11.62	34.44
PK	6.47504G	49.64	68.20	-18.56	8.06	3	Vertical	143	1.49	-	41.58	35.35	7.34	34.63
PK	10.3622G	52.82	68.20	-15.38	13.48	3	Vertical	340	2.90	-	39.34	38.66	9.51	34.69
PK	15.5064G	56.44	74.00	-17.56	15.96	3	Vertical	132	1.72	-	40.48	38.79	11.62	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.491G	43.80	54.00	-10.20	16.00	3	Horizontal	222	2.63	-	27.80	38.82	11.61	34.43
PK	6.4748G	49.90	68.20	-18.30	8.06	3	Horizontal	249	1.00	-	41.84	35.35	7.34	34.63
PK	10.3732G	53.04	68.20	-15.16	13.50	3	Horizontal	145	2.33	-	39.54	38.67	9.51	34.68
PK	15.5364G	56.32	74.00	-17.68	15.89	3	Horizontal	222	2.63	-	40.43	38.73	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	42.26	54.00	-11.74	5.15	3	Vertical	144	1.47	-	37.11	33.10	6.49	34.44
AV	5.2008G	102.95	Inf	-Inf	5.09	3	Vertical	144	1.47	-	97.86	33.00	6.53	34.44
PK	5.1372G	54.66	74.00	-19.34	5.17	3	Vertical	144	1.47	-	49.49	33.13	6.48	34.44
PK	5.2012G	110.91	Inf	-Inf	5.09	3	Vertical	144	1.47	-	105.82	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	42.25	54.00	-11.75	5.18	3	Horizontal	250	1.47	-	37.07	33.14	6.48	34.44
AV	5.2008G	100.74	Inf	-Inf	5.09	3	Horizontal	250	1.47	-	95.65	33.00	6.53	34.44
PK	5.1212G	54.83	74.00	-19.17	5.19	3	Horizontal	250	1.47	-	49.64	33.16	6.47	34.44
PK	5.2012G	109.01	Inf	-Inf	5.09	3	Horizontal	250	1.47	-	103.92	33.00	6.53	34.44

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	43.59	54.00	-10.41	15.86	3	Vertical	28	1.66	-	27.73	38.70	11.64	34.48
PK	6.49996G	49.41	68.20	-18.79	8.31	3	Vertical	223	1.22	-	41.10	35.60	7.35	34.64
PK	10.3908G	53.00	68.20	-15.20	13.56	3	Vertical	205	1.12	-	39.44	38.69	9.52	34.65
PK	15.6204G	55.92	74.00	-18.08	15.70	3	Vertical	28	1.66	-	40.22	38.56	11.67	34.53

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	43.59	54.00	-10.41	15.86	3	Horizontal	130	1.72	-	27.73	38.70	11.64	34.48
PK	6.49984G	52.20	68.20	-16.00	8.31	3	Horizontal	327	2.38	-	43.89	35.60	7.35	34.64
PK	10.4076G	53.18	68.20	-15.02	13.59	3	Horizontal	138	1.13	-	39.59	38.69	9.52	34.62
PK	15.589G	55.89	74.00	-18.11	15.77	3	Horizontal	130	1.72	-	40.12	38.62	11.66	34.51

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1344G	42.11	54.00	-11.89	5.17	3	Vertical	158	1.55	-	36.94	33.13	6.48	34.44
AV	5.2484G	103.95	Inf	-Inf	5.05	3	Vertical	158	1.55	-	98.90	32.90	6.59	34.44
AV	5.3732G	42.39	54.00	-11.61	5.23	3	Vertical	158	1.55	-	37.16	32.95	6.73	34.45
PK	5.1026G	54.25	74.00	-19.75	5.21	3	Vertical	158	1.55	-	49.04	33.19	6.46	34.44
PK	5.2484G	111.56	Inf	-Inf	5.05	3	Vertical	158	1.55	-	106.51	32.90	6.59	34.44
PK	5.3576G	54.14	74.00	-19.86	5.18	3	Vertical	158	1.55	-	48.96	32.92	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1278G	42.19	54.00	-11.81	5.18	3	Horizontal	255	1.49	-	37.01	33.14	6.48	34.44
AV	5.2484G	100.44	Inf	-Inf	5.05	3	Horizontal	255	1.49	-	95.39	32.90	6.59	34.44
AV	5.3756G	41.94	54.00	-12.06	5.23	3	Horizontal	255	1.49	-	36.71	32.95	6.73	34.45
PK	5.1158G	55.94	74.00	-18.06	5.20	3	Horizontal	255	1.49	-	50.74	33.17	6.47	34.44
PK	5.249G	108.22	Inf	-Inf	5.05	3	Horizontal	255	1.49	-	103.17	32.90	6.59	34.44
PK	5.3894G	53.81	74.00	-20.19	5.28	3	Horizontal	255	1.49	-	48.53	32.98	6.75	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.769G	44.08	54.00	-9.92	15.58	3	Vertical	259	2.45	-	28.50	38.47	11.73	34.62
PK	6.55284G	47.40	68.20	-20.80	8.36	3	Vertical	49	1.29	-	39.04	35.62	7.39	34.65
PK	10.4604G	52.90	68.20	-15.30	13.64	3	Vertical	11	2.90	-	39.26	38.64	9.54	34.54
PK	15.6742G	55.66	74.00	-18.34	15.58	3	Vertical	259	2.45	-	40.08	38.45	11.69	34.56

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7644G	44.05	54.00	-9.95	15.57	3	Horizontal	25	2.06	-	28.48	38.46	11.73	34.62
PK	6.54994G	49.25	68.20	-18.95	8.34	3	Horizontal	248	1.00	-	40.91	35.60	7.39	34.65
PK	10.4884G	52.73	68.20	-15.47	13.66	3	Horizontal	114	1.74	-	39.07	38.61	9.55	34.50
PK	15.7448G	56.83	74.00	-17.17	15.55	3	Horizontal	25	2.06	-	41.28	38.44	11.72	34.61

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1304G	42.05	54.00	-11.95	5.18	3	Vertical	157	1.56	-	36.87	33.14	6.48	34.44
AV	5.2516G	103.96	Inf	-Inf	5.05	3	Vertical	157	1.56	-	98.91	32.91	6.59	34.45
AV	5.356G	43.04	54.00	-10.96	5.17	3	Vertical	157	1.56	-	37.87	32.91	6.71	34.45
PK	5.1436G	52.99	74.00	-21.01	5.16	3	Vertical	157	1.56	-	47.83	33.11	6.49	34.44
PK	5.2522G	111.96	Inf	-Inf	5.05	3	Vertical	157	1.56	-	106.91	32.91	6.59	34.45
PK	5.377G	54.14	74.00	-19.86	5.23	3	Vertical	157	1.56	-	48.91	32.95	6.73	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	42.14	54.00	-11.86	5.16	3	Horizontal	255	1.50	-	36.98	33.11	6.49	34.44
AV	5.2516G	100.66	Inf	-Inf	5.05	3	Horizontal	255	1.50	-	95.61	32.91	6.59	34.45
AV	5.4076G	42.06	54.00	-11.94	5.33	3	Horizontal	255	1.50	-	36.73	33.02	6.76	34.45
PK	5.15G	53.21	74.00	-20.79	5.15	3	Horizontal	255	1.50	-	48.06	33.10	6.49	34.44
PK	5.2516G	108.12	Inf	-Inf	5.05	3	Horizontal	255	1.50	-	103.07	32.91	6.59	34.45
PK	5.3524G	54.50	74.00	-19.50	5.16	3	Horizontal	255	1.50	-	49.34	32.90	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7716G	44.09	54.00	-9.91	15.58	3	Vertical	86	2.74	-	28.51	38.47	11.73	34.62
PK	6.57504G	48.09	68.20	-20.11	8.51	3	Vertical	120	1.44	-	39.58	35.75	7.41	34.65
PK	10.4842G	52.78	68.20	-15.42	13.67	3	Vertical	345	1.65	-	39.11	38.62	9.55	34.50
PK	15.7776G	55.96	74.00	-18.04	15.59	3	Vertical	86	2.74	-	40.37	38.48	11.74	34.63

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.771G	44.09	54.00	-9.91	15.58	3	Horizontal	236	1.86	-	28.51	38.47	11.73	34.62
PK	6.57192G	48.13	68.20	-20.07	8.49	3	Horizontal	138	1.93	-	39.64	35.73	7.41	34.65
PK	10.5016G	53.03	68.20	-15.17	13.69	3	Horizontal	4	2.53	-	39.34	38.61	9.56	34.48
PK	15.8142G	56.18	74.00	-17.82	15.59	3	Horizontal	236	1.86	-	40.59	38.49	11.75	34.65

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	104.06	Inf	-Inf	5.29	3	Vertical	157	1.55	-	98.77	33.10	6.64	34.45
AV	5.3912G	42.73	54.00	-11.27	5.28	3	Vertical	157	1.55	-	37.45	32.98	6.75	34.45
PK	5.2996G	112.03	Inf	-Inf	5.29	3	Vertical	157	1.55	-	106.74	33.10	6.64	34.45
PK	5.3532G	55.12	74.00	-18.88	5.17	3	Vertical	157	1.55	-	49.95	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	99.83	Inf	-Inf	5.29	3	Horizontal	256	1.30	-	94.54	33.10	6.64	34.45
AV	5.3908G	42.21	54.00	-11.79	5.28	3	Horizontal	256	1.30	-	36.93	32.98	6.75	34.45
PK	5.2992G	107.68	Inf	-Inf	5.29	3	Horizontal	256	1.30	-	102.39	33.10	6.64	34.45
PK	5.3504G	54.29	74.00	-19.71	5.15	3	Horizontal	256	1.30	-	49.14	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8578G	44.07	54.00	-9.93	15.53	3	Vertical	195	1.64	-	28.54	38.44	11.77	34.68
PK	6.62467G	47.71	68.20	-20.49	8.64	3	Vertical	29	2.41	-	39.07	35.85	7.45	34.66
PK	10.5798G	52.43	68.20	-15.77	14.14	3	Vertical	20	1.65	-	38.29	39.00	9.59	34.45
PK	15.9352G	56.11	74.00	-17.89	15.43	3	Vertical	195	1.64	-	40.68	38.36	11.80	34.73

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9448G	44.15	54.00	-9.85	15.44	3	Horizontal	283	2.19	-	28.71	38.36	11.81	34.73
PK	6.62469G	48.14	68.20	-20.06	8.64	3	Horizontal	254	1.90	-	39.50	35.85	7.45	34.66
PK	10.5706G	53.14	68.20	-15.06	14.08	3	Horizontal	107	1.11	-	39.06	38.95	9.58	34.45
PK	15.8714G	56.31	74.00	-17.69	15.52	3	Horizontal	283	2.19	-	40.79	38.43	11.78	34.69

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3282G	104.87	Inf	-Inf	5.22	3	Vertical	156	1.52	-	99.65	32.99	6.68	34.45
AV	5.3532G	42.96	54.00	-11.04	5.17	3	Vertical	156	1.52	-	37.79	32.91	6.71	34.45
PK	5.3282G	113.17	Inf	-Inf	5.22	3	Vertical	156	1.52	-	107.95	32.99	6.68	34.45
PK	5.354G	57.01	74.00	-16.99	5.17	3	Vertical	156	1.52	-	51.84	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3286G	99.89	Inf	-Inf	5.22	3	Horizontal	254	1.36	-	94.67	32.99	6.68	34.45
AV	5.3558G	42.28	54.00	-11.72	5.17	3	Horizontal	254	1.36	-	37.11	32.91	6.71	34.45
PK	5.3286G	107.72	Inf	-Inf	5.22	3	Horizontal	254	1.36	-	102.50	32.99	6.68	34.45
PK	5.3532G	54.88	74.00	-19.12	5.17	3	Horizontal	254	1.36	-	49.71	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6876G	40.77	54.00	-13.23	14.22	3	Vertical	350	2.77	-	26.55	39.01	9.62	34.41
AV	15.95G	44.11	54.00	-9.89	15.42	3	Vertical	79	1.90	-	28.69	38.35	11.81	34.74
PK	6.65008G	48.05	68.20	-20.15	8.62	3	Vertical	252	1.17	-	39.43	35.80	7.48	34.66
PK	10.6828G	52.70	74.00	-21.30	14.23	3	Vertical	350	2.77	-	38.47	39.02	9.62	34.41
PK	15.9364G	56.08	74.00	-17.92	15.43	3	Vertical	79	1.90	-	40.65	38.36	11.80	34.73

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6842G	40.88	54.00	-13.12	14.23	3	Horizontal	70	1.28	-	26.65	39.02	9.62	34.41
AV	15.9558G	44.02	54.00	-9.98	15.41	3	Horizontal	79	1.96	-	28.61	38.34	11.81	34.74
PK	6.65024G	48.10	68.20	-20.10	8.62	3	Horizontal	80	1.62	-	39.48	35.80	7.48	34.66
PK	10.6502G	52.87	74.00	-21.13	14.23	3	Horizontal	70	1.28	-	38.64	39.05	9.61	34.43
PK	15.9988G	56.18	74.00	-17.82	15.36	3	Horizontal	79	1.96	-	40.82	38.30	11.83	34.77

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	42.87	54.00	-11.13	5.44	3	Vertical	155	1.62	-	37.43	33.11	6.79	34.46
AV	5.4914G	105.73	Inf	-Inf	5.53	3	Vertical	155	1.62	-	100.20	33.18	6.81	34.46
PK	5.469G	56.61	68.20	-11.59	5.47	3	Vertical	155	1.62	-	51.14	33.14	6.79	34.46
PK	5.4922G	114.01	Inf	-Inf	5.53	3	Vertical	155	1.62	-	108.48	33.18	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.36	54.00	-11.64	5.45	3	Horizontal	250	1.45	-	36.91	33.12	6.79	34.46
AV	5.4916G	101.66	Inf	-Inf	5.53	3	Horizontal	250	1.45	-	96.13	33.18	6.81	34.46
PK	5.4614G	54.26	68.20	-13.94	5.45	3	Horizontal	250	1.45	-	48.81	33.12	6.79	34.46
PK	5.4924G	109.54	Inf	-Inf	5.53	3	Horizontal	250	1.45	-	104.01	33.18	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0088G	41.30	54.00	-12.70	14.26	3	Vertical	112	1.94	-	27.04	38.81	9.74	34.29
PK	6.87478G	49.00	68.20	-19.20	8.97	3	Vertical	219	1.76	-	40.03	35.90	7.76	34.69
PK	10.9974G	52.67	74.00	-21.33	14.23	3	Vertical	112	1.94	-	38.44	38.80	9.73	34.30
PK	16.52G	57.09	68.20	-11.11	16.24	3	Vertical	9	2.95	-	40.85	38.86	12.04	34.66

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9794G	41.24	54.00	-12.76	14.20	3	Horizontal	173	2.46	-	27.04	38.78	9.73	34.31
PK	6.87656G	48.37	68.20	-19.83	8.99	3	Horizontal	316	2.03	-	39.38	35.91	7.77	34.69
PK	11.0246G	53.23	74.00	-20.77	14.28	3	Horizontal	173	2.46	-	38.95	38.82	9.74	34.28
PK	16.5434G	56.46	68.20	-11.74	16.24	3	Horizontal	85	2.17	-	40.22	38.81	12.05	34.62

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4306G	42.41	54.00	-11.59	5.38	3	Vertical	154	1.43	-	37.03	33.06	6.78	34.46
AV	5.5806G	104.74	Inf	-Inf	5.50	3	Vertical	154	1.43	-	99.24	33.12	6.85	34.47
PK	5.466G	53.52	68.20	-14.68	5.46	3	Vertical	154	1.43	-	48.06	33.13	6.79	34.46
PK	5.5806G	112.57	Inf	-Inf	5.50	3	Vertical	154	1.43	-	107.07	33.12	6.85	34.47
PK	5.7288G	54.41	68.20	-13.79	6.05	3	Vertical	154	1.43	-	48.36	33.63	6.91	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4456G	42.24	54.00	-11.76	5.41	3	Horizontal	255	1.18	-	36.83	33.09	6.78	34.46
AV	5.5806G	102.11	Inf	-Inf	5.50	3	Horizontal	255	1.18	-	96.61	33.12	6.85	34.47
PK	5.4618G	53.42	68.20	-14.78	5.45	3	Horizontal	255	1.18	-	47.97	33.12	6.79	34.46
PK	5.5812G	110.52	Inf	-Inf	5.50	3	Horizontal	255	1.18	-	105.02	33.12	6.85	34.47
PK	5.7258G	53.29	68.20	-14.91	6.02	3	Horizontal	255	1.18	-	47.27	33.61	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1386G	41.53	54.00	-12.47	14.56	3	Vertical	204	2.84	-	26.97	38.98	9.78	34.20
PK	6.9735G	48.97	68.20	-19.23	9.24	3	Vertical	352	2.41	-	39.73	36.00	7.95	34.71
PK	11.1736G	53.98	74.00	-20.02	14.67	3	Vertical	204	2.84	-	39.31	39.05	9.80	34.18
PK	16.7876G	57.07	68.20	-11.13	16.56	3	Vertical	334	1.40	-	40.51	38.62	12.15	34.21


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1238G	41.51	54.00	-12.49	14.52	3	Horizontal	255	1.52	-	26.99	38.95	9.78	34.21
PK	6.97703G	48.62	68.20	-19.58	9.25	3	Horizontal	65	1.43	-	39.37	36.00	7.96	34.71
PK	11.1392G	53.87	74.00	-20.13	14.56	3	Horizontal	255	1.52	-	39.31	38.98	9.78	34.20
PK	16.775G	56.55	68.20	-11.65	16.56	3	Horizontal	173	1.88	-	39.99	38.65	12.14	34.23

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	104.85	Inf	-Inf	5.88	3	Vertical	155	1.50	-	98.97	33.47	6.90	34.49
PK	5.708G	113.03	Inf	-Inf	5.88	3	Vertical	155	1.50	-	107.15	33.46	6.90	34.48
PK	5.728G	58.68	68.20	-9.52	6.03	3	Vertical	155	1.50	-	52.65	33.62	6.90	34.49


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	103.70	Inf	-Inf	5.88	3	Horizontal	252	1.12	-	97.82	33.47	6.90	34.49
PK	5.708G	111.59	Inf	-Inf	5.88	3	Horizontal	252	1.12	-	105.71	33.46	6.90	34.48
PK	5.728G	57.53	68.20	-10.67	6.03	3	Horizontal	252	1.12	-	51.50	33.62	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	41.64	54.00	-12.36	14.86	3	Vertical	149	1.83	-	26.78	39.00	9.88	34.02
PK	7.12465G	49.21	68.20	-18.99	10.06	3	Vertical	288	1.29	-	39.15	36.70	8.11	34.75
PK	11.404G	53.11	74.00	-20.89	14.86	3	Vertical	149	1.83	-	38.25	39.00	9.88	34.02
PK	17.1454G	56.62	68.20	-11.58	16.72	3	Vertical	264	1.96	-	39.90	38.40	12.29	33.97

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3998G	41.75	54.00	-12.25	14.86	3	Horizontal	211	2.98	-	26.89	39.00	9.88	34.02
PK	7.12564G	49.59	68.20	-18.61	10.07	3	Horizontal	275	1.15	-	39.52	36.71	8.11	34.75
PK	11.394G	53.36	74.00	-20.64	14.86	3	Horizontal	211	2.98	-	38.50	39.01	9.87	34.02
PK	17.065G	56.72	68.20	-11.48	16.75	3	Horizontal	41	1.41	-	39.97	38.40	12.26	33.91

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	112.00	Inf	-Inf	6.11	3	Vertical	152	1.48	-	105.89	33.69	6.91	34.49
PK	5.5494G	55.53	68.20	-12.67	5.36	3	Vertical	152	1.48	-	50.17	33.00	6.83	34.47
PK	5.7378G	119.42	Inf	-Inf	6.12	3	Vertical	152	1.48	-	113.30	33.70	6.91	34.49
PK	5.9442G	55.83	68.20	-12.37	6.92	3	Vertical	152	1.48	-	48.91	34.37	7.06	34.51

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	111.36	Inf	-Inf	6.11	3	Horizontal	254	1.00	-	105.25	33.69	6.91	34.49
PK	5.529G	54.96	68.20	-13.24	5.44	3	Horizontal	254	1.00	-	49.52	33.08	6.82	34.46
PK	5.7366G	119.21	Inf	-Inf	6.11	3	Horizontal	254	1.00	-	113.10	33.69	6.91	34.49
PK	5.9862G	55.26	68.20	-12.94	6.84	3	Horizontal	254	1.00	-	48.42	34.26	7.10	34.52

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4548G	41.34	54.00	-12.66	14.92	3	Vertical	105	1.62	-	26.42	39.00	9.90	33.98
PK	7.18114G	49.89	68.20	-18.31	10.23	3	Vertical	253	2.36	-	39.66	36.84	8.16	34.77
PK	11.5004G	53.71	74.00	-20.29	14.96	3	Vertical	105	1.62	-	38.75	39.00	9.91	33.95
PK	17.2106G	57.06	68.20	-11.14	16.71	3	Vertical	199	1.73	-	40.35	38.41	12.32	34.02

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4804G	41.38	54.00	-12.62	14.95	3	Horizontal	309	1.12	-	26.43	39.00	9.91	33.96
PK	7.1822G	50.14	68.20	-18.06	10.23	3	Horizontal	186	1.33	-	39.91	36.84	8.16	34.77
PK	11.4814G	54.10	74.00	-19.90	14.95	3	Horizontal	309	1.12	-	39.15	39.00	9.91	33.96
PK	17.2066G	57.25	68.20	-10.95	16.71	3	Horizontal	188	2.07	-	40.54	38.41	12.32	34.02

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	111.39	Inf	-Inf	6.31	3	Vertical	153	1.50	-	105.08	33.87	6.93	34.49
PK	5.6182G	56.29	68.20	-11.91	5.64	3	Vertical	153	1.50	-	50.65	33.24	6.87	34.47
PK	5.7838G	119.39	Inf	-Inf	6.30	3	Vertical	153	1.50	-	113.09	33.87	6.92	34.49
PK	6.0562G	56.47	68.20	-11.73	6.98	3	Vertical	153	1.50	-	49.49	34.38	7.13	34.53

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	110.89	Inf	-Inf	6.31	3	Horizontal	250	1.04	-	104.58	33.87	6.93	34.49
PK	5.5846G	55.55	68.20	-12.65	5.52	3	Horizontal	250	1.04	-	50.03	33.14	6.85	34.47
PK	5.7862G	119.07	Inf	-Inf	6.31	3	Horizontal	250	1.04	-	112.76	33.87	6.93	34.49
PK	5.935G	56.04	68.20	-12.16	6.85	3	Horizontal	250	1.04	-	49.19	34.31	7.05	34.51

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6156G	41.33	54.00	-12.67	14.81	3	Vertical	202	2.46	-	26.52	38.88	9.95	34.02
PK	7.23153G	50.12	68.20	-18.08	10.25	3	Vertical	19	2.13	-	39.87	36.86	8.17	34.78
PK	11.5422G	53.47	74.00	-20.53	14.91	3	Vertical	202	2.46	-	38.56	38.96	9.93	33.98
PK	17.3984G	57.62	68.20	-10.58	17.03	3	Vertical	182	1.50	-	40.59	38.80	12.40	34.17

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6194G	41.31	54.00	-12.69	14.81	3	Horizontal	314	2.06	-	26.50	38.88	9.95	34.02
PK	7.23173G	50.08	68.20	-18.12	10.25	3	Horizontal	43	1.06	-	39.83	36.86	8.17	34.78
PK	11.5402G	53.93	74.00	-20.07	14.92	3	Horizontal	314	2.06	-	39.01	38.96	9.93	33.97
PK	17.3844G	57.33	68.20	-10.87	16.98	3	Horizontal	172	1.50	-	40.35	38.75	12.39	34.16

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	112.66	Inf	-Inf	6.56	3	Vertical	151	1.50	-	106.10	34.10	6.96	34.50
PK	5.5562G	54.75	68.20	-13.45	5.39	3	Vertical	151	1.50	-	49.36	33.02	6.84	34.47
PK	5.8334G	120.33	Inf	-Inf	6.56	3	Vertical	151	1.50	-	113.77	34.10	6.96	34.50
PK	5.9702G	56.22	68.20	-11.98	6.88	3	Vertical	151	1.50	-	49.34	34.32	7.08	34.52

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	111.39	Inf	-Inf	6.56	3	Horizontal	250	1.06	-	104.83	34.10	6.96	34.50
PK	5.6174G	54.40	68.20	-13.80	5.63	3	Horizontal	250	1.06	-	48.77	33.23	6.87	34.47
PK	5.8334G	119.13	Inf	-Inf	6.56	3	Horizontal	250	1.06	-	112.57	34.10	6.96	34.50
PK	5.969G	55.72	68.20	-12.48	6.88	3	Horizontal	250	1.06	-	48.84	34.32	7.08	34.52

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28364G	37.16	54.00	-16.84	10.12	3	Vertical	235	1.01	-	27.04	36.77	8.15	34.80
AV	11.6148G	41.24	54.00	-12.76	14.82	3	Vertical	0	1.48	-	26.42	38.89	9.95	34.02
PK	7.2811G	50.86	74.00	-23.14	10.13	3	Vertical	235	1.01	-	40.73	36.78	8.15	34.80
PK	11.6812G	53.71	74.00	-20.29	14.74	3	Vertical	0	1.48	-	38.97	38.82	9.98	34.06
PK	17.4996G	57.57	68.20	-10.63	17.09	3	Vertical	202	1.50	-	40.48	38.90	12.44	34.25

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28027G	37.20	54.00	-16.80	10.13	3	Horizontal	229	2.14	-	27.07	36.78	8.15	34.80
AV	11.6218G	41.29	54.00	-12.71	14.81	3	Horizontal	125	1.50	-	26.48	38.88	9.96	34.03
PK	7.28257G	50.22	74.00	-23.78	10.12	3	Horizontal	229	2.14	-	40.10	36.77	8.15	34.80
PK	11.6448G	53.70	74.00	-20.30	14.78	3	Horizontal	125	1.50	-	38.92	38.86	9.96	34.04
PK	17.4358G	57.34	68.20	-10.86	17.05	3	Horizontal	191	2.51	-	40.29	38.84	12.41	34.20

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.88	54.00	-11.12	5.15	3	Vertical	141	1.42	-	37.73	33.10	6.49	34.44
AV	5.172G	102.80	Inf	-Inf	5.13	3	Vertical	141	1.42	-	97.67	33.06	6.51	34.44
PK	5.1482G	54.69	74.00	-19.31	5.15	3	Vertical	141	1.42	-	49.54	33.10	6.49	34.44
PK	5.1738G	112.55	Inf	-Inf	5.12	3	Vertical	141	1.42	-	107.43	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	42.79	54.00	-11.21	5.15	3	Horizontal	246	1.60	-	37.64	33.10	6.49	34.44
AV	5.1724G	101.58	Inf	-Inf	5.13	3	Horizontal	246	1.60	-	96.45	33.06	6.51	34.44
PK	5.1412G	54.62	74.00	-19.38	5.17	3	Horizontal	246	1.60	-	49.45	33.12	6.49	34.44
PK	5.1738G	111.70	Inf	-Inf	5.12	3	Horizontal	246	1.60	-	106.58	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5452G	44.41	54.00	-9.59	15.87	3	Vertical	296	1.25	-	28.54	38.71	11.64	34.48
PK	6.475G	48.92	68.20	-19.28	8.06	3	Vertical	139	1.50	-	40.86	35.35	7.34	34.63
PK	10.35428G	54.21	68.20	-13.99	13.46	3	Vertical	285	2.70	-	40.75	38.65	9.51	34.70
PK	15.5352G	56.36	74.00	-17.64	15.89	3	Vertical	296	1.25	-	40.47	38.73	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.545G	44.41	54.00	-9.59	15.87	3	Horizontal	159	1.44	-	28.54	38.71	11.64	34.48
PK	6.47488G	50.98	68.20	-17.22	8.06	3	Horizontal	246	1.00	-	42.92	35.35	7.34	34.63
PK	10.35396G	53.44	68.20	-14.76	13.46	3	Horizontal	3	1.73	-	39.98	38.65	9.51	34.70
PK	15.53232G	56.30	74.00	-17.70	15.90	3	Horizontal	159	1.44	-	40.40	38.74	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	42.70	54.00	-11.30	5.15	3	Vertical	141	1.47	-	37.55	33.10	6.49	34.44
AV	5.2076G	103.46	Inf	-Inf	5.08	3	Vertical	141	1.47	-	98.38	32.98	6.54	34.44
PK	5.1312G	54.68	74.00	-19.32	5.18	3	Vertical	141	1.47	-	49.50	33.14	6.48	34.44
PK	5.2064G	113.83	Inf	-Inf	5.09	3	Vertical	141	1.47	-	108.74	32.99	6.54	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	42.79	54.00	-11.21	5.15	3	Horizontal	250	1.64	-	37.64	33.10	6.49	34.44
AV	5.2064G	101.76	Inf	-Inf	5.09	3	Horizontal	250	1.64	-	96.67	32.99	6.54	34.44
PK	5.1248G	54.66	74.00	-19.34	5.18	3	Horizontal	250	1.64	-	49.48	33.15	6.47	34.44
PK	5.206G	111.64	Inf	-Inf	5.09	3	Horizontal	250	1.64	-	106.55	32.99	6.54	34.44

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59692G	44.37	54.00	-9.63	15.76	3	Vertical	162	2.50	-	28.61	38.61	11.66	34.51
PK	6.49994G	50.23	68.20	-17.97	8.31	3	Vertical	141	1.38	-	41.92	35.60	7.35	34.64
PK	10.4074G	54.12	68.20	-14.08	13.59	3	Vertical	211	2.48	-	40.53	38.69	9.52	34.62
PK	15.5992G	56.35	74.00	-17.65	15.75	3	Vertical	162	2.50	-	40.60	38.60	11.66	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5988G	44.47	54.00	-9.53	15.75	3	Horizontal	231	2.40	-	28.72	38.60	11.66	34.51
PK	6.4997G	50.87	68.20	-17.33	8.31	3	Horizontal	246	1.00	-	42.56	35.60	7.35	34.64
PK	10.40824G	53.75	68.20	-14.45	13.59	3	Horizontal	285	1.45	-	40.16	38.69	9.52	34.62
PK	15.6086G	57.37	74.00	-16.63	15.72	3	Horizontal	231	2.40	-	41.65	38.58	11.66	34.52

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1326G	42.60	54.00	-11.40	5.17	3	Vertical	154	1.49	-	37.43	33.13	6.48	34.44
AV	5.2478G	103.38	Inf	-Inf	5.04	3	Vertical	154	1.49	-	98.34	32.90	6.58	34.44
AV	5.3738G	42.91	54.00	-11.09	5.23	3	Vertical	154	1.49	-	37.68	32.95	6.73	34.45
PK	5.1284G	54.12	74.00	-19.88	5.18	3	Vertical	154	1.49	-	48.94	33.14	6.48	34.44
PK	5.2466G	113.30	Inf	-Inf	5.05	3	Vertical	154	1.49	-	108.25	32.91	6.58	34.44
PK	5.363G	54.64	74.00	-19.36	5.20	3	Vertical	154	1.49	-	49.44	32.93	6.72	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.70	54.00	-11.30	5.15	3	Horizontal	248	1.53	-	37.55	33.10	6.49	34.44
AV	5.2472G	100.79	Inf	-Inf	5.05	3	Horizontal	248	1.53	-	95.74	32.91	6.58	34.44
AV	5.3726G	42.46	54.00	-11.54	5.23	3	Horizontal	248	1.53	-	37.23	32.95	6.73	34.45
PK	5.1272G	54.89	74.00	-19.11	5.19	3	Horizontal	248	1.53	-	49.70	33.15	6.48	34.44
PK	5.246G	110.09	Inf	-Inf	5.05	3	Horizontal	248	1.53	-	105.04	32.91	6.58	34.44
PK	5.3846G	54.44	74.00	-19.56	5.26	3	Horizontal	248	1.53	-	49.18	32.97	6.74	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7284G	44.62	54.00	-9.38	15.54	3	Vertical	288	1.68	-	29.08	38.43	11.71	34.60
PK	6.54964G	49.27	68.20	-18.93	8.34	3	Vertical	140	1.44	-	40.93	35.60	7.39	34.65
PK	10.47992G	53.72	68.20	-14.48	13.66	3	Vertical	255	2.59	-	40.06	38.62	9.55	34.51
PK	15.72256G	56.82	74.00	-17.18	15.54	3	Vertical	288	1.68	-	41.28	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72992G	44.64	54.00	-9.36	15.55	3	Horizontal	329	2.25	-	29.09	38.43	11.72	34.60
PK	6.54994G	50.38	68.20	-17.82	8.34	3	Horizontal	245	1.00	-	42.04	35.60	7.39	34.65
PK	10.47176G	53.72	68.20	-14.48	13.66	3	Horizontal	294	1.09	-	40.06	38.63	9.55	34.52
PK	15.72016G	56.83	74.00	-17.17	15.54	3	Horizontal	329	2.25	-	41.29	38.42	11.71	34.59

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1334G	42.70	54.00	-11.30	5.17	3	Vertical	139	1.71	-	37.53	33.13	6.48	34.44
AV	5.2522G	103.70	Inf	-Inf	5.05	3	Vertical	139	1.71	-	98.65	32.91	6.59	34.45
AV	5.4082G	42.94	54.00	-11.06	5.33	3	Vertical	139	1.71	-	37.61	33.02	6.76	34.45
PK	5.128G	54.09	74.00	-19.91	5.18	3	Vertical	139	1.71	-	48.91	33.14	6.48	34.44
PK	5.2534G	113.64	Inf	-Inf	5.05	3	Vertical	139	1.71	-	108.59	32.91	6.59	34.45
PK	5.368G	53.98	74.00	-20.02	5.21	3	Vertical	139	1.71	-	48.77	32.94	6.72	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1334G	42.70	54.00	-11.30	5.17	3	Horizontal	248	1.64	-	37.53	33.13	6.48	34.44
AV	5.2534G	100.86	Inf	-Inf	5.05	3	Horizontal	248	1.64	-	95.81	32.91	6.59	34.45
AV	5.4082G	42.58	54.00	-11.42	5.33	3	Horizontal	248	1.64	-	37.25	33.02	6.76	34.45
PK	5.1364G	54.56	74.00	-19.44	5.17	3	Horizontal	248	1.64	-	49.39	33.13	6.48	34.44
PK	5.2522G	110.13	Inf	-Inf	5.05	3	Horizontal	248	1.64	-	105.08	32.91	6.59	34.45
PK	5.4064G	54.26	74.00	-19.74	5.32	3	Horizontal	248	1.64	-	48.94	33.01	6.76	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7726G	44.80	54.00	-9.20	15.58	3	Vertical	355	2.23	-	29.22	38.47	11.73	34.62
PK	6.57494G	53.11	68.20	-15.09	8.51	3	Vertical	212	1.59	-	44.60	35.75	7.41	34.65
PK	10.523G	53.35	68.20	-14.85	13.81	3	Vertical	100	2.58	-	39.54	38.71	9.57	34.47
PK	15.77156G	56.77	74.00	-17.23	15.58	3	Vertical	355	2.23	-	41.19	38.47	11.73	34.62

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77868G	44.84	54.00	-9.16	15.59	3	Horizontal	85	2.90	-	29.25	38.48	11.74	34.63
PK	6.57506G	51.96	68.20	-16.24	8.51	3	Horizontal	245	2.10	-	43.45	35.75	7.41	34.65
PK	10.5276G	53.87	68.20	-14.33	13.84	3	Horizontal	342	1.29	-	40.03	38.74	9.57	34.47
PK	15.78912G	56.69	74.00	-17.31	15.59	3	Horizontal	85	2.90	-	41.10	38.49	11.74	34.64

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	104.22	Inf	-Inf	5.27	3	Vertical	155	1.56	-	98.95	33.07	6.65	34.45
AV	5.3532G	43.33	54.00	-10.67	5.17	3	Vertical	155	1.56	-	38.16	32.91	6.71	34.45
PK	5.306G	114.20	Inf	-Inf	5.28	3	Vertical	155	1.56	-	108.92	33.08	6.65	34.45
PK	5.3744G	55.18	74.00	-18.82	5.23	3	Vertical	155	1.56	-	49.95	32.95	6.73	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3068G	99.57	Inf	-Inf	5.27	3	Horizontal	241	1.50	-	94.30	33.07	6.65	34.45
AV	5.3876G	42.56	54.00	-11.44	5.28	3	Horizontal	241	1.50	-	37.28	32.98	6.75	34.45
PK	5.306G	109.11	Inf	-Inf	5.28	3	Horizontal	241	1.50	-	103.83	33.08	6.65	34.45
PK	5.3552G	55.03	74.00	-18.97	5.17	3	Horizontal	241	1.50	-	49.86	32.91	6.71	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8982G	44.68	54.00	-9.32	15.49	3	Vertical	68	1.33	-	29.19	38.40	11.79	34.70
PK	6.62518G	49.54	68.20	-18.66	8.64	3	Vertical	141	1.36	-	40.90	35.85	7.45	34.66
PK	10.59848G	53.79	68.20	-14.41	14.24	3	Vertical	285	1.34	-	39.55	39.09	9.59	34.44
PK	15.89592G	57.85	74.00	-16.15	15.49	3	Vertical	68	1.33	-	42.36	38.40	11.79	34.70

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90796G	44.63	54.00	-9.37	15.47	3	Horizontal	127	2.98	-	29.16	38.39	11.79	34.71
PK	6.625G	49.90	68.20	-18.30	8.64	3	Horizontal	248	1.61	-	41.26	35.85	7.45	34.66
PK	10.60076G	54.03	74.00	-19.97	14.25	3	Horizontal	55	1.10	-	39.78	39.10	9.59	34.44
PK	15.8914G	56.89	74.00	-17.11	15.49	3	Horizontal	127	2.98	-	41.40	38.41	11.78	34.70

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3264G	104.59	Inf	-Inf	5.22	3	Vertical	155	1.63	-	99.37	32.99	6.68	34.45
AV	5.354G	43.58	54.00	-10.42	5.17	3	Vertical	155	1.63	-	38.41	32.91	6.71	34.45
PK	5.326G	114.93	Inf	-Inf	5.22	3	Vertical	155	1.63	-	109.71	33.00	6.67	34.45
PK	5.3508G	57.45	74.00	-16.55	5.15	3	Vertical	155	1.63	-	52.30	32.90	6.70	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3278G	99.33	Inf	-Inf	5.22	3	Horizontal	241	1.47	-	94.11	32.99	6.68	34.45
AV	5.3534G	42.63	54.00	-11.37	5.17	3	Horizontal	241	1.47	-	37.46	32.91	6.71	34.45
PK	5.3288G	109.59	Inf	-Inf	5.21	3	Horizontal	241	1.47	-	104.38	32.98	6.68	34.45
PK	5.3624G	54.54	74.00	-19.46	5.19	3	Horizontal	241	1.47	-	49.35	32.92	6.72	34.45

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63056G	41.61	54.00	-12.39	14.24	3	Vertical	146	1.23	-	27.37	39.07	9.60	34.43
AV	15.95144G	44.79	54.00	-9.21	15.42	3	Vertical	43	2.35	-	29.37	38.35	11.81	34.74
PK	6.65G	49.80	68.20	-18.40	8.62	3	Vertical	139	1.33	-	41.18	35.80	7.48	34.66
PK	10.6324G	54.10	74.00	-19.90	14.24	3	Vertical	146	1.23	-	39.86	39.07	9.60	34.43
PK	15.9672G	56.88	74.00	-17.12	15.40	3	Vertical	43	2.35	-	41.48	38.33	11.82	34.75

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64444G	41.70	54.00	-12.30	14.24	3	Horizontal	25	1.43	-	27.46	39.06	9.61	34.43
AV	15.95136G	44.79	54.00	-9.21	15.42	3	Horizontal	350	1.45	-	29.37	38.35	11.81	34.74
PK	6.65018G	50.04	68.20	-18.16	8.62	3	Horizontal	248	1.64	-	41.42	35.80	7.48	34.66
PK	10.64696G	53.49	74.00	-20.51	14.23	3	Horizontal	25	1.43	-	39.26	39.05	9.61	34.43
PK	15.95584G	57.19	74.00	-16.81	15.41	3	Horizontal	350	1.45	-	41.78	38.34	11.81	34.74

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.85	54.00	-10.15	5.45	3	Vertical	136	1.75	-	38.40	33.12	6.79	34.46
AV	5.492G	105.79	Inf	-Inf	5.53	3	Vertical	136	1.75	-	100.26	33.18	6.81	34.46
PK	5.469G	56.65	68.20	-11.55	5.47	3	Vertical	136	1.75	-	51.18	33.14	6.79	34.46
PK	5.493G	116.89	Inf	-Inf	5.54	3	Vertical	136	1.75	-	111.35	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	43.07	54.00	-10.93	5.45	3	Horizontal	248	1.25	-	37.62	33.12	6.79	34.46
AV	5.4936G	102.05	Inf	-Inf	5.54	3	Horizontal	248	1.25	-	96.51	33.19	6.81	34.46
PK	5.4672G	55.69	68.20	-12.51	5.46	3	Horizontal	248	1.25	-	50.23	33.13	6.79	34.46
PK	5.494G	112.29	Inf	-Inf	5.54	3	Horizontal	248	1.25	-	106.75	33.19	6.81	34.46

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99652G	42.01	54.00	-11.99	14.23	3	Vertical	298	1.27	-	27.78	38.80	9.73	34.30
PK	6.87514G	49.63	68.20	-18.57	8.97	3	Vertical	146	1.50	-	40.66	35.90	7.76	34.69
PK	10.99688G	54.37	74.00	-19.63	14.23	3	Vertical	298	1.27	-	40.14	38.80	9.73	34.30
PK	16.50988G	57.49	68.20	-10.71	16.25	3	Vertical	211	1.49	-	41.24	38.88	12.04	34.67

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.992G	42.02	54.00	-11.98	14.22	3	Horizontal	132	2.02	-	27.80	38.79	9.73	34.30
PK	6.87714G	49.59	68.20	-18.61	8.99	3	Horizontal	208	1.65	-	40.60	35.91	7.77	34.69
PK	11.00812G	54.28	74.00	-19.72	14.26	3	Horizontal	132	2.02	-	40.02	38.81	9.74	34.29
PK	16.50388G	56.92	68.20	-11.28	16.24	3	Horizontal	111	1.72	-	40.68	38.89	12.03	34.68

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4306G	42.94	54.00	-11.06	5.38	3	Vertical	151	1.50	-	37.56	33.06	6.78	34.46
AV	5.5866G	105.27	Inf	-Inf	5.53	3	Vertical	151	1.50	-	99.74	33.15	6.85	34.47
PK	5.4612G	54.34	68.20	-13.86	5.45	3	Vertical	151	1.50	-	48.89	33.12	6.79	34.46
PK	5.586G	115.41	Inf	-Inf	5.52	3	Vertical	151	1.50	-	109.89	33.14	6.85	34.47
PK	5.7282G	55.02	68.20	-13.18	6.04	3	Vertical	151	1.50	-	48.98	33.63	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	42.78	54.00	-11.22	5.42	3	Horizontal	247	1.35	-	37.36	33.10	6.78	34.46
AV	5.5866G	102.47	Inf	-Inf	5.53	3	Horizontal	247	1.35	-	96.94	33.15	6.85	34.47
PK	5.4678G	54.70	68.20	-13.50	5.47	3	Horizontal	247	1.35	-	49.23	33.14	6.79	34.46
PK	5.586G	112.31	Inf	-Inf	5.52	3	Horizontal	247	1.35	-	106.79	33.14	6.85	34.47
PK	5.7264G	54.31	68.20	-13.89	6.02	3	Horizontal	247	1.35	-	48.29	33.61	6.90	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16188G	42.53	54.00	-11.47	14.62	3	Vertical	227	2.21	-	27.91	39.02	9.79	34.19
PK	6.97632G	50.16	68.20	-18.04	9.25	3	Vertical	167	1.69	-	40.91	36.00	7.96	34.71
PK	11.16172G	54.44	74.00	-19.56	14.62	3	Vertical	227	2.21	-	39.82	39.02	9.79	34.19
PK	16.73224G	57.26	68.20	-10.94	16.57	3	Vertical	10	1.15	-	40.69	38.74	12.13	34.30


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16232G	42.53	54.00	-11.47	14.62	3	Horizontal	277	1.10	-	27.91	39.02	9.79	34.19
PK	6.9781G	49.02	68.20	-19.18	9.25	3	Horizontal	169	1.65	-	39.77	36.00	7.96	34.71
PK	11.1536G	54.16	74.00	-19.84	14.61	3	Horizontal	277	1.10	-	39.55	39.01	9.79	34.19
PK	16.74888G	57.45	68.20	-10.75	16.55	3	Horizontal	248	2.25	-	40.90	38.70	12.13	34.28

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7064G	105.15	Inf	-Inf	5.87	3	Vertical	149	1.42	-	99.28	33.45	6.90	34.48
PK	5.706G	115.23	Inf	-Inf	5.87	3	Vertical	149	1.42	-	109.36	33.45	6.90	34.48
PK	5.7308G	58.22	68.20	-9.98	6.07	3	Vertical	149	1.42	-	52.15	33.65	6.91	34.49


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7072G	103.84	Inf	-Inf	5.88	3	Horizontal	248	1.12	-	97.96	33.46	6.90	34.48
PK	5.708G	113.19	Inf	-Inf	5.88	3	Horizontal	248	1.12	-	107.31	33.46	6.90	34.48
PK	5.7288G	58.94	68.20	-9.26	6.05	3	Horizontal	248	1.12	-	52.89	33.63	6.91	34.49

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39676G	42.44	54.00	-11.56	14.87	3	Vertical	116	1.53	-	27.57	39.01	9.88	34.02
PK	7.12854G	50.35	68.20	-17.85	10.10	3	Vertical	174	1.70	-	40.25	36.73	8.12	34.75
PK	11.40856G	55.01	74.00	-18.99	14.87	3	Vertical	116	1.53	-	40.14	39.00	9.88	34.01
PK	17.09256G	57.68	68.20	-10.52	16.74	3	Vertical	274	2.66	-	40.94	38.40	12.27	33.93

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39952G	42.34	54.00	-11.66	14.86	3	Horizontal	159	2.37	-	27.48	39.00	9.88	34.02
PK	7.12736G	49.83	68.20	-18.37	10.08	3	Horizontal	208	1.52	-	39.75	36.72	8.11	34.75
PK	11.40104G	54.42	74.00	-19.58	14.86	3	Horizontal	159	2.37	-	39.56	39.00	9.88	34.02
PK	17.09104G	56.70	68.20	-11.50	16.74	3	Horizontal	271	2.02	-	39.96	38.40	12.27	33.93

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	109.87	Inf	-Inf	6.13	3	Vertical	150	1.47	-	103.74	33.71	6.91	34.49
PK	5.6406G	55.94	68.20	-12.26	5.67	3	Vertical	150	1.47	-	50.27	33.28	6.87	34.48
PK	5.7366G	118.55	Inf	-Inf	6.11	3	Vertical	150	1.47	-	112.44	33.69	6.91	34.49
PK	5.9358G	56.57	68.20	-11.63	6.85	3	Vertical	150	1.47	-	49.72	34.31	7.05	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	109.79	Inf	-Inf	6.12	3	Horizontal	248	1.02	-	103.67	33.70	6.91	34.49
PK	5.6466G	55.96	68.20	-12.24	5.69	3	Horizontal	248	1.02	-	50.27	33.29	6.88	34.48
PK	5.7378G	119.20	Inf	-Inf	6.12	3	Horizontal	248	1.02	-	113.08	33.70	6.91	34.49
PK	5.9454G	56.10	68.20	-12.10	6.92	3	Horizontal	248	1.02	-	49.18	34.37	7.06	34.51

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4948G	42.46	54.00	-11.54	14.96	3	Vertical	296	2.48	-	27.50	39.00	9.91	33.95
PK	7.18031G	50.81	68.20	-17.39	10.23	3	Vertical	153	1.64	-	40.58	36.84	8.16	34.77
PK	11.49296G	54.65	74.00	-19.35	14.96	3	Vertical	296	2.48	-	39.69	39.00	9.91	33.95
PK	17.23468G	57.46	68.20	-10.74	16.72	3	Vertical	232	1.99	-	40.74	38.43	12.33	34.04

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4945G	42.46	54.00	-11.54	14.96	3	Horizontal	0	1.92	-	27.50	39.00	9.91	33.95
PK	7.18429G	50.11	68.20	-18.09	10.23	3	Horizontal	194	1.51	-	39.88	36.83	8.17	34.77
PK	11.49226G	54.49	74.00	-19.51	14.95	3	Horizontal	0	1.92	-	39.54	39.00	9.91	33.96
PK	17.23178G	57.49	68.20	-10.71	16.72	3	Horizontal	68	1.17	-	40.77	38.43	12.33	34.04

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	109.81	Inf	-Inf	6.31	3	Vertical	146	1.42	-	103.50	33.88	6.93	34.50
PK	5.6062G	55.82	68.20	-12.38	5.60	3	Vertical	146	1.42	-	50.22	33.21	6.86	34.47
PK	5.7922G	118.29	Inf	-Inf	6.31	3	Vertical	146	1.42	-	111.98	33.88	6.93	34.50
PK	6.0634G	57.30	68.20	-10.90	6.94	3	Vertical	146	1.42	-	50.36	34.35	7.13	34.54

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	109.38	Inf	-Inf	6.31	3	Horizontal	247	1.14	-	103.07	33.88	6.93	34.50
PK	5.6014G	54.96	68.20	-13.24	5.59	3	Horizontal	247	1.14	-	49.37	33.20	6.86	34.47
PK	5.7934G	118.70	Inf	-Inf	6.32	3	Horizontal	247	1.14	-	112.38	33.89	6.93	34.50
PK	6.0406G	57.21	68.20	-10.99	6.95	3	Horizontal	247	1.14	-	50.26	34.36	7.12	34.53

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56076G	41.90	54.00	-12.10	14.88	3	Vertical	348	1.62	-	27.02	38.94	9.93	33.99
PK	7.23127G	50.78	68.20	-17.42	10.25	3	Vertical	181	1.65	-	40.53	36.86	8.17	34.78
PK	11.56232G	54.80	74.00	-19.20	14.88	3	Vertical	348	1.62	-	39.92	38.94	9.93	33.99
PK	17.36408G	57.32	68.20	-10.88	16.93	3	Vertical	315	1.50	-	40.39	38.69	12.38	34.14

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5608G	41.90	54.00	-12.10	14.88	3	Horizontal	9	2.99	-	27.02	38.94	9.93	33.99
PK	7.23383G	50.07	68.20	-18.13	10.26	3	Horizontal	164	1.58	-	39.81	36.87	8.17	34.78
PK	11.56072G	54.22	74.00	-19.78	14.88	3	Horizontal	9	2.99	-	39.34	38.94	9.93	33.99
PK	17.36468G	57.26	68.20	-10.94	16.89	3	Horizontal	132	1.03	-	40.37	38.64	12.38	34.13

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	110.34	Inf	-Inf	6.56	3	Vertical	147	1.50	-	103.78	34.10	6.96	34.50
PK	5.6414G	54.92	68.20	-13.28	5.67	3	Vertical	147	1.50	-	49.25	33.28	6.87	34.48
PK	5.831G	120.21	Inf	-Inf	6.55	3	Vertical	147	1.50	-	113.66	34.09	6.96	34.50
PK	6.0902G	56.60	68.20	-11.60	6.84	3	Vertical	147	1.50	-	49.76	34.24	7.14	34.54

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	109.23	Inf	-Inf	6.56	3	Horizontal	244	1.21	-	102.67	34.10	6.96	34.50
PK	5.6186G	55.01	68.20	-13.19	5.64	3	Horizontal	244	1.21	-	49.37	33.24	6.87	34.47
PK	5.831G	118.55	Inf	-Inf	6.55	3	Horizontal	244	1.21	-	112.00	34.09	6.96	34.50
PK	6.071G	57.16	68.20	-11.04	6.91	3	Horizontal	244	1.21	-	50.25	34.32	7.13	34.54

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27643G	38.41	54.00	-15.59	10.14	3	Vertical	204	1.63	-	28.27	36.79	8.15	34.80
AV	11.64364G	41.75	54.00	-12.25	14.78	3	Vertical	182	2.61	-	26.97	38.86	9.96	34.04
PK	7.28603G	50.22	74.00	-23.78	10.11	3	Vertical	204	1.63	-	40.11	36.76	8.15	34.80
PK	11.64124G	54.26	74.00	-19.74	14.78	3	Vertical	182	2.61	-	39.48	38.86	9.96	34.04
PK	17.4762G	58.35	68.20	-9.85	17.08	3	Vertical	251	2.25	-	41.27	38.88	12.43	34.23

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27743G	38.40	54.00	-15.60	10.14	3	Horizontal	208	1.48	-	28.26	36.79	8.15	34.80
AV	11.64428G	41.75	54.00	-12.25	14.78	3	Horizontal	293	1.57	-	26.97	38.86	9.96	34.04
PK	7.28609G	50.87	74.00	-23.13	10.11	3	Horizontal	208	1.48	-	40.76	36.76	8.15	34.80
PK	11.64644G	54.15	74.00	-19.85	14.77	3	Horizontal	293	1.57	-	39.38	38.85	9.96	34.04
PK	17.47812G	57.72	68.20	-10.48	17.08	3	Horizontal	84	1.43	-	40.64	38.88	12.43	34.23

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.18	54.00	-8.82	5.15	3	Vertical	142	1.41	-	40.03	33.10	6.49	34.44
AV	5.174G	102.71	Inf	-Inf	5.12	3	Vertical	142	1.41	-	97.59	33.05	6.51	34.44
PK	5.1486G	56.29	74.00	-17.71	5.15	3	Vertical	142	1.41	-	51.14	33.10	6.49	34.44
PK	5.1752G	114.07	Inf	-Inf	5.12	3	Vertical	142	1.41	-	108.95	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	44.82	54.00	-9.18	5.15	3	Horizontal	245	1.62	-	39.67	33.10	6.49	34.44
AV	5.1736G	101.79	Inf	-Inf	5.12	3	Horizontal	245	1.62	-	96.67	33.05	6.51	34.44
PK	5.1492G	56.89	74.00	-17.11	5.15	3	Horizontal	245	1.62	-	51.74	33.10	6.49	34.44
PK	5.1744G	113.04	Inf	-Inf	5.12	3	Horizontal	245	1.62	-	107.92	33.05	6.51	34.44

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54146G	44.53	54.00	-9.47	15.88	3	Vertical	294	2.69	-	28.65	38.72	11.64	34.48
PK	6.47496G	55.70	68.20	-12.50	8.06	3	Vertical	150	1.55	-	47.64	35.35	7.34	34.63
PK	10.3635G	54.60	68.20	-13.60	13.48	3	Vertical	203	2.97	-	41.12	38.66	9.51	34.69
PK	15.53532G	56.69	74.00	-17.31	15.89	3	Vertical	294	2.69	-	40.80	38.73	11.63	34.47

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)

5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54236G	44.65	54.00	-9.35	15.88	3	Horizontal	43	1.21	-	28.77	38.72	11.64	34.48
PK	6.47494G	55.80	68.20	-12.40	8.06	3	Horizontal	167	1.56	-	47.74	35.35	7.34	34.63
PK	10.35692G	53.45	68.20	-14.75	13.47	3	Horizontal	2	1.70	-	39.98	38.66	9.51	34.70
PK	15.54032G	56.45	74.00	-17.55	15.87	3	Horizontal	43	1.21	-	40.58	38.72	11.63	34.48