


802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	43.98	54.00	-10.02	5.15	3	Vertical	157	1.50	-	38.83	33.10	6.49	34.44
AV	5.2076G	102.89	Inf	-Inf	5.08	3	Vertical	157	1.50	-	97.81	32.98	6.54	34.44
PK	5.1488G	55.32	74.00	-18.68	5.15	3	Vertical	157	1.50	-	50.17	33.10	6.49	34.44
PK	5.2056G	113.25	Inf	-Inf	5.09	3	Vertical	157	1.50	-	108.16	32.99	6.54	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	44.29	54.00	-9.71	5.15	3	Horizontal	249	1.61	-	39.14	33.10	6.49	34.44
AV	5.208G	101.78	Inf	-Inf	5.08	3	Horizontal	249	1.61	-	96.70	32.98	6.54	34.44
PK	5.1312G	55.78	74.00	-18.22	5.18	3	Horizontal	249	1.61	-	50.60	33.14	6.48	34.44
PK	5.202G	112.27	Inf	-Inf	5.09	3	Horizontal	249	1.61	-	107.18	33.00	6.53	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5412G	44.65	54.00	-9.35	15.88	3	Vertical	271	1.85	-	28.77	38.72	11.64	34.48
PK	6.50008G	57.24	68.20	-10.96	8.32	3	Vertical	247	1.43	-	48.92	35.60	7.36	34.64
PK	10.39528G	54.88	68.20	-13.32	13.58	3	Vertical	181	1.64	-	41.30	38.70	9.52	34.64
PK	15.5148G	55.38	74.00	-18.62	15.93	3	Vertical	271	1.85	-	39.45	38.77	11.62	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59846G	44.23	54.00	-9.77	15.75	3	Horizontal	87	1.65	-	28.48	38.60	11.66	34.51
PK	6.49986G	54.59	68.20	-13.61	8.31	3	Horizontal	141	1.50	-	46.28	35.60	7.35	34.64
PK	10.3212G	53.25	68.20	-14.95	13.35	3	Horizontal	360	1.84	-	39.90	38.62	9.49	34.76
PK	15.6045G	56.73	74.00	-17.27	15.73	3	Horizontal	87	1.65	-	41.00	38.59	11.66	34.52

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	43.41	54.00	-10.59	5.15	3	Vertical	156	1.48	-	38.26	33.10	6.49	34.44
AV	5.2478G	103.61	Inf	-Inf	5.04	3	Vertical	156	1.48	-	98.57	32.90	6.58	34.44
AV	5.3708G	44.30	54.00	-9.70	5.22	3	Vertical	156	1.48	-	39.08	32.94	6.73	34.45
PK	5.0918G	54.76	74.00	-19.24	5.18	3	Vertical	156	1.48	-	49.58	33.17	6.45	34.44
PK	5.2472G	113.91	Inf	-Inf	5.05	3	Vertical	156	1.48	-	108.86	32.91	6.58	34.44
PK	5.378G	56.15	74.00	-17.85	5.24	3	Vertical	156	1.48	-	50.91	32.96	6.73	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	43.58	54.00	-10.42	5.15	3	Horizontal	241	1.66	-	38.43	33.10	6.49	34.44
AV	5.2424G	100.73	Inf	-Inf	5.06	3	Horizontal	241	1.66	-	95.67	32.92	6.58	34.44
AV	5.3576G	42.99	54.00	-11.01	5.18	3	Horizontal	241	1.66	-	37.81	32.92	6.71	34.45
PK	5.1212G	54.97	74.00	-19.03	5.19	3	Horizontal	241	1.66	-	49.78	33.16	6.47	34.44
PK	5.2466G	110.71	Inf	-Inf	5.05	3	Horizontal	241	1.66	-	105.66	32.91	6.58	34.44
PK	5.3534G	55.10	74.00	-18.90	5.17	3	Horizontal	241	1.66	-	49.93	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71596G	44.66	54.00	-9.34	15.54	3	Vertical	39	1.47	-	29.12	38.42	11.71	34.59
PK	6.54994G	55.38	68.20	-12.82	8.34	3	Vertical	166	1.59	-	47.04	35.60	7.39	34.65
PK	10.47982G	54.03	68.20	-14.17	13.66	3	Vertical	193	2.26	-	40.37	38.62	9.55	34.51
PK	15.71608G	56.58	74.00	-17.42	15.54	3	Vertical	39	1.47	-	41.04	38.42	11.71	34.59

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7249G	44.60	54.00	-9.40	15.54	3	Horizontal	338	1.62	-	29.06	38.42	11.71	34.59
PK	6.54988G	53.33	68.20	-14.87	8.34	3	Horizontal	192	1.53	-	44.99	35.60	7.39	34.65
PK	10.47084G	53.58	68.20	-14.62	13.66	3	Horizontal	20	1.86	-	39.92	38.63	9.55	34.52
PK	15.71804G	57.28	74.00	-16.72	15.54	3	Horizontal	338	1.62	-	41.74	38.42	11.71	34.59

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	43.89	54.00	-10.11	5.15	3	Vertical	141	1.47	-	38.74	33.10	6.49	34.44
AV	5.254G	104.16	Inf	-Inf	5.06	3	Vertical	141	1.47	-	99.10	32.92	6.59	34.45
AV	5.3566G	44.87	54.00	-9.13	5.17	3	Vertical	141	1.47	-	39.70	32.91	6.71	34.45
PK	5.1172G	54.83	74.00	-19.17	5.20	3	Vertical	141	1.47	-	49.63	33.17	6.47	34.44
PK	5.2552G	114.38	Inf	-Inf	5.06	3	Vertical	141	1.47	-	109.32	32.92	6.59	34.45
PK	5.3644G	56.65	74.00	-17.35	5.20	3	Vertical	141	1.47	-	51.45	32.93	6.72	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	43.64	54.00	-10.36	5.15	3	Horizontal	250	1.46	-	38.49	33.10	6.49	34.44
AV	5.254G	100.97	Inf	-Inf	5.06	3	Horizontal	250	1.46	-	95.91	32.92	6.59	34.45
AV	5.3566G	43.57	54.00	-10.43	5.17	3	Horizontal	250	1.46	-	38.40	32.91	6.71	34.45
PK	5.1286G	54.48	74.00	-19.52	5.18	3	Horizontal	250	1.46	-	49.30	33.14	6.48	34.44
PK	5.2546G	110.84	Inf	-Inf	5.06	3	Horizontal	250	1.46	-	105.78	32.92	6.59	34.45
PK	5.4088G	54.58	74.00	-19.42	5.33	3	Horizontal	250	1.46	-	49.25	33.02	6.76	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77812G	44.72	54.00	-9.28	15.59	3	Vertical	327	1.35	-	29.13	38.48	11.74	34.63
PK	6.57484G	55.56	68.20	-12.64	8.51	3	Vertical	156	1.41	-	47.05	35.75	7.41	34.65
PK	10.5223G	54.32	68.20	-13.88	13.81	3	Vertical	48	1.45	-	40.51	38.71	9.57	34.47
PK	15.78434G	56.36	74.00	-17.64	15.59	3	Vertical	327	1.35	-	40.77	38.48	11.74	34.63

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7722G	44.80	54.00	-9.20	15.58	3	Horizontal	217	1.59	-	29.22	38.47	11.73	34.62
PK	6.57514G	52.93	68.20	-15.27	8.51	3	Horizontal	172	1.59	-	44.42	35.75	7.41	34.65
PK	10.51364G	53.49	68.20	-14.71	13.75	3	Horizontal	20	1.78	-	39.74	38.67	9.56	34.48
PK	15.78568G	56.35	74.00	-17.65	15.60	3	Horizontal	217	1.59	-	40.75	38.49	11.74	34.63

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	104.49	Inf	-Inf	5.29	3	Vertical	154	1.61	-	99.20	33.09	6.65	34.45
AV	5.3524G	45.61	54.00	-8.39	5.16	3	Vertical	154	1.61	-	40.45	32.90	6.71	34.45
PK	5.3088G	114.44	Inf	-Inf	5.27	3	Vertical	154	1.61	-	109.17	33.06	6.66	34.45
PK	5.3504G	57.81	74.00	-16.19	5.15	3	Vertical	154	1.61	-	52.66	32.90	6.70	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3052G	99.92	Inf	-Inf	5.28	3	Horizontal	250	1.50	-	94.64	33.08	6.65	34.45
AV	5.3528G	43.58	54.00	-10.42	5.17	3	Horizontal	250	1.50	-	38.41	32.91	6.71	34.45
PK	5.3076G	110.88	Inf	-Inf	5.27	3	Horizontal	250	1.50	-	105.61	33.07	6.65	34.45
PK	5.376G	56.20	74.00	-17.80	5.23	3	Horizontal	250	1.50	-	50.97	32.95	6.73	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8984G	44.55	54.00	-9.45	15.49	3	Vertical	31	2.59	-	29.06	38.40	11.79	34.70
PK	6.6251G	51.10	68.20	-17.10	8.64	3	Vertical	142	1.37	-	42.46	35.85	7.45	34.66
PK	10.6032G	53.57	74.00	-20.43	14.25	3	Vertical	244	3.00	-	39.32	39.10	9.59	34.44
PK	15.90424G	56.88	74.00	-17.12	15.48	3	Vertical	31	2.59	-	41.40	38.40	11.79	34.71

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89758G	44.55	54.00	-9.45	15.49	3	Horizontal	283	2.41	-	29.06	38.40	11.79	34.70
PK	6.6248G	52.11	68.20	-16.09	8.64	3	Horizontal	247	1.60	-	43.47	35.85	7.45	34.66
PK	10.59758G	54.96	68.20	-13.24	14.24	3	Horizontal	9	1.78	-	40.72	39.09	9.59	34.44
PK	15.90444G	56.14	74.00	-17.86	15.48	3	Horizontal	283	2.41	-	40.66	38.40	11.79	34.71



802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	104.50	Inf	-Inf	5.23	3	Vertical	155	1.64	-	99.27	33.01	6.67	34.45
AV	5.35G	45.73	54.00	-8.27	5.15	3	Vertical	155	1.64	-	40.58	32.90	6.70	34.45
PK	5.3244G	116.37	Inf	-Inf	5.22	3	Vertical	155	1.64	-	111.15	33.00	6.67	34.45
PK	5.3528G	58.42	74.00	-15.58	5.17	3	Vertical	155	1.64	-	53.25	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3252G	99.57	Inf	-Inf	5.22	3	Horizontal	250	1.46	-	94.35	33.00	6.67	34.45
AV	5.3508G	43.80	54.00	-10.20	5.15	3	Horizontal	250	1.46	-	38.65	32.90	6.70	34.45
PK	5.3242G	111.95	Inf	-Inf	5.22	3	Horizontal	250	1.46	-	106.73	33.00	6.67	34.45
PK	5.3544G	56.02	74.00	-17.98	5.17	3	Horizontal	250	1.46	-	50.85	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64328G	41.50	54.00	-12.50	14.24	3	Vertical	266	2.46	-	27.26	39.06	9.61	34.43
AV	15.96126G	44.63	54.00	-9.37	15.40	3	Vertical	90	1.53	-	29.23	38.34	11.81	34.75
PK	6.65004G	51.62	68.20	-16.58	8.62	3	Vertical	140	1.32	-	43.00	35.80	7.48	34.66
PK	10.64154G	53.44	74.00	-20.56	14.24	3	Vertical	266	2.46	-	39.20	39.06	9.61	34.43
PK	15.96278G	57.06	74.00	-16.94	15.40	3	Vertical	90	1.53	-	41.66	38.34	11.81	34.75

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64172G	41.52	54.00	-12.48	14.24	3	Horizontal	283	2.06	-	27.28	39.06	9.61	34.43
AV	15.95706G	44.70	54.00	-9.30	15.41	3	Horizontal	77	1.22	-	29.29	38.34	11.81	34.74
PK	6.64996G	52.73	68.20	-15.47	8.62	3	Horizontal	249	1.63	-	44.11	35.80	7.48	34.66
PK	10.63866G	53.63	74.00	-20.37	14.24	3	Horizontal	283	2.06	-	39.39	39.06	9.61	34.43
PK	15.96178G	56.48	74.00	-17.52	15.40	3	Horizontal	77	1.22	-	41.08	38.34	11.81	34.75

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.64	54.00	-9.36	5.45	3	Vertical	151	1.54	-	39.19	33.12	6.79	34.46
AV	5.4946G	105.37	Inf	-Inf	5.54	3	Vertical	151	1.54	-	99.83	33.19	6.81	34.46
PK	5.4698G	58.51	68.20	-9.69	5.47	3	Vertical	151	1.54	-	53.04	33.14	6.79	34.46
PK	5.493G	116.66	Inf	-Inf	5.54	3	Vertical	151	1.54	-	111.12	33.19	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.52	54.00	-10.48	5.45	3	Horizontal	247	1.40	-	38.07	33.12	6.79	34.46
AV	5.494G	101.70	Inf	-Inf	5.54	3	Horizontal	247	1.40	-	96.16	33.19	6.81	34.46
PK	5.4686G	56.27	68.20	-11.93	5.47	3	Horizontal	247	1.40	-	50.80	33.14	6.79	34.46
PK	5.493G	113.33	Inf	-Inf	5.54	3	Horizontal	247	1.40	-	107.79	33.19	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00336G	42.14	54.00	-11.86	14.24	3	Vertical	94	2.66	-	27.90	38.80	9.74	34.30
PK	6.87372G	49.50	68.20	-18.70	8.96	3	Vertical	192	1.53	-	40.54	35.89	7.76	34.69
PK	11.00178G	54.16	74.00	-19.84	14.24	3	Vertical	94	2.66	-	39.92	38.80	9.74	34.30
PK	16.5024G	57.83	68.20	-10.37	16.24	3	Vertical	194	1.60	-	41.59	38.90	12.03	34.69

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.003G	42.14	54.00	-11.86	14.24	3	Horizontal	331	2.05	-	27.90	38.80	9.74	34.30
PK	6.87806G	49.56	68.20	-18.64	8.99	3	Horizontal	205	1.54	-	40.57	35.91	7.77	34.69
PK	10.99952G	54.38	74.00	-19.62	14.23	3	Horizontal	331	2.05	-	40.15	38.80	9.73	34.30
PK	16.5018G	57.62	68.20	-10.58	16.24	3	Horizontal	262	1.22	-	41.38	38.90	12.03	34.69

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.69	54.00	-10.31	5.45	3	Vertical	151	1.50	-	38.24	33.12	6.79	34.46
AV	5.5824G	105.05	Inf	-Inf	5.51	3	Vertical	151	1.50	-	99.54	33.13	6.85	34.47
PK	5.4642G	55.00	68.20	-13.20	5.46	3	Vertical	151	1.50	-	49.54	33.13	6.79	34.46
PK	5.586G	116.40	Inf	-Inf	5.52	3	Vertical	151	1.50	-	110.88	33.14	6.85	34.47
PK	5.7258G	56.61	68.20	-11.59	6.02	3	Vertical	151	1.50	-	50.59	33.61	6.90	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	43.14	54.00	-10.86	5.42	3	Horizontal	248	1.36	-	37.72	33.10	6.78	34.46
AV	5.5854G	101.79	Inf	-Inf	5.52	3	Horizontal	248	1.36	-	96.27	33.14	6.85	34.47
PK	5.463G	55.84	68.20	-12.36	5.46	3	Horizontal	248	1.36	-	50.38	33.13	6.79	34.46
PK	5.5854G	112.37	Inf	-Inf	5.52	3	Horizontal	248	1.36	-	106.85	33.14	6.85	34.47
PK	5.727G	54.96	68.20	-13.24	6.03	3	Horizontal	248	1.36	-	48.93	33.62	6.90	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16364G	42.55	54.00	-11.45	14.63	3	Vertical	303	1.24	-	27.92	39.03	9.79	34.19
PK	6.97436G	49.30	68.20	-18.90	9.24	3	Vertical	156	1.69	-	40.06	36.00	7.95	34.71
PK	11.1609G	55.36	74.00	-18.64	14.62	3	Vertical	303	1.24	-	40.74	39.02	9.79	34.19
PK	16.73672G	57.15	68.20	-11.05	16.56	3	Vertical	229	1.72	-	40.59	38.73	12.13	34.30


802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.165G	42.56	54.00	-11.44	14.64	3	Horizontal	349	2.55	-	27.92	39.03	9.79	34.18
PK	6.97112G	49.89	68.20	-18.31	9.24	3	Horizontal	212	1.64	-	40.65	36.00	7.95	34.71
PK	11.15748G	54.22	74.00	-19.78	14.61	3	Horizontal	349	2.55	-	39.61	39.01	9.79	34.19
PK	16.74226G	58.25	68.20	-9.95	16.56	3	Horizontal	12	2.45	-	41.69	38.72	12.13	34.29

**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	104.96	Inf	-Inf	5.84	3	Vertical	150	1.41	-	99.12	33.42	6.90	34.48
PK	5.7072G	116.96	Inf	-Inf	5.88	3	Vertical	150	1.41	-	111.08	33.46	6.90	34.48
PK	5.7312G	60.21	68.20	-7.99	6.07	3	Vertical	150	1.41	-	54.14	33.65	6.91	34.49


**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.706G	103.75	Inf	-Inf	5.87	3	Horizontal	249	1.12	-	97.88	33.45	6.90	34.48
PK	5.7024G	114.84	Inf	-Inf	5.84	3	Horizontal	249	1.12	-	109.00	33.42	6.90	34.48
PK	5.7284G	59.58	68.20	-8.62	6.04	3	Horizontal	249	1.12	-	53.54	33.63	6.90	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3961G	42.22	54.00	-11.78	14.87	3	Vertical	203	1.49	-	27.35	39.01	9.88	34.02
PK	7.1247G	50.15	68.20	-18.05	10.06	3	Vertical	176	1.55	-	40.09	36.70	8.11	34.75
PK	11.39964G	54.34	74.00	-19.66	14.86	3	Vertical	203	1.49	-	39.48	39.00	9.88	34.02
PK	17.10362G	56.77	68.20	-11.43	16.74	3	Vertical	208	2.89	-	40.03	38.40	12.28	33.94

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39628G	42.22	54.00	-11.78	14.87	3	Horizontal	221	1.88	-	27.35	39.01	9.88	34.02
PK	7.12348G	50.25	68.20	-17.95	10.05	3	Horizontal	182	1.49	-	40.20	36.69	8.11	34.75
PK	11.4023G	54.13	74.00	-19.87	14.86	3	Horizontal	221	1.88	-	39.27	39.00	9.88	34.02
PK	17.10192G	56.97	68.20	-11.23	16.74	3	Horizontal	2	2.32	-	40.23	38.40	12.28	33.94



802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	106.95	Inf	-Inf	6.16	3	Vertical	150	1.41	-	100.79	33.74	6.91	34.49
PK	5.6226G	55.86	68.20	-12.34	5.65	3	Vertical	150	1.41	-	50.21	33.25	6.87	34.47
PK	5.739G	116.78	Inf	-Inf	6.13	3	Vertical	150	1.41	-	110.65	33.71	6.91	34.49
PK	6.0342G	56.62	68.20	-11.58	6.93	3	Vertical	150	1.41	-	49.69	34.34	7.12	34.53

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	106.97	Inf	-Inf	6.13	3	Horizontal	248	1.02	-	100.84	33.71	6.91	34.49
PK	5.6382G	55.01	68.20	-13.19	5.67	3	Horizontal	248	1.02	-	49.34	33.28	6.87	34.48
PK	5.7414G	116.11	Inf	-Inf	6.15	3	Horizontal	248	1.02	-	109.96	33.73	6.91	34.49
PK	5.9658G	56.18	68.20	-12.02	6.90	3	Horizontal	248	1.02	-	49.28	34.34	7.08	34.52

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4946G	42.46	54.00	-11.54	14.96	3	Vertical	1	1.73	-	27.50	39.00	9.91	33.95
PK	7.185333G	50.25	68.20	-17.95	10.23	3	Vertical	168	1.49	-	40.02	36.83	8.17	34.77
PK	11.4949G	55.18	74.00	-18.82	14.96	3	Vertical	1	1.73	-	40.22	39.00	9.91	33.95
PK	17.23378G	57.22	68.20	-10.98	16.72	3	Vertical	52	1.14	-	40.50	38.43	12.33	34.04

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4947G	42.46	54.00	-11.54	14.96	3	Horizontal	18	2.57	-	27.50	39.00	9.91	33.95
PK	7.18449G	51.86	68.20	-16.34	10.23	3	Horizontal	149	1.48	-	41.63	36.83	8.17	34.77
PK	11.49144G	54.62	74.00	-19.38	14.95	3	Horizontal	18	2.57	-	39.67	39.00	9.91	33.96
PK	17.23814G	58.03	68.20	-10.17	16.72	3	Horizontal	278	2.51	-	41.31	38.44	12.33	34.05

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	106.89	Inf	-Inf	6.32	3	Vertical	149	1.43	-	100.57	33.89	6.93	34.50
PK	5.6314G	55.47	68.20	-12.73	5.65	3	Vertical	149	1.43	-	49.82	33.26	6.87	34.48
PK	5.7934G	116.58	Inf	-Inf	6.32	3	Vertical	149	1.43	-	110.26	33.89	6.93	34.50
PK	6.0034G	56.33	68.20	-11.87	6.80	3	Vertical	149	1.43	-	49.53	34.21	7.11	34.52

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	105.78	Inf	-Inf	6.31	3	Horizontal	245	1.20	-	99.47	33.88	6.93	34.50
PK	5.6062G	54.62	68.20	-13.58	5.60	3	Horizontal	245	1.20	-	49.02	33.21	6.86	34.47
PK	5.7898G	116.18	Inf	-Inf	6.32	3	Horizontal	245	1.20	-	109.86	33.88	6.93	34.49
PK	6.0358G	56.41	68.20	-11.79	6.93	3	Horizontal	245	1.20	-	49.48	34.34	7.12	34.53

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56942G	42.16	54.00	-11.84	14.88	3	Vertical	260	2.36	-	27.28	38.93	9.94	33.99
PK	7.23237G	49.81	68.20	-18.39	10.25	3	Vertical	152	1.48	-	39.56	36.86	8.17	34.78
PK	11.56932G	54.44	74.00	-19.56	14.88	3	Vertical	260	2.36	-	39.56	38.93	9.94	33.99
PK	17.35518G	57.03	68.20	-11.17	16.91	3	Vertical	140	1.75	-	40.12	38.67	12.38	34.14

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57066G	42.16	54.00	-11.84	14.88	3	Horizontal	1	1.50	-	27.28	38.93	9.94	33.99
PK	7.23107G	50.33	68.20	-17.87	10.25	3	Horizontal	175	1.65	-	40.08	36.86	8.17	34.78
PK	11.56788G	54.65	74.00	-19.35	14.88	3	Horizontal	1	1.50	-	39.77	38.93	9.94	33.99
PK	17.35572G	57.02	68.20	-11.18	16.91	3	Horizontal	76	1.16	-	40.11	38.67	12.38	34.14

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	107.35	Inf	-Inf	6.56	3	Vertical	148	1.50	-	100.79	34.10	6.96	34.50
PK	5.6474G	55.63	68.20	-12.57	5.69	3	Vertical	148	1.50	-	49.94	33.29	6.88	34.48
PK	5.8274G	117.36	Inf	-Inf	6.51	3	Vertical	148	1.50	-	110.85	34.06	6.95	34.50
PK	6.0506G	56.83	68.20	-11.37	7.00	3	Vertical	148	1.50	-	49.83	34.40	7.13	34.53

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	106.33	Inf	-Inf	6.56	3	Horizontal	246	1.15	-	99.77	34.10	6.96	34.50
PK	5.627G	55.35	68.20	-12.85	5.64	3	Horizontal	246	1.15	-	49.71	33.25	6.87	34.48
PK	5.8286G	115.91	Inf	-Inf	6.53	3	Horizontal	246	1.15	-	109.38	34.07	6.96	34.50
PK	6.0314G	56.49	68.20	-11.71	6.92	3	Horizontal	246	1.15	-	49.57	34.33	7.12	34.53

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27627G	38.24	54.00	-15.76	10.14	3	Vertical	195	1.65	-	28.10	36.79	8.15	34.80
AV	11.64624G	41.73	54.00	-12.27	14.77	3	Vertical	163	1.29	-	26.96	38.85	9.96	34.04
PK	7.27659G	50.82	74.00	-23.18	10.14	3	Vertical	195	1.65	-	40.68	36.79	8.15	34.80
PK	11.64992G	53.99	74.00	-20.01	14.78	3	Vertical	163	1.29	-	39.21	38.85	9.97	34.04
PK	17.47964G	57.89	68.20	-10.31	17.08	3	Vertical	100	1.46	-	40.81	38.88	12.43	34.23

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27625G	38.25	54.00	-15.75	10.15	3	Horizontal	153	1.54	-	28.10	36.80	8.15	34.80
AV	11.64622G	41.82	54.00	-12.18	14.77	3	Horizontal	160	1.88	-	27.05	38.85	9.96	34.04
PK	7.28569G	50.83	74.00	-23.17	10.11	3	Horizontal	153	1.54	-	40.72	36.76	8.15	34.80
PK	11.65182G	54.15	74.00	-19.85	14.78	3	Horizontal	160	1.88	-	39.37	38.85	9.97	34.04
PK	17.47982G	58.76	68.20	-9.44	17.07	3	Horizontal	348	1.66	-	41.69	38.87	12.43	34.23

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	42.96	54.00	-11.04	5.15	3	Vertical	209	1.50	-	37.81	33.10	6.49	34.44
AV	5.1716G	103.54	Inf	-Inf	5.13	3	Vertical	209	1.50	-	98.41	33.06	6.51	34.44
PK	5.1494G	56.44	74.00	-17.56	5.15	3	Vertical	209	1.50	-	51.29	33.10	6.49	34.44
PK	5.1718G	114.75	Inf	-Inf	5.13	3	Vertical	209	1.50	-	109.62	33.06	6.51	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.71	54.00	-11.29	5.15	3	Horizontal	118	1.64	-	37.56	33.10	6.49	34.44
AV	5.1716G	101.96	Inf	-Inf	5.13	3	Horizontal	118	1.64	-	96.83	33.06	6.51	34.44
PK	5.1462G	55.85	74.00	-18.15	5.16	3	Horizontal	118	1.64	-	50.69	33.11	6.49	34.44
PK	5.1718G	113.17	Inf	-Inf	5.13	3	Horizontal	118	1.64	-	108.04	33.06	6.51	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.4964G	43.73	54.00	-10.27	15.99	3	Vertical	76	1.31	-	27.74	38.81	11.62	34.44
PK	6.47504G	54.13	68.20	-14.07	8.06	3	Vertical	212	1.50	-	46.07	35.35	7.34	34.63
PK	10.3996G	52.00	68.20	-16.20	13.59	3	Vertical	225	1.13	-	38.41	38.70	9.52	34.63
PK	15.582G	55.18	74.00	-18.82	15.79	3	Vertical	76	1.31	-	39.39	38.64	11.65	34.50

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.4962G	43.73	54.00	-10.27	15.99	3	Horizontal	173	1.73	-	27.74	38.81	11.62	34.44
PK	6.47492G	52.54	68.20	-15.66	8.06	3	Horizontal	127	1.50	-	44.48	35.35	7.34	34.63
PK	10.4046G	53.04	68.20	-15.16	13.59	3	Horizontal	156	2.55	-	39.45	38.70	9.52	34.63
PK	15.5714G	55.08	74.00	-18.92	15.81	3	Horizontal	173	1.73	-	39.27	38.66	11.65	34.50



802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	42.74	54.00	-11.26	5.19	3	Vertical	209	1.48	-	37.55	33.16	6.47	34.44
AV	5.1992G	103.52	Inf	-Inf	5.09	3	Vertical	209	1.48	-	98.43	33.00	6.53	34.44
PK	5.1308G	55.23	74.00	-18.77	5.18	3	Vertical	209	1.48	-	50.05	33.14	6.48	34.44
PK	5.2004G	113.62	Inf	-Inf	5.09	3	Vertical	209	1.48	-	108.53	33.00	6.53	34.44


802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	42.42	54.00	-11.58	5.18	3	Horizontal	116	1.49	-	37.24	33.14	6.48	34.44
AV	5.2008G	101.29	Inf	-Inf	5.09	3	Horizontal	116	1.49	-	96.20	33.00	6.53	34.44
PK	5.1324G	54.31	74.00	-19.69	5.18	3	Horizontal	116	1.49	-	49.13	33.14	6.48	34.44
PK	5.1996G	112.22	Inf	-Inf	5.09	3	Horizontal	116	1.49	-	107.13	33.00	6.53	34.44

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	43.59	54.00	-10.41	15.86	3	Vertical	223	1.12	-	27.73	38.70	11.64	34.48
PK	6.50008G	48.74	68.20	-19.46	8.32	3	Vertical	257	1.01	-	40.42	35.60	7.36	34.64
PK	10.4232G	53.21	68.20	-14.99	13.61	3	Vertical	43	2.66	-	39.60	38.68	9.53	34.60
PK	15.5666G	55.50	74.00	-18.50	15.83	3	Vertical	223	1.12	-	39.67	38.67	11.65	34.49


**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5502G	43.02	54.00	-10.98	15.86	3	Horizontal	293	2.72	-	27.16	38.70	11.64	34.48
PK	6.49984G	50.01	68.20	-18.19	8.31	3	Horizontal	130	1.65	-	41.70	35.60	7.35	34.64
PK	10.4002G	54.06	68.20	-14.14	13.59	3	Horizontal	351	1.25	-	40.47	38.70	9.52	34.63
PK	15.5828G	54.30	74.00	-19.70	15.78	3	Horizontal	293	2.72	-	38.52	38.63	11.65	34.50

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	42.66	54.00	-11.34	5.19	3	Vertical	208	1.50	-	37.47	33.16	6.47	34.44
AV	5.2478G	103.80	Inf	-Inf	5.04	3	Vertical	208	1.50	-	98.76	32.90	6.58	34.44
AV	5.3684G	42.97	54.00	-11.03	5.21	3	Vertical	208	1.50	-	37.76	32.94	6.72	34.45
PK	5.1158G	54.04	74.00	-19.96	5.20	3	Vertical	208	1.50	-	48.84	33.17	6.47	34.44
PK	5.2484G	113.94	Inf	-Inf	5.05	3	Vertical	208	1.50	-	108.89	32.90	6.59	34.44
PK	5.3792G	54.37	74.00	-19.63	5.25	3	Vertical	208	1.50	-	49.12	32.96	6.74	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1278G	42.44	54.00	-11.56	5.18	3	Horizontal	118	1.50	-	37.26	33.14	6.48	34.44
AV	5.2484G	101.60	Inf	-Inf	5.05	3	Horizontal	118	1.50	-	96.55	32.90	6.59	34.44
AV	5.3858G	42.30	54.00	-11.70	5.26	3	Horizontal	118	1.50	-	37.04	32.97	6.74	34.45
PK	5.1188G	53.83	74.00	-20.17	5.19	3	Horizontal	118	1.50	-	48.64	33.16	6.47	34.44
PK	5.2484G	111.22	Inf	-Inf	5.05	3	Horizontal	118	1.50	-	106.17	32.90	6.59	34.44
PK	5.3546G	54.69	74.00	-19.31	5.17	3	Horizontal	118	1.50	-	49.52	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7672G	44.07	54.00	-9.93	15.58	3	Vertical	249	1.25	-	28.49	38.47	11.73	34.62
PK	6.5501G	51.64	68.20	-16.56	8.34	3	Vertical	147	1.44	-	43.30	35.60	7.39	34.65
PK	10.4668G	52.25	68.20	-15.95	13.65	3	Vertical	72	1.57	-	38.60	38.63	9.55	34.53
PK	15.7416G	55.97	74.00	-18.03	15.56	3	Vertical	249	1.25	-	40.41	38.44	11.72	34.60

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7572G	44.13	54.00	-9.87	15.58	3	Horizontal	172	1.53	-	28.55	38.46	11.73	34.61
PK	6.54992G	50.88	68.20	-17.32	8.34	3	Horizontal	129	1.50	-	42.54	35.60	7.39	34.65
PK	10.502G	52.79	68.20	-15.41	13.69	3	Horizontal	220	2.13	-	39.10	38.61	9.56	34.48
PK	15.7178G	56.52	74.00	-17.48	15.54	3	Horizontal	172	1.53	-	40.98	38.42	11.71	34.59

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	42.76	54.00	-11.24	5.16	3	Vertical	207	1.35	-	37.60	33.11	6.49	34.44
AV	5.2516G	103.47	Inf	-Inf	5.05	3	Vertical	207	1.35	-	98.42	32.91	6.59	34.45
AV	5.3566G	44.24	54.00	-9.76	5.17	3	Vertical	207	1.35	-	39.07	32.91	6.71	34.45
PK	5.14G	54.62	74.00	-19.38	5.17	3	Vertical	207	1.35	-	49.45	33.12	6.49	34.44
PK	5.2516G	112.90	Inf	-Inf	5.05	3	Vertical	207	1.35	-	107.85	32.91	6.59	34.45
PK	5.353G	54.82	74.00	-19.18	5.17	3	Vertical	207	1.35	-	49.65	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	42.60	54.00	-11.40	5.16	3	Horizontal	118	1.50	-	37.44	33.11	6.49	34.44
AV	5.2516G	101.03	Inf	-Inf	5.05	3	Horizontal	118	1.50	-	95.98	32.91	6.59	34.45
AV	5.356G	43.04	54.00	-10.96	5.17	3	Horizontal	118	1.50	-	37.87	32.91	6.71	34.45
PK	5.1394G	53.82	74.00	-20.18	5.16	3	Horizontal	118	1.50	-	48.66	33.12	6.48	34.44
PK	5.2522G	111.01	Inf	-Inf	5.05	3	Horizontal	118	1.50	-	105.96	32.91	6.59	34.45
PK	5.3752G	54.12	74.00	-19.88	5.23	3	Horizontal	118	1.50	-	48.89	32.95	6.73	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7476G	44.06	54.00	-9.94	15.56	3	Vertical	336	2.07	-	28.50	38.45	11.72	34.61
PK	6.57492G	52.48	68.20	-15.72	8.51	3	Vertical	231	1.44	-	43.97	35.75	7.41	34.65
PK	10.5616G	53.59	68.20	-14.61	14.03	3	Vertical	239	1.05	-	39.56	38.91	9.58	34.46
PK	15.7406G	56.17	74.00	-17.83	15.56	3	Vertical	336	2.07	-	40.61	38.44	11.72	34.60

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7646G	44.05	54.00	-9.95	15.57	3	Horizontal	156	2.00	-	28.48	38.46	11.73	34.62
PK	6.57484G	51.24	68.20	-16.96	8.51	3	Horizontal	133	1.00	-	42.73	35.75	7.41	34.65
PK	10.4768G	52.51	68.20	-15.69	13.65	3	Horizontal	314	2.74	-	38.86	38.62	9.55	34.52
PK	15.8054G	56.12	74.00	-17.88	15.59	3	Horizontal	156	2.00	-	40.53	38.49	11.75	34.65

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	103.66	Inf	-Inf	5.29	3	Vertical	206	1.35	-	98.37	33.10	6.64	34.45
AV	5.3912G	43.29	54.00	-10.71	5.28	3	Vertical	206	1.35	-	38.01	32.98	6.75	34.45
PK	5.2992G	114.51	Inf	-Inf	5.29	3	Vertical	206	1.35	-	109.22	33.10	6.64	34.45
PK	5.3536G	55.40	74.00	-18.60	5.17	3	Vertical	206	1.35	-	50.23	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	101.26	Inf	-Inf	5.30	3	Horizontal	118	1.59	-	95.96	33.10	6.65	34.45
AV	5.3532G	42.71	54.00	-11.29	5.17	3	Horizontal	118	1.59	-	37.54	32.91	6.71	34.45
PK	5.2992G	110.80	Inf	-Inf	5.29	3	Horizontal	118	1.59	-	105.51	33.10	6.64	34.45
PK	5.3868G	54.30	74.00	-19.70	5.26	3	Horizontal	118	1.59	-	49.04	32.97	6.74	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9482G	44.11	54.00	-9.89	15.42	3	Vertical	149	1.25	-	28.69	38.35	11.81	34.74
PK	6.62487G	51.30	68.20	-16.90	8.64	3	Vertical	216	1.48	-	42.66	35.85	7.45	34.66
PK	10.5574G	52.87	68.20	-15.33	14.01	3	Vertical	223	1.66	-	38.86	38.89	9.58	34.46
PK	15.9366G	56.81	74.00	-17.19	15.43	3	Vertical	149	1.25	-	41.38	38.36	11.80	34.73

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9414G	44.04	54.00	-9.96	15.44	3	Horizontal	49	2.28	-	28.60	38.36	11.81	34.73
PK	6.62497G	49.58	68.20	-18.62	8.64	3	Horizontal	246	2.21	-	40.94	35.85	7.45	34.66
PK	10.5794G	53.10	68.20	-15.10	14.14	3	Horizontal	220	2.11	-	38.96	39.00	9.59	34.45
PK	15.8834G	55.78	74.00	-18.22	15.50	3	Horizontal	49	2.28	-	40.28	38.42	11.78	34.70



802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3282G	103.98	Inf	-Inf	5.22	3	Vertical	207	1.41	-	98.76	32.99	6.68	34.45
AV	5.362G	44.03	54.00	-9.97	5.19	3	Vertical	207	1.41	-	38.84	32.92	6.72	34.45
PK	5.328G	114.90	Inf	-Inf	5.22	3	Vertical	207	1.41	-	109.68	32.99	6.68	34.45
PK	5.3518G	60.37	74.00	-13.63	5.15	3	Vertical	207	1.41	-	55.22	32.90	6.70	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.328G	101.32	Inf	-Inf	5.22	3	Horizontal	120	1.64	-	96.10	32.99	6.68	34.45
AV	5.361G	42.89	54.00	-11.11	5.19	3	Horizontal	120	1.64	-	37.70	32.92	6.72	34.45
PK	5.3286G	111.26	Inf	-Inf	5.22	3	Horizontal	120	1.64	-	106.04	32.99	6.68	34.45
PK	5.3522G	56.63	74.00	-17.37	5.16	3	Horizontal	120	1.64	-	51.47	32.90	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6882G	40.88	54.00	-13.12	14.22	3	Vertical	292	1.32	-	26.66	39.01	9.62	34.41
AV	15.9514G	44.09	54.00	-9.91	15.42	3	Vertical	319	2.99	-	28.67	38.35	11.81	34.74
PK	6.64984G	51.82	68.20	-16.38	8.62	3	Vertical	213	1.50	-	43.20	35.80	7.48	34.66
PK	10.6886G	53.52	74.00	-20.48	14.22	3	Vertical	292	1.32	-	39.30	39.01	9.62	34.41
PK	15.9472G	55.30	74.00	-18.70	15.42	3	Vertical	319	2.99	-	39.88	38.35	11.81	34.74

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.685G	40.88	54.00	-13.12	14.23	3	Horizontal	61	1.77	-	26.65	39.02	9.62	34.41
AV	15.9548G	44.04	54.00	-9.96	15.42	3	Horizontal	127	1.16	-	28.62	38.35	11.81	34.74
PK	6.64998G	50.87	68.20	-17.33	8.62	3	Horizontal	242	2.12	-	42.25	35.80	7.48	34.66
PK	10.6268G	52.73	74.00	-21.27	14.24	3	Horizontal	61	1.77	-	38.49	39.07	9.60	34.43
PK	15.9526G	56.22	74.00	-17.78	15.42	3	Horizontal	127	1.16	-	40.80	38.35	11.81	34.74

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.07	54.00	-10.93	5.45	3	Vertical	141	1.56	-	37.62	33.12	6.79	34.46
AV	5.4918G	103.78	Inf	-Inf	5.53	3	Vertical	141	1.56	-	98.25	33.18	6.81	34.46
PK	5.4656G	57.41	68.20	-10.79	5.46	3	Vertical	141	1.56	-	51.95	33.13	6.79	34.46
PK	5.4914G	115.14	Inf	-Inf	5.53	3	Vertical	141	1.56	-	109.61	33.18	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	42.46	54.00	-11.54	5.45	3	Horizontal	138	1.56	-	37.01	33.12	6.79	34.46
AV	5.4918G	100.51	Inf	-Inf	5.53	3	Horizontal	138	1.56	-	94.98	33.18	6.81	34.46
PK	5.4694G	56.93	68.20	-11.27	5.47	3	Horizontal	138	1.56	-	51.46	33.14	6.79	34.46
PK	5.4916G	111.46	Inf	-Inf	5.53	3	Horizontal	138	1.56	-	105.93	33.18	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9968G	41.21	54.00	-12.79	14.23	3	Vertical	234	2.37	-	26.98	38.80	9.73	34.30
PK	6.8898G	48.21	68.20	-19.99	9.06	3	Vertical	79	1.70	-	39.15	35.96	7.79	34.69
PK	11.0386G	53.30	74.00	-20.70	14.32	3	Vertical	234	2.37	-	38.98	38.84	9.75	34.27
PK	16.5438G	56.65	68.20	-11.55	16.24	3	Vertical	28	1.65	-	40.41	38.81	12.05	34.62

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0086G	41.19	54.00	-12.81	14.26	3	Horizontal	10	2.15	-	26.93	38.81	9.74	34.29
PK	6.87544G	48.76	68.20	-19.44	8.97	3	Horizontal	56	1.98	-	39.79	35.90	7.76	34.69
PK	11.0224G	53.11	74.00	-20.89	14.28	3	Horizontal	10	2.15	-	38.83	38.82	9.74	34.28
PK	16.5092G	56.18	68.20	-12.02	16.25	3	Horizontal	153	1.40	-	39.93	38.88	12.04	34.67

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	42.55	54.00	-11.45	5.45	3	Vertical	208	1.50	-	37.10	33.12	6.79	34.46
AV	5.5794G	103.04	Inf	-Inf	5.50	3	Vertical	208	1.50	-	97.54	33.12	6.85	34.47
PK	5.4666G	53.73	68.20	-14.47	5.46	3	Vertical	208	1.50	-	48.27	33.13	6.79	34.46
PK	5.5806G	113.32	Inf	-Inf	5.50	3	Vertical	208	1.50	-	107.82	33.12	6.85	34.47
PK	5.73G	53.42	68.20	-14.78	6.06	3	Vertical	208	1.50	-	47.36	33.64	6.91	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	42.27	54.00	-11.73	5.42	3	Horizontal	136	1.58	-	36.85	33.10	6.78	34.46
AV	5.5806G	99.48	Inf	-Inf	5.50	3	Horizontal	136	1.58	-	93.98	33.12	6.85	34.47
PK	5.4612G	53.56	68.20	-14.64	5.45	3	Horizontal	136	1.58	-	48.11	33.12	6.79	34.46
PK	5.5812G	108.64	Inf	-Inf	5.50	3	Horizontal	136	1.58	-	103.14	33.12	6.85	34.47
PK	5.7294G	54.65	68.20	-13.55	6.06	3	Horizontal	136	1.58	-	48.59	33.64	6.91	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1392G	41.54	54.00	-12.46	14.56	3	Vertical	48	1.90	-	26.98	38.98	9.78	34.20
PK	6.97599G	48.97	68.20	-19.23	9.24	3	Vertical	123	1.58	-	39.73	36.00	7.95	34.71
PK	11.167G	54.00	74.00	-20.00	14.64	3	Vertical	48	1.90	-	39.36	39.03	9.79	34.18
PK	16.7824G	56.62	68.20	-11.58	16.57	3	Vertical	229	1.18	-	40.05	38.64	12.15	34.22


802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1422G	41.59	54.00	-12.41	14.57	3	Horizontal	261	2.52	-	27.02	38.98	9.79	34.20
PK	6.97667G	48.58	68.20	-19.62	9.25	3	Horizontal	214	1.31	-	39.33	36.00	7.96	34.71
PK	11.1392G	53.39	74.00	-20.61	14.56	3	Horizontal	261	2.52	-	38.83	38.98	9.78	34.20
PK	16.79G	56.25	68.20	-11.95	16.56	3	Horizontal	234	2.12	-	39.69	38.62	12.15	34.21

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	103.02	Inf	-Inf	5.88	3	Vertical	153	1.50	-	97.14	33.46	6.90	34.48
PK	5.7084G	114.18	Inf	-Inf	5.88	3	Vertical	153	1.50	-	108.30	33.47	6.90	34.49
PK	5.7308G	58.04	68.20	-10.16	6.07	3	Vertical	153	1.50	-	51.97	33.65	6.91	34.49


**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	100.50	Inf	-Inf	5.88	3	Horizontal	142	1.57	-	94.62	33.46	6.90	34.48
PK	5.708G	111.43	Inf	-Inf	5.88	3	Horizontal	142	1.57	-	105.55	33.46	6.90	34.48
PK	5.7284G	56.62	68.20	-11.58	6.04	3	Horizontal	142	1.57	-	50.58	33.63	6.90	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4006G	41.63	54.00	-12.37	14.86	3	Vertical	150	2.03	-	26.77	39.00	9.88	34.02
PK	7.12493G	50.06	68.20	-18.14	10.06	3	Vertical	259	1.57	-	40.00	36.70	8.11	34.75
PK	11.3684G	53.46	74.00	-20.54	14.89	3	Vertical	150	2.03	-	38.57	39.06	9.87	34.04
PK	17.0774G	55.81	68.20	-12.39	16.75	3	Vertical	253	1.15	-	39.06	38.40	12.27	33.92

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4008G	41.63	54.00	-12.37	14.86	3	Horizontal	37	2.73	-	26.77	39.00	9.88	34.02
PK	7.1247G	49.01	68.20	-19.19	10.06	3	Horizontal	4	1.44	-	38.95	36.70	8.11	34.75
PK	11.4266G	52.98	74.00	-21.02	14.89	3	Horizontal	37	2.73	-	38.09	39.00	9.89	34.00
PK	17.071G	56.37	68.20	-11.83	16.74	3	Horizontal	171	1.11	-	39.63	38.40	12.26	33.92



802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	112.56	Inf	-Inf	6.11	3	Vertical	150	1.41	-	106.45	33.69	6.91	34.49
PK	5.6214G	55.48	68.20	-12.72	5.64	3	Vertical	150	1.41	-	49.84	33.24	6.87	34.47
PK	5.7366G	120.70	Inf	-Inf	6.11	3	Vertical	150	1.41	-	114.59	33.69	6.91	34.49
PK	6.0378G	56.20	68.20	-12.00	6.94	3	Vertical	150	1.41	-	49.26	34.35	7.12	34.53


802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	109.94	Inf	-Inf	6.11	3	Horizontal	141	1.50	-	103.83	33.69	6.91	34.49
PK	5.637G	54.28	68.20	-13.92	5.66	3	Horizontal	141	1.50	-	48.62	33.27	6.87	34.48
PK	5.7366G	118.13	Inf	-Inf	6.11	3	Horizontal	141	1.50	-	112.02	33.69	6.91	34.49
PK	6.039G	55.46	68.20	-12.74	6.95	3	Horizontal	141	1.50	-	48.51	34.36	7.12	34.53

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX**  
**5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4716G	41.36	54.00	-12.64	14.93	3	Vertical	308	2.15	-	26.43	39.00	9.90	33.97
PK	7.18059G	49.54	68.20	-18.66	10.23	3	Vertical	115	1.81	-	39.31	36.84	8.16	34.77
PK	11.4794G	53.23	74.00	-20.77	14.95	3	Vertical	308	2.15	-	38.28	39.00	9.91	33.96
PK	17.2102G	59.06	68.20	-9.14	16.71	3	Vertical	216	1.50	-	42.35	38.41	12.32	34.02

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX**  
**5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4542G	41.34	54.00	-12.66	14.92	3	Horizontal	67	2.47	-	26.42	39.00	9.90	33.98
PK	7.17959G	50.26	68.20	-17.94	10.23	3	Horizontal	90	2.38	-	40.03	36.84	8.16	34.77
PK	11.4716G	53.49	74.00	-20.51	14.93	3	Horizontal	67	2.47	-	38.56	39.00	9.90	33.97
PK	17.2094G	57.85	68.20	-10.35	16.71	3	Horizontal	198	1.60	-	41.14	38.41	12.32	34.02

**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	112.15	Inf	-Inf	6.30	3	Vertical	151	1.50	-	105.85	33.87	6.92	34.49
PK	5.6194G	56.83	68.20	-11.37	5.64	3	Vertical	151	1.50	-	51.19	33.24	6.87	34.47
PK	5.7862G	120.83	Inf	-Inf	6.31	3	Vertical	151	1.50	-	114.52	33.87	6.93	34.49
PK	6.0538G	55.99	68.20	-12.21	6.98	3	Vertical	151	1.50	-	49.01	34.38	7.13	34.53


**802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	109.82	Inf	-Inf	6.30	3	Horizontal	143	1.66	-	103.52	33.87	6.92	34.49
PK	5.5114G	54.15	68.20	-14.05	5.51	3	Horizontal	143	1.66	-	48.64	33.15	6.82	34.46
PK	5.7862G	118.95	Inf	-Inf	6.31	3	Horizontal	143	1.66	-	112.64	33.87	6.93	34.49
PK	6.085G	56.26	68.20	-11.94	6.86	3	Horizontal	143	1.66	-	49.40	34.26	7.14	34.54

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6194G	41.31	54.00	-12.69	14.81	3	Vertical	236	1.50	-	26.50	38.88	9.95	34.02
PK	7.23317G	49.87	68.20	-18.33	10.26	3	Vertical	37	2.44	-	39.61	36.87	8.17	34.78
PK	11.5468G	53.87	74.00	-20.13	14.90	3	Vertical	236	1.50	-	38.97	38.95	9.93	33.98
PK	17.3536G	58.30	68.20	-9.90	16.90	3	Vertical	181	1.49	-	41.40	38.66	12.38	34.14

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 4\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52G	41.17	54.00	-12.83	14.94	3	Horizontal	182	1.50	-	26.23	38.98	9.92	33.96
PK	7.23199G	50.63	68.20	-17.57	10.25	3	Horizontal	3	2.22	-	40.38	36.86	8.17	34.78
PK	11.5452G	54.29	74.00	-19.71	14.90	3	Horizontal	182	1.50	-	39.39	38.95	9.93	33.98
PK	17.3888G	56.88	68.20	-11.32	17.00	3	Horizontal	187	1.46	-	39.88	38.77	12.39	34.16

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	112.55	Inf	-Inf	6.56	3	Vertical	213	1.52	-	105.99	34.10	6.96	34.50
PK	5.591G	54.81	68.20	-13.39	5.55	3	Vertical	213	1.52	-	49.26	33.16	6.86	34.47
PK	5.8334G	121.31	Inf	-Inf	6.56	3	Vertical	213	1.52	-	114.75	34.10	6.96	34.50
PK	5.9366G	56.57	68.20	-11.63	6.86	3	Vertical	213	1.52	-	49.71	34.32	7.05	34.51

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	110.26	Inf	-Inf	6.56	3	Horizontal	133	1.46	-	103.70	34.10	6.96	34.50
PK	5.6258G	55.00	68.20	-13.20	5.64	3	Horizontal	133	1.46	-	49.36	33.25	6.87	34.48
PK	5.8334G	118.70	Inf	-Inf	6.56	3	Horizontal	133	1.46	-	112.14	34.10	6.96	34.50
PK	5.945G	55.87	68.20	-12.33	6.92	3	Horizontal	133	1.46	-	48.95	34.37	7.06	34.51

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27902G	37.22	54.00	-16.78	10.13	3	Vertical	330	1.48	-	27.09	36.78	8.15	34.80
AV	11.6184G	41.21	54.00	-12.79	14.81	3	Vertical	34	2.32	-	26.40	38.88	9.95	34.02
PK	7.28026G	50.31	74.00	-23.69	10.13	3	Vertical	330	1.48	-	40.18	36.78	8.15	34.80
PK	11.6794G	53.63	74.00	-20.37	14.74	3	Vertical	34	2.32	-	38.89	38.82	9.98	34.06
PK	17.5006G	57.90	68.20	-10.30	17.09	3	Vertical	181	1.50	-	40.81	38.90	12.44	34.25

802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.28335G	37.16	54.00	-16.84	10.12	3	Horizontal	339	1.39	-	27.04	36.77	8.15	34.80
AV	11.6152G	41.13	54.00	-12.87	14.81	3	Horizontal	0	2.76	-	26.32	38.88	9.95	34.02
PK	7.27916G	50.90	74.00	-23.10	10.13	3	Horizontal	339	1.39	-	40.77	36.78	8.15	34.80
PK	11.6098G	53.59	74.00	-20.41	14.82	3	Horizontal	0	2.76	-	38.77	38.89	9.95	34.02
PK	17.4924G	57.57	68.20	-10.63	17.08	3	Horizontal	230	2.55	-	40.49	38.89	12.43	34.24

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.50	54.00	-10.50	5.15	3	Vertical	206	1.53	-	38.35	33.10	6.49	34.44
AV	5.1728G	102.77	Inf	-Inf	5.12	3	Vertical	206	1.53	-	97.65	33.05	6.51	34.44
PK	5.1468G	57.27	74.00	-16.73	5.16	3	Vertical	206	1.53	-	52.11	33.11	6.49	34.44
PK	5.1714G	112.06	Inf	-Inf	5.13	3	Vertical	206	1.53	-	106.93	33.06	6.51	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.24	54.00	-10.76	5.15	3	Horizontal	116	1.73	-	38.09	33.10	6.49	34.44
AV	5.1728G	101.28	Inf	-Inf	5.12	3	Horizontal	116	1.73	-	96.16	33.05	6.51	34.44
PK	5.1474G	56.79	74.00	-17.21	5.16	3	Horizontal	116	1.73	-	51.63	33.11	6.49	34.44
PK	5.173G	110.71	Inf	-Inf	5.12	3	Horizontal	116	1.73	-	105.59	33.05	6.51	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54784G	44.41	54.00	-9.59	15.86	3	Vertical	274	1.24	-	28.55	38.70	11.64	34.48
PK	6.47488G	54.96	68.20	-13.24	8.06	3	Vertical	208	1.48	-	46.90	35.35	7.34	34.63
PK	10.36888G	54.30	68.20	-13.90	13.50	3	Vertical	81	1.32	-	40.80	38.67	9.51	34.68
PK	15.53504G	56.48	74.00	-17.52	15.89	3	Vertical	274	1.24	-	40.59	38.73	11.63	34.47

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5476G	44.41	54.00	-9.59	15.86	3	Horizontal	132	1.68	-	28.55	38.70	11.64	34.48
PK	6.475G	53.41	68.20	-14.79	8.06	3	Horizontal	126	1.49	-	45.35	35.35	7.34	34.63
PK	10.35512G	53.60	68.20	-14.60	13.47	3	Horizontal	19	1.57	-	40.13	38.66	9.51	34.70
PK	15.53952G	56.87	74.00	-17.13	15.87	3	Horizontal	132	1.68	-	41.00	38.72	11.63	34.48




**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	43.32	54.00	-10.68	5.15	3	Vertical	205	1.50	-	38.17	33.10	6.49	34.44
AV	5.2076G	103.35	Inf	-Inf	5.08	3	Vertical	205	1.50	-	98.27	32.98	6.54	34.44
PK	5.1052G	55.08	74.00	-18.92	5.21	3	Vertical	205	1.50	-	49.87	33.19	6.46	34.44
PK	5.206G	112.78	Inf	-Inf	5.09	3	Vertical	205	1.50	-	107.69	32.99	6.54	34.44

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	43.23	54.00	-10.77	5.15	3	Horizontal	117	1.73	-	38.08	33.10	6.49	34.44
AV	5.208G	101.24	Inf	-Inf	5.08	3	Horizontal	117	1.73	-	96.16	32.98	6.54	34.44
PK	5.1044G	54.61	74.00	-19.39	5.21	3	Horizontal	117	1.73	-	49.40	33.19	6.46	34.44
PK	5.2068G	111.62	Inf	-Inf	5.09	3	Horizontal	117	1.73	-	106.53	32.99	6.54	34.44

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60744G	44.43	54.00	-9.57	15.73	3	Vertical	94	2.80	-	28.70	38.59	11.66	34.52
PK	6.50006G	53.98	68.20	-14.22	8.32	3	Vertical	207	1.50	-	45.66	35.60	7.36	34.64
PK	10.39644G	53.58	68.20	-14.62	13.58	3	Vertical	101	2.50	-	40.00	38.70	9.52	34.64
PK	15.60964G	56.63	74.00	-17.37	15.72	3	Vertical	94	2.80	-	40.91	38.58	11.66	34.52

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60768G	44.42	54.00	-9.58	15.72	3	Horizontal	225	2.12	-	28.70	38.58	11.66	34.52
PK	6.50012G	53.16	68.20	-15.04	8.32	3	Horizontal	127	1.50	-	44.84	35.60	7.36	34.64
PK	10.40036G	54.72	68.20	-13.48	13.59	3	Horizontal	231	2.62	-	41.13	38.70	9.52	34.63
PK	15.59028G	56.73	74.00	-17.27	15.77	3	Horizontal	225	2.12	-	40.96	38.62	11.66	34.51

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5240MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.07	54.00	-10.93	5.15	3	Vertical	202	1.30	-	37.92	33.10	6.49	34.44
AV	5.2484G	103.48	Inf	-Inf	5.05	3	Vertical	202	1.30	-	98.43	32.90	6.59	34.44
AV	5.3708G	43.59	54.00	-10.41	5.22	3	Vertical	202	1.30	-	38.37	32.94	6.73	34.45
PK	5.144G	54.69	74.00	-19.31	5.16	3	Vertical	202	1.30	-	49.53	33.11	6.49	34.44
PK	5.2484G	113.28	Inf	-Inf	5.05	3	Vertical	202	1.30	-	108.23	32.90	6.59	34.44
PK	5.3528G	54.77	74.00	-19.23	5.17	3	Vertical	202	1.30	-	49.60	32.91	6.71	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5240MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1284G	42.98	54.00	-11.02	5.18	3	Horizontal	114	1.71	-	37.80	33.14	6.48	34.44
AV	5.2478G	101.15	Inf	-Inf	5.04	3	Horizontal	114	1.71	-	96.11	32.90	6.58	34.44
AV	5.3558G	42.98	54.00	-11.02	5.17	3	Horizontal	114	1.71	-	37.81	32.91	6.71	34.45
PK	5.1188G	54.75	74.00	-19.25	5.19	3	Horizontal	114	1.71	-	49.56	33.16	6.47	34.44
PK	5.2472G	110.37	Inf	-Inf	5.05	3	Horizontal	114	1.71	-	105.32	32.91	6.58	34.44
PK	5.3858G	55.72	74.00	-18.28	5.26	3	Horizontal	114	1.71	-	50.46	32.97	6.74	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5240MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72868G	44.63	54.00	-9.37	15.54	3	Vertical	316	2.77	-	29.09	38.43	11.71	34.60
PK	6.54994G	53.17	68.20	-15.03	8.34	3	Vertical	211	1.63	-	44.83	35.60	7.39	34.65
PK	10.47264G	53.85	68.20	-14.35	13.66	3	Vertical	4	2.23	-	40.19	38.63	9.55	34.52
PK	15.71404G	56.97	74.00	-17.03	15.53	3	Vertical	316	2.77	-	41.44	38.41	11.71	34.59

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5240MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71912G	44.57	54.00	-9.43	15.54	3	Horizontal	326	2.85	-	29.03	38.42	11.71	34.59
PK	6.55012G	51.66	68.20	-16.54	8.34	3	Horizontal	136	1.04	-	43.32	35.60	7.39	34.65
PK	10.48164G	54.21	68.20	-13.99	13.66	3	Horizontal	241	1.87	-	40.55	38.62	9.55	34.51
PK	15.71596G	56.61	74.00	-17.39	15.54	3	Horizontal	326	2.85	-	41.07	38.42	11.71	34.59

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5260MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	43.23	54.00	-10.77	5.15	3	Vertical	201	1.31	-	38.08	33.10	6.49	34.44
AV	5.2522G	103.62	Inf	-Inf	5.05	3	Vertical	201	1.31	-	98.57	32.91	6.59	34.45
AV	5.356G	44.13	54.00	-9.87	5.17	3	Vertical	201	1.31	-	38.96	32.91	6.71	34.45
PK	5.1316G	54.69	74.00	-19.31	5.18	3	Vertical	201	1.31	-	49.51	33.14	6.48	34.44
PK	5.254G	112.82	Inf	-Inf	5.06	3	Vertical	201	1.31	-	107.76	32.92	6.59	34.45
PK	5.362G	55.93	74.00	-18.07	5.19	3	Vertical	201	1.31	-	50.74	32.92	6.72	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5260MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.98	54.00	-11.02	5.15	3	Horizontal	114	1.65	-	37.83	33.10	6.49	34.44
AV	5.2534G	100.62	Inf	-Inf	5.05	3	Horizontal	114	1.65	-	95.57	32.91	6.59	34.45
AV	5.3554G	43.16	54.00	-10.84	5.17	3	Horizontal	114	1.65	-	37.99	32.91	6.71	34.45
PK	5.125G	54.35	74.00	-19.65	5.18	3	Horizontal	114	1.65	-	49.17	33.15	6.47	34.44
PK	5.254G	110.45	Inf	-Inf	5.06	3	Horizontal	114	1.65	-	105.39	32.92	6.59	34.45
PK	5.3674G	55.62	74.00	-18.38	5.20	3	Horizontal	114	1.65	-	50.42	32.93	6.72	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5260MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77544G	44.81	54.00	-9.19	15.58	3	Vertical	337	1.54	-	29.23	38.48	11.73	34.63
PK	6.57518G	52.79	68.20	-15.41	8.51	3	Vertical	214	1.50	-	44.28	35.75	7.41	34.65
PK	10.5172G	53.09	68.20	-15.11	13.78	3	Vertical	12	1.57	-	39.31	38.69	9.56	34.47
PK	15.78608G	57.20	74.00	-16.80	15.60	3	Vertical	337	1.54	-	41.60	38.49	11.74	34.63


**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5260MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77508G	44.81	54.00	-9.19	15.58	3	Horizontal	281	1.63	-	29.23	38.48	11.73	34.63
PK	6.57506G	52.26	68.20	-15.94	8.51	3	Horizontal	131	1.00	-	43.75	35.75	7.41	34.65
PK	10.52616G	54.02	68.20	-14.18	13.83	3	Horizontal	31	1.76	-	40.19	38.73	9.57	34.47
PK	15.77748G	56.48	74.00	-17.52	15.59	3	Horizontal	281	1.63	-	40.89	38.48	11.74	34.63

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3068G	103.57	Inf	-Inf	5.27	3	Vertical	202	1.36	-	98.30	33.07	6.65	34.45
AV	5.3516G	44.64	54.00	-9.36	5.15	3	Vertical	202	1.36	-	39.49	32.90	6.70	34.45
PK	5.3064G	113.73	Inf	-Inf	5.27	3	Vertical	202	1.36	-	108.46	33.07	6.65	34.45
PK	5.3532G	56.79	74.00	-17.21	5.17	3	Vertical	202	1.36	-	51.62	32.91	6.71	34.45


802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	100.41	Inf	-Inf	5.27	3	Horizontal	117	1.62	-	95.14	33.07	6.65	34.45
AV	5.3536G	43.50	54.00	-10.50	5.17	3	Horizontal	117	1.62	-	38.33	32.91	6.71	34.45
PK	5.3084G	109.86	Inf	-Inf	5.27	3	Horizontal	117	1.62	-	104.59	33.07	6.65	34.45
PK	5.3664G	55.15	74.00	-18.85	5.20	3	Horizontal	117	1.62	-	49.95	32.93	6.72	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5300MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89456G	44.56	54.00	-9.44	15.50	3	Vertical	207	2.58	-	29.06	38.41	11.79	34.70
PK	10.6076G	53.56	74.00	-20.44	14.25	3	Vertical	274	2.71	-	39.31	39.09	9.60	34.44
PK	15.9026G	57.01	74.00	-16.99	15.48	3	Vertical	207	2.58	-	41.53	38.40	11.79	34.71

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5300MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89192G	44.67	54.00	-9.33	15.49	3	Horizontal	290	2.95	-	29.18	38.41	11.78	34.70
PK	10.595G	53.82	68.20	-14.38	14.21	3	Horizontal	117	2.57	-	39.61	39.07	9.59	34.45
PK	15.90448G	56.69	74.00	-17.31	15.48	3	Horizontal	290	2.95	-	41.21	38.40	11.79	34.71



802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3272G	103.67	Inf	-Inf	5.22	3	Vertical	201	1.33	-	98.45	32.99	6.68	34.45
AV	5.3576G	44.37	54.00	-9.63	5.18	3	Vertical	201	1.33	-	39.19	32.92	6.71	34.45
PK	5.3276G	114.04	Inf	-Inf	5.22	3	Vertical	201	1.33	-	108.82	32.99	6.68	34.45
PK	5.3512G	59.85	74.00	-14.15	5.15	3	Vertical	201	1.33	-	54.70	32.90	6.70	34.45


802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3262G	100.64	Inf	-Inf	5.23	3	Horizontal	115	1.70	-	95.41	33.00	6.68	34.45
AV	5.358G	43.50	54.00	-10.50	5.18	3	Horizontal	115	1.70	-	38.32	32.92	6.71	34.45
PK	5.3268G	110.80	Inf	-Inf	5.22	3	Horizontal	115	1.70	-	105.58	32.99	6.68	34.45
PK	5.3528G	57.26	74.00	-16.74	5.17	3	Horizontal	115	1.70	-	52.09	32.91	6.71	34.45

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5320MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63104G	41.61	54.00	-12.39	14.24	3	Vertical	280	1.96	-	27.37	39.07	9.60	34.43
AV	15.96232G	44.85	54.00	-9.15	15.40	3	Vertical	18	1.61	-	29.45	38.34	11.81	34.75
PK	6.64972G	53.09	68.20	-15.11	8.62	3	Vertical	194	1.36	-	44.47	35.80	7.48	34.66
PK	10.63064G	53.70	74.00	-20.30	14.24	3	Vertical	280	1.96	-	39.46	39.07	9.60	34.43
PK	15.95384G	57.05	74.00	-16.95	15.42	3	Vertical	18	1.61	-	41.63	38.35	11.81	34.74


**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5320MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63044G	41.62	54.00	-12.38	14.24	3	Horizontal	170	1.66	-	27.38	39.07	9.60	34.43
AV	15.95516G	44.85	54.00	-9.15	15.41	3	Horizontal	279	1.56	-	29.44	38.34	11.81	34.74
PK	6.65G	51.06	68.20	-17.14	8.62	3	Horizontal	145	1.83	-	42.44	35.80	7.48	34.66
PK	10.6408G	53.37	74.00	-20.63	14.24	3	Horizontal	170	1.66	-	39.13	39.06	9.61	34.43
PK	15.95288G	57.01	74.00	-16.99	15.42	3	Horizontal	279	1.56	-	41.59	38.35	11.81	34.74

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	43.60	54.00	-10.40	5.43	3	Vertical	139	1.61	-	38.17	33.10	6.79	34.46
AV	5.4928G	103.81	Inf	-Inf	5.54	3	Vertical	139	1.61	-	98.27	33.19	6.81	34.46
PK	5.4692G	60.48	68.20	-7.72	5.47	3	Vertical	139	1.61	-	55.01	33.14	6.79	34.46
PK	5.493G	114.05	Inf	-Inf	5.54	3	Vertical	139	1.61	-	108.51	33.19	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	43.16	54.00	-10.84	5.45	3	Horizontal	116	2.75	-	37.71	33.12	6.79	34.46
AV	5.492G	99.93	Inf	-Inf	5.53	3	Horizontal	116	2.75	-	94.40	33.18	6.81	34.46
PK	5.465G	55.60	68.20	-12.60	5.46	3	Horizontal	116	2.75	-	50.14	33.13	6.79	34.46
PK	5.4934G	110.36	Inf	-Inf	5.54	3	Horizontal	116	2.75	-	104.82	33.19	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99344G	42.01	54.00	-11.99	14.22	3	Vertical	321	2.89	-	27.79	38.79	9.73	34.30
PK	6.87182G	49.69	68.20	-18.51	8.96	3	Vertical	220	1.69	-	40.73	35.89	7.76	34.69
PK	11.00008G	54.07	74.00	-19.93	14.24	3	Vertical	321	2.89	-	39.83	38.80	9.74	34.30
PK	16.49124G	57.11	68.20	-11.09	16.20	3	Vertical	355	2.37	-	40.91	38.86	12.03	34.69

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00288G	42.03	54.00	-11.97	14.24	3	Horizontal	83	1.01	-	27.79	38.80	9.74	34.30
PK	6.87976G	49.29	68.20	-18.91	9.00	3	Horizontal	206	1.48	-	40.29	35.92	7.77	34.69
PK	10.99352G	53.94	74.00	-20.06	14.22	3	Horizontal	83	1.01	-	39.72	38.79	9.73	34.30
PK	16.50136G	57.93	68.20	-10.27	16.24	3	Horizontal	179	1.69	-	41.69	38.90	12.03	34.69

802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	43.17	54.00	-10.83	5.43	3	Vertical	152	1.50	-	37.74	33.10	6.79	34.46
AV	5.586G	103.12	Inf	-Inf	5.52	3	Vertical	152	1.50	-	97.60	33.14	6.85	34.47
PK	5.469G	54.83	68.20	-13.37	5.47	3	Vertical	152	1.50	-	49.36	33.14	6.79	34.46
PK	5.5866G	113.27	Inf	-Inf	5.53	3	Vertical	152	1.50	-	107.74	33.15	6.85	34.47
PK	5.7282G	55.72	68.20	-12.48	6.04	3	Vertical	152	1.50	-	49.68	33.63	6.90	34.49


802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	42.94	54.00	-11.06	5.41	3	Horizontal	250	1.21	-	37.53	33.09	6.78	34.46
AV	5.5878G	100.22	Inf	-Inf	5.53	3	Horizontal	250	1.21	-	94.69	33.15	6.85	34.47
PK	5.4672G	55.28	68.20	-12.92	5.46	3	Horizontal	250	1.21	-	49.82	33.13	6.79	34.46
PK	5.5866G	110.45	Inf	-Inf	5.53	3	Horizontal	250	1.21	-	104.92	33.15	6.85	34.47
PK	5.727G	54.77	68.20	-13.43	6.03	3	Horizontal	250	1.21	-	48.74	33.62	6.90	34.49

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16496G	42.56	54.00	-11.44	14.64	3	Vertical	244	2.74	-	27.92	39.03	9.79	34.18
PK	6.97356G	49.42	68.20	-18.78	9.24	3	Vertical	181	1.52	-	40.18	36.00	7.95	34.71
PK	11.16648G	54.58	74.00	-19.42	14.64	3	Vertical	244	2.74	-	39.94	39.03	9.79	34.18
PK	16.74036G	57.63	68.20	-10.57	16.56	3	Vertical	54	2.13	-	41.07	38.72	12.13	34.29

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16024G	42.52	54.00	-11.48	14.62	3	Horizontal	73	2.26	-	27.90	39.02	9.79	34.19
PK	6.97606G	49.22	68.20	-18.98	9.24	3	Horizontal	144	1.47	-	39.98	36.00	7.95	34.71
PK	11.16884G	54.54	74.00	-19.46	14.65	3	Horizontal	73	2.26	-	39.89	39.04	9.79	34.18
PK	16.74468G	57.44	68.20	-10.76	16.56	3	Horizontal	331	2.70	-	40.88	38.71	12.13	34.28

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7076G	102.44	Inf	-Inf	5.88	3	Vertical	141	1.49	-	96.56	33.46	6.90	34.48
PK	5.708G	113.19	Inf	-Inf	5.88	3	Vertical	141	1.49	-	107.31	33.46	6.90	34.48
PK	5.7304G	59.75	68.20	-8.45	6.06	3	Vertical	141	1.49	-	53.69	33.64	6.91	34.49

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7068G	99.23	Inf	-Inf	5.87	3	Horizontal	116	1.38	-	93.36	33.45	6.90	34.48
PK	5.7068G	109.23	Inf	-Inf	5.87	3	Horizontal	116	1.38	-	103.36	33.45	6.90	34.48
PK	5.7844G	56.28	68.20	-11.92	6.30	3	Horizontal	116	1.38	-	49.98	33.87	6.92	34.49

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3962G	42.44	54.00	-11.56	14.87	3	Vertical	97	2.15	-	27.57	39.01	9.88	34.02
PK	7.12832G	50.70	68.20	-17.50	10.10	3	Vertical	177	1.47	-	40.60	36.73	8.12	34.75
PK	11.39512G	54.30	74.00	-19.70	14.87	3	Vertical	97	2.15	-	39.43	39.01	9.88	34.02
PK	17.09796G	57.07	68.20	-11.13	16.73	3	Vertical	294	1.14	-	40.34	38.40	12.27	33.94


**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39976G	42.45	54.00	-11.55	14.86	3	Horizontal	359	2.48	-	27.59	39.00	9.88	34.02
PK	7.127G	50.29	68.20	-17.91	10.08	3	Horizontal	157	1.59	-	40.21	36.72	8.11	34.75
PK	11.39928G	54.53	74.00	-19.47	14.86	3	Horizontal	359	2.48	-	39.67	39.00	9.88	34.02
PK	17.10672G	56.69	68.20	-11.51	16.74	3	Horizontal	336	1.76	-	39.95	38.40	12.28	33.94




**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	110.65	Inf	-Inf	6.13	3	Vertical	141	1.47	-	104.52	33.71	6.91	34.49
PK	5.6454G	55.72	68.20	-12.48	5.69	3	Vertical	141	1.47	-	50.03	33.29	6.88	34.48
PK	5.7378G	120.46	Inf	-Inf	6.12	3	Vertical	141	1.47	-	114.34	33.70	6.91	34.49
PK	5.9574G	56.82	68.20	-11.38	6.93	3	Vertical	141	1.47	-	49.89	34.37	7.07	34.51

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	107.03	Inf	-Inf	6.12	3	Horizontal	130	1.67	-	100.91	33.70	6.91	34.49
PK	5.643G	55.08	68.20	-13.12	5.69	3	Horizontal	130	1.67	-	49.39	33.29	6.88	34.48
PK	5.739G	116.51	Inf	-Inf	6.13	3	Horizontal	130	1.67	-	110.38	33.71	6.91	34.49
PK	5.9526G	56.19	68.20	-12.01	6.95	3	Horizontal	130	1.67	-	49.24	34.39	7.07	34.51

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4945G	42.46	54.00	-11.54	14.96	3	Vertical	327	2.57	-	27.50	39.00	9.91	33.95
PK	7.17919G	50.85	68.20	-17.35	10.23	3	Vertical	145	1.62	-	40.62	36.84	8.16	34.77
PK	11.49462G	54.80	74.00	-19.20	14.96	3	Vertical	327	2.57	-	39.84	39.00	9.91	33.95
PK	17.23214G	57.25	68.20	-10.95	16.72	3	Vertical	206	2.26	-	40.53	38.43	12.33	34.04

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX**  
**5745MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4878G	42.49	54.00	-11.51	14.95	3	Horizontal	243	1.24	-	27.54	39.00	9.91	33.96
PK	7.18169G	50.36	68.20	-17.84	10.23	3	Horizontal	180	1.68	-	40.13	36.84	8.16	34.77
PK	11.4935G	54.37	74.00	-19.63	14.96	3	Horizontal	243	1.24	-	39.41	39.00	9.91	33.95
PK	17.23378G	56.84	68.20	-11.36	16.72	3	Horizontal	86	1.93	-	40.12	38.43	12.33	34.04

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	110.43	Inf	-Inf	6.32	3	Vertical	145	1.50	-	104.11	33.89	6.93	34.50
PK	5.5558G	55.08	68.20	-13.12	5.39	3	Vertical	145	1.50	-	49.69	33.02	6.84	34.47
PK	5.7934G	119.87	Inf	-Inf	6.32	3	Vertical	145	1.50	-	113.55	33.89	6.93	34.50
PK	5.9482G	56.43	68.20	-11.77	6.94	3	Vertical	145	1.50	-	49.49	34.39	7.06	34.51

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	107.10	Inf	-Inf	6.31	3	Horizontal	131	1.62	-	100.79	33.88	6.93	34.50
PK	5.6098G	55.97	68.20	-12.23	5.61	3	Horizontal	131	1.62	-	50.36	33.22	6.86	34.47
PK	5.791G	116.06	Inf	-Inf	6.32	3	Horizontal	131	1.62	-	109.74	33.88	6.93	34.49
PK	6.0202G	56.06	68.20	-12.14	6.88	3	Horizontal	131	1.62	-	49.18	34.28	7.12	34.52

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5242G	42.10	54.00	-11.90	14.93	3	Vertical	0	1.50	-	27.17	38.98	9.92	33.97
PK	7.22933G	51.11	68.20	-17.09	10.25	3	Vertical	178	1.59	-	40.86	36.86	8.17	34.78
PK	11.5264G	54.55	74.00	-19.45	14.92	3	Vertical	0	1.50	-	39.63	38.97	9.92	33.97
PK	17.3738G	59.29	68.20	-8.91	16.96	3	Vertical	175	2.16	-	42.33	38.72	12.39	34.15

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5226G	42.10	54.00	-11.90	14.94	3	Horizontal	269	1.50	-	27.16	38.98	9.92	33.96
PK	7.22781G	50.46	68.20	-17.74	10.25	3	Horizontal	181	1.60	-	40.21	36.86	8.17	34.78
PK	11.5506G	54.35	74.00	-19.65	14.90	3	Horizontal	269	1.50	-	39.45	38.95	9.93	33.98
PK	17.3308G	58.11	68.20	-10.09	16.84	3	Horizontal	227	1.67	-	41.27	38.59	12.37	34.12

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5825MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	110.82	Inf	-Inf	6.56	3	Vertical	145	1.50	-	104.26	34.10	6.96	34.50
PK	5.6474G	55.60	68.20	-12.60	5.69	3	Vertical	145	1.50	-	49.91	33.29	6.88	34.48
PK	5.8334G	119.47	Inf	-Inf	6.56	3	Vertical	145	1.50	-	112.91	34.10	6.96	34.50
PK	5.957G	56.74	68.20	-11.46	6.93	3	Vertical	145	1.50	-	49.81	34.37	7.07	34.51

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5825MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	110.71	Inf	-Inf	6.55	3	Horizontal	246	1.00	-	104.16	34.09	6.96	34.50
PK	5.6054G	54.87	68.20	-13.33	5.60	3	Horizontal	246	1.00	-	49.27	33.21	6.86	34.47
PK	5.8346G	119.97	Inf	-Inf	6.57	3	Horizontal	246	1.00	-	113.40	34.11	6.96	34.50
PK	5.9378G	57.89	68.20	-10.31	6.87	3	Horizontal	246	1.00	-	51.02	34.33	7.05	34.51

**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27649G	38.32	54.00	-15.68	10.14	3	Vertical	185	1.50	-	28.18	36.79	8.15	34.80
AV	11.625G	42.07	54.00	-11.93	14.80	3	Vertical	360	1.50	-	27.27	38.87	9.96	34.03
PK	7.28449G	50.55	74.00	-23.45	10.11	3	Vertical	185	1.50	-	40.44	36.76	8.15	34.80
PK	11.6742G	54.45	74.00	-19.55	14.74	3	Vertical	360	1.50	-	39.71	38.83	9.97	34.06
PK	17.4956G	58.74	68.20	-9.46	17.09	3	Vertical	180	1.50	-	41.65	38.90	12.44	34.25


**802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27669G	38.32	54.00	-15.68	10.14	3	Horizontal	212	1.46	-	28.18	36.79	8.15	34.80
AV	11.6246G	41.98	54.00	-12.02	14.81	3	Horizontal	331	3.00	-	27.17	38.88	9.96	34.03
PK	7.27929G	50.21	74.00	-23.79	10.13	3	Horizontal	212	1.46	-	40.08	36.78	8.15	34.80
PK	11.6784G	54.42	74.00	-19.58	14.74	3	Horizontal	331	3.00	-	39.68	38.82	9.98	34.06
PK	17.5142G	58.27	68.20	-9.93	17.14	3	Horizontal	182	1.90	-	41.13	38.96	12.44	34.26

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	43.83	54.00	-10.17	5.15	3	Vertical	205	1.50	-	38.68	33.10	6.49	34.44
AV	5.1762G	102.41	Inf	-Inf	5.12	3	Vertical	205	1.50	-	97.29	33.05	6.51	34.44
PK	5.15G	57.15	74.00	-16.85	5.15	3	Vertical	205	1.50	-	52.00	33.10	6.49	34.44
PK	5.1766G	113.16	Inf	-Inf	5.12	3	Vertical	205	1.50	-	108.04	33.05	6.51	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.58	54.00	-10.42	5.15	3	Horizontal	116	1.73	-	38.43	33.10	6.49	34.44
AV	5.1764G	100.99	Inf	-Inf	5.12	3	Horizontal	116	1.73	-	95.87	33.05	6.51	34.44
PK	5.1478G	57.60	74.00	-16.40	5.15	3	Horizontal	116	1.73	-	52.45	33.10	6.49	34.44
PK	5.1772G	111.90	Inf	-Inf	5.12	3	Horizontal	116	1.73	-	106.78	33.05	6.51	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54216G	44.65	54.00	-9.35	15.88	3	Vertical	237	1.85	-	28.77	38.72	11.64	34.48
PK	6.47494G	55.83	68.20	-12.37	8.06	3	Vertical	218	1.70	-	47.77	35.35	7.34	34.63
PK	10.3611G	53.87	68.20	-14.33	13.48	3	Vertical	323	1.80	-	40.39	38.66	9.51	34.69
PK	15.54198G	57.66	74.00	-16.34	15.88	3	Vertical	237	1.85	-	41.78	38.72	11.64	34.48

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53904G	44.64	54.00	-9.36	15.88	3	Horizontal	89	1.69	-	28.76	38.72	11.63	34.47
PK	6.4749G	55.83	68.20	-12.37	8.06	3	Horizontal	138	1.30	-	47.77	35.35	7.34	34.63
PK	10.36248G	53.65	68.20	-14.55	13.48	3	Horizontal	225	1.43	-	40.17	38.66	9.51	34.69
PK	15.5352G	56.42	74.00	-17.58	15.89	3	Horizontal	89	1.69	-	40.53	38.73	11.63	34.47



802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	43.48	54.00	-10.52	5.15	3	Vertical	206	1.50	-	38.33	33.10	6.49	34.44
AV	5.208G	103.00	Inf	-Inf	5.08	3	Vertical	206	1.50	-	97.92	32.98	6.54	34.44
PK	5.1212G	55.24	74.00	-18.76	5.19	3	Vertical	206	1.50	-	50.05	33.16	6.47	34.44
PK	5.206G	113.82	Inf	-Inf	5.09	3	Vertical	206	1.50	-	108.73	32.99	6.54	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	43.22	54.00	-10.78	5.15	3	Horizontal	117	1.73	-	38.07	33.10	6.49	34.44
AV	5.2028G	101.02	Inf	-Inf	5.08	3	Horizontal	117	1.73	-	95.94	32.99	6.53	34.44
PK	5.1188G	55.26	74.00	-18.74	5.19	3	Horizontal	117	1.73	-	50.07	33.16	6.47	34.44
PK	5.2068G	111.96	Inf	-Inf	5.09	3	Horizontal	117	1.73	-	106.87	32.99	6.54	34.44

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59732G	44.13	54.00	-9.87	15.76	3	Vertical	240	1.63	-	28.37	38.61	11.66	34.51
PK	6.5G	56.50	68.20	-11.70	8.32	3	Vertical	118	1.42	-	48.18	35.60	7.36	34.64
PK	10.4008G	53.42	68.20	-14.78	13.59	3	Vertical	116	1.46	-	39.83	38.70	9.52	34.63
PK	15.60366G	57.26	74.00	-16.74	15.73	3	Vertical	240	1.63	-	41.53	38.59	11.66	34.52

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59706G	44.13	54.00	-9.87	15.76	3	Horizontal	122	1.63	-	28.37	38.61	11.66	34.51
PK	6.50008G	53.92	68.20	-14.28	8.32	3	Horizontal	181	1.66	-	45.60	35.60	7.36	34.64
PK	10.40176G	53.79	68.20	-14.41	13.59	3	Horizontal	172	1.57	-	40.20	38.70	9.52	34.63
PK	15.6016G	56.31	74.00	-17.69	15.74	3	Horizontal	122	1.63	-	40.57	38.60	11.66	34.52

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1338G	43.23	54.00	-10.77	5.17	3	Vertical	205	1.50	-	38.06	33.13	6.48	34.44
AV	5.2472G	102.94	Inf	-Inf	5.05	3	Vertical	205	1.50	-	97.89	32.91	6.58	34.44
AV	5.3534G	43.50	54.00	-10.50	5.17	3	Vertical	205	1.50	-	38.33	32.91	6.71	34.45
PK	5.1236G	54.55	74.00	-19.45	5.18	3	Vertical	205	1.50	-	49.37	33.15	6.47	34.44
PK	5.2442G	113.82	Inf	-Inf	5.05	3	Vertical	205	1.50	-	108.77	32.91	6.58	34.44
PK	5.354G	55.62	74.00	-18.38	5.17	3	Vertical	205	1.50	-	50.45	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1308G	43.11	54.00	-10.89	5.18	3	Horizontal	118	1.71	-	37.93	33.14	6.48	34.44
AV	5.2472G	100.75	Inf	-Inf	5.05	3	Horizontal	118	1.71	-	95.70	32.91	6.58	34.44
AV	5.354G	43.16	54.00	-10.84	5.17	3	Horizontal	118	1.71	-	37.99	32.91	6.71	34.45
PK	5.123G	54.70	74.00	-19.30	5.18	3	Horizontal	118	1.71	-	49.52	33.15	6.47	34.44
PK	5.2478G	111.46	Inf	-Inf	5.04	3	Horizontal	118	1.71	-	106.42	32.90	6.58	34.44
PK	5.351G	54.95	74.00	-19.05	5.15	3	Horizontal	118	1.71	-	49.80	32.90	6.70	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7241G	44.48	54.00	-9.52	15.54	3	Vertical	123	1.68	-	28.94	38.42	11.71	34.59
PK	6.54992G	53.16	68.20	-15.04	8.34	3	Vertical	231	1.50	-	44.82	35.60	7.39	34.65
PK	10.4801G	53.32	68.20	-14.88	13.66	3	Vertical	93	1.53	-	39.66	38.62	9.55	34.51
PK	15.72104G	56.55	74.00	-17.45	15.54	3	Vertical	123	1.68	-	41.01	38.42	11.71	34.59

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72232G	44.59	54.00	-9.41	15.54	3	Horizontal	193	1.47	-	29.05	38.42	11.71	34.59
PK	6.55016G	51.18	68.20	-17.02	8.34	3	Horizontal	141	1.50	-	42.84	35.60	7.39	34.65
PK	10.47902G	54.03	68.20	-14.17	13.66	3	Horizontal	115	1.62	-	40.37	38.62	9.55	34.51
PK	15.7227G	56.48	74.00	-17.52	15.54	3	Horizontal	193	1.47	-	40.94	38.42	11.71	34.59

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.15	54.00	-10.85	5.15	3	Vertical	201	1.42	-	38.00	33.10	6.49	34.44
AV	5.2558G	103.28	Inf	-Inf	5.06	3	Vertical	201	1.42	-	98.22	32.92	6.59	34.45
AV	5.356G	44.05	54.00	-9.95	5.17	3	Vertical	201	1.42	-	38.88	32.91	6.71	34.45
PK	5.1496G	54.40	74.00	-19.60	5.15	3	Vertical	201	1.42	-	49.25	33.10	6.49	34.44
PK	5.257G	113.31	Inf	-Inf	5.08	3	Vertical	201	1.42	-	108.23	32.93	6.60	34.45
PK	5.359G	55.23	74.00	-18.77	5.18	3	Vertical	201	1.42	-	50.05	32.92	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1316G	43.04	54.00	-10.96	5.18	3	Horizontal	119	1.72	-	37.86	33.14	6.48	34.44
AV	5.2528G	100.29	Inf	-Inf	5.05	3	Horizontal	119	1.72	-	95.24	32.91	6.59	34.45
AV	5.356G	43.24	54.00	-10.76	5.17	3	Horizontal	119	1.72	-	38.07	32.91	6.71	34.45
PK	5.1472G	55.09	74.00	-18.91	5.16	3	Horizontal	119	1.72	-	49.93	33.11	6.49	34.44
PK	5.2528G	109.99	Inf	-Inf	5.05	3	Horizontal	119	1.72	-	104.94	32.91	6.59	34.45
PK	5.3794G	54.51	74.00	-19.49	5.25	3	Horizontal	119	1.72	-	49.26	32.96	6.74	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78246G	44.74	54.00	-9.26	15.59	3	Vertical	56	1.06	-	29.15	38.48	11.74	34.63
PK	6.57486G	55.41	68.20	-12.79	8.51	3	Vertical	149	1.52	-	46.90	35.75	7.41	34.65
PK	10.5286G	54.78	68.20	-13.42	13.84	3	Vertical	153	2.15	-	40.94	38.74	9.57	34.47
PK	15.78428G	56.69	74.00	-17.31	15.59	3	Vertical	56	1.06	-	41.10	38.48	11.74	34.63

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7821G	44.74	54.00	-9.26	15.59	3	Horizontal	172	2.89	-	29.15	38.48	11.74	34.63
PK	6.57486G	54.43	68.20	-13.77	8.51	3	Horizontal	137	1.32	-	45.92	35.75	7.41	34.65
PK	10.51718G	53.31	68.20	-14.89	13.78	3	Horizontal	230	1.76	-	39.53	38.69	9.56	34.47
PK	15.7795G	57.24	74.00	-16.76	15.59	3	Horizontal	172	2.89	-	41.65	38.48	11.74	34.63

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3052G	103.27	Inf	-Inf	5.28	3	Vertical	202	1.36	-	97.99	33.08	6.65	34.45
AV	5.3524G	44.43	54.00	-9.57	5.16	3	Vertical	202	1.36	-	39.27	32.90	6.71	34.45
PK	5.304G	114.12	Inf	-Inf	5.28	3	Vertical	202	1.36	-	108.84	33.08	6.65	34.45
PK	5.3508G	55.85	74.00	-18.15	5.15	3	Vertical	202	1.36	-	50.70	32.90	6.70	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	100.27	Inf	-Inf	5.28	3	Horizontal	115	1.60	-	94.99	33.08	6.65	34.45
AV	5.3536G	43.58	54.00	-10.42	5.17	3	Horizontal	115	1.60	-	38.41	32.91	6.71	34.45
PK	5.3032G	111.44	Inf	-Inf	5.29	3	Horizontal	115	1.60	-	106.15	33.09	6.65	34.45
PK	5.3772G	55.25	74.00	-18.75	5.23	3	Horizontal	115	1.60	-	50.02	32.95	6.73	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89822G	44.55	54.00	-9.45	15.49	3	Vertical	61	2.04	-	29.06	38.40	11.79	34.70
PK	6.62488G	52.23	68.20	-15.97	8.64	3	Vertical	230	1.58	-	43.59	35.85	7.45	34.66
PK	10.59544G	54.84	68.20	-13.36	14.22	3	Vertical	176	1.82	-	40.62	39.08	9.59	34.45
PK	15.90112G	56.58	74.00	-17.42	15.48	3	Vertical	61	2.04	-	41.10	38.40	11.79	34.71

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89756G	44.42	54.00	-9.58	15.49	3	Horizontal	16	2.18	-	28.93	38.40	11.79	34.70
PK	6.62508G	50.88	68.20	-17.32	8.64	3	Horizontal	141	1.47	-	42.24	35.85	7.45	34.66
PK	10.5966G	54.25	68.20	-13.95	14.22	3	Horizontal	95	1.25	-	40.03	39.08	9.59	34.45
PK	15.89648G	57.26	74.00	-16.74	15.49	3	Horizontal	16	2.18	-	41.77	38.40	11.79	34.70



802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3238G	103.12	Inf	-Inf	5.22	3	Vertical	205	1.39	-	97.90	33.00	6.67	34.45
AV	5.3528G	44.66	54.00	-9.34	5.17	3	Vertical	205	1.39	-	39.49	32.91	6.71	34.45
PK	5.3252G	114.52	Inf	-Inf	5.22	3	Vertical	205	1.39	-	109.30	33.00	6.67	34.45
PK	5.3514G	60.18	74.00	-13.82	5.15	3	Vertical	205	1.39	-	55.03	32.90	6.70	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3272G	100.21	Inf	-Inf	5.22	3	Horizontal	114	1.70	-	94.99	32.99	6.68	34.45
AV	5.3508G	43.56	54.00	-10.44	5.15	3	Horizontal	114	1.70	-	38.41	32.90	6.70	34.45
PK	5.3224G	111.29	Inf	-Inf	5.23	3	Horizontal	114	1.70	-	106.06	33.01	6.67	34.45
PK	5.354G	57.39	74.00	-16.61	5.17	3	Horizontal	114	1.70	-	52.22	32.91	6.71	34.45

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63852G	41.54	54.00	-12.46	14.24	3	Vertical	93	2.91	-	27.30	39.06	9.61	34.43
AV	15.95836G	44.68	54.00	-9.32	15.41	3	Vertical	263	1.80	-	29.27	38.34	11.81	34.74
PK	6.64996G	52.13	68.20	-16.07	8.62	3	Vertical	214	1.71	-	43.51	35.80	7.48	34.66
PK	10.64238G	54.57	74.00	-19.43	14.24	3	Vertical	93	2.91	-	40.33	39.06	9.61	34.43
PK	15.9639G	57.10	74.00	-16.90	15.40	3	Vertical	263	1.80	-	41.70	38.34	11.81	34.75

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6405G	41.53	54.00	-12.47	14.24	3	Horizontal	131	1.11	-	27.29	39.06	9.61	34.43
AV	15.9583G	44.68	54.00	-9.32	15.41	3	Horizontal	118	1.21	-	29.27	38.34	11.81	34.74
PK	6.64988G	50.38	68.20	-17.82	8.62	3	Horizontal	237	2.22	-	41.76	35.80	7.48	34.66
PK	10.64238G	54.62	74.00	-19.38	14.24	3	Horizontal	131	1.11	-	40.38	39.06	9.61	34.43
PK	15.96372G	56.57	74.00	-17.43	15.40	3	Horizontal	118	1.21	-	41.17	38.34	11.81	34.75

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.77	54.00	-10.23	5.45	3	Vertical	138	1.56	-	38.32	33.12	6.79	34.46
AV	5.4928G	103.77	Inf	-Inf	5.54	3	Vertical	138	1.56	-	98.23	33.19	6.81	34.46
PK	5.47G	59.97	68.20	-8.23	5.47	3	Vertical	138	1.56	-	54.50	33.14	6.79	34.46
PK	5.4956G	115.62	Inf	-Inf	5.54	3	Vertical	138	1.56	-	110.08	33.19	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4502G	43.16	54.00	-10.84	5.43	3	Horizontal	115	2.68	-	37.73	33.10	6.79	34.46
AV	5.498G	99.49	Inf	-Inf	5.55	3	Horizontal	115	2.68	-	93.94	33.20	6.81	34.46
PK	5.4532G	55.00	74.00	-19.00	5.44	3	Horizontal	115	2.68	-	49.56	33.11	6.79	34.46
PK	5.4684G	56.43	68.20	-11.77	5.47	3	Horizontal	115	2.68	-	50.96	33.14	6.79	34.46
PK	5.4934G	111.35	Inf	-Inf	5.54	3	Horizontal	115	2.68	-	105.81	33.19	6.81	34.46

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00496G	42.15	54.00	-11.85	14.24	3	Vertical	7	1.59	-	27.91	38.80	9.74	34.30
PK	6.8783G	49.21	68.20	-18.99	8.99	3	Vertical	209	1.60	-	40.22	35.91	7.77	34.69
PK	10.99888G	55.12	74.00	-18.88	14.23	3	Vertical	7	1.59	-	40.89	38.80	9.73	34.30
PK	16.49896G	57.77	68.20	-10.43	16.23	3	Vertical	306	2.80	-	41.54	38.89	12.03	34.69

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00294G	42.13	54.00	-11.87	14.24	3	Horizontal	216	1.23	-	27.89	38.80	9.74	34.30
PK	6.8702G	49.13	68.20	-19.07	8.94	3	Horizontal	143	1.63	-	40.19	35.88	7.75	34.69
PK	10.9953G	54.45	74.00	-19.55	14.23	3	Horizontal	216	1.23	-	40.22	38.80	9.73	34.30
PK	16.49606G	57.69	68.20	-10.51	16.22	3	Horizontal	137	1.85	-	41.47	38.88	12.03	34.69

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.43G	43.28	54.00	-10.72	5.37	3	Vertical	153	1.50	-	37.91	33.06	6.77	34.46
AV	5.5842G	102.98	Inf	-Inf	5.52	3	Vertical	153	1.50	-	97.46	33.14	6.85	34.47
PK	5.4606G	54.08	68.20	-14.12	5.45	3	Vertical	153	1.50	-	48.63	33.12	6.79	34.46
PK	5.5824G	112.89	Inf	-Inf	5.51	3	Vertical	153	1.50	-	107.38	33.13	6.85	34.47
PK	5.7258G	55.43	68.20	-12.77	6.02	3	Vertical	153	1.50	-	49.41	33.61	6.90	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	42.94	54.00	-11.06	5.41	3	Horizontal	250	1.21	-	37.53	33.09	6.78	34.46
AV	5.5854G	100.27	Inf	-Inf	5.52	3	Horizontal	250	1.21	-	94.75	33.14	6.85	34.47
PK	5.4642G	54.26	68.20	-13.94	5.46	3	Horizontal	250	1.21	-	48.80	33.13	6.79	34.46
PK	5.5884G	110.61	Inf	-Inf	5.53	3	Horizontal	250	1.21	-	105.08	33.15	6.85	34.47
PK	5.7288G	53.73	68.20	-14.47	6.05	3	Horizontal	250	1.21	-	47.68	33.63	6.91	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1643G	42.56	54.00	-11.44	14.64	3	Vertical	44	1.99	-	27.92	39.03	9.79	34.18
PK	6.97304G	49.15	68.20	-19.05	9.24	3	Vertical	152	1.51	-	39.91	36.00	7.95	34.71
PK	11.1615G	54.62	74.00	-19.38	14.62	3	Vertical	44	1.99	-	40.00	39.02	9.79	34.19
PK	16.74404G	57.33	68.20	-10.87	16.56	3	Vertical	337	2.15	-	40.77	38.71	12.13	34.28


802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16378G	42.55	54.00	-11.45	14.63	3	Horizontal	254	1.82	-	27.92	39.03	9.79	34.19
PK	6.9788G	49.56	68.20	-18.64	9.25	3	Horizontal	195	1.60	-	40.31	36.00	7.96	34.71
PK	11.15544G	54.54	74.00	-19.46	14.61	3	Horizontal	254	1.82	-	39.93	39.01	9.79	34.19
PK	16.74488G	57.27	68.20	-10.93	16.56	3	Horizontal	321	2.21	-	40.71	38.71	12.13	34.28

**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	102.90	Inf	-Inf	5.85	3	Vertical	154	1.42	-	97.05	33.43	6.90	34.48
PK	5.7036G	113.02	Inf	-Inf	5.85	3	Vertical	154	1.42	-	107.17	33.43	6.90	34.48
PK	5.7272G	60.89	68.20	-7.31	6.03	3	Vertical	154	1.42	-	54.86	33.62	6.90	34.49


**802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX**  
**5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7068G	98.63	Inf	-Inf	5.87	3	Horizontal	121	1.49	-	92.76	33.45	6.90	34.48
PK	5.7032G	110.10	Inf	-Inf	5.85	3	Horizontal	121	1.49	-	104.25	33.43	6.90	34.48
PK	5.7548G	56.64	68.20	-11.56	6.23	3	Horizontal	121	1.49	-	50.41	33.81	6.91	34.49

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40288G	42.32	54.00	-11.68	14.86	3	Vertical	19	1.70	-	27.46	39.00	9.88	34.02
PK	7.12868G	50.64	68.20	-17.56	10.10	3	Vertical	203	1.47	-	40.54	36.73	8.12	34.75
PK	11.40172G	54.14	74.00	-19.86	14.86	3	Vertical	19	1.70	-	39.28	39.00	9.88	34.02
PK	17.09822G	57.33	68.20	-10.87	16.73	3	Vertical	33	2.87	-	40.60	38.40	12.27	33.94

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40004G	42.23	54.00	-11.77	14.86	3	Horizontal	79	1.07	-	27.37	39.00	9.88	34.02
PK	7.12504G	50.38	68.20	-17.82	10.06	3	Horizontal	143	1.63	-	40.32	36.70	8.11	34.75
PK	11.39948G	54.37	74.00	-19.63	14.86	3	Horizontal	79	1.07	-	39.51	39.00	9.88	34.02
PK	17.09996G	57.49	68.20	-10.71	16.74	3	Horizontal	327	1.23	-	40.75	38.40	12.28	33.94



802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	107.59	Inf	-Inf	6.12	3	Vertical	143	1.46	-	101.47	33.70	6.91	34.49
PK	5.6082G	55.79	68.20	-12.41	5.61	3	Vertical	143	1.46	-	50.18	33.22	6.86	34.47
PK	5.7378G	118.30	Inf	-Inf	6.12	3	Vertical	143	1.46	-	112.18	33.70	6.91	34.49
PK	5.9502G	56.64	68.20	-11.56	6.96	3	Vertical	143	1.46	-	49.68	34.40	7.07	34.51

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	103.43	Inf	-Inf	6.12	3	Horizontal	123	1.54	-	97.31	33.70	6.91	34.49
PK	5.6502G	54.90	68.35	-13.45	5.70	3	Horizontal	123	1.54	-	49.20	33.30	6.88	34.48
PK	5.7402G	113.40	Inf	-Inf	6.14	3	Horizontal	123	1.54	-	107.26	33.72	6.91	34.49
PK	5.955G	56.31	68.20	-11.89	6.94	3	Horizontal	123	1.54	-	49.37	34.38	7.07	34.51

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49482G	42.46	54.00	-11.54	14.96	3	Vertical	301	1.46	-	27.50	39.00	9.91	33.95
PK	7.18013G	49.97	68.20	-18.23	10.23	3	Vertical	146	1.66	-	39.74	36.84	8.16	34.77
PK	11.4912G	54.97	74.00	-19.03	14.95	3	Vertical	301	1.46	-	40.02	39.00	9.91	33.96
PK	17.23028G	57.97	68.20	-10.23	16.72	3	Vertical	256	2.07	-	41.25	38.43	12.33	34.04

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48818G	42.50	54.00	-11.50	14.95	3	Horizontal	353	1.74	-	27.55	39.00	9.91	33.96
PK	7.18099G	50.86	68.20	-17.34	10.23	3	Horizontal	183	1.56	-	40.63	36.84	8.16	34.77
PK	11.495G	54.27	74.00	-19.73	14.96	3	Horizontal	353	1.74	-	39.31	39.00	9.91	33.95
PK	17.23278G	58.54	68.20	-9.66	16.72	3	Horizontal	140	1.60	-	41.82	38.43	12.33	34.04

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	107.44	Inf	-Inf	6.32	3	Vertical	144	1.50	-	101.12	33.88	6.93	34.49
PK	5.5798G	55.76	68.20	-12.44	5.50	3	Vertical	144	1.50	-	50.26	33.12	6.85	34.47
PK	5.7898G	117.96	Inf	-Inf	6.32	3	Vertical	144	1.50	-	111.64	33.88	6.93	34.49
PK	6.0622G	56.68	68.20	-11.52	6.95	3	Vertical	144	1.50	-	49.73	34.35	7.13	34.53

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	103.93	Inf	-Inf	6.31	3	Horizontal	131	1.63	-	97.62	33.88	6.93	34.50
PK	5.5918G	54.93	68.20	-13.27	5.56	3	Horizontal	131	1.63	-	49.37	33.17	6.86	34.47
PK	5.791G	114.08	Inf	-Inf	6.32	3	Horizontal	131	1.63	-	107.76	33.88	6.93	34.49
PK	5.9626G	56.40	68.20	-11.80	6.91	3	Horizontal	131	1.63	-	49.49	34.35	7.08	34.52

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56794G	42.17	54.00	-11.83	14.88	3	Vertical	195	1.71	-	27.29	38.93	9.94	33.99
PK	7.23037G	50.80	68.20	-17.40	10.25	3	Vertical	179	1.68	-	40.55	36.86	8.17	34.78
PK	11.57076G	54.03	74.00	-19.97	14.88	3	Vertical	195	1.71	-	39.15	38.93	9.94	33.99
PK	17.35234G	57.06	68.20	-11.14	16.91	3	Vertical	276	2.55	-	40.15	38.66	12.38	34.13

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57082G	42.15	54.00	-11.85	14.88	3	Horizontal	195	2.26	-	27.27	38.93	9.94	33.99
PK	7.23419G	50.77	68.20	-17.43	10.26	3	Horizontal	220	1.64	-	40.51	36.87	8.17	34.78
PK	11.57312G	54.75	74.00	-19.25	14.87	3	Horizontal	195	2.26	-	39.88	38.93	9.94	34.00
PK	17.35014G	57.32	68.20	-10.88	16.90	3	Horizontal	333	2.54	-	40.42	38.65	12.38	34.13

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.98	Inf	-Inf	6.53	3	Vertical	144	1.40	-	101.45	34.07	6.96	34.50
PK	5.6426G	55.34	68.20	-12.86	5.68	3	Vertical	144	1.40	-	49.66	33.29	6.87	34.48
PK	5.831G	118.48	Inf	-Inf	6.55	3	Vertical	144	1.40	-	111.93	34.09	6.96	34.50
PK	6.017G	57.37	68.20	-10.83	6.87	3	Vertical	144	1.40	-	50.50	34.27	7.12	34.52

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	104.27	Inf	-Inf	6.55	3	Horizontal	132	1.50	-	97.72	34.09	6.96	34.50
PK	5.555G	54.90	68.20	-13.30	5.39	3	Horizontal	132	1.50	-	49.51	33.02	6.84	34.47
PK	5.8334G	114.06	Inf	-Inf	6.56	3	Horizontal	132	1.50	-	107.50	34.10	6.96	34.50
PK	5.9534G	57.16	68.20	-11.04	6.95	3	Horizontal	132	1.50	-	50.21	34.39	7.07	34.51

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27641G	38.24	54.00	-15.76	10.14	3	Vertical	170	1.57	-	28.10	36.79	8.15	34.80
AV	11.64608G	41.73	54.00	-12.27	14.77	3	Vertical	208	1.01	-	26.96	38.85	9.96	34.04
PK	7.27893G	51.49	74.00	-22.51	10.13	3	Vertical	170	1.57	-	41.36	36.78	8.15	34.80
PK	11.6491G	53.60	74.00	-20.40	14.78	3	Vertical	208	1.01	-	38.82	38.85	9.97	34.04
PK	17.47634G	57.94	68.20	-10.26	17.08	3	Vertical	80	1.48	-	40.86	38.88	12.43	34.23

802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.27807G	38.31	54.00	-15.69	10.14	3	Horizontal	203	1.51	-	28.17	36.79	8.15	34.80
AV	11.6461G	41.73	54.00	-12.27	14.77	3	Horizontal	100	1.91	-	26.96	38.85	9.96	34.04
PK	7.28393G	49.86	74.00	-24.14	10.11	3	Horizontal	203	1.51	-	39.75	36.76	8.15	34.80
PK	11.64754G	53.04	74.00	-20.96	14.77	3	Horizontal	100	1.91	-	38.27	38.85	9.96	34.04
PK	17.47966G	57.55	68.20	-10.65	17.08	3	Horizontal	53	1.10	-	40.47	38.88	12.43	34.23

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.93	54.00	-2.07	5.15	3	Vertical	207	1.53	-	46.78	33.10	6.49	34.44
AV	5.1748G	103.00	Inf	-Inf	5.12	3	Vertical	207	1.53	-	97.88	33.05	6.51	34.44
PK	5.148G	66.50	74.00	-7.50	5.15	3	Vertical	207	1.53	-	61.35	33.10	6.49	34.44
PK	5.1772G	115.00	Inf	-Inf	5.12	3	Vertical	207	1.53	-	109.88	33.05	6.51	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.62	54.00	-3.38	5.15	3	Horizontal	118	1.73	-	45.47	33.10	6.49	34.44
AV	5.1748G	101.41	Inf	-Inf	5.12	3	Horizontal	118	1.73	-	96.29	33.05	6.51	34.44
PK	5.1492G	64.21	74.00	-9.79	5.15	3	Horizontal	118	1.73	-	59.06	33.10	6.49	34.44
PK	5.1744G	113.43	Inf	-Inf	5.12	3	Horizontal	118	1.73	-	108.31	33.05	6.51	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56826G	44.30	54.00	-9.70	15.82	3	Vertical	104	2.40	-	28.48	38.66	11.65	34.49
PK	6.48758G	57.00	68.20	-11.20	8.19	3	Vertical	210	1.52	-	48.81	35.48	7.35	34.64
PK	10.3764G	53.84	68.20	-14.36	13.52	3	Vertical	324	2.35	-	40.32	38.68	9.51	34.67
PK	15.56506G	56.30	74.00	-17.70	15.83	3	Vertical	104	2.40	-	40.47	38.67	11.65	34.49

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56798G	44.30	54.00	-9.70	15.82	3	Horizontal	16	2.19	-	28.48	38.66	11.65	34.49
PK	6.4875G	54.52	68.20	-13.68	8.19	3	Horizontal	130	1.58	-	46.33	35.48	7.35	34.64
PK	10.37982G	54.17	68.20	-14.03	13.52	3	Horizontal	277	1.46	-	40.65	38.68	9.51	34.67
PK	15.56656G	56.36	74.00	-17.64	15.83	3	Horizontal	16	2.19	-	40.53	38.67	11.65	34.49



802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.91	54.00	-10.09	5.15	3	Vertical	209	1.56	-	38.76	33.10	6.49	34.44
AV	5.2376G	103.85	Inf	-Inf	5.05	3	Vertical	209	1.56	-	98.80	32.92	6.57	34.44
PK	5.1344G	55.07	74.00	-18.93	5.17	3	Vertical	209	1.56	-	49.90	33.13	6.48	34.44
PK	5.2392G	114.79	Inf	-Inf	5.06	3	Vertical	209	1.56	-	109.73	32.92	6.58	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.75	54.00	-10.25	5.15	3	Horizontal	113	1.63	-	38.60	33.10	6.49	34.44
AV	5.2388G	101.11	Inf	-Inf	5.05	3	Horizontal	113	1.63	-	96.06	32.92	6.57	34.44
PK	5.1324G	55.22	74.00	-18.78	5.18	3	Horizontal	113	1.63	-	50.04	33.14	6.48	34.44
PK	5.2396G	112.22	Inf	-Inf	5.06	3	Horizontal	113	1.63	-	107.16	32.92	6.58	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68798G	44.33	54.00	-9.67	15.55	3	Vertical	44	1.27	-	28.78	38.42	11.70	34.57
PK	6.53758G	56.59	68.20	-11.61	8.33	3	Vertical	212	1.48	-	48.26	35.60	7.38	34.65
PK	10.45848G	53.46	68.20	-14.74	13.64	3	Vertical	260	2.35	-	39.82	38.64	9.54	34.54
PK	15.68898G	56.19	74.00	-17.81	15.55	3	Vertical	44	1.27	-	40.64	38.42	11.70	34.57

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6859G	44.23	54.00	-9.77	15.56	3	Horizontal	250	2.86	-	28.67	38.43	11.70	34.57
PK	6.53742G	53.40	68.20	-14.80	8.33	3	Horizontal	141	1.50	-	45.07	35.60	7.38	34.65
PK	10.4599G	54.19	68.20	-14.01	13.64	3	Horizontal	338	2.10	-	40.55	38.64	9.54	34.54
PK	15.68966G	56.85	74.00	-17.15	15.55	3	Horizontal	250	2.86	-	41.30	38.42	11.70	34.57

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2544G	103.81	Inf	-Inf	5.06	3	Vertical	209	1.50	-	98.75	32.92	6.59	34.45
AV	5.352G	45.47	54.00	-8.53	5.15	3	Vertical	209	1.50	-	40.32	32.90	6.70	34.45
PK	5.2624G	115.10	Inf	-Inf	5.10	3	Vertical	209	1.50	-	110.00	32.95	6.60	34.45
PK	5.3608G	57.20	74.00	-16.80	5.18	3	Vertical	209	1.50	-	52.02	32.92	6.71	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.252G	101.21	Inf	-Inf	5.05	3	Horizontal	114	1.72	-	96.16	32.91	6.59	34.45
AV	5.3532G	44.21	54.00	-9.79	5.17	3	Horizontal	114	1.72	-	39.04	32.91	6.71	34.45
PK	5.2532G	113.83	Inf	-Inf	5.05	3	Horizontal	114	1.72	-	108.78	32.91	6.59	34.45
PK	5.3636G	56.87	74.00	-17.13	5.20	3	Horizontal	114	1.72	-	51.67	32.93	6.72	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81234G	44.59	54.00	-9.41	15.59	3	Vertical	100	1.30	-	29.00	38.49	11.75	34.65
PK	6.58766G	55.92	68.20	-12.28	8.60	3	Vertical	212	1.49	-	47.32	35.83	7.42	34.65
PK	10.5441G	53.23	68.20	-14.97	13.93	3	Vertical	181	1.42	-	39.30	38.82	9.57	34.46
PK	15.80654G	56.53	74.00	-17.47	15.59	3	Vertical	100	1.30	-	40.94	38.49	11.75	34.65

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81192G	44.58	54.00	-9.42	15.59	3	Horizontal	224	2.56	-	28.99	38.49	11.75	34.65
PK	6.58752G	53.33	68.20	-14.87	8.60	3	Horizontal	141	1.49	-	44.73	35.83	7.42	34.65
PK	10.53692G	53.60	68.20	-14.60	13.88	3	Horizontal	70	1.49	-	39.72	38.78	9.57	34.47
PK	15.80554G	56.56	74.00	-17.44	15.59	3	Horizontal	224	2.56	-	40.97	38.49	11.75	34.65

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3256G	103.62	Inf	-Inf	5.22	3	Vertical	209	1.59	-	98.40	33.00	6.67	34.45
AV	5.35G	50.10	54.00	-3.90	5.15	3	Vertical	209	1.59	-	44.95	32.90	6.70	34.45
PK	5.3196G	115.73	Inf	-Inf	5.24	3	Vertical	209	1.59	-	110.49	33.02	6.67	34.45
PK	5.3508G	62.77	74.00	-11.23	5.15	3	Vertical	209	1.59	-	57.62	32.90	6.70	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	100.75	Inf	-Inf	5.24	3	Horizontal	115	1.71	-	95.51	33.02	6.67	34.45
AV	5.35G	47.56	54.00	-6.44	5.15	3	Horizontal	115	1.71	-	42.41	32.90	6.70	34.45
PK	5.3268G	112.17	Inf	-Inf	5.22	3	Horizontal	115	1.71	-	106.95	32.99	6.68	34.45
PK	5.35G	60.52	74.00	-13.48	5.15	3	Horizontal	115	1.71	-	55.37	32.90	6.70	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62432G	41.67	54.00	-12.33	14.24	3	Vertical	66	2.08	-	27.43	39.08	9.60	34.44
AV	15.93454G	44.64	54.00	-9.36	15.44	3	Vertical	158	2.26	-	29.20	38.37	11.80	34.73
PK	6.63774G	55.96	68.20	-12.24	8.63	3	Vertical	213	1.50	-	47.33	35.82	7.47	34.66
PK	10.61826G	54.76	74.00	-19.24	14.24	3	Vertical	66	2.08	-	40.52	39.08	9.60	34.44
PK	15.92926G	56.88	74.00	-17.12	15.45	3	Vertical	158	2.26	-	41.43	38.37	11.80	34.72

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6244G	41.67	54.00	-12.33	14.24	3	Horizontal	81	1.75	-	27.43	39.08	9.60	34.44
AV	15.9315G	44.65	54.00	-9.35	15.44	3	Horizontal	150	2.44	-	29.21	38.37	11.80	34.73
PK	6.63746G	52.32	68.20	-15.88	8.64	3	Horizontal	142	1.50	-	43.68	35.83	7.47	34.66
PK	10.62474G	53.48	74.00	-20.52	14.24	3	Horizontal	81	1.75	-	39.24	39.08	9.60	34.44
PK	15.9342G	56.80	74.00	-17.20	15.44	3	Horizontal	150	2.44	-	41.36	38.37	11.80	34.73

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.94	54.00	-6.06	5.45	3	Vertical	205	1.36	-	42.49	33.12	6.79	34.46
AV	5.4936G	103.60	Inf	-Inf	5.54	3	Vertical	205	1.36	-	98.06	33.19	6.81	34.46
PK	5.4696G	65.33	68.20	-2.87	5.47	3	Vertical	205	1.36	-	59.86	33.14	6.79	34.46
PK	5.5068G	115.18	Inf	-Inf	5.52	3	Vertical	205	1.36	-	109.66	33.17	6.81	34.46

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.09	54.00	-8.91	5.45	3	Horizontal	117	2.86	-	39.64	33.12	6.79	34.46
AV	5.5052G	99.87	Inf	-Inf	5.53	3	Horizontal	117	2.86	-	94.34	33.18	6.81	34.46
PK	5.4688G	59.99	68.20	-8.21	5.47	3	Horizontal	117	2.86	-	54.52	33.14	6.79	34.46
PK	5.4944G	111.85	Inf	-Inf	5.54	3	Horizontal	117	2.86	-	106.31	33.19	6.81	34.46

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0218G	42.12	54.00	-11.88	14.28	3	Vertical	279	2.47	-	27.84	38.82	9.74	34.28
PK	6.8899G	49.11	68.20	-19.09	9.06	3	Vertical	162	1.57	-	40.05	35.96	7.79	34.69
PK	11.02392G	54.27	74.00	-19.73	14.28	3	Vertical	279	2.47	-	39.99	38.82	9.74	34.28
PK	16.533G	58.45	68.20	-9.75	16.24	3	Vertical	268	1.20	-	42.21	38.83	12.05	34.64

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02226G	42.12	54.00	-11.88	14.28	3	Horizontal	119	1.10	-	27.84	38.82	9.74	34.28
PK	6.88562G	48.71	68.20	-19.49	9.03	3	Horizontal	162	1.53	-	39.68	35.94	7.78	34.69
PK	11.02258G	54.39	74.00	-19.61	14.28	3	Horizontal	119	1.10	-	40.11	38.82	9.74	34.28
PK	16.52634G	58.84	68.20	-9.36	16.24	3	Horizontal	13	1.95	-	42.60	38.85	12.04	34.65



802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	44.18	54.00	-9.82	5.43	3	Vertical	208	1.48	-	38.75	33.10	6.79	34.46
AV	5.552G	103.41	Inf	-Inf	5.38	3	Vertical	208	1.48	-	98.03	33.01	6.84	34.47
PK	5.47G	56.15	68.20	-12.05	5.47	3	Vertical	208	1.48	-	50.68	33.14	6.79	34.46
PK	5.5592G	114.74	Inf	-Inf	5.41	3	Vertical	208	1.48	-	109.33	33.04	6.84	34.47

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	43.38	54.00	-10.62	5.44	3	Horizontal	118	2.82	-	37.94	33.11	6.79	34.46
AV	5.5548G	99.90	Inf	-Inf	5.39	3	Horizontal	118	2.82	-	94.51	33.02	6.84	34.47
PK	5.4644G	54.60	68.20	-13.60	5.46	3	Horizontal	118	2.82	-	49.14	33.13	6.79	34.46
PK	5.5592G	111.47	Inf	-Inf	5.41	3	Horizontal	118	2.82	-	106.06	33.04	6.84	34.47

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09692G	42.10	54.00	-11.90	14.44	3	Vertical	63	1.17	-	27.66	38.90	9.77	34.23
PK	6.93526G	48.97	68.20	-19.23	9.18	3	Vertical	150	1.70	-	39.79	36.00	7.88	34.70
PK	11.10148G	54.47	74.00	-19.53	14.44	3	Vertical	63	1.17	-	40.03	38.90	9.77	34.23
PK	16.65176G	57.87	68.20	-10.33	16.40	3	Vertical	257	2.10	-	41.47	38.75	12.09	34.44


802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1049G	42.09	54.00	-11.91	14.45	3	Horizontal	7	1.80	-	27.64	38.91	9.77	34.23
PK	6.93958G	49.33	68.20	-18.87	9.19	3	Horizontal	197	1.66	-	40.14	36.00	7.89	34.70
PK	11.10276G	54.50	74.00	-19.50	14.45	3	Horizontal	7	1.80	-	40.05	38.91	9.77	34.23
PK	16.65334G	57.50	68.20	-10.70	16.40	3	Horizontal	170	2.89	-	41.10	38.75	12.09	34.44

**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.685G	103.42	Inf	-Inf	5.78	3	Vertical	212	1.50	-	97.64	33.37	6.89	34.48
PK	5.685G	114.86	Inf	-Inf	5.78	3	Vertical	212	1.50	-	109.08	33.37	6.89	34.48
PK	5.7264G	60.11	68.20	-8.09	6.02	3	Vertical	212	1.50	-	54.09	33.61	6.90	34.49


**802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6832G	100.57	Inf	-Inf	5.78	3	Horizontal	117	1.42	-	94.79	33.37	6.89	34.48
PK	5.679G	112.34	Inf	-Inf	5.77	3	Horizontal	117	1.42	-	106.57	33.36	6.89	34.48
PK	5.727G	58.14	68.20	-10.06	6.03	3	Horizontal	117	1.42	-	52.11	33.62	6.90	34.49

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33754G	42.28	54.00	-11.72	14.91	3	Vertical	2	1.30	-	27.37	39.12	9.85	34.06
PK	7.08858G	49.78	68.20	-18.42	9.79	3	Vertical	213	1.46	-	39.99	36.45	8.08	34.74
PK	11.34384G	54.90	74.00	-19.10	14.91	3	Vertical	2	1.30	-	39.99	39.11	9.86	34.06
PK	17.015G	58.11	68.20	-10.09	16.77	3	Vertical	22	1.87	-	41.34	38.40	12.24	33.87

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3362G	42.41	54.00	-11.59	14.92	3	Horizontal	95	1.07	-	27.49	39.13	9.85	34.06
PK	7.08878G	49.42	68.20	-18.78	9.80	3	Horizontal	194	1.62	-	39.62	36.46	8.08	34.74
PK	11.3407G	53.87	74.00	-20.13	14.92	3	Horizontal	95	1.07	-	38.95	39.12	9.86	34.06
PK	17.00628G	57.31	68.20	-10.89	16.78	3	Horizontal	255	1.26	-	40.53	38.40	12.24	33.86

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	103.22	Inf	-Inf	6.23	3	Vertical	212	1.48	-	96.99	33.81	6.91	34.49
PK	5.5954G	56.41	68.20	-11.79	5.57	3	Vertical	212	1.48	-	50.84	33.18	6.86	34.47
PK	5.7502G	114.18	Inf	-Inf	6.22	3	Vertical	212	1.48	-	107.96	33.80	6.91	34.49
PK	5.9506G	56.83	68.20	-11.37	6.96	3	Vertical	212	1.48	-	49.87	34.40	7.07	34.51

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	99.92	Inf	-Inf	6.22	3	Horizontal	119	1.31	-	93.70	33.80	6.91	34.49
PK	5.6098G	55.23	68.20	-12.97	5.61	3	Horizontal	119	1.31	-	49.62	33.22	6.86	34.47
PK	5.7466G	109.98	Inf	-Inf	6.19	3	Horizontal	119	1.31	-	103.79	33.77	6.91	34.49
PK	5.9626G	56.01	68.20	-12.19	6.91	3	Horizontal	119	1.31	-	49.10	34.35	7.08	34.52

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5149G	42.27	54.00	-11.73	14.95	3	Vertical	283	2.68	-	27.32	38.99	9.92	33.96
PK	7.19069G	50.12	68.20	-18.08	10.22	3	Vertical	210	1.66	-	39.90	36.82	8.17	34.77
PK	11.51466G	54.17	74.00	-19.83	14.95	3	Vertical	283	2.68	-	39.22	38.99	9.92	33.96
PK	17.2621G	57.27	68.20	-10.93	16.74	3	Vertical	234	2.07	-	40.53	38.46	12.34	34.06

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port1)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51428G	42.27	54.00	-11.73	14.95	3	Horizontal	134	1.56	-	27.32	38.99	9.92	33.96
PK	7.19359G	50.54	68.20	-17.66	10.21	3	Horizontal	215	1.54	-	40.33	36.81	8.17	34.77
PK	11.51004G	54.12	74.00	-19.88	14.95	3	Horizontal	134	1.56	-	39.17	38.99	9.92	33.96
PK	17.26612G	56.94	68.20	-11.26	16.74	3	Horizontal	120	1.60	-	40.20	38.47	12.34	34.07

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.813G	103.48	Inf	-Inf	6.42	3	Vertical	211	1.57	-	97.06	33.98	6.94	34.50
PK	5.6294G	55.88	68.20	-12.32	5.65	3	Vertical	211	1.57	-	50.23	33.26	6.87	34.48
PK	5.7998G	114.15	Inf	-Inf	6.33	3	Vertical	211	1.57	-	107.82	33.90	6.93	34.50
PK	6.0662G	57.84	68.20	-10.36	6.93	3	Vertical	211	1.57	-	50.91	34.34	7.13	34.54

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	99.97	Inf	-Inf	6.33	3	Horizontal	120	1.31	-	93.64	33.90	6.93	34.50
PK	5.645G	54.85	68.20	-13.35	5.69	3	Horizontal	120	1.31	-	49.16	33.29	6.88	34.48
PK	5.813G	110.21	Inf	-Inf	6.42	3	Horizontal	120	1.31	-	103.79	33.98	6.94	34.50
PK	5.963G	56.90	68.20	-11.30	6.91	3	Horizontal	120	1.31	-	49.99	34.35	7.08	34.52

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5878G	42.02	54.00	-11.98	14.85	3	Vertical	15	1.35	-	27.17	38.91	9.94	34.00
PK	7.24483G	50.47	68.20	-17.73	10.26	3	Vertical	167	1.47	-	40.21	36.89	8.16	34.79
PK	11.58988G	54.45	74.00	-19.55	14.84	3	Vertical	15	1.35	-	39.61	38.91	9.94	34.01
PK	17.3813G	57.79	68.20	-10.41	16.97	3	Vertical	98	1.68	-	40.82	38.74	12.39	34.16

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port1)

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.585G	41.93	54.00	-12.07	14.85	3	Horizontal	232	2.96	-	27.08	38.91	9.94	34.00
PK	7.24373G	50.53	68.20	-17.67	10.26	3	Horizontal	213	1.48	-	40.27	36.89	8.16	34.79
PK	11.5934G	54.32	74.00	-19.68	14.85	3	Horizontal	232	2.96	-	39.47	38.91	9.95	34.01
PK	17.38704G	57.60	68.20	-10.60	16.99	3	Horizontal	41	2.86	-	40.61	38.76	12.39	34.16



802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.26	54.00	-4.74	5.15	3	Vertical	141	1.24	-	44.11	33.10	6.49	34.44
AV	5.1872G	100.92	Inf	-Inf	5.11	3	Vertical	141	1.24	-	95.81	33.03	6.52	34.44
PK	5.1476G	65.21	74.00	-8.79	5.15	3	Vertical	141	1.24	-	60.06	33.10	6.49	34.44
PK	5.1756G	112.51	Inf	-Inf	5.12	3	Vertical	141	1.24	-	107.39	33.05	6.51	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.04	54.00	-4.96	5.15	3	Horizontal	245	1.61	-	43.89	33.10	6.49	34.44
AV	5.1744G	99.62	Inf	-Inf	5.12	3	Horizontal	245	1.61	-	94.50	33.05	6.51	34.44
PK	5.1488G	64.50	74.00	-9.50	5.15	3	Horizontal	245	1.61	-	59.35	33.10	6.49	34.44
PK	5.1828G	110.81	Inf	-Inf	5.11	3	Horizontal	245	1.61	-	105.70	33.03	6.52	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56868G	44.30	54.00	-9.70	15.82	3	Vertical	69	1.23	-	28.48	38.66	11.65	34.49
PK	6.48762G	52.36	68.20	-15.84	8.19	3	Vertical	142	1.54	-	44.17	35.48	7.35	34.64
PK	10.38286G	55.38	68.20	-12.82	13.54	3	Vertical	148	2.37	-	41.84	38.68	9.52	34.66
PK	15.57248G	56.37	74.00	-17.63	15.81	3	Vertical	69	1.23	-	40.56	38.66	11.65	34.50

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56936G	44.30	54.00	-9.70	15.82	3	Horizontal	137	2.47	-	28.48	38.66	11.65	34.49
PK	6.48738G	53.27	68.20	-14.93	8.18	3	Horizontal	248	1.00	-	45.09	35.47	7.35	34.64
PK	10.3834G	54.25	68.20	-13.95	13.54	3	Horizontal	35	1.25	-	40.71	38.68	9.52	34.66
PK	15.5679G	56.00	74.00	-18.00	15.82	3	Horizontal	137	2.47	-	40.18	38.66	11.65	34.49

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.91	54.00	-10.09	5.15	3	Vertical	142	1.45	-	38.76	33.10	6.49	34.44
AV	5.234G	102.39	Inf	-Inf	5.06	3	Vertical	142	1.45	-	97.33	32.93	6.57	34.44
PK	5.1484G	55.34	74.00	-18.66	5.15	3	Vertical	142	1.45	-	50.19	33.10	6.49	34.44
PK	5.246G	113.74	Inf	-Inf	5.05	3	Vertical	142	1.45	-	108.69	32.91	6.58	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.74	54.00	-10.26	5.15	3	Horizontal	252	1.50	-	38.59	33.10	6.49	34.44
AV	5.2344G	99.87	Inf	-Inf	5.06	3	Horizontal	252	1.50	-	94.81	32.93	6.57	34.44
PK	5.1332G	55.16	74.00	-18.84	5.17	3	Horizontal	252	1.50	-	49.99	33.13	6.48	34.44
PK	5.2344G	111.32	Inf	-Inf	5.06	3	Horizontal	252	1.50	-	106.26	32.93	6.57	34.44

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68522G	44.23	54.00	-9.77	15.56	3	Vertical	250	1.30	-	28.67	38.43	11.70	34.57
PK	6.53746G	51.61	68.20	-16.59	8.33	3	Vertical	144	1.38	-	43.28	35.60	7.38	34.65
PK	10.45818G	53.49	68.20	-14.71	13.64	3	Vertical	191	1.36	-	39.85	38.64	9.54	34.54
PK	15.69156G	56.82	74.00	-17.18	15.55	3	Vertical	250	1.30	-	41.27	38.42	11.70	34.57

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6878G	44.22	54.00	-9.78	15.55	3	Horizontal	283	1.98	-	28.67	38.42	11.70	34.57
PK	6.5374G	51.42	68.20	-16.78	8.33	3	Horizontal	233	1.16	-	43.09	35.60	7.38	34.65
PK	10.45648G	53.87	68.20	-14.33	13.63	3	Horizontal	252	2.73	-	40.24	38.64	9.54	34.55
PK	15.695G	56.87	74.00	-17.13	15.54	3	Horizontal	283	1.98	-	41.33	38.41	11.70	34.57

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.254G	102.33	Inf	-Inf	5.06	3	Vertical	142	1.48	-	97.27	32.92	6.59	34.45
AV	5.362G	44.22	54.00	-9.78	5.19	3	Vertical	142	1.48	-	39.03	32.92	6.72	34.45
PK	5.2672G	112.98	Inf	-Inf	5.13	3	Vertical	142	1.48	-	107.85	32.97	6.61	34.45
PK	5.3608G	55.68	74.00	-18.32	5.18	3	Vertical	142	1.48	-	50.50	32.92	6.71	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.254G	99.01	Inf	-Inf	5.06	3	Horizontal	251	1.47	-	93.95	32.92	6.59	34.45
AV	5.3524G	43.24	54.00	-10.76	5.16	3	Horizontal	251	1.47	-	38.08	32.90	6.71	34.45
PK	5.2604G	110.13	Inf	-Inf	5.09	3	Horizontal	251	1.47	-	105.04	32.94	6.60	34.45
PK	5.3548G	55.25	74.00	-18.75	5.17	3	Horizontal	251	1.47	-	50.08	32.91	6.71	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81256G	44.59	54.00	-9.41	15.59	3	Vertical	232	2.89	-	29.00	38.49	11.75	34.65
PK	6.58726G	51.00	68.20	-17.20	8.59	3	Vertical	142	1.35	-	42.41	35.82	7.42	34.65
PK	10.54416G	53.83	68.20	-14.37	13.93	3	Vertical	145	1.06	-	39.90	38.82	9.57	34.46
PK	15.80794G	56.70	74.00	-17.30	15.59	3	Vertical	232	2.89	-	41.11	38.49	11.75	34.65

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX(Port2)


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80922G	44.56	54.00	-9.44	15.59	3	Horizontal	251	1.17	-	28.97	38.49	11.75	34.65
PK	6.5875G	52.37	68.20	-15.83	8.60	3	Horizontal	248	1.00	-	43.77	35.83	7.42	34.65
PK	10.54028G	54.76	68.20	-13.44	13.90	3	Horizontal	277	1.93	-	40.86	38.80	9.57	34.47
PK	15.81438G	56.39	74.00	-17.61	15.59	3	Horizontal	251	1.17	-	40.80	38.49	11.75	34.65

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	101.66	Inf	-Inf	5.25	3	Vertical	154	1.55	-	96.41	33.04	6.66	34.45
AV	5.35G	46.75	54.00	-7.25	5.15	3	Vertical	154	1.55	-	41.60	32.90	6.70	34.45
PK	5.3188G	113.66	Inf	-Inf	5.24	3	Vertical	154	1.55	-	108.42	33.02	6.67	34.45
PK	5.3552G	60.19	74.00	-13.81	5.17	3	Vertical	154	1.55	-	55.02	32.91	6.71	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	96.87	Inf	-Inf	5.26	3	Horizontal	250	1.50	-	91.61	33.05	6.66	34.45
AV	5.35G	44.27	54.00	-9.73	5.15	3	Horizontal	250	1.50	-	39.12	32.90	6.70	34.45
PK	5.3136G	108.17	Inf	-Inf	5.26	3	Horizontal	250	1.50	-	102.91	33.05	6.66	34.45
PK	5.394G	56.56	74.00	-17.44	5.29	3	Horizontal	250	1.50	-	51.27	32.99	6.75	34.45

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6157G	41.64	54.00	-12.36	14.24	3	Vertical	213	1.84	-	27.40	39.08	9.60	34.44
AV	15.9315G	44.65	54.00	-9.35	15.44	3	Vertical	279	1.05	-	29.21	38.37	11.80	34.73
PK	6.63766G	51.28	68.20	-16.92	8.63	3	Vertical	142	1.00	-	42.65	35.82	7.47	34.66
PK	10.62222G	54.49	74.00	-19.51	14.24	3	Vertical	213	1.84	-	40.25	39.08	9.60	34.44
PK	15.9276G	57.39	74.00	-16.61	15.45	3	Vertical	279	1.05	-	41.94	38.37	11.80	34.72

802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX(Port2)

5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61912G	41.72	54.00	-12.28	14.24	3	Horizontal	258	2.17	-	27.48	39.08	9.60	34.44
AV	15.93104G	44.65	54.00	-9.35	15.44	3	Horizontal	201	2.50	-	29.21	38.37	11.80	34.73
PK	6.6375G	52.26	68.20	-15.94	8.63	3	Horizontal	248	1.56	-	43.63	35.82	7.47	34.66
PK	10.6236G	54.81	74.00	-19.19	14.24	3	Horizontal	258	2.17	-	40.57	39.08	9.60	34.44
PK	15.93028G	56.81	74.00	-17.19	15.44	3	Horizontal	201	2.50	-	41.37	38.37	11.80	34.73