


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.84	54.00	-7.16	5.45	3	Vertical	151	1.55	-	41.39	33.12	6.79	34.46
AV	5.4944G	103.27	Inf	-Inf	5.54	3	Vertical	151	1.55	-	97.73	33.19	6.81	34.46
PK	5.4664G	62.08	68.20	-6.12	5.46	3	Vertical	151	1.55	-	56.62	33.13	6.79	34.46
PK	5.4964G	114.11	Inf	-Inf	5.54	3	Vertical	151	1.55	-	108.57	33.19	6.81	34.46

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	44.49	54.00	-9.51	5.45	3	Horizontal	247	1.50	-	39.04	33.12	6.79	34.46
AV	5.506G	99.56	Inf	-Inf	5.53	3	Horizontal	247	1.50	-	94.03	33.18	6.81	34.46
PK	5.4696G	58.26	68.20	-9.94	5.47	3	Horizontal	247	1.50	-	52.79	33.14	6.79	34.46
PK	5.5012G	110.84	Inf	-Inf	5.55	3	Horizontal	247	1.50	-	105.29	33.20	6.81	34.46

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0191G	42.09	54.00	-11.91	14.27	3	Vertical	69	1.62	-	27.82	38.82	9.74	34.29
PK	6.88306G	49.27	68.20	-18.93	9.02	3	Vertical	201	1.64	-	40.25	35.93	7.78	34.69
PK	11.02452G	54.40	74.00	-19.60	14.28	3	Vertical	69	1.62	-	40.12	38.82	9.74	34.28
PK	16.53484G	57.74	68.20	-10.46	16.25	3	Vertical	313	1.15	-	41.49	38.83	12.05	34.63

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02246G	42.12	54.00	-11.88	14.28	3	Horizontal	294	1.94	-	27.84	38.82	9.74	34.28
PK	6.88544G	49.18	68.20	-19.02	9.03	3	Horizontal	178	1.54	-	40.15	35.94	7.78	34.69
PK	11.01874G	55.46	74.00	-18.54	14.27	3	Horizontal	294	1.94	-	41.19	38.82	9.74	34.29
PK	16.53252G	58.20	68.20	-10.00	16.24	3	Horizontal	260	1.47	-	41.96	38.83	12.05	34.64

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.17	54.00	-9.83	5.45	3	Vertical	135	1.71	-	38.72	33.12	6.79	34.46
AV	5.5628G	103.73	Inf	-Inf	5.42	3	Vertical	135	1.71	-	98.31	33.05	6.84	34.47
PK	5.4636G	56.21	68.20	-11.99	5.46	3	Vertical	135	1.71	-	50.75	33.13	6.79	34.46
PK	5.5664G	115.45	Inf	-Inf	5.44	3	Vertical	135	1.71	-	110.01	33.07	6.84	34.47

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	43.28	54.00	-10.72	5.44	3	Horizontal	248	1.32	-	37.84	33.11	6.79	34.46
AV	5.5656G	100.29	Inf	-Inf	5.43	3	Horizontal	248	1.32	-	94.86	33.06	6.84	34.47
PK	5.4644G	55.29	68.20	-12.91	5.46	3	Horizontal	248	1.32	-	49.83	33.13	6.79	34.46
PK	5.5596G	111.37	Inf	-Inf	5.41	3	Horizontal	248	1.32	-	105.96	33.04	6.84	34.47

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10088G	42.13	54.00	-11.87	14.44	3	Vertical	293	1.32	-	27.69	38.90	9.77	34.23
PK	6.9332G	49.30	68.20	-18.90	9.17	3	Vertical	154	1.55	-	40.13	36.00	7.87	34.70
PK	11.10238G	54.07	74.00	-19.93	14.44	3	Vertical	293	1.32	-	39.63	38.90	9.77	34.23
PK	16.65028G	57.59	68.20	-10.61	16.40	3	Vertical	10	1.75	-	41.19	38.75	12.09	34.44


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09802G	42.11	54.00	-11.89	14.44	3	Horizontal	26	1.62	-	27.67	38.90	9.77	34.23
PK	6.93252G	49.90	68.20	-18.30	9.17	3	Horizontal	189	1.57	-	40.73	36.00	7.87	34.70
PK	11.10194G	54.34	74.00	-19.66	14.44	3	Horizontal	26	1.62	-	39.90	38.90	9.77	34.23
PK	16.6527G	57.54	68.20	-10.66	16.40	3	Horizontal	127	1.91	-	41.14	38.75	12.09	34.44

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6826G	103.41	Inf	-Inf	5.78	3	Vertical	148	1.52	-	97.63	33.37	6.89	34.48
PK	5.6826G	114.95	Inf	-Inf	5.78	3	Vertical	148	1.52	-	109.17	33.37	6.89	34.48
PK	5.7264G	61.80	68.20	-6.40	6.02	3	Vertical	148	1.52	-	55.78	33.61	6.90	34.49


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.685G	101.94	Inf	-Inf	5.78	3	Horizontal	250	1.15	-	96.16	33.37	6.89	34.48
PK	5.6802G	113.22	Inf	-Inf	5.77	3	Horizontal	250	1.15	-	107.45	33.36	6.89	34.48
PK	5.727G	60.07	68.20	-8.13	6.03	3	Horizontal	250	1.15	-	54.04	33.62	6.90	34.49

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33672G	42.29	54.00	-11.71	14.92	3	Vertical	50	2.40	-	27.37	39.13	9.85	34.06
PK	7.08852G	50.09	68.20	-18.11	9.79	3	Vertical	183	1.53	-	40.30	36.45	8.08	34.74
PK	11.34034G	54.69	74.00	-19.31	14.92	3	Vertical	50	2.40	-	39.77	39.12	9.86	34.06
PK	17.00918G	57.74	68.20	-10.46	16.77	3	Vertical	247	2.57	-	40.97	38.40	12.24	33.87

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34042G	42.28	54.00	-11.72	14.92	3	Horizontal	181	1.52	-	27.36	39.12	9.86	34.06
PK	7.08834G	49.94	68.20	-18.26	9.79	3	Horizontal	168	1.56	-	40.15	36.45	8.08	34.74
PK	11.33644G	55.01	74.00	-18.99	14.92	3	Horizontal	181	1.52	-	40.09	39.13	9.85	34.06
PK	17.00528G	58.07	68.20	-10.13	16.78	3	Horizontal	25	1.36	-	41.29	38.40	12.24	33.86

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	103.66	Inf	-Inf	6.23	3	Vertical	149	1.50	-	97.43	33.81	6.91	34.49
PK	5.6494G	55.40	68.20	-12.80	5.70	3	Vertical	149	1.50	-	49.70	33.30	6.88	34.48
PK	5.7478G	114.62	Inf	-Inf	6.20	3	Vertical	149	1.50	-	108.42	33.78	6.91	34.49
PK	5.9566G	56.72	68.20	-11.48	6.93	3	Vertical	149	1.50	-	49.79	34.37	7.07	34.51

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	101.78	Inf	-Inf	6.23	3	Horizontal	248	1.24	-	95.55	33.81	6.91	34.49
PK	5.611G	55.65	68.20	-12.55	5.61	3	Horizontal	248	1.24	-	50.04	33.22	6.86	34.47
PK	5.7514G	111.32	Inf	-Inf	6.22	3	Horizontal	248	1.24	-	105.10	33.80	6.91	34.49
PK	5.9698G	56.76	68.20	-11.44	6.88	3	Horizontal	248	1.24	-	49.88	34.32	7.08	34.52

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51464G	42.27	54.00	-11.73	14.95	3	Vertical	77	2.03	-	27.32	38.99	9.92	33.96
PK	7.19295G	50.79	68.20	-17.41	10.21	3	Vertical	164	1.58	-	40.58	36.81	8.17	34.77
PK	11.51496G	54.91	74.00	-19.09	14.95	3	Vertical	77	2.03	-	39.96	38.99	9.92	33.96
PK	17.26392G	56.75	68.20	-11.45	16.73	3	Vertical	316	1.32	-	40.02	38.46	12.34	34.07

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51014G	42.25	54.00	-11.75	14.95	3	Horizontal	332	2.68	-	27.30	38.99	9.92	33.96
PK	7.19237G	50.32	68.20	-17.88	10.22	3	Horizontal	182	1.45	-	40.10	36.82	8.17	34.77
PK	11.51434G	54.55	74.00	-19.45	14.95	3	Horizontal	332	2.68	-	39.60	38.99	9.92	33.96
PK	17.2667G	56.93	68.20	-11.27	16.74	3	Horizontal	244	2.74	-	40.19	38.47	12.34	34.07

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	103.81	Inf	-Inf	6.33	3	Vertical	146	1.50	-	97.48	33.90	6.93	34.50
PK	5.6474G	55.29	68.20	-12.91	5.69	3	Vertical	146	1.50	-	49.60	33.29	6.88	34.48
PK	5.7986G	114.02	Inf	-Inf	6.33	3	Vertical	146	1.50	-	107.69	33.90	6.93	34.50
PK	6.0842G	56.61	68.20	-11.59	6.86	3	Vertical	146	1.50	-	49.75	34.26	7.14	34.54

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	102.37	Inf	-Inf	6.33	3	Horizontal	246	1.20	-	96.04	33.90	6.93	34.50
PK	5.627G	55.68	68.20	-12.52	5.64	3	Horizontal	246	1.20	-	50.04	33.25	6.87	34.48
PK	5.8142G	112.45	Inf	-Inf	6.43	3	Horizontal	246	1.20	-	106.02	33.99	6.94	34.50
PK	6.0098G	56.32	68.20	-11.88	6.83	3	Horizontal	246	1.20	-	49.49	34.24	7.11	34.52

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58754G	42.02	54.00	-11.98	14.85	3	Vertical	147	2.38	-	27.17	38.91	9.94	34.00
PK	7.24413G	49.91	68.20	-18.29	10.26	3	Vertical	213	1.51	-	39.65	36.89	8.16	34.79
PK	11.58642G	54.03	74.00	-19.97	14.85	3	Vertical	147	2.38	-	39.18	38.91	9.94	34.00
PK	17.38702G	57.66	68.20	-10.54	16.99	3	Vertical	153	2.30	-	40.67	38.76	12.39	34.16

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5852G	42.04	54.00	-11.96	14.85	3	Horizontal	119	2.21	-	27.19	38.91	9.94	34.00
PK	7.24479G	50.18	68.20	-18.02	10.26	3	Horizontal	163	1.47	-	39.92	36.89	8.16	34.79
PK	11.58862G	54.07	74.00	-19.93	14.85	3	Horizontal	119	2.21	-	39.22	38.91	9.94	34.00
PK	17.3825G	58.32	68.20	-9.88	16.98	3	Horizontal	35	1.49	-	41.34	38.75	12.39	34.16

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.28	54.00	-3.72	5.15	3	Vertical	207	1.53	-	45.13	33.10	6.49	34.44
AV	5.1736G	102.97	Inf	-Inf	5.12	3	Vertical	207	1.53	-	97.85	33.05	6.51	34.44
PK	5.148G	62.90	74.00	-11.10	5.15	3	Vertical	207	1.53	-	57.75	33.10	6.49	34.44
PK	5.1736G	114.54	Inf	-Inf	5.12	3	Vertical	207	1.53	-	109.42	33.05	6.51	34.44

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.09	54.00	-4.91	5.15	3	Horizontal	117	1.73	-	43.94	33.10	6.49	34.44
AV	5.1736G	101.35	Inf	-Inf	5.12	3	Horizontal	117	1.73	-	96.23	33.05	6.51	34.44
PK	5.15G	61.05	74.00	-12.95	5.15	3	Horizontal	117	1.73	-	55.90	33.10	6.49	34.44
PK	5.1804G	112.40	Inf	-Inf	5.12	3	Horizontal	117	1.73	-	107.28	33.04	6.52	34.44

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5671G	44.32	54.00	-9.68	15.83	3	Vertical	60	2.97	-	28.49	38.67	11.65	34.49
PK	6.48734G	57.21	68.20	-10.99	8.18	3	Vertical	211	1.50	-	49.03	35.47	7.35	34.64
PK	10.38018G	53.70	68.20	-14.50	13.53	3	Vertical	162	2.68	-	40.17	38.68	9.51	34.66
PK	15.57172G	56.13	74.00	-17.87	15.81	3	Vertical	60	2.97	-	40.32	38.66	11.65	34.50

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5688G	44.30	54.00	-9.70	15.82	3	Horizontal	1	2.50	-	28.48	38.66	11.65	34.49
PK	6.48736G	54.74	68.20	-13.46	8.18	3	Horizontal	139	1.45	-	46.56	35.47	7.35	34.64
PK	10.38418G	54.33	68.20	-13.87	13.54	3	Horizontal	225	1.03	-	40.79	38.68	9.52	34.66
PK	15.56596G	56.36	74.00	-17.64	15.83	3	Horizontal	1	2.50	-	40.53	38.67	11.65	34.49

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.30	54.00	-9.70	5.15	3	Vertical	202	1.35	-	39.15	33.10	6.49	34.44
AV	5.2324G	103.59	Inf	-Inf	5.07	3	Vertical	202	1.35	-	98.52	32.94	6.57	34.44
PK	5.1496G	56.53	74.00	-17.47	5.15	3	Vertical	202	1.35	-	51.38	33.10	6.49	34.44
PK	5.2344G	114.60	Inf	-Inf	5.06	3	Vertical	202	1.35	-	109.54	32.93	6.57	34.44

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.75	54.00	-10.25	5.15	3	Horizontal	118	1.03	-	38.60	33.10	6.49	34.44
AV	5.2364G	100.78	Inf	-Inf	5.06	3	Horizontal	118	1.03	-	95.72	32.93	6.57	34.44
PK	5.1384G	55.00	74.00	-19.00	5.16	3	Horizontal	118	1.03	-	49.84	33.12	6.48	34.44
PK	5.2356G	112.36	Inf	-Inf	5.06	3	Horizontal	118	1.03	-	107.30	32.93	6.57	34.44

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68734G	44.23	54.00	-9.77	15.56	3	Vertical	340	2.94	-	28.67	38.43	11.70	34.57
PK	6.53746G	56.14	68.20	-12.06	8.33	3	Vertical	212	1.50	-	47.81	35.60	7.38	34.65
PK	10.46336G	53.64	68.20	-14.56	13.64	3	Vertical	127	1.54	-	40.00	38.64	9.54	34.54
PK	15.68686G	56.63	74.00	-17.37	15.56	3	Vertical	340	2.94	-	41.07	38.43	11.70	34.57

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69214G	44.34	54.00	-9.66	15.55	3	Horizontal	287	2.92	-	28.79	38.42	11.70	34.57
PK	6.53738G	54.26	68.20	-13.94	8.33	3	Horizontal	128	1.50	-	45.93	35.60	7.38	34.65
PK	10.45672G	53.82	68.20	-14.38	13.63	3	Horizontal	35	1.38	-	40.19	38.64	9.54	34.55
PK	15.68762G	56.10	74.00	-17.90	15.55	3	Horizontal	287	2.92	-	40.55	38.42	11.70	34.57

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2568G	103.81	Inf	-Inf	5.08	3	Vertical	203	1.43	-	98.73	32.93	6.60	34.45
AV	5.3532G	45.93	54.00	-8.07	5.17	3	Vertical	203	1.43	-	40.76	32.91	6.71	34.45
PK	5.2608G	115.12	Inf	-Inf	5.09	3	Vertical	203	1.43	-	110.03	32.94	6.60	34.45
PK	5.3572G	57.08	74.00	-16.92	5.17	3	Vertical	203	1.43	-	51.91	32.91	6.71	34.45

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2588G	100.97	Inf	-Inf	5.09	3	Horizontal	115	1.66	-	95.88	32.94	6.60	34.45
AV	5.3524G	44.28	54.00	-9.72	5.16	3	Horizontal	115	1.66	-	39.12	32.90	6.71	34.45
PK	5.2616G	112.07	Inf	-Inf	5.10	3	Horizontal	115	1.66	-	106.97	32.95	6.60	34.45
PK	5.362G	56.07	74.00	-17.93	5.19	3	Horizontal	115	1.66	-	50.88	32.92	6.72	34.45

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8149G	44.61	54.00	-9.39	15.59	3	Vertical	187	1.50	-	29.02	38.49	11.75	34.65
PK	6.58758G	55.28	68.20	-12.92	8.60	3	Vertical	233	1.50	-	46.68	35.83	7.42	34.65
PK	10.53882G	53.76	68.20	-14.44	13.89	3	Vertical	101	1.01	-	39.87	38.79	9.57	34.47
PK	15.81036G	56.81	74.00	-17.19	15.59	3	Vertical	187	1.50	-	41.22	38.49	11.75	34.65

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8122G	44.58	54.00	-9.42	15.59	3	Horizontal	188	2.05	-	28.99	38.49	11.75	34.65
PK	6.5875G	53.84	68.20	-14.36	8.60	3	Horizontal	138	1.15	-	45.24	35.83	7.42	34.65
PK	10.54042G	53.65	68.20	-14.55	13.90	3	Horizontal	354	2.47	-	39.75	38.80	9.57	34.47
PK	15.80874G	57.26	74.00	-16.74	15.59	3	Horizontal	188	2.05	-	41.67	38.49	11.75	34.65

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	103.43	Inf	-Inf	5.23	3	Vertical	204	1.39	-	98.20	33.01	6.67	34.45
AV	5.35G	48.81	54.00	-5.19	5.15	3	Vertical	204	1.39	-	43.66	32.90	6.70	34.45
PK	5.3176G	114.97	Inf	-Inf	5.25	3	Vertical	204	1.39	-	109.72	33.03	6.67	34.45
PK	5.3504G	60.51	74.00	-13.49	5.15	3	Vertical	204	1.39	-	55.36	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	100.25	Inf	-Inf	5.25	3	Horizontal	116	1.57	-	95.00	33.03	6.67	34.45
AV	5.35G	46.64	54.00	-7.36	5.15	3	Horizontal	116	1.57	-	41.49	32.90	6.70	34.45
PK	5.3164G	110.98	Inf	-Inf	5.24	3	Horizontal	116	1.57	-	105.74	33.03	6.66	34.45
PK	5.3504G	58.92	74.00	-15.08	5.15	3	Horizontal	116	1.57	-	53.77	32.90	6.70	34.45

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62166G	41.69	54.00	-12.31	14.24	3	Vertical	253	1.59	-	27.45	39.08	9.60	34.44
AV	15.92834G	44.67	54.00	-9.33	15.45	3	Vertical	83	2.61	-	29.22	38.37	11.80	34.72
PK	6.6375G	54.93	68.20	-13.27	8.63	3	Vertical	213	1.50	-	46.30	35.82	7.47	34.66
PK	10.61708G	53.44	74.00	-20.56	14.24	3	Vertical	253	1.59	-	39.20	39.08	9.60	34.44
PK	15.93218G	57.16	74.00	-16.84	15.44	3	Vertical	83	2.61	-	41.72	38.37	11.80	34.73

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62248G	41.69	54.00	-12.31	14.24	3	Horizontal	191	2.39	-	27.45	39.08	9.60	34.44
AV	15.9283G	44.67	54.00	-9.33	15.45	3	Horizontal	286	1.78	-	29.22	38.37	11.80	34.72
PK	6.63734G	53.56	68.20	-14.64	8.64	3	Horizontal	142	1.50	-	44.92	35.83	7.47	34.66
PK	10.62498G	53.86	74.00	-20.14	14.24	3	Horizontal	191	2.39	-	39.62	39.08	9.60	34.44
PK	15.93498G	56.88	74.00	-17.12	15.44	3	Horizontal	286	1.78	-	41.44	38.37	11.80	34.73

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.07	54.00	-6.93	5.45	3	Vertical	138	1.57	-	41.62	33.12	6.79	34.46
AV	5.4968G	103.99	Inf	-Inf	5.54	3	Vertical	138	1.57	-	98.45	33.19	6.81	34.46
PK	5.4692G	65.15	68.20	-3.05	5.47	3	Vertical	138	1.57	-	59.68	33.14	6.79	34.46
PK	5.5008G	115.36	Inf	-Inf	5.55	3	Vertical	138	1.57	-	109.81	33.20	6.81	34.46

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.26	54.00	-9.74	5.45	3	Horizontal	248	1.19	-	38.81	33.12	6.79	34.46
AV	5.5072G	99.62	Inf	-Inf	5.52	3	Horizontal	248	1.19	-	94.10	33.17	6.81	34.46
PK	5.4668G	58.34	68.20	-9.86	5.46	3	Horizontal	248	1.19	-	52.88	33.13	6.79	34.46
PK	5.5056G	112.10	Inf	-Inf	5.53	3	Horizontal	248	1.19	-	106.57	33.18	6.81	34.46

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01572G	42.06	54.00	-11.94	14.27	3	Vertical	200	1.08	-	27.79	38.82	9.74	34.29
PK	6.88862G	49.80	68.20	-18.40	9.05	3	Vertical	161	1.62	-	40.75	35.95	7.79	34.69
PK	11.01676G	54.58	74.00	-19.42	14.27	3	Vertical	200	1.08	-	40.31	38.82	9.74	34.29
PK	16.53314G	58.24	68.20	-9.96	16.25	3	Vertical	155	1.59	-	41.99	38.83	12.05	34.63

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02246G	42.12	54.00	-11.88	14.28	3	Horizontal	164	2.74	-	27.84	38.82	9.74	34.28
PK	6.89056G	49.22	68.20	-18.98	9.06	3	Horizontal	174	1.50	-	40.16	35.96	7.79	34.69
PK	11.02494G	54.41	74.00	-19.59	14.28	3	Horizontal	164	2.74	-	40.13	38.82	9.74	34.28
PK	16.5311G	58.28	68.20	-9.92	16.25	3	Horizontal	36	2.68	-	42.03	38.84	12.05	34.64

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.49	54.00	-9.51	5.45	3	Vertical	139	1.50	-	39.04	33.12	6.79	34.46
AV	5.5528G	103.03	Inf	-Inf	5.38	3	Vertical	139	1.50	-	97.65	33.01	6.84	34.47
PK	5.4624G	56.01	68.20	-12.19	5.45	3	Vertical	139	1.50	-	50.56	33.12	6.79	34.46
PK	5.5596G	114.99	Inf	-Inf	5.41	3	Vertical	139	1.50	-	109.58	33.04	6.84	34.47

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	43.59	54.00	-10.41	5.43	3	Horizontal	117	2.66	-	38.16	33.10	6.79	34.46
AV	5.556G	99.51	Inf	-Inf	5.39	3	Horizontal	117	2.66	-	94.12	33.02	6.84	34.47
PK	5.4644G	55.23	68.20	-12.97	5.46	3	Horizontal	117	2.66	-	49.77	33.13	6.79	34.46
PK	5.5644G	110.23	Inf	-Inf	5.43	3	Horizontal	117	2.66	-	104.80	33.06	6.84	34.47

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10134G	42.14	54.00	-11.86	14.44	3	Vertical	90	2.67	-	27.70	38.90	9.77	34.23
PK	6.93644G	50.22	68.20	-17.98	9.18	3	Vertical	187	1.61	-	41.04	36.00	7.88	34.70
PK	11.10174G	55.31	74.00	-18.69	14.44	3	Vertical	90	2.67	-	40.87	38.90	9.77	34.23
PK	16.64944G	57.59	68.20	-10.61	16.40	3	Vertical	32	1.17	-	41.19	38.75	12.09	34.44


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10348G	42.18	54.00	-11.82	14.45	3	Horizontal	116	1.78	-	27.73	38.91	9.77	34.23
PK	6.9387G	49.25	68.20	-18.95	9.18	3	Horizontal	157	1.49	-	40.07	36.00	7.88	34.70
PK	11.10016G	54.18	74.00	-19.82	14.44	3	Horizontal	116	1.78	-	39.74	38.90	9.77	34.23
PK	16.65476G	57.36	68.20	-10.84	16.42	3	Horizontal	292	1.33	-	40.94	38.75	12.10	34.43

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	102.92	Inf	-Inf	5.76	3	Vertical	141	1.00	-	97.16	33.35	6.89	34.48
PK	5.6856G	114.19	Inf	-Inf	5.78	3	Vertical	141	1.00	-	108.41	33.37	6.89	34.48
PK	5.7264G	59.08	68.20	-9.12	6.02	3	Vertical	141	1.00	-	53.06	33.61	6.90	34.49


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6832G	99.61	Inf	-Inf	5.78	3	Horizontal	120	1.41	-	93.83	33.37	6.89	34.48
PK	5.6856G	111.74	Inf	-Inf	5.78	3	Horizontal	120	1.41	-	105.96	33.37	6.89	34.48
PK	5.7684G	56.88	68.20	-11.32	6.27	3	Horizontal	120	1.41	-	50.61	33.84	6.92	34.49

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3371G	42.29	54.00	-11.71	14.92	3	Vertical	256	1.44	-	27.37	39.13	9.85	34.06
PK	7.09204G	49.98	68.20	-18.22	9.81	3	Vertical	218	1.68	-	40.17	36.47	8.08	34.74
PK	11.3419G	54.95	74.00	-19.05	14.92	3	Vertical	256	1.44	-	40.03	39.12	9.86	34.06
PK	17.00502G	58.02	68.20	-10.18	16.78	3	Vertical	55	2.40	-	41.24	38.40	12.24	33.86

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33638G	42.19	54.00	-11.81	14.92	3	Horizontal	129	2.55	-	27.27	39.13	9.85	34.06
PK	7.09036G	50.02	68.20	-18.18	9.80	3	Horizontal	189	1.65	-	40.22	36.46	8.08	34.74
PK	11.33886G	55.16	74.00	-18.84	14.92	3	Horizontal	129	2.55	-	40.24	39.12	9.86	34.06
PK	17.01398G	58.20	68.20	-10.00	16.77	3	Horizontal	126	2.97	-	41.43	38.40	12.24	33.87

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	103.14	Inf	-Inf	6.23	3	Vertical	143	1.50	-	96.91	33.81	6.91	34.49
PK	5.6278G	56.46	68.20	-11.74	5.65	3	Vertical	143	1.50	-	50.81	33.26	6.87	34.48
PK	5.743G	113.29	Inf	-Inf	6.16	3	Vertical	143	1.50	-	107.13	33.74	6.91	34.49
PK	5.9494G	56.15	68.20	-12.05	6.95	3	Vertical	143	1.50	-	49.20	34.40	7.06	34.51

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	99.64	Inf	-Inf	6.23	3	Horizontal	131	1.61	-	93.41	33.81	6.91	34.49
PK	5.6074G	55.04	68.20	-13.16	5.60	3	Horizontal	131	1.61	-	49.44	33.21	6.86	34.47
PK	5.7538G	111.02	Inf	-Inf	6.23	3	Horizontal	131	1.61	-	104.79	33.81	6.91	34.49
PK	6.0514G	57.54	68.20	-10.66	6.99	3	Horizontal	131	1.61	-	50.55	34.39	7.13	34.53

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51386G	42.27	54.00	-11.73	14.95	3	Vertical	218	1.93	-	27.32	38.99	9.92	33.96
PK	7.19021G	50.18	68.20	-18.02	10.22	3	Vertical	183	1.45	-	39.96	36.82	8.17	34.77
PK	11.5149G	54.07	74.00	-19.93	14.95	3	Vertical	218	1.93	-	39.12	38.99	9.92	33.96
PK	17.2692G	56.88	68.20	-11.32	16.74	3	Vertical	238	1.52	-	40.14	38.47	12.34	34.07

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50826G	42.24	54.00	-11.76	14.95	3	Horizontal	299	2.42	-	27.29	38.99	9.92	33.96
PK	7.19327G	49.94	68.20	-18.26	10.21	3	Horizontal	164	1.65	-	39.73	36.81	8.17	34.77
PK	11.5053G	54.57	74.00	-19.43	14.95	3	Horizontal	299	2.42	-	39.62	38.99	9.91	33.95
PK	17.26278G	57.48	68.20	-10.72	16.74	3	Horizontal	338	2.86	-	40.74	38.46	12.34	34.06

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	103.28	Inf	-Inf	6.32	3	Vertical	143	1.50	-	96.96	33.89	6.93	34.50
PK	5.621G	56.13	68.20	-12.07	5.64	3	Vertical	143	1.50	-	50.49	33.24	6.87	34.47
PK	5.8034G	113.09	Inf	-Inf	6.35	3	Vertical	143	1.50	-	106.74	33.92	6.93	34.50
PK	5.9762G	56.56	68.20	-11.64	6.87	3	Vertical	143	1.50	-	49.69	34.30	7.09	34.52

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8118G	99.33	Inf	-Inf	6.41	3	Horizontal	132	1.58	-	92.92	33.97	6.94	34.50
PK	5.585G	55.14	68.20	-13.06	5.52	3	Horizontal	132	1.58	-	49.62	33.14	6.85	34.47
PK	5.8058G	109.28	Inf	-Inf	6.37	3	Horizontal	132	1.58	-	102.91	33.93	6.94	34.50
PK	6.0098G	56.68	68.20	-11.52	6.83	3	Horizontal	132	1.58	-	49.85	34.24	7.11	34.52

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58506G	42.04	54.00	-11.96	14.85	3	Vertical	258	2.17	-	27.19	38.91	9.94	34.00
PK	7.24317G	51.06	68.20	-17.14	10.26	3	Vertical	165	1.48	-	40.80	36.89	8.16	34.79
PK	11.5899G	54.35	74.00	-19.65	14.84	3	Vertical	258	2.17	-	39.51	38.91	9.94	34.01
PK	17.38476G	57.43	68.20	-10.77	16.98	3	Vertical	270	1.10	-	40.45	38.75	12.39	34.16

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58634G	42.03	54.00	-11.97	14.85	3	Horizontal	75	1.94	-	27.18	38.91	9.94	34.00
PK	7.24625G	50.32	68.20	-17.88	10.26	3	Horizontal	174	1.59	-	40.06	36.89	8.16	34.79
PK	11.59444G	54.72	74.00	-19.28	14.85	3	Horizontal	75	1.94	-	39.87	38.91	9.95	34.01
PK	17.38152G	57.28	68.20	-10.92	16.97	3	Horizontal	237	2.59	-	40.31	38.74	12.39	34.16

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.13	54.00	-4.87	5.15	3	Vertical	207	1.50	-	43.98	33.10	6.49	34.44
AV	5.208G	95.53	Inf	-Inf	5.08	3	Vertical	207	1.50	-	90.45	32.98	6.54	34.44
AV	5.35G	45.20	54.00	-8.80	5.15	3	Vertical	207	1.50	-	40.05	32.90	6.70	34.45
PK	5.149G	61.89	74.00	-12.11	5.15	3	Vertical	207	1.50	-	56.74	33.10	6.49	34.44
PK	5.203G	106.26	Inf	-Inf	5.08	3	Vertical	207	1.50	-	101.18	32.99	6.53	34.44
PK	5.35G	56.93	74.00	-17.07	5.15	3	Vertical	207	1.50	-	51.78	32.90	6.70	34.45

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.39	54.00	-5.61	5.15	3	Horizontal	119	1.75	-	43.24	33.10	6.49	34.44
AV	5.203G	93.66	Inf	-Inf	5.08	3	Horizontal	119	1.75	-	88.58	32.99	6.53	34.44
AV	5.358G	44.29	54.00	-9.71	5.18	3	Horizontal	119	1.75	-	39.11	32.92	6.71	34.45
PK	5.148G	60.56	74.00	-13.44	5.15	3	Horizontal	119	1.75	-	55.41	33.10	6.49	34.44
PK	5.206G	104.42	Inf	-Inf	5.09	3	Horizontal	119	1.75	-	99.33	32.99	6.54	34.44
PK	5.352G	55.40	74.00	-18.60	5.15	3	Horizontal	119	1.75	-	50.25	32.90	6.70	34.45

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63468G	44.44	54.00	-9.56	15.66	3	Vertical	29	2.33	-	28.78	38.53	11.67	34.54
PK	6.51238G	59.10	68.20	-9.10	8.32	3	Vertical	211	1.56	-	50.78	35.60	7.36	34.64
PK	10.42172G	54.01	68.20	-14.19	13.61	3	Vertical	317	1.38	-	40.40	38.68	9.53	34.60
PK	15.63374G	57.27	74.00	-16.73	15.66	3	Vertical	29	2.33	-	41.61	38.53	11.67	34.54

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63052G	44.35	54.00	-9.65	15.68	3	Horizontal	8	1.89	-	28.67	38.54	11.67	34.53
PK	6.5125G	56.22	68.20	-11.98	8.32	3	Horizontal	139	1.40	-	47.90	35.60	7.36	34.64
PK	10.41944G	54.46	68.20	-13.74	13.61	3	Horizontal	152	2.22	-	40.85	38.68	9.53	34.60
PK	15.6298G	56.90	74.00	-17.10	15.68	3	Horizontal	8	1.89	-	41.22	38.54	11.67	34.53

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.15	54.00	-10.85	5.15	3	Vertical	207	1.54	-	38.00	33.10	6.49	34.44
AV	5.275G	95.10	Inf	-Inf	5.17	3	Vertical	207	1.54	-	89.93	33.00	6.62	34.45
AV	5.35G	44.19	54.00	-9.81	5.15	3	Vertical	207	1.54	-	39.04	32.90	6.70	34.45
PK	5.142G	54.35	74.00	-19.65	5.17	3	Vertical	207	1.54	-	49.18	33.12	6.49	34.44
PK	5.277G	106.12	Inf	-Inf	5.18	3	Vertical	207	1.54	-	100.94	33.01	6.62	34.45
PK	5.487G	56.14	68.20	-12.06	5.51	3	Vertical	207	1.54	-	50.63	33.17	6.80	34.46

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.131G	43.03	54.00	-10.97	5.18	3	Horizontal	116	1.74	-	37.85	33.14	6.48	34.44
AV	5.286G	92.21	Inf	-Inf	5.22	3	Horizontal	116	1.74	-	86.99	33.04	6.63	34.45
AV	5.353G	43.58	54.00	-10.42	5.17	3	Horizontal	116	1.74	-	38.41	32.91	6.71	34.45
PK	5.08G	54.56	74.00	-19.44	5.13	3	Horizontal	116	1.74	-	49.43	33.12	6.44	34.43
PK	5.277G	102.87	Inf	-Inf	5.18	3	Horizontal	116	1.74	-	97.69	33.01	6.62	34.45
PK	5.473G	54.98	68.20	-13.22	5.49	3	Horizontal	116	1.74	-	49.49	33.15	6.80	34.46

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87174G	44.41	54.00	-9.59	15.52	3	Vertical	141	2.21	-	28.89	38.43	11.78	34.69
PK	6.61254G	54.98	68.20	-13.22	8.65	3	Vertical	213	1.50	-	46.33	35.87	7.44	34.66
PK	10.58296G	54.04	68.20	-14.16	14.15	3	Vertical	256	1.37	-	39.89	39.01	9.59	34.45
PK	15.86794G	56.81	74.00	-17.19	15.51	3	Vertical	141	2.21	-	41.30	38.43	11.77	34.69

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87092G	44.41	54.00	-9.59	15.52	3	Horizontal	157	1.11	-	28.89	38.43	11.78	34.69
PK	6.61254G	52.68	68.20	-15.52	8.65	3	Horizontal	139	1.45	-	44.03	35.87	7.44	34.66
PK	10.58136G	54.25	68.20	-13.95	14.15	3	Horizontal	136	1.15	-	40.10	39.01	9.59	34.45
PK	15.87194G	57.30	74.00	-16.70	15.52	3	Horizontal	157	1.11	-	41.78	38.43	11.78	34.69

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.13	54.00	-6.87	5.45	3	Vertical	206	1.50	-	41.68	33.12	6.79	34.46
AV	5.522G	99.30	Inf	-Inf	5.47	3	Vertical	206	1.50	-	93.83	33.11	6.82	34.46
PK	5.469G	62.00	68.20	-6.20	5.47	3	Vertical	206	1.50	-	56.53	33.14	6.79	34.46
PK	5.496G	109.95	Inf	-Inf	5.54	3	Vertical	206	1.50	-	104.41	33.19	6.81	34.46
PK	5.757G	56.76	68.20	-11.44	6.23	3	Vertical	206	1.50	-	50.53	33.81	6.91	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.70	54.00	-11.30	5.15	3	Horizontal	118	2.87	-	37.55	32.90	6.70	34.45
AV	5.46G	44.65	54.00	-9.35	5.45	3	Horizontal	118	2.87	-	39.20	33.12	6.79	34.46
AV	5.523G	96.13	Inf	-Inf	5.47	3	Horizontal	118	2.87	-	90.66	33.11	6.82	34.46
PK	5.464G	59.27	68.20	-8.93	5.46	3	Horizontal	118	2.87	-	53.81	33.13	6.79	34.46
PK	5.505G	107.12	Inf	-Inf	5.53	3	Horizontal	118	2.87	-	101.59	33.18	6.81	34.46
PK	5.762G	55.46	68.20	-12.74	6.25	3	Horizontal	118	2.87	-	49.21	33.82	6.92	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0619G	42.17	54.00	-11.83	14.36	3	Vertical	26	2.01	-	27.81	38.86	9.76	34.26
PK	6.91498G	49.47	68.20	-18.73	9.14	3	Vertical	156	1.63	-	40.33	36.00	7.84	34.70
PK	11.06068G	54.59	74.00	-19.41	14.36	3	Vertical	26	2.01	-	40.23	38.86	9.76	34.26
PK	16.58502G	58.06	68.20	-10.14	16.25	3	Vertical	35	2.13	-	41.81	38.73	12.07	34.55

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06218G	42.17	54.00	-11.83	14.36	3	Horizontal	198	1.44	-	27.81	38.86	9.76	34.26
PK	6.91512G	48.44	68.20	-19.76	9.14	3	Horizontal	169	1.47	-	39.30	36.00	7.84	34.70
PK	11.05812G	54.60	74.00	-19.40	14.36	3	Horizontal	198	1.44	-	40.24	38.86	9.76	34.26
PK	16.59012G	57.44	68.20	-10.76	16.25	3	Horizontal	186	1.32	-	41.19	38.72	12.07	34.54

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	44.01	54.00	-9.99	5.45	3	Vertical	209	1.50	-	38.56	33.12	6.79	34.46
AV	5.618G	100.87	Inf	-Inf	5.64	3	Vertical	209	1.50	-	95.23	33.24	6.87	34.47
PK	5.467G	54.78	68.20	-13.42	5.46	3	Vertical	209	1.50	-	49.32	33.13	6.79	34.46
PK	5.618G	111.97	Inf	-Inf	5.64	3	Vertical	209	1.50	-	106.33	33.24	6.87	34.47
PK	5.731G	58.27	68.20	-9.93	6.07	3	Vertical	209	1.50	-	52.20	33.65	6.91	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.428G	43.19	54.00	-10.81	5.37	3	Horizontal	118	1.38	-	37.82	33.06	6.77	34.46
AV	5.618G	97.46	Inf	-Inf	5.64	3	Horizontal	118	1.38	-	91.82	33.24	6.87	34.47
PK	5.465G	54.73	68.20	-13.47	5.46	3	Horizontal	118	1.38	-	49.27	33.13	6.79	34.46
PK	5.64G	108.56	Inf	-Inf	5.67	3	Horizontal	118	1.38	-	102.89	33.28	6.87	34.48
PK	5.776G	56.99	68.20	-11.21	6.28	3	Horizontal	118	1.38	-	50.71	33.85	6.92	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2195G	42.66	54.00	-11.34	14.78	3	Vertical	263	2.57	-	27.88	39.12	9.81	34.15
PK	7.01726G	49.62	68.20	-18.58	9.40	3	Vertical	200	1.56	-	40.22	36.10	8.02	34.72
PK	11.22446G	54.27	74.00	-19.73	14.79	3	Vertical	263	2.57	-	39.48	39.12	9.81	34.14
PK	16.83106G	57.71	68.20	-10.49	16.60	3	Vertical	330	1.25	-	41.11	38.57	12.17	34.14

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2199G	42.65	54.00	-11.35	14.78	3	Horizontal	347	2.90	-	27.87	39.12	9.81	34.15
PK	7.01698G	49.64	68.20	-18.56	9.40	3	Horizontal	169	1.54	-	40.24	36.10	8.02	34.72
PK	11.21684G	54.82	74.00	-19.18	14.78	3	Horizontal	347	2.90	-	40.04	39.12	9.81	34.15
PK	16.82658G	57.50	68.20	-10.70	16.58	3	Horizontal	4	2.69	-	40.92	38.57	12.16	34.15

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	100.63	Inf	-Inf	6.25	3	Vertical	211	1.59	-	94.38	33.82	6.92	34.49
PK	5.6454G	57.90	68.20	-10.30	5.69	3	Vertical	211	1.59	-	52.21	33.29	6.88	34.48
PK	5.7582G	111.36	Inf	-Inf	6.25	3	Vertical	211	1.59	-	105.11	33.82	6.92	34.49
PK	5.9778G	57.61	68.20	-10.59	6.86	3	Vertical	211	1.59	-	50.75	34.29	7.09	34.52

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7582G	96.62	Inf	-Inf	6.25	3	Horizontal	123	1.48	-	90.37	33.82	6.92	34.49
PK	5.6418G	55.59	68.20	-12.61	5.67	3	Horizontal	123	1.48	-	49.92	33.28	6.87	34.48
PK	5.7582G	108.14	Inf	-Inf	6.25	3	Horizontal	123	1.48	-	101.89	33.82	6.92	34.49
PK	5.9418G	56.61	68.20	-11.59	6.90	3	Horizontal	123	1.48	-	49.71	34.35	7.06	34.51

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55304G	42.18	54.00	-11.82	14.90	3	Vertical	168	2.84	-	27.28	38.95	9.93	33.98
PK	7.21829G	49.97	68.20	-18.23	10.23	3	Vertical	152	1.60	-	39.74	36.84	8.17	34.78
PK	11.5479G	54.89	74.00	-19.11	14.90	3	Vertical	168	2.84	-	39.99	38.95	9.93	33.98
PK	17.32304G	57.22	68.20	-10.98	16.83	3	Vertical	284	1.50	-	40.39	38.57	12.37	34.11

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55236G	42.19	54.00	-11.81	14.90	3	Horizontal	287	1.00	-	27.29	38.95	9.93	33.98
PK	7.22003G	51.09	68.20	-17.11	10.23	3	Horizontal	186	1.60	-	40.86	36.84	8.17	34.78
PK	11.55224G	54.84	74.00	-19.16	14.90	3	Horizontal	287	1.00	-	39.94	38.95	9.93	33.98
PK	17.32442G	57.55	68.20	-10.65	16.83	3	Horizontal	261	2.91	-	40.72	38.57	12.37	34.11

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.90	54.00	-2.10	5.15	3	Vertical	141	1.46	-	46.75	33.10	6.49	34.44
AV	5.205G	96.29	Inf	-Inf	5.09	3	Vertical	141	1.46	-	91.20	32.99	6.54	34.44
AV	5.355G	44.36	54.00	-9.64	5.17	3	Vertical	141	1.46	-	39.19	32.91	6.71	34.45
PK	5.15G	62.52	74.00	-11.48	5.15	3	Vertical	141	1.46	-	57.37	33.10	6.49	34.44
PK	5.205G	107.73	Inf	-Inf	5.09	3	Vertical	141	1.46	-	102.64	32.99	6.54	34.44
PK	5.367G	55.46	74.00	-18.54	5.20	3	Vertical	141	1.46	-	50.26	32.93	6.72	34.45

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.37	54.00	-2.63	5.15	3	Horizontal	250	1.66	-	46.22	33.10	6.49	34.44
AV	5.198G	94.03	Inf	-Inf	5.09	3	Horizontal	250	1.66	-	88.94	33.00	6.53	34.44
AV	5.431G	43.29	54.00	-10.71	5.38	3	Horizontal	250	1.66	-	37.91	33.06	6.78	34.46
PK	5.15G	61.79	74.00	-12.21	5.15	3	Horizontal	250	1.66	-	56.64	33.10	6.49	34.44
PK	5.191G	105.95	Inf	-Inf	5.10	3	Horizontal	250	1.66	-	100.85	33.02	6.52	34.44
PK	5.363G	54.51	74.00	-19.49	5.20	3	Horizontal	250	1.66	-	49.31	32.93	6.72	34.45

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6258G	44.37	54.00	-9.63	15.69	3	Vertical	209	2.80	-	28.68	38.55	11.67	34.53
PK	6.51256G	53.15	68.20	-15.05	8.32	3	Vertical	144	1.22	-	44.83	35.60	7.36	34.64
PK	10.42186G	53.86	68.20	-14.34	13.61	3	Vertical	148	2.38	-	40.25	38.68	9.53	34.60
PK	15.63216G	56.84	74.00	-17.16	15.68	3	Vertical	209	2.80	-	41.16	38.54	11.67	34.53

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62898G	44.35	54.00	-9.65	15.68	3	Horizontal	347	1.58	-	28.67	38.54	11.67	34.53
PK	6.51242G	54.44	68.20	-13.76	8.32	3	Horizontal	248	1.03	-	46.12	35.60	7.36	34.64
PK	10.423G	54.08	68.20	-14.12	13.61	3	Horizontal	234	2.45	-	40.47	38.68	9.53	34.60
PK	15.63488G	56.44	74.00	-17.56	15.66	3	Horizontal	347	1.58	-	40.78	38.53	11.67	34.54

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.50	54.00	-10.50	5.15	3	Vertical	155	1.65	-	38.35	33.10	6.49	34.44
AV	5.288G	96.71	Inf	-Inf	5.23	3	Vertical	155	1.65	-	91.48	33.05	6.63	34.45
AV	5.35G	47.82	54.00	-6.18	5.15	3	Vertical	155	1.65	-	42.67	32.90	6.70	34.45
PK	5.074G	54.33	74.00	-19.67	5.11	3	Vertical	155	1.65	-	49.22	33.10	6.44	34.43
PK	5.284G	107.53	Inf	-Inf	5.22	3	Vertical	155	1.65	-	102.31	33.04	6.63	34.45
PK	5.505G	55.59	68.20	-12.61	5.53	3	Vertical	155	1.65	-	50.06	33.18	6.81	34.46

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.07	54.00	-9.93	5.15	3	Horizontal	248	1.62	-	38.92	33.10	6.49	34.44
AV	5.257G	93.17	Inf	-Inf	5.08	3	Horizontal	248	1.62	-	88.09	32.93	6.60	34.45
AV	5.35G	44.78	54.00	-9.22	5.15	3	Horizontal	248	1.62	-	39.63	32.90	6.70	34.45
PK	5.094G	54.83	74.00	-19.17	5.19	3	Horizontal	248	1.62	-	49.64	33.18	6.45	34.44
PK	5.256G	103.86	Inf	-Inf	5.06	3	Horizontal	248	1.62	-	98.80	32.92	6.59	34.45
PK	5.475G	54.79	68.20	-13.41	5.49	3	Horizontal	248	1.62	-	49.30	33.15	6.80	34.46

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86778G	44.52	54.00	-9.48	15.51	3	Vertical	263	2.84	-	29.01	38.43	11.77	34.69
PK	6.61266G	51.70	68.20	-16.50	8.65	3	Vertical	143	1.00	-	43.05	35.87	7.44	34.66
PK	10.58242G	53.83	68.20	-14.37	14.15	3	Vertical	318	2.47	-	39.68	39.01	9.59	34.45
PK	15.87168G	56.85	74.00	-17.15	15.52	3	Vertical	263	2.84	-	41.33	38.43	11.78	34.69

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8749G	44.54	54.00	-9.46	15.52	3	Horizontal	146	1.44	-	29.02	38.43	11.78	34.69
PK	6.6125G	53.59	68.20	-14.61	8.65	3	Horizontal	249	1.59	-	44.94	35.87	7.44	34.66
PK	10.58076G	53.85	68.20	-14.35	14.14	3	Horizontal	48	2.59	-	39.71	39.00	9.59	34.45
PK	15.86844G	56.49	74.00	-17.51	15.51	3	Horizontal	146	1.44	-	40.98	38.43	11.77	34.69

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.48	54.00	-7.52	5.45	3	Vertical	153	1.61	-	41.03	33.12	6.79	34.46
AV	5.522G	98.97	Inf	-Inf	5.47	3	Vertical	153	1.61	-	93.50	33.11	6.82	34.46
PK	5.469G	59.22	68.20	-8.98	5.47	3	Vertical	153	1.61	-	53.75	33.14	6.79	34.46
PK	5.521G	109.76	Inf	-Inf	5.48	3	Vertical	153	1.61	-	104.28	33.12	6.82	34.46
PK	5.761G	56.09	68.20	-12.11	6.25	3	Vertical	153	1.61	-	49.84	33.82	6.92	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.50	54.00	-9.50	5.45	3	Horizontal	247	1.46	-	39.05	33.12	6.79	34.46
AV	5.524G	95.59	Inf	-Inf	5.46	3	Horizontal	247	1.46	-	90.13	33.10	6.82	34.46
PK	5.47G	58.50	68.20	-9.70	5.47	3	Horizontal	247	1.46	-	53.03	33.14	6.79	34.46
PK	5.525G	106.77	Inf	-Inf	5.46	3	Horizontal	247	1.46	-	101.31	33.10	6.82	34.46
PK	5.758G	55.39	68.20	-12.81	6.25	3	Horizontal	247	1.46	-	49.14	33.82	6.92	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0619G	42.17	54.00	-11.83	14.36	3	Vertical	20	2.19	-	27.81	38.86	9.76	34.26
PK	6.9136G	49.50	68.20	-18.70	9.14	3	Vertical	152	1.52	-	40.36	36.00	7.84	34.70
PK	11.06266G	54.44	74.00	-19.56	14.36	3	Vertical	20	2.19	-	40.08	38.86	9.76	34.26
PK	16.58902G	57.83	68.20	-10.37	16.25	3	Vertical	101	2.49	-	41.58	38.72	12.07	34.54

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06218G	42.17	54.00	-11.83	14.36	3	Horizontal	60	2.24	-	27.81	38.86	9.76	34.26
PK	6.90966G	49.73	68.20	-18.47	9.13	3	Horizontal	156	1.54	-	40.60	36.00	7.83	34.70
PK	11.05508G	54.52	74.00	-19.48	14.35	3	Horizontal	60	2.24	-	40.17	38.86	9.75	34.26
PK	16.5945G	57.80	68.20	-10.40	16.25	3	Horizontal	59	2.06	-	41.55	38.71	12.07	34.53

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.02	54.00	-9.98	5.45	3	Vertical	152	1.49	-	38.57	33.12	6.79	34.46
AV	5.617G	101.06	Inf	-Inf	5.63	3	Vertical	152	1.49	-	95.43	33.23	6.87	34.47
PK	5.469G	54.71	68.20	-13.49	5.47	3	Vertical	152	1.49	-	49.24	33.14	6.79	34.46
PK	5.625G	112.09	Inf	-Inf	5.64	3	Vertical	152	1.49	-	106.45	33.25	6.87	34.48
PK	5.728G	59.10	68.20	-9.10	6.03	3	Vertical	152	1.49	-	53.07	33.62	6.90	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.26	54.00	-10.74	5.45	3	Horizontal	250	1.17	-	37.81	33.12	6.79	34.46
AV	5.614G	99.11	Inf	-Inf	5.62	3	Horizontal	250	1.17	-	93.49	33.23	6.86	34.47
PK	5.468G	54.58	68.20	-13.62	5.47	3	Horizontal	250	1.17	-	49.11	33.14	6.79	34.46
PK	5.615G	110.55	Inf	-Inf	5.63	3	Horizontal	250	1.17	-	104.92	33.23	6.87	34.47
PK	5.727G	56.96	68.20	-11.24	6.03	3	Horizontal	250	1.17	-	50.93	33.62	6.90	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22002G	42.65	54.00	-11.35	14.78	3	Vertical	322	1.37	-	27.87	39.12	9.81	34.15
PK	7.01006G	49.07	68.20	-19.13	9.36	3	Vertical	152	1.60	-	39.71	36.06	8.01	34.71
PK	11.2231G	54.75	74.00	-19.25	14.79	3	Vertical	322	1.37	-	39.96	39.12	9.81	34.14
PK	16.83112G	57.43	68.20	-10.77	16.60	3	Vertical	123	1.83	-	40.83	38.57	12.17	34.14

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22084G	42.64	54.00	-11.36	14.78	3	Horizontal	270	1.50	-	27.86	39.12	9.81	34.15
PK	7.00862G	48.93	68.20	-19.27	9.35	3	Horizontal	205	1.58	-	39.58	36.05	8.01	34.71
PK	11.21916G	54.96	74.00	-19.04	14.78	3	Horizontal	270	1.50	-	40.18	39.12	9.81	34.15
PK	16.82878G	57.41	68.20	-10.79	16.60	3	Horizontal	155	1.41	-	40.81	38.57	12.17	34.14

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	100.82	Inf	-Inf	6.28	3	Vertical	150	1.47	-	94.54	33.85	6.92	34.49
PK	5.6478G	58.12	68.20	-10.08	5.70	3	Vertical	150	1.47	-	52.42	33.30	6.88	34.48
PK	5.7522G	112.23	Inf	-Inf	6.22	3	Vertical	150	1.47	-	106.01	33.80	6.91	34.49
PK	5.9322G	57.50	68.20	-10.70	6.83	3	Vertical	150	1.47	-	50.67	34.29	7.05	34.51

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7582G	99.19	Inf	-Inf	6.25	3	Horizontal	246	1.25	-	92.94	33.82	6.92	34.49
PK	5.6466G	56.08	68.20	-12.12	5.69	3	Horizontal	246	1.25	-	50.39	33.29	6.88	34.48
PK	5.745G	110.08	Inf	-Inf	6.18	3	Horizontal	246	1.25	-	103.90	33.76	6.91	34.49
PK	6.0054G	57.55	68.20	-10.65	6.81	3	Horizontal	246	1.25	-	50.74	34.22	7.11	34.52

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54808G	42.19	54.00	-11.81	14.90	3	Vertical	167	1.91	-	27.29	38.95	9.93	33.98
PK	7.22367G	50.62	68.20	-17.58	10.24	3	Vertical	186	1.67	-	40.38	36.85	8.17	34.78
PK	11.54708G	54.39	74.00	-19.61	14.90	3	Vertical	167	1.91	-	39.49	38.95	9.93	33.98
PK	17.32378G	58.59	68.20	-9.61	16.83	3	Vertical	41	1.25	-	41.76	38.57	12.37	34.11

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54962G	42.20	54.00	-11.80	14.90	3	Horizontal	32	1.47	-	27.30	38.95	9.93	33.98
PK	7.21771G	50.27	68.20	-17.93	10.23	3	Horizontal	142	1.45	-	40.04	36.84	8.17	34.78
PK	11.5451G	54.53	74.00	-19.47	14.90	3	Horizontal	32	1.47	-	39.63	38.95	9.93	33.98
PK	17.32274G	57.31	68.20	-10.89	16.83	3	Horizontal	345	1.69	-	40.48	38.57	12.37	34.11

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.36	54.00	-3.64	5.15	3	Vertical	206	1.50	-	45.21	33.10	6.49	34.44
AV	5.206G	95.97	Inf	-Inf	5.09	3	Vertical	206	1.50	-	90.88	32.99	6.54	34.44
AV	5.352G	45.26	54.00	-8.74	5.15	3	Vertical	206	1.50	-	40.11	32.90	6.70	34.45
PK	5.144G	61.67	74.00	-12.33	5.16	3	Vertical	206	1.50	-	56.51	33.11	6.49	34.44
PK	5.2G	107.05	Inf	-Inf	5.09	3	Vertical	206	1.50	-	101.96	33.00	6.53	34.44
PK	5.386G	56.34	74.00	-17.66	5.26	3	Vertical	206	1.50	-	51.08	32.97	6.74	34.45

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.13	54.00	-4.87	5.15	3	Horizontal	117	1.73	-	43.98	33.10	6.49	34.44
AV	5.197G	94.29	Inf	-Inf	5.10	3	Horizontal	117	1.73	-	89.19	33.01	6.53	34.44
AV	5.353G	44.36	54.00	-9.64	5.17	3	Horizontal	117	1.73	-	39.19	32.91	6.71	34.45
PK	5.15G	60.96	74.00	-13.04	5.15	3	Horizontal	117	1.73	-	55.81	33.10	6.49	34.44
PK	5.201G	104.31	Inf	-Inf	5.09	3	Horizontal	117	1.73	-	99.22	33.00	6.53	34.44
PK	5.35G	55.21	74.00	-18.79	5.15	3	Horizontal	117	1.73	-	50.06	32.90	6.70	34.45

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62682G	44.37	54.00	-9.63	15.69	3	Vertical	345	2.44	-	28.68	38.55	11.67	34.53
PK	6.51268G	58.87	68.20	-9.33	8.32	3	Vertical	210	1.57	-	50.55	35.60	7.36	34.64
PK	10.42414G	53.78	68.20	-14.42	13.61	3	Vertical	152	1.33	-	40.17	38.68	9.53	34.60
PK	15.63122G	56.87	74.00	-17.13	15.68	3	Vertical	345	2.44	-	41.19	38.54	11.67	34.53

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63016G	44.35	54.00	-9.65	15.68	3	Horizontal	116	1.51	-	28.67	38.54	11.67	34.53
PK	6.51252G	57.29	68.20	-10.91	8.32	3	Horizontal	137	1.27	-	48.97	35.60	7.36	34.64
PK	10.42152G	54.08	68.20	-14.12	13.61	3	Horizontal	155	1.24	-	40.47	38.68	9.53	34.60
PK	15.6322G	56.53	74.00	-17.47	15.68	3	Horizontal	116	1.51	-	40.85	38.54	11.67	34.53

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.52	54.00	-8.48	5.15	3	Vertical	203	1.37	-	40.37	33.10	6.49	34.44
AV	5.275G	99.27	Inf	-Inf	5.17	3	Vertical	203	1.37	-	94.10	33.00	6.62	34.45
AV	5.35G	51.97	54.00	-2.03	5.15	3	Vertical	203	1.37	-	46.82	32.90	6.70	34.45
PK	5.147G	56.23	74.00	-17.77	5.16	3	Vertical	203	1.37	-	51.07	33.11	6.49	34.44
PK	5.259G	110.97	Inf	-Inf	5.09	3	Vertical	203	1.37	-	105.88	32.94	6.60	34.45
PK	5.464G	57.39	68.20	-10.81	5.46	3	Vertical	203	1.37	-	51.93	33.13	6.79	34.46

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.75	54.00	-9.25	5.15	3	Horizontal	120	1.53	-	39.60	33.10	6.49	34.44
AV	5.283G	95.30	Inf	-Inf	5.21	3	Horizontal	120	1.53	-	90.09	33.03	6.63	34.45
AV	5.35G	48.45	54.00	-5.55	5.15	3	Horizontal	120	1.53	-	43.30	32.90	6.70	34.45
PK	5.131G	55.50	74.00	-18.50	5.18	3	Horizontal	120	1.53	-	50.32	33.14	6.48	34.44
PK	5.258G	106.07	Inf	-Inf	5.08	3	Horizontal	120	1.53	-	100.99	32.93	6.60	34.45
PK	5.528G	54.60	68.20	-13.60	5.45	3	Horizontal	120	1.53	-	49.15	33.09	6.82	34.46

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87098G	44.41	54.00	-9.59	15.52	3	Vertical	84	1.35	-	28.89	38.43	11.78	34.69
PK	6.61268G	52.67	68.20	-15.53	8.65	3	Vertical	157	1.21	-	44.02	35.87	7.44	34.66
PK	10.578G	54.19	68.20	-14.01	14.13	3	Vertical	33	1.91	-	40.06	38.99	9.59	34.45
PK	15.8745G	56.61	74.00	-17.39	15.52	3	Vertical	84	1.35	-	41.09	38.43	11.78	34.69

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87102G	44.53	54.00	-9.47	15.52	3	Horizontal	76	1.31	-	29.01	38.43	11.78	34.69
PK	6.6127G	54.42	68.20	-13.78	8.65	3	Horizontal	244	1.57	-	45.77	35.87	7.44	34.66
PK	10.58156G	54.45	68.20	-13.75	14.15	3	Horizontal	201	2.57	-	40.30	39.01	9.59	34.45
PK	15.874G	57.01	74.00	-16.99	15.52	3	Horizontal	76	1.31	-	41.49	38.43	11.78	34.69

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.30	54.00	-6.70	5.45	3	Vertical	139	1.58	-	41.85	33.12	6.79	34.46
AV	5.509G	99.83	Inf	-Inf	5.51	3	Vertical	139	1.58	-	94.32	33.16	6.81	34.46
PK	5.47G	63.30	68.20	-4.90	5.47	3	Vertical	139	1.58	-	57.83	33.14	6.79	34.46
PK	5.494G	110.62	Inf	-Inf	5.54	3	Vertical	139	1.58	-	105.08	33.19	6.81	34.46
PK	5.747G	56.50	68.20	-11.70	6.20	3	Vertical	139	1.58	-	50.30	33.78	6.91	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.70	54.00	-11.30	5.15	3	Horizontal	116	2.71	-	37.55	32.90	6.70	34.45
AV	5.46G	44.94	54.00	-9.06	5.45	3	Horizontal	116	2.71	-	39.49	33.12	6.79	34.46
AV	5.507G	96.18	Inf	-Inf	5.52	3	Horizontal	116	2.71	-	90.66	33.17	6.81	34.46
PK	5.47G	59.58	68.20	-8.62	5.47	3	Horizontal	116	2.71	-	54.11	33.14	6.79	34.46
PK	5.502G	107.02	Inf	-Inf	5.54	3	Horizontal	116	2.71	-	101.48	33.19	6.81	34.46
PK	5.77G	55.83	68.20	-12.37	6.27	3	Horizontal	116	2.71	-	49.56	33.84	6.92	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06248G	42.28	54.00	-11.72	14.36	3	Vertical	251	2.98	-	27.92	38.86	9.76	34.26
PK	6.91532G	48.94	68.20	-19.26	9.14	3	Vertical	195	1.60	-	39.80	36.00	7.84	34.70
PK	11.0645G	53.89	74.00	-20.11	14.37	3	Vertical	251	2.98	-	39.52	38.86	9.76	34.25
PK	16.59394G	57.89	68.20	-10.31	16.25	3	Vertical	63	2.71	-	41.64	38.71	12.07	34.53

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06178G	42.17	54.00	-11.83	14.36	3	Horizontal	275	2.25	-	27.81	38.86	9.76	34.26
PK	6.91398G	49.29	68.20	-18.91	9.14	3	Horizontal	184	1.65	-	40.15	36.00	7.84	34.70
PK	11.06248G	54.09	74.00	-19.91	14.36	3	Horizontal	275	2.25	-	39.73	38.86	9.76	34.26
PK	16.58958G	57.74	68.20	-10.46	16.25	3	Horizontal	249	2.12	-	41.49	38.72	12.07	34.54

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.18	54.00	-9.82	5.45	3	Vertical	154	1.49	-	38.73	33.12	6.79	34.46
AV	5.617G	100.93	Inf	-Inf	5.63	3	Vertical	154	1.49	-	95.30	33.23	6.87	34.47
PK	5.465G	55.08	68.20	-13.12	5.46	3	Vertical	154	1.49	-	49.62	33.13	6.79	34.46
PK	5.622G	112.19	Inf	-Inf	5.64	3	Vertical	154	1.49	-	106.55	33.24	6.87	34.47
PK	5.748G	57.65	68.20	-10.55	6.20	3	Vertical	154	1.49	-	51.45	33.78	6.91	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.449G	43.15	54.00	-10.85	5.42	3	Horizontal	117	1.29	-	37.73	33.10	6.78	34.46
AV	5.617G	97.27	Inf	-Inf	5.63	3	Horizontal	117	1.29	-	91.64	33.23	6.87	34.47
PK	5.463G	53.81	68.20	-14.39	5.46	3	Horizontal	117	1.29	-	48.35	33.13	6.79	34.46
PK	5.618G	108.68	Inf	-Inf	5.64	3	Horizontal	117	1.29	-	103.04	33.24	6.87	34.47
PK	5.732G	56.59	68.20	-11.61	6.08	3	Horizontal	117	1.29	-	50.51	33.66	6.91	34.49

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2219G	42.64	54.00	-11.36	14.79	3	Vertical	25	2.53	-	27.85	39.12	9.81	34.14
PK	7.008G	49.24	68.20	-18.96	9.35	3	Vertical	175	1.48	-	39.89	36.05	8.01	34.71
PK	11.2225G	55.05	74.00	-18.95	14.79	3	Vertical	25	2.53	-	40.26	39.12	9.81	34.14
PK	16.83314G	57.32	68.20	-10.88	16.60	3	Vertical	54	1.69	-	40.72	38.57	12.17	34.14

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22284G	42.62	54.00	-11.38	14.79	3	Horizontal	255	2.03	-	27.83	39.12	9.81	34.14
PK	7.01456G	49.44	68.20	-18.76	9.39	3	Horizontal	167	1.60	-	40.05	36.09	8.01	34.71
PK	11.21686G	55.69	74.00	-18.31	14.78	3	Horizontal	255	2.03	-	40.91	39.12	9.81	34.15
PK	16.8349G	57.25	68.20	-10.95	16.61	3	Horizontal	34	1.39	-	40.64	38.57	12.17	34.13

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7558G	98.40	Inf	-Inf	6.23	3	Vertical	142	1.49	-	92.17	33.81	6.91	34.49
PK	5.649G	55.22	68.20	-12.98	5.70	3	Vertical	142	1.49	-	49.52	33.30	6.88	34.48
PK	5.7654G	109.52	Inf	-Inf	6.26	3	Vertical	142	1.49	-	103.26	33.83	6.92	34.49
PK	5.9622G	57.40	68.20	-10.80	6.91	3	Vertical	142	1.49	-	50.49	34.35	7.08	34.52

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	96.12	Inf	-Inf	6.25	3	Horizontal	141	1.03	-	89.87	33.82	6.92	34.49
PK	5.6418G	54.51	68.20	-13.69	5.67	3	Horizontal	141	1.03	-	48.84	33.28	6.87	34.48
PK	5.7534G	107.91	Inf	-Inf	6.23	3	Horizontal	141	1.03	-	101.68	33.81	6.91	34.49
PK	5.973G	55.84	68.20	-12.36	6.88	3	Horizontal	141	1.03	-	48.96	34.31	7.09	34.52

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54818G	42.19	54.00	-11.81	14.90	3	Vertical	128	1.30	-	27.29	38.95	9.93	33.98
PK	7.21751G	50.80	68.20	-17.40	10.23	3	Vertical	160	1.58	-	40.57	36.84	8.17	34.78
PK	11.54614G	54.41	74.00	-19.59	14.90	3	Vertical	128	1.30	-	39.51	38.95	9.93	33.98
PK	17.32192G	56.49	68.20	-11.71	16.83	3	Vertical	140	1.00	-	39.66	38.57	12.37	34.11

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54874G	42.19	54.00	-11.81	14.90	3	Horizontal	8	1.08	-	27.29	38.95	9.93	33.98
PK	7.21987G	50.13	68.20	-18.07	10.23	3	Horizontal	147	1.64	-	39.90	36.84	8.17	34.78
PK	11.54932G	54.94	74.00	-19.06	14.90	3	Horizontal	8	1.08	-	40.04	38.95	9.93	33.98
PK	17.32496G	56.91	68.20	-11.29	16.83	3	Horizontal	54	1.34	-	40.08	38.57	12.37	34.11

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.49	54.00	-6.51	5.15	3	Vertical	207	1.55	-	42.34	33.10	6.49	34.44
AV	5.2332G	93.06	Inf	-Inf	5.06	3	Vertical	207	1.55	-	88.00	32.93	6.57	34.44
AV	5.3508G	45.79	54.00	-8.21	5.15	3	Vertical	207	1.55	-	40.64	32.90	6.70	34.45
PK	5.15G	58.61	74.00	-15.39	5.15	3	Vertical	207	1.55	-	53.46	33.10	6.49	34.44
PK	5.2356G	103.79	Inf	-Inf	5.06	3	Vertical	207	1.55	-	98.73	32.93	6.57	34.44
PK	5.5044G	55.61	68.20	-12.59	5.53	3	Vertical	207	1.55	-	50.08	33.18	6.81	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.77	54.00	-7.23	5.15	3	Horizontal	118	1.76	-	41.62	33.10	6.49	34.44
AV	5.1984G	90.83	Inf	-Inf	5.09	3	Horizontal	118	1.76	-	85.74	33.00	6.53	34.44
AV	5.3532G	44.73	54.00	-9.27	5.17	3	Horizontal	118	1.76	-	39.56	32.91	6.71	34.45
PK	5.148G	57.04	74.00	-16.96	5.15	3	Horizontal	118	1.76	-	51.89	33.10	6.49	34.44
PK	5.2008G	101.07	Inf	-Inf	5.09	3	Horizontal	118	1.76	-	95.98	33.00	6.53	34.44
PK	5.478G	55.72	68.20	-12.48	5.50	3	Horizontal	118	1.76	-	50.22	33.16	6.80	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75424G	44.70	54.00	-9.30	15.57	3	Vertical	24	2.16	-	29.13	38.45	11.73	34.61
PK	6.5624G	55.03	68.20	-13.17	8.42	3	Vertical	213	1.52	-	46.61	35.67	7.40	34.65
PK	10.50422G	53.35	68.20	-14.85	13.70	3	Vertical	254	1.78	-	39.65	38.62	9.56	34.48
PK	15.75066G	56.58	74.00	-17.42	15.56	3	Vertical	24	2.16	-	41.02	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75424G	44.70	54.00	-9.30	15.57	3	Horizontal	321	2.01	-	29.13	38.45	11.73	34.61
PK	6.56244G	51.87	68.20	-16.33	8.42	3	Horizontal	199	1.44	-	43.45	35.67	7.40	34.65
PK	10.5004G	53.60	68.20	-14.60	13.68	3	Horizontal	284	1.86	-	39.92	38.60	9.56	34.48
PK	15.7451G	57.25	74.00	-16.75	15.56	3	Horizontal	321	2.01	-	41.69	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	46.95	54.00	-7.05	5.40	3	Vertical	208	1.48	-	41.55	33.08	6.78	34.46
AV	5.552G	97.36	Inf	-Inf	5.38	3	Vertical	208	1.48	-	91.98	33.01	6.84	34.47
PK	5.4656G	59.13	68.20	-9.07	5.46	3	Vertical	208	1.48	-	53.67	33.13	6.79	34.46
PK	5.5208G	108.15	Inf	-Inf	5.48	3	Vertical	208	1.48	-	102.67	33.12	6.82	34.46
PK	5.7392G	57.99	68.20	-10.21	6.13	3	Vertical	208	1.48	-	51.86	33.71	6.91	34.49


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.87	54.00	-9.13	5.45	3	Horizontal	118	2.75	-	39.42	33.12	6.79	34.46
AV	5.5472G	94.13	Inf	-Inf	5.37	3	Horizontal	118	2.75	-	88.76	33.01	6.83	34.47
PK	5.468G	55.82	68.20	-12.38	5.47	3	Horizontal	118	2.75	-	50.35	33.14	6.79	34.46
PK	5.5448G	104.73	Inf	-Inf	5.38	3	Horizontal	118	2.75	-	99.35	33.02	6.83	34.47
PK	5.8304G	55.89	68.20	-12.31	6.54	3	Horizontal	118	2.75	-	49.35	34.08	6.96	34.50

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1384G	42.58	54.00	-11.42	14.56	3	Vertical	151	1.51	-	28.02	38.98	9.78	34.20
PK	11.13544G	54.80	74.00	-19.20	14.54	3	Vertical	151	1.51	-	40.26	38.97	9.78	34.21
PK	16.71268G	57.31	68.20	-10.89	16.55	3	Vertical	185	1.17	-	40.76	38.77	12.12	34.34


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14098G	42.51	54.00	-11.49	14.57	3	Horizontal	63	2.33	-	27.94	38.98	9.79	34.20
PK	11.14088G	55.14	74.00	-18.86	14.57	3	Horizontal	63	2.33	-	40.57	38.98	9.79	34.20
PK	16.71472G	56.92	68.20	-11.28	16.56	3	Horizontal	88	2.50	-	40.36	38.77	12.12	34.33

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.76	54.00	-9.24	5.15	3	Vertical	141	1.47	-	39.61	33.10	6.49	34.44
AV	5.2044G	90.89	Inf	-Inf	5.09	3	Vertical	141	1.47	-	85.80	32.99	6.54	34.44
AV	5.35G	44.71	54.00	-9.29	5.15	3	Vertical	141	1.47	-	39.56	32.90	6.70	34.45
PK	5.0976G	56.00	74.00	-18.00	5.20	3	Vertical	141	1.47	-	50.80	33.19	6.45	34.44
PK	5.2224G	101.66	Inf	-Inf	5.08	3	Vertical	141	1.47	-	96.58	32.96	6.56	34.44
PK	5.5116G	56.07	68.20	-12.13	5.51	3	Vertical	141	1.47	-	50.56	33.15	6.82	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.23	54.00	-9.77	5.15	3	Horizontal	250	1.47	-	39.08	33.10	6.49	34.44
AV	5.1984G	88.83	Inf	-Inf	5.09	3	Horizontal	250	1.47	-	83.74	33.00	6.53	34.44
AV	5.4108G	43.47	54.00	-10.53	5.34	3	Horizontal	250	1.47	-	38.13	33.02	6.77	34.45
PK	5.1048G	56.44	74.00	-17.56	5.21	3	Horizontal	250	1.47	-	51.23	33.19	6.46	34.44
PK	5.2032G	100.00	Inf	-Inf	5.08	3	Horizontal	250	1.47	-	94.92	32.99	6.53	34.44
PK	5.5224G	54.69	68.20	-13.51	5.47	3	Horizontal	250	1.47	-	49.22	33.11	6.82	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74778G	44.77	54.00	-9.23	15.56	3	Vertical	159	2.60	-	29.21	38.45	11.72	34.61
PK	6.56254G	54.44	68.20	-13.76	8.43	3	Vertical	183	1.54	-	46.01	35.68	7.40	34.65
PK	10.49914G	53.35	68.20	-14.85	13.68	3	Vertical	162	2.21	-	39.67	38.60	9.56	34.48
PK	15.7484G	57.51	74.00	-16.49	15.56	3	Vertical	159	2.60	-	41.95	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75456G	44.70	54.00	-9.30	15.57	3	Horizontal	67	1.51	-	29.13	38.45	11.73	34.61
PK	6.5624G	52.12	68.20	-16.08	8.42	3	Horizontal	180	1.53	-	43.70	35.67	7.40	34.65
PK	10.5007G	53.57	68.20	-14.63	13.68	3	Horizontal	218	1.41	-	39.89	38.60	9.56	34.48
PK	15.74674G	58.42	74.00	-15.58	15.56	3	Horizontal	67	1.51	-	42.86	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.68	54.00	-6.32	5.45	3	Vertical	153	1.50	-	42.23	33.12	6.79	34.46
AV	5.546G	95.84	Inf	-Inf	5.38	3	Vertical	153	1.50	-	90.46	33.02	6.83	34.47
PK	5.4644G	59.12	68.20	-9.08	5.46	3	Vertical	153	1.50	-	53.66	33.13	6.79	34.46
PK	5.5364G	107.15	Inf	-Inf	5.42	3	Vertical	153	1.50	-	101.73	33.05	6.83	34.46
PK	5.7332G	57.24	68.20	-10.96	6.09	3	Vertical	153	1.50	-	51.15	33.67	6.91	34.49


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.87	54.00	-9.13	5.45	3	Horizontal	245	1.50	-	39.42	33.12	6.79	34.46
AV	5.552G	92.28	Inf	-Inf	5.38	3	Horizontal	245	1.50	-	86.90	33.01	6.84	34.47
PK	5.4692G	55.34	68.20	-12.86	5.47	3	Horizontal	245	1.50	-	49.87	33.14	6.79	34.46
PK	5.5544G	102.70	Inf	-Inf	5.39	3	Horizontal	245	1.50	-	97.31	33.02	6.84	34.47
PK	5.8436G	55.97	68.20	-12.23	6.63	3	Horizontal	245	1.50	-	49.34	34.16	6.97	34.50

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13766G	42.57	54.00	-11.43	14.56	3	Vertical	216	2.00	-	28.01	38.98	9.78	34.20
PK	11.14122G	55.62	74.00	-18.38	14.57	3	Vertical	216	2.00	-	41.05	38.98	9.79	34.20
PK	16.71028G	56.93	68.20	-11.27	16.56	3	Vertical	211	1.55	-	40.37	38.78	12.12	34.34


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13852G	42.58	54.00	-11.42	14.56	3	Horizontal	219	2.80	-	28.02	38.98	9.78	34.20
PK	11.1412G	54.55	74.00	-19.45	14.57	3	Horizontal	219	2.80	-	39.98	38.98	9.79	34.20
PK	16.71182G	56.87	68.20	-11.33	16.56	3	Horizontal	177	1.88	-	40.31	38.78	12.12	34.34

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.68	54.00	-9.32	5.15	3	Vertical	207	1.52	-	39.53	33.10	6.49	34.44
AV	5.2272G	92.47	Inf	-Inf	5.07	3	Vertical	207	1.52	-	87.40	32.95	6.56	34.44
AV	5.3532G	43.90	54.00	-10.10	5.17	3	Vertical	207	1.52	-	38.73	32.91	6.71	34.45
PK	5.1444G	55.13	74.00	-18.87	5.16	3	Vertical	207	1.52	-	49.97	33.11	6.49	34.44
PK	5.2308G	103.56	Inf	-Inf	5.07	3	Vertical	207	1.52	-	98.49	32.94	6.57	34.44
PK	5.5044G	55.68	68.20	-12.52	5.53	3	Vertical	207	1.52	-	50.15	33.18	6.81	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.23	54.00	-9.77	5.15	3	Horizontal	118	1.75	-	39.08	33.10	6.49	34.44
AV	5.1972G	90.39	Inf	-Inf	5.10	3	Horizontal	118	1.75	-	85.29	33.01	6.53	34.44
AV	5.3544G	43.58	54.00	-10.42	5.17	3	Horizontal	118	1.75	-	38.41	32.91	6.71	34.45
PK	5.148G	55.71	74.00	-18.29	5.15	3	Horizontal	118	1.75	-	50.56	33.10	6.49	34.44
PK	5.1972G	101.12	Inf	-Inf	5.10	3	Horizontal	118	1.75	-	96.02	33.01	6.53	34.44
PK	5.5356G	55.14	68.20	-13.06	5.43	3	Horizontal	118	1.75	-	49.71	33.06	6.83	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74848G	44.77	54.00	-9.23	15.56	3	Vertical	294	1.80	-	29.21	38.45	11.72	34.61
PK	6.5624G	54.63	68.20	-13.57	8.42	3	Vertical	131	1.41	-	46.21	35.67	7.40	34.65
PK	10.49884G	53.35	68.20	-14.85	13.68	3	Vertical	14	2.13	-	39.67	38.60	9.56	34.48
PK	15.75104G	56.93	74.00	-17.07	15.56	3	Vertical	294	1.80	-	41.37	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74888G	44.77	54.00	-9.23	15.56	3	Horizontal	15	1.09	-	29.21	38.45	11.72	34.61
PK	6.56246G	52.46	68.20	-15.74	8.42	3	Horizontal	127	1.50	-	44.04	35.67	7.40	34.65
PK	10.49832G	53.65	68.20	-14.55	13.68	3	Horizontal	55	1.71	-	39.97	38.60	9.56	34.48
PK	15.74686G	56.65	74.00	-17.35	15.56	3	Horizontal	15	1.09	-	41.09	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.82	54.00	-4.18	5.45	3	Vertical	137	1.78	-	44.37	33.12	6.79	34.46
AV	5.5448G	97.34	Inf	-Inf	5.38	3	Vertical	137	1.78	-	91.96	33.02	6.83	34.47
PK	5.4692G	62.07	68.20	-6.13	5.47	3	Vertical	137	1.78	-	56.60	33.14	6.79	34.46
PK	5.5508G	109.38	Inf	-Inf	5.37	3	Vertical	137	1.78	-	104.01	33.00	6.84	34.47
PK	5.7308G	58.57	68.20	-9.63	6.07	3	Vertical	137	1.78	-	52.50	33.65	6.91	34.49

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.95	54.00	-7.05	5.45	3	Horizontal	252	1.24	-	41.50	33.12	6.79	34.46
AV	5.546G	93.24	Inf	-Inf	5.38	3	Horizontal	252	1.24	-	87.86	33.02	6.83	34.47
PK	5.4608G	58.40	68.20	-9.80	5.45	3	Horizontal	252	1.24	-	52.95	33.12	6.79	34.46
PK	5.5076G	103.60	Inf	-Inf	5.52	3	Horizontal	252	1.24	-	98.08	33.17	6.81	34.46
PK	5.8568G	56.82	68.20	-11.38	6.67	3	Horizontal	252	1.24	-	50.15	34.19	6.98	34.50

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13782G	42.57	54.00	-11.43	14.56	3	Vertical	119	2.76	-	28.01	38.98	9.78	34.20
PK	6.89658G	48.30	68.20	-19.90	9.09	3	Vertical	201	1.69	-	39.21	35.99	7.80	34.70
PK	11.14172G	54.90	74.00	-19.10	14.57	3	Vertical	119	2.76	-	40.33	38.98	9.79	34.20
PK	16.71054G	57.73	68.20	-10.47	16.56	3	Vertical	50	2.86	-	41.17	38.78	12.12	34.34

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13764G	42.57	54.00	-11.43	14.56	3	Horizontal	240	1.67	-	28.01	38.98	9.78	34.20
PK	6.96566G	49.39	68.20	-18.81	9.22	3	Horizontal	197	1.49	-	40.17	36.00	7.93	34.71
PK	11.14412G	55.65	74.00	-18.35	14.58	3	Horizontal	240	1.67	-	41.07	38.99	9.79	34.20
PK	16.71472G	57.46	68.20	-10.74	16.56	3	Horizontal	94	1.78	-	40.90	38.77	12.12	34.33

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.58	54.00	-10.42	5.15	3	Vertical	210	1.54	-	38.43	33.10	6.49	34.44
AV	5.2644G	91.67	Inf	-Inf	5.11	3	Vertical	210	1.54	-	86.56	32.96	6.60	34.45
AV	5.352G	48.14	54.00	-5.86	5.15	3	Vertical	210	1.54	-	42.99	32.90	6.70	34.45
PK	5.15G	54.60	74.00	-19.40	5.15	3	Vertical	210	1.54	-	49.45	33.10	6.49	34.44
PK	5.2884G	103.93	Inf	-Inf	5.23	3	Vertical	210	1.54	-	98.70	33.05	6.63	34.45
PK	5.5056G	55.41	68.20	-12.79	5.53	3	Vertical	210	1.54	-	49.88	33.18	6.81	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.11	54.00	-10.89	5.15	3	Horizontal	117	1.64	-	37.96	33.10	6.49	34.44
AV	5.274G	88.86	Inf	-Inf	5.17	3	Horizontal	117	1.64	-	83.69	33.00	6.62	34.45
AV	5.3544G	46.07	54.00	-7.93	5.17	3	Horizontal	117	1.64	-	40.90	32.91	6.71	34.45
PK	5.1336G	53.98	74.00	-20.02	5.17	3	Horizontal	117	1.64	-	48.81	33.13	6.48	34.44
PK	5.2668G	100.29	Inf	-Inf	5.13	3	Horizontal	117	1.64	-	95.16	32.97	6.61	34.45
PK	5.4852G	53.94	68.20	-14.26	5.51	3	Horizontal	117	1.64	-	48.43	33.17	6.80	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75304G	44.12	54.00	-9.88	15.57	3	Vertical	221	2.94	-	28.55	38.45	11.73	34.61
PK	6.56246G	57.35	68.20	-10.85	8.42	3	Vertical	212	1.49	-	48.93	35.67	7.40	34.65
PK	10.49808G	52.68	68.20	-15.52	13.68	3	Vertical	34	2.08	-	39.00	38.60	9.56	34.48
PK	15.75368G	56.75	74.00	-17.25	15.57	3	Vertical	221	2.94	-	41.18	38.45	11.73	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75336G	44.12	54.00	-9.88	15.57	3	Horizontal	307	1.36	-	28.55	38.45	11.73	34.61
PK	6.56254G	53.83	68.20	-14.37	8.43	3	Horizontal	143	1.50	-	45.40	35.68	7.40	34.65
PK	10.4994G	53.24	68.20	-14.96	13.68	3	Horizontal	112	2.23	-	39.56	38.60	9.56	34.48
PK	15.7442G	56.02	74.00	-17.98	15.55	3	Horizontal	307	1.36	-	40.47	38.44	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.11	54.00	-8.89	5.45	3	Vertical	210	1.50	-	39.66	33.12	6.79	34.46
AV	5.6036G	95.96	Inf	-Inf	5.60	3	Vertical	210	1.50	-	90.36	33.21	6.86	34.47
PK	5.4644G	56.65	68.20	-11.55	5.46	3	Vertical	210	1.50	-	51.19	33.13	6.79	34.46
PK	5.6036G	107.34	Inf	-Inf	5.60	3	Vertical	210	1.50	-	101.74	33.21	6.86	34.47
PK	5.7272G	57.32	68.20	-10.88	6.03	3	Vertical	210	1.50	-	51.29	33.62	6.90	34.49

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	43.27	54.00	-10.73	5.42	3	Horizontal	117	1.39	-	37.85	33.10	6.78	34.46
AV	5.6024G	92.37	Inf	-Inf	5.59	3	Horizontal	117	1.39	-	86.78	33.20	6.86	34.47
PK	5.3048G	54.13	68.20	-14.07	5.28	3	Horizontal	117	1.39	-	48.85	33.08	6.65	34.45
PK	5.5988G	104.05	Inf	-Inf	5.59	3	Horizontal	117	1.39	-	98.46	33.20	6.86	34.47
PK	5.8304G	55.75	68.20	-12.45	6.54	3	Horizontal	117	1.39	-	49.21	34.08	6.96	34.50

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1402G	41.69	54.00	-12.31	14.56	3	Vertical	282	2.92	-	27.13	38.98	9.78	34.20
PK	6.96234G	50.44	68.20	-17.76	9.23	3	Vertical	229	1.58	-	41.21	36.00	7.93	34.70
PK	11.13484G	53.56	74.00	-20.44	14.54	3	Vertical	282	2.92	-	39.02	38.97	9.78	34.21
PK	16.71008G	56.79	68.20	-11.41	16.56	3	Vertical	67	2.82	-	40.23	38.78	12.12	34.34

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14052G	41.69	54.00	-12.31	14.56	3	Horizontal	95	1.70	-	27.13	38.98	9.78	34.20
PK	6.96238G	50.28	68.20	-17.92	9.23	3	Horizontal	107	1.50	-	41.05	36.00	7.93	34.70
PK	11.14912G	53.46	74.00	-20.54	14.59	3	Horizontal	95	1.70	-	38.87	39.00	9.79	34.20
PK	16.70304G	56.24	68.20	-11.96	16.55	3	Horizontal	333	2.43	-	39.69	38.79	12.11	34.35

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.70	54.00	-11.30	5.15	3	Vertical	158	1.57	-	37.55	33.10	6.49	34.44
AV	5.3016G	89.92	Inf	-Inf	5.29	3	Vertical	158	1.57	-	84.63	33.09	6.65	34.45
AV	5.35G	45.18	54.00	-8.82	5.15	3	Vertical	158	1.57	-	40.03	32.90	6.70	34.45
PK	5.1324G	53.95	74.00	-20.05	5.18	3	Vertical	158	1.57	-	48.77	33.14	6.48	34.44
PK	5.2668G	101.72	Inf	-Inf	5.13	3	Vertical	158	1.57	-	96.59	32.97	6.61	34.45
PK	5.4792G	54.73	68.20	-13.47	5.50	3	Vertical	158	1.57	-	49.23	33.16	6.80	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.78	54.00	-11.22	5.15	3	Horizontal	252	1.49	-	37.63	33.10	6.49	34.44
AV	5.2668G	85.70	Inf	-Inf	5.13	3	Horizontal	252	1.49	-	80.57	32.97	6.61	34.45
AV	5.3532G	42.86	54.00	-11.14	5.17	3	Horizontal	252	1.49	-	37.69	32.91	6.71	34.45
PK	5.1288G	54.22	74.00	-19.78	5.18	3	Horizontal	252	1.49	-	49.04	33.14	6.48	34.44
PK	5.2704G	96.52	Inf	-Inf	5.14	3	Horizontal	252	1.49	-	91.38	32.98	6.61	34.45
PK	5.466G	53.84	68.20	-14.36	5.46	3	Horizontal	252	1.49	-	48.38	33.13	6.79	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7566G	44.14	54.00	-9.86	15.58	3	Vertical	316	2.41	-	28.56	38.46	11.73	34.61
PK	6.56258G	51.78	68.20	-16.42	8.43	3	Vertical	143	1.39	-	43.35	35.68	7.40	34.65
PK	10.50188G	52.44	68.20	-15.76	13.69	3	Vertical	173	2.34	-	38.75	38.61	9.56	34.48
PK	15.75508G	56.36	74.00	-17.64	15.58	3	Vertical	316	2.41	-	40.78	38.46	11.73	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.747G	44.07	54.00	-9.93	15.56	3	Horizontal	32	1.41	-	28.51	38.45	11.72	34.61
PK	6.5625G	52.28	68.20	-15.92	8.42	3	Horizontal	250	1.00	-	43.86	35.67	7.40	34.65
PK	10.49396G	52.96	68.20	-15.24	13.68	3	Horizontal	203	2.07	-	39.28	38.61	9.56	34.49
PK	15.75876G	55.89	74.00	-18.11	15.57	3	Horizontal	32	1.41	-	40.32	38.46	11.73	34.62

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.21	54.00	-9.79	5.45	3	Vertical	154	1.53	-	38.76	33.12	6.79	34.46
AV	5.6036G	94.23	Inf	-Inf	5.60	3	Vertical	154	1.53	-	88.63	33.21	6.86	34.47
PK	5.4656G	55.63	68.20	-12.57	5.46	3	Vertical	154	1.53	-	50.17	33.13	6.79	34.46
PK	5.5976G	107.97	Inf	-Inf	5.58	3	Vertical	154	1.53	-	102.39	33.19	6.86	34.47
PK	5.7404G	56.58	68.20	-11.62	6.14	3	Vertical	154	1.53	-	50.44	33.72	6.91	34.49

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	42.94	54.00	-11.06	5.42	3	Horizontal	253	1.20	-	37.52	33.10	6.78	34.46
AV	5.624G	91.75	Inf	-Inf	5.65	3	Horizontal	253	1.20	-	86.10	33.25	6.87	34.47
PK	5.4668G	53.78	68.20	-14.42	5.46	3	Horizontal	253	1.20	-	48.32	33.13	6.79	34.46
PK	5.6024G	103.83	Inf	-Inf	5.59	3	Horizontal	253	1.20	-	98.24	33.20	6.86	34.47
PK	5.8364G	56.33	68.20	-11.87	6.58	3	Horizontal	253	1.20	-	49.75	34.12	6.96	34.50

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14052G	41.69	54.00	-12.31	14.56	3	Vertical	237	2.00	-	27.13	38.98	9.78	34.20
PK	6.9571G	48.23	68.20	-19.97	9.22	3	Vertical	155	1.44	-	39.01	36.00	7.92	34.70
PK	11.14892G	54.64	74.00	-19.36	14.59	3	Vertical	237	2.00	-	40.05	39.00	9.79	34.20
PK	16.71648G	56.80	68.20	-11.40	16.56	3	Vertical	335	2.03	-	40.24	38.77	12.12	34.33

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14404G	41.65	54.00	-12.35	14.58	3	Horizontal	176	1.26	-	27.07	38.99	9.79	34.20
PK	6.96842G	48.86	68.20	-19.34	9.23	3	Horizontal	251	1.56	-	39.63	36.00	7.94	34.71
PK	11.13536G	53.83	74.00	-20.17	14.54	3	Horizontal	176	1.26	-	39.29	38.97	9.78	34.21
PK	16.71532G	56.74	68.20	-11.46	16.56	3	Horizontal	306	2.85	-	40.18	38.77	12.12	34.33

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.58	54.00	-10.42	5.15	3	Vertical	210	1.54	-	38.43	33.10	6.49	34.44
AV	5.268G	91.56	Inf	-Inf	5.13	3	Vertical	210	1.54	-	86.43	32.97	6.61	34.45
AV	5.3508G	46.96	54.00	-7.04	5.15	3	Vertical	210	1.54	-	41.81	32.90	6.70	34.45
PK	5.15G	54.99	74.00	-19.01	5.15	3	Vertical	210	1.54	-	49.84	33.10	6.49	34.44
PK	5.2692G	103.91	Inf	-Inf	5.14	3	Vertical	210	1.54	-	98.77	32.98	6.61	34.45
PK	5.4984G	55.32	68.20	-12.88	5.55	3	Vertical	210	1.54	-	49.77	33.20	6.81	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.11	54.00	-10.89	5.15	3	Horizontal	116	1.64	-	37.96	33.10	6.49	34.44
AV	5.2668G	88.69	Inf	-Inf	5.13	3	Horizontal	116	1.64	-	83.56	32.97	6.61	34.45
AV	5.352G	45.05	54.00	-8.95	5.15	3	Horizontal	116	1.64	-	39.90	32.90	6.70	34.45
PK	5.022G	54.13	74.00	-19.87	5.14	3	Horizontal	116	1.64	-	48.99	33.17	6.40	34.43
PK	5.274G	100.30	Inf	-Inf	5.17	3	Horizontal	116	1.64	-	95.13	33.00	6.62	34.45
PK	5.5236G	53.92	68.20	-14.28	5.47	3	Horizontal	116	1.64	-	48.45	33.11	6.82	34.46

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74588G	44.07	54.00	-9.93	15.56	3	Vertical	239	1.67	-	28.51	38.45	11.72	34.61
PK	6.56242G	57.08	68.20	-11.12	8.42	3	Vertical	211	1.50	-	48.66	35.67	7.40	34.65
PK	10.49656G	53.27	68.20	-14.93	13.67	3	Vertical	13	2.43	-	39.60	38.60	9.56	34.49
PK	15.7524G	56.65	74.00	-17.35	15.56	3	Vertical	239	1.67	-	41.09	38.45	11.72	34.61

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75G	44.09	54.00	-9.91	15.56	3	Horizontal	162	1.28	-	28.53	38.45	11.72	34.61
PK	6.56266G	54.37	68.20	-13.83	8.43	3	Horizontal	245	1.69	-	45.94	35.68	7.40	34.65
PK	10.50508G	52.47	68.20	-15.73	13.71	3	Horizontal	312	1.05	-	38.76	38.63	9.56	34.48
PK	15.74216G	56.51	74.00	-17.49	15.56	3	Horizontal	162	1.28	-	40.95	38.44	11.72	34.60

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.64	54.00	-9.36	5.45	3	Vertical	212	1.43	-	39.19	33.12	6.79	34.46
AV	5.5988G	95.57	Inf	-Inf	5.59	3	Vertical	212	1.43	-	89.98	33.20	6.86	34.47
PK	5.468G	55.76	68.20	-12.44	5.47	3	Vertical	212	1.43	-	50.29	33.14	6.79	34.46
PK	5.5856G	107.58	Inf	-Inf	5.52	3	Vertical	212	1.43	-	102.06	33.14	6.85	34.47
PK	5.7308G	56.60	68.20	-11.60	6.07	3	Vertical	212	1.43	-	50.53	33.65	6.91	34.49


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.22	54.00	-10.78	5.45	3	Horizontal	141	1.50	-	37.77	33.12	6.79	34.46
AV	5.624G	91.30	Inf	-Inf	5.65	3	Horizontal	141	1.50	-	85.65	33.25	6.87	34.47
PK	5.4656G	55.03	68.20	-13.17	5.46	3	Horizontal	141	1.50	-	49.57	33.13	6.79	34.46
PK	5.624G	102.85	Inf	-Inf	5.65	3	Horizontal	141	1.50	-	97.20	33.25	6.87	34.47
PK	5.7596G	56.64	68.20	-11.56	6.25	3	Horizontal	141	1.50	-	50.39	33.82	6.92	34.49

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14028G	41.69	54.00	-12.31	14.56	3	Vertical	39	2.90	-	27.13	38.98	9.78	34.20
PK	6.96278G	50.68	68.20	-17.52	9.23	3	Vertical	202	2.21	-	41.45	36.00	7.93	34.70
PK	11.14192G	54.64	74.00	-19.36	14.57	3	Vertical	39	2.90	-	40.07	38.98	9.79	34.20
PK	16.7156G	56.71	68.20	-11.49	16.56	3	Vertical	242	1.55	-	40.15	38.77	12.12	34.33

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14036G	41.69	54.00	-12.31	14.56	3	Horizontal	287	1.14	-	27.13	38.98	9.78	34.20
PK	6.96202G	49.87	68.20	-18.33	9.23	3	Horizontal	255	1.00	-	40.64	36.00	7.93	34.70
PK	11.14168G	53.30	74.00	-20.70	14.57	3	Horizontal	287	1.14	-	38.73	38.98	9.79	34.20
PK	16.7052G	56.36	68.20	-11.84	16.56	3	Horizontal	227	1.65	-	39.80	38.79	12.12	34.35



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	62.98M	33.53	40.00	-6.47	3	Vertical	0	1.00	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	62.98M	32.53	40.00	-7.47	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	PK	62.98M	32.16	40.00	-7.84	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	62.98M	33.22	40.00	-6.78	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	62.98M	30.44	40.00	-9.56	3	Vertical	0	1.00	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	33.53	40.00	-6.47	3	Vertical	0	1.00	-
5200MHz	Pass	PK	127M	26.06	43.50	-17.44	3	Vertical	0	1.00	-
5200MHz	Pass	PK	243.4M	29.24	46.00	-16.76	3	Vertical	0	1.00	-
5200MHz	Pass	PK	319.06M	31.71	46.00	-14.29	3	Vertical	0	1.00	-
5200MHz	Pass	PK	352.04M	32.05	46.00	-13.95	3	Vertical	0	1.00	-
5200MHz	Pass	PK	400.54M	31.01	46.00	-14.99	3	Vertical	0	1.00	-
5200MHz	Pass	PK	62.98M	30.94	40.00	-9.06	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	148.34M	22.89	43.50	-20.61	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	262.8M	34.52	46.00	-11.48	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	319.06M	36.60	46.00	-9.40	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	511.12M	31.23	46.00	-14.77	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	641.1M	29.94	46.00	-16.06	3	Horizontal	360	1.00	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	32.53	40.00	-7.47	3	Vertical	360	1.00	-
5200MHz	Pass	PK	127M	26.56	43.50	-16.94	3	Vertical	360	1.00	-
5200MHz	Pass	PK	241.46M	29.00	46.00	-17.00	3	Vertical	360	1.00	-
5200MHz	Pass	PK	319.06M	34.21	46.00	-11.79	3	Vertical	360	1.00	-
5200MHz	Pass	PK	352.04M	32.55	46.00	-13.45	3	Vertical	360	1.00	-
5200MHz	Pass	PK	400.54M	31.01	46.00	-14.99	3	Vertical	360	1.00	-
5200MHz	Pass	PK	62.98M	30.94	40.00	-9.06	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	191.02M	24.75	43.50	-18.75	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	262.8M	35.02	46.00	-10.98	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	288.02M	34.66	46.00	-11.34	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	400.54M	29.44	46.00	-16.56	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	511.12M	31.23	46.00	-14.77	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	32.16	40.00	-7.84	3	Vertical	360	1.00	-
5200MHz	Pass	PK	127M	26.69	43.50	-16.81	3	Vertical	360	1.00	-
5200MHz	Pass	PK	255.04M	31.09	46.00	-14.91	3	Vertical	360	1.00	-
5200MHz	Pass	PK	319.06M	34.35	46.00	-11.65	3	Vertical	360	1.00	-
5200MHz	Pass	PK	400.54M	29.11	46.00	-16.89	3	Vertical	360	1.00	-
5200MHz	Pass	PK	641.1M	28.96	46.00	-17.04	3	Vertical	360	1.00	-
5200MHz	Pass	PK	62.98M	30.12	40.00	-9.88	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	200.72M	25.71	43.50	-17.79	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	319.06M	35.75	46.00	-10.25	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	400.54M	30.46	46.00	-15.54	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	511.12M	30.66	46.00	-15.34	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	575.14M	29.67	46.00	-16.33	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	33.22	40.00	-6.78	3	Vertical	360	1.00	-
5200MHz	Pass	PK	105.66M	26.37	43.50	-17.13	3	Vertical	360	1.00	-
5200MHz	Pass	PK	262.8M	29.23	46.00	-16.77	3	Vertical	360	1.00	-
5200MHz	Pass	PK	319.06M	33.84	46.00	-12.16	3	Vertical	360	1.00	-
5200MHz	Pass	PK	511.12M	27.32	46.00	-18.68	3	Vertical	360	1.00	-
5200MHz	Pass	PK	641.1M	31.30	46.00	-14.70	3	Vertical	360	1.00	-
5200MHz	Pass	PK	62.98M	29.04	40.00	-10.96	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	146.4M	27.16	43.50	-16.34	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	288.02M	36.24	46.00	-9.76	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	319.06M	35.02	46.00	-10.98	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	352.04M	30.98	46.00	-15.02	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	511.12M	28.74	46.00	-17.26	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	30.44	40.00	-9.56	3	Vertical	0	1.00	-
5200MHz	Pass	PK	127M	29.36	43.50	-14.14	3	Vertical	0	1.00	-
5200MHz	Pass	PK	233.7M	28.63	46.00	-17.37	3	Vertical	0	1.00	-
5200MHz	Pass	PK	319.06M	29.23	46.00	-16.77	3	Vertical	0	1.00	-
5200MHz	Pass	PK	352.04M	31.50	46.00	-14.50	3	Vertical	0	1.00	-
5200MHz	Pass	PK	641.1M	32.54	46.00	-13.46	3	Vertical	0	1.00	-
5200MHz	Pass	PK	62.98M	26.07	40.00	-13.93	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	224M	28.16	46.00	-17.84	3	Horizontal	360	1.00	-




RSE TX below 1GHz_Full RU(Full port)

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz	Pass	PK	319.06M	35.42	46.00	-10.58	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	400.54M	33.24	46.00	-12.76	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	511.12M	30.07	46.00	-15.93	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	641.1M	32.29	46.00	-13.71	3	Horizontal	360	1.00	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	33.53	40.00	-6.47	-14.62	3	Vertical	0	1.00	-	48.15	11.57	1.29	27.48
PK	127M	26.06	43.50	-17.44	-8.27	3	Vertical	0	1.00	-	34.33	17.13	1.85	27.25
PK	243.4M	29.24	46.00	-16.76	-7.36	3	Vertical	0	1.00	-	36.60	16.76	2.59	26.71
PK	319.06M	31.71	46.00	-14.29	-4.96	3	Vertical	0	1.00	-	36.67	18.75	3.00	26.71
PK	352.04M	32.05	46.00	-13.95	-4.15	3	Vertical	0	1.00	-	36.20	19.57	3.15	26.87
PK	400.54M	31.01	46.00	-14.99	-2.79	3	Vertical	0	1.00	-	33.80	21.02	3.38	27.19

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	30.94	40.00	-9.06	-14.62	3	Horizontal	360	1.00	-	45.56	11.57	1.29	27.48
PK	148.34M	22.89	43.50	-20.61	-9.62	3	Horizontal	360	1.00	-	32.51	15.54	2.00	27.16
PK	262.8M	34.52	46.00	-11.48	-5.51	3	Horizontal	360	1.00	-	40.03	18.45	2.70	26.66
PK	319.06M	36.60	46.00	-9.40	-4.96	3	Horizontal	360	1.00	-	41.56	18.75	3.00	26.71
PK	511.12M	31.23	46.00	-14.77	-1.17	3	Horizontal	360	1.00	-	32.40	22.80	3.85	27.82
PK	641.1M	29.94	46.00	-16.06	0.39	3	Horizontal	360	1.00	-	29.55	24.05	4.36	28.02

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	32.53	40.00	-7.47	-14.62	3	Vertical	360	1.00	-	47.15	11.57	1.29	27.48
PK	127M	26.56	43.50	-16.94	-8.27	3	Vertical	360	1.00	-	34.83	17.13	1.85	27.25
PK	241.46M	29.00	46.00	-17.00	-7.60	3	Vertical	360	1.00	-	36.60	16.54	2.58	26.72
PK	319.06M	34.21	46.00	-11.79	-4.96	3	Vertical	360	1.00	-	39.17	18.75	3.00	26.71
PK	352.04M	32.55	46.00	-13.45	-4.15	3	Vertical	360	1.00	-	36.70	19.57	3.15	26.87
PK	400.54M	31.01	46.00	-14.99	-2.79	3	Vertical	360	1.00	-	33.80	21.02	3.38	27.19

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	30.94	40.00	-9.06	-14.62	3	Horizontal	0	1.00	-	45.56	11.57	1.29	27.48
PK	191.02M	24.75	43.50	-18.75	-10.53	3	Horizontal	0	1.00	-	35.28	14.11	2.29	26.93
PK	262.8M	35.02	46.00	-10.98	-5.51	3	Horizontal	0	1.00	-	40.53	18.45	2.70	26.66
PK	288.02M	34.66	46.00	-11.34	-5.79	3	Horizontal	0	1.00	-	40.45	17.99	2.85	26.63
PK	400.54M	29.44	46.00	-16.56	-2.79	3	Horizontal	0	1.00	-	32.23	21.02	3.38	27.19
PK	511.12M	31.23	46.00	-14.77	-1.17	3	Horizontal	0	1.00	-	32.40	22.80	3.85	27.82

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	32.16	40.00	-7.84	-14.62	3	Vertical	360	1.00	-	46.78	11.57	1.29	27.48
PK	127M	26.69	43.50	-16.81	-8.27	3	Vertical	360	1.00	-	34.96	17.13	1.85	27.25
PK	255.04M	31.09	46.00	-14.91	-5.89	3	Vertical	360	1.00	-	36.98	18.12	2.66	26.67
PK	319.06M	34.35	46.00	-11.65	-4.96	3	Vertical	360	1.00	-	39.31	18.75	3.00	26.71
PK	400.54M	29.11	46.00	-16.89	-2.79	3	Vertical	360	1.00	-	31.90	21.02	3.38	27.19
PK	641.1M	28.96	46.00	-17.04	0.39	3	Vertical	360	1.00	-	28.57	24.05	4.36	28.02

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	30.12	40.00	-9.88	-14.62	3	Horizontal	0	1.00	-	44.74	11.57	1.29	27.48
PK	200.72M	25.71	43.50	-17.79	-10.12	3	Horizontal	0	1.00	-	35.83	14.42	2.35	26.89
PK	319.06M	35.75	46.00	-10.25	-4.96	3	Horizontal	0	1.00	-	40.71	18.75	3.00	26.71
PK	400.54M	30.46	46.00	-15.54	-2.79	3	Horizontal	0	1.00	-	33.25	21.02	3.38	27.19
PK	511.12M	30.66	46.00	-15.34	-1.17	3	Horizontal	0	1.00	-	31.83	22.80	3.85	27.82
PK	575.14M	29.67	46.00	-16.33	0.01	3	Horizontal	0	1.00	-	29.66	23.89	4.09	27.97

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	33.22	40.00	-6.78	-14.62	3	Vertical	360	1.00	-	47.84	11.57	1.29	27.48
PK	105.66M	26.37	43.50	-17.13	-9.01	3	Vertical	360	1.00	-	35.38	16.63	1.69	27.33
PK	262.8M	29.23	46.00	-16.77	-5.51	3	Vertical	360	1.00	-	34.74	18.45	2.70	26.66
PK	319.06M	33.84	46.00	-12.16	-4.96	3	Vertical	360	1.00	-	38.80	18.75	3.00	26.71
PK	511.12M	27.32	46.00	-18.68	-1.17	3	Vertical	360	1.00	-	28.49	22.80	3.85	27.82
PK	641.1M	31.30	46.00	-14.70	0.39	3	Vertical	360	1.00	-	30.91	24.05	4.36	28.02


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5200MHz_Switching power supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	29.04	40.00	-10.96	-14.62	3	Horizontal	0	1.00	-	43.66	11.57	1.29	27.48
PK	146.4M	27.16	43.50	-16.34	-9.49	3	Horizontal	0	1.00	-	36.65	15.69	1.98	27.16
PK	288.02M	36.24	46.00	-9.76	-5.79	3	Horizontal	0	1.00	-	42.03	17.99	2.85	26.63
PK	319.06M	35.02	46.00	-10.98	-4.96	3	Horizontal	0	1.00	-	39.98	18.75	3.00	26.71
PK	352.04M	30.98	46.00	-15.02	-4.15	3	Horizontal	0	1.00	-	35.13	19.57	3.15	26.87
PK	511.12M	28.74	46.00	-17.26	-1.17	3	Horizontal	0	1.00	-	29.91	22.80	3.85	27.82

802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	30.44	40.00	-9.56	-14.62	3	Vertical	0	1.00	-	45.06	11.57	1.29	27.48
PK	127M	29.36	43.50	-14.14	-8.27	3	Vertical	0	1.00	-	37.63	17.13	1.85	27.25
PK	233.7M	28.63	46.00	-17.37	-8.63	3	Vertical	0	1.00	-	37.26	15.58	2.54	26.75
PK	319.06M	29.23	46.00	-16.77	-4.96	3	Vertical	0	1.00	-	34.19	18.75	3.00	26.71
PK	352.04M	31.50	46.00	-14.50	-4.15	3	Vertical	0	1.00	-	35.65	19.57	3.15	26.87
PK	641.1M	32.54	46.00	-13.46	0.39	3	Vertical	0	1.00	-	32.15	24.05	4.36	28.02

802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	26.07	40.00	-13.93	-14.62	3	Horizontal	360	1.00	-	40.69	11.57	1.29	27.48
PK	224M	28.16	46.00	-17.84	-9.74	3	Horizontal	360	1.00	-	37.90	14.57	2.48	26.79
PK	319.06M	35.42	46.00	-10.58	-4.96	3	Horizontal	360	1.00	-	40.38	18.75	3.00	26.71
PK	400.54M	33.24	46.00	-12.76	-2.79	3	Horizontal	360	1.00	-	36.03	21.02	3.38	27.19
PK	511.12M	30.07	46.00	-15.93	-1.17	3	Horizontal	360	1.00	-	31.24	22.80	3.85	27.82
PK	641.1M	32.29	46.00	-13.71	0.39	3	Horizontal	360	1.00	-	31.90	24.05	4.36	28.02



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port1)	Pass	PK	62.98M	32.56	40.00	-7.44	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_1TX(Port2)	Pass	PK	62.98M	31.21	40.00	-8.79	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26#RU 0_2TX	Pass	PK	62.98M	32.23	40.00	-7.77	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	32.56	40.00	-7.44	3	Vertical	360	1.00	-
5200MHz	Pass	PK	159.98M	28.76	43.50	-14.74	3	Vertical	360	1.00	-
5200MHz	Pass	PK	262.8M	29.53	46.00	-16.47	3	Vertical	360	1.00	-
5200MHz	Pass	PK	352.04M	32.22	46.00	-13.78	3	Vertical	360	1.00	-
5200MHz	Pass	PK	400.54M	31.07	46.00	-14.93	3	Vertical	360	1.00	-
5200MHz	Pass	PK	641.1M	32.27	46.00	-13.73	3	Vertical	360	1.00	-
5200MHz	Pass	PK	62.98M	30.66	40.00	-9.34	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	107.6M	25.21	43.50	-18.29	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	239.52M	33.44	46.00	-12.56	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	319.06M	36.06	46.00	-9.94	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	400.54M	31.48	46.00	-14.52	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	641.1M	32.14	46.00	-13.86	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	31.21	40.00	-8.79	3	Vertical	360	1.00	-
5200MHz	Pass	PK	107.6M	25.36	43.50	-18.14	3	Vertical	360	1.00	-
5200MHz	Pass	PK	159.98M	24.54	43.50	-18.96	3	Vertical	360	1.00	-
5200MHz	Pass	PK	249.22M	29.64	46.00	-16.36	3	Vertical	360	1.00	-
5200MHz	Pass	PK	319.06M	31.76	46.00	-14.24	3	Vertical	360	1.00	-
5200MHz	Pass	PK	561.56M	25.90	46.00	-20.10	3	Vertical	360	1.00	-
5200MHz	Pass	PK	59.1M	23.98	40.00	-16.02	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	107.6M	25.81	43.50	-17.69	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	224M	29.16	46.00	-16.84	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	288.02M	36.62	46.00	-9.38	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	400.54M	31.08	46.00	-14.92	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	641.1M	32.74	46.00	-13.26	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	62.98M	32.23	40.00	-7.77	3	Vertical	360	1.00	-
5200MHz	Pass	PK	107.6M	26.21	43.50	-17.29	3	Vertical	360	1.00	-
5200MHz	Pass	PK	127M	26.41	43.50	-17.09	3	Vertical	360	1.00	-
5200MHz	Pass	PK	241.46M	30.01	46.00	-15.99	3	Vertical	360	1.00	-
5200MHz	Pass	PK	319.06M	31.95	46.00	-14.05	3	Vertical	360	1.00	-
5200MHz	Pass	PK	400.54M	26.89	46.00	-19.11	3	Vertical	360	1.00	-
5200MHz	Pass	PK	62.98M	29.91	40.00	-10.09	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	224M	28.13	46.00	-17.87	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	319.06M	35.89	46.00	-10.11	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	400.54M	30.11	46.00	-15.89	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	511.12M	30.31	46.00	-15.69	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	769.14M	29.05	46.00	-16.95	3	Horizontal	0	1.00	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	32.56	40.00	-7.44	-14.62	3	Vertical	360	1.00	-	47.18	11.57	1.29	27.48
PK	159.98M	28.76	43.50	-14.74	-10.12	3	Vertical	360	1.00	-	38.88	14.91	2.08	27.11
PK	262.8M	29.53	46.00	-16.47	-5.51	3	Vertical	360	1.00	-	35.04	18.45	2.70	26.66
PK	352.04M	32.22	46.00	-13.78	-4.15	3	Vertical	360	1.00	-	36.37	19.57	3.15	26.87
PK	400.54M	31.07	46.00	-14.93	-2.79	3	Vertical	360	1.00	-	33.86	21.02	3.38	27.19
PK	641.1M	32.27	46.00	-13.73	0.39	3	Vertical	360	1.00	-	31.88	24.05	4.36	28.02

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	30.66	40.00	-9.34	-14.62	3	Horizontal	0	1.00	-	45.28	11.57	1.29	27.48
PK	107.6M	25.21	43.50	-18.29	-8.79	3	Horizontal	0	1.00	-	34.00	16.83	1.70	27.32
PK	239.52M	33.44	46.00	-12.56	-7.84	3	Horizontal	0	1.00	-	41.28	16.31	2.57	26.72
PK	319.06M	36.06	46.00	-9.94	-4.96	3	Horizontal	0	1.00	-	41.02	18.75	3.00	26.71
PK	400.54M	31.48	46.00	-14.52	-2.79	3	Horizontal	0	1.00	-	34.27	21.02	3.38	27.19
PK	641.1M	32.14	46.00	-13.86	0.39	3	Horizontal	0	1.00	-	31.75	24.05	4.36	28.02

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)


5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	31.21	40.00	-8.79	-14.62	3	Vertical	360	1.00	-	45.83	11.57	1.29	27.48
PK	107.6M	25.36	43.50	-18.14	-8.79	3	Vertical	360	1.00	-	34.15	16.83	1.70	27.32
PK	159.98M	24.54	43.50	-18.96	-10.12	3	Vertical	360	1.00	-	34.66	14.91	2.08	27.11
PK	249.22M	29.64	46.00	-16.36	-6.61	3	Vertical	360	1.00	-	36.25	17.44	2.63	26.68
PK	319.06M	31.76	46.00	-14.24	-4.96	3	Vertical	360	1.00	-	36.72	18.75	3.00	26.71
PK	561.56M	25.90	46.00	-20.10	0.17	3	Vertical	360	1.00	-	25.73	24.12	4.03	27.98


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)

5200MHz_Switching power supply




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	59.1M	23.98	40.00	-16.02	-14.58	3	Horizontal	0	1.00	-	38.56	11.66	1.25	27.49
PK	107.6M	25.81	43.50	-17.69	-8.79	3	Horizontal	0	1.00	-	34.60	16.83	1.70	27.32
PK	224M	29.16	46.00	-16.84	-9.74	3	Horizontal	0	1.00	-	38.90	14.57	2.48	26.79
PK	288.02M	36.62	46.00	-9.38	-5.79	3	Horizontal	0	1.00	-	42.41	17.99	2.85	26.63
PK	400.54M	31.08	46.00	-14.92	-2.79	3	Horizontal	0	1.00	-	33.87	21.02	3.38	27.19
PK	641.1M	32.74	46.00	-13.26	0.39	3	Horizontal	0	1.00	-	32.35	24.05	4.36	28.02

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	32.23	40.00	-7.77	-14.62	3	Vertical	360	1.00	-	46.85	11.57	1.29	27.48
PK	107.6M	26.21	43.50	-17.29	-8.79	3	Vertical	360	1.00	-	35.00	16.83	1.70	27.32
PK	127M	26.41	43.50	-17.09	-8.27	3	Vertical	360	1.00	-	34.68	17.13	1.85	27.25
PK	241.46M	30.01	46.00	-15.99	-7.60	3	Vertical	360	1.00	-	37.61	16.54	2.58	26.72
PK	319.06M	31.95	46.00	-14.05	-4.96	3	Vertical	360	1.00	-	36.91	18.75	3.00	26.71
PK	400.54M	26.89	46.00	-19.11	-2.79	3	Vertical	360	1.00	-	29.68	21.02	3.38	27.19

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX
5200MHz_Switching power supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	62.98M	29.91	40.00	-10.09	-14.62	3	Horizontal	0	1.00	-	44.53	11.57	1.29	27.48
PK	224M	28.13	46.00	-17.87	-9.74	3	Horizontal	0	1.00	-	37.87	14.57	2.48	26.79
PK	319.06M	35.89	46.00	-10.11	-4.96	3	Horizontal	0	1.00	-	40.85	18.75	3.00	26.71
PK	400.54M	30.11	46.00	-15.89	-2.79	3	Horizontal	0	1.00	-	32.90	21.02	3.38	27.19
PK	511.12M	30.31	46.00	-15.69	-1.17	3	Horizontal	0	1.00	-	31.48	22.80	3.85	27.82
PK	769.14M	29.05	46.00	-16.95	2.18	3	Horizontal	0	1.00	-	26.87	25.13	4.81	27.76