


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)

EBW

6435MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)

EBW

6475MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)

EBW

5955MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)

EBW

6415MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)

EBW

6435MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)

EBW

6475MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

EBW

5955MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

EBW

6415MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

EBW

6435MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

EBW

6475MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

EBW

6535MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

EBW

6695MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

EBW

6895MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

EBW

6995MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

EBW

7095MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)

EBW

7115MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)

EBW

6535MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)

EBW

6695MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)

EBW

6895MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)

EBW

6995MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)

EBW

7095MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)

EBW

7115MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

EBW

6535MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

EBW

6695MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

EBW

6895MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

EBW

6995MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

EBW

7095MHz

16/03/2023




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

EBW

7115MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)

EBW


5965MHz

16/03/2023

CF (Hz)
5.965G
Span (Hz)
264M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.965G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.232M	5.943484G	5.966716G	19.49M	5.94557G	5.96506G	Inf	1


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)

EBW


6405MHz

16/03/2023

CF (Hz)
6.405G
Span (Hz)
264M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
6.405G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.76M	6.383484G	6.407244G	19.55M	6.38551G	6.40506G	Inf	1

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)

EBW

6445MHz

16/03/2023






802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)

EBW

6525MHz

16/03/2023






802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)

EBW

6445MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)

EBW

6525MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

EBW

5965MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

EBW

6405MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

EBW

6445MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

EBW

6525MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)

EBW

6565MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)

EBW

6845MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)

EBW


6885MHz

16/03/2023

CF (Hz)
6.885G
Span (Hz)
264M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
6.885G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
23.628M	6.88302G	6.906648G	19.55M	6.88488G	6.90443G	Inf	1


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)

EBW


7085MHz

16/03/2023

CF (Hz)
7.085G
Span (Hz)
264M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
7.085G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
24.552M	7.08236G	7.106912G	19.49M	7.08494G	7.10443G	Inf	1

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)

EBW

6565MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)

EBW

6845MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)

EBW

6885MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)

EBW

7085MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

EBW

6565MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

EBW

6845MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

EBW

6885MHz

16/03/2023




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

EBW

7085MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)

EBW

5985MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)

EBW

6465MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)

EBW

5985MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)

EBW

6465MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX

EBW

5985MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX

EBW

6465MHz

16/03/2023





802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)

EBW

6785MHz

16/03/2023





802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)

EBW

7025MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)

EBW

6785MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)

EBW

7025MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX

EBW

6785MHz

16/03/2023




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX

EBW

7025MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)

EBW

6025MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)

EBW

6505MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)

EBW

6025MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)

EBW

6505MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX

EBW

6025MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX

EBW

6505MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)

EBW

6825MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)

EBW

6985MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 675_1TX(Port2)

EBW

6825MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 675_1TX(Port2)

EBW

6985MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 675_2TX

EBW

6825MHz

16/03/2023




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 675_2TX

EBW

6985MHz

16/03/2023



Note: Trace mode Max Hold.



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.92	0.00310	11.94	0.01563
802.11ax HEW20_Nss1,(MCS0)_1TX	5.39	0.00346	12.31	0.01702
802.11ax HEW20_Nss1,(MCS0)_2TX	1.78	0.00151	8.80	0.00759
802.11ax HEW40_Nss1,(MCS0)_1TX	7.74	0.00594	14.76	0.02992
802.11ax HEW40_Nss1,(MCS0)_1TX	7.94	0.00622	14.86	0.03062
802.11ax HEW40_Nss1,(MCS0)_2TX	7.90	0.00617	14.92	0.03105
802.11ax HEW80_Nss1,(MCS0)_1TX	10.19	0.01045	17.21	0.05260
802.11ax HEW80_Nss1,(MCS0)_1TX	10.20	0.01047	17.12	0.05152
802.11ax HEW80_Nss1,(MCS0)_2TX	10.58	0.01143	17.60	0.05754
802.11ax HEW160_Nss1,(MCS0)_1TX	12.86	0.01932	19.88	0.09727
802.11ax HEW160_Nss1,(MCS0)_1TX	12.66	0.01845	19.58	0.09078
802.11ax HEW160_Nss1,(MCS0)_2TX	13.17	0.02075	20.19	0.10447
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.51	0.00282	12.25	0.01679
802.11ax HEW20_Nss1,(MCS0)_1TX	4.71	0.00296	12.16	0.01644
802.11ax HEW20_Nss1,(MCS0)_2TX	1.67	0.00147	9.41	0.00873
802.11ax HEW40_Nss1,(MCS0)_1TX	6.97	0.00498	14.71	0.02958
802.11ax HEW40_Nss1,(MCS0)_1TX	7.27	0.00533	14.72	0.02965
802.11ax HEW40_Nss1,(MCS0)_2TX	7.37	0.00546	15.11	0.03243
802.11ax HEW80_Nss1,(MCS0)_1TX	9.24	0.00839	16.98	0.04989
802.11ax HEW80_Nss1,(MCS0)_1TX	9.58	0.00908	17.03	0.05047
802.11ax HEW80_Nss1,(MCS0)_2TX	9.75	0.00944	17.49	0.05610
802.11ax HEW160_Nss1,(MCS0)_1TX	12.30	0.01698	20.04	0.10093
802.11ax HEW160_Nss1,(MCS0)_1TX	12.56	0.01803	20.01	0.10023
802.11ax HEW160_Nss1,(MCS0)_2TX	11.99	0.01581	19.73	0.09397
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	3.81	0.00240	11.55	0.01429
802.11ax HEW20_Nss1,(MCS0)_1TX	3.85	0.00243	11.30	0.01349
802.11ax HEW20_Nss1,(MCS0)_2TX	1.62	0.00145	9.36	0.00863
802.11ax HEW40_Nss1,(MCS0)_1TX	7.13	0.00516	14.87	0.03069
802.11ax HEW40_Nss1,(MCS0)_1TX	7.12	0.00515	14.57	0.02864
802.11ax HEW40_Nss1,(MCS0)_2TX	7.20	0.00525	14.94	0.03119
802.11ax HEW80_Nss1,(MCS0)_1TX	9.36	0.00863	17.10	0.05129
802.11ax HEW80_Nss1,(MCS0)_1TX	9.49	0.00889	16.94	0.04943
802.11ax HEW80_Nss1,(MCS0)_2TX	9.36	0.00863	17.10	0.05129
802.11ax HEW160_Nss1,(MCS0)_1TX	12.53	0.01791	20.27	0.10641
802.11ax HEW160_Nss1,(MCS0)_1TX	12.61	0.01824	20.06	0.10139
802.11ax HEW160_Nss1,(MCS0)_2TX	12.35	0.01718	20.09	0.10209
6.875-7.125GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	3.41	0.00219	8.00	0.00631
802.11ax HEW20_Nss1,(MCS0)_1TX	3.39	0.00218	8.49	0.00706
802.11ax HEW20_Nss1,(MCS0)_2TX	-0.21	0.00095	4.89	0.00308
802.11ax HEW40_Nss1,(MCS0)_1TX	7.00	0.00501	11.59	0.01442
802.11ax HEW40_Nss1,(MCS0)_1TX	7.06	0.00508	12.16	0.01644
802.11ax HEW40_Nss1,(MCS0)_2TX	6.82	0.00481	11.92	0.01556
802.11ax HEW80_Nss1,(MCS0)_1TX	9.25	0.00841	13.84	0.02421
802.11ax HEW80_Nss1,(MCS0)_1TX	9.20	0.00832	14.30	0.02692
802.11ax HEW80_Nss1,(MCS0)_2TX	9.28	0.00847	14.38	0.02742
802.11ax HEW160_Nss1,(MCS0)_1TX	12.83	0.01919	17.42	0.05521
802.11ax HEW160_Nss1,(MCS0)_1TX	12.94	0.01968	18.04	0.06368
802.11ax HEW160_Nss1,(MCS0)_2TX	12.51	0.01782	17.61	0.05768



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	4.76		4.76	Inf	11.78	24.00
6175MHz	Pass	7.02	4.77		4.77	Inf	11.79	24.00
6415MHz	Pass	7.02	4.92		4.92	Inf	11.94	24.00
6435MHz	Pass	7.74	4.42		4.42	Inf	12.16	24.00
6475MHz	Pass	7.74	4.51		4.51	Inf	12.25	24.00
6515MHz	Pass	7.74	4.33		4.33	Inf	12.07	24.00
6535MHz	Pass	7.74	3.81		3.81	Inf	11.55	24.00
6695MHz	Pass	7.74	3.64		3.64	Inf	11.38	24.00
6855MHz	Pass	7.74	3.52		3.52	Inf	11.26	24.00
6875MHz	Pass	7.74	3.31		3.31	Inf	11.05	24.00
6895MHz	Pass	4.59	3.41		3.41	Inf	8.00	24.00
6995MHz	Pass	4.59	3.30		3.30	Inf	7.89	24.00
7095MHz	Pass	4.59	3.13		3.13	Inf	7.72	24.00
7115MHz	Pass	4.59	-3.43		-3.43	Inf	1.16	24.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	5.39	5.39	Inf	12.31	24.00
6175MHz	Pass	6.92	-	4.97	4.97	Inf	11.89	24.00
6415MHz	Pass	6.92	-	4.71	4.71	Inf	11.63	24.00
6435MHz	Pass	7.45	-	4.67	4.67	Inf	12.12	24.00
6475MHz	Pass	7.45	-	4.71	4.71	Inf	12.16	24.00
6515MHz	Pass	7.45	-	4.61	4.61	Inf	12.06	24.00
6535MHz	Pass	7.45	-	3.85	3.85	Inf	11.30	24.00
6695MHz	Pass	7.45	-	3.50	3.50	Inf	10.95	24.00
6855MHz	Pass	7.45	-	3.29	3.29	Inf	10.74	24.00
6875MHz	Pass	7.45	-	3.18	3.18	Inf	10.63	24.00
6895MHz	Pass	5.10	-	3.39	3.39	Inf	8.49	24.00
6995MHz	Pass	5.10	-	3.36	3.36	Inf	8.46	24.00
7095MHz	Pass	5.10	-	2.86	2.86	Inf	7.96	24.00
7115MHz	Pass	5.10	-	-5.05	-5.05	Inf	0.05	24.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-2.17	-3.22	0.35	Inf	7.37	24.00
6175MHz	Pass	7.02	-1.74	-2.14	1.07	Inf	8.09	24.00
6415MHz	Pass	7.02	-0.79	-1.72	1.78	Inf	8.80	24.00
6435MHz	Pass	7.74	-1.59	-3.53	0.56	Inf	8.30	24.00
6475MHz	Pass	7.74	-0.98	-3.03	1.13	Inf	8.87	24.00
6515MHz	Pass	7.74	-0.63	-2.19	1.67	Inf	9.41	24.00
6535MHz	Pass	7.74	-0.56	-2.42	1.62	Inf	9.36	24.00
6695MHz	Pass	7.74	-1.77	-1.17	1.55	Inf	9.29	24.00
6855MHz	Pass	7.74	-3.47	-1.41	0.69	Inf	8.43	24.00
6875MHz	Pass	7.74	-3.86	-1.59	0.43	Inf	8.17	24.00
6895MHz	Pass	5.10	-4.14	-3.59	-0.85	Inf	4.25	24.00
6995MHz	Pass	5.10	-3.27	-3.17	-0.21	Inf	4.89	24.00
7095MHz	Pass	5.10	-4.88	-4.36	-1.60	Inf	3.50	24.00
7115MHz	Pass	5.10	-9.41	-9.47	-6.43	Inf	-1.33	24.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	7.44		7.44	Inf	14.46	24.00
6165MHz	Pass	7.02	7.25		7.25	Inf	14.27	24.00
6405MHz	Pass	7.02	7.74		7.74	Inf	14.76	24.00
6445MHz	Pass	7.74	6.97		6.97	Inf	14.71	24.00
6485MHz	Pass	7.74	6.94		6.94	Inf	14.68	24.00
6525MHz	Pass	7.74	6.80		6.80	Inf	14.54	24.00
6565MHz	Pass	7.74	6.72		6.72	Inf	14.46	24.00
6685MHz	Pass	7.74	7.13		7.13	Inf	14.87	24.00
6845MHz	Pass	7.74	5.68		5.68	Inf	13.42	24.00



Average Power_Full RU

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6885MHz	Pass	7.74	6.43		6.43	Inf	14.17	24.00
6925MHz	Pass	4.59	6.80		6.80	Inf	11.39	24.00
7005MHz	Pass	4.59	7.00		7.00	Inf	11.59	24.00
7085MHz	Pass	4.59	6.65		6.65	Inf	11.24	24.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	6.92	-	7.94	7.94	Inf	14.86	24.00
6165MHz	Pass	6.92	-	7.35	7.35	Inf	14.27	24.00
6405MHz	Pass	6.92	-	7.88	7.88	Inf	14.80	24.00
6445MHz	Pass	7.45	-	7.27	7.27	Inf	14.72	24.00
6485MHz	Pass	7.45	-	6.94	6.94	Inf	14.39	24.00
6525MHz	Pass	7.45	-	7.23	7.23	Inf	14.68	24.00
6565MHz	Pass	7.45	-	7.12	7.12	Inf	14.57	24.00
6685MHz	Pass	7.45	-	7.06	7.06	Inf	14.51	24.00
6845MHz	Pass	7.45	-	6.88	6.88	Inf	14.33	24.00
6885MHz	Pass	7.45	-	6.79	6.79	Inf	14.24	24.00
6925MHz	Pass	5.10	-	6.81	6.81	Inf	11.91	24.00
7005MHz	Pass	5.10	-	7.06	7.06	Inf	12.16	24.00
7085MHz	Pass	5.10	-	6.63	6.63	Inf	11.73	24.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	5.04	4.74	7.90	Inf	14.92	24.00
6165MHz	Pass	7.02	4.44	4.18	7.32	Inf	14.34	24.00
6405MHz	Pass	7.02	4.93	4.85	7.90	Inf	14.92	24.00
6445MHz	Pass	7.74	4.23	4.43	7.34	Inf	15.08	24.00
6485MHz	Pass	7.74	4.18	4.53	7.37	Inf	15.11	24.00
6525MHz	Pass	7.74	3.86	4.23	7.06	Inf	14.80	24.00
6565MHz	Pass	7.74	4.31	4.07	7.20	Inf	14.94	24.00
6685MHz	Pass	7.74	4.16	3.89	7.04	Inf	14.78	24.00
6845MHz	Pass	7.74	4.14	3.57	6.87	Inf	14.61	24.00
6885MHz	Pass	7.74	3.97	3.54	6.77	Inf	14.51	24.00
6925MHz	Pass	5.10	3.84	3.55	6.71	Inf	11.81	24.00
7005MHz	Pass	5.10	4.02	3.58	6.82	Inf	11.92	24.00
7085MHz	Pass	5.10	3.78	2.95	6.40	Inf	11.50	24.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	10.19		10.19	Inf	17.21	24.00
6145MHz	Pass	7.02	9.71		9.71	Inf	16.73	24.00
6385MHz	Pass	7.02	10.03		10.03	Inf	17.05	24.00
6465MHz	Pass	7.74	9.24		9.24	Inf	16.98	24.00
6545MHz	Pass	7.74	9.06		9.06	Inf	16.80	24.00
6625MHz	Pass	7.74	8.86		8.86	Inf	16.60	24.00
6705MHz	Pass	7.74	9.36		9.36	Inf	17.10	24.00
6785MHz	Pass	7.74	8.54		8.54	Inf	16.28	24.00
6865MHz	Pass	7.74	8.74		8.74	Inf	16.48	24.00
6945MHz	Pass	4.59	9.25		9.25	Inf	13.84	24.00
7025MHz	Pass	4.59	9.16		9.16	Inf	13.75	24.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.92	-	10.20	10.20	Inf	17.12	24.00
6145MHz	Pass	6.92	-	9.90	9.90	Inf	16.82	24.00
6385MHz	Pass	6.92	-	10.20	10.20	Inf	17.12	24.00
6465MHz	Pass	7.45	-	9.58	9.58	Inf	17.03	24.00
6545MHz	Pass	7.45	-	9.56	9.56	Inf	17.01	24.00
6625MHz	Pass	7.45	-	9.16	9.16	Inf	16.61	24.00
6705MHz	Pass	7.45	-	9.49	9.49	Inf	16.94	24.00
6785MHz	Pass	7.45	-	8.50	8.50	Inf	15.95	24.00
6865MHz	Pass	7.45	-	9.19	9.19	Inf	16.64	24.00
6945MHz	Pass	5.10	-	9.08	9.08	Inf	14.18	24.00
7025MHz	Pass	5.10	-	9.20	9.20	Inf	14.30	24.00



Average Power_Full RU

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	7.60	7.54	10.58	Inf	17.60	24.00
6145MHz	Pass	7.02	6.69	6.57	9.64	Inf	16.66	24.00
6385MHz	Pass	7.02	7.32	7.10	10.22	Inf	17.24	24.00
6465MHz	Pass	7.74	6.72	6.75	9.75	Inf	17.49	24.00
6545MHz	Pass	7.74	6.07	6.41	9.25	Inf	16.99	24.00
6625MHz	Pass	7.74	6.04	5.91	8.99	Inf	16.73	24.00
6705MHz	Pass	7.74	6.53	6.16	9.36	Inf	17.10	24.00
6785MHz	Pass	7.74	5.59	5.30	8.46	Inf	16.20	24.00
6865MHz	Pass	7.74	6.40	5.85	9.14	Inf	16.88	24.00
6945MHz	Pass	5.10	6.43	5.96	9.21	Inf	14.31	24.00
7025MHz	Pass	5.10	6.36	6.18	9.28	Inf	14.38	24.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	12.29		12.29	Inf	19.31	24.00
6185MHz	Pass	7.02	12.62		12.62	Inf	19.64	24.00
6345MHz	Pass	7.02	12.86		12.86	Inf	19.88	24.00
6505MHz	Pass	7.74	12.30		12.30	Inf	20.04	24.00
6665MHz	Pass	7.74	12.53		12.53	Inf	20.27	24.00
6825MHz	Pass	7.74	11.45		11.45	Inf	19.19	24.00
6985MHz	Pass	4.59	12.83		12.83	Inf	17.42	24.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.92	-	11.73	11.73	Inf	18.65	24.00
6185MHz	Pass	6.92	-	12.66	12.66	Inf	19.58	24.00
6345MHz	Pass	6.92	-	11.65	11.65	Inf	18.57	24.00
6505MHz	Pass	7.45	-	12.56	12.56	Inf	20.01	24.00
6665MHz	Pass	7.45	-	12.61	12.61	Inf	20.06	24.00
6825MHz	Pass	7.45	-	11.55	11.55	Inf	19.00	24.00
6985MHz	Pass	5.10	-	12.94	12.94	Inf	18.04	24.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	9.70	9.50	12.61	Inf	19.63	24.00
6185MHz	Pass	7.02	9.71	9.62	12.68	Inf	19.70	24.00
6345MHz	Pass	7.02	10.29	10.03	13.17	Inf	20.19	24.00
6505MHz	Pass	7.74	8.58	9.35	11.99	Inf	19.73	24.00
6665MHz	Pass	7.74	9.34	9.34	12.35	Inf	20.09	24.00
6825MHz	Pass	7.74	8.90	8.78	11.85	Inf	19.59	24.00
6985MHz	Pass	5.10	9.54	9.46	12.51	Inf	17.61	24.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-5.27	0.00030	1.75	0.00150
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-5.64	0.00027	1.28	0.00134
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-4.75	0.00033	2.27	0.00169
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-9.12	0.00012	-2.20	0.00060
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-3.95	0.00040	3.07	0.00203
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-2.34	0.00058	4.58	0.00287
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-4.01	0.00040	3.01	0.00200
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-4.63	0.00034	2.29	0.00169
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-0.85	0.00082	6.17	0.00414
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-0.02	0.00100	6.90	0.00490
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-0.92	0.00081	6.10	0.00407
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-1.91	0.00064	5.01	0.00317
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-4.57	0.00035	2.45	0.00176
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-8.80	0.00013	-1.78	0.00066
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-3.24	0.00047	3.78	0.00239
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-5.65	0.00027	1.37	0.00137
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-2.89	0.00051	4.13	0.00259
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-5.17	0.00030	1.85	0.00153
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	5.13	0.00326	12.15	0.01641
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	5.13	0.00326	12.05	0.01603
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	5.12	0.00325	12.14	0.01637
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	5.19	0.00330	12.11	0.01626
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	5.02	0.00318	12.04	0.01600
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	4.81	0.00303	11.83	0.01524
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	8.24	0.00667	15.26	0.03357
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	8.16	0.00655	15.08	0.03221
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	8.05	0.00638	15.07	0.03214
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	8.05	0.00638	14.97	0.03141
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	7.48	0.00560	14.50	0.02818
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	7.51	0.00564	14.53	0.02838
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	10.16	0.01038	17.18	0.05224
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	10.27	0.01064	17.19	0.05236
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	10.12	0.01028	17.14	0.05176
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	10.14	0.01033	17.06	0.05082
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	9.97	0.00993	16.99	0.05000
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	9.92	0.00982	16.94	0.04943
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-6.46	0.00023	1.28	0.00134
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-5.15	0.00031	2.30	0.00170
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-2.86	0.00052	4.88	0.00308
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-2.08	0.00062	5.37	0.00344
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	0.39	0.00109	8.13	0.00650
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-0.23	0.00095	7.22	0.00527
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-5.02	0.00031	2.72	0.00187
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-2.56	0.00055	5.18	0.00330
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-2.63	0.00055	5.11	0.00324
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	3.94	0.00248	11.68	0.01472
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	4.52	0.00283	11.97	0.01574
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	3.72	0.00236	11.46	0.01400
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	7.41	0.00551	15.15	0.03273
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	7.57	0.00571	15.02	0.03177
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	6.76	0.00474	14.50	0.02818
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	9.10	0.00813	16.84	0.04831
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	9.44	0.00879	16.89	0.04887



Average Power_Partial RU

Appendix C.2

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	8.57	0.00719	16.31	0.04276
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-5.48	0.00028	2.26	0.00168
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-6.29	0.00023	1.16	0.00131
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-5.85	0.00026	1.89	0.00155
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-4.59	0.00035	2.86	0.00193
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-2.48	0.00056	5.26	0.00336
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-2.04	0.00063	5.41	0.00348
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-2.61	0.00055	5.13	0.00326
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-2.26	0.00059	5.19	0.00330
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	0.79	0.00120	8.53	0.00713
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	0.93	0.00124	8.38	0.00689
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	0.50	0.00112	8.24	0.00667
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	0.74	0.00119	8.19	0.00659
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-5.61	0.00027	2.13	0.00163
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-6.14	0.00024	1.60	0.00145
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-3.34	0.00046	4.40	0.00275
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-3.54	0.00044	4.20	0.00263
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-3.00	0.00050	4.74	0.00298
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-3.15	0.00048	4.59	0.00288
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	4.35	0.00272	12.09	0.01618
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	4.39	0.00275	11.84	0.01528
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	4.45	0.00279	12.19	0.01656
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	4.50	0.00282	11.95	0.01567
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	3.96	0.00249	11.70	0.01479
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	3.94	0.00248	11.68	0.01472
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	6.81	0.00480	14.55	0.02851
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	7.23	0.00528	14.68	0.02938
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	6.78	0.00476	14.52	0.02831
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	7.51	0.00564	14.96	0.03133
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	6.54	0.00451	14.28	0.02679
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	6.63	0.00460	14.37	0.02735
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	9.38	0.00867	17.12	0.05152
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	9.46	0.00883	16.91	0.04909
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	9.36	0.00863	17.10	0.05129
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	9.47	0.00885	16.92	0.04920
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	9.08	0.00809	16.82	0.04808
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	9.18	0.00828	16.92	0.04920
6.875-7.125GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-6.94	0.00020	-2.35	0.00058
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-6.87	0.00021	-1.77	0.00067
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-7.19	0.00019	-2.60	0.00055
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-6.97	0.00020	-1.87	0.00065
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-4.73	0.00034	-0.14	0.00097
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-2.32	0.00059	2.78	0.00190
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-4.65	0.00034	-0.06	0.00099
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-2.58	0.00055	2.52	0.00179
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-0.98	0.00080	3.61	0.00230
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	0.20	0.00105	5.30	0.00339
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-1.40	0.00072	3.19	0.00208
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	0.06	0.00101	5.16	0.00328
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-7.79	0.00017	-2.69	0.00054
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-7.84	0.00016	-2.74	0.00053
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-4.54	0.00035	0.56	0.00114
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-4.85	0.00033	0.25	0.00106
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-4.54	0.00035	0.56	0.00114



Average Power_Partial RU

Appendix C.2

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-4.62	0.00035	0.48	0.00112
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	5.14	0.00327	9.73	0.00940
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	4.70	0.00295	9.80	0.00955
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	4.96	0.00313	9.55	0.00902
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	4.50	0.00282	9.60	0.00912
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	4.52	0.00283	9.62	0.00916
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	3.87	0.00244	8.97	0.00789
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	7.23	0.00528	11.82	0.01521
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	7.45	0.00556	12.55	0.01799
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	7.23	0.00528	11.82	0.01521
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	7.47	0.00558	12.57	0.01807
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	6.73	0.00471	11.83	0.01524
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	6.43	0.00440	11.53	0.01422
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	10.11	0.01026	14.70	0.02951
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	9.43	0.00877	14.53	0.02838
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	10.09	0.01021	14.68	0.02938
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	9.45	0.00881	14.55	0.02851
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	10.33	0.01079	15.43	0.03491
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	10.27	0.01064	15.37	0.03443



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-6.39		-6.39	Inf	0.63	24.00
6175MHz	Pass	7.02	-7.98		-7.98	Inf	-0.96	24.00
6415MHz	Pass	7.02	-5.27		-5.27	Inf	1.75	24.00
6435MHz	Pass	7.74	-6.47		-6.47	Inf	1.27	24.00
6475MHz	Pass	7.74	-6.46		-6.46	Inf	1.28	24.00
6535MHz	Pass	7.74	-6.48		-6.48	Inf	1.26	24.00
6695MHz	Pass	7.74	-5.48		-5.48	Inf	2.26	24.00
6855MHz	Pass	7.74	-8.1		-8.10	Inf	-0.36	24.00
6875MHz	Pass	4.59	-8.01		-8.01	Inf	-3.42	24.00
6895MHz	Pass	4.59	-7.38		-7.38	Inf	-2.79	24.00
6995MHz	Pass	4.59	-6.94		-6.94	Inf	-2.35	24.00
7095MHz	Pass	4.59	-11.64		-11.64	Inf	-7.05	24.00
7115MHz	Pass	4.59	-13.35		-13.35	Inf	-8.76	24.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-7.07	-7.07	Inf	-0.15	24.00
6175MHz	Pass	6.92	-	-7.46	-7.46	Inf	-0.54	24.00
6415MHz	Pass	6.92	-	-5.64	-5.64	Inf	1.28	24.00
6435MHz	Pass	7.45	-	-6.79	-6.79	Inf	0.66	24.00
6475MHz	Pass	7.45	-	-5.15	-5.15	Inf	2.30	24.00
6535MHz	Pass	7.45	-	-7.83	-7.83	Inf	-0.38	24.00
6695MHz	Pass	7.45	-	-6.29	-6.29	Inf	1.16	24.00
6855MHz	Pass	7.45	-	-6.61	-6.61	Inf	0.84	24.00
6875MHz	Pass	5.10	-	-6.87	-6.87	Inf	-1.77	24.00
6895MHz	Pass	5.10	-	-6.89	-6.89	Inf	-1.79	24.00
6995MHz	Pass	5.10	-	-7.34	-7.34	Inf	-2.24	24.00
7095MHz	Pass	5.10	-	-9.44	-9.44	Inf	-4.34	24.00
7115MHz	Pass	5.10	-	-9.53	-9.53	Inf	-4.43	24.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-9.51	-10.69	-7.05	Inf	-0.03	24.00
6175MHz	Pass	7.02	-12.44	-12.56	-9.49	Inf	-2.47	24.00
6415MHz	Pass	7.02	-7.32	-7.86	-4.57	Inf	2.45	24.00
6435MHz	Pass	7.74	-7.23	-9.01	-5.02	Inf	2.72	24.00
6475MHz	Pass	7.74	-8.73	-12.58	-7.23	Inf	0.51	24.00
6535MHz	Pass	7.74	-8.11	-9.19	-5.61	Inf	2.13	24.00
6695MHz	Pass	7.74	-8.92	-8.82	-5.86	Inf	1.88	24.00
6855MHz	Pass	7.74	-12.06	-9.85	-7.81	Inf	-0.07	24.00
6875MHz	Pass	5.10	-12.2	-9.74	-7.79	Inf	-2.69	24.00
6895MHz	Pass	5.10	-13.17	-10.04	-8.32	Inf	-3.22	24.00
6995MHz	Pass	5.10	-13.11	-10.39	-8.53	Inf	-3.43	24.00
7095MHz	Pass	5.10	-15.49	-12.82	-10.94	Inf	-5.84	24.00
7115MHz	Pass	5.10	-16.11	-14.03	-11.94	Inf	-6.84	24.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-8.68		-8.68	Inf	-1.66	24.00
6175MHz	Pass	7.02	-8.03		-8.03	Inf	-1.01	24.00
6415MHz	Pass	7.02	-4.75		-4.75	Inf	2.27	24.00
6535MHz	Pass	7.74	-6.31		-6.31	Inf	1.43	24.00
6695MHz	Pass	7.74	-5.85		-5.85	Inf	1.89	24.00
6855MHz	Pass	7.74	-7.92		-7.92	Inf	-0.18	24.00
6875MHz	Pass	4.59	-8.76		-8.76	Inf	-4.17	24.00
6895MHz	Pass	4.59	-7.19		-7.19	Inf	-2.60	24.00
6995MHz	Pass	4.59	-7.32		-7.32	Inf	-2.73	24.00
7095MHz	Pass	4.59	-8.40		-8.40	Inf	-3.81	24.00
7115MHz	Pass	4.59	-8.51		-8.51	Inf	-3.92	24.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5955MHz	Pass	6.92	-	-10.14	-10.14	Inf	-3.22	24.00
6175MHz	Pass	6.92	-	-9.12	-9.12	Inf	-2.20	24.00
6415MHz	Pass	6.92	-	-9.65	-9.65	Inf	-2.73	24.00
6535MHz	Pass	7.45	-	-4.59	-4.59	Inf	2.86	24.00
6695MHz	Pass	7.45	-	-6.51	-6.51	Inf	0.94	24.00
6855MHz	Pass	7.45	-	-6.64	-6.64	Inf	0.81	24.00
6875MHz	Pass	5.10	-	-6.97	-6.97	Inf	-1.87	24.00
6895MHz	Pass	5.10	-	-7.51	-7.51	Inf	-2.41	24.00
6995MHz	Pass	5.10	-	-7.25	-7.25	Inf	-2.15	24.00
7095MHz	Pass	5.10	-	-8.42	-8.42	Inf	-3.32	24.00
7115MHz	Pass	5.10	-	-7.93	-7.93	Inf	-2.83	24.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-13.12	-14.53	-10.76	Inf	-3.74	24.00
6175MHz	Pass	7.02	-12.12	-12.09	-9.09	Inf	-2.07	24.00
6415MHz	Pass	7.02	-11.08	-12.68	-8.80	Inf	-1.78	24.00
6535MHz	Pass	7.74	-9.33	-11.67	-7.33	Inf	0.41	24.00
6695MHz	Pass	7.74	-9.16	-9.14	-6.14	Inf	1.60	24.00
6855MHz	Pass	7.74	-12.18	-9.63	-7.71	Inf	0.03	24.00
6875MHz	Pass	5.10	-12.84	-9.96	-8.16	Inf	-3.06	24.00
6895MHz	Pass	5.10	-11.29	-10.45	-7.84	Inf	-2.74	24.00
6995MHz	Pass	5.10	-11.27	-11.05	-8.15	Inf	-3.05	24.00
7095MHz	Pass	5.10	-12.41	-11.97	-9.17	Inf	-4.07	24.00
7115MHz	Pass	5.10	-12.56	-12.49	-9.51	Inf	-4.41	24.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-3.95		-3.95	Inf	3.07	24.00
6175MHz	Pass	7.02	-4.57		-4.57	Inf	2.45	24.00
6415MHz	Pass	7.02	-4.13		-4.13	Inf	2.89	24.00
6435MHz	Pass	7.74	-2.97		-2.97	Inf	4.77	24.00
6475MHz	Pass	7.74	-2.86		-2.86	Inf	4.88	24.00
6535MHz	Pass	7.74	-2.95		-2.95	Inf	4.79	24.00
6695MHz	Pass	7.74	-2.48		-2.48	Inf	5.26	24.00
6855MHz	Pass	7.74	-4.92		-4.92	Inf	2.82	24.00
6875MHz	Pass	4.59	-4.73		-4.73	Inf	-0.14	24.00
6895MHz	Pass	4.59	-5.4		-5.40	Inf	-0.81	24.00
6995MHz	Pass	4.59	-5.49		-5.49	Inf	-0.90	24.00
7095MHz	Pass	4.59	-8.04		-8.04	Inf	-3.45	24.00
7115MHz	Pass	4.59	-10.81		-10.81	Inf	-6.22	24.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-4.07	-4.07	Inf	2.85	24.00
6175MHz	Pass	6.92	-	-4.96	-4.96	Inf	1.96	24.00
6415MHz	Pass	6.92	-	-2.34	-2.34	Inf	4.58	24.00
6435MHz	Pass	7.45	-	-3.67	-3.67	Inf	3.78	24.00
6475MHz	Pass	7.45	-	-2.08	-2.08	Inf	5.37	24.00
6535MHz	Pass	7.45	-	-3.66	-3.66	Inf	3.79	24.00
6695MHz	Pass	7.45	-	-2.04	-2.04	Inf	5.41	24.00
6855MHz	Pass	7.45	-	-3.01	-3.01	Inf	4.44	24.00
6875MHz	Pass	5.10	-	-2.32	-2.32	Inf	2.78	24.00
6895MHz	Pass	5.10	-	-2.66	-2.66	Inf	2.44	24.00
6995MHz	Pass	5.10	-	-3.14	-3.14	Inf	1.96	24.00
7095MHz	Pass	5.10	-	-5.1	-5.10	Inf	0.00	24.00
7115MHz	Pass	5.10	-	-6.13	-6.13	Inf	-1.03	24.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-7.60	-8.54	-5.03	Inf	1.99	24.00
6175MHz	Pass	7.02	-8.76	-9.33	-6.03	Inf	0.99	24.00
6415MHz	Pass	7.02	-6.04	-6.48	-3.24	Inf	3.78	24.00
6435MHz	Pass	7.74	-6.35	-9.82	-4.74	Inf	3.00	24.00



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6475MHz	Pass	7.74	-4.79	-6.51	-2.56	Inf	5.18	24.00
6535MHz	Pass	7.74	-5.65	-8.36	-3.79	Inf	3.95	24.00
6695MHz	Pass	7.74	-6.53	-6.17	-3.34	Inf	4.40	24.00
6855MHz	Pass	7.74	-8.77	-6.54	-4.50	Inf	3.24	24.00
6875MHz	Pass	5.10	-8.91	-6.51	-4.54	Inf	0.56	24.00
6895MHz	Pass	5.10	-9.64	-6.91	-5.05	Inf	0.05	24.00
6995MHz	Pass	5.10	-9.71	-7.45	-5.42	Inf	-0.32	24.00
7095MHz	Pass	5.10	-12.37	-9.43	-7.65	Inf	-2.55	24.00
7115MHz	Pass	5.10	-14.34	-11.68	-9.80	Inf	-4.70	24.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-5.36		-5.36	Inf	1.66	24.00
6175MHz	Pass	7.02	-4.53		-4.53	Inf	2.49	24.00
6415MHz	Pass	7.02	-4.01		-4.01	Inf	3.01	24.00
6535MHz	Pass	7.74	-3.11		-3.11	Inf	4.63	24.00
6695MHz	Pass	7.74	-2.61		-2.61	Inf	5.13	24.00
6855MHz	Pass	7.74	-4.42		-4.42	Inf	3.32	24.00
6875MHz	Pass	4.59	-5.09		-5.09	Inf	-0.50	24.00
6895MHz	Pass	4.59	-4.65		-4.65	Inf	-0.06	24.00
6995MHz	Pass	4.59	-4.71		-4.71	Inf	-0.12	24.00
7095MHz	Pass	4.59	-5.94		-5.94	Inf	-1.35	24.00
7115MHz	Pass	4.59	-7.22		-7.22	Inf	-2.63	24.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92		-6.63	-6.63	Inf	0.29	24.00
6175MHz	Pass	6.92		-4.63	-4.63	Inf	2.29	24.00
6415MHz	Pass	6.92		-5.1	-5.10	Inf	1.82	24.00
6535MHz	Pass	7.45		-3.52	-3.52	Inf	3.93	24.00
6695MHz	Pass	7.45		-2.26	-2.26	Inf	5.19	24.00
6855MHz	Pass	7.45		-2.95	-2.95	Inf	4.50	24.00
6875MHz	Pass	5.10		-2.58	-2.58	Inf	2.52	24.00
6895MHz	Pass	5.10		-2.94	-2.94	Inf	2.16	24.00
6995MHz	Pass	5.10		-3.6	-3.60	Inf	1.50	24.00
7095MHz	Pass	5.10		-5.63	-5.63	Inf	-0.53	24.00
7115MHz	Pass	5.10		-5.91	-5.91	Inf	-0.81	24.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-9.7	-11.07	-7.32	Inf	-0.30	24.00
6175MHz	Pass	7.02	-8.83	-8.89	-5.85	Inf	1.17	24.00
6415MHz	Pass	7.02	-8.15	-9.24	-5.65	Inf	1.37	24.00
6535MHz	Pass	7.74	-5.52	-8.09	-3.61	Inf	4.13	24.00
6695MHz	Pass	7.74	-6.76	-6.35	-3.54	Inf	4.20	24.00
6855MHz	Pass	7.74	-8.76	-6.48	-4.46	Inf	3.28	24.00
6875MHz	Pass	5.10	-9.38	-6.73	-4.85	Inf	0.25	24.00
6895MHz	Pass	5.10	-9.14	-9.10	-6.11	Inf	-1.01	24.00
6995MHz	Pass	5.10	-9.24	-8.99	-6.10	Inf	-1.00	24.00
7095MHz	Pass	5.10	-10.60	-10.03	-7.30	Inf	-2.20	24.00
7115MHz	Pass	5.10	-11.49	-11.22	-8.34	Inf	-3.24	24.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-3.5		-3.50	Inf	3.52	24.00
6175MHz	Pass	7.02	-1.55		-1.55	Inf	5.47	24.00
6415MHz	Pass	7.02	-0.85		-0.85	Inf	6.17	24.00
6435MHz	Pass	7.74	-0.03		-0.03	Inf	7.71	24.00
6475MHz	Pass	7.74	0.39		0.39	Inf	8.13	24.00
6535MHz	Pass	7.74	0.14		0.14	Inf	7.88	24.00
6695MHz	Pass	7.74	0.79		0.79	Inf	8.53	24.00
6855MHz	Pass	7.74	-0.96		-0.96	Inf	6.78	24.00
6875MHz	Pass	4.59	-0.98		-0.98	Inf	3.61	24.00
6895MHz	Pass	4.59	-1.56		-1.56	Inf	3.03	24.00



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6995MHz	Pass	4.59	-1.74		-1.74	Inf	2.85	24.00
7095MHz	Pass	4.59	-4.21		-4.21	Inf	0.38	24.00
7115MHz	Pass	4.59	-14.18		-14.18	Inf	-9.59	24.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-2.25	-2.25	Inf	4.67	24.00
6175MHz	Pass	6.92	-	-2.04	-2.04	Inf	4.88	24.00
6415MHz	Pass	6.92	-	-0.02	-0.02	Inf	6.90	24.00
6435MHz	Pass	7.45	-	-0.91	-0.91	Inf	6.54	24.00
6475MHz	Pass	7.45	-	-0.23	-0.23	Inf	7.22	24.00
6535MHz	Pass	7.45	-	-1.02	-1.02	Inf	6.43	24.00
6695MHz	Pass	7.45	-	0.93	0.93	Inf	8.38	24.00
6855MHz	Pass	7.45	-	0.23	0.23	Inf	7.68	24.00
6875MHz	Pass	5.10	-	0.2	0.20	Inf	5.30	24.00
6895MHz	Pass	5.10	-	-0.09	-0.09	Inf	5.01	24.00
6995MHz	Pass	5.10	-	-0.29	-0.29	Inf	4.81	24.00
7095MHz	Pass	5.10	-	-1.92	-1.92	Inf	3.18	24.00
7115MHz	Pass	5.10	-	-9.26	-9.26	Inf	-4.16	24.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-6.16	-7.02	-3.56	Inf	3.46	24.00
6175MHz	Pass	7.02	-8.65	-8.99	-5.81	Inf	1.21	24.00
6415MHz	Pass	7.02	-5.62	-6.20	-2.89	Inf	4.13	24.00
6435MHz	Pass	7.74	-5.10	-7.20	-3.01	Inf	4.73	24.00
6475MHz	Pass	7.74	-4.88	-6.57	-2.63	Inf	5.11	24.00
6535MHz	Pass	7.74	-4.91	-7.48	-3.00	Inf	4.74	24.00
6695MHz	Pass	7.74	-6.48	-6.17	-3.31	Inf	4.43	24.00
6855MHz	Pass	7.74	-8.69	-6.58	-4.50	Inf	3.24	24.00
6875MHz	Pass	5.10	-9.01	-6.46	-4.54	Inf	0.56	24.00
6895MHz	Pass	5.10	-9.64	-6.85	-5.01	Inf	0.09	24.00
6995MHz	Pass	5.10	-9.69	-7.41	-5.39	Inf	-0.29	24.00
7095MHz	Pass	5.10	-12.49	-9.5	-7.73	Inf	-2.63	24.00
7115MHz	Pass	5.10	-16.34	-14.34	-12.22	Inf	-7.12	24.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-3.52		-3.52	Inf	3.50	24.00
6175MHz	Pass	7.02	-1.55		-1.55	Inf	5.47	24.00
6415MHz	Pass	7.02	-0.92		-0.92	Inf	6.10	24.00
6535MHz	Pass	7.74	0.47		0.47	Inf	8.21	24.00
6695MHz	Pass	7.74	0.5		0.50	Inf	8.24	24.00
6855MHz	Pass	7.74	-0.89		-0.89	Inf	6.85	24.00
6875MHz	Pass	4.59	-1.44		-1.44	Inf	3.15	24.00
6895MHz	Pass	4.59	-1.87		-1.87	Inf	2.72	24.00
6995MHz	Pass	4.59	-1.40		-1.40	Inf	3.19	24.00
7095MHz	Pass	4.59	-3.40		-3.40	Inf	1.19	24.00
7115MHz	Pass	4.59	-5.69		-5.69	Inf	-1.10	24.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-4.72	-4.72	Inf	2.20	24.00
6175MHz	Pass	6.92	-	-1.91	-1.91	Inf	5.01	24.00
6415MHz	Pass	6.92	-	-2.17	-2.17	Inf	4.75	24.00
6535MHz	Pass	7.45	-	-0.97	-0.97	Inf	6.48	24.00
6695MHz	Pass	7.45	-	0.74	0.74	Inf	8.19	24.00
6855MHz	Pass	7.45	-	0.11	0.11	Inf	7.56	24.00
6875MHz	Pass	5.10	-	0.06	0.06	Inf	5.16	24.00
6895MHz	Pass	5.10	-	-0.36	-0.36	Inf	4.74	24.00
6995MHz	Pass	5.10	-	-0.9	-0.90	Inf	4.20	24.00
7095MHz	Pass	5.10	-	-2.67	-2.67	Inf	2.43	24.00
7115MHz	Pass	5.10	-	-4.25	-4.25	Inf	0.85	24.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5955MHz	Pass	7.02	-7.56	-8.91	-5.17	Inf	1.85	24.00
6175MHz	Pass	7.02	-8.7	-9.12	-5.89	Inf	1.13	24.00
6415MHz	Pass	7.02	-8.17	-9.24	-5.66	Inf	1.36	24.00
6535MHz	Pass	7.74	-5.09	-7.59	-3.15	Inf	4.59	24.00
6695MHz	Pass	7.74	-6.8	-6.29	-3.53	Inf	4.21	24.00
6855MHz	Pass	7.74	-8.81	-6.59	-4.55	Inf	3.19	24.00
6875MHz	Pass	5.10	-9.43	-6.71	-4.85	Inf	0.25	24.00
6895MHz	Pass	5.10	-9.28	-8.23	-5.71	Inf	-0.61	24.00
6995MHz	Pass	5.10	-9.32	-9.08	-6.19	Inf	-1.09	24.00
7095MHz	Pass	5.10	-10.81	-10.10	-7.43	Inf	-2.33	24.00
7115MHz	Pass	5.10	-8.34	-7.02	-4.62	Inf	0.48	24.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	4.24		4.24	Inf	11.26	24.00
6165MHz	Pass	7.02	3.96		3.96	Inf	10.98	24.00
6405MHz	Pass	7.02	5.13		5.13	Inf	12.15	24.00
6445MHz	Pass	7.74	3.94		3.94	Inf	11.68	24.00
6485MHz	Pass	7.74	3.69		3.69	Inf	11.43	24.00
6525MHz	Pass	7.74	3.62		3.62	Inf	11.36	24.00
6525MHz	Pass	7.74	3.73		3.73	Inf	11.47	24.00
6565MHz	Pass	7.74	3.65		3.65	Inf	11.39	24.00
6685MHz	Pass	7.74	4.35		4.35	Inf	12.09	24.00
6845MHz	Pass	7.74	3.84		3.84	Inf	11.58	24.00
6885MHz	Pass	7.74	3.74		3.74	Inf	11.48	24.00
6885MHz	Pass	4.59	4.86		4.86	Inf	9.45	24.00
6925MHz	Pass	4.59	5.14		5.14	Inf	9.73	24.00
7005MHz	Pass	4.59	5.06		5.06	Inf	9.65	24.00
7085MHz	Pass	4.59	4.73		4.73	Inf	9.32	24.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	6.92	-	4.64	4.64	Inf	11.56	24.00
6165MHz	Pass	6.92	-	4.24	4.24	Inf	11.16	24.00
6405MHz	Pass	6.92	-	5.13	5.13	Inf	12.05	24.00
6445MHz	Pass	7.45	-	4.52	4.52	Inf	11.97	24.00
6485MHz	Pass	7.45	-	4.31	4.31	Inf	11.76	24.00
6525MHz	Pass	7.45	-	4.26	4.26	Inf	11.71	24.00
6525MHz	Pass	7.45	-	4.24	4.24	Inf	11.69	24.00
6565MHz	Pass	7.45	-	4.21	4.21	Inf	11.66	24.00
6685MHz	Pass	7.45	-	4.39	4.39	Inf	11.84	24.00
6845MHz	Pass	7.45	-	4.24	4.24	Inf	11.69	24.00
6885MHz	Pass	7.45	-	4.23	4.23	Inf	11.68	24.00
6885MHz	Pass	5.10	-	4.32	4.32	Inf	9.42	24.00
6925MHz	Pass	5.10	-	4.70	4.70	Inf	9.80	24.00
7005MHz	Pass	5.10	-	4.54	4.54	Inf	9.64	24.00
7085MHz	Pass	5.10	-	4.08	4.08	Inf	9.18	24.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	-2.13	-3.04	0.45	Inf	7.47	24.00
6165MHz	Pass	7.02	-2.36	-2.20	0.73	Inf	7.75	24.00
6405MHz	Pass	7.02	1.95	2.07	5.02	Inf	12.04	24.00
6445MHz	Pass	7.74	0.41	-2.68	2.14	Inf	9.88	24.00
6485MHz	Pass	7.74	1.38	-1.88	3.06	Inf	10.80	24.00
6525MHz	Pass	7.74	1.92	-0.98	3.72	Inf	11.46	24.00
6525MHz	Pass	7.74	1.90	-0.98	3.70	Inf	11.44	24.00
6565MHz	Pass	7.74	1.60	-0.54	3.67	Inf	11.41	24.00
6685MHz	Pass	7.74	0.97	0.93	3.96	Inf	11.70	24.00
6845MHz	Pass	7.74	0.81	0.72	3.78	Inf	11.52	24.00
6885MHz	Pass	7.74	1.08	0.52	3.82	Inf	11.56	24.00
6885MHz	Pass	5.10	1.33	0.70	4.04	Inf	9.14	24.00



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6925MHz	Pass	5.10	1.77	1.24	4.52	Inf	9.62	24.00
7005MHz	Pass	5.10	1.52	0.94	4.25	Inf	9.35	24.00
7085MHz	Pass	5.10	1.31	0.57	3.97	Inf	9.07	24.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	4.56		4.56	Inf	11.58	24.00
6165MHz	Pass	7.02	4.09		4.09	Inf	11.11	24.00
6405MHz	Pass	7.02	5.12		5.12	Inf	12.14	24.00
6525MHz	Pass	7.74	3.76		3.76	Inf	11.50	24.00
6565MHz	Pass	7.74	3.33		3.33	Inf	11.07	24.00
6685MHz	Pass	7.74	4.45		4.45	Inf	12.19	24.00
6845MHz	Pass	7.74	3.94		3.94	Inf	11.68	24.00
6885MHz	Pass	7.74	4.17		4.17	Inf	11.91	24.00
6885MHz	Pass	4.59	4.96		4.96	Inf	9.55	24.00
6925MHz	Pass	4.59	4.89		4.89	Inf	9.48	24.00
7005MHz	Pass	4.59	4.87		4.87	Inf	9.46	24.00
7085MHz	Pass	4.59	4.76		4.76	Inf	9.35	24.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	6.92	-	4.78	4.78	Inf	11.70	24.00
6165MHz	Pass	6.92	-	4.19	4.19	Inf	11.11	24.00
6405MHz	Pass	6.92	-	5.19	5.19	Inf	12.11	24.00
6525MHz	Pass	7.45	-	4.19	4.19	Inf	11.64	24.00
6565MHz	Pass	7.45	-	4.14	4.14	Inf	11.59	24.00
6685MHz	Pass	7.45	-	4.25	4.25	Inf	11.70	24.00
6845MHz	Pass	7.45	-	4.26	4.26	Inf	11.71	24.00
6885MHz	Pass	7.45	-	4.50	4.50	Inf	11.95	24.00
6885MHz	Pass	5.10	-	4.50	4.50	Inf	9.60	24.00
6925MHz	Pass	5.10	-	4.26	4.26	Inf	9.36	24.00
7005MHz	Pass	5.10	-	4.39	4.39	Inf	9.49	24.00
7085MHz	Pass	5.10	-	3.88	3.88	Inf	8.98	24.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	-2.47	-4.09	-0.19	Inf	6.83	24.00
6165MHz	Pass	7.02	-1.90	-2.28	0.92	Inf	7.94	24.00
6405MHz	Pass	7.02	1.94	1.65	4.81	Inf	11.83	24.00
6525MHz	Pass	7.74	1.11	0.75	3.94	Inf	11.68	24.00
6565MHz	Pass	7.74	-0.09	0.19	3.06	Inf	10.80	24.00
6685MHz	Pass	7.74	0.32	0.48	3.41	Inf	11.15	24.00
6845MHz	Pass	7.74	0.78	0.43	3.62	Inf	11.36	24.00
6885MHz	Pass	7.74	0.84	0.82	3.84	Inf	11.58	24.00
6885MHz	Pass	5.10	1.04	0.68	3.87	Inf	8.97	24.00
6925MHz	Pass	5.10	1.01	0.36	3.71	Inf	8.81	24.00
7005MHz	Pass	5.10	0.91	0.42	3.68	Inf	8.78	24.00
7085MHz	Pass	5.10	0.91	-0.07	3.46	Inf	8.56	24.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	7.82		7.82	Inf	14.84	24.00
6145MHz	Pass	7.02	7.77		7.77	Inf	14.79	24.00
6385MHz	Pass	7.02	8.24		8.24	Inf	15.26	24.00
6465MHz	Pass	7.74	7.41		7.41	Inf	15.15	24.00
6545MHz	Pass	7.74	6.78		6.78	Inf	14.52	24.00
6545MHz	Pass	7.74	6.81		6.81	Inf	14.55	24.00
6625MHz	Pass	7.74	6.52		6.52	Inf	14.26	24.00
6705MHz	Pass	7.74	6.66		6.66	Inf	14.40	24.00
6785MHz	Pass	7.74	5.35		5.35	Inf	13.09	24.00
6865MHz	Pass	7.74	6.80		6.80	Inf	14.54	24.00
6865MHz	Pass	4.59	6.83		6.83	Inf	11.42	24.00
6945MHz	Pass	4.59	7.15		7.15	Inf	11.74	24.00
7025MHz	Pass	4.59	7.23		7.23	Inf	11.82	24.00



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.92	-	-2.41	-2.41	Inf	4.51	24.00
6145MHz	Pass	6.92	-	7.81	7.81	Inf	14.73	24.00
6385MHz	Pass	6.92	-	8.16	8.16	Inf	15.08	24.00
6465MHz	Pass	7.45	-	7.57	7.57	Inf	15.02	24.00
6545MHz	Pass	7.45	-	7.11	7.11	Inf	14.56	24.00
6545MHz	Pass	7.45	-	7.13	7.13	Inf	14.58	24.00
6625MHz	Pass	7.45	-	6.99	6.99	Inf	14.44	24.00
6705MHz	Pass	7.45	-	7.15	7.15	Inf	14.60	24.00
6785MHz	Pass	7.45	-	5.97	5.97	Inf	13.42	24.00
6865MHz	Pass	7.45	-	7.23	7.23	Inf	14.68	24.00
6865MHz	Pass	5.10	-	7.25	7.25	Inf	12.35	24.00
6945MHz	Pass	5.10	-	7.45	7.45	Inf	12.55	24.00
7025MHz	Pass	5.10	-	7.39	7.39	Inf	12.49	24.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	4.56	4.23	7.41	Inf	14.43	24.00
6145MHz	Pass	7.02	4.42	4.31	7.38	Inf	14.40	24.00
6385MHz	Pass	7.02	4.66	4.28	7.48	Inf	14.50	24.00
6465MHz	Pass	7.74	4.09	3.39	6.76	Inf	14.50	24.00
6545MHz	Pass	7.74	3.60	3.33	6.48	Inf	14.22	24.00
6545MHz	Pass	7.74	3.70	3.35	6.54	Inf	14.28	24.00
6625MHz	Pass	7.74	2.70	2.64	5.68	Inf	13.42	24.00
6705MHz	Pass	7.74	2.97	2.92	5.96	Inf	13.70	24.00
6785MHz	Pass	7.74	1.50	1.50	4.51	Inf	12.25	24.00
6865MHz	Pass	7.74	3.21	2.91	6.07	Inf	13.81	24.00
6865MHz								
6945MHz	Pass	5.10	4.02	3.40	6.73	Inf	11.83	24.00
7025MHz	Pass	5.10	3.69	3.21	6.47	Inf	11.57	24.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	8.05		8.05	Inf	15.07	24.00
6145MHz	Pass	7.02	7.19		7.19	Inf	14.21	24.00
6385MHz	Pass	7.02	7.83		7.83	Inf	14.85	24.00
6545MHz	Pass	7.74	6.75		6.75	Inf	14.49	24.00
6625MHz	Pass	7.74	6.39		6.39	Inf	14.13	24.00
6705MHz	Pass	7.74	6.60		6.60	Inf	14.34	24.00
6785MHz	Pass	7.74	6.15		6.15	Inf	13.89	24.00
6865MHz	Pass	7.74	6.78		6.78	Inf	14.52	24.00
6865MHz	Pass	4.59	7.06		7.06	Inf	11.65	24.00
6945MHz	Pass	4.59	7.23		7.23	Inf	11.82	24.00
7025MHz	Pass	4.59	7.19		7.19	Inf	11.78	24.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.92	-	-4.58	-4.58	Inf	2.34	24.00
6145MHz	Pass	6.92	-	7.48	7.48	Inf	14.40	24.00
6385MHz	Pass	6.92	-	8.05	8.05	Inf	14.97	24.00
6545MHz	Pass	7.45	-	6.97	6.97	Inf	14.42	24.00
6625MHz	Pass	7.45	-	6.91	6.91	Inf	14.36	24.00
6705MHz	Pass	7.45	-	7.51	7.51	Inf	14.96	24.00
6785MHz	Pass	7.45	-	6.26	6.26	Inf	13.71	24.00
6865MHz	Pass	7.45	-	7.20	7.20	Inf	14.65	24.00
6865MHz	Pass	5.10	-	7.47	7.47	Inf	12.57	24.00
6945MHz	Pass	5.10	-	7.35	7.35	Inf	12.45	24.00
7025MHz	Pass	5.10	-	7.06	7.06	Inf	12.16	24.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	4.50	4.49	7.51	Inf	14.53	24.00
6145MHz	Pass	7.02	4.22	4.44	7.34	Inf	14.36	24.00
6385MHz	Pass	7.02	4.21	4.10	7.17	Inf	14.19	24.00



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6545MHz	Pass	7.74	3.62	3.61	6.63	Inf	14.37	24.00
6625MHz	Pass	7.74	2.68	2.76	5.73	Inf	13.47	24.00
6705MHz	Pass	7.74	2.92	3.23	6.09	Inf	13.83	24.00
6785MHz	Pass	7.74	2.52	2.63	5.59	Inf	13.33	24.00
6865MHz	Pass	7.74	3.40	3.24	6.33	Inf	14.07	24.00
6865MHz	Pass	5.10	3.51	3.33	6.43	Inf	11.53	24.00
6945MHz	Pass	5.10	3.57	3.16	6.38	Inf	11.48	24.00
7025MHz	Pass	5.10	3.65	2.88	6.29	Inf	11.39	24.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	10.02		10.02	Inf	17.04	24.00
6185MHz	Pass	7.02	9.55		9.55	Inf	16.57	24.00
6345MHz	Pass	7.02	10.16		10.16	Inf	17.18	24.00
6505MHz	Pass	7.74	9.10		9.10	Inf	16.84	24.00
6505MHz	Pass	7.74	9.38		9.38	Inf	17.12	24.00
6665MHz	Pass	7.74	9.24		9.24	Inf	16.98	24.00
6825MHz	Pass	7.74	8.83		8.83	Inf	16.57	24.00
6825MHz	Pass	4.59	8.77		8.77	Inf	13.36	24.00
6985MHz	Pass	4.59	10.11		10.11	Inf	14.70	24.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.92	-	9.90	9.90	Inf	16.82	24.00
6185MHz	Pass	6.92	-	9.50	9.50	Inf	16.42	24.00
6345MHz	Pass	6.92	-	10.27	10.27	Inf	17.19	24.00
6505MHz	Pass	7.45	-	9.44	9.44	Inf	16.89	24.00
6505MHz	Pass	7.45	-	9.46	9.46	Inf	16.91	24.00
6665MHz	Pass	7.45	-	9.07	9.07	Inf	16.52	24.00
6825MHz	Pass	7.45	-	8.49	8.49	Inf	15.94	24.00
6825MHz	Pass	5.10	-	8.48	8.48	Inf	13.58	24.00
6985MHz	Pass	5.10	-	9.43	9.43	Inf	14.53	24.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	6.73	6.24	9.50	Inf	16.52	24.00
6185MHz	Pass	7.02	5.85	5.51	8.69	Inf	15.71	24.00
6345MHz	Pass	7.02	7.25	6.65	9.97	Inf	16.99	24.00
6505MHz	Pass	7.74	5.91	5.18	8.57	Inf	16.31	24.00
6505MHz	Pass	7.74	5.89	5.32	8.62	Inf	16.36	24.00
6665MHz	Pass	7.74	6.06	5.91	9.00	Inf	16.74	24.00
6825MHz	Pass	7.74	6.12	6.01	9.08	Inf	16.82	24.00
6825MHz	Pass	5.10	6.16	6.02	9.10	Inf	14.20	24.00
6985MHz	Pass	5.10	7.62	6.99	10.33	Inf	15.43	24.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	9.92		9.92	Inf	16.94	24.00
6185MHz	Pass	7.02	9.03		9.03	Inf	16.05	24.00
6345MHz	Pass	7.02	10.12		10.12	Inf	17.14	24.00
6505MHz	Pass	7.74	9.36		9.36	Inf	17.10	24.00
6665MHz	Pass	7.74	9.11		9.11	Inf	16.85	24.00
6825MHz	Pass	7.74	8.82		8.82	Inf	16.56	24.00
6825MHz	Pass	4.59	8.85		8.85	Inf	13.44	24.00
6985MHz	Pass	4.59	10.09		10.09	Inf	14.68	24.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.92	-	9.98	9.98	Inf	16.90	24.00
6185MHz	Pass	6.92	-	9.53	9.53	Inf	16.45	24.00
6345MHz	Pass	6.92	-	10.14	10.14	Inf	17.06	24.00
6505MHz	Pass	7.45	-	9.47	9.47	Inf	16.92	24.00
6665MHz	Pass	7.45	-	9.12	9.12	Inf	16.57	24.00
6825MHz	Pass	7.45	-	8.50	8.50	Inf	15.95	24.00
6825MHz	Pass	5.10	-	8.51	8.51	Inf	13.61	24.00
6985MHz	Pass	5.10	-	9.45	9.45	Inf	14.55	24.00



Average Power_Partial RU

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	6.60	6.25	9.44	Inf	16.46	24.00
6185MHz	Pass	7.02	5.72	5.58	8.66	Inf	15.68	24.00
6345MHz	Pass	7.02	7.22	6.58	9.92	Inf	16.94	24.00
6505MHz	Pass	7.74	5.89	5.22	8.58	Inf	16.32	24.00
6665MHz	Pass	7.74	6.21	6.13	9.18	Inf	16.92	24.00
6825MHz	Pass	7.74	6.14	6.02	9.09	Inf	16.83	24.00
6825MHz	Pass	5.10	6.17	6.01	9.10	Inf	14.20	24.00
6985MHz	Pass	5.10	7.50	7.00	10.27	Inf	15.37	24.00

DG = Directional Gain; Port X = Port X output power



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-8.72	-1.70
802.11ax HEW20_Nss1,(MCS0)_1TX	-8.53	-1.61
802.11ax HEW20_Nss1,(MCS0)_2TX	-12.42	-5.45
802.11ax HEW40_Nss1,(MCS0)_1TX	-8.67	-1.65
802.11ax HEW40_Nss1,(MCS0)_1TX	-8.54	-1.62
802.11ax HEW40_Nss1,(MCS0)_2TX	-8.69	-1.72
802.11ax HEW80_Nss1,(MCS0)_1TX	-8.61	-1.59
802.11ax HEW80_Nss1,(MCS0)_1TX	-8.51	-1.59
802.11ax HEW80_Nss1,(MCS0)_2TX	-8.48	-1.51
802.11ax HEW160_Nss1,(MCS0)_1TX	-8.55	-1.53
802.11ax HEW160_Nss1,(MCS0)_1TX	-8.58	-1.66
802.11ax HEW160_Nss1,(MCS0)_2TX	-8.66	-1.69
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-9.28	-1.54
802.11ax HEW20_Nss1,(MCS0)_1TX	-8.98	-1.53
802.11ax HEW20_Nss1,(MCS0)_2TX	-11.81	-4.21
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.42	-1.68
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.06	-1.61
802.11ax HEW40_Nss1,(MCS0)_2TX	-9.14	-1.54
802.11ax HEW80_Nss1,(MCS0)_1TX	-9.47	-1.73
802.11ax HEW80_Nss1,(MCS0)_1TX	-8.99	-1.54
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.12	-1.52
802.11ax HEW160_Nss1,(MCS0)_1TX	-9.30	-1.56
802.11ax HEW160_Nss1,(MCS0)_1TX	-8.97	-1.52
802.11ax HEW160_Nss1,(MCS0)_2TX	-9.39	-1.79
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-9.91	-2.17
802.11ax HEW20_Nss1,(MCS0)_1TX	-9.85	-2.40
802.11ax HEW20_Nss1,(MCS0)_2TX	-11.93	-4.33
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.49	-1.75
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.12	-1.67
802.11ax HEW40_Nss1,(MCS0)_2TX	-9.22	-1.62
802.11ax HEW80_Nss1,(MCS0)_1TX	-9.41	-1.67
802.11ax HEW80_Nss1,(MCS0)_1TX	-9.11	-1.66
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.12	-1.52
802.11ax HEW160_Nss1,(MCS0)_1TX	-9.29	-1.55
802.11ax HEW160_Nss1,(MCS0)_1TX	-9.27	-1.82
802.11ax HEW160_Nss1,(MCS0)_2TX	-9.21	-1.61
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-10.03	-5.44
802.11ax HEW20_Nss1,(MCS0)_1TX	-10.00	-4.90
802.11ax HEW20_Nss1,(MCS0)_2TX	-14.16	-9.31
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.14	-4.55
802.11ax HEW40_Nss1,(MCS0)_1TX	-9.19	-4.09
802.11ax HEW40_Nss1,(MCS0)_2TX	-9.20	-4.35
802.11ax HEW80_Nss1,(MCS0)_1TX	-9.24	-4.65
802.11ax HEW80_Nss1,(MCS0)_1TX	-9.25	-4.15
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.22	-4.37
802.11ax HEW160_Nss1,(MCS0)_1TX	-8.61	-4.02
802.11ax HEW160_Nss1,(MCS0)_1TX	-8.52	-3.42
802.11ax HEW160_Nss1,(MCS0)_2TX	-9.10	-4.25

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-9.01	-	-9.01	Inf	-1.99	-1.00
6175MHz	Pass	7.02	-8.72	-	-8.72	Inf	-1.70	-1.00
6415MHz	Pass	7.02	-9.01	-	-9.01	Inf	-1.99	-1.00
6435MHz	Pass	7.74	-9.46	-	-9.46	Inf	-1.72	-1.00
6475MHz	Pass	7.74	-9.28	-	-9.28	Inf	-1.54	-1.00
6515MHz	Pass	7.74	-9.46	-	-9.46	Inf	-1.72	-1.00
6535MHz	Pass	7.74	-9.91	-	-9.91	Inf	-2.17	-1.00
6695MHz	Pass	7.74	-10.79	-	-10.79	Inf	-3.05	-1.00
6855MHz	Pass	7.74	-9.93	-	-9.93	Inf	-2.19	-1.00
6875MHz	Pass	7.74	-10.07	-	-10.07	Inf	-2.33	-1.00
6895MHz	Pass	4.59	-10.03	-	-10.03	Inf	-5.44	-1.00
6995MHz	Pass	4.59	-10.32	-	-10.32	Inf	-5.73	-1.00
7095MHz	Pass	4.59	-12.04	-	-12.04	Inf	-7.45	-1.00
7115MHz	Pass	4.59	-17.73	-	-17.73	Inf	-13.14	-1.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-8.62	-8.62	Inf	-1.70	-1.00
6175MHz	Pass	6.92	-	-8.53	-8.53	Inf	-1.61	-1.00
6415MHz	Pass	6.92	-	-9.16	-9.16	Inf	-2.24	-1.00
6435MHz	Pass	7.45	-	-9.19	-9.19	Inf	-1.74	-1.00
6475MHz	Pass	7.45	-	-8.98	-8.98	Inf	-1.53	-1.00
6515MHz	Pass	7.45	-	-9.05	-9.05	Inf	-1.60	-1.00
6535MHz	Pass	7.45	-	-9.85	-9.85	Inf	-2.40	-1.00
6695MHz	Pass	7.45	-	-10.85	-10.85	Inf	-3.40	-1.00
6855MHz	Pass	7.45	-	-10.18	-10.18	Inf	-2.73	-1.00
6875MHz	Pass	7.45	-	-10.27	-10.27	Inf	-2.82	-1.00
6895MHz	Pass	5.10	-	-10.00	-10.00	Inf	-4.90	-1.00
6995MHz	Pass	5.10	-	-10.22	-10.22	Inf	-5.12	-1.00
7095MHz	Pass	5.10	-	-12.00	-12.00	Inf	-6.90	-1.00
7115MHz	Pass	5.10	-	-19.42	-19.42	Inf	-14.32	-1.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.97	-16.38	-17.38	-13.88	Inf	-6.91	-1.00
6175MHz	Pass	6.97	-15.49	-15.95	-12.76	Inf	-5.79	-1.00
6415MHz	Pass	6.97	-14.93	-15.88	-12.42	Inf	-5.45	-1.00
6435MHz	Pass	7.60	-15.17	-16.88	-12.98	Inf	-5.38	-1.00
6475MHz	Pass	7.60	-14.40	-16.28	-12.25	Inf	-4.65	-1.00
6515MHz	Pass	7.60	-14.16	-15.52	-11.81	Inf	-4.21	-1.00
6535MHz	Pass	7.60	-14.15	-15.77	-11.93	Inf	-4.33	-1.00
6695MHz	Pass	7.60	-15.75	-15.29	-12.53	Inf	-4.93	-1.00
6855MHz	Pass	7.60	-16.46	-14.60	-12.49	Inf	-4.89	-1.00
6875MHz	Pass	7.60	-16.68	-14.69	-12.60	Inf	-5.00	-1.00
6895MHz	Pass	4.85	-17.42	-16.80	-14.16	Inf	-9.31	-1.00
6995MHz	Pass	4.85	-17.87	-17.69	-14.80	Inf	-9.95	-1.00
7095MHz	Pass	4.85	-19.43	-18.82	-16.15	Inf	-11.30	-1.00
7115MHz	Pass	4.85	-25.48	-25.15	-22.31	Inf	-17.46	-1.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	-8.67	-	-8.67	Inf	-1.65	-1.00
6165MHz	Pass	7.02	-8.72	-	-8.72	Inf	-1.70	-1.00
6405MHz	Pass	7.02	-8.77	-	-8.77	Inf	-1.75	-1.00
6445MHz	Pass	7.74	-9.42	-	-9.42	Inf	-1.68	-1.00
6485MHz	Pass	7.74	-9.49	-	-9.49	Inf	-1.75	-1.00
6525MHz	Pass	7.74	-9.45	-	-9.45	Inf	-1.71	-1.00
6565MHz	Pass	7.74	-9.49	-	-9.49	Inf	-1.75	-1.00
6685MHz	Pass	7.74	-9.83	-	-9.83	Inf	-2.09	-1.00
6845MHz	Pass	7.74	-9.52	-	-9.52	Inf	-1.78	-1.00





Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6885MHz	Pass	7.74	-9.61		-9.61	Inf	-1.87	-1.00
6925MHz	Pass	4.59	-9.14		-9.14	Inf	-4.55	-1.00
7005MHz	Pass	4.59	-9.51		-9.51	Inf	-4.92	-1.00
7085MHz	Pass	4.59	-10.89		-10.89	Inf	-6.30	-1.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	6.92	-	-8.54	-8.54	Inf	-1.62	-1.00
6165MHz	Pass	6.92	-	-8.57	-8.57	Inf	-1.65	-1.00
6405MHz	Pass	6.92	-	-8.61	-8.61	Inf	-1.69	-1.00
6445MHz	Pass	7.45	-	-9.06	-9.06	Inf	-1.61	-1.00
6485MHz	Pass	7.45	-	-9.43	-9.43	Inf	-1.98	-1.00
6525MHz	Pass	7.45	-	-9.17	-9.17	Inf	-1.72	-1.00
6565MHz	Pass	7.45	-	-9.12	-9.12	Inf	-1.67	-1.00
6685MHz	Pass	7.45	-	-9.95	-9.95	Inf	-2.50	-1.00
6845MHz	Pass	7.45	-	-9.16	-9.16	Inf	-1.71	-1.00
6885MHz	Pass	7.45	-	-9.24	-9.24	Inf	-1.79	-1.00
6925MHz	Pass	5.10	-	-9.19	-9.19	Inf	-4.09	-1.00
7005MHz	Pass	5.10	-	-9.43	-9.43	Inf	-4.33	-1.00
7085MHz	Pass	5.10	-	-11.02	-11.02	Inf	-5.92	-1.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	6.97	-11.55	-11.75	-8.70	Inf	-1.73	-1.00
6165MHz	Pass	6.97	-11.52	-11.81	-8.69	Inf	-1.72	-1.00
6405MHz	Pass	6.97	-11.52	-11.83	-8.75	Inf	-1.78	-1.00
6445MHz	Pass	7.60	-12.16	-12.01	-9.24	Inf	-1.64	-1.00
6485MHz	Pass	7.60	-12.25	-11.98	-9.14	Inf	-1.54	-1.00
6525MHz	Pass	7.60	-12.43	-12.17	-9.35	Inf	-1.75	-1.00
6565MHz	Pass	7.60	-12.04	-12.16	-9.22	Inf	-1.62	-1.00
6685MHz	Pass	7.60	-12.80	-13.20	-10.06	Inf	-2.46	-1.00
6845MHz	Pass	7.60	-11.92	-12.52	-9.24	Inf	-1.64	-1.00
6885MHz	Pass	7.60	-12.02	-12.55	-9.35	Inf	-1.75	-1.00
6925MHz	Pass	4.85	-11.91	-12.39	-9.20	Inf	-4.35	-1.00
7005MHz	Pass	4.85	-12.50	-12.78	-9.68	Inf	-4.83	-1.00
7085MHz	Pass	4.85	-13.90	-14.35	-11.11	Inf	-6.26	-1.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	-8.67		-8.67	Inf	-1.65	-1.00
6145MHz	Pass	7.02	-8.61		-8.61	Inf	-1.59	-1.00
6385MHz	Pass	7.02	-8.83		-8.83	Inf	-1.81	-1.00
6465MHz	Pass	7.74	-9.52		-9.52	Inf	-1.78	-1.00
6545MHz	Pass	7.74	-9.47		-9.47	Inf	-1.73	-1.00
6625MHz	Pass	7.74	-9.76		-9.76	Inf	-2.02	-1.00
6705MHz	Pass	7.74	-9.94		-9.94	Inf	-2.20	-1.00
6785MHz	Pass	7.74	-10.01		-10.01	Inf	-2.27	-1.00
6865MHz	Pass	7.74	-9.41		-9.41	Inf	-1.67	-1.00
6945MHz	Pass	4.59	-9.24		-9.24	Inf	-4.65	-1.00
7025MHz	Pass	4.59	-9.79		-9.79	Inf	-5.20	-1.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.92	-	-8.59	-8.59	Inf	-1.67	-1.00
6145MHz	Pass	6.92	-	-8.51	-8.51	Inf	-1.59	-1.00
6385MHz	Pass	6.92	-	-8.66	-8.66	Inf	-1.74	-1.00
6465MHz	Pass	7.45	-	-9.16	-9.16	Inf	-1.71	-1.00
6545MHz	Pass	7.45	-	-8.99	-8.99	Inf	-1.54	-1.00
6625MHz	Pass	7.45	-	-9.63	-9.63	Inf	-2.18	-1.00
6705MHz	Pass	7.45	-	-9.91	-9.91	Inf	-2.46	-1.00
6785MHz	Pass	7.45	-	-10.03	-10.03	Inf	-2.58	-1.00
6865MHz	Pass	7.45	-	-9.11	-9.11	Inf	-1.66	-1.00
6945MHz	Pass	5.10	-	-9.25	-9.25	Inf	-4.15	-1.00
7025MHz	Pass	5.10	-	-9.62	-9.62	Inf	-4.52	-1.00





Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.97	-11.21	-11.64	-8.48	Inf	-1.51	-1.00
6145MHz	Pass	6.97	-11.48	-11.85	-8.68	Inf	-1.71	-1.00
6385MHz	Pass	6.97	-11.35	-11.81	-8.63	Inf	-1.66	-1.00
6465MHz	Pass	7.60	-12.03	-12.04	-9.12	Inf	-1.52	-1.00
6545MHz	Pass	7.60	-12.61	-12.21	-9.43	Inf	-1.83	-1.00
6625MHz	Pass	7.60	-12.55	-12.79	-9.70	Inf	-2.10	-1.00
6705MHz	Pass	7.60	-13.08	-13.09	-10.11	Inf	-2.51	-1.00
6785MHz	Pass	7.60	-13.15	-13.23	-10.22	Inf	-2.62	-1.00
6865MHz	Pass	7.60	-11.82	-12.38	-9.12	Inf	-1.52	-1.00
6945MHz	Pass	4.85	-11.98	-12.43	-9.22	Inf	-4.37	-1.00
7025MHz	Pass	4.85	-12.75	-12.91	-9.83	Inf	-4.98	-1.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	-8.87	-	-8.87	Inf	-1.85	-1.00
6185MHz	Pass	7.02	-8.55	-	-8.55	Inf	-1.53	-1.00
6345MHz	Pass	7.02	-8.90	-	-8.90	Inf	-1.88	-1.00
6505MHz	Pass	7.74	-9.30	-	-9.30	Inf	-1.56	-1.00
6665MHz	Pass	7.74	-9.29	-	-9.29	Inf	-1.55	-1.00
6825MHz	Pass	7.74	-9.63	-	-9.63	Inf	-1.89	-1.00
6985MHz	Pass	4.59	-8.61	-	-8.61	Inf	-4.02	-1.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.92	-	-10.73	-10.73	Inf	-3.81	-1.00
6185MHz	Pass	6.92	-	-8.58	-8.58	Inf	-1.66	-1.00
6345MHz	Pass	6.92	-	-11.13	-11.13	Inf	-4.21	-1.00
6505MHz	Pass	7.45	-	-8.97	-8.97	Inf	-1.52	-1.00
6665MHz	Pass	7.45	-	-9.27	-9.27	Inf	-1.82	-1.00
6825MHz	Pass	7.45	-	-9.31	-9.31	Inf	-1.86	-1.00
6985MHz	Pass	5.10	-	-8.52	-8.52	Inf	-3.42	-1.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.97	-11.74	-11.95	-8.83	Inf	-1.86	-1.00
6185MHz	Pass	6.97	-11.34	-11.87	-8.66	Inf	-1.69	-1.00
6345MHz	Pass	6.97	-11.53	-11.88	-8.71	Inf	-1.74	-1.00
6505MHz	Pass	7.60	-12.45	-12.29	-9.39	Inf	-1.79	-1.00
6665MHz	Pass	7.60	-12.05	-12.53	-9.30	Inf	-1.70	-1.00
6825MHz	Pass	7.60	-12.16	-12.26	-9.21	Inf	-1.61	-1.00
6985MHz	Pass	4.85	-12.24	-11.95	-9.10	Inf	-4.25	-1.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;























































































































































































































Note: Trace mode Max Hold.



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-8.91	-1.89
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-11.02	-4.10
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-10.13	-3.11
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-11.16	-4.24
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-10.37	-3.35
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-10.72	-3.80
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-10.23	-3.21
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-10.6	-3.68
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-10.7	-3.68
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-11.31	-4.39
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-10.71	-3.69
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-11.23	-4.31
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-10.09	-3.12
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-10.17	-3.20
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-10.77	-3.80
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-10.75	-3.78
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-13.68	-6.71
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-13.69	-6.72
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-8.60	-1.58
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-8.50	-1.58
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-8.62	-1.60
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-8.53	-1.61
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-8.62	-1.65
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-8.69	-1.72
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-8.66	-1.64
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-8.54	-1.62
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-8.60	-1.58
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-8.61	-1.69
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-8.74	-1.77
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-8.64	-1.67
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-8.58	-1.56
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	-8.53	-1.61
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-8.65	-1.63
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-8.55	-1.63
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	-8.70	-1.73
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-8.71	-1.74
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-9.28	-1.54
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-11.83	-4.38
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-9.48	-1.74
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-11.23	-3.78
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-9.45	-1.71
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-11.85	-4.40
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-9.16	-1.56
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-9.79	-2.19
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-12.67	-5.07
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-9.59	-1.85
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-9.04	-1.59
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-9.77	-2.17
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-9.39	-1.65
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-9.09	-1.64
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-9.69	-2.09
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-9.55	-1.81
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	-9.24	-1.79



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	-9.51	-1.91
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-9.26	-1.52
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-9.39	-1.94
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-9.3	-1.56
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-9.2	-1.75
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-9.45	-1.71
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-9.2	-1.75
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-9.44	-1.70
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-9.09	-1.64
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-9.53	-1.79
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-9.31	-1.86
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-9.28	-1.54
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-9.27	-1.82
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-9.11	-1.51
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-9.19	-1.59
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-9.49	-1.89
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-9.33	-1.73
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-11.96	-4.36
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-12.03	-4.43
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-9.50	-1.76
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-8.98	-1.53
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-9.37	-1.63
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-8.99	-1.54
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-9.24	-1.64
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-9.20	-1.60
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-9.39	-1.65
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-9.06	-1.61
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-9.54	-1.80
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-9.18	-1.73
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-9.68	-2.08
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-9.44	-1.84
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-9.32	-1.58
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	-9.26	-1.81
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-9.45	-1.71
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-9.17	-1.72
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	-9.19	-1.59
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-9.14	-1.54
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-9.97	-5.38
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-9.09	-3.99
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-10.73	-6.14
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-9.34	-4.24
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-10.47	-5.88
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-8.6	-3.50
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-10.82	-6.23
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-8.83	-3.73
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-10.33	-5.74
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-9.18	-4.08
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-10.64	-6.05
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-9.34	-4.24
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-9.28	-4.43
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-9.54	-4.69
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-9.78	-4.93
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-8.55	-3.70
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-12.79	-7.94



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-12.95	-8.10
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-8.49	-3.90
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-8.94	-3.84
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-8.57	-3.98
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-9.00	-3.90
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-9.04	-4.19
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-9.33	-4.48
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-9.39	-4.80
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-9.01	-3.91
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-9.25	-4.66
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-8.93	-3.83
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-9.99	-5.14
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-9.92	-5.07
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-8.87	-4.28
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	-9.55	-4.45
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-8.82	-4.23
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-9.51	-4.41
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	-8.55	-3.70
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-8.50	-3.65

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-11.27		-11.27	Inf	-4.25	-1.00
6175MHz	Pass	7.02	-10.27		-10.27	Inf	-3.25	-1.00
6415MHz	Pass	7.02	-8.91		-8.91	Inf	-1.89	-1.00
6435MHz	Pass	7.74	-9.4		-9.40	Inf	-1.66	-1.00
6475MHz	Pass	7.74	-9.28		-9.28	Inf	-1.54	-1.00
6535MHz	Pass	7.74	-9.34		-9.34	Inf	-1.60	-1.00
6695MHz	Pass	7.74	-9.26		-9.26	Inf	-1.52	-1.00
6855MHz	Pass	7.74	-10.24		-10.24	Inf	-2.50	-1.00
6875MHz	Pass	4.59	-9.97		-9.97	Inf	-5.38	-1.00
6895MHz	Pass	4.59	-10.65		-10.65	Inf	-6.06	-1.00
6995MHz	Pass	4.59	-11.15		-11.15	Inf	-6.56	-1.00
7095MHz	Pass	4.59	-14.66		-14.66	Inf	-10.07	-1.00
7115MHz	Pass	4.59	-15.13		-15.13	Inf	-10.54	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-12.97	-12.97	Inf	-6.05	-1.00
6175MHz	Pass	6.92	-	-11.02	-11.02	Inf	-4.10	-1.00
6415MHz	Pass	6.92	-	-11.79	-11.79	Inf	-4.87	-1.00
6435MHz	Pass	7.45	-	-12.11	-12.11	Inf	-4.66	-1.00
6475MHz	Pass	7.45	-	-11.83	-11.83	Inf	-4.38	-1.00
6535MHz	Pass	7.45	-	-10.52	-10.52	Inf	-3.07	-1.00
6695MHz	Pass	7.45	-	-9.89	-9.89	Inf	-2.44	-1.00
6855MHz	Pass	7.45	-	-9.39	-9.39	Inf	-1.94	-1.00
6875MHz	Pass	5.10	-	-9.09	-9.09	Inf	-3.99	-1.00
6895MHz	Pass	5.10	-	-9.42	-9.42	Inf	-4.32	-1.00
6995MHz	Pass	5.10	-	-9.99	-9.99	Inf	-4.89	-1.00
7095MHz	Pass	5.10	-	-12.99	-12.99	Inf	-7.89	-1.00
7115MHz	Pass	5.10	-	-13.1	-13.10	Inf	-8.00	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.97	-14.28	-15.1	-11.67	Inf	-4.70	-1.00
6175MHz	Pass	6.97	-12.93	-13.24	-10.09	Inf	-3.12	-1.00
6415MHz	Pass	6.97	-12.82	-13.93	-10.37	Inf	-3.40	-1.00
6435MHz	Pass	7.60	-11.62	-14.12	-9.74	Inf	-2.14	-1.00
6475MHz	Pass	7.60	-11.01	-13.77	-9.16	Inf	-1.56	-1.00
6535MHz	Pass	7.60	-11.31	-13.26	-9.22	Inf	-1.62	-1.00
6695MHz	Pass	7.60	-12.09	-12.05	-9.11	Inf	-1.51	-1.00
6855MHz	Pass	7.60	-13	-11.63	-9.37	Inf	-1.77	-1.00
6875MHz	Pass	4.85	-13.22	-11.51	-9.28	Inf	-4.43	-1.00
6895MHz	Pass	4.85	-13.66	-11.54	-9.48	Inf	-4.63	-1.00
6995MHz	Pass	4.85	-13.95	-12.27	-10.05	Inf	-5.20	-1.00
7095MHz	Pass	4.85	-17.59	-15.35	-13.32	Inf	-8.47	-1.00
7115MHz	Pass	4.85	-17.68	-15.81	-13.67	Inf	-8.82	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-11.13		-11.13	Inf	-4.11	-1.00
6175MHz	Pass	7.02	-10.34		-10.34	Inf	-3.32	-1.00
6415MHz	Pass	7.02	-10.13		-10.13	Inf	-3.11	-1.00
6535MHz	Pass	7.74	-9.3		-9.30	Inf	-1.56	-1.00
6695MHz	Pass	7.74	-9.79		-9.79	Inf	-2.05	-1.00
6855MHz	Pass	7.74	-10.2		-10.20	Inf	-2.46	-1.00
6875MHz	Pass	4.59	-10.73		-10.73	Inf	-6.14	-1.00
6895MHz	Pass	4.59	-11.07		-11.07	Inf	-6.48	-1.00
6995MHz	Pass	4.59	-12.88		-12.88	Inf	-8.29	-1.00
7095MHz	Pass	4.59	-14.97		-14.97	Inf	-10.38	-1.00
7115MHz	Pass	4.59	-14.86		-14.86	Inf	-10.27	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port2)	-	-	-	-	-	-	-	-



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5955MHz	Pass	6.92	-	-12.16	-12.16	Inf	-5.24	-1.00
6175MHz	Pass	6.92	-	-11.16	-11.16	Inf	-4.24	-1.00
6415MHz	Pass	6.92	-	-11.8	-11.80	Inf	-4.88	-1.00
6535MHz	Pass	7.45	-	-10.31	-10.31	Inf	-2.86	-1.00
6695MHz	Pass	7.45	-	-10.4	-10.40	Inf	-2.95	-1.00
6855MHz	Pass	7.45	-	-9.2	-9.20	Inf	-1.75	-1.00
6875MHz	Pass	5.10	-	-9.34	-9.34	Inf	-4.24	-1.00
6895MHz	Pass	5.10	-	-9.69	-9.69	Inf	-4.59	-1.00
6995MHz	Pass	5.10	-	-11.97	-11.97	Inf	-6.87	-1.00
7095MHz	Pass	5.10	-	-13.65	-13.65	Inf	-8.55	-1.00
7115MHz	Pass	5.10	-	-13.39	-13.39	Inf	-8.29	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.97	-14.12	-15.22	-11.68	Inf	-4.71	-1.00
6175MHz	Pass	6.97	-13.07	-13.18	-10.17	Inf	-3.20	-1.00
6415MHz	Pass	6.97	-12.92	-14.09	-10.51	Inf	-3.54	-1.00
6535MHz	Pass	7.60	-11.47	-13.25	-9.28	Inf	-1.68	-1.00
6695MHz	Pass	7.60	-12.61	-12.33	-9.53	Inf	-1.93	-1.00
6855MHz	Pass	7.60	-13.21	-11.35	-9.19	Inf	-1.59	-1.00
6875MHz	Pass	4.85	-13.54	-11.72	-9.54	Inf	-4.69	-1.00
6895MHz	Pass	4.85	-13.85	-11.95	-9.89	Inf	-5.04	-1.00
6995MHz	Pass	4.85	-15.78	-13.82	-11.69	Inf	-6.84	-1.00
7095MHz	Pass	4.85	-17.91	-15.84	-13.75	Inf	-8.90	-1.00
7115MHz	Pass	4.85	-18.1	-16.4	-14.21	Inf	-9.36	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-11.59	-	-11.59	Inf	-4.57	-1.00
6175MHz	Pass	7.02	-10.37	-	-10.37	Inf	-3.35	-1.00
6415MHz	Pass	7.02	-10.46	-	-10.46	Inf	-3.44	-1.00
6435MHz	Pass	7.74	-9.58	-	-9.58	Inf	-1.84	-1.00
6475MHz	Pass	7.74	-9.48	-	-9.48	Inf	-1.74	-1.00
6535MHz	Pass	7.74	-9.45	-	-9.45	Inf	-1.71	-1.00
6695MHz	Pass	7.74	-9.57	-	-9.57	Inf	-1.83	-1.00
6855MHz	Pass	7.74	-10.48	-	-10.48	Inf	-2.74	-1.00
6875MHz	Pass	4.59	-10.47	-	-10.47	Inf	-5.88	-1.00
6895MHz	Pass	4.59	-11.08	-	-11.08	Inf	-6.49	-1.00
6995MHz	Pass	4.59	-11.4	-	-11.40	Inf	-6.81	-1.00
7095MHz	Pass	4.59	-14.62	-	-14.62	Inf	-10.03	-1.00
7115MHz	Pass	4.59	-16.29	-	-16.29	Inf	-11.70	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-12.46	-12.46	Inf	-5.54	-1.00
6175MHz	Pass	6.92	-	-10.72	-10.72	Inf	-3.80	-1.00
6415MHz	Pass	6.92	-	-11.31	-11.31	Inf	-4.39	-1.00
6435MHz	Pass	7.45	-	-11.6	-11.60	Inf	-4.15	-1.00
6475MHz	Pass	7.45	-	-11.23	-11.23	Inf	-3.78	-1.00
6535MHz	Pass	7.45	-	-10.01	-10.01	Inf	-2.56	-1.00
6695MHz	Pass	7.45	-	-9.31	-9.31	Inf	-1.86	-1.00
6855MHz	Pass	7.45	-	-9.2	-9.20	Inf	-1.75	-1.00
6875MHz	Pass	5.10	-	-8.6	-8.60	Inf	-3.50	-1.00
6895MHz	Pass	5.10	-	-8.8	-8.80	Inf	-3.70	-1.00
6995MHz	Pass	5.10	-	-9.56	-9.56	Inf	-4.46	-1.00
7095MHz	Pass	5.10	-	-12.51	-12.51	Inf	-7.41	-1.00
7115MHz	Pass	5.10	-	-13.07	-13.07	Inf	-7.97	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.97	-14.69	-15.65	-12.14	Inf	-5.17	-1.00
6175MHz	Pass	6.97	-13.51	-13.94	-10.77	Inf	-3.80	-1.00
6415MHz	Pass	6.97	-13.6	-14.36	-11.02	Inf	-4.05	-1.00
6435MHz	Pass	7.60	-12.18	-14.73	-10.29	Inf	-2.69	-1.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6475MHz	Pass	7.60	-11.6	-14.34	-9.79	Inf	-2.19	-1.00
6535MHz	Pass	7.60	-11.52	-13.68	-9.49	Inf	-1.89	-1.00
6695MHz	Pass	7.60	-12.68	-12.52	-9.62	Inf	-2.02	-1.00
6855MHz	Pass	7.60	-13.59	-12.1	-9.83	Inf	-2.23	-1.00
6875MHz	Pass	4.85	-13.72	-11.95	-9.78	Inf	-4.93	-1.00
6895MHz	Pass	4.85	-14.16	-12.2	-10.14	Inf	-5.29	-1.00
6995MHz	Pass	4.85	-14.55	-13.02	-10.74	Inf	-5.89	-1.00
7095MHz	Pass	4.85	-17.88	-15.74	-13.71	Inf	-8.86	-1.00
7115MHz	Pass	4.85	-19.02	-17.11	-14.96	Inf	-10.11	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-11.42		-11.42	Inf	-4.40	-1.00
6175MHz	Pass	7.02	-10.42		-10.42	Inf	-3.40	-1.00
6415MHz	Pass	7.02	-10.23		-10.23	Inf	-3.21	-1.00
6535MHz	Pass	7.74	-9.44		-9.44	Inf	-1.70	-1.00
6695MHz	Pass	7.74	-9.87		-9.87	Inf	-2.13	-1.00
6855MHz	Pass	7.74	-10.38		-10.38	Inf	-2.64	-1.00
6875MHz	Pass	4.59	-10.82		-10.82	Inf	-6.23	-1.00
6895MHz	Pass	4.59	-11.06		-11.06	Inf	-6.47	-1.00
6995MHz	Pass	4.59	-13.04		-13.04	Inf	-8.45	-1.00
7095MHz	Pass	4.59	-15.09		-15.09	Inf	-10.50	-1.00
7115MHz	Pass	4.59	-14.97		-14.97	Inf	-10.38	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-12.47	-12.47	Inf	-5.55	-1.00
6175MHz	Pass	6.92	-	-10.6	-10.60	Inf	-3.68	-1.00
6415MHz	Pass	6.92	-	-11.19	-11.19	Inf	-4.27	-1.00
6535MHz	Pass	7.45	-	-9.87	-9.87	Inf	-2.42	-1.00
6695MHz	Pass	7.45	-	-9.58	-9.58	Inf	-2.13	-1.00
6855MHz	Pass	7.45	-	-9.09	-9.09	Inf	-1.64	-1.00
6875MHz	Pass	5.10	-	-8.83	-8.83	Inf	-3.73	-1.00
6895MHz	Pass	5.10	-	-9.17	-9.17	Inf	-4.07	-1.00
6995MHz	Pass	5.10	-	-11.37	-11.37	Inf	-6.27	-1.00
7095MHz	Pass	5.10	-	-13.08	-13.08	Inf	-7.98	-1.00
7115MHz	Pass	5.10	-	-13.20	-13.20	Inf	-8.10	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.97	-14.65	-15.77	-12.22	Inf	-5.25	-1.00
6175MHz	Pass	6.97	-13.64	-13.82	-10.75	Inf	-3.78	-1.00
6415MHz	Pass	6.97	-13.58	-14.43	-11.03	Inf	-4.06	-1.00
6535MHz	Pass	7.60	-11.39	-13.38	-9.33	Inf	-1.73	-1.00
6695MHz	Pass	7.60	-13.04	-12.85	-10.00	Inf	-2.40	-1.00
6855MHz	Pass	7.60	-13.52	-11.98	-9.74	Inf	-2.14	-1.00
6875MHz	Pass	4.85	-14.09	-12.03	-10.00	Inf	-5.15	-1.00
6895MHz	Pass	4.85	-14.39	-12.47	-10.39	Inf	-5.54	-1.00
6995MHz	Pass	4.85	-16.3	-14.64	-12.43	Inf	-7.58	-1.00
7095MHz	Pass	4.85	-18.45	-16.38	-14.33	Inf	-9.48	-1.00
7115MHz	Pass	4.85	-11.56	-11.40	-8.55	Inf	-3.70	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-12.88		-12.88	Inf	-5.86	-1.00
6175MHz	Pass	7.02	-10.88		-10.88	Inf	-3.86	-1.00
6415MHz	Pass	7.02	-10.7		-10.70	Inf	-3.68	-1.00
6435MHz	Pass	7.74	-9.67		-9.67	Inf	-1.93	-1.00
6475MHz	Pass	7.74	-9.45		-9.45	Inf	-1.71	-1.00
6535MHz	Pass	7.74	-9.53		-9.53	Inf	-1.79	-1.00
6695MHz	Pass	7.74	-9.62		-9.62	Inf	-1.88	-1.00
6855MHz	Pass	7.74	-10.23		-10.23	Inf	-2.49	-1.00
6875MHz	Pass	4.59	-10.33		-10.33	Inf	-5.74	-1.00
6895MHz	Pass	4.59	-10.88		-10.88	Inf	-6.29	-1.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6995MHz	Pass	4.59	-11.36		-11.36	Inf	-6.77	-1.00
7095MHz	Pass	4.59	-14.72		-14.72	Inf	-10.13	-1.00
7115MHz	Pass	4.59	-21.76		-21.76	Inf	-17.17	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-13.78	-13.78	Inf	-6.86	-1.00
6175MHz	Pass	6.92	-	-11.31	-11.31	Inf	-4.39	-1.00
6415MHz	Pass	6.92	-	-11.78	-11.78	Inf	-4.86	-1.00
6435MHz	Pass	7.45	-	-12.3	-12.30	Inf	-4.85	-1.00
6475MHz	Pass	7.45	-	-11.85	-11.85	Inf	-4.40	-1.00
6535MHz	Pass	7.45	-	-10.57	-10.57	Inf	-3.12	-1.00
6695MHz	Pass	7.45	-	-9.56	-9.56	Inf	-2.11	-1.00
6855MHz	Pass	7.45	-	-9.31	-9.31	Inf	-1.86	-1.00
6875MHz	Pass	5.10	-	-9.18	-9.18	Inf	-4.08	-1.00
6895MHz	Pass	5.10	-	-9.43	-9.43	Inf	-4.33	-1.00
6995MHz	Pass	5.10	-	-9.97	-9.97	Inf	-4.87	-1.00
7095MHz	Pass	5.10	-	-12.85	-12.85	Inf	-7.75	-1.00
7115MHz	Pass	5.10	-	-18.31	-18.31	Inf	-13.21	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	6.97	-16.21	-17.1	-13.68	Inf	-6.71	-1.00
6175MHz	Pass	6.97	-16.55	-16.85	-13.74	Inf	-6.77	-1.00
6415MHz	Pass	6.97	-16.52	-17.37	-13.95	Inf	-6.98	-1.00
6435MHz	Pass	7.60	-15.1	-17.73	-13.26	Inf	-5.66	-1.00
6475MHz	Pass	7.60	-14.47	-17.2	-12.67	Inf	-5.07	-1.00
6535MHz	Pass	7.60	-14.01	-16.14	-11.96	Inf	-4.36	-1.00
6695MHz	Pass	7.60	-15.77	-15.62	-12.69	Inf	-5.09	-1.00
6855MHz	Pass	7.60	-16.59	-14.97	-12.76	Inf	-5.16	-1.00
6875MHz	Pass	4.85	-16.69	-14.98	-12.79	Inf	-7.94	-1.00
6895MHz	Pass	4.85	-17.24	-15.27	-13.15	Inf	-8.30	-1.00
6995MHz	Pass	4.85	-17.63	-15.99	-13.75	Inf	-8.90	-1.00
7095MHz	Pass	4.85	-20.89	-18.81	-16.74	Inf	-11.89	-1.00
7115MHz	Pass	4.85	-24.06	-22.16	-20.01	Inf	-15.16	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port1)	-	-	-	-	-	-	-	-
5955MHz	Pass	7.02	-12.95		-12.95	Inf	-5.93	-1.00
6175MHz	Pass	7.02	-10.88		-10.88	Inf	-3.86	-1.00
6415MHz	Pass	7.02	-10.71		-10.71	Inf	-3.69	-1.00
6535MHz	Pass	7.74	-9.28		-9.28	Inf	-1.54	-1.00
6695MHz	Pass	7.74	-9.93		-9.93	Inf	-2.19	-1.00
6855MHz	Pass	7.74	-10.3		-10.30	Inf	-2.56	-1.00
6875MHz	Pass	4.59	-10.64		-10.64	Inf	-6.05	-1.00
6895MHz	Pass	4.59	-11.21		-11.21	Inf	-6.62	-1.00
6995MHz	Pass	4.59	-12.99		-12.99	Inf	-8.40	-1.00
7095MHz	Pass	4.59	-15.17		-15.17	Inf	-10.58	-1.00
7115MHz	Pass	4.59	-15.49		-15.49	Inf	-10.90	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	6.92	-	-13.95	-13.95	Inf	-7.03	-1.00
6175MHz	Pass	6.92	-	-11.23	-11.23	Inf	-4.31	-1.00
6415MHz	Pass	6.92	-	-11.83	-11.83	Inf	-4.91	-1.00
6535MHz	Pass	7.45	-	-10.56	-10.56	Inf	-3.11	-1.00
6695MHz	Pass	7.45	-	-9.78	-9.78	Inf	-2.33	-1.00
6855MHz	Pass	7.45	-	-9.27	-9.27	Inf	-1.82	-1.00
6875MHz	Pass	5.10	-	-9.34	-9.34	Inf	-4.24	-1.00
6895MHz	Pass	5.10	-	-9.68	-9.68	Inf	-4.58	-1.00
6995MHz	Pass	5.10	-	-11.61	-11.61	Inf	-6.51	-1.00
7095MHz	Pass	5.10	-	-13.23	-13.23	Inf	-8.13	-1.00
7115MHz	Pass	5.10	-	-13.83	-13.83	Inf	-8.73	-1.00
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5955MHz	Pass	6.97	-16.16	-17.17	-13.69	Inf	-6.72	-1.00
6175MHz	Pass	6.97	-16.52	-16.77	-13.70	Inf	-6.73	-1.00
6415MHz	Pass	6.97	-16.53	-17.37	-13.96	Inf	-6.99	-1.00
6535MHz	Pass	7.60	-14.09	-16.12	-12.03	Inf	-4.43	-1.00
6695MHz	Pass	7.60	-16.05	-15.81	-12.94	Inf	-5.34	-1.00
6855MHz	Pass	7.60	-16.6	-14.94	-12.71	Inf	-5.11	-1.00
6875MHz	Pass	4.85	-16.98	-15.07	-12.95	Inf	-8.10	-1.00
6895MHz	Pass	4.85	-17.39	-15.4	-13.30	Inf	-8.45	-1.00
6995MHz	Pass	4.85	-19.21	-17.64	-15.38	Inf	-10.53	-1.00
7095MHz	Pass	4.85	-21.24	-19.23	-17.11	Inf	-12.26	-1.00
7115MHz	Pass	4.85	-18.60	-16.99	-14.75	Inf	-9.90	-1.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port1)	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	-9.00	-9.00	-9.00	Inf	-1.98	-1.00
6165MHz	Pass	7.02	-8.77	-8.77	-8.77	Inf	-1.75	-1.00
6405MHz	Pass	7.02	-8.60	-8.60	-8.60	Inf	-1.58	-1.00
6445MHz	Pass	7.74	-9.61	-9.61	-9.61	Inf	-1.87	-1.00
6485MHz	Pass	7.74	-9.70	-9.70	-9.70	Inf	-1.96	-1.00
6525MHz	Pass	7.74	-9.59	-9.59	-9.59	Inf	-1.85	-1.00
6525MHz	Pass	7.74	-9.64	-9.64	-9.64	Inf	-1.90	-1.00
6565MHz	Pass	7.74	-9.54	-9.54	-9.54	Inf	-1.80	-1.00
6685MHz	Pass	7.74	-9.54	-9.54	-9.54	Inf	-1.80	-1.00
6845MHz	Pass	7.74	-9.51	-9.51	-9.51	Inf	-1.77	-1.00
6885MHz	Pass	7.74	-9.50	-9.50	-9.50	Inf	-1.76	-1.00
6885MHz	Pass	4.59	-8.49	-8.49	-8.49	Inf	-3.90	-1.00
6925MHz	Pass	4.59	-8.49	-8.49	-8.49	Inf	-3.90	-1.00
7005MHz	Pass	4.59	-8.74	-8.74	-8.74	Inf	-4.15	-1.00
7085MHz	Pass	4.59	-9.37	-9.37	-9.37	Inf	-4.78	-1.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	6.92	-	-8.77	-8.77	Inf	-1.85	-1.00
6165MHz	Pass	6.92	-	-8.64	-8.64	Inf	-1.72	-1.00
6405MHz	Pass	6.92	-	-8.50	-8.50	Inf	-1.58	-1.00
6445MHz	Pass	7.45	-	-9.13	-9.13	Inf	-1.68	-1.00
6485MHz	Pass	7.45	-	-9.04	-9.04	Inf	-1.59	-1.00
6525MHz	Pass	7.45	-	-9.04	-9.04	Inf	-1.59	-1.00
6525MHz	Pass	7.45	-	-9.00	-9.00	Inf	-1.55	-1.00
6565MHz	Pass	7.45	-	-8.98	-8.98	Inf	-1.53	-1.00
6685MHz	Pass	7.45	-	-9.41	-9.41	Inf	-1.96	-1.00
6845MHz	Pass	7.45	-	-9.19	-9.19	Inf	-1.74	-1.00
6885MHz	Pass	7.45	-	-9.02	-9.02	Inf	-1.57	-1.00
6885MHz	Pass	5.10	-	-9.01	-9.01	Inf	-3.91	-1.00
6925MHz	Pass	5.10	-	-8.94	-8.94	Inf	-3.84	-1.00
7005MHz	Pass	5.10	-	-9.25	-9.25	Inf	-4.15	-1.00
7085MHz	Pass	5.10	-	-10.11	-10.11	Inf	-5.01	-1.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	6.97	-12.39	-11.31	-8.92	Inf	-1.95	-1.00
6165MHz	Pass	6.97	-12.36	-11.12	-8.71	Inf	-1.74	-1.00
6405MHz	Pass	6.97	-11.68	-11.50	-8.62	Inf	-1.65	-1.00
6445MHz	Pass	7.60	-13.09	-12.80	-10.01	Inf	-2.41	-1.00
6485MHz	Pass	7.60	-12.39	-13.13	-9.77	Inf	-2.17	-1.00
6525MHz	Pass	7.60	-12.92	-12.79	-9.89	Inf	-2.29	-1.00
6525MHz	Pass	7.60	-12.69	-12.93	-9.91	Inf	-2.31	-1.00
6565MHz	Pass	7.60	-13.36	-13.17	-10.32	Inf	-2.72	-1.00
6685MHz	Pass	7.60	-12.67	-12.70	-9.71	Inf	-2.11	-1.00
6845MHz	Pass	7.60	-12.25	-12.35	-9.31	Inf	-1.71	-1.00
6885MHz	Pass	7.60	-12.03	-12.42	-9.24	Inf	-1.64	-1.00
6885MHz	Pass	4.85	-11.67	-12.26	-9.06	Inf	-4.21	-1.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6925MHz	Pass	4.85	-11.75	-12.19	-9.04	Inf	-4.19	-1.00
7005MHz	Pass	4.85	-12.02	-12.63	-9.40	Inf	-4.55	-1.00
7085MHz	Pass	4.85	-12.69	-13.52	-10.17	Inf	-5.32	-1.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port1)	-	-	-	-	-	-	-	-
5965MHz	Pass	7.02	-8.89	-8.89	-8.89	Inf	-1.87	-1.00
6165MHz	Pass	7.02	-8.62	-8.62	-8.62	Inf	-1.60	-1.00
6405MHz	Pass	7.02	-8.66	-8.66	-8.66	Inf	-1.64	-1.00
6525MHz	Pass	7.74	-9.67	-9.67	-9.67	Inf	-1.93	-1.00
6565MHz	Pass	7.74	-9.74	-9.74	-9.74	Inf	-2.00	-1.00
6685MHz	Pass	7.74	-9.59	-9.59	-9.59	Inf	-1.85	-1.00
6845MHz	Pass	7.74	-9.42	-9.42	-9.42	Inf	-1.68	-1.00
6885MHz	Pass	7.74	-9.37	-9.37	-9.37	Inf	-1.63	-1.00
6885MHz	Pass	4.59	-8.57	-8.57	-8.57	Inf	-3.98	-1.00
6925MHz	Pass	4.59	-8.68	-8.68	-8.68	Inf	-4.09	-1.00
7005MHz	Pass	4.59	-9.09	-9.09	-9.09	Inf	-4.50	-1.00
7085MHz	Pass	4.59	-9.81	-9.81	-9.81	Inf	-5.22	-1.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	6.92	-	-8.53	-8.53	Inf	-1.61	-1.00
6165MHz	Pass	6.92	-	-8.60	-8.60	Inf	-1.68	-1.00
6405MHz	Pass	6.92	-	-8.66	-8.66	Inf	-1.74	-1.00
6525MHz	Pass	7.45	-	-9.23	-9.23	Inf	-1.78	-1.00
6565MHz	Pass	7.45	-	-9.08	-9.08	Inf	-1.63	-1.00
6685MHz	Pass	7.45	-	-9.79	-9.79	Inf	-2.34	-1.00
6845MHz	Pass	7.45	-	-9.09	-9.09	Inf	-1.64	-1.00
6885MHz	Pass	7.45	-	-8.99	-8.99	Inf	-1.54	-1.00
6885MHz	Pass	5.10	-	-9.00	-9.00	Inf	-3.90	-1.00
6925MHz	Pass	5.10	-	-9.28	-9.28	Inf	-4.18	-1.00
7005MHz	Pass	5.10	-	-9.68	-9.68	Inf	-4.58	-1.00
7085MHz	Pass	5.10	-	-10.58	-10.58	Inf	-5.48	-1.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	6.97	-12.75	-12.50	-9.67	Inf	-2.70	-1.00
6165MHz	Pass	6.97	-14.31	-14.65	-11.52	Inf	-4.55	-1.00
6405MHz	Pass	6.97	-11.72	-11.69	-8.69	Inf	-1.72	-1.00
6525MHz	Pass	7.60	-11.97	-12.16	-9.20	Inf	-1.60	-1.00
6565MHz	Pass	7.60	-12.77	-12.60	-9.75	Inf	-2.15	-1.00
6685MHz	Pass	7.60	-13.30	-13.19	-10.29	Inf	-2.69	-1.00
6845MHz	Pass	7.60	-12.19	-12.42	-9.32	Inf	-1.72	-1.00
6885MHz	Pass	7.60	-12.25	-12.40	-9.36	Inf	-1.76	-1.00
6885MHz	Pass	4.85	-12.14	-12.41	-9.33	Inf	-4.48	-1.00
6925MHz	Pass	4.85	-12.33	-12.80	-9.60	Inf	-4.75	-1.00
7005MHz	Pass	4.85	-12.63	-12.99	-9.85	Inf	-5.00	-1.00
7085MHz	Pass	4.85	-13.24	-13.98	-10.58	Inf	-5.73	-1.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port1)	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	-8.66	-8.66	-8.66	Inf	-1.64	-1.00
6145MHz	Pass	7.02	-8.66	-8.66	-8.66	Inf	-1.64	-1.00
6385MHz	Pass	7.02	-8.72	-8.72	-8.72	Inf	-1.70	-1.00
6465MHz	Pass	7.74	-9.39	-9.39	-9.39	Inf	-1.65	-1.00
6545MHz	Pass	7.74	-9.57	-9.57	-9.57	Inf	-1.83	-1.00
6545MHz	Pass	7.74	-9.58	-9.58	-9.58	Inf	-1.84	-1.00
6625MHz	Pass	7.74	-10.00	-10.00	-10.00	Inf	-2.26	-1.00
6705MHz	Pass	7.74	-10.43	-10.43	-10.43	Inf	-2.69	-1.00
6785MHz	Pass	7.74	-11.65	-11.65	-11.65	Inf	-3.91	-1.00
6865MHz	Pass	7.74	-9.39	-9.39	-9.39	Inf	-1.65	-1.00
6865MHz	Pass	4.59	-9.39	-9.39	-9.39	Inf	-4.80	-1.00
6945MHz	Pass	4.59	-9.66	-9.66	-9.66	Inf	-5.07	-1.00
7025MHz	Pass	4.59	-9.70	-9.70	-9.70	Inf	-5.11	-1.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.92	-	-19.76	-19.76	Inf	-12.84	-1.00
6145MHz	Pass	6.92	-	-8.54	-8.54	Inf	-1.62	-1.00
6385MHz	Pass	6.92	-	-8.67	-8.67	Inf	-1.75	-1.00
6465MHz	Pass	7.45	-	-9.22	-9.22	Inf	-1.77	-1.00
6545MHz	Pass	7.45	-	-9.09	-9.09	Inf	-1.64	-1.00
6545MHz	Pass	7.45	-	-9.10	-9.10	Inf	-1.65	-1.00
6625MHz	Pass	7.45	-	-9.56	-9.56	Inf	-2.11	-1.00
6705MHz	Pass	7.45	-	-9.91	-9.91	Inf	-2.46	-1.00
6785MHz	Pass	7.45	-	-11.22	-11.22	Inf	-3.77	-1.00
6865MHz	Pass	7.45	-	-9.06	-9.06	Inf	-1.61	-1.00
6865MHz	Pass	5.10	-	-9.01	-9.01	Inf	-3.91	-1.00
6945MHz	Pass	5.10	-	-9.41	-9.41	Inf	-4.31	-1.00
7025MHz	Pass	5.10	-	-9.58	-9.58	Inf	-4.48	-1.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.97	-11.55	-11.83	-8.74	Inf	-1.77	-1.00
6145MHz	Pass	6.97	-11.60	-11.94	-8.80	Inf	-1.83	-1.00
6385MHz	Pass	6.97	-12.04	-12.43	-9.27	Inf	-2.30	-1.00
6465MHz	Pass	7.60	-12.28	-13.18	-9.83	Inf	-2.23	-1.00
6545MHz	Pass	7.60	-12.60	-12.69	-9.69	Inf	-2.09	-1.00
6545MHz	Pass	7.60	-12.62	-12.61	-9.68	Inf	-2.08	-1.00
6625MHz	Pass	7.60	-13.46	-13.63	-10.57	Inf	-2.97	-1.00
6705MHz	Pass	7.60	-13.81	-13.78	-10.86	Inf	-3.26	-1.00
6785MHz	Pass	7.60	-14.98	-15.46	-12.22	Inf	-4.62	-1.00
6865MHz	Pass	7.60	-12.55	-13.22	-9.92	Inf	-2.32	-1.00
6865MHz								
6945MHz	Pass	4.85	-12.63	-13.31	-9.99	Inf	-5.14	-1.00
7025MHz	Pass	4.85	-12.94	-13.57	-10.31	Inf	-5.46	-1.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port1)	-	-	-	-	-	-	-	-
5985MHz	Pass	7.02	-8.60		-8.60	Inf	-1.58	-1.00
6145MHz	Pass	7.02	-8.88		-8.88	Inf	-1.86	-1.00
6385MHz	Pass	7.02	-8.98		-8.98	Inf	-1.96	-1.00
6545MHz	Pass	7.74	-9.54		-9.54	Inf	-1.80	-1.00
6625MHz	Pass	7.74	-9.83		-9.83	Inf	-2.09	-1.00
6705MHz	Pass	7.74	-10.55		-10.55	Inf	-2.81	-1.00
6785MHz	Pass	7.74	-10.76		-10.76	Inf	-3.02	-1.00
6865MHz	Pass	7.74	-9.55		-9.55	Inf	-1.81	-1.00
6865MHz	Pass	4.59	-9.25		-9.25	Inf	-4.66	-1.00
6945MHz	Pass	4.59	-9.73		-9.73	Inf	-5.14	-1.00
7025MHz	Pass	4.59	-9.73		-9.73	Inf	-5.14	-1.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	6.92	-	-19.80	-19.80	Inf	-12.88	-1.00
6145MHz	Pass	6.92	-	-8.61	-8.61	Inf	-1.69	-1.00
6385MHz	Pass	6.92	-	-8.69	-8.69	Inf	-1.77	-1.00
6545MHz	Pass	7.45	-	-9.22	-9.22	Inf	-1.77	-1.00
6625MHz	Pass	7.45	-	-9.52	-9.52	Inf	-2.07	-1.00
6705MHz	Pass	7.45	-	-9.80	-9.80	Inf	-2.35	-1.00
6785MHz	Pass	7.45	-	-10.13	-10.13	Inf	-2.68	-1.00
6865MHz	Pass	7.45	-	-9.18	-9.18	Inf	-1.73	-1.00
6865MHz	Pass	5.10	-	-8.93	-8.93	Inf	-3.83	-1.00
6945MHz	Pass	5.10	-	-9.48	-9.48	Inf	-4.38	-1.00
7025MHz	Pass	5.10	-	-9.63	-9.63	Inf	-4.53	-1.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.97	-11.91	-11.86	-8.94	Inf	-1.97	-1.00
6145MHz	Pass	6.97	-11.60	-11.63	-8.64	Inf	-1.67	-1.00
6385MHz	Pass	6.97	-12.21	-12.44	-9.37	Inf	-2.40	-1.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6545MHz	Pass	7.60	-12.43	-12.44	-9.44	Inf	-1.84	-1.00
6625MHz	Pass	7.60	-13.25	-13.36	-10.35	Inf	-2.75	-1.00
6705MHz	Pass	7.60	-14.09	-13.69	-10.91	Inf	-3.31	-1.00
6785MHz	Pass	7.60	-14.18	-14.12	-11.15	Inf	-3.55	-1.00
6865MHz	Pass	7.60	-12.75	-12.94	-9.91	Inf	-2.31	-1.00
6865MHz	Pass	4.85	-12.86	-12.98	-9.92	Inf	-5.07	-1.00
6945MHz	Pass	4.85	-12.86	-13.38	-10.14	Inf	-5.29	-1.00
7025MHz	Pass	4.85	-13.13	-13.64	-10.49	Inf	-5.64	-1.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port1)	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	-8.67	-	-8.67	Inf	-1.65	-1.00
6185MHz	Pass	7.02	-8.58	-	-8.58	Inf	-1.56	-1.00
6345MHz	Pass	7.02	-8.76	-	-8.76	Inf	-1.74	-1.00
6505MHz	Pass	7.74	-9.55	-	-9.55	Inf	-1.81	-1.00
6505MHz	Pass	7.74	-9.32	-	-9.32	Inf	-1.58	-1.00
6665MHz	Pass	7.74	-9.45	-	-9.45	Inf	-1.71	-1.00
6825MHz	Pass	7.74	-9.90	-	-9.90	Inf	-2.16	-1.00
6825MHz	Pass	4.59	-9.91	-	-9.91	Inf	-5.32	-1.00
6985MHz	Pass	4.59	-8.87	-	-8.87	Inf	-4.28	-1.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.92	-	-8.73	-8.73	Inf	-1.81	-1.00
6185MHz	Pass	6.92	-	-8.53	-8.53	Inf	-1.61	-1.00
6345MHz	Pass	6.92	-	-8.58	-8.58	Inf	-1.66	-1.00
6505MHz	Pass	7.45	-	-9.24	-9.24	Inf	-1.79	-1.00
6505MHz	Pass	7.45	-	-9.26	-9.26	Inf	-1.81	-1.00
6665MHz	Pass	7.45	-	-9.72	-9.72	Inf	-2.27	-1.00
6825MHz	Pass	7.45	-	-10.13	-10.13	Inf	-2.68	-1.00
6825MHz	Pass	5.10	-	-10.12	-10.12	Inf	-5.02	-1.00
6985MHz	Pass	5.10	-	-9.55	-9.55	Inf	-4.45	-1.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.97	-11.48	-12.05	-8.75	Inf	-1.78	-1.00
6185MHz	Pass	6.97	-11.65	-11.84	-8.74	Inf	-1.77	-1.00
6345MHz	Pass	6.97	-11.30	-12.05	-8.70	Inf	-1.73	-1.00
6505MHz	Pass	7.60	-12.24	-12.76	-9.51	Inf	-1.91	-1.00
6505MHz	Pass	7.60	-12.31	-12.72	-9.53	Inf	-1.93	-1.00
6665MHz	Pass	7.60	-12.42	-12.21	-9.34	Inf	-1.74	-1.00
6825MHz	Pass	7.60	-12.16	-12.13	-9.19	Inf	-1.59	-1.00
6825MHz	Pass	4.85	-12.18	-12.08	-9.13	Inf	-4.28	-1.00
6985MHz	Pass	4.85	-11.14	-11.95	-8.55	Inf	-3.70	-1.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port1)	-	-	-	-	-	-	-	-
6025MHz	Pass	7.02	-8.65	-	-8.65	Inf	-1.63	-1.00
6185MHz	Pass	7.02	-8.93	-	-8.93	Inf	-1.91	-1.00
6345MHz	Pass	7.02	-8.72	-	-8.72	Inf	-1.70	-1.00
6505MHz	Pass	7.74	-9.45	-	-9.45	Inf	-1.71	-1.00
6665MHz	Pass	7.74	-9.69	-	-9.69	Inf	-1.95	-1.00
6825MHz	Pass	7.74	-10.00	-	-10.00	Inf	-2.26	-1.00
6825MHz	Pass	4.59	-9.86	-	-9.86	Inf	-5.27	-1.00
6985MHz	Pass	4.59	-8.82	-	-8.82	Inf	-4.23	-1.00
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.92	-	-8.71	-8.71	Inf	-1.79	-1.00
6185MHz	Pass	6.92	-	-8.55	-8.55	Inf	-1.63	-1.00
6345MHz	Pass	6.92	-	-8.65	-8.65	Inf	-1.73	-1.00
6505MHz	Pass	7.45	-	-9.17	-9.17	Inf	-1.72	-1.00
6665MHz	Pass	7.45	-	-9.72	-9.72	Inf	-2.27	-1.00
6825MHz	Pass	7.45	-	-10.15	-10.15	Inf	-2.70	-1.00
6825MHz	Pass	5.10	-	-10.11	-10.11	Inf	-5.01	-1.00
6985MHz	Pass	5.10	-	-9.51	-9.51	Inf	-4.41	-1.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67S_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.97	-11.57	-12.05	-8.81	Inf	-1.84	-1.00
6185MHz	Pass	6.97	-11.68	-11.87	-8.78	Inf	-1.81	-1.00
6345MHz	Pass	6.97	-11.30	-12.12	-8.71	Inf	-1.74	-1.00
6505MHz	Pass	7.60	-12.31	-12.70	-9.53	Inf	-1.93	-1.00
6665MHz	Pass	7.60	-12.26	-11.98	-9.16	Inf	-1.56	-1.00
6825MHz	Pass	7.60	-12.20	-12.06	-9.14	Inf	-1.54	-1.00
6825MHz	Pass	4.85	-12.20	-12.03	-9.10	Inf	-4.25	-1.00
6985MHz	Pass	4.85	-11.13	-11.92	-8.50	Inf	-3.65	-1.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

