

Note: Trace mode Max Hold.



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.2G-T	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	115.36M	40.01	43.50	-3.49	3	Horizontal	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	93.05M	32.83	43.50	-10.67	3	Vertical	0	1.00
6185MHz	Pass	PK	135.73M	31.32	43.50	-12.18	3	Vertical	0	1.00
6185MHz	Pass	PK	216M	31.17	43.50	-12.33	3	Vertical	0	1.00
6185MHz	Pass	PK	311.3M	30.83	46.00	-15.17	3	Vertical	0	1.00
6185MHz	Pass	PK	437.4M	28.76	46.00	-17.24	3	Vertical	0	1.00
6185MHz	Pass	PK	952.47M	31.21	46.00	-14.79	3	Vertical	0	1.00
6185MHz	Pass	PK	115.36M	40.01	43.50	-3.49	3	Horizontal	360	1.00
6185MHz	Pass	PK	160.95M	35.69	43.50	-7.81	3	Horizontal	360	1.00
6185MHz	Pass	PK	214.3M	38.09	43.50	-5.41	3	Horizontal	360	1.00
6185MHz	Pass	PK	301.6M	38.51	46.00	-7.49	3	Horizontal	360	1.00
6185MHz	Pass	PK	339.43M	34.59	46.00	-11.41	3	Horizontal	360	1.00
6185MHz	Pass	PK	949.56M	31.37	46.00	-14.63	3	Horizontal	360	1.00

6.2G-T_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	93.05M	32.83	43.50	-10.67	-21.41	3	Vertical	0	1.00	54.24	14.23	1.04	36.68
PK	135.73M	31.32	43.50	-12.18	-18.45	3	Vertical	0	1.00	49.77	16.74	1.30	36.49
PK	216M	31.17	43.50	-12.33	-20.55	3	Vertical	0	1.00	51.72	14.07	1.72	36.34
PK	311.3M	30.83	46.00	-15.17	-15.87	3	Vertical	0	1.00	46.70	18.45	2.12	36.44
PK	437.4M	28.76	46.00	-17.24	-12.26	3	Vertical	0	1.00	41.02	22.00	2.35	36.61
PK	952.47M	31.21	46.00	-14.79	-3.58	3	Vertical	0	1.00	34.79	30.01	3.75	37.34

6.2G-T_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	115.36M	40.01	43.50	-3.49	-19.07	3	Horizontal	360	1.00	59.08	16.42	1.13	36.62
PK	160.95M	35.69	43.50	-7.81	-19.43	3	Horizontal	360	1.00	55.12	15.56	1.42	36.41
PK	214.3M	38.09	43.50	-5.41	-20.58	3	Horizontal	360	1.00	58.67	14.04	1.71	36.33
PK	301.6M	38.51	46.00	-7.49	-15.96	3	Horizontal	360	1.00	54.47	18.37	2.08	36.41
PK	339.43M	34.59	46.00	-11.41	-15.09	3	Horizontal	360	1.00	49.68	19.17	2.24	36.50
PK	949.56M	31.37	46.00	-14.63	-3.70	3	Horizontal	360	1.00	35.07	29.91	3.74	37.35



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	288.02M	39.65	46.00	-6.35	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	130.88M	30.58	43.50	-12.92	3	Vertical	0	1.00	-
6185MHz	Pass	PK	171.62M	33.60	43.50	-9.90	3	Vertical	0	1.00	-
6185MHz	Pass	PK	289.96M	32.24	46.00	-13.76	3	Vertical	0	1.00	-
6185MHz	Pass	PK	336.52M	30.11	46.00	-15.89	3	Vertical	0	1.00	-
6185MHz	Pass	PK	433.52M	28.07	46.00	-17.93	3	Vertical	0	1.00	-
6185MHz	Pass	PK	468.44M	29.49	46.00	-16.51	3	Vertical	0	1.00	-
6185MHz	Pass	PK	134.76M	34.33	43.50	-9.17	3	Horizontal	360	1.00	-
6185MHz	Pass	PK	161.92M	37.11	43.50	-6.39	3	Horizontal	360	1.00	-
6185MHz	Pass	PK	288.02M	39.65	46.00	-6.35	3	Horizontal	360	1.00	-
6185MHz	Pass	PK	336.52M	36.70	46.00	-9.30	3	Horizontal	360	1.00	-
6185MHz	Pass	PK	472.32M	29.60	46.00	-16.40	3	Horizontal	360	1.00	-
6185MHz	Pass	PK	487.84M	29.74	46.00	-16.26	3	Horizontal	360	1.00	-

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	130.88M	30.58	43.50	-12.92	-18.52	3	Vertical	0	1.00	49.10	16.76	1.25	36.53
PK	171.62M	33.60	43.50	-9.90	-20.26	3	Vertical	0	1.00	53.86	14.74	1.45	36.45
PK	289.96M	32.24	46.00	-13.76	-16.19	3	Vertical	0	1.00	48.43	18.19	2.04	36.42
PK	336.52M	30.11	46.00	-15.89	-15.19	3	Vertical	0	1.00	45.30	19.09	2.22	36.50
PK	433.52M	28.07	46.00	-17.93	-12.27	3	Vertical	0	1.00	40.34	21.98	2.35	36.60
PK	468.44M	29.49	46.00	-16.51	-11.72	3	Vertical	0	1.00	41.21	22.62	2.43	36.77

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	134.76M	34.33	43.50	-9.17	-18.47	3	Horizontal	360	1.00	52.80	16.73	1.29	36.49
PK	161.92M	37.11	43.50	-6.39	-19.54	3	Horizontal	360	1.00	56.65	15.45	1.43	36.42
PK	288.02M	39.65	46.00	-6.35	-16.26	3	Horizontal	360	1.00	55.91	18.14	2.03	36.43
PK	336.52M	36.70	46.00	-9.30	-15.19	3	Horizontal	360	1.00	51.89	19.09	2.22	36.50
PK	472.32M	29.60	46.00	-16.40	-11.66	3	Horizontal	360	1.00	41.26	22.70	2.44	36.80
PK	487.84M	29.74	46.00	-16.26	-11.45	3	Horizontal	360	1.00	41.19	22.94	2.51	36.90



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	12.36332G	43.08	54.00	-10.92	3	Vertical	282	1.50
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.35825G	42.96	54.00	-11.04	3	Vertical	278	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.91357G	43.39	54.00	-10.61	3	Vertical	338	1.68
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	11.92532G	43.59	54.00	-10.41	3	Vertical	163	1.50
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.31608G	43.15	54.00	-10.85	3	Horizontal	164	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.33001G	43.96	54.00	-10.04	3	Horizontal	244	2.77
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	AV	12.27044G	44.13	54.00	-9.87	3	Horizontal	312	1.17
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.2624G	44.14	54.00	-9.86	3	Vertical	179	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.28764G	44.33	54.00	-9.67	3	Horizontal	346	2.53
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	AV	12.68596G	46.10	54.00	-7.90	3	Vertical	313	1.67
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.6885G	44.50	54.00	-9.50	3	Horizontal	229	2.94
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.29528G	42.50	54.00	-11.50	3	Horizontal	196	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.1674G	49.86	68.20	-18.34	3	Vertical	346	2.60
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1596G	49.81	68.20	-18.39	3	Vertical	19	2.32
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.201G	50.00	68.20	-18.20	3	Horizontal	179	2.90
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.157G	49.62	68.20	-18.58	3	Vertical	348	2.56
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1752G	49.62	68.20	-18.58	3	Vertical	9	2.48
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.2194G	50.03	68.20	-18.17	3	Horizontal	177	2.85
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.2352G	49.61	68.20	-18.59	3	Horizontal	329	1.02
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.2212G	49.53	68.20	-18.67	3	Horizontal	166	2.64
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2408G	48.85	68.20	-19.35	3	Horizontal	182	2.78
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.2022G	50.86	68.20	-17.34	3	Horizontal	330	1.00
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1574G	50.89	68.20	-17.31	3	Horizontal	177	3.00
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.2036G	49.07	68.20	-19.13	3	Horizontal	179	3.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	13.39063G	45.98	54.00	-8.02	3	Horizontal	187	1.44
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.39495G	44.40	54.00	-9.60	3	Horizontal	221	2.21
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39488G	43.59	54.00	-10.41	3	Vertical	150	1.50
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	13.39256G	44.35	54.00	-9.65	3	Vertical	28	2.17
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.36556G	44.34	54.00	-9.66	3	Horizontal	360	1.08
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.38996G	43.49	54.00	-10.51	3	Vertical	67	1.20
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.1639G	49.68	68.20	-18.52	3	Horizontal	323	1.12
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	13.38024G	56.94	74.00	-17.06	3	Horizontal	227	1.00
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	13.37648G	56.34	74.00	-17.66	3	Vertical	10	2.42
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	AV	13.32578G	46.61	54.00	-7.39	3	Vertical	77	1.35
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.32597G	45.13	54.00	-8.87	3	Horizontal	151	2.84
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.39288G	44.08	54.00	-9.92	3	Horizontal	284	2.37
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.125G	66.51	68.20	-1.69	3	Vertical	348	2.40
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.125G	63.56	68.20	-4.64	3	Vertical	12	2.42
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.125G	62.67	68.20	-5.53	3	Vertical	359	2.33
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.2311G	50.15	68.20	-18.05	3	Horizontal	322	1.01
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.2314G	49.70	68.20	-18.50	3	Horizontal	164	2.98
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.198G	50.09	68.20	-18.11	3	Vertical	347	2.35
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.1628G	50.88	68.20	-17.32	3	Vertical	346	2.32
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.2006G	50.85	68.20	-17.35	3	Horizontal	171	2.84
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2042G	48.98	68.20	-19.22	3	Horizontal	170	3.00
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	Pass	AV	7.129G	57.86	68.20	-10.34	3	Vertical	349	2.47
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1265G	52.60	68.20	-15.60	3	Vertical	23	2.26
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.128G	51.22	68.20	-16.98	3	Vertical	17	2.30



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9145G	47.29	68.20	-20.91	3	Vertical	347	2.46
5955MHz	Pass	AV	5.9466G	87.02	Inf	-Inf	3	Vertical	347	2.46
5955MHz	Pass	PK	5.8077G	59.32	88.20	-28.88	3	Vertical	347	2.46
5955MHz	Pass	PK	5.9532G	98.39	Inf	-Inf	3	Vertical	347	2.46
5955MHz	Pass	AV	5.8998G	47.25	68.20	-20.95	3	Horizontal	184	2.98
5955MHz	Pass	AV	5.9523G	79.95	Inf	-Inf	3	Horizontal	184	2.98
5955MHz	Pass	PK	5.9214G	58.97	88.20	-29.23	3	Horizontal	184	2.98
5955MHz	Pass	PK	5.9523G	90.52	Inf	-Inf	3	Horizontal	184	2.98
5955MHz	Pass	AV	11.89794G	42.33	54.00	-11.67	3	Vertical	195	2.80
5955MHz	Pass	PK	11.8977G	54.20	74.00	-19.80	3	Vertical	195	2.80
5955MHz	Pass	AV	11.92395G	42.38	54.00	-11.62	3	Horizontal	190	2.50
5955MHz	Pass	PK	11.91732G	53.45	74.00	-20.55	3	Horizontal	190	2.50
6175MHz	Pass	AV	5.8948G	47.02	68.20	-21.18	3	Vertical	353	2.61
6175MHz	Pass	AV	6.178G	87.88	Inf	-Inf	3	Vertical	353	2.61
6175MHz	Pass	PK	5.9158G	58.53	88.20	-29.67	3	Vertical	353	2.61
6175MHz	Pass	PK	6.1768G	98.89	Inf	-Inf	3	Vertical	353	2.61
6175MHz	Pass	AV	5.9164G	47.04	68.20	-21.16	3	Horizontal	326	1.07
6175MHz	Pass	AV	6.1834G	76.64	Inf	-Inf	3	Horizontal	326	1.07
6175MHz	Pass	PK	5.8864G	58.04	88.20	-30.16	3	Horizontal	326	1.07
6175MHz	Pass	PK	6.1816G	86.94	Inf	-Inf	3	Horizontal	326	1.07
6175MHz	Pass	AV	12.36332G	43.08	54.00	-10.92	3	Vertical	282	1.50
6175MHz	Pass	PK	12.3571G	54.68	74.00	-19.32	3	Vertical	282	1.50
6175MHz	Pass	AV	12.3581G	42.94	54.00	-11.06	3	Horizontal	132	1.50
6175MHz	Pass	PK	12.35972G	54.24	74.00	-19.76	3	Horizontal	132	1.50
6415MHz	Pass	AV	5.905G	47.04	68.20	-21.16	3	Vertical	350	2.53
6415MHz	Pass	AV	6.4162G	86.64	Inf	-Inf	3	Vertical	350	2.53
6415MHz	Pass	PK	5.893G	58.42	88.20	-29.78	3	Vertical	350	2.53
6415MHz	Pass	PK	6.421G	97.35	Inf	-Inf	3	Vertical	350	2.53
6415MHz	Pass	AV	5.9014G	47.18	68.20	-21.02	3	Horizontal	184	2.80
6415MHz	Pass	AV	6.4174G	77.81	Inf	-Inf	3	Horizontal	184	2.80
6415MHz	Pass	PK	5.9242G	57.90	88.20	-30.30	3	Horizontal	184	2.80
6415MHz	Pass	PK	6.4174G	88.22	Inf	-Inf	3	Horizontal	184	2.80
6415MHz	Pass	AV	12.81986G	43.83	68.20	-24.37	3	Vertical	84	1.50
6415MHz	Pass	PK	12.81506G	55.46	88.20	-32.74	3	Vertical	84	1.50
6415MHz	Pass	AV	12.82502G	43.71	68.20	-24.49	3	Horizontal	162	2.92
6415MHz	Pass	PK	12.82673G	55.35	88.20	-32.85	3	Horizontal	162	2.92
6435MHz	Pass	AV	5.9226G	47.10	68.20	-21.10	3	Vertical	352	2.50
6435MHz	Pass	AV	6.4362G	86.38	Inf	-Inf	3	Vertical	352	2.50
6435MHz	Pass	PK	5.8722G	58.30	88.20	-29.90	3	Vertical	352	2.50
6435MHz	Pass	PK	6.4326G	97.04	Inf	-Inf	3	Vertical	352	2.50
6435MHz	Pass	AV	5.8962G	47.02	68.20	-21.18	3	Horizontal	183	2.67
6435MHz	Pass	AV	6.441G	77.85	Inf	-Inf	3	Horizontal	183	2.67
6435MHz	Pass	PK	5.9094G	57.71	88.20	-30.49	3	Horizontal	183	2.67
6435MHz	Pass	PK	6.4374G	87.72	Inf	-Inf	3	Horizontal	183	2.67
6435MHz	Pass	AV	12.88296G	43.82	68.20	-24.38	3	Vertical	99	1.75
6435MHz	Pass	PK	12.87852G	55.41	88.20	-32.79	3	Vertical	99	1.75
6435MHz	Pass	AV	12.86217G	43.84	68.20	-24.36	3	Horizontal	285	1.50
6435MHz	Pass	PK	12.8619G	55.31	88.20	-32.89	3	Horizontal	285	1.50
6475MHz	Pass	AV	5.894G	46.96	68.20	-21.24	3	Vertical	350	2.46
6475MHz	Pass	AV	6.482G	86.18	Inf	-Inf	3	Vertical	350	2.46
6475MHz	Pass	AV	7.168G	49.73	68.20	-18.47	3	Vertical	350	2.46
6475MHz	Pass	PK	5.922G	58.09	88.20	-30.11	3	Vertical	350	2.46
6475MHz	Pass	PK	6.4708G	95.70	Inf	-Inf	3	Vertical	350	2.46
6475MHz	Pass	PK	7.1638G	59.96	88.20	-28.24	3	Vertical	350	2.46
6475MHz	Pass	AV	5.887G	46.95	68.20	-21.25	3	Horizontal	182	2.79
6475MHz	Pass	AV	6.4806G	77.98	Inf	-Inf	3	Horizontal	182	2.79
6475MHz	Pass	AV	7.1624G	49.78	68.20	-18.42	3	Horizontal	182	2.79
6475MHz	Pass	PK	5.8912G	58.35	88.20	-29.85	3	Horizontal	182	2.79
6475MHz	Pass	PK	6.4792G	87.94	Inf	-Inf	3	Horizontal	182	2.79
6475MHz	Pass	PK	7.1442G	61.22	88.20	-26.98	3	Horizontal	182	2.79



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	12.95789G	43.96	68.20	-24.24	3	Vertical	195	1.50
6475MHz	Pass	PK	12.94052G	56.16	88.20	-32.04	3	Vertical	195	1.50
6475MHz	Pass	AV	12.93593G	43.95	68.20	-24.25	3	Horizontal	56	1.19
6475MHz	Pass	PK	12.94328G	55.47	88.20	-32.73	3	Horizontal	56	1.19
6515MHz	Pass	AV	5.9074G	47.13	68.20	-21.07	3	Vertical	346	2.60
6515MHz	Pass	AV	6.5178G	86.05	Inf	-Inf	3	Vertical	346	2.60
6515MHz	Pass	AV	7.1674G	49.86	68.20	-18.34	3	Vertical	346	2.60
6515MHz	Pass	PK	5.822G	58.45	88.20	-29.75	3	Vertical	346	2.60
6515MHz	Pass	PK	6.5192G	96.91	Inf	-Inf	3	Vertical	346	2.60
6515MHz	Pass	PK	7.1772G	61.46	88.20	-26.74	3	Vertical	346	2.60
6515MHz	Pass	AV	5.8934G	47.00	68.20	-21.20	3	Horizontal	182	2.93
6515MHz	Pass	AV	6.5192G	77.55	Inf	-Inf	3	Horizontal	182	2.93
6515MHz	Pass	AV	7.1828G	49.81	68.20	-18.39	3	Horizontal	182	2.93
6515MHz	Pass	PK	5.878G	58.50	88.20	-29.70	3	Horizontal	182	2.93
6515MHz	Pass	PK	6.5206G	87.44	Inf	-Inf	3	Horizontal	182	2.93
6515MHz	Pass	PK	7.1814G	61.85	88.20	-26.35	3	Horizontal	182	2.93
6515MHz	Pass	AV	13.03474G	44.13	68.20	-24.07	3	Vertical	225	2.52
6515MHz	Pass	PK	13.03924G	55.57	88.20	-32.63	3	Vertical	225	2.52
6515MHz	Pass	AV	13.02205G	44.17	68.20	-24.03	3	Horizontal	83	1.50
6515MHz	Pass	PK	13.02724G	56.35	88.20	-31.85	3	Horizontal	83	1.50
6535MHz	Pass	AV	5.912G	47.16	68.20	-21.04	3	Vertical	350	2.52
6535MHz	Pass	AV	6.5336G	85.56	Inf	-Inf	3	Vertical	350	2.52
6535MHz	Pass	AV	7.2252G	49.92	68.20	-18.28	3	Vertical	350	2.52
6535MHz	Pass	PK	5.8966G	59.36	88.20	-28.84	3	Vertical	350	2.52
6535MHz	Pass	PK	6.535G	95.20	Inf	-Inf	3	Vertical	350	2.52
6535MHz	Pass	PK	7.1552G	61.21	88.20	-26.99	3	Vertical	350	2.52
6535MHz	Pass	AV	5.9022G	47.01	68.20	-21.19	3	Horizontal	182	2.82
6535MHz	Pass	AV	6.5378G	76.85	Inf	-Inf	3	Horizontal	182	2.82
6535MHz	Pass	AV	7.2126G	49.91	68.20	-18.29	3	Horizontal	182	2.82
6535MHz	Pass	PK	5.9176G	58.91	88.20	-29.29	3	Horizontal	182	2.82
6535MHz	Pass	PK	6.542G	86.99	Inf	-Inf	3	Horizontal	182	2.82
6535MHz	Pass	PK	7.179G	61.84	88.20	-26.36	3	Horizontal	182	2.82
6535MHz	Pass	AV	13.07411G	45.75	68.20	-22.45	3	Vertical	272	1.50
6535MHz	Pass	PK	13.06595G	58.25	88.20	-29.95	3	Vertical	272	1.50
6535MHz	Pass	AV	13.0751G	45.83	68.20	-22.37	3	Horizontal	360	2.26
6535MHz	Pass	PK	13.07072G	58.73	88.20	-29.47	3	Horizontal	360	2.26
6695MHz	Pass	AV	6.692G	88.16	Inf	-Inf	3	Vertical	346	2.25
6695MHz	Pass	AV	7.177G	49.85	68.20	-18.35	3	Vertical	346	2.25
6695MHz	Pass	PK	6.693G	98.41	Inf	-Inf	3	Vertical	346	2.25
6695MHz	Pass	PK	7.145G	61.54	88.20	-26.66	3	Vertical	346	2.25
6695MHz	Pass	AV	6.702G	78.25	Inf	-Inf	3	Horizontal	328	1.03
6695MHz	Pass	AV	7.184G	49.88	68.20	-18.32	3	Horizontal	328	1.03
6695MHz	Pass	PK	6.699G	88.45	Inf	-Inf	3	Horizontal	328	1.03
6695MHz	Pass	PK	7.154G	60.93	88.20	-27.27	3	Horizontal	328	1.03
6695MHz	Pass	AV	13.39024G	45.95	54.00	-8.05	3	Vertical	229	2.67
6695MHz	Pass	PK	13.38877G	58.59	74.00	-15.41	3	Vertical	229	2.67
6695MHz	Pass	AV	13.39063G	45.98	54.00	-8.02	3	Horizontal	187	1.44
6695MHz	Pass	PK	13.39591G	58.40	74.00	-15.60	3	Horizontal	187	1.44
6855MHz	Pass	AV	6.8501G	84.11	Inf	-Inf	3	Vertical	342	2.30
6855MHz	Pass	AV	7.1973G	49.96	68.20	-18.24	3	Vertical	342	2.30
6855MHz	Pass	PK	6.8599G	94.16	Inf	-Inf	3	Vertical	342	2.30
6855MHz	Pass	PK	7.1987G	61.87	88.20	-26.33	3	Vertical	342	2.30
6855MHz	Pass	AV	6.8466G	74.59	Inf	-Inf	3	Horizontal	326	1.09
6855MHz	Pass	AV	7.2043G	49.92	68.20	-18.28	3	Horizontal	326	1.09
6855MHz	Pass	PK	6.8501G	85.94	Inf	-Inf	3	Horizontal	326	1.09
6855MHz	Pass	PK	7.1525G	61.33	88.20	-26.87	3	Horizontal	326	1.09
6855MHz	Pass	AV	13.70784G	46.61	68.20	-21.59	3	Vertical	346	2.42
6855MHz	Pass	PK	13.72356G	58.09	88.20	-30.11	3	Vertical	346	2.42
6855MHz	Pass	AV	13.70706G	46.56	68.20	-21.64	3	Horizontal	144	3.00
6855MHz	Pass	PK	13.7181G	58.45	88.20	-29.75	3	Horizontal	144	3.00
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8694G	83.76	Inf	-Inf	3	Vertical	342	2.53
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2138G	49.94	68.20	-18.26	3	Vertical	342	2.53



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8694G	95.06	Inf	-Inf	3	Vertical	342	2.53
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1452G	60.95	88.20	-27.25	3	Vertical	342	2.53
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8701G	74.00	Inf	-Inf	3	Horizontal	322	1.00
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1809G	49.94	68.20	-18.26	3	Horizontal	322	1.00
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8715G	84.03	Inf	-Inf	3	Horizontal	322	1.00
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1977G	61.67	88.20	-26.53	3	Horizontal	322	1.00
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74895G	46.46	68.20	-21.74	3	Vertical	135	1.28
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75327G	58.48	88.20	-29.72	3	Vertical	135	1.28
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74973G	46.60	68.20	-21.60	3	Horizontal	286	1.94
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75333G	58.43	88.20	-29.77	3	Horizontal	286	1.94
6895MHz	Pass	AV	6.8887G	83.71	Inf	-Inf	3	Vertical	345	2.45
6895MHz	Pass	AV	7.1722G	49.94	68.20	-18.26	3	Vertical	345	2.45
6895MHz	Pass	PK	6.8873G	95.03	Inf	-Inf	3	Vertical	345	2.45
6895MHz	Pass	PK	7.2219G	61.64	88.20	-26.56	3	Vertical	345	2.45
6895MHz	Pass	AV	6.8866G	74.23	Inf	-Inf	3	Horizontal	326	1.01
6895MHz	Pass	AV	7.2359G	49.97	68.20	-18.23	3	Horizontal	326	1.01
6895MHz	Pass	PK	6.8859G	84.27	Inf	-Inf	3	Horizontal	326	1.01
6895MHz	Pass	PK	7.2009G	61.81	88.20	-26.39	3	Horizontal	326	1.01
6895MHz	Pass	AV	13.80047G	46.36	68.20	-21.84	3	Vertical	4	2.67
6895MHz	Pass	PK	13.80305G	58.92	88.20	-29.28	3	Vertical	4	2.67
6895MHz	Pass	AV	13.78832G	46.37	68.20	-21.83	3	Horizontal	285	1.50
6895MHz	Pass	PK	13.79333G	58.31	88.20	-29.89	3	Horizontal	285	1.50
6995MHz	Pass	AV	6.987G	84.61	Inf	-Inf	3	Vertical	343	2.40
6995MHz	Pass	AV	7.217G	50.08	68.20	-18.12	3	Vertical	343	2.40
6995MHz	Pass	PK	6.9905G	95.61	Inf	-Inf	3	Vertical	343	2.40
6995MHz	Pass	PK	7.232G	61.73	88.20	-26.47	3	Vertical	343	2.40
6995MHz	Pass	AV	6.9895G	75.77	Inf	-Inf	3	Horizontal	185	2.63
6995MHz	Pass	AV	7.2215G	50.01	68.20	-18.19	3	Horizontal	185	2.63
6995MHz	Pass	PK	6.9905G	86.54	Inf	-Inf	3	Horizontal	185	2.63
6995MHz	Pass	PK	7.193G	61.56	88.20	-26.64	3	Horizontal	185	2.63
6995MHz	Pass	AV	14.00308G	46.86	68.20	-21.34	3	Vertical	244	1.05
6995MHz	Pass	PK	14.00047G	59.44	88.20	-28.76	3	Vertical	244	1.05
6995MHz	Pass	AV	14.00338G	46.84	68.20	-21.36	3	Horizontal	2	1.50
6995MHz	Pass	PK	13.98169G	59.03	88.20	-29.17	3	Horizontal	2	1.50
7095MHz	Pass	AV	7.1028G	87.12	Inf	-Inf	3	Vertical	345	2.40
7095MHz	Pass	AV	7.2192G	50.06	68.20	-18.14	3	Vertical	345	2.40
7095MHz	Pass	PK	7.0935G	98.79	Inf	-Inf	3	Vertical	345	2.40
7095MHz	Pass	PK	7.2027G	62.20	88.20	-26.00	3	Vertical	345	2.40
7095MHz	Pass	AV	7.1028G	77.15	Inf	-Inf	3	Horizontal	326	1.00
7095MHz	Pass	AV	7.2351G	50.07	68.20	-18.13	3	Horizontal	326	1.00
7095MHz	Pass	PK	7.1004G	88.85	Inf	-Inf	3	Horizontal	326	1.00
7095MHz	Pass	PK	7.2174G	62.04	88.20	-26.16	3	Horizontal	326	1.00
7095MHz	Pass	AV	14.20323G	46.98	68.20	-21.22	3	Vertical	84	3.00
7095MHz	Pass	PK	14.20236G	59.63	88.20	-28.57	3	Vertical	84	3.00
7095MHz	Pass	AV	14.19981G	46.93	68.20	-21.27	3	Horizontal	82	1.38
7095MHz	Pass	PK	14.20026G	59.79	88.20	-28.41	3	Horizontal	82	1.38
7115MHz	Pass	AV	7.1101G	77.24	Inf	-Inf	3	Vertical	348	2.40
7115MHz	Pass	AV	7.125G	66.51	68.20	-1.69	3	Vertical	348	2.40
7115MHz	Pass	PK	7.1099G	89.10	Inf	-Inf	3	Vertical	348	2.40
7115MHz	Pass	PK	7.1251G	77.18	88.20	-11.02	3	Vertical	348	2.40
7115MHz	Pass	AV	7.1097G	67.64	Inf	-Inf	3	Horizontal	324	1.09
7115MHz	Pass	AV	7.125G	56.34	68.20	-11.86	3	Horizontal	324	1.09
7115MHz	Pass	PK	7.1141G	79.31	Inf	-Inf	3	Horizontal	324	1.09
7115MHz	Pass	PK	7.1252G	64.66	88.20	-23.54	3	Horizontal	324	1.09
7115MHz	Pass	AV	14.2074G	46.43	68.20	-21.77	3	Vertical	5	2.27
7115MHz	Pass	PK	14.2039G	57.94	88.20	-30.26	3	Vertical	5	2.27
7115MHz	Pass	AV	14.2224G	46.42	68.20	-21.78	3	Horizontal	6	2.15
7115MHz	Pass	PK	14.1979G	57.47	88.20	-30.73	3	Horizontal	6	2.15
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9002G	47.07	68.20	-21.13	3	Vertical	347	2.46
5965MHz	Pass	AV	5.9491G	87.70	Inf	-Inf	3	Vertical	347	2.46
5965MHz	Pass	PK	5.9017G	59.40	88.20	-28.80	3	Vertical	347	2.46



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9545G	99.09	Inf	-Inf	3	Vertical	347	2.46
5965MHz	Pass	AV	5.9092G	46.90	68.20	-21.30	3	Horizontal	177	2.41
5965MHz	Pass	AV	5.9494G	80.05	Inf	-Inf	3	Horizontal	177	2.41
5965MHz	Pass	PK	5.8468G	58.96	88.20	-29.24	3	Horizontal	177	2.41
5965MHz	Pass	PK	5.9545G	91.46	Inf	-Inf	3	Horizontal	177	2.41
5965MHz	Pass	AV	11.92532G	43.59	54.00	-10.41	3	Vertical	163	1.50
5965MHz	Pass	PK	11.95748G	55.89	74.00	-18.11	3	Vertical	163	1.50
5965MHz	Pass	AV	11.92748G	43.59	54.00	-10.41	3	Horizontal	0	1.34
5965MHz	Pass	PK	11.9402G	55.77	74.00	-18.23	3	Horizontal	0	1.34
6165MHz	Pass	AV	5.8866G	46.78	68.20	-21.42	3	Vertical	349	2.66
6165MHz	Pass	AV	6.1812G	87.14	Inf	-Inf	3	Vertical	349	2.66
6165MHz	Pass	PK	5.9172G	58.03	88.20	-30.17	3	Vertical	349	2.66
6165MHz	Pass	PK	6.171G	98.32	Inf	-Inf	3	Vertical	349	2.66
6165MHz	Pass	AV	5.8956G	46.69	68.20	-21.51	3	Horizontal	200	3.00
6165MHz	Pass	AV	6.18G	79.99	Inf	-Inf	3	Horizontal	200	3.00
6165MHz	Pass	PK	5.9244G	58.36	88.20	-29.84	3	Horizontal	200	3.00
6165MHz	Pass	PK	6.1812G	91.01	Inf	-Inf	3	Horizontal	200	3.00
6165MHz	Pass	AV	12.3135G	42.69	54.00	-11.31	3	Vertical	0	2.56
6165MHz	Pass	PK	12.3246G	55.67	74.00	-18.33	3	Vertical	0	2.56
6165MHz	Pass	AV	12.30084G	42.67	54.00	-11.33	3	Horizontal	348	1.50
6165MHz	Pass	PK	12.321G	55.61	74.00	-18.39	3	Horizontal	348	1.50
6405MHz	Pass	AV	5.895G	46.70	68.20	-21.50	3	Vertical	352	2.50
6405MHz	Pass	AV	6.3918G	86.64	Inf	-Inf	3	Vertical	352	2.50
6405MHz	Pass	PK	5.9022G	58.51	88.20	-29.69	3	Vertical	352	2.50
6405MHz	Pass	PK	6.3894G	97.03	Inf	-Inf	3	Vertical	352	2.50
6405MHz	Pass	AV	5.9046G	46.71	68.20	-21.49	3	Horizontal	329	1.09
6405MHz	Pass	AV	6.3894G	76.57	Inf	-Inf	3	Horizontal	329	1.09
6405MHz	Pass	PK	5.8734G	58.48	88.20	-29.72	3	Horizontal	329	1.09
6405MHz	Pass	PK	6.3966G	87.01	Inf	-Inf	3	Horizontal	329	1.09
6405MHz	Pass	AV	12.81876G	43.77	68.20	-24.43	3	Vertical	360	2.00
6405MHz	Pass	PK	12.80496G	55.95	88.20	-32.25	3	Vertical	360	2.00
6405MHz	Pass	AV	12.82626G	43.77	68.20	-24.43	3	Horizontal	28	1.50
6405MHz	Pass	PK	12.79722G	55.62	88.20	-32.58	3	Horizontal	28	1.50
6445MHz	Pass	AV	5.8942G	46.81	68.20	-21.39	3	Vertical	346	2.36
6445MHz	Pass	AV	6.4354G	86.42	Inf	-Inf	3	Vertical	346	2.36
6445MHz	Pass	PK	5.8762G	58.06	88.20	-30.14	3	Vertical	346	2.36
6445MHz	Pass	PK	6.4342G	97.04	Inf	-Inf	3	Vertical	346	2.36
6445MHz	Pass	AV	5.8978G	46.82	68.20	-21.38	3	Horizontal	182	2.78
6445MHz	Pass	AV	6.4318G	77.76	Inf	-Inf	3	Horizontal	182	2.78
6445MHz	Pass	PK	5.8822G	59.21	88.20	-28.99	3	Horizontal	182	2.78
6445MHz	Pass	PK	6.439G	87.85	Inf	-Inf	3	Horizontal	182	2.78
6445MHz	Pass	AV	12.91874G	43.93	68.20	-24.27	3	Vertical	331	2.43
6445MHz	Pass	PK	12.91772G	55.92	88.20	-32.28	3	Vertical	331	2.43
6445MHz	Pass	AV	12.8891G	43.99	68.20	-24.21	3	Horizontal	354	2.54
6445MHz	Pass	PK	12.86828G	55.62	88.20	-32.58	3	Horizontal	354	2.54
6485MHz	Pass	AV	5.883G	46.82	68.20	-21.38	3	Vertical	348	2.56
6485MHz	Pass	AV	6.492G	86.38	Inf	-Inf	3	Vertical	348	2.56
6485MHz	Pass	AV	7.157G	49.62	68.20	-18.58	3	Vertical	348	2.56
6485MHz	Pass	PK	5.8256G	58.83	88.20	-29.37	3	Vertical	348	2.56
6485MHz	Pass	PK	6.4766G	96.48	Inf	-Inf	3	Vertical	348	2.56
6485MHz	Pass	PK	7.1822G	60.70	88.20	-27.50	3	Vertical	348	2.56
6485MHz	Pass	AV	5.8844G	46.73	68.20	-21.47	3	Horizontal	188	3.00
6485MHz	Pass	AV	6.4752G	77.81	Inf	-Inf	3	Horizontal	188	3.00
6485MHz	Pass	AV	7.1766G	49.58	68.20	-18.62	3	Horizontal	188	3.00
6485MHz	Pass	PK	5.8802G	58.20	88.20	-30.00	3	Horizontal	188	3.00
6485MHz	Pass	PK	6.478G	88.06	Inf	-Inf	3	Horizontal	188	3.00
6485MHz	Pass	PK	7.164G	60.50	88.20	-27.70	3	Horizontal	188	3.00
6485MHz	Pass	AV	12.99958G	43.97	68.20	-24.23	3	Vertical	213	2.90
6485MHz	Pass	PK	12.97348G	55.83	88.20	-32.37	3	Vertical	213	2.90
6485MHz	Pass	AV	12.9637G	43.95	68.20	-24.25	3	Horizontal	309	1.90
6485MHz	Pass	PK	12.976G	55.68	88.20	-32.52	3	Horizontal	309	1.90
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8894G	46.72	68.20	-21.48	3	Vertical	347	2.42



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5376G	85.65	Inf	-Inf	3	Vertical	347	2.42
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2068G	49.61	68.20	-18.59	3	Vertical	347	2.42
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8334G	58.09	88.20	-30.11	3	Vertical	347	2.42
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5348G	96.34	Inf	-Inf	3	Vertical	347	2.42
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.2222G	60.86	88.20	-27.34	3	Vertical	347	2.42
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8978G	46.71	68.20	-21.49	3	Horizontal	327	1.05
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5334G	75.84	Inf	-Inf	3	Horizontal	327	1.05
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1578G	49.59	68.20	-18.61	3	Horizontal	327	1.05
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9132G	58.78	88.20	-29.42	3	Horizontal	327	1.05
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5264G	85.44	Inf	-Inf	3	Horizontal	327	1.05
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1452G	60.96	88.20	-27.24	3	Horizontal	327	1.05
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06404G	43.80	68.20	-24.40	3	Vertical	323	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.0614G	56.04	88.20	-32.16	3	Vertical	323	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.07046G	43.80	68.20	-24.40	3	Horizontal	166	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.0371G	56.29	88.20	-31.91	3	Horizontal	166	1.50
6565MHz	Pass	AV	6.577G	86.42	Inf	-Inf	3	Vertical	348	2.51
6565MHz	Pass	AV	7.1506G	49.51	68.20	-18.69	3	Vertical	348	2.51
6565MHz	Pass	PK	6.553G	96.67	Inf	-Inf	3	Vertical	348	2.51
6565MHz	Pass	PK	7.1494G	60.52	88.20	-27.68	3	Vertical	348	2.51
6565MHz	Pass	AV	6.5614G	76.15	Inf	-Inf	3	Horizontal	325	1.04
6565MHz	Pass	AV	7.1638G	49.62	68.20	-18.58	3	Horizontal	325	1.04
6565MHz	Pass	PK	6.5578G	86.20	Inf	-Inf	3	Horizontal	325	1.04
6565MHz	Pass	PK	7.1362G	60.84	88.20	-27.36	3	Horizontal	325	1.04
6565MHz	Pass	AV	13.11416G	44.23	68.20	-23.97	3	Vertical	198	1.50
6565MHz	Pass	PK	13.12658G	56.09	88.20	-32.11	3	Vertical	198	1.50
6565MHz	Pass	AV	13.10924G	44.31	68.20	-23.89	3	Horizontal	15	2.56
6565MHz	Pass	PK	13.1483G	56.42	88.20	-31.78	3	Horizontal	15	2.56
6685MHz	Pass	AV	6.676G	88.42	Inf	-Inf	3	Vertical	345	2.43
6685MHz	Pass	AV	7.172G	49.63	68.20	-18.57	3	Vertical	345	2.43
6685MHz	Pass	PK	6.674G	99.23	Inf	-Inf	3	Vertical	345	2.43
6685MHz	Pass	PK	7.164G	61.25	88.20	-26.95	3	Vertical	345	2.43
6685MHz	Pass	AV	6.676G	78.86	Inf	-Inf	3	Horizontal	325	1.12
6685MHz	Pass	AV	7.176G	49.61	68.20	-18.59	3	Horizontal	325	1.12
6685MHz	Pass	PK	6.671G	89.02	Inf	-Inf	3	Horizontal	325	1.12
6685MHz	Pass	PK	7.158G	62.11	88.20	-26.09	3	Horizontal	325	1.12
6685MHz	Pass	AV	13.39256G	44.35	54.00	-9.65	3	Vertical	28	2.17
6685MHz	Pass	PK	13.37324G	56.62	74.00	-17.38	3	Vertical	28	2.17
6685MHz	Pass	AV	13.37972G	44.27	54.00	-9.73	3	Horizontal	339	1.50
6685MHz	Pass	PK	13.35152G	56.08	74.00	-17.92	3	Horizontal	339	1.50
6845MHz	Pass	AV	6.8408G	84.40	Inf	-Inf	3	Vertical	345	2.50
6845MHz	Pass	AV	7.1733G	49.59	68.20	-18.61	3	Vertical	345	2.50
6845MHz	Pass	PK	6.8303G	95.74	Inf	-Inf	3	Vertical	345	2.50
6845MHz	Pass	PK	7.174G	61.09	88.20	-27.11	3	Vertical	345	2.50
6845MHz	Pass	AV	6.8394G	74.74	Inf	-Inf	3	Horizontal	323	1.00
6845MHz	Pass	AV	7.1747G	49.59	68.20	-18.61	3	Horizontal	323	1.00
6845MHz	Pass	PK	6.8373G	85.29	Inf	-Inf	3	Horizontal	323	1.00
6845MHz	Pass	PK	7.1565G	60.78	88.20	-27.42	3	Horizontal	323	1.00
6845MHz	Pass	AV	13.67116G	45.16	68.20	-23.04	3	Vertical	232	1.77
6845MHz	Pass	PK	13.69492G	56.89	88.20	-31.31	3	Vertical	232	1.77
6845MHz	Pass	AV	13.6702G	45.16	68.20	-23.04	3	Horizontal	176	1.50
6845MHz	Pass	PK	13.7044G	56.90	88.20	-31.30	3	Horizontal	176	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8766G	83.84	Inf	-Inf	3	Vertical	343	2.53
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.165G	49.66	68.20	-18.54	3	Vertical	343	2.53
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8787G	95.53	Inf	-Inf	3	Vertical	343	2.53
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2308G	61.15	88.20	-27.05	3	Vertical	343	2.53
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8836G	74.30	Inf	-Inf	3	Horizontal	323	1.09
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1909G	49.62	68.20	-18.58	3	Horizontal	323	1.09
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8927G	85.22	Inf	-Inf	3	Horizontal	323	1.09
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1405G	60.82	88.20	-27.38	3	Horizontal	323	1.09
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.75074G	45.00	68.20	-23.20	3	Vertical	360	1.18
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.75614G	56.41	88.20	-31.79	3	Vertical	360	1.18
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.74648G	45.04	68.20	-23.16	3	Horizontal	203	2.55



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76268G	56.61	88.20	-31.59	3	Horizontal	203	2.55
6925MHz	Pass	AV	6.9376G	84.00	Inf	-Inf	3	Vertical	346	2.42
6925MHz	Pass	AV	7.222G	49.64	68.20	-18.56	3	Vertical	346	2.42
6925MHz	Pass	PK	6.9292G	95.36	Inf	-Inf	3	Vertical	346	2.42
6925MHz	Pass	PK	7.141G	61.29	88.20	-26.91	3	Vertical	346	2.42
6925MHz	Pass	AV	6.916G	74.42	Inf	-Inf	3	Horizontal	325	1.00
6925MHz	Pass	AV	7.1512G	49.68	68.20	-18.52	3	Horizontal	325	1.00
6925MHz	Pass	PK	6.9178G	85.80	Inf	-Inf	3	Horizontal	325	1.00
6925MHz	Pass	PK	7.1428G	61.71	88.20	-26.49	3	Horizontal	325	1.00
6925MHz	Pass	AV	13.83968G	44.99	68.20	-23.21	3	Vertical	0	1.50
6925MHz	Pass	PK	13.85816G	56.69	88.20	-31.51	3	Vertical	0	1.50
6925MHz	Pass	AV	13.8203G	45.04	68.20	-23.16	3	Horizontal	229	1.50
6925MHz	Pass	PK	13.82486G	56.76	88.20	-31.44	3	Horizontal	229	1.50
7005MHz	Pass	AV	7.0215G	85.26	Inf	-Inf	3	Vertical	343	2.36
7005MHz	Pass	AV	7.155G	49.69	68.20	-18.51	3	Vertical	343	2.36
7005MHz	Pass	PK	7.0206G	96.36	Inf	-Inf	3	Vertical	343	2.36
7005MHz	Pass	PK	7.1388G	61.24	88.20	-26.96	3	Vertical	343	2.36
7005MHz	Pass	AV	7.014G	75.97	Inf	-Inf	3	Horizontal	323	1.04
7005MHz	Pass	AV	7.1511G	49.58	68.20	-18.62	3	Horizontal	323	1.04
7005MHz	Pass	PK	7.0122G	88.27	Inf	-Inf	3	Horizontal	323	1.04
7005MHz	Pass	PK	7.1475G	61.02	88.20	-27.18	3	Horizontal	323	1.04
7005MHz	Pass	AV	14.03538G	45.45	68.20	-22.75	3	Vertical	101	1.50
7005MHz	Pass	PK	13.98474G	57.10	88.20	-31.10	3	Vertical	101	1.50
7005MHz	Pass	AV	14.03562G	45.46	68.20	-22.74	3	Horizontal	339	1.50
7005MHz	Pass	PK	14.0007G	56.77	88.20	-31.43	3	Horizontal	339	1.50
7085MHz	Pass	AV	7.0976G	87.95	Inf	-Inf	3	Vertical	347	2.41
7085MHz	Pass	AV	7.2323G	50.11	68.20	-18.09	3	Vertical	347	2.41
7085MHz	Pass	PK	7.1012G	99.88	Inf	-Inf	3	Vertical	347	2.41
7085MHz	Pass	PK	7.2008G	62.03	88.20	-26.17	3	Vertical	347	2.41
7085MHz	Pass	AV	7.1027G	77.88	Inf	-Inf	3	Horizontal	322	1.01
7085MHz	Pass	AV	7.2311G	50.15	68.20	-18.05	3	Horizontal	322	1.01
7085MHz	Pass	PK	7.0997G	89.43	Inf	-Inf	3	Horizontal	322	1.01
7085MHz	Pass	PK	7.2131G	61.82	88.20	-26.38	3	Horizontal	322	1.01
7085MHz	Pass	AV	14.16862G	47.15	68.20	-21.05	3	Vertical	347	2.30
7085MHz	Pass	PK	14.15542G	59.45	88.20	-28.75	3	Vertical	347	2.30
7085MHz	Pass	AV	14.1415G	46.65	68.20	-21.55	3	Horizontal	34	1.50
7085MHz	Pass	PK	14.14G	58.99	88.20	-29.21	3	Horizontal	34	1.50
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.909G	47.19	68.20	-21.01	3	Vertical	340	2.44
5985MHz	Pass	AV	5.972G	86.84	Inf	-Inf	3	Vertical	340	2.44
5985MHz	Pass	PK	5.8125G	59.15	88.20	-29.05	3	Vertical	340	2.44
5985MHz	Pass	PK	5.9745G	98.88	Inf	-Inf	3	Vertical	340	2.44
5985MHz	Pass	AV	5.9005G	46.98	68.20	-21.22	3	Horizontal	177	2.59
5985MHz	Pass	AV	5.9715G	79.69	Inf	-Inf	3	Horizontal	177	2.59
5985MHz	Pass	PK	5.823G	59.15	88.20	-29.05	3	Horizontal	177	2.59
5985MHz	Pass	PK	5.966G	91.62	Inf	-Inf	3	Horizontal	177	2.59
5985MHz	Pass	AV	12.02832G	43.10	54.00	-10.90	3	Vertical	88	1.15
5985MHz	Pass	PK	11.99076G	55.42	74.00	-18.58	3	Vertical	88	1.15
5985MHz	Pass	AV	12.02832G	43.13	54.00	-10.87	3	Horizontal	177	1.34
5985MHz	Pass	PK	11.99376G	55.11	74.00	-18.89	3	Horizontal	177	1.34
6145MHz	Pass	AV	5.9092G	46.70	68.20	-21.50	3	Vertical	344	2.50
6145MHz	Pass	AV	6.1606G	86.83	Inf	-Inf	3	Vertical	344	2.50
6145MHz	Pass	PK	5.8576G	58.48	88.20	-29.72	3	Vertical	344	2.50
6145MHz	Pass	PK	6.1624G	98.03	Inf	-Inf	3	Vertical	344	2.50
6145MHz	Pass	AV	5.9008G	46.80	68.20	-21.40	3	Horizontal	181	3.00
6145MHz	Pass	AV	6.1516G	79.40	Inf	-Inf	3	Horizontal	181	3.00
6145MHz	Pass	PK	5.8978G	58.34	88.20	-29.86	3	Horizontal	181	3.00
6145MHz	Pass	PK	6.127G	90.87	Inf	-Inf	3	Horizontal	181	3.00
6145MHz	Pass	AV	12.2558G	44.12	54.00	-9.88	3	Vertical	270	1.50
6145MHz	Pass	PK	12.27932G	56.29	74.00	-17.71	3	Vertical	270	1.50
6145MHz	Pass	AV	12.27044G	44.13	54.00	-9.87	3	Horizontal	312	1.17
6145MHz	Pass	PK	12.3368G	55.70	74.00	-18.30	3	Horizontal	312	1.17



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6385MHz	Pass	AV	5.9098G	46.66	68.20	-21.54	3	Vertical	348	2.47
6385MHz	Pass	AV	6.3622G	86.81	Inf	-Inf	3	Vertical	348	2.47
6385MHz	Pass	PK	5.8486G	58.25	88.20	-29.95	3	Vertical	348	2.47
6385MHz	Pass	PK	6.373G	97.85	Inf	-Inf	3	Vertical	348	2.47
6385MHz	Pass	AV	5.911G	46.62	68.20	-21.58	3	Horizontal	180	2.94
6385MHz	Pass	AV	6.3598G	78.63	Inf	-Inf	3	Horizontal	180	2.94
6385MHz	Pass	PK	5.8966G	58.57	88.20	-29.63	3	Horizontal	180	2.94
6385MHz	Pass	PK	6.3778G	88.97	Inf	-Inf	3	Horizontal	180	2.94
6385MHz	Pass	AV	12.79208G	44.67	68.20	-23.53	3	Vertical	360	1.50
6385MHz	Pass	PK	12.76532G	56.25	88.20	-31.95	3	Vertical	360	1.50
6385MHz	Pass	AV	12.79352G	44.62	68.20	-23.58	3	Horizontal	276	1.50
6385MHz	Pass	PK	12.80104G	56.87	88.20	-31.33	3	Horizontal	276	1.50
6465MHz	Pass	AV	5.8742G	46.75	68.20	-21.45	3	Vertical	349	2.42
6465MHz	Pass	AV	6.4538G	85.48	Inf	-Inf	3	Vertical	349	2.42
6465MHz	Pass	AV	7.1538G	49.50	68.20	-18.70	3	Vertical	349	2.42
6465MHz	Pass	PK	5.7832G	58.56	88.20	-29.64	3	Vertical	349	2.42
6465MHz	Pass	PK	6.4608G	95.93	Inf	-Inf	3	Vertical	349	2.42
6465MHz	Pass	PK	7.1594G	61.20	88.20	-27.00	3	Vertical	349	2.42
6465MHz	Pass	AV	5.884G	46.67	68.20	-21.53	3	Horizontal	189	2.98
6465MHz	Pass	AV	6.4776G	76.87	Inf	-Inf	3	Horizontal	189	2.98
6465MHz	Pass	AV	7.165G	49.47	68.20	-18.73	3	Horizontal	189	2.98
6465MHz	Pass	PK	5.8294G	58.42	88.20	-29.78	3	Horizontal	189	2.98
6465MHz	Pass	PK	6.472G	87.13	Inf	-Inf	3	Horizontal	189	2.98
6465MHz	Pass	PK	7.144G	60.50	88.20	-27.70	3	Horizontal	189	2.98
6465MHz	Pass	AV	12.95496G	44.77	68.20	-23.43	3	Vertical	294	1.50
6465MHz	Pass	PK	12.9368G	57.23	88.20	-30.97	3	Vertical	294	1.50
6465MHz	Pass	AV	12.92528G	44.80	68.20	-23.40	3	Horizontal	64	2.58
6465MHz	Pass	PK	12.90908G	56.72	88.20	-31.48	3	Horizontal	64	2.58
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9234G	46.67	68.20	-21.53	3	Vertical	350	2.63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.552G	85.53	Inf	-Inf	3	Vertical	350	2.63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1652G	49.53	68.20	-18.67	3	Vertical	350	2.63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8632G	58.44	88.20	-29.76	3	Vertical	350	2.63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5254G	96.06	Inf	-Inf	3	Vertical	350	2.63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1694G	60.90	88.20	-27.30	3	Vertical	350	2.63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.88G	46.66	68.20	-21.54	3	Horizontal	329	1.02
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5604G	75.51	Inf	-Inf	3	Horizontal	329	1.02
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2352G	49.61	68.20	-18.59	3	Horizontal	329	1.02
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.9108G	58.85	88.20	-29.35	3	Horizontal	329	1.02
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5562G	86.76	Inf	-Inf	3	Horizontal	329	1.02
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2184G	61.30	88.20	-26.90	3	Horizontal	329	1.02
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.13356G	45.14	68.20	-23.06	3	Vertical	63	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.12324G	57.40	88.20	-30.80	3	Vertical	63	3.00
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.12336G	45.18	68.20	-23.02	3	Horizontal	128	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.14244G	57.40	88.20	-30.80	3	Horizontal	128	1.50
6625MHz	Pass	AV	6.6478G	87.63	Inf	-Inf	3	Vertical	344	2.34
6625MHz	Pass	AV	7.1626G	49.53	68.20	-18.67	3	Vertical	344	2.34
6625MHz	Pass	PK	6.6382G	98.15	Inf	-Inf	3	Vertical	344	2.34
6625MHz	Pass	PK	7.1686G	61.30	88.20	-26.90	3	Vertical	344	2.34
6625MHz	Pass	AV	6.649G	78.27	Inf	-Inf	3	Horizontal	327	1.06
6625MHz	Pass	AV	7.1662G	49.54	68.20	-18.66	3	Horizontal	327	1.06
6625MHz	Pass	PK	6.6478G	88.34	Inf	-Inf	3	Horizontal	327	1.06
6625MHz	Pass	PK	7.1602G	60.50	88.20	-27.70	3	Horizontal	327	1.06
6625MHz	Pass	AV	13.22288G	44.95	68.20	-23.25	3	Vertical	132	1.50
6625MHz	Pass	PK	13.2236G	57.62	88.20	-30.58	3	Vertical	132	1.50
6625MHz	Pass	AV	13.2254G	44.98	68.20	-23.22	3	Horizontal	307	1.50
6625MHz	Pass	PK	13.2376G	57.88	88.20	-30.32	3	Horizontal	307	1.50
6705MHz	Pass	AV	6.683G	88.48	Inf	-Inf	3	Vertical	344	2.44
6705MHz	Pass	AV	7.169G	49.56	68.20	-18.64	3	Vertical	344	2.44
6705MHz	Pass	PK	6.691G	99.22	Inf	-Inf	3	Vertical	344	2.44
6705MHz	Pass	PK	7.185G	60.82	88.20	-27.38	3	Vertical	344	2.44
6705MHz	Pass	AV	6.687G	79.02	Inf	-Inf	3	Horizontal	326	1.07
6705MHz	Pass	AV	7.158G	49.59	68.20	-18.61	3	Horizontal	326	1.07



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6705MHz	Pass	PK	6.692G	89.78	Inf	-Inf	3	Horizontal	326	1.07
6705MHz	Pass	PK	7.201G	61.33	88.20	-26.87	3	Horizontal	326	1.07
6705MHz	Pass	AV	13.46292G	45.41	68.20	-22.79	3	Vertical	330	1.50
6705MHz	Pass	PK	13.4652G	57.44	88.20	-30.76	3	Vertical	330	1.50
6705MHz	Pass	AV	13.45772G	45.42	68.20	-22.78	3	Horizontal	201	1.16
6705MHz	Pass	PK	13.44692G	57.25	88.20	-30.95	3	Horizontal	201	1.16
6785MHz	Pass	AV	6.7598G	86.00	Inf	-Inf	3	Vertical	347	2.64
6785MHz	Pass	AV	7.135G	49.19	68.20	-19.01	3	Vertical	347	2.64
6785MHz	Pass	PK	6.7598G	97.69	Inf	-Inf	3	Vertical	347	2.64
6785MHz	Pass	PK	7.1294G	59.92	88.20	-28.28	3	Vertical	347	2.64
6785MHz	Pass	AV	6.7717G	76.71	Inf	-Inf	3	Horizontal	326	1.00
6785MHz	Pass	AV	7.1336G	49.22	68.20	-18.98	3	Horizontal	326	1.00
6785MHz	Pass	PK	6.7731G	87.88	Inf	-Inf	3	Horizontal	326	1.00
6785MHz	Pass	PK	7.1273G	61.62	88.20	-26.58	3	Horizontal	326	1.00
6785MHz	Pass	AV	13.59904G	46.40	68.20	-21.80	3	Vertical	162	1.50
6785MHz	Pass	PK	13.58632G	58.45	88.20	-29.75	3	Vertical	162	1.50
6785MHz	Pass	AV	13.59124G	46.43	68.20	-21.77	3	Horizontal	33	1.50
6785MHz	Pass	PK	13.62412G	58.06	88.20	-30.14	3	Horizontal	33	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8426G	84.00	Inf	-Inf	3	Vertical	346	2.52
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1695G	49.62	68.20	-18.58	3	Vertical	346	2.52
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8545G	95.13	Inf	-Inf	3	Vertical	346	2.52
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1485G	60.89	88.20	-27.31	3	Vertical	346	2.52
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8601G	74.40	Inf	-Inf	3	Horizontal	323	1.12
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1639G	49.68	68.20	-18.52	3	Horizontal	323	1.12
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8671G	85.32	Inf	-Inf	3	Horizontal	323	1.12
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1702G	61.13	88.20	-27.07	3	Horizontal	323	1.12
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.67204G	46.08	68.20	-22.12	3	Vertical	114	2.05
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.68068G	58.09	88.20	-30.11	3	Vertical	114	2.05
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.68944G	46.06	68.20	-22.14	3	Horizontal	305	2.77
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.69236G	58.25	88.20	-29.95	3	Horizontal	305	2.77
6945MHz	Pass	AV	6.9492G	85.65	Inf	-Inf	3	Vertical	346	2.32
6945MHz	Pass	AV	7.1628G	50.88	68.20	-17.32	3	Vertical	346	2.32
6945MHz	Pass	PK	6.9552G	97.39	Inf	-Inf	3	Vertical	346	2.32
6945MHz	Pass	PK	7.1694G	62.90	88.20	-25.30	3	Vertical	346	2.32
6945MHz	Pass	AV	6.9468G	76.59	Inf	-Inf	3	Horizontal	325	1.00
6945MHz	Pass	AV	7.2342G	50.87	68.20	-17.33	3	Horizontal	325	1.00
6945MHz	Pass	PK	6.9486G	88.22	Inf	-Inf	3	Horizontal	325	1.00
6945MHz	Pass	PK	7.2258G	62.93	88.20	-25.27	3	Horizontal	325	1.00
6945MHz	Pass	AV	13.92516G	46.10	68.20	-22.10	3	Vertical	360.1	1.50
6945MHz	Pass	PK	13.87668G	58.47	88.20	-29.73	3	Vertical	360.1	1.50
6945MHz	Pass	AV	13.93668G	46.14	68.20	-22.06	3	Horizontal	260	1.47
6945MHz	Pass	PK	13.89072G	57.59	88.20	-30.61	3	Horizontal	260	1.47
7025MHz	Pass	AV	7.0496G	86.99	Inf	-Inf	3	Vertical	345	2.34
7025MHz	Pass	AV	7.1726G	50.05	68.20	-18.15	3	Vertical	345	2.34
7025MHz	Pass	PK	7.0475G	98.96	Inf	-Inf	3	Vertical	345	2.34
7025MHz	Pass	PK	7.1258G	61.80	88.20	-26.40	3	Vertical	345	2.34
7025MHz	Pass	AV	7.0364G	76.50	Inf	-Inf	3	Horizontal	328	1.01
7025MHz	Pass	AV	7.1501G	49.87	68.20	-18.33	3	Horizontal	328	1.01
7025MHz	Pass	PK	7.0319G	87.78	Inf	-Inf	3	Horizontal	328	1.01
7025MHz	Pass	PK	7.157G	61.86	88.20	-26.34	3	Horizontal	328	1.01
7025MHz	Pass	AV	14.11G	47.79	68.20	-20.41	3	Vertical	81	1.50
7025MHz	Pass	PK	14.06872G	60.04	88.20	-28.16	3	Vertical	81	1.50
7025MHz	Pass	AV	14.10304G	47.77	68.20	-20.43	3	Horizontal	1	1.50
7025MHz	Pass	PK	13.99096G	59.58	88.20	-28.62	3	Horizontal	1	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.908G	49.42	68.20	-18.78	3	Vertical	346	2.43
6025MHz	Pass	AV	5.973G	87.64	Inf	-Inf	3	Vertical	346	2.43
6025MHz	Pass	PK	5.8525G	61.96	88.20	-26.24	3	Vertical	346	2.43
6025MHz	Pass	PK	5.9795G	99.76	Inf	-Inf	3	Vertical	346	2.43
6025MHz	Pass	AV	5.9005G	48.49	68.20	-19.71	3	Horizontal	182	2.94
6025MHz	Pass	AV	5.9725G	79.98	Inf	-Inf	3	Horizontal	182	2.94
6025MHz	Pass	PK	5.9G	60.23	88.20	-27.97	3	Horizontal	182	2.94



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	PK	6.003G	91.55	Inf	-Inf	3	Horizontal	182	2.94
6025MHz	Pass	AV	12.04964G	45.17	54.00	-8.83	3	Vertical	327	2.78
6025MHz	Pass	PK	12.05483G	55.39	74.00	-18.61	3	Vertical	327	2.78
6025MHz	Pass	AV	12.04689G	45.18	54.00	-8.82	3	Horizontal	147	1.51
6025MHz	Pass	PK	12.05331G	55.59	74.00	-18.41	3	Horizontal	147	1.51
6185MHz	Pass	AV	5.889G	48.19	68.20	-20.01	3	Vertical	352	2.36
6185MHz	Pass	AV	6.2218G	89.50	Inf	-Inf	3	Vertical	352	2.36
6185MHz	Pass	PK	5.8786G	59.49	88.20	-28.71	3	Vertical	352	2.36
6185MHz	Pass	PK	6.2338G	101.24	Inf	-Inf	3	Vertical	352	2.36
6185MHz	Pass	AV	5.8962G	48.10	68.20	-20.10	3	Horizontal	199	3.00
6185MHz	Pass	AV	6.2194G	81.68	Inf	-Inf	3	Horizontal	199	3.00
6185MHz	Pass	PK	5.925G	59.70	88.20	-28.50	3	Horizontal	199	3.00
6185MHz	Pass	PK	6.2362G	93.42	Inf	-Inf	3	Horizontal	199	3.00
6185MHz	Pass	AV	12.3701G	45.56	54.00	-8.44	3	Vertical	93	1.86
6185MHz	Pass	PK	12.37486G	56.47	74.00	-17.53	3	Vertical	93	1.86
6185MHz	Pass	AV	12.36778G	45.58	54.00	-8.42	3	Horizontal	68	2.44
6185MHz	Pass	PK	12.37033G	56.27	74.00	-17.73	3	Horizontal	68	2.44
6345MHz	Pass	AV	5.9046G	48.00	68.20	-20.20	3	Vertical	355	2.47
6345MHz	Pass	AV	6.2946G	89.64	Inf	-Inf	3	Vertical	355	2.47
6345MHz	Pass	PK	5.9178G	59.20	88.20	-29.00	3	Vertical	355	2.47
6345MHz	Pass	PK	6.3162G	100.06	Inf	-Inf	3	Vertical	355	2.47
6345MHz	Pass	AV	5.8878G	48.02	68.20	-20.18	3	Horizontal	187	3.00
6345MHz	Pass	AV	6.2946G	81.94	Inf	-Inf	3	Horizontal	187	3.00
6345MHz	Pass	PK	5.8602G	59.90	88.20	-28.30	3	Horizontal	187	3.00
6345MHz	Pass	PK	6.2982G	93.08	Inf	-Inf	3	Horizontal	187	3.00
6345MHz	Pass	AV	12.68596G	46.10	54.00	-7.90	3	Vertical	313	1.67
6345MHz	Pass	PK	12.68985G	56.40	74.00	-17.60	3	Vertical	313	1.67
6345MHz	Pass	AV	12.68751G	46.01	54.00	-7.99	3	Horizontal	77	2.34
6345MHz	Pass	PK	12.68747G	56.65	74.00	-17.35	3	Horizontal	77	2.34
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.903G	48.09	68.20	-20.11	3	Vertical	352	2.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5456G	87.66	Inf	-Inf	3	Vertical	352	2.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.205G	50.84	68.20	-17.36	3	Vertical	352	2.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8498G	59.37	88.20	-28.83	3	Vertical	352	2.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4672G	98.74	Inf	-Inf	3	Vertical	352	2.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.184G	62.18	88.20	-26.02	3	Vertical	352	2.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8988G	48.12	68.20	-20.08	3	Horizontal	330	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.463G	78.47	Inf	-Inf	3	Horizontal	330	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.2022G	50.86	68.20	-17.34	3	Horizontal	330	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8498G	59.49	88.20	-28.71	3	Horizontal	330	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.512G	88.90	Inf	-Inf	3	Horizontal	330	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1644G	62.24	88.20	-25.96	3	Horizontal	330	1.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01036G	46.66	68.20	-21.54	3	Vertical	260	1.99
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00611G	56.96	88.20	-31.24	3	Vertical	260	1.99
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01138G	46.62	68.20	-21.58	3	Horizontal	37	1.57
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01212G	56.83	88.20	-31.37	3	Horizontal	37	1.57
6665MHz	Pass	AV	6.6672G	89.88	Inf	-Inf	3	Vertical	346	2.39
6665MHz	Pass	AV	7.1457G	50.91	68.20	-17.29	3	Vertical	346	2.39
6665MHz	Pass	PK	6.7134G	100.66	Inf	-Inf	3	Vertical	346	2.39
6665MHz	Pass	PK	7.1402G	61.86	88.20	-26.34	3	Vertical	346	2.39
6665MHz	Pass	AV	6.6727G	81.20	Inf	-Inf	3	Horizontal	330	1.05
6665MHz	Pass	AV	7.2007G	50.84	68.20	-17.36	3	Horizontal	330	1.05
6665MHz	Pass	PK	6.6804G	91.92	Inf	-Inf	3	Horizontal	330	1.05
6665MHz	Pass	PK	7.149G	62.56	88.20	-25.64	3	Horizontal	330	1.05
6665MHz	Pass	AV	13.32578G	46.61	54.00	-7.39	3	Vertical	77	1.35
6665MHz	Pass	PK	13.33001G	57.46	74.00	-16.54	3	Vertical	77	1.35
6665MHz	Pass	AV	13.32638G	46.61	54.00	-7.39	3	Horizontal	197	1.59
6665MHz	Pass	PK	13.33267G	59.09	74.00	-14.91	3	Horizontal	197	1.59
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.773G	87.41	Inf	-Inf	3	Vertical	349	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1786G	50.95	68.20	-17.25	3	Vertical	349	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7802G	99.24	Inf	-Inf	3	Vertical	349	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2154G	62.20	88.20	-26.00	3	Vertical	349	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7746G	78.82	Inf	-Inf	3	Horizontal	328	1.03



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2162G	50.92	68.20	-17.28	3	Horizontal	328	1.03
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.773G	89.22	Inf	-Inf	3	Horizontal	328	1.03
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2202G	62.07	88.20	-26.13	3	Horizontal	328	1.03
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64945G	47.97	68.20	-20.23	3	Vertical	64	1.49
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64846G	58.53	88.20	-29.67	3	Vertical	64	1.49
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65135G	47.96	68.20	-20.24	3	Horizontal	133	2.24
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64756G	58.68	88.20	-29.52	3	Horizontal	133	2.24
6985MHz	Pass	AV	7.038G	88.20	Inf	-Inf	3	Vertical	349	2.47
6985MHz	Pass	AV	7.129G	57.86	68.20	-10.34	3	Vertical	349	2.47
6985MHz	Pass	PK	7.03G	99.63	Inf	-Inf	3	Vertical	349	2.47
6985MHz	Pass	PK	7.1295G	70.00	88.20	-18.20	3	Vertical	349	2.47
6985MHz	Pass	AV	7.037G	78.61	Inf	-Inf	3	Horizontal	331	1.02
6985MHz	Pass	AV	7.1255G	51.99	68.20	-16.21	3	Horizontal	331	1.02
6985MHz	Pass	PK	7.0335G	89.67	Inf	-Inf	3	Horizontal	331	1.02
6985MHz	Pass	PK	7.14G	63.67	88.20	-24.53	3	Horizontal	331	1.02
6985MHz	Pass	AV	13.96903G	47.66	68.20	-20.54	3	Vertical	253	1.99
6985MHz	Pass	PK	13.96723G	57.91	88.20	-30.29	3	Vertical	253	1.99
6985MHz	Pass	AV	13.96637G	47.68	68.20	-20.52	3	Horizontal	301	2.39
6985MHz	Pass	PK	13.96552G	57.72	88.20	-30.48	3	Horizontal	301	2.39
802.11ax HEW20_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9007G	47.29	68.20	-20.91	3	Vertical	18	2.42
5955MHz	Pass	AV	5.9475G	87.37	Inf	-Inf	3	Vertical	18	2.42
5955MHz	Pass	PK	5.8404G	58.74	88.20	-29.46	3	Vertical	18	2.42
5955MHz	Pass	PK	5.9607G	98.50	Inf	-Inf	3	Vertical	18	2.42
5955MHz	Pass	AV	5.8989G	47.18	68.20	-21.02	3	Horizontal	174	2.81
5955MHz	Pass	AV	5.9475G	80.84	Inf	-Inf	3	Horizontal	174	2.81
5955MHz	Pass	PK	5.9058G	59.67	88.20	-28.53	3	Horizontal	174	2.81
5955MHz	Pass	PK	5.9487G	91.49	Inf	-Inf	3	Horizontal	174	2.81
5955MHz	Pass	AV	11.92386G	42.38	54.00	-11.62	3	Vertical	10	2.99
5955MHz	Pass	PK	11.92194G	54.23	74.00	-19.77	3	Vertical	10	2.99
5955MHz	Pass	AV	11.92221G	42.36	54.00	-11.64	3	Horizontal	225	1.50
5955MHz	Pass	PK	11.91883G	54.19	74.00	-19.81	3	Horizontal	225	1.50
6175MHz	Pass	AV	5.8852G	47.04	68.20	-21.16	3	Vertical	23	2.38
6175MHz	Pass	AV	6.1804G	85.72	Inf	-Inf	3	Vertical	23	2.38
6175MHz	Pass	PK	5.884G	58.34	88.20	-29.86	3	Vertical	23	2.38
6175MHz	Pass	PK	6.1828G	96.05	Inf	-Inf	3	Vertical	23	2.38
6175MHz	Pass	AV	5.9068G	47.17	68.20	-21.03	3	Horizontal	176	2.58
6175MHz	Pass	AV	6.1822G	79.31	Inf	-Inf	3	Horizontal	176	2.58
6175MHz	Pass	PK	5.8762G	58.62	88.20	-29.58	3	Horizontal	176	2.58
6175MHz	Pass	PK	6.1804G	91.19	Inf	-Inf	3	Horizontal	176	2.58
6175MHz	Pass	AV	12.35825G	42.96	54.00	-11.04	3	Vertical	278	1.50
6175MHz	Pass	PK	12.35726G	54.87	74.00	-19.13	3	Vertical	278	1.50
6175MHz	Pass	AV	12.36176G	42.96	54.00	-11.04	3	Horizontal	344	2.34
6175MHz	Pass	PK	12.3626G	54.73	74.00	-19.27	3	Horizontal	344	2.34
6415MHz	Pass	AV	5.8966G	47.09	68.20	-21.11	3	Vertical	20	2.51
6415MHz	Pass	AV	6.4186G	86.61	Inf	-Inf	3	Vertical	20	2.51
6415MHz	Pass	PK	5.8774G	58.08	88.20	-30.12	3	Vertical	20	2.51
6415MHz	Pass	PK	6.421G	98.19	Inf	-Inf	3	Vertical	20	2.51
6415MHz	Pass	AV	5.8822G	46.96	68.20	-21.24	3	Horizontal	173	2.42
6415MHz	Pass	AV	6.4138G	78.53	Inf	-Inf	3	Horizontal	173	2.42
6415MHz	Pass	PK	5.905G	58.18	88.20	-30.02	3	Horizontal	173	2.42
6415MHz	Pass	PK	6.4114G	88.34	Inf	-Inf	3	Horizontal	173	2.42
6415MHz	Pass	AV	12.82157G	43.77	68.20	-24.43	3	Vertical	246	1.94
6415MHz	Pass	PK	12.83732G	55.86	88.20	-32.34	3	Vertical	246	1.94
6415MHz	Pass	AV	12.83915G	43.74	68.20	-24.46	3	Horizontal	360	1.50
6415MHz	Pass	PK	12.82301G	55.56	88.20	-32.64	3	Horizontal	360	1.50
6435MHz	Pass	AV	5.901G	47.04	68.20	-21.16	3	Vertical	19	2.37
6435MHz	Pass	AV	6.441G	86.71	Inf	-Inf	3	Vertical	19	2.37
6435MHz	Pass	PK	5.8494G	59.38	88.20	-28.82	3	Vertical	19	2.37
6435MHz	Pass	PK	6.4422G	97.05	Inf	-Inf	3	Vertical	19	2.37
6435MHz	Pass	AV	5.9046G	46.95	68.20	-21.25	3	Horizontal	175	2.38
6435MHz	Pass	AV	6.4398G	78.08	Inf	-Inf	3	Horizontal	175	2.38



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6435MHz	Pass	PK	5.8962G	59.03	88.20	-29.17	3	Horizontal	175	2.38
6435MHz	Pass	PK	6.441G	87.81	Inf	-Inf	3	Horizontal	175	2.38
6435MHz	Pass	AV	12.86775G	43.82	68.20	-24.38	3	Vertical	347	1.04
6435MHz	Pass	PK	12.86605G	55.59	88.20	-32.61	3	Vertical	347	1.04
6435MHz	Pass	AV	12.85608G	43.85	68.20	-24.35	3	Horizontal	105	1.50
6435MHz	Pass	PK	12.86072G	56.20	88.20	-32.00	3	Horizontal	105	1.50
6475MHz	Pass	AV	5.8996G	46.93	68.20	-21.27	3	Vertical	19	2.32
6475MHz	Pass	AV	6.4806G	86.86	Inf	-Inf	3	Vertical	19	2.32
6475MHz	Pass	AV	7.1596G	49.81	68.20	-18.39	3	Vertical	19	2.32
6475MHz	Pass	PK	5.8926G	58.08	88.20	-30.12	3	Vertical	19	2.32
6475MHz	Pass	PK	6.4722G	96.80	Inf	-Inf	3	Vertical	19	2.32
6475MHz	Pass	PK	7.1596G	61.04	88.20	-27.16	3	Vertical	19	2.32
6475MHz	Pass	AV	5.894G	46.93	68.20	-21.27	3	Horizontal	175	2.45
6475MHz	Pass	AV	6.4694G	78.83	Inf	-Inf	3	Horizontal	175	2.45
6475MHz	Pass	AV	7.1624G	49.72	68.20	-18.48	3	Horizontal	175	2.45
6475MHz	Pass	PK	5.9234G	59.07	88.20	-29.13	3	Horizontal	175	2.45
6475MHz	Pass	PK	6.4736G	89.51	Inf	-Inf	3	Horizontal	175	2.45
6475MHz	Pass	PK	7.175G	60.62	88.20	-27.58	3	Horizontal	175	2.45
6475MHz	Pass	AV	12.94859G	43.98	68.20	-24.22	3	Vertical	357	1.79
6475MHz	Pass	PK	12.95156G	56.19	88.20	-32.01	3	Vertical	357	1.79
6475MHz	Pass	AV	12.935G	44.03	68.20	-24.17	3	Horizontal	182	2.44
6475MHz	Pass	PK	12.95819G	56.11	88.20	-32.09	3	Horizontal	182	2.44
6515MHz	Pass	AV	5.9046G	46.92	68.20	-21.28	3	Vertical	17	2.64
6515MHz	Pass	AV	6.5192G	87.33	Inf	-Inf	3	Vertical	17	2.64
6515MHz	Pass	AV	7.1772G	49.78	68.20	-18.42	3	Vertical	17	2.64
6515MHz	Pass	PK	5.8892G	58.29	88.20	-29.91	3	Vertical	17	2.64
6515MHz	Pass	PK	6.5192G	97.33	Inf	-Inf	3	Vertical	17	2.64
6515MHz	Pass	PK	7.1842G	61.18	88.20	-27.02	3	Vertical	17	2.64
6515MHz	Pass	AV	5.9074G	46.97	68.20	-21.23	3	Horizontal	172	2.95
6515MHz	Pass	AV	6.5206G	80.12	Inf	-Inf	3	Horizontal	172	2.95
6515MHz	Pass	AV	7.1912G	49.80	68.20	-18.40	3	Horizontal	172	2.95
6515MHz	Pass	PK	5.913G	58.62	88.20	-29.58	3	Horizontal	172	2.95
6515MHz	Pass	PK	6.515G	89.41	Inf	-Inf	3	Horizontal	172	2.95
6515MHz	Pass	PK	7.1814G	60.42	88.20	-27.78	3	Horizontal	172	2.95
6515MHz	Pass	AV	13.0342G	44.02	68.20	-24.18	3	Vertical	3	1.50
6515MHz	Pass	PK	13.0408G	55.86	88.20	-32.34	3	Vertical	3	1.50
6515MHz	Pass	AV	13.0447G	44.07	68.20	-24.13	3	Horizontal	234	2.04
6515MHz	Pass	PK	13.02592G	55.90	88.20	-32.30	3	Horizontal	234	2.04
6535MHz	Pass	AV	5.905G	46.97	68.20	-21.23	3	Vertical	16	2.44
6535MHz	Pass	AV	6.5294G	87.03	Inf	-Inf	3	Vertical	16	2.44
6535MHz	Pass	AV	7.2168G	49.81	68.20	-18.39	3	Vertical	16	2.44
6535MHz	Pass	PK	5.877G	58.31	88.20	-29.89	3	Vertical	16	2.44
6535MHz	Pass	PK	6.5308G	97.25	Inf	-Inf	3	Vertical	16	2.44
6535MHz	Pass	PK	7.1986G	61.06	88.20	-27.14	3	Vertical	16	2.44
6535MHz	Pass	AV	5.9036G	46.89	68.20	-21.31	3	Horizontal	172	2.96
6535MHz	Pass	AV	6.5294G	79.30	Inf	-Inf	3	Horizontal	172	2.96
6535MHz	Pass	AV	7.1692G	49.73	68.20	-18.47	3	Horizontal	172	2.96
6535MHz	Pass	PK	5.9106G	58.17	88.20	-30.03	3	Horizontal	172	2.96
6535MHz	Pass	PK	6.5294G	89.29	Inf	-Inf	3	Horizontal	172	2.96
6535MHz	Pass	PK	7.1426G	61.34	88.20	-26.86	3	Horizontal	172	2.96
6535MHz	Pass	AV	13.06403G	44.16	68.20	-24.04	3	Vertical	326	1.00
6535MHz	Pass	PK	13.07333G	55.83	88.20	-32.37	3	Vertical	326	1.00
6535MHz	Pass	AV	13.06085G	44.24	68.20	-23.96	3	Horizontal	212	1.50
6535MHz	Pass	PK	13.08011G	55.72	88.20	-32.48	3	Horizontal	212	1.50
6695MHz	Pass	AV	6.689G	88.30	Inf	-Inf	3	Vertical	17	2.54
6695MHz	Pass	AV	7.172G	49.79	68.20	-18.41	3	Vertical	17	2.54
6695MHz	Pass	PK	6.69G	98.59	Inf	-Inf	3	Vertical	17	2.54
6695MHz	Pass	PK	7.132G	60.71	88.20	-27.49	3	Vertical	17	2.54
6695MHz	Pass	AV	6.701G	79.01	Inf	-Inf	3	Horizontal	183	2.30
6695MHz	Pass	AV	7.167G	49.85	68.20	-18.35	3	Horizontal	183	2.30
6695MHz	Pass	PK	6.699G	89.35	Inf	-Inf	3	Horizontal	183	2.30
6695MHz	Pass	PK	7.157G	60.80	88.20	-27.40	3	Horizontal	183	2.30



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	AV	13.39777G	44.39	54.00	-9.61	3	Vertical	282	1.50
6695MHz	Pass	PK	13.38727G	56.43	74.00	-17.57	3	Vertical	282	1.50
6695MHz	Pass	AV	13.39495G	44.40	54.00	-9.60	3	Horizontal	221	2.21
6695MHz	Pass	PK	13.39936G	56.09	74.00	-17.91	3	Horizontal	221	2.21
6855MHz	Pass	AV	6.848G	87.10	Inf	-Inf	3	Vertical	22	2.35
6855MHz	Pass	AV	7.1644G	49.81	68.20	-18.39	3	Vertical	22	2.35
6855MHz	Pass	PK	6.8494G	97.16	Inf	-Inf	3	Vertical	22	2.35
6855MHz	Pass	PK	7.1364G	61.54	88.20	-26.66	3	Vertical	22	2.35
6855MHz	Pass	AV	6.848G	78.92	Inf	-Inf	3	Horizontal	173	2.60
6855MHz	Pass	AV	7.149G	49.81	68.20	-18.39	3	Horizontal	173	2.60
6855MHz	Pass	PK	6.8501G	90.22	Inf	-Inf	3	Horizontal	173	2.60
6855MHz	Pass	PK	7.1651G	61.07	88.20	-27.13	3	Horizontal	173	2.60
6855MHz	Pass	AV	13.71507G	45.04	68.20	-23.16	3	Vertical	243	3.00
6855MHz	Pass	PK	13.72473G	56.85	88.20	-31.35	3	Vertical	243	3.00
6855MHz	Pass	AV	13.71114G	44.97	68.20	-23.23	3	Horizontal	360	2.18
6855MHz	Pass	PK	13.72023G	57.24	88.20	-30.96	3	Horizontal	360	2.18
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8743G	85.16	Inf	-Inf	3	Vertical	18	1.29
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2089G	49.11	68.20	-19.09	3	Vertical	18	1.29
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8729G	94.64	Inf	-Inf	3	Vertical	18	1.29
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1697G	60.91	88.20	-27.29	3	Vertical	18	1.29
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8729G	83.75	Inf	-Inf	3	Horizontal	283	1.34
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2145G	49.07	68.20	-19.13	3	Horizontal	283	1.34
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8778G	94.71	Inf	-Inf	3	Horizontal	283	1.34
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.19G	61.14	88.20	-27.06	3	Horizontal	283	1.34
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74154G	45.04	68.20	-23.16	3	Vertical	22	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.7395G	56.50	88.20	-31.70	3	Vertical	22	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74322G	45.10	68.20	-23.10	3	Horizontal	49	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74847G	56.88	88.20	-31.32	3	Horizontal	49	1.50
6895MHz	Pass	AV	6.8873G	86.47	Inf	-Inf	3	Vertical	21	2.36
6895MHz	Pass	AV	7.2359G	49.93	68.20	-18.27	3	Vertical	21	2.36
6895MHz	Pass	PK	6.8901G	97.96	Inf	-Inf	3	Vertical	21	2.36
6895MHz	Pass	PK	7.2268G	61.59	88.20	-26.61	3	Vertical	21	2.36
6895MHz	Pass	AV	6.8943G	78.56	Inf	-Inf	3	Horizontal	172	2.63
6895MHz	Pass	AV	7.2345G	49.83	68.20	-18.37	3	Horizontal	172	2.63
6895MHz	Pass	PK	6.8908G	89.76	Inf	-Inf	3	Horizontal	172	2.63
6895MHz	Pass	PK	7.2303G	61.38	88.20	-26.82	3	Horizontal	172	2.63
6895MHz	Pass	AV	13.78961G	45.01	68.20	-23.19	3	Vertical	0	2.92
6895MHz	Pass	PK	13.79885G	56.64	88.20	-31.56	3	Vertical	0	2.92
6895MHz	Pass	AV	13.78499G	44.91	68.20	-23.29	3	Horizontal	146	1.50
6895MHz	Pass	PK	13.77773G	57.15	88.20	-31.05	3	Horizontal	146	1.50
6995MHz	Pass	AV	6.9925G	82.50	Inf	-Inf	3	Vertical	15	1.15
6995MHz	Pass	AV	7.228G	49.11	68.20	-19.09	3	Vertical	15	1.15
6995MHz	Pass	PK	7.0005G	93.63	Inf	-Inf	3	Vertical	15	1.15
6995MHz	Pass	PK	7.234G	60.29	88.20	-27.91	3	Vertical	15	1.15
6995MHz	Pass	AV	6.987G	80.49	Inf	-Inf	3	Horizontal	285	1.46
6995MHz	Pass	AV	7.1995G	49.14	68.20	-19.06	3	Horizontal	285	1.46
6995MHz	Pass	PK	6.986G	91.13	Inf	-Inf	3	Horizontal	285	1.46
6995MHz	Pass	PK	7.222G	60.88	88.20	-27.32	3	Horizontal	285	1.46
6995MHz	Pass	AV	14.00371G	45.22	68.20	-22.98	3	Vertical	292	1.50
6995MHz	Pass	PK	14.00425G	56.89	88.20	-31.31	3	Vertical	252	1.50
6995MHz	Pass	AV	14.00251G	45.30	68.20	-22.90	3	Horizontal	4	2.43
6995MHz	Pass	PK	13.99981G	58.63	88.20	-29.57	3	Horizontal	4	2.43
7095MHz	Pass	AV	7.0875G	80.23	Inf	-Inf	3	Vertical	20	1.31
7095MHz	Pass	AV	7.2354G	49.00	68.20	-19.20	3	Vertical	20	1.31
7095MHz	Pass	PK	7.0875G	91.33	Inf	-Inf	3	Vertical	20	1.31
7095MHz	Pass	PK	7.2336G	61.38	88.20	-26.82	3	Vertical	20	1.31
7095MHz	Pass	AV	7.1007G	78.19	Inf	-Inf	3	Horizontal	283	1.25
7095MHz	Pass	AV	7.2198G	49.10	68.20	-19.10	3	Horizontal	283	1.25
7095MHz	Pass	PK	7.0938G	89.32	Inf	-Inf	3	Horizontal	283	1.25
7095MHz	Pass	PK	7.2018G	60.75	88.20	-27.45	3	Horizontal	283	1.25
7095MHz	Pass	AV	14.20476G	45.47	68.20	-22.73	3	Vertical	268	1.77
7095MHz	Pass	PK	14.20314G	57.98	88.20	-30.22	3	Vertical	268	1.77



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.202G	45.47	68.20	-22.73	3	Horizontal	86	1.50
7095MHz	Pass	PK	14.18727G	56.90	88.20	-31.30	3	Horizontal	86	1.50
7115MHz	Pass	AV	7.1071G	74.21	Inf	-Inf	3	Vertical	12	2.42
7115MHz	Pass	AV	7.125G	63.56	68.20	-4.64	3	Vertical	12	2.42
7115MHz	Pass	PK	7.1099G	86.07	Inf	-Inf	3	Vertical	12	2.42
7115MHz	Pass	PK	7.125G	73.54	88.20	-14.66	3	Vertical	12	2.42
7115MHz	Pass	AV	7.1086G	62.52	Inf	-Inf	3	Horizontal	194	1.18
7115MHz	Pass	AV	7.125G	52.50	68.20	-15.70	3	Horizontal	194	1.18
7115MHz	Pass	PK	7.1098G	74.25	Inf	-Inf	3	Horizontal	194	1.18
7115MHz	Pass	PK	7.125G	63.01	88.20	-25.19	3	Horizontal	194	1.18
7115MHz	Pass	AV	14.2217G	46.21	68.20	-21.99	3	Vertical	163	2.55
7115MHz	Pass	PK	14.22284G	58.54	88.20	-29.66	3	Vertical	163	2.55
7115MHz	Pass	AV	14.2208G	46.20	68.20	-22.00	3	Horizontal	212	2.19
7115MHz	Pass	PK	14.22002G	58.01	88.20	-30.19	3	Horizontal	212	2.19
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9005G	47.12	68.20	-21.08	3	Vertical	10	2.51
5965MHz	Pass	AV	5.9524G	88.48	Inf	-Inf	3	Vertical	10	2.51
5965MHz	Pass	PK	5.8411G	59.11	88.20	-29.09	3	Vertical	10	2.51
5965MHz	Pass	PK	5.9539G	99.51	Inf	-Inf	3	Vertical	10	2.51
5965MHz	Pass	AV	5.9074G	46.97	68.20	-21.23	3	Horizontal	176	2.77
5965MHz	Pass	AV	5.9506G	81.06	Inf	-Inf	3	Horizontal	176	2.77
5965MHz	Pass	PK	5.8909G	58.63	88.20	-29.57	3	Horizontal	176	2.77
5965MHz	Pass	PK	5.9518G	92.95	Inf	-Inf	3	Horizontal	176	2.77
5965MHz	Pass	AV	11.9534G	42.14	54.00	-11.86	3	Vertical	275	1.50
5965MHz	Pass	PK	11.93858G	54.02	74.00	-19.98	3	Vertical	275	1.50
5965MHz	Pass	AV	11.92622G	42.14	54.00	-11.86	3	Horizontal	255	1.50
5965MHz	Pass	PK	11.92046G	53.99	74.00	-20.01	3	Horizontal	255	1.50
6165MHz	Pass	AV	5.9022G	46.76	68.20	-21.44	3	Vertical	22	2.55
6165MHz	Pass	AV	6.153G	86.45	Inf	-Inf	3	Vertical	22	2.55
6165MHz	Pass	PK	5.889G	59.17	88.20	-29.03	3	Vertical	22	2.55
6165MHz	Pass	PK	6.1524G	98.03	Inf	-Inf	3	Vertical	22	2.55
6165MHz	Pass	AV	5.913G	46.75	68.20	-21.45	3	Horizontal	177	2.63
6165MHz	Pass	AV	6.1524G	79.97	Inf	-Inf	3	Horizontal	177	2.63
6165MHz	Pass	PK	5.925G	58.54	88.20	-29.66	3	Horizontal	177	2.63
6165MHz	Pass	PK	6.1512G	91.35	Inf	-Inf	3	Horizontal	177	2.63
6165MHz	Pass	AV	12.32178G	43.07	54.00	-10.93	3	Vertical	145	1.49
6165MHz	Pass	PK	12.30636G	55.02	74.00	-18.98	3	Vertical	145	1.49
6165MHz	Pass	AV	12.31608G	43.15	54.00	-10.85	3	Horizontal	164	1.50
6165MHz	Pass	PK	12.30966G	55.30	74.00	-18.70	3	Horizontal	164	1.50
6405MHz	Pass	AV	5.895G	46.85	68.20	-21.35	3	Vertical	20	2.60
6405MHz	Pass	AV	6.417G	86.81	Inf	-Inf	3	Vertical	20	2.60
6405MHz	Pass	PK	5.8854G	58.50	88.20	-29.70	3	Vertical	20	2.60
6405MHz	Pass	PK	6.4086G	98.21	Inf	-Inf	3	Vertical	20	2.60
6405MHz	Pass	AV	5.8986G	46.72	68.20	-21.48	3	Horizontal	175	2.34
6405MHz	Pass	AV	6.3966G	78.59	Inf	-Inf	3	Horizontal	175	2.34
6405MHz	Pass	PK	5.8194G	58.29	88.20	-29.91	3	Horizontal	175	2.34
6405MHz	Pass	PK	6.4002G	89.15	Inf	-Inf	3	Horizontal	175	2.34
6405MHz	Pass	AV	12.82158G	43.70	68.20	-24.50	3	Vertical	111	1.50
6405MHz	Pass	PK	12.80772G	56.52	88.20	-31.68	3	Vertical	111	1.50
6405MHz	Pass	AV	12.8247G	43.75	68.20	-24.45	3	Horizontal	35	1.50
6405MHz	Pass	PK	12.81492G	55.92	88.20	-32.28	3	Horizontal	35	1.50
6445MHz	Pass	AV	5.8606G	46.72	68.20	-21.48	3	Vertical	8	2.64
6445MHz	Pass	AV	6.4414G	87.20	Inf	-Inf	3	Vertical	8	2.64
6445MHz	Pass	PK	5.8798G	58.76	88.20	-29.44	3	Vertical	8	2.64
6445MHz	Pass	PK	6.439G	97.89	Inf	-Inf	3	Vertical	8	2.64
6445MHz	Pass	AV	5.899G	46.75	68.20	-21.45	3	Horizontal	164	2.85
6445MHz	Pass	AV	6.4582G	80.06	Inf	-Inf	3	Horizontal	164	2.85
6445MHz	Pass	PK	5.8714G	58.38	88.20	-29.82	3	Horizontal	164	2.85
6445MHz	Pass	PK	6.4558G	91.04	Inf	-Inf	3	Horizontal	164	2.85
6445MHz	Pass	AV	12.9005G	43.88	68.20	-24.32	3	Vertical	280	1.50
6445MHz	Pass	PK	12.9164G	55.76	88.20	-32.44	3	Vertical	280	1.50
6445MHz	Pass	AV	12.89636G	43.96	68.20	-24.24	3	Horizontal	40	2.35



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6445MHz	Pass	PK	12.87608G	55.20	88.20	-33.00	3	Horizontal	40	2.35
6485MHz	Pass	AV	5.904G	46.71	68.20	-21.49	3	Vertical	9	2.48
6485MHz	Pass	AV	6.5004G	87.55	Inf	-Inf	3	Vertical	9	2.48
6485MHz	Pass	AV	7.1752G	49.62	68.20	-18.58	3	Vertical	9	2.48
6485MHz	Pass	PK	5.9026G	58.41	88.20	-29.79	3	Vertical	9	2.48
6485MHz	Pass	PK	6.4808G	98.47	Inf	-Inf	3	Vertical	9	2.48
6485MHz	Pass	PK	7.1598G	61.77	88.20	-26.43	3	Vertical	9	2.48
6485MHz	Pass	AV	5.8704G	46.73	68.20	-21.47	3	Horizontal	170	2.39
6485MHz	Pass	AV	6.4906G	80.41	Inf	-Inf	3	Horizontal	170	2.39
6485MHz	Pass	AV	7.1668G	49.55	68.20	-18.65	3	Horizontal	170	2.39
6485MHz	Pass	PK	5.8802G	58.43	88.20	-29.77	3	Horizontal	170	2.39
6485MHz	Pass	PK	6.499G	91.15	Inf	-Inf	3	Horizontal	170	2.39
6485MHz	Pass	PK	7.1668G	60.60	88.20	-27.60	3	Horizontal	170	2.39
6485MHz	Pass	AV	12.99886G	44.02	68.20	-24.18	3	Vertical	216	1.50
6485MHz	Pass	PK	12.95218G	55.71	88.20	-32.49	3	Vertical	216	1.50
6485MHz	Pass	AV	12.9619G	44.02	68.20	-24.18	3	Horizontal	315	1.50
6485MHz	Pass	PK	12.97192G	55.94	88.20	-32.26	3	Horizontal	315	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8824G	46.72	68.20	-21.48	3	Vertical	14	2.45
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5292G	87.50	Inf	-Inf	3	Vertical	14	2.45
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2222G	49.55	68.20	-18.65	3	Vertical	14	2.45
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8586G	57.81	88.20	-30.39	3	Vertical	14	2.45
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.518G	97.82	Inf	-Inf	3	Vertical	14	2.45
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1634G	60.29	88.20	-27.91	3	Vertical	14	2.45
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9076G	46.74	68.20	-21.46	3	Horizontal	164	2.65
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5404G	79.36	Inf	-Inf	3	Horizontal	164	2.65
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1536G	49.54	68.20	-18.66	3	Horizontal	164	2.65
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.881G	58.64	88.20	-29.56	3	Horizontal	164	2.65
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5376G	90.02	Inf	-Inf	3	Horizontal	164	2.65
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1942G	61.44	88.20	-26.76	3	Horizontal	164	2.65
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06416G	44.25	68.20	-23.95	3	Vertical	42	2.00
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.07394G	56.61	88.20	-31.59	3	Vertical	42	2.00
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06656G	44.15	68.20	-24.05	3	Horizontal	304	3.00
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.03542G	55.82	88.20	-32.38	3	Horizontal	304	3.00
6565MHz	Pass	AV	6.5686G	87.34	Inf	-Inf	3	Vertical	16	2.42
6565MHz	Pass	AV	7.159G	49.53	68.20	-18.67	3	Vertical	16	2.42
6565MHz	Pass	PK	6.5542G	97.82	Inf	-Inf	3	Vertical	16	2.42
6565MHz	Pass	PK	7.1434G	60.99	88.20	-27.21	3	Vertical	16	2.42
6565MHz	Pass	AV	6.5698G	77.60	Inf	-Inf	3	Horizontal	188	2.95
6565MHz	Pass	AV	7.1578G	49.47	68.20	-18.73	3	Horizontal	188	2.95
6565MHz	Pass	PK	6.571G	87.56	Inf	-Inf	3	Horizontal	188	2.95
6565MHz	Pass	PK	7.147G	60.32	88.20	-27.88	3	Horizontal	188	2.95
6565MHz	Pass	AV	13.10072G	44.24	68.20	-23.96	3	Vertical	359	1.07
6565MHz	Pass	PK	13.11074G	56.34	88.20	-31.86	3	Vertical	359	1.07
6565MHz	Pass	AV	13.12802G	44.24	68.20	-23.96	3	Horizontal	55	1.18
6565MHz	Pass	PK	13.12334G	56.40	88.20	-31.80	3	Horizontal	55	1.18
6685MHz	Pass	AV	6.674G	88.40	Inf	-Inf	3	Vertical	13	2.57
6685MHz	Pass	AV	7.153G	49.55	68.20	-18.65	3	Vertical	13	2.57
6685MHz	Pass	PK	6.699G	100.26	Inf	-Inf	3	Vertical	13	2.57
6685MHz	Pass	PK	7.163G	62.11	88.20	-26.09	3	Vertical	13	2.57
6685MHz	Pass	AV	6.668G	80.57	Inf	-Inf	3	Horizontal	167	2.97
6685MHz	Pass	AV	7.172G	49.59	68.20	-18.61	3	Horizontal	167	2.97
6685MHz	Pass	PK	6.68G	91.24	Inf	-Inf	3	Horizontal	167	2.97
6685MHz	Pass	PK	7.154G	60.88	88.20	-27.32	3	Horizontal	167	2.97
6685MHz	Pass	AV	13.38548G	44.33	54.00	-9.67	3	Vertical	285	1.50
6685MHz	Pass	PK	13.38836G	56.42	74.00	-17.58	3	Vertical	285	1.50
6685MHz	Pass	AV	13.36556G	44.34	54.00	-9.66	3	Horizontal	360	1.08
6685MHz	Pass	PK	13.34894G	55.95	74.00	-18.05	3	Horizontal	360	1.08
6845MHz	Pass	AV	6.8338G	87.43	Inf	-Inf	3	Vertical	11	2.32
6845MHz	Pass	AV	7.1579G	49.63	68.20	-18.57	3	Vertical	11	2.32
6845MHz	Pass	PK	6.8485G	98.65	Inf	-Inf	3	Vertical	11	2.32
6845MHz	Pass	PK	7.167G	60.86	88.20	-27.34	3	Vertical	11	2.32
6845MHz	Pass	AV	6.8338G	80.60	Inf	-Inf	3	Horizontal	167	2.31



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6845MHz	Pass	AV	7.1642G	49.66	68.20	-18.54	3	Horizontal	167	2.31
6845MHz	Pass	PK	6.8387G	91.68	Inf	-Inf	3	Horizontal	167	2.31
6845MHz	Pass	PK	7.1537G	61.08	88.20	-27.12	3	Horizontal	167	2.31
6845MHz	Pass	AV	13.7137G	45.12	68.20	-23.08	3	Vertical	318	1.50
6845MHz	Pass	PK	13.7143G	56.58	88.20	-31.62	3	Vertical	318	1.50
6845MHz	Pass	AV	13.66102G	45.13	68.20	-23.07	3	Horizontal	104	1.50
6845MHz	Pass	PK	13.67458G	56.91	88.20	-31.29	3	Horizontal	104	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8752G	87.27	Inf	-Inf	3	Vertical	16	2.31
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2336G	49.68	68.20	-18.52	3	Vertical	16	2.31
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.871G	98.73	Inf	-Inf	3	Vertical	16	2.31
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1468G	61.06	88.20	-27.14	3	Vertical	16	2.31
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8696G	79.92	Inf	-Inf	3	Horizontal	168	2.16
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2077G	49.65	68.20	-18.55	3	Horizontal	168	2.16
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8731G	90.71	Inf	-Inf	3	Horizontal	168	2.16
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2112G	61.21	88.20	-26.99	3	Horizontal	168	2.16
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.74768G	45.06	68.20	-23.14	3	Vertical	192	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.74624G	56.66	88.20	-31.54	3	Vertical	192	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.74564G	44.94	68.20	-23.26	3	Horizontal	39	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.74138G	56.43	88.20	-31.77	3	Horizontal	39	1.50
6925MHz	Pass	AV	6.9076G	86.40	Inf	-Inf	3	Vertical	15	2.46
6925MHz	Pass	AV	7.1986G	49.66	68.20	-18.54	3	Vertical	15	2.46
6925MHz	Pass	PK	6.9142G	97.91	Inf	-Inf	3	Vertical	15	2.46
6925MHz	Pass	PK	7.144G	61.10	88.20	-27.10	3	Vertical	15	2.46
6925MHz	Pass	AV	6.9094G	78.80	Inf	-Inf	3	Horizontal	167	2.33
6925MHz	Pass	AV	7.1554G	49.60	68.20	-18.60	3	Horizontal	167	2.33
6925MHz	Pass	PK	6.913G	89.20	Inf	-Inf	3	Horizontal	167	2.33
6925MHz	Pass	PK	7.2094G	61.33	88.20	-26.87	3	Horizontal	167	2.33
6925MHz	Pass	AV	13.84727G	45.04	68.20	-23.16	3	Vertical	256	1.44
6925MHz	Pass	PK	13.84454G	55.61	88.20	-32.59	3	Vertical	256	1.44
6925MHz	Pass	AV	13.85048G	44.96	68.20	-23.24	3	Horizontal	45	1.16
6925MHz	Pass	PK	13.85963G	54.66	88.20	-33.54	3	Horizontal	45	1.16
7005MHz	Pass	AV	6.9882G	84.77	Inf	-Inf	3	Vertical	15	2.36
7005MHz	Pass	AV	7.1499G	49.58	68.20	-18.62	3	Vertical	15	2.36
7005MHz	Pass	PK	6.9954G	95.65	Inf	-Inf	3	Vertical	15	2.36
7005MHz	Pass	PK	7.1373G	61.27	88.20	-26.93	3	Vertical	15	2.36
7005MHz	Pass	AV	6.99G	75.81	Inf	-Inf	3	Horizontal	164	2.25
7005MHz	Pass	AV	7.155G	49.59	68.20	-18.61	3	Horizontal	164	2.25
7005MHz	Pass	PK	6.9921G	88.01	Inf	-Inf	3	Horizontal	164	2.25
7005MHz	Pass	PK	7.1265G	60.90	88.20	-27.30	3	Horizontal	164	2.25
7005MHz	Pass	AV	14.00565G	45.44	68.20	-22.76	3	Vertical	279	1.58
7005MHz	Pass	PK	14.00244G	56.60	88.20	-31.60	3	Vertical	279	1.58
7005MHz	Pass	AV	14.02116G	45.45	68.20	-22.75	3	Horizontal	220	1.60
7005MHz	Pass	PK	14.02338G	55.05	88.20	-33.15	3	Horizontal	220	1.60
7085MHz	Pass	AV	7.073G	82.88	Inf	-Inf	3	Vertical	15	2.51
7085MHz	Pass	AV	7.2257G	49.68	68.20	-18.52	3	Vertical	15	2.51
7085MHz	Pass	PK	7.0673G	94.06	Inf	-Inf	3	Vertical	15	2.51
7085MHz	Pass	PK	7.2266G	61.54	88.20	-26.66	3	Vertical	15	2.51
7085MHz	Pass	AV	7.0883G	74.40	Inf	-Inf	3	Horizontal	164	2.98
7085MHz	Pass	AV	7.2314G	49.70	68.20	-18.50	3	Horizontal	164	2.98
7085MHz	Pass	PK	7.0868G	85.81	Inf	-Inf	3	Horizontal	164	2.98
7085MHz	Pass	PK	7.205G	61.75	88.20	-26.45	3	Horizontal	164	2.98
7085MHz	Pass	AV	14.17069G	45.40	68.20	-22.80	3	Vertical	182	2.17
7085MHz	Pass	PK	14.15758G	54.89	88.20	-33.31	3	Vertical	182	2.17
7085MHz	Pass	AV	14.17423G	45.20	68.20	-23.00	3	Horizontal	126	1.29
7085MHz	Pass	PK	14.18137G	54.91	88.20	-33.29	3	Horizontal	126	1.29
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.905G	47.38	68.20	-20.82	3	Vertical	9	2.48
5985MHz	Pass	AV	5.9715G	87.69	Inf	-Inf	3	Vertical	9	2.48
5985MHz	Pass	PK	5.9225G	59.51	88.20	-28.69	3	Vertical	9	2.48
5985MHz	Pass	PK	5.9615G	99.35	Inf	-Inf	3	Vertical	9	2.48
5985MHz	Pass	AV	5.9135G	46.88	68.20	-21.32	3	Horizontal	176	2.69
5985MHz	Pass	AV	5.9675G	80.77	Inf	-Inf	3	Horizontal	176	2.69



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.891G	59.06	88.20	-29.14	3	Horizontal	176	2.69
5985MHz	Pass	PK	5.968G	92.03	Inf	-Inf	3	Horizontal	176	2.69
5985MHz	Pass	AV	11.99004G	43.26	54.00	-10.74	3	Vertical	64	1.02
5985MHz	Pass	PK	11.98296G	55.32	74.00	-18.68	3	Vertical	64	1.02
5985MHz	Pass	AV	12.02592G	43.28	54.00	-10.72	3	Horizontal	198	1.50
5985MHz	Pass	PK	11.99784G	55.68	74.00	-18.32	3	Horizontal	198	1.50
6145MHz	Pass	AV	5.9026G	46.82	68.20	-21.38	3	Vertical	13	2.60
6145MHz	Pass	AV	6.16G	86.06	Inf	-Inf	3	Vertical	13	2.60
6145MHz	Pass	PK	5.9224G	58.56	88.20	-29.64	3	Vertical	13	2.60
6145MHz	Pass	PK	6.1306G	97.53	Inf	-Inf	3	Vertical	13	2.60
6145MHz	Pass	AV	5.9014G	46.74	68.20	-21.46	3	Horizontal	171	2.59
6145MHz	Pass	AV	6.1534G	79.62	Inf	-Inf	3	Horizontal	171	2.59
6145MHz	Pass	PK	5.9158G	58.70	88.20	-29.50	3	Horizontal	171	2.59
6145MHz	Pass	PK	6.1528G	91.78	Inf	-Inf	3	Horizontal	171	2.59
6145MHz	Pass	AV	12.2624G	44.14	54.00	-9.86	3	Vertical	179	1.50
6145MHz	Pass	PK	12.29108G	56.76	74.00	-17.24	3	Vertical	179	1.50
6145MHz	Pass	AV	12.30512G	44.12	54.00	-9.88	3	Horizontal	231	1.50
6145MHz	Pass	PK	12.29288G	56.33	74.00	-17.67	3	Horizontal	231	1.50
6385MHz	Pass	AV	5.8714G	46.67	68.20	-21.53	3	Vertical	19	2.48
6385MHz	Pass	AV	6.3634G	86.26	Inf	-Inf	3	Vertical	19	2.48
6385MHz	Pass	PK	5.8906G	58.40	88.20	-29.80	3	Vertical	19	2.48
6385MHz	Pass	PK	6.3646G	96.92	Inf	-Inf	3	Vertical	19	2.48
6385MHz	Pass	AV	5.9002G	46.65	68.20	-21.55	3	Horizontal	172	2.27
6385MHz	Pass	AV	6.3862G	78.95	Inf	-Inf	3	Horizontal	172	2.27
6385MHz	Pass	PK	5.9038G	59.15	88.20	-29.05	3	Horizontal	172	2.27
6385MHz	Pass	PK	6.3754G	89.21	Inf	-Inf	3	Horizontal	172	2.27
6385MHz	Pass	AV	12.80396G	44.66	68.20	-23.54	3	Vertical	127	2.71
6385MHz	Pass	PK	12.83256G	56.72	88.20	-31.48	3	Vertical	127	2.71
6385MHz	Pass	AV	12.8264G	44.64	68.20	-23.56	3	Horizontal	316	1.50
6385MHz	Pass	PK	12.83724G	56.57	88.20	-31.63	3	Horizontal	316	1.50
6465MHz	Pass	AV	5.8784G	46.74	68.20	-21.46	3	Vertical	12	2.40
6465MHz	Pass	AV	6.4734G	86.51	Inf	-Inf	3	Vertical	12	2.40
6465MHz	Pass	AV	7.1636G	49.52	68.20	-18.68	3	Vertical	12	2.40
6465MHz	Pass	PK	5.856G	58.52	88.20	-29.68	3	Vertical	12	2.40
6465MHz	Pass	PK	6.479G	97.35	Inf	-Inf	3	Vertical	12	2.40
6465MHz	Pass	PK	7.1608G	60.16	88.20	-28.04	3	Vertical	12	2.40
6465MHz	Pass	AV	5.8784G	46.68	68.20	-21.52	3	Horizontal	172	2.38
6465MHz	Pass	AV	6.4832G	79.38	Inf	-Inf	3	Horizontal	172	2.38
6465MHz	Pass	AV	7.165G	49.46	68.20	-18.74	3	Horizontal	172	2.38
6465MHz	Pass	PK	5.821G	58.26	88.20	-29.94	3	Horizontal	172	2.38
6465MHz	Pass	PK	6.4888G	90.14	Inf	-Inf	3	Horizontal	172	2.38
6465MHz	Pass	PK	7.1454G	60.67	88.20	-27.53	3	Horizontal	172	2.38
6465MHz	Pass	AV	12.95088G	44.88	68.20	-23.32	3	Vertical	168	1.50
6465MHz	Pass	PK	12.937G	56.91	88.20	-31.29	3	Vertical	168	1.50
6465MHz	Pass	AV	12.94836G	44.83	68.20	-23.37	3	Horizontal	302	1.17
6465MHz	Pass	PK	12.96384G	57.12	88.20	-31.08	3	Horizontal	302	1.17
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8968G	46.66	68.20	-21.54	3	Vertical	18	2.54
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5492G	86.95	Inf	-Inf	3	Vertical	18	2.54
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2352G	49.52	68.20	-18.68	3	Vertical	18	2.54
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8464G	58.83	88.20	-29.37	3	Vertical	18	2.54
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5534G	98.34	Inf	-Inf	3	Vertical	18	2.54
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1498G	60.35	88.20	-27.85	3	Vertical	18	2.54
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9066G	46.66	68.20	-21.54	3	Horizontal	166	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5548G	80.02	Inf	-Inf	3	Horizontal	166	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2212G	49.53	68.20	-18.67	3	Horizontal	166	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8786G	57.97	88.20	-30.23	3	Horizontal	166	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5478G	90.58	Inf	-Inf	3	Horizontal	166	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2282G	61.10	88.20	-27.10	3	Horizontal	166	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.1482G	45.15	68.20	-23.05	3	Vertical	17	1.00
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.12784G	56.70	88.20	-31.50	3	Vertical	17	1.00
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.1152G	45.14	68.20	-23.06	3	Horizontal	155	1.56
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.11864G	56.65	88.20	-31.55	3	Horizontal	155	1.56



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6625MHz	Pass	AV	6.6406G	88.38	Inf	-Inf	3	Vertical	15	2.46
6625MHz	Pass	AV	7.2106G	49.56	68.20	-18.64	3	Vertical	15	2.46
6625MHz	Pass	PK	6.6406G	98.72	Inf	-Inf	3	Vertical	15	2.46
6625MHz	Pass	PK	7.2082G	61.09	88.20	-27.11	3	Vertical	15	2.46
6625MHz	Pass	AV	6.6178G	80.60	Inf	-Inf	3	Horizontal	166	3.00
6625MHz	Pass	AV	7.1998G	49.62	68.20	-18.58	3	Horizontal	166	3.00
6625MHz	Pass	PK	6.613G	91.59	Inf	-Inf	3	Horizontal	166	3.00
6625MHz	Pass	PK	7.141G	60.77	88.20	-27.43	3	Horizontal	166	3.00
6625MHz	Pass	AV	13.2332G	45.00	68.20	-23.20	3	Vertical	33	1.50
6625MHz	Pass	PK	13.223G	57.01	88.20	-31.19	3	Vertical	33	1.50
6625MHz	Pass	AV	13.2152G	45.01	68.20	-23.19	3	Horizontal	288	2.78
6625MHz	Pass	PK	13.2398G	57.32	88.20	-30.88	3	Horizontal	288	2.78
6705MHz	Pass	AV	6.727G	89.50	Inf	-Inf	3	Vertical	16	2.49
6705MHz	Pass	AV	7.17G	50.70	68.20	-17.50	3	Vertical	16	2.49
6705MHz	Pass	PK	6.724G	100.93	Inf	-Inf	3	Vertical	16	2.49
6705MHz	Pass	PK	7.178G	61.99	88.20	-26.21	3	Vertical	16	2.49
6705MHz	Pass	AV	6.72G	82.01	Inf	-Inf	3	Horizontal	176	2.66
6705MHz	Pass	AV	7.166G	50.74	68.20	-17.46	3	Horizontal	176	2.66
6705MHz	Pass	PK	6.719G	93.18	Inf	-Inf	3	Horizontal	176	2.66
6705MHz	Pass	PK	7.158G	61.94	88.20	-26.26	3	Horizontal	176	2.66
6705MHz	Pass	AV	13.46172G	45.43	68.20	-22.77	3	Vertical	273	2.04
6705MHz	Pass	PK	13.46556G	57.54	88.20	-30.66	3	Vertical	273	2.04
6705MHz	Pass	AV	13.46868G	45.43	68.20	-22.77	3	Horizontal	227	1.00
6705MHz	Pass	PK	13.38024G	56.94	74.00	-17.06	3	Horizontal	227	1.00
6785MHz	Pass	AV	6.7626G	89.26	Inf	-Inf	3	Vertical	20	2.50
6785MHz	Pass	AV	7.1287G	50.38	68.20	-17.82	3	Vertical	20	2.50
6785MHz	Pass	PK	6.7759G	100.61	Inf	-Inf	3	Vertical	20	2.50
6785MHz	Pass	PK	7.1329G	61.62	88.20	-26.58	3	Vertical	20	2.50
6785MHz	Pass	AV	6.7675G	81.85	Inf	-Inf	3	Horizontal	170	3.00
6785MHz	Pass	AV	7.1294G	50.38	68.20	-17.82	3	Horizontal	170	3.00
6785MHz	Pass	PK	6.7682G	93.28	Inf	-Inf	3	Horizontal	170	3.00
6785MHz	Pass	PK	7.1273G	60.59	88.20	-27.61	3	Horizontal	170	3.00
6785MHz	Pass	AV	13.60768G	46.38	68.20	-21.82	3	Vertical	8	1.50
6785MHz	Pass	PK	13.53532G	58.76	88.20	-29.44	3	Vertical	8	1.50
6785MHz	Pass	AV	13.59856G	46.36	68.20	-21.84	3	Horizontal	122	2.06
6785MHz	Pass	PK	13.55656G	58.39	88.20	-29.81	3	Horizontal	122	2.06
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8433G	88.86	Inf	-Inf	3	Vertical	13	2.37
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2143G	50.80	68.20	-17.40	3	Vertical	13	2.37
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8419G	99.86	Inf	-Inf	3	Vertical	13	2.37
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.2122G	62.39	88.20	-25.81	3	Vertical	13	2.37
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8566G	81.24	Inf	-Inf	3	Horizontal	169	3.00
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2003G	50.75	68.20	-17.45	3	Horizontal	169	3.00
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8524G	92.39	Inf	-Inf	3	Horizontal	169	3.00
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1751G	63.19	88.20	-25.01	3	Horizontal	169	3.00
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.6718G	46.03	68.20	-22.17	3	Vertical	348	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73288G	57.70	88.20	-30.50	3	Vertical	348	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.67132G	46.05	68.20	-22.15	3	Horizontal	110	1.90
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.751G	57.71	88.20	-30.49	3	Horizontal	110	1.90
6945MHz	Pass	AV	6.9228G	86.90	Inf	-Inf	3	Vertical	21	2.57
6945MHz	Pass	AV	7.2174G	50.81	68.20	-17.39	3	Vertical	21	2.57
6945MHz	Pass	PK	6.924G	98.76	Inf	-Inf	3	Vertical	21	2.57
6945MHz	Pass	PK	7.2372G	63.54	88.20	-24.66	3	Vertical	21	2.57
6945MHz	Pass	AV	6.9204G	79.36	Inf	-Inf	3	Horizontal	171	2.84
6945MHz	Pass	AV	7.2006G	50.85	68.20	-17.35	3	Horizontal	171	2.84
6945MHz	Pass	PK	6.9522G	90.84	Inf	-Inf	3	Horizontal	171	2.84
6945MHz	Pass	PK	7.1328G	62.37	88.20	-25.83	3	Horizontal	171	2.84
6945MHz	Pass	AV	13.9476G	46.07	68.20	-22.13	3	Vertical	213	1.50
6945MHz	Pass	PK	13.947G	57.84	88.20	-30.36	3	Vertical	213	1.50
6945MHz	Pass	AV	13.93008G	46.12	68.20	-22.08	3	Horizontal	360	1.50
6945MHz	Pass	PK	13.8462G	57.87	88.20	-30.33	3	Horizontal	360	1.50
7025MHz	Pass	AV	7.0001G	84.54	Inf	-Inf	3	Vertical	18	2.45
7025MHz	Pass	AV	7.157G	50.09	68.20	-18.11	3	Vertical	18	2.45



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	7.0043G	96.57	Inf	-Inf	3	Vertical	18	2.45
7025MHz	Pass	PK	7.1561G	62.01	88.20	-26.19	3	Vertical	18	2.45
7025MHz	Pass	AV	7.0115G	76.42	Inf	-Inf	3	Horizontal	169	2.50
7025MHz	Pass	AV	7.1648G	50.03	68.20	-18.17	3	Horizontal	169	2.50
7025MHz	Pass	PK	7.0103G	87.80	Inf	-Inf	3	Horizontal	169	2.50
7025MHz	Pass	PK	7.13G	61.79	88.20	-26.41	3	Horizontal	169	2.50
7025MHz	Pass	AV	14.10796G	46.69	68.20	-21.51	3	Vertical	28	2.14
7025MHz	Pass	PK	14.01772G	58.60	88.20	-29.60	3	Vertical	28	2.14
7025MHz	Pass	AV	14.10184G	46.72	68.20	-21.48	3	Horizontal	258	1.50
7025MHz	Pass	PK	14.0746G	58.47	88.20	-29.73	3	Horizontal	258	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.8995G	50.29	68.20	-17.91	3	Vertical	19	2.48
6025MHz	Pass	AV	5.9725G	89.12	Inf	-Inf	3	Vertical	19	2.48
6025MHz	Pass	PK	5.912G	61.93	88.20	-26.27	3	Vertical	19	2.48
6025MHz	Pass	PK	5.974G	100.40	Inf	-Inf	3	Vertical	19	2.48
6025MHz	Pass	AV	5.9G	48.58	68.20	-19.62	3	Horizontal	181	2.62
6025MHz	Pass	AV	5.9725G	81.70	Inf	-Inf	3	Horizontal	181	2.62
6025MHz	Pass	PK	5.9035G	60.08	88.20	-28.12	3	Horizontal	181	2.62
6025MHz	Pass	PK	5.99G	92.21	Inf	-Inf	3	Horizontal	181	2.62
6025MHz	Pass	AV	12.04947G	43.62	54.00	-10.38	3	Vertical	210	1.20
6025MHz	Pass	PK	12.04503G	55.36	74.00	-18.64	3	Vertical	210	1.20
6025MHz	Pass	AV	12.04876G	43.61	54.00	-10.39	3	Horizontal	332	2.65
6025MHz	Pass	PK	12.05499G	53.82	74.00	-20.18	3	Horizontal	332	2.65
6185MHz	Pass	AV	5.8994G	48.90	68.20	-19.30	3	Vertical	20	2.34
6185MHz	Pass	AV	6.1546G	87.25	Inf	-Inf	3	Vertical	20	2.34
6185MHz	Pass	PK	5.8802G	60.63	88.20	-27.57	3	Vertical	20	2.34
6185MHz	Pass	PK	6.1442G	99.11	Inf	-Inf	3	Vertical	20	2.34
6185MHz	Pass	AV	5.9186G	48.20	68.20	-20.00	3	Horizontal	180	2.81
6185MHz	Pass	AV	6.149G	81.07	Inf	-Inf	3	Horizontal	180	2.81
6185MHz	Pass	PK	5.8402G	59.54	88.20	-28.66	3	Horizontal	180	2.81
6185MHz	Pass	PK	6.1482G	92.30	Inf	-Inf	3	Horizontal	180	2.81
6185MHz	Pass	AV	12.36761G	44.04	54.00	-9.96	3	Vertical	297	1.99
6185MHz	Pass	PK	12.37341G	53.80	74.00	-20.20	3	Vertical	297	1.99
6185MHz	Pass	AV	12.37046G	44.01	54.00	-9.99	3	Horizontal	69	2.41
6185MHz	Pass	PK	12.37226G	54.14	74.00	-19.86	3	Horizontal	69	2.41
6345MHz	Pass	AV	5.9034G	48.20	68.20	-20.00	3	Vertical	23	2.47
6345MHz	Pass	AV	6.3498G	87.84	Inf	-Inf	3	Vertical	23	2.47
6345MHz	Pass	PK	5.8254G	59.78	88.20	-28.42	3	Vertical	23	2.47
6345MHz	Pass	PK	6.3666G	99.35	Inf	-Inf	3	Vertical	23	2.47
6345MHz	Pass	AV	5.8806G	48.00	68.20	-20.20	3	Horizontal	173	2.78
6345MHz	Pass	AV	6.3498G	80.83	Inf	-Inf	3	Horizontal	173	2.78
6345MHz	Pass	PK	5.8602G	59.53	88.20	-28.67	3	Horizontal	173	2.78
6345MHz	Pass	PK	6.3366G	92.54	Inf	-Inf	3	Horizontal	173	2.78
6345MHz	Pass	AV	12.69307G	44.49	54.00	-9.51	3	Vertical	213	1.73
6345MHz	Pass	PK	12.68516G	54.57	74.00	-19.43	3	Vertical	213	1.73
6345MHz	Pass	AV	12.6885G	44.50	54.00	-9.50	3	Horizontal	229	2.94
6345MHz	Pass	PK	12.69239G	54.74	74.00	-19.26	3	Horizontal	229	2.94
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9044G	48.08	68.20	-20.12	3	Vertical	20	2.43
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5428G	88.85	Inf	-Inf	3	Vertical	20	2.43
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1686G	50.80	68.20	-17.40	3	Vertical	20	2.43
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.889G	59.95	88.20	-28.25	3	Vertical	20	2.43
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.547G	100.09	Inf	-Inf	3	Vertical	20	2.43
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1532G	61.89	88.20	-26.31	3	Vertical	20	2.43
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8988G	48.05	68.20	-20.15	3	Horizontal	177	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5302G	81.06	Inf	-Inf	3	Horizontal	177	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1574G	50.89	68.20	-17.31	3	Horizontal	177	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8666G	59.13	88.20	-29.07	3	Horizontal	177	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5512G	92.14	Inf	-Inf	3	Horizontal	177	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1616G	63.85	88.20	-24.35	3	Horizontal	177	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01281G	45.14	68.20	-23.06	3	Vertical	242	2.15
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00564G	55.26	88.20	-32.94	3	Vertical	242	2.15
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0082G	45.02	68.20	-23.18	3	Horizontal	19	2.82



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01139G	55.36	88.20	-32.84	3	Horizontal	19	2.82
6665MHz	Pass	AV	6.6738G	89.89	Inf	-Inf	3	Vertical	20	2.56
6665MHz	Pass	AV	7.193G	50.96	68.20	-17.24	3	Vertical	20	2.56
6665MHz	Pass	PK	6.6892G	101.43	Inf	-Inf	3	Vertical	20	2.56
6665MHz	Pass	PK	7.1985G	62.43	88.20	-25.77	3	Vertical	20	2.56
6665MHz	Pass	AV	6.7167G	81.86	Inf	-Inf	3	Horizontal	171	2.86
6665MHz	Pass	AV	7.16G	50.87	68.20	-17.33	3	Horizontal	171	2.86
6665MHz	Pass	PK	6.6672G	92.79	Inf	-Inf	3	Horizontal	171	2.86
6665MHz	Pass	PK	7.1556G	62.00	88.20	-26.20	3	Horizontal	171	2.86
6665MHz	Pass	AV	13.32502G	45.08	54.00	-8.92	3	Vertical	27	1.96
6665MHz	Pass	PK	13.33412G	55.30	74.00	-18.70	3	Vertical	27	1.96
6665MHz	Pass	AV	13.32597G	45.13	54.00	-8.87	3	Horizontal	151	2.84
6665MHz	Pass	PK	13.3287G	55.81	74.00	-18.19	3	Horizontal	151	2.84
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7786G	90.16	Inf	-Inf	3	Vertical	15	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2202G	51.09	68.20	-17.11	3	Vertical	15	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7922G	101.57	Inf	-Inf	3	Vertical	15	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1626G	62.90	88.20	-25.30	3	Vertical	15	2.48
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7818G	81.78	Inf	-Inf	3	Horizontal	172	2.83
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1658G	50.95	68.20	-17.25	3	Horizontal	172	2.83
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7914G	92.94	Inf	-Inf	3	Horizontal	172	2.83
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.193G	62.53	88.20	-25.67	3	Horizontal	172	2.83
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64643G	46.48	68.20	-21.72	3	Vertical	268	2.69
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64643G	57.12	88.20	-31.08	3	Vertical	268	2.69
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64826G	46.42	68.20	-21.78	3	Horizontal	170	2.97
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.6484G	56.93	88.20	-31.27	3	Horizontal	170	2.97
6985MHz	Pass	AV	6.9385G	87.64	Inf	-Inf	3	Vertical	23	2.26
6985MHz	Pass	AV	7.1265G	52.60	68.20	-15.60	3	Vertical	23	2.26
6985MHz	Pass	PK	6.9425G	99.03	Inf	-Inf	3	Vertical	23	2.26
6985MHz	Pass	PK	7.1555G	63.95	88.20	-24.25	3	Vertical	23	2.26
6985MHz	Pass	AV	6.9325G	79.24	Inf	-Inf	3	Horizontal	174	2.58
6985MHz	Pass	AV	7.227G	51.24	68.20	-16.96	3	Horizontal	174	2.58
6985MHz	Pass	PK	6.9405G	90.37	Inf	-Inf	3	Horizontal	174	2.58
6985MHz	Pass	PK	7.15G	63.46	88.20	-24.74	3	Horizontal	174	2.58
6985MHz	Pass	AV	13.97028G	46.31	68.20	-21.89	3	Vertical	136	1.38
6985MHz	Pass	PK	13.96637G	57.02	88.20	-31.18	3	Vertical	136	1.38
6985MHz	Pass	AV	13.97454G	46.36	68.20	-21.84	3	Horizontal	226	1.77
6985MHz	Pass	PK	13.96842G	56.90	88.20	-31.30	3	Horizontal	226	1.77
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9163G	47.04	68.20	-21.16	3	Vertical	353	2.67
5955MHz	Pass	AV	5.9514G	78.45	Inf	-Inf	3	Vertical	353	2.67
5955MHz	Pass	PK	5.8893G	59.26	88.20	-28.94	3	Vertical	353	2.67
5955MHz	Pass	PK	5.9493G	89.38	Inf	-Inf	3	Vertical	353	2.67
5955MHz	Pass	AV	5.9082G	47.10	68.20	-21.10	3	Horizontal	187	2.88
5955MHz	Pass	AV	5.9514G	72.72	Inf	-Inf	3	Horizontal	187	2.88
5955MHz	Pass	PK	5.838G	58.90	88.20	-29.30	3	Horizontal	187	2.88
5955MHz	Pass	PK	5.9523G	84.27	Inf	-Inf	3	Horizontal	187	2.88
5955MHz	Pass	AV	11.91357G	43.39	54.00	-10.61	3	Vertical	338	1.68
5955MHz	Pass	PK	11.90521G	55.67	74.00	-18.33	3	Vertical	338	1.68
5955MHz	Pass	AV	11.90631G	43.34	54.00	-10.66	3	Horizontal	170	2.85
5955MHz	Pass	PK	11.91111G	55.45	74.00	-18.55	3	Horizontal	170	2.85
6175MHz	Pass	AV	5.9032G	47.00	68.20	-21.20	3	Vertical	345	2.54
6175MHz	Pass	AV	6.1816G	80.86	Inf	-Inf	3	Vertical	345	2.54
6175MHz	Pass	PK	5.8964G	58.35	88.20	-29.85	3	Vertical	345	2.54
6175MHz	Pass	PK	6.1828G	91.47	Inf	-Inf	3	Vertical	345	2.54
6175MHz	Pass	AV	5.8936G	46.95	68.20	-21.25	3	Horizontal	186	2.60
6175MHz	Pass	AV	6.1828G	74.56	Inf	-Inf	3	Horizontal	186	2.60
6175MHz	Pass	PK	5.896G	59.05	88.20	-29.15	3	Horizontal	186	2.60
6175MHz	Pass	PK	6.1678G	84.82	Inf	-Inf	3	Horizontal	186	2.60
6175MHz	Pass	AV	12.35488G	43.00	54.00	-11.00	3	Vertical	302	1.50
6175MHz	Pass	PK	12.3514G	55.25	74.00	-18.75	3	Vertical	302	1.50
6175MHz	Pass	AV	12.35293G	43.00	54.00	-11.00	3	Horizontal	124	1.66
6175MHz	Pass	PK	12.34781G	55.42	74.00	-18.58	3	Horizontal	124	1.66



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6415MHz	Pass	AV	5.8906G	46.94	68.20	-21.26	3	Vertical	344	2.46
6415MHz	Pass	AV	6.4222G	81.34	Inf	-Inf	3	Vertical	344	2.46
6415MHz	Pass	PK	5.8594G	58.32	88.20	-29.88	3	Vertical	344	2.46
6415MHz	Pass	PK	6.4102G	91.43	Inf	-Inf	3	Vertical	344	2.46
6415MHz	Pass	AV	5.9026G	46.93	68.20	-21.27	3	Horizontal	181	2.71
6415MHz	Pass	AV	6.4114G	74.62	Inf	-Inf	3	Horizontal	181	2.71
6415MHz	Pass	PK	5.8306G	57.89	88.20	-30.31	3	Horizontal	181	2.71
6415MHz	Pass	PK	6.409G	84.72	Inf	-Inf	3	Horizontal	181	2.71
6415MHz	Pass	AV	12.83364G	44.93	68.20	-23.27	3	Vertical	177	1.83
6415MHz	Pass	PK	12.83447G	56.74	88.20	-31.46	3	Vertical	177	1.83
6415MHz	Pass	AV	12.83225G	44.86	68.20	-23.34	3	Horizontal	4	1.28
6415MHz	Pass	PK	12.83241G	57.17	88.20	-31.03	3	Horizontal	4	1.28
6435MHz	Pass	AV	5.8938G	47.02	68.20	-21.18	3	Vertical	8	2.42
6435MHz	Pass	AV	6.4386G	82.37	Inf	-Inf	3	Vertical	8	2.42
6435MHz	Pass	PK	5.9046G	58.58	88.20	-29.62	3	Vertical	8	2.42
6435MHz	Pass	PK	6.4398G	92.96	Inf	-Inf	3	Vertical	8	2.42
6435MHz	Pass	AV	5.9142G	47.03	68.20	-21.17	3	Horizontal	181	3.00
6435MHz	Pass	AV	6.4422G	75.71	Inf	-Inf	3	Horizontal	181	3.00
6435MHz	Pass	PK	5.8842G	58.48	88.20	-29.72	3	Horizontal	181	3.00
6435MHz	Pass	PK	6.4386G	85.90	Inf	-Inf	3	Horizontal	181	3.00
6435MHz	Pass	AV	12.87812G	43.44	68.20	-24.76	3	Vertical	93	1.50
6435MHz	Pass	PK	12.8722G	55.34	88.20	-32.86	3	Vertical	93	1.50
6435MHz	Pass	AV	12.8757G	43.41	68.20	-24.79	3	Horizontal	214	1.00
6435MHz	Pass	PK	12.87988G	55.61	88.20	-32.59	3	Horizontal	214	1.00
6475MHz	Pass	AV	5.908G	46.87	68.20	-21.33	3	Vertical	7	2.35
6475MHz	Pass	AV	6.4792G	82.95	Inf	-Inf	3	Vertical	7	2.35
6475MHz	Pass	AV	7.1708G	49.77	68.20	-18.43	3	Vertical	7	2.35
6475MHz	Pass	PK	5.8842G	58.29	88.20	-29.91	3	Vertical	7	2.35
6475MHz	Pass	PK	6.4792G	92.99	Inf	-Inf	3	Vertical	7	2.35
6475MHz	Pass	PK	7.1638G	60.48	88.20	-27.72	3	Vertical	7	2.35
6475MHz	Pass	AV	5.8996G	46.92	68.20	-21.28	3	Horizontal	170	3.00
6475MHz	Pass	AV	6.482G	76.79	Inf	-Inf	3	Horizontal	170	3.00
6475MHz	Pass	AV	7.175G	49.83	68.20	-18.37	3	Horizontal	170	3.00
6475MHz	Pass	PK	5.8758G	58.80	88.20	-29.40	3	Horizontal	170	3.00
6475MHz	Pass	PK	6.4764G	85.75	Inf	-Inf	3	Horizontal	170	3.00
6475MHz	Pass	PK	7.1358G	60.95	88.20	-27.25	3	Horizontal	170	3.00
6475MHz	Pass	AV	12.95728G	43.37	68.20	-24.83	3	Vertical	89	1.50
6475MHz	Pass	PK	12.95942G	56.02	88.20	-32.18	3	Vertical	89	1.50
6475MHz	Pass	AV	12.9582G	43.38	68.20	-24.82	3	Horizontal	96	2.98
6475MHz	Pass	PK	12.94834G	55.55	88.20	-32.65	3	Horizontal	96	2.98
6515MHz	Pass	AV	5.8934G	46.91	68.20	-21.29	3	Vertical	348	2.70
6515MHz	Pass	AV	6.522G	83.67	Inf	-Inf	3	Vertical	348	2.70
6515MHz	Pass	AV	7.201G	49.96	68.20	-18.24	3	Vertical	348	2.70
6515MHz	Pass	PK	5.8738G	58.55	88.20	-29.65	3	Vertical	348	2.70
6515MHz	Pass	PK	6.5206G	93.69	Inf	-Inf	3	Vertical	348	2.70
6515MHz	Pass	PK	7.2122G	61.17	88.20	-27.03	3	Vertical	348	2.70
6515MHz	Pass	AV	5.8962G	46.92	68.20	-21.28	3	Horizontal	179	2.90
6515MHz	Pass	AV	6.5108G	76.44	Inf	-Inf	3	Horizontal	179	2.90
6515MHz	Pass	AV	7.201G	50.00	68.20	-18.20	3	Horizontal	179	2.90
6515MHz	Pass	PK	5.9242G	58.24	88.20	-29.96	3	Horizontal	179	2.90
6515MHz	Pass	PK	6.5206G	86.43	Inf	-Inf	3	Horizontal	179	2.90
6515MHz	Pass	PK	7.1758G	61.01	88.20	-27.19	3	Horizontal	179	2.90
6515MHz	Pass	AV	13.02012G	43.38	68.20	-24.82	3	Vertical	16	2.67
6515MHz	Pass	PK	13.03736G	56.70	88.20	-31.50	3	Vertical	16	2.67
6515MHz	Pass	AV	13.02074G	43.36	68.20	-24.84	3	Horizontal	70	2.82
6515MHz	Pass	PK	13.0246G	55.38	88.20	-32.82	3	Horizontal	70	2.82
6535MHz	Pass	AV	5.9148G	46.93	68.20	-21.27	3	Vertical	13	2.63
6535MHz	Pass	AV	6.5308G	83.21	Inf	-Inf	3	Vertical	13	2.63
6535MHz	Pass	AV	7.193G	49.96	68.20	-18.24	3	Vertical	13	2.63
6535MHz	Pass	PK	5.8448G	57.72	88.20	-30.48	3	Vertical	13	2.63
6535MHz	Pass	PK	6.5308G	93.33	Inf	-Inf	3	Vertical	13	2.63
6535MHz	Pass	PK	7.221G	61.15	88.20	-27.05	3	Vertical	13	2.63



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6535MHz	Pass	AV	5.9036G	46.93	68.20	-21.27	3	Horizontal	178	3.00
6535MHz	Pass	AV	6.5294G	76.19	Inf	-Inf	3	Horizontal	178	3.00
6535MHz	Pass	AV	7.214G	50.02	68.20	-18.18	3	Horizontal	178	3.00
6535MHz	Pass	PK	5.8686G	57.63	88.20	-30.57	3	Horizontal	178	3.00
6535MHz	Pass	PK	6.5406G	86.56	Inf	-Inf	3	Horizontal	178	3.00
6535MHz	Pass	PK	7.137G	61.04	88.20	-27.16	3	Horizontal	178	3.00
6535MHz	Pass	AV	13.07374G	43.32	68.20	-24.88	3	Vertical	290	2.69
6535MHz	Pass	PK	13.07428G	55.11	88.20	-33.09	3	Vertical	290	2.69
6535MHz	Pass	AV	13.0739G	43.32	68.20	-24.88	3	Horizontal	12	1.50
6535MHz	Pass	PK	13.0732G	55.23	88.20	-32.97	3	Horizontal	12	1.50
6695MHz	Pass	AV	6.702G	82.98	Inf	-Inf	3	Vertical	348	2.61
6695MHz	Pass	AV	7.195G	49.98	68.20	-18.22	3	Vertical	348	2.61
6695MHz	Pass	PK	6.691G	92.64	Inf	-Inf	3	Vertical	348	2.61
6695MHz	Pass	PK	7.159G	62.25	88.20	-25.95	3	Vertical	348	2.61
6695MHz	Pass	AV	6.702G	75.84	Inf	-Inf	3	Horizontal	180	2.80
6695MHz	Pass	AV	7.195G	49.94	68.20	-18.26	3	Horizontal	180	2.80
6695MHz	Pass	PK	6.702G	86.26	Inf	-Inf	3	Horizontal	180	2.80
6695MHz	Pass	PK	7.163G	61.52	88.20	-26.68	3	Horizontal	180	2.80
6695MHz	Pass	AV	13.39488G	43.59	54.00	-10.41	3	Vertical	150	1.50
6695MHz	Pass	PK	13.3964G	55.90	74.00	-18.10	3	Vertical	150	1.50
6695MHz	Pass	AV	13.39266G	43.56	54.00	-10.44	3	Horizontal	153	2.42
6695MHz	Pass	PK	13.39628G	55.24	74.00	-18.76	3	Horizontal	153	2.42
6855MHz	Pass	AV	6.8571G	82.40	Inf	-Inf	3	Vertical	20	2.59
6855MHz	Pass	AV	7.191G	49.99	68.20	-18.21	3	Vertical	20	2.59
6855MHz	Pass	PK	6.8571G	92.92	Inf	-Inf	3	Vertical	20	2.59
6855MHz	Pass	PK	7.1679G	61.75	88.20	-26.45	3	Vertical	20	2.59
6855MHz	Pass	AV	6.8536G	74.01	Inf	-Inf	3	Horizontal	30	2.60
6855MHz	Pass	AV	7.205G	49.97	68.20	-18.23	3	Horizontal	30	2.60
6855MHz	Pass	PK	6.8501G	83.85	Inf	-Inf	3	Horizontal	30	2.60
6855MHz	Pass	PK	7.2022G	60.96	88.20	-27.24	3	Horizontal	30	2.60
6855MHz	Pass	AV	13.7116G	43.98	68.20	-24.22	3	Vertical	313	1.09
6855MHz	Pass	PK	13.71122G	56.00	88.20	-32.20	3	Vertical	313	1.09
6855MHz	Pass	AV	13.70068G	43.98	68.20	-24.22	3	Horizontal	257	1.92
6855MHz	Pass	PK	13.70378G	55.76	88.20	-32.44	3	Horizontal	257	1.92
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.868G	81.76	Inf	-Inf	3	Vertical	347	2.34
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2243G	50.01	68.20	-18.19	3	Vertical	347	2.34
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8715G	92.48	Inf	-Inf	3	Vertical	347	2.34
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.2117G	61.30	88.20	-26.90	3	Vertical	347	2.34
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8673G	73.83	Inf	-Inf	3	Horizontal	29	2.38
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2033G	50.05	68.20	-18.15	3	Horizontal	29	2.38
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8673G	83.83	Inf	-Inf	3	Horizontal	29	2.38
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.2054G	61.57	88.20	-26.63	3	Horizontal	29	2.38
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74002G	43.89	68.20	-24.31	3	Vertical	56	1.62
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75048G	56.35	88.20	-31.85	3	Vertical	56	1.62
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7439G	43.88	68.20	-24.32	3	Horizontal	7	1.34
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74418G	55.24	88.20	-32.96	3	Horizontal	7	1.34
6895MHz	Pass	AV	6.8929G	81.05	Inf	-Inf	3	Vertical	348	2.34
6895MHz	Pass	AV	7.217G	50.00	68.20	-18.20	3	Vertical	348	2.34
6895MHz	Pass	PK	6.8964G	90.87	Inf	-Inf	3	Vertical	348	2.34
6895MHz	Pass	PK	7.2016G	61.65	88.20	-26.55	3	Vertical	348	2.34
6895MHz	Pass	AV	6.8915G	72.90	Inf	-Inf	3	Horizontal	29	2.37
6895MHz	Pass	AV	7.2219G	50.04	68.20	-18.16	3	Horizontal	29	2.37
6895MHz	Pass	PK	6.8978G	84.02	Inf	-Inf	3	Horizontal	29	2.37
6895MHz	Pass	PK	7.1806G	60.99	88.20	-27.21	3	Horizontal	29	2.37
6895MHz	Pass	AV	13.78356G	43.75	68.20	-24.45	3	Vertical	114	1.11
6895MHz	Pass	PK	13.79162G	55.79	88.20	-32.41	3	Vertical	114	1.11
6895MHz	Pass	AV	13.7844G	43.76	68.20	-24.44	3	Horizontal	63	1.66
6895MHz	Pass	PK	13.79214G	55.27	88.20	-32.93	3	Horizontal	63	1.66
6995MHz	Pass	AV	6.991G	79.08	Inf	-Inf	3	Vertical	353	2.41
6995MHz	Pass	AV	7.2055G	50.00	68.20	-18.20	3	Vertical	353	2.41
6995MHz	Pass	PK	7.0025G	89.18	Inf	-Inf	3	Vertical	353	2.41
6995MHz	Pass	PK	7.2345G	62.00	88.20	-26.20	3	Vertical	353	2.41



RSE TX above 1GHz_Full RU

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6995MHz	Pass	AV	6.991G	70.25	Inf	-Inf	3	Horizontal	35	2.39
6995MHz	Pass	AV	7.237G	50.01	68.20	-18.19	3	Horizontal	35	2.39
6995MHz	Pass	PK	6.997G	80.40	Inf	-Inf	3	Horizontal	35	2.39
6995MHz	Pass	PK	7.2285G	61.44	88.20	-26.76	3	Horizontal	35	2.39
6995MHz	Pass	AV	13.9979G	43.99	68.20	-24.21	3	Vertical	148	2.45
6995MHz	Pass	PK	13.98808G	55.92	88.20	-32.28	3	Vertical	148	2.45
6995MHz	Pass	AV	13.99766G	43.96	68.20	-24.24	3	Horizontal	278	2.87
6995MHz	Pass	PK	13.98756G	55.16	88.20	-33.04	3	Horizontal	278	2.87
7095MHz	Pass	AV	7.0989G	77.26	Inf	-Inf	3	Vertical	15	2.34
7095MHz	Pass	AV	7.206G	50.02	68.20	-18.18	3	Vertical	15	2.34
7095MHz	Pass	PK	7.0875G	89.26	Inf	-Inf	3	Vertical	15	2.34
7095MHz	Pass	PK	7.2213G	61.86	88.20	-26.34	3	Vertical	15	2.34
7095MHz	Pass	AV	7.0986G	70.47	Inf	-Inf	3	Horizontal	182	2.68
7095MHz	Pass	AV	7.2012G	50.02	68.20	-18.18	3	Horizontal	182	2.68
7095MHz	Pass	PK	7.0998G	81.07	Inf	-Inf	3	Horizontal	182	2.68
7095MHz	Pass	PK	7.1946G	61.58	88.20	-26.62	3	Horizontal	182	2.68
7095MHz	Pass	AV	14.19164G	44.33	68.20	-23.87	3	Vertical	288	1.44
7095MHz	Pass	PK	14.1809G	56.20	88.20	-32.00	3	Vertical	288	1.44
7095MHz	Pass	AV	14.19592G	44.35	68.20	-23.85	3	Horizontal	40	1.38
7095MHz	Pass	PK	14.1892G	56.39	88.20	-31.81	3	Horizontal	40	1.38
7115MHz	Pass	AV	7.1078G	71.99	Inf	-Inf	3	Vertical	359	2.33
7115MHz	Pass	AV	7.125G	62.67	68.20	-5.53	3	Vertical	359	2.33
7115MHz	Pass	PK	7.1138G	82.98	Inf	-Inf	3	Vertical	359	2.33
7115MHz	Pass	PK	7.125G	70.23	88.20	-17.97	3	Vertical	359	2.33
7115MHz	Pass	AV	7.1216G	65.07	Inf	-Inf	3	Horizontal	180	2.90
7115MHz	Pass	AV	7.125G	56.97	68.20	-11.23	3	Horizontal	180	2.90
7115MHz	Pass	PK	7.1176G	76.63	Inf	-Inf	3	Horizontal	180	2.90
7115MHz	Pass	PK	7.125G	65.52	88.20	-22.68	3	Horizontal	180	2.90
7115MHz	Pass	AV	14.22244G	44.44	68.20	-23.76	3	Vertical	209	2.98
7115MHz	Pass	PK	14.23256G	56.31	88.20	-31.89	3	Vertical	209	2.98
7115MHz	Pass	AV	14.22292G	44.48	68.20	-23.72	3	Horizontal	135	2.43
7115MHz	Pass	PK	14.23124G	55.59	88.20	-32.61	3	Horizontal	135	2.43
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	48.49	68.20	-19.71	3	Vertical	353	2.51
5965MHz	Pass	AV	5.9503G	85.12	Inf	-Inf	3	Vertical	353	2.51
5965MHz	Pass	PK	5.9227G	60.90	88.20	-27.30	3	Vertical	353	2.51
5965MHz	Pass	PK	5.977G	96.97	Inf	-Inf	3	Vertical	353	2.51
5965MHz	Pass	AV	5.9248G	47.46	68.20	-20.74	3	Horizontal	186	2.87
5965MHz	Pass	AV	5.9539G	79.64	Inf	-Inf	3	Horizontal	186	2.87
5965MHz	Pass	PK	5.9221G	58.74	88.20	-29.46	3	Horizontal	186	2.87
5965MHz	Pass	PK	5.9521G	90.64	Inf	-Inf	3	Horizontal	186	2.87
5965MHz	Pass	AV	11.93302G	43.22	54.00	-10.78	3	Vertical	170	1.88
5965MHz	Pass	PK	11.93147G	55.68	74.00	-18.32	3	Vertical	170	1.88
5965MHz	Pass	AV	11.93312G	43.24	54.00	-10.76	3	Horizontal	125	2.76
5965MHz	Pass	PK	11.93384G	55.48	74.00	-18.52	3	Horizontal	125	2.76
6165MHz	Pass	AV	5.922G	46.95	68.20	-21.25	3	Vertical	346	2.34
6165MHz	Pass	AV	6.1818G	85.58	Inf	-Inf	3	Vertical	346	2.34
6165MHz	Pass	PK	5.8968G	57.71	88.20	-30.49	3	Vertical	346	2.34
6165MHz	Pass	PK	6.1716G	96.35	Inf	-Inf	3	Vertical	346	2.34
6165MHz	Pass	AV	5.8998G	46.95	68.20	-21.25	3	Horizontal	181	3.00
6165MHz	Pass	AV	6.159G	79.36	Inf	-Inf	3	Horizontal	181	3.00
6165MHz	Pass	PK	5.8674G	58.09	88.20	-30.11	3	Horizontal	181	3.00
6165MHz	Pass	PK	6.1548G	90.35	Inf	-Inf	3	Horizontal	181	3.00
6165MHz	Pass	AV	12.32559G	43.95	54.00	-10.05	3	Vertical	259	2.46
6165MHz	Pass	PK	12.33259G	56.77	74.00	-17.23	3	Vertical	259	2.46
6165MHz	Pass	AV	12.33001G	43.96	54.00	-10.04	3	Horizontal	244	2.77
6165MHz	Pass	PK	12.3303G	56.28	74.00	-17.72	3	Horizontal	244	2.77
6405MHz	Pass	AV	5.9202G	46.98	68.20	-21.22	3	Vertical	348	2.70
6405MHz	Pass	AV	6.3882G	84.78	Inf	-Inf	3	Vertical	348	2.70
6405MHz	Pass	PK	5.901G	58.26	88.20	-29.94	3	Vertical	348	2.70
6405MHz	Pass	PK	6.4062G	94.85	Inf	-Inf	3	Vertical	348	2.70
6405MHz	Pass	AV	5.9094G	46.94	68.20	-21.26	3	Horizontal	181	2.86



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6405MHz	Pass	AV	6.4062G	78.09	Inf	-Inf	3	Horizontal	181	2.86
6405MHz	Pass	PK	5.8914G	57.93	88.20	-30.27	3	Horizontal	181	2.86
6405MHz	Pass	PK	6.3942G	88.24	Inf	-Inf	3	Horizontal	181	2.86
6405MHz	Pass	AV	12.80952G	44.69	68.20	-23.51	3	Vertical	290	1.85
6405MHz	Pass	PK	12.80913G	57.16	88.20	-31.04	3	Vertical	290	1.85
6405MHz	Pass	AV	12.80634G	44.65	68.20	-23.55	3	Horizontal	89	1.01
6405MHz	Pass	PK	12.80619G	56.81	88.20	-31.39	3	Horizontal	89	1.01
6445MHz	Pass	AV	5.8918G	46.95	68.20	-21.25	3	Vertical	348	2.33
6445MHz	Pass	AV	6.4354G	84.15	Inf	-Inf	3	Vertical	348	2.33
6445MHz	Pass	PK	5.8534G	57.57	88.20	-30.63	3	Vertical	348	2.33
6445MHz	Pass	PK	6.4462G	94.80	Inf	-Inf	3	Vertical	348	2.33
6445MHz	Pass	AV	5.8942G	46.93	68.20	-21.27	3	Horizontal	31	2.53
6445MHz	Pass	AV	6.4414G	74.23	Inf	-Inf	3	Horizontal	31	2.53
6445MHz	Pass	PK	5.875G	58.57	88.20	-29.63	3	Horizontal	31	2.53
6445MHz	Pass	PK	6.433G	85.10	Inf	-Inf	3	Horizontal	31	2.53
6445MHz	Pass	AV	12.90676G	43.21	68.20	-24.99	3	Vertical	76	1.52
6445MHz	Pass	PK	12.90984G	54.66	88.20	-33.54	3	Vertical	76	1.52
6445MHz	Pass	AV	12.90552G	43.21	68.20	-24.99	3	Horizontal	350	2.53
6445MHz	Pass	PK	12.87648G	54.62	88.20	-33.58	3	Horizontal	350	2.53
6485MHz	Pass	AV	5.9222G	46.94	68.20	-21.26	3	Vertical	8	2.36
6485MHz	Pass	AV	6.4822G	84.53	Inf	-Inf	3	Vertical	8	2.36
6485MHz	Pass	AV	7.178G	49.81	68.20	-18.39	3	Vertical	8	2.36
6485MHz	Pass	PK	5.8564G	57.83	88.20	-30.37	3	Vertical	8	2.36
6485MHz	Pass	PK	6.4752G	94.36	Inf	-Inf	3	Vertical	8	2.36
6485MHz	Pass	PK	7.1598G	61.52	88.20	-26.68	3	Vertical	8	2.36
6485MHz	Pass	AV	5.918G	46.95	68.20	-21.25	3	Horizontal	175	2.95
6485MHz	Pass	AV	6.4766G	78.40	Inf	-Inf	3	Horizontal	175	2.95
6485MHz	Pass	AV	7.1766G	49.81	68.20	-18.39	3	Horizontal	175	2.95
6485MHz	Pass	PK	5.848G	58.11	88.20	-30.09	3	Horizontal	175	2.95
6485MHz	Pass	PK	6.471G	88.44	Inf	-Inf	3	Horizontal	175	2.95
6485MHz	Pass	PK	7.143G	60.43	88.20	-27.77	3	Horizontal	175	2.95
6485MHz	Pass	AV	12.97588G	43.35	68.20	-24.85	3	Vertical	20	2.74
6485MHz	Pass	PK	12.96884G	55.93	88.20	-32.27	3	Vertical	20	2.74
6485MHz	Pass	AV	12.97656G	43.31	68.20	-24.89	3	Horizontal	310	2.00
6485MHz	Pass	PK	12.96452G	55.40	88.20	-32.80	3	Horizontal	310	2.00
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9118G	46.96	68.20	-21.24	3	Vertical	343	2.39
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5278G	84.30	Inf	-Inf	3	Vertical	343	2.39
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1942G	49.96	68.20	-18.24	3	Vertical	343	2.39
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8516G	58.64	88.20	-29.56	3	Vertical	343	2.39
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5376G	94.16	Inf	-Inf	3	Vertical	343	2.39
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1466G	60.84	88.20	-27.36	3	Vertical	343	2.39
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9146G	46.90	68.20	-21.30	3	Horizontal	177	2.85
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5082G	77.21	Inf	-Inf	3	Horizontal	177	2.85
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2194G	50.03	68.20	-18.17	3	Horizontal	177	2.85
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9216G	58.61	88.20	-29.59	3	Horizontal	177	2.85
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5152G	87.34	Inf	-Inf	3	Horizontal	177	2.85
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1704G	62.33	88.20	-25.87	3	Horizontal	177	2.85
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06944G	43.25	68.20	-24.95	3	Vertical	72	1.37
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.03164G	55.62	88.20	-32.58	3	Vertical	72	1.37
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06704G	43.24	68.20	-24.96	3	Horizontal	79	1.49
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.03592G	54.32	88.20	-33.88	3	Horizontal	79	1.49
6565MHz	Pass	AV	6.586G	84.75	Inf	-Inf	3	Vertical	347	2.37
6565MHz	Pass	AV	7.165G	49.71	68.20	-18.49	3	Vertical	347	2.37
6565MHz	Pass	PK	6.5806G	95.06	Inf	-Inf	3	Vertical	347	2.37
6565MHz	Pass	PK	7.165G	60.00	88.20	-28.20	3	Vertical	347	2.37
6565MHz	Pass	AV	6.5758G	78.12	Inf	-Inf	3	Horizontal	180	2.99
6565MHz	Pass	AV	7.1626G	49.75	68.20	-18.45	3	Horizontal	180	2.99
6565MHz	Pass	PK	6.577G	88.01	Inf	-Inf	3	Horizontal	180	2.99
6565MHz	Pass	PK	7.1506G	60.76	88.20	-27.44	3	Horizontal	180	2.99
6565MHz	Pass	AV	13.13524G	43.29	68.20	-24.91	3	Vertical	301	1.17
6565MHz	Pass	PK	13.11748G	55.42	88.20	-32.78	3	Vertical	301	1.17
6565MHz	Pass	AV	13.15G	43.31	68.20	-24.89	3	Horizontal	82	1.01



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6565MHz	Pass	PK	13.13376G	55.25	88.20	-32.95	3	Horizontal	82	1.01
6685MHz	Pass	AV	6.691G	86.02	Inf	-Inf	3	Vertical	345	2.31
6685MHz	Pass	AV	7.184G	49.86	68.20	-18.34	3	Vertical	345	2.31
6685MHz	Pass	PK	6.671G	96.29	Inf	-Inf	3	Vertical	345	2.31
6685MHz	Pass	PK	7.146G	60.83	88.20	-27.37	3	Vertical	345	2.31
6685MHz	Pass	AV	6.672G	79.47	Inf	-Inf	3	Horizontal	182	2.78
6685MHz	Pass	AV	7.182G	49.85	68.20	-18.35	3	Horizontal	182	2.78
6685MHz	Pass	PK	6.699G	89.62	Inf	-Inf	3	Horizontal	182	2.78
6685MHz	Pass	PK	7.135G	60.72	88.20	-27.48	3	Horizontal	182	2.78
6685MHz	Pass	AV	13.38996G	43.49	54.00	-10.51	3	Vertical	67	1.20
6685MHz	Pass	PK	13.3886G	55.34	74.00	-18.66	3	Vertical	67	1.20
6685MHz	Pass	AV	13.38824G	43.49	54.00	-10.51	3	Horizontal	323	1.27
6685MHz	Pass	PK	13.35708G	54.87	74.00	-19.13	3	Horizontal	323	1.27
6845MHz	Pass	AV	6.8282G	85.39	Inf	-Inf	3	Vertical	347	2.32
6845MHz	Pass	AV	7.1943G	49.91	68.20	-18.29	3	Vertical	347	2.32
6845MHz	Pass	PK	6.838G	96.47	Inf	-Inf	3	Vertical	347	2.32
6845MHz	Pass	PK	7.1719G	61.91	88.20	-26.29	3	Vertical	347	2.32
6845MHz	Pass	AV	6.8443G	75.87	Inf	-Inf	3	Horizontal	26	2.35
6845MHz	Pass	AV	7.195G	49.98	68.20	-18.22	3	Horizontal	26	2.35
6845MHz	Pass	PK	6.8373G	86.56	Inf	-Inf	3	Horizontal	26	2.35
6845MHz	Pass	PK	7.1943G	61.48	88.20	-26.72	3	Horizontal	26	2.35
6845MHz	Pass	AV	13.6834G	44.55	68.20	-23.65	3	Vertical	360	2.32
6845MHz	Pass	PK	13.69868G	56.79	88.20	-31.41	3	Vertical	360	2.32
6845MHz	Pass	AV	13.671G	44.12	68.20	-24.08	3	Horizontal	171	2.01
6845MHz	Pass	PK	13.69644G	55.91	88.20	-32.29	3	Horizontal	171	2.01
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8717G	84.20	Inf	-Inf	3	Vertical	349	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1951G	50.06	68.20	-18.14	3	Vertical	349	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8766G	94.84	Inf	-Inf	3	Vertical	349	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2147G	61.68	88.20	-26.52	3	Vertical	349	2.37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8689G	75.97	Inf	-Inf	3	Horizontal	27	2.38
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2042G	50.07	68.20	-18.13	3	Horizontal	27	2.38
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8696G	86.49	Inf	-Inf	3	Horizontal	27	2.38
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2189G	60.97	88.20	-27.23	3	Horizontal	27	2.38
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76932G	44.20	68.20	-24.00	3	Vertical	83	2.17
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76232G	56.45	88.20	-31.75	3	Vertical	83	2.17
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.75496G	43.79	68.20	-24.41	3	Horizontal	248	1.00
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.78728G	55.19	88.20	-33.01	3	Horizontal	248	1.00
6925MHz	Pass	AV	6.9082G	84.14	Inf	-Inf	3	Vertical	347	2.35
6925MHz	Pass	AV	7.198G	50.09	68.20	-18.11	3	Vertical	347	2.35
6925MHz	Pass	PK	6.9184G	95.11	Inf	-Inf	3	Vertical	347	2.35
6925MHz	Pass	PK	7.1254G	61.85	88.20	-26.35	3	Vertical	347	2.35
6925MHz	Pass	AV	6.9076G	75.22	Inf	-Inf	3	Horizontal	37	1.00
6925MHz	Pass	AV	7.2052G	50.00	68.20	-18.20	3	Horizontal	37	1.00
6925MHz	Pass	PK	6.9088G	87.65	Inf	-Inf	3	Horizontal	37	1.00
6925MHz	Pass	PK	7.156G	62.07	88.20	-26.13	3	Horizontal	37	1.00
6925MHz	Pass	AV	13.84896G	43.93	68.20	-24.27	3	Vertical	0	2.47
6925MHz	Pass	PK	13.84916G	56.63	88.20	-31.57	3	Vertical	0	2.47
6925MHz	Pass	AV	13.83236G	43.59	68.20	-24.61	3	Horizontal	57	2.77
6925MHz	Pass	PK	13.86516G	56.05	88.20	-32.15	3	Horizontal	57	2.77
7005MHz	Pass	AV	6.9885G	83.57	Inf	-Inf	3	Vertical	348	2.39
7005MHz	Pass	AV	7.1517G	49.79	68.20	-18.41	3	Vertical	348	2.39
7005MHz	Pass	PK	6.9918G	94.53	Inf	-Inf	3	Vertical	348	2.39
7005MHz	Pass	PK	7.1361G	60.85	88.20	-27.35	3	Vertical	348	2.39
7005MHz	Pass	AV	6.9873G	74.38	Inf	-Inf	3	Horizontal	27	2.43
7005MHz	Pass	AV	7.152G	49.69	68.20	-18.51	3	Horizontal	27	2.43
7005MHz	Pass	PK	6.9873G	84.94	Inf	-Inf	3	Horizontal	27	2.43
7005MHz	Pass	PK	7.1487G	60.75	88.20	-27.45	3	Horizontal	27	2.43
7005MHz	Pass	AV	14.0202G	44.28	68.20	-23.92	3	Vertical	165	1.30
7005MHz	Pass	PK	13.99568G	56.94	88.20	-31.26	3	Vertical	165	1.30
7005MHz	Pass	AV	14.02804G	44.11	68.20	-24.09	3	Horizontal	206	1.95
7005MHz	Pass	PK	13.99324G	55.18	88.20	-33.02	3	Horizontal	206	1.95
7085MHz	Pass	AV	7.082G	82.98	Inf	-Inf	3	Vertical	353	2.31



RSE TX above 1GHz_Full RU

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.2287G	50.01	68.20	-18.19	3	Vertical	353	2.31
7085MHz	Pass	PK	7.0922G	93.80	Inf	-Inf	3	Vertical	353	2.31
7085MHz	Pass	PK	7.1618G	61.28	88.20	-26.92	3	Vertical	353	2.31
7085MHz	Pass	AV	7.0982G	76.30	Inf	-Inf	3	Horizontal	188	2.85
7085MHz	Pass	AV	7.1969G	50.05	68.20	-18.15	3	Horizontal	188	2.85
7085MHz	Pass	PK	7.0775G	87.12	Inf	-Inf	3	Horizontal	188	2.85
7085MHz	Pass	PK	7.2095G	61.39	88.20	-26.81	3	Horizontal	188	2.85
7085MHz	Pass	AV	14.16496G	44.61	68.20	-23.59	3	Vertical	96	1.22
7085MHz	Pass	PK	14.18952G	56.42	88.20	-31.78	3	Vertical	96	1.22
7085MHz	Pass	AV	14.15656G	44.38	68.20	-23.82	3	Horizontal	280	1.47
7085MHz	Pass	PK	14.15984G	56.35	88.20	-31.85	3	Horizontal	280	1.47
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.923G	46.38	68.20	-21.82	3	Vertical	10	2.44
5985MHz	Pass	AV	5.983G	84.86	Inf	-Inf	3	Vertical	10	2.44
5985MHz	Pass	PK	5.9095G	57.87	88.20	-30.33	3	Vertical	10	2.44
5985MHz	Pass	PK	5.979G	95.30	Inf	-Inf	3	Vertical	10	2.44
5985MHz	Pass	AV	5.9045G	45.89	68.20	-22.31	3	Horizontal	186	2.70
5985MHz	Pass	AV	5.9675G	79.01	Inf	-Inf	3	Horizontal	186	2.70
5985MHz	Pass	PK	5.8675G	57.36	88.20	-30.84	3	Horizontal	186	2.70
5985MHz	Pass	PK	5.9705G	89.49	Inf	-Inf	3	Horizontal	186	2.70
5985MHz	Pass	AV	11.97353G	43.33	54.00	-10.67	3	Vertical	108	2.54
5985MHz	Pass	PK	11.97329G	55.20	74.00	-18.80	3	Vertical	108	2.54
5985MHz	Pass	AV	11.97333G	43.31	54.00	-10.69	3	Horizontal	40	2.53
5985MHz	Pass	PK	11.96895G	55.19	74.00	-18.81	3	Horizontal	40	2.53
6145MHz	Pass	AV	5.884G	45.88	68.20	-22.32	3	Vertical	353	2.43
6145MHz	Pass	AV	6.1432G	85.46	Inf	-Inf	3	Vertical	353	2.43
6145MHz	Pass	PK	5.8792G	57.18	88.20	-31.02	3	Vertical	353	2.43
6145MHz	Pass	PK	6.1594G	96.21	Inf	-Inf	3	Vertical	353	2.43
6145MHz	Pass	AV	5.9122G	45.84	68.20	-22.36	3	Horizontal	186	3.00
6145MHz	Pass	AV	6.1468G	78.32	Inf	-Inf	3	Horizontal	186	3.00
6145MHz	Pass	PK	5.9146G	57.38	88.20	-30.82	3	Horizontal	186	3.00
6145MHz	Pass	PK	6.1318G	88.90	Inf	-Inf	3	Horizontal	186	3.00
6145MHz	Pass	AV	12.29218G	44.28	54.00	-9.72	3	Vertical	233	1.87
6145MHz	Pass	PK	12.28567G	56.84	74.00	-17.16	3	Vertical	233	1.87
6145MHz	Pass	AV	12.28764G	44.33	54.00	-9.67	3	Horizontal	346	2.53
6145MHz	Pass	PK	12.28641G	55.93	74.00	-18.07	3	Horizontal	346	2.53
6385MHz	Pass	AV	5.9098G	45.76	68.20	-22.44	3	Vertical	15	2.48
6385MHz	Pass	AV	6.3646G	84.59	Inf	-Inf	3	Vertical	15	2.48
6385MHz	Pass	PK	5.8726G	56.57	88.20	-31.63	3	Vertical	15	2.48
6385MHz	Pass	PK	6.3694G	95.46	Inf	-Inf	3	Vertical	15	2.48
6385MHz	Pass	AV	5.9098G	45.81	68.20	-22.39	3	Horizontal	181	2.84
6385MHz	Pass	AV	6.3778G	77.88	Inf	-Inf	3	Horizontal	181	2.84
6385MHz	Pass	PK	5.8906G	57.08	88.20	-31.12	3	Horizontal	181	2.84
6385MHz	Pass	PK	6.3766G	88.49	Inf	-Inf	3	Horizontal	181	2.84
6385MHz	Pass	AV	12.77206G	44.79	68.20	-23.41	3	Vertical	317	2.80
6385MHz	Pass	PK	12.76827G	56.58	88.20	-31.62	3	Vertical	317	2.80
6385MHz	Pass	AV	12.77449G	44.80	68.20	-23.40	3	Horizontal	281	1.68
6385MHz	Pass	PK	12.7674G	56.65	88.20	-31.55	3	Horizontal	281	1.68
6465MHz	Pass	AV	5.9092G	45.86	68.20	-22.34	3	Vertical	11	2.49
6465MHz	Pass	AV	6.4636G	85.00	Inf	-Inf	3	Vertical	11	2.49
6465MHz	Pass	AV	7.1566G	48.58	68.20	-19.62	3	Vertical	11	2.49
6465MHz	Pass	PK	5.7748G	57.60	88.20	-30.60	3	Vertical	11	2.49
6465MHz	Pass	PK	6.4594G	95.17	Inf	-Inf	3	Vertical	11	2.49
6465MHz	Pass	PK	7.1328G	59.51	88.20	-28.69	3	Vertical	11	2.49
6465MHz	Pass	AV	5.912G	45.87	68.20	-22.33	3	Horizontal	174	2.97
6465MHz	Pass	AV	6.458G	77.96	Inf	-Inf	3	Horizontal	174	2.97
6465MHz	Pass	AV	7.1636G	48.58	68.20	-19.62	3	Horizontal	174	2.97
6465MHz	Pass	PK	5.8756G	58.09	88.20	-30.11	3	Horizontal	174	2.97
6465MHz	Pass	PK	6.4594G	89.43	Inf	-Inf	3	Horizontal	174	2.97
6465MHz	Pass	PK	7.151G	58.51	88.20	-29.69	3	Horizontal	174	2.97
6465MHz	Pass	AV	12.9688G	43.32	68.20	-24.88	3	Vertical	7	1.69
6465MHz	Pass	PK	12.9524G	55.13	88.20	-33.07	3	Vertical	7	1.69



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6465MHz	Pass	AV	12.9684G	43.31	68.20	-24.89	3	Horizontal	200	1.36
6465MHz	Pass	PK	12.8956G	54.60	88.20	-33.60	3	Horizontal	200	1.36
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9052G	45.80	68.20	-22.40	3	Vertical	20	2.29
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.538G	84.92	Inf	-Inf	3	Vertical	20	2.29
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2044G	48.77	68.20	-19.43	3	Vertical	20	2.29
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8786G	57.04	88.20	-31.16	3	Vertical	20	2.29
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5408G	95.02	Inf	-Inf	3	Vertical	20	2.29
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2156G	60.50	88.20	-27.70	3	Vertical	20	2.29
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.901G	45.86	68.20	-22.34	3	Horizontal	182	2.78
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5436G	77.19	Inf	-Inf	3	Horizontal	182	2.78
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2408G	48.85	68.20	-19.35	3	Horizontal	182	2.78
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.859G	56.81	88.20	-31.39	3	Horizontal	182	2.78
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5492G	86.63	Inf	-Inf	3	Horizontal	182	2.78
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2394G	60.32	88.20	-27.88	3	Horizontal	182	2.78
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.12544G	43.33	68.20	-24.87	3	Vertical	232	2.58
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08432G	55.10	88.20	-33.10	3	Vertical	232	2.58
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.1232G	43.34	68.20	-24.86	3	Horizontal	139	1.11
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.06072G	54.70	88.20	-33.50	3	Horizontal	139	1.11
6625MHz	Pass	AV	6.6502G	85.58	Inf	-Inf	3	Vertical	1	2.36
6625MHz	Pass	AV	7.1962G	48.78	68.20	-19.42	3	Vertical	1	2.36
6625MHz	Pass	PK	6.6334G	95.50	Inf	-Inf	3	Vertical	1	2.36
6625MHz	Pass	PK	7.1794G	59.63	88.20	-28.57	3	Vertical	1	2.36
6625MHz	Pass	AV	6.643G	78.13	Inf	-Inf	3	Horizontal	182	3.00
6625MHz	Pass	AV	7.1938G	48.82	68.20	-19.38	3	Horizontal	182	3.00
6625MHz	Pass	PK	6.6502G	87.96	Inf	-Inf	3	Horizontal	182	3.00
6625MHz	Pass	PK	7.1878G	59.89	88.20	-28.31	3	Horizontal	182	3.00
6625MHz	Pass	AV	13.2244G	43.33	68.20	-24.87	3	Vertical	68	2.58
6625MHz	Pass	PK	13.2556G	55.11	74.00	-18.89	3	Vertical	68	2.58
6625MHz	Pass	AV	13.224G	43.34	68.20	-24.86	3	Horizontal	42	1.84
6625MHz	Pass	PK	13.2684G	55.09	74.00	-18.91	3	Horizontal	42	1.84
6705MHz	Pass	AV	6.693G	86.48	Inf	-Inf	3	Vertical	5	2.44
6705MHz	Pass	AV	7.203G	48.84	68.20	-19.36	3	Vertical	5	2.44
6705MHz	Pass	PK	6.692G	96.15	Inf	-Inf	3	Vertical	5	2.44
6705MHz	Pass	PK	7.169G	60.59	88.20	-27.61	3	Vertical	5	2.44
6705MHz	Pass	AV	6.707G	78.93	Inf	-Inf	3	Horizontal	183	2.73
6705MHz	Pass	AV	7.2G	48.83	68.20	-19.37	3	Horizontal	183	2.73
6705MHz	Pass	PK	6.711G	89.53	Inf	-Inf	3	Horizontal	183	2.73
6705MHz	Pass	PK	7.148G	60.27	88.20	-27.93	3	Horizontal	183	2.73
6705MHz	Pass	AV	13.43048G	44.43	68.20	-23.77	3	Vertical	10	2.42
6705MHz	Pass	PK	13.37648G	56.34	74.00	-17.66	3	Vertical	10	2.42
6705MHz	Pass	AV	13.44928G	43.99	68.20	-24.21	3	Horizontal	187	2.55
6705MHz	Pass	PK	13.41712G	56.54	88.20	-31.66	3	Horizontal	187	2.55
6785MHz	Pass	AV	6.7689G	88.48	Inf	-Inf	3	Vertical	11	2.35
6785MHz	Pass	AV	7.1322G	48.54	68.20	-19.66	3	Vertical	11	2.35
6785MHz	Pass	PK	6.7668G	98.67	Inf	-Inf	3	Vertical	11	2.35
6785MHz	Pass	PK	7.1322G	59.54	88.20	-28.66	3	Vertical	11	2.35
6785MHz	Pass	AV	6.7696G	80.22	Inf	-Inf	3	Horizontal	182	2.48
6785MHz	Pass	AV	7.1329G	48.60	68.20	-19.60	3	Horizontal	182	2.48
6785MHz	Pass	PK	6.778G	90.19	Inf	-Inf	3	Horizontal	182	2.48
6785MHz	Pass	PK	7.128G	60.01	88.20	-28.19	3	Horizontal	182	2.48
6785MHz	Pass	AV	13.54568G	44.41	68.20	-23.79	3	Horizontal	311	1.50
6785MHz	Pass	PK	13.58392G	56.80	88.20	-31.40	3	Horizontal	311	1.50
6785MHz	Pass	AV	13.55088G	44.45	68.20	-23.75	3	Horizontal	0	1.46
6785MHz	Pass	PK	13.54928G	56.44	88.20	-31.76	3	Horizontal	0	1.46
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8433G	87.12	Inf	-Inf	3	Vertical	12	2.32
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2024G	48.92	68.20	-19.28	3	Vertical	12	2.32
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.879G	98.18	Inf	-Inf	3	Vertical	12	2.32
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1982G	60.41	88.20	-27.79	3	Vertical	12	2.32
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8426G	78.64	Inf	-Inf	3	Horizontal	179	2.69
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1898G	48.94	68.20	-19.26	3	Horizontal	179	2.69
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8566G	90.16	Inf	-Inf	3	Horizontal	179	2.69
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.2122G	59.85	88.20	-28.35	3	Horizontal	179	2.69




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.692G	43.95	68.20	-24.25	3	Horizontal	335	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.71504G	57.20	88.20	-31.00	3	Horizontal	335	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.69208G	43.93	68.20	-24.27	3	Horizontal	319	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.71664G	56.04	88.20	-32.16	3	Horizontal	319	1.50
6945MHz	Pass	AV	6.9294G	86.30	Inf	-Inf	3	Vertical	360	2.28
6945MHz	Pass	AV	7.2012G	48.94	68.20	-19.26	3	Vertical	360	2.28
6945MHz	Pass	PK	6.9456G	97.45	Inf	-Inf	3	Vertical	360	2.28
6945MHz	Pass	PK	7.152G	60.34	88.20	-27.86	3	Vertical	360	2.28
6945MHz	Pass	AV	6.921G	77.67	Inf	-Inf	3	Horizontal	170	3.00
6945MHz	Pass	AV	7.2042G	48.98	68.20	-19.22	3	Horizontal	170	3.00
6945MHz	Pass	PK	6.948G	88.91	Inf	-Inf	3	Horizontal	170	3.00
6945MHz	Pass	PK	7.2342G	60.99	88.20	-27.21	3	Horizontal	170	3.00
6945MHz	Pass	AV	13.93G	43.87	68.20	-24.33	3	Horizontal	259	1.72
6945MHz	Pass	PK	13.91744G	55.93	88.20	-32.27	3	Horizontal	259	1.72
6945MHz	Pass	AV	13.9296G	43.84	68.20	-24.36	3	Horizontal	156	1.50
6945MHz	Pass	PK	13.89272G	55.88	88.20	-32.32	3	Horizontal	156	1.50
7025MHz	Pass	AV	7.0403G	85.60	Inf	-Inf	3	Vertical	348	2.35
7025MHz	Pass	AV	7.1744G	48.86	68.20	-19.34	3	Vertical	348	2.35
7025MHz	Pass	PK	7.0313G	96.06	Inf	-Inf	3	Vertical	348	2.35
7025MHz	Pass	PK	7.1726G	60.53	88.20	-27.67	3	Vertical	348	2.35
7025MHz	Pass	AV	7.0439G	76.74	Inf	-Inf	3	Horizontal	184	3.00
7025MHz	Pass	AV	7.1726G	48.85	68.20	-19.35	3	Horizontal	184	3.00
7025MHz	Pass	PK	7.0271G	88.48	Inf	-Inf	3	Horizontal	184	3.00
7025MHz	Pass	PK	7.1669G	60.01	88.20	-28.19	3	Horizontal	184	3.00
7025MHz	Pass	AV	14.12504G	44.38	68.20	-23.82	3	Horizontal	71	1.22
7025MHz	Pass	PK	14.00792G	56.25	88.20	-31.95	3	Horizontal	71	1.22
7025MHz	Pass	AV	14.12376G	44.53	68.20	-23.67	3	Horizontal	133	1.50
7025MHz	Pass	PK	13.98392G	56.54	88.20	-31.66	3	Horizontal	133	1.50
802.11ax HEW160_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	48.85	68.20	-19.35	3	Vertical	0	2.38
6025MHz	Pass	AV	5.9725G	87.83	Inf	-Inf	3	Vertical	0	2.38
6025MHz	Pass	PK	5.8455G	59.13	88.20	-29.07	3	Vertical	0	2.38
6025MHz	Pass	PK	5.9735G	99.23	Inf	-Inf	3	Vertical	0	2.38
6025MHz	Pass	AV	5.9055G	47.17	68.20	-21.03	3	Horizontal	178	2.82
6025MHz	Pass	AV	5.9785G	81.72	Inf	-Inf	3	Horizontal	178	2.82
6025MHz	Pass	PK	5.899G	58.12	88.20	-30.08	3	Horizontal	178	2.82
6025MHz	Pass	PK	5.9745G	92.54	Inf	-Inf	3	Horizontal	178	2.82
6025MHz	Pass	AV	12.10856G	42.19	54.00	-11.81	3	Horizontal	231	1.50
6025MHz	Pass	PK	12.09704G	54.10	74.00	-19.90	3	Horizontal	231	1.50
6025MHz	Pass	AV	12.10584G	42.23	54.00	-11.77	3	Horizontal	358	1.50
6025MHz	Pass	PK	12.1004G	53.52	74.00	-20.48	3	Horizontal	358	1.50
6185MHz	Pass	AV	5.8946G	46.36	68.20	-21.84	3	Vertical	349	2.56
6185MHz	Pass	AV	6.2218G	90.06	Inf	-Inf	3	Vertical	349	2.56
6185MHz	Pass	PK	5.805G	57.54	88.20	-30.66	3	Vertical	349	2.56
6185MHz	Pass	PK	6.2058G	100.05	Inf	-Inf	3	Vertical	349	2.56
6185MHz	Pass	AV	5.921G	46.02	68.20	-22.18	3	Horizontal	185	3.00
6185MHz	Pass	AV	6.2258G	83.28	Inf	-Inf	3	Horizontal	185	3.00
6185MHz	Pass	PK	5.9122G	57.19	88.20	-31.01	3	Horizontal	185	3.00
6185MHz	Pass	PK	6.2282G	94.05	Inf	-Inf	3	Horizontal	185	3.00
6185MHz	Pass	AV	12.29528G	42.50	54.00	-11.50	3	Horizontal	196	1.50
6185MHz	Pass	PK	12.33192G	54.15	74.00	-19.85	3	Horizontal	196	1.50
6185MHz	Pass	AV	12.30424G	42.50	54.00	-11.50	3	Horizontal	11	1.02
6185MHz	Pass	PK	12.38632G	53.81	74.00	-20.19	3	Horizontal	11	1.02
6345MHz	Pass	AV	5.8986G	45.98	68.20	-22.22	3	Vertical	349	2.46
6345MHz	Pass	AV	6.3006G	89.89	Inf	-Inf	3	Vertical	349	2.46
6345MHz	Pass	PK	5.8398G	56.62	88.20	-31.58	3	Vertical	349	2.46
6345MHz	Pass	PK	6.3342G	100.52	Inf	-Inf	3	Vertical	349	2.46
6345MHz	Pass	AV	5.8998G	45.96	68.20	-22.24	3	Horizontal	181	2.77
6345MHz	Pass	AV	6.2922G	81.42	Inf	-Inf	3	Horizontal	181	2.77
6345MHz	Pass	PK	5.8986G	57.52	88.20	-30.68	3	Horizontal	181	2.77
6345MHz	Pass	PK	6.3042G	91.32	Inf	-Inf	3	Horizontal	181	2.77
6345MHz	Pass	AV	12.76024G	43.22	68.20	-24.98	3	Horizontal	343	1.52



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6345MHz	Pass	PK	12.71736G	54.61	88.20	-33.59	3	Horizontal	343	1.52
6345MHz	Pass	AV	12.76568G	43.15	68.20	-25.05	3	Horizontal	283	2.15
6345MHz	Pass	PK	12.7308G	54.70	88.20	-33.50	3	Horizontal	283	2.15
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9072G	46.04	68.20	-22.16	3	Vertical	353	2.47
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5344G	88.22	Inf	-Inf	3	Vertical	353	2.47
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.198G	48.91	68.20	-19.29	3	Vertical	353	2.47
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8918G	57.28	88.20	-30.92	3	Vertical	353	2.47
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5484G	98.48	Inf	-Inf	3	Vertical	353	2.47
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1924G	59.89	88.20	-28.31	3	Vertical	353	2.47
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8974G	45.96	68.20	-22.24	3	Horizontal	179	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4602G	80.94	Inf	-Inf	3	Horizontal	179	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.2036G	49.07	68.20	-19.13	3	Horizontal	179	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8806G	57.10	88.20	-31.10	3	Horizontal	179	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4602G	91.00	Inf	-Inf	3	Horizontal	179	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.163G	59.28	88.20	-28.92	3	Horizontal	179	3.00
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0884G	43.80	68.20	-24.40	3	Horizontal	57	1.72
6505MHz Straddle 6.425-6.525GHz	Pass	PK	12.9324G	55.51	88.20	-32.69	3	Horizontal	57	1.72
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01304G	43.79	68.20	-24.41	3	Horizontal	192	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.05816G	56.09	88.20	-32.11	3	Horizontal	192	1.50
6665MHz	Pass	AV	6.6991G	89.24	Inf	-Inf	3	Vertical	351	2.34
6665MHz	Pass	AV	7.2106G	49.13	68.20	-19.07	3	Vertical	351	2.34
6665MHz	Pass	PK	6.709G	99.40	Inf	-Inf	3	Vertical	351	2.34
6665MHz	Pass	PK	7.1963G	59.60	88.20	-28.60	3	Vertical	351	2.34
6665MHz	Pass	AV	6.6375G	81.21	Inf	-Inf	3	Horizontal	178	2.90
6665MHz	Pass	AV	7.2007G	48.98	68.20	-19.22	3	Horizontal	178	2.90
6665MHz	Pass	PK	6.6551G	91.98	Inf	-Inf	3	Horizontal	178	2.90
6665MHz	Pass	PK	7.2029G	59.37	88.20	-28.83	3	Horizontal	178	2.90
6665MHz	Pass	AV	13.39288G	44.08	54.00	-9.92	3	Horizontal	284	2.37
6665MHz	Pass	PK	13.29064G	55.70	74.00	-18.30	3	Horizontal	284	2.37
6665MHz	Pass	AV	13.39768G	43.97	54.00	-10.03	3	Horizontal	201	1.50
6665MHz	Pass	PK	13.25448G	55.42	74.00	-18.58	3	Horizontal	201	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7778G	90.81	Inf	-Inf	3	Vertical	352	2.44
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1842G	49.13	68.20	-19.07	3	Vertical	352	2.44
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7762G	101.22	Inf	-Inf	3	Vertical	352	2.44
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2194G	59.69	88.20	-28.51	3	Vertical	352	2.44
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7746G	81.78	Inf	-Inf	3	Horizontal	175	2.96
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2082G	49.06	68.20	-19.14	3	Horizontal	175	2.96
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7994G	92.94	Inf	-Inf	3	Horizontal	175	2.96
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1794G	59.54	88.20	-28.66	3	Horizontal	175	2.96
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.5868G	44.67	68.20	-23.53	3	Horizontal	319	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.6996G	56.15	88.20	-32.05	3	Horizontal	319	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.58888G	44.66	68.20	-23.54	3	Horizontal	360	2.20
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.67128G	56.21	88.20	-31.99	3	Horizontal	360	2.20
6985MHz	Pass	AV	6.9335G	86.24	Inf	-Inf	3	Vertical	17	2.30
6985MHz	Pass	AV	7.128G	51.22	68.20	-16.98	3	Vertical	17	2.30
6985MHz	Pass	PK	6.9415G	97.14	Inf	-Inf	3	Vertical	17	2.30
6985MHz	Pass	PK	7.175G	61.95	88.20	-26.25	3	Vertical	17	2.30
6985MHz	Pass	AV	6.9335G	77.07	Inf	-Inf	3	Horizontal	177	2.90
6985MHz	Pass	AV	7.2015G	49.20	68.20	-19.00	3	Horizontal	177	2.90
6985MHz	Pass	PK	7.036G	88.25	Inf	-Inf	3	Horizontal	177	2.90
6985MHz	Pass	PK	7.172G	61.66	88.20	-26.54	3	Horizontal	177	2.90
6985MHz	Pass	AV	14.04488G	44.60	68.20	-23.60	3	Horizontal	167	1.50
6985MHz	Pass	PK	13.998G	56.58	88.20	-31.62	3	Horizontal	167	1.50
6985MHz	Pass	AV	14.04728G	44.56	68.20	-23.64	3	Horizontal	171	1.66
6985MHz	Pass	PK	13.9588G	56.06	88.20	-32.14	3	Horizontal	171	1.66

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9145G	47.29	68.20	-20.91	5.59	3	Vertical	347	2.46	41.70	34.27	5.85	34.53
AV	5.9466G	87.02	Inf	-Inf	5.56	3	Vertical	347	2.46	81.46	34.21	5.87	34.52
PK	5.8077G	59.32	88.20	-28.88	5.19	3	Vertical	347	2.46	54.13	33.93	5.80	34.54
PK	5.9532G	98.39	Inf	-Inf	5.54	3	Vertical	347	2.46	92.85	34.19	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	47.25	68.20	-20.95	5.61	3	Horizontal	184	2.98	41.64	34.30	5.84	34.53
AV	5.9523G	79.95	Inf	-Inf	5.55	3	Horizontal	184	2.98	74.40	34.20	5.87	34.52
PK	5.9214G	58.97	88.20	-29.23	5.58	3	Horizontal	184	2.98	53.39	34.26	5.85	34.53
PK	5.9523G	90.52	Inf	-Inf	5.55	3	Horizontal	184	2.98	84.97	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.89794G	42.33	54.00	-11.67	12.35	3	Vertical	195	2.80	29.98	38.60	8.45	34.70
PK	11.8977G	54.20	74.00	-19.80	12.35	3	Vertical	195	2.80	41.85	38.60	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92395G	42.38	54.00	-11.62	12.37	3	Horizontal	190	2.50	30.01	38.62	8.46	34.71
PK	11.91732G	53.45	74.00	-20.55	12.37	3	Horizontal	190	2.50	41.08	38.62	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8948G	47.02	68.20	-21.18	5.59	3	Vertical	353	2.61	41.43	34.28	5.84	34.53
AV	6.178G	87.88	Inf	-Inf	5.68	3	Vertical	353	2.61	82.20	34.16	6.02	34.50
PK	5.9158G	58.53	88.20	-29.67	5.59	3	Vertical	353	2.61	52.94	34.27	5.85	34.53
PK	6.1768G	98.89	Inf	-Inf	5.67	3	Vertical	353	2.61	93.22	34.15	6.02	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	47.04	68.20	-21.16	5.59	3	Horizontal	326	1.07	41.45	34.27	5.85	34.53
AV	6.1834G	76.64	Inf	-Inf	5.70	3	Horizontal	326	1.07	70.94	34.17	6.03	34.50
PK	5.8864G	58.04	88.20	-30.16	5.56	3	Horizontal	326	1.07	52.48	34.25	5.84	34.53
PK	6.1816G	86.94	Inf	-Inf	5.69	3	Horizontal	326	1.07	81.25	34.16	6.03	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36332G	43.08	54.00	-10.92	12.93	3	Vertical	282	1.50	30.15	38.84	8.57	34.48
PK	12.3571G	54.68	74.00	-19.32	12.93	3	Vertical	282	1.50	41.75	38.84	8.57	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3581G	42.94	54.00	-11.06	12.93	3	Horizontal	132	1.50	30.01	38.84	8.57	34.48
PK	12.35972G	54.24	74.00	-19.76	12.93	3	Horizontal	132	1.50	41.31	38.84	8.57	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	47.04	68.20	-21.16	5.61	3	Vertical	350	2.53	41.43	34.29	5.85	34.53
AV	6.4162G	86.64	Inf	-Inf	6.49	3	Vertical	350	2.53	80.15	34.80	6.17	34.48
PK	5.893G	58.42	88.20	-29.78	5.58	3	Vertical	350	2.53	52.84	34.27	5.84	34.53
PK	6.421G	97.35	Inf	-Inf	6.52	3	Vertical	350	2.53	90.83	34.83	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9014G	47.18	68.20	-21.02	5.62	3	Horizontal	184	2.80	41.56	34.30	5.85	34.53
AV	6.4174G	77.81	Inf	-Inf	6.49	3	Horizontal	184	2.80	71.32	34.80	6.17	34.48
PK	5.9242G	57.90	88.20	-30.30	5.58	3	Horizontal	184	2.80	52.32	34.25	5.86	34.53
PK	6.4174G	88.22	Inf	-Inf	6.49	3	Horizontal	184	2.80	81.73	34.80	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81986G	43.83	68.20	-24.37	14.29	3	Vertical	84	1.50	29.54	39.42	8.69	33.82
PK	12.81506G	55.46	88.20	-32.74	14.28	3	Vertical	84	1.50	41.18	39.42	8.69	33.83

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82502G	43.71	68.20	-24.49	14.31	3	Horizontal	162	2.92	29.40	39.43	8.69	33.81
PK	12.82673G	55.35	88.20	-32.85	14.31	3	Horizontal	162	2.92	41.04	39.43	8.69	33.81

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	47.10	68.20	-21.10	5.58	3	Vertical	352	2.50	41.52	34.25	5.86	34.53
AV	6.4362G	86.38	Inf	-Inf	6.62	3	Vertical	352	2.50	79.76	34.92	6.18	34.48
PK	5.8722G	58.30	88.20	-29.90	5.49	3	Vertical	352	2.50	52.81	34.19	5.83	34.53
PK	6.4326G	97.04	Inf	-Inf	6.60	3	Vertical	352	2.50	90.44	34.90	6.18	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8962G	47.02	68.20	-21.18	5.59	3	Horizontal	183	2.67	41.43	34.28	5.84	34.53
AV	6.441G	77.85	Inf	-Inf	6.65	3	Horizontal	183	2.67	71.20	34.95	6.18	34.48
PK	5.9094G	57.71	88.20	-30.49	5.60	3	Horizontal	183	2.67	52.11	34.28	5.85	34.53
PK	6.4374G	87.72	Inf	-Inf	6.62	3	Horizontal	183	2.67	81.10	34.92	6.18	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88296G	43.82	68.20	-24.38	14.48	3	Vertical	99	1.75	29.34	39.48	8.71	33.71
PK	12.87852G	55.41	88.20	-32.79	14.46	3	Vertical	99	1.75	40.95	39.48	8.70	33.72

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86217G	43.84	68.20	-24.36	14.41	3	Horizontal	285	1.50	29.43	39.46	8.70	33.75
PK	12.8619G	55.31	88.20	-32.89	14.41	3	Horizontal	285	1.50	40.90	39.46	8.70	33.75

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.894G	46.96	68.20	-21.24	5.59	3	Vertical	350	2.46	41.37	34.28	5.84	34.53
AV	6.482G	86.18	Inf	-Inf	6.86	3	Vertical	350	2.46	79.32	35.13	6.20	34.47
AV	7.168G	49.73	68.20	-18.47	8.55	3	Vertical	350	2.46	41.18	36.74	6.57	34.76
PK	5.922G	58.09	88.20	-30.11	5.58	3	Vertical	350	2.46	52.51	34.26	5.85	34.53
PK	6.4708G	95.70	Inf	-Inf	6.81	3	Vertical	350	2.46	88.89	35.08	6.20	34.47
PK	7.1638G	59.96	88.20	-28.24	8.53	3	Vertical	350	2.46	51.43	36.73	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.887G	46.95	68.20	-21.25	5.56	3	Horizontal	182	2.79	41.39	34.25	5.84	34.53
AV	6.4806G	77.98	Inf	-Inf	6.85	3	Horizontal	182	2.79	71.13	35.12	6.20	34.47
AV	7.1624G	49.78	68.20	-18.42	8.52	3	Horizontal	182	2.79	41.26	36.72	6.56	34.76
PK	5.8912G	58.35	88.20	-29.85	5.57	3	Horizontal	182	2.79	52.78	34.26	5.84	34.53
PK	6.4792G	87.94	Inf	-Inf	6.85	3	Horizontal	182	2.79	81.09	35.12	6.20	34.47
PK	7.1442G	61.22	88.20	-26.98	8.44	3	Horizontal	182	2.79	52.78	36.65	6.55	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95789G	43.96	68.20	-24.24	14.70	3	Vertical	195	1.50	29.26	39.56	8.72	33.58
PK	12.94052G	56.16	88.20	-32.04	14.65	3	Vertical	195	1.50	41.51	39.54	8.72	33.61

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93593G	43.95	68.20	-24.25	14.64	3	Horizontal	56	1.19	29.31	39.54	8.72	33.62
PK	12.94328G	55.47	88.20	-32.73	14.65	3	Horizontal	56	1.19	40.82	39.54	8.72	33.61

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.13	68.20	-21.07	5.61	3	Vertical	346	2.60	41.52	34.29	5.85	34.53
AV	6.5178G	86.05	Inf	-Inf	7.01	3	Vertical	346	2.60	79.04	35.27	6.22	34.48
AV	7.1674G	49.86	68.20	-18.34	8.54	3	Vertical	346	2.60	41.32	36.73	6.57	34.76
PK	5.822G	58.45	88.20	-29.75	5.27	3	Vertical	346	2.60	53.18	33.99	5.81	34.53
PK	6.5192G	96.91	Inf	-Inf	7.02	3	Vertical	346	2.60	89.89	35.28	6.22	34.48
PK	7.1772G	61.46	88.20	-26.74	8.56	3	Vertical	346	2.60	52.90	36.75	6.57	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	47.00	68.20	-21.20	5.58	3	Horizontal	182	2.93	41.42	34.27	5.84	34.53
AV	6.5192G	77.55	Inf	-Inf	7.02	3	Horizontal	182	2.93	70.53	35.28	6.22	34.48
AV	7.1828G	49.81	68.20	-18.39	8.59	3	Horizontal	182	2.93	41.22	36.77	6.58	34.76
PK	5.878G	58.50	88.20	-29.70	5.52	3	Horizontal	182	2.93	52.98	34.21	5.84	34.53
PK	6.5206G	87.44	Inf	-Inf	7.02	3	Horizontal	182	2.93	80.42	35.28	6.22	34.48
PK	7.1814G	61.85	88.20	-26.35	8.58	3	Horizontal	182	2.93	53.27	36.76	6.58	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03474G	44.13	68.20	-24.07	14.89	3	Vertical	225	2.52	29.24	39.60	8.74	33.45
PK	13.03924G	55.57	88.20	-32.63	14.90	3	Vertical	225	2.52	40.67	39.60	8.75	33.45

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02205G	44.17	68.20	-24.03	14.87	3	Horizontal	83	1.50	29.30	39.60	8.74	33.47
PK	13.02724G	56.35	88.20	-31.85	14.87	3	Horizontal	83	1.50	41.48	39.60	8.74	33.47

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	47.16	68.20	-21.04	5.60	3	Vertical	350	2.52	41.56	34.28	5.85	34.53
AV	6.5336G	85.56	Inf	-Inf	7.07	3	Vertical	350	2.52	78.49	35.33	6.23	34.49
AV	7.2252G	49.92	68.20	-18.28	8.63	3	Vertical	350	2.52	41.29	36.80	6.60	34.77
PK	5.8966G	59.36	88.20	-28.84	5.60	3	Vertical	350	2.52	53.76	34.29	5.84	34.53
PK	6.535G	95.20	Inf	-Inf	7.08	3	Vertical	350	2.52	88.12	35.34	6.23	34.49
PK	7.1552G	61.21	88.20	-26.99	8.51	3	Vertical	350	2.52	52.70	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	47.01	68.20	-21.19	5.62	3	Horizontal	182	2.82	41.39	34.30	5.85	34.53
AV	6.5378G	76.85	Inf	-Inf	7.09	3	Horizontal	182	2.82	69.76	35.35	6.23	34.49
AV	7.2126G	49.91	68.20	-18.29	8.63	3	Horizontal	182	2.82	41.28	36.80	6.60	34.77
PK	5.9176G	58.91	88.20	-29.29	5.58	3	Horizontal	182	2.82	53.33	34.26	5.85	34.53
PK	6.542G	86.99	Inf	-Inf	7.11	3	Horizontal	182	2.82	79.88	35.37	6.23	34.49
PK	7.179G	61.84	88.20	-26.36	8.58	3	Horizontal	182	2.82	53.26	36.76	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07411G	45.75	68.20	-22.45	14.96	3	Vertical	272	1.50	30.79	39.60	8.75	33.39
PK	13.06595G	58.25	88.20	-29.95	14.95	3	Vertical	272	1.50	43.30	39.60	8.75	33.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0751G	45.83	68.20	-22.37	14.96	3	Horizontal	360	2.26	30.87	39.60	8.75	33.39
PK	13.07072G	58.73	88.20	-29.47	14.96	3	Horizontal	360	2.26	43.77	39.60	8.75	33.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.692G	88.16	Inf	-Inf	7.72	3	Vertical	346	2.25	80.44	35.98	6.31	34.57
AV	7.177G	49.85	68.20	-18.35	8.56	3	Vertical	346	2.25	41.29	36.75	6.57	34.76
PK	6.693G	98.41	Inf	-Inf	7.73	3	Vertical	346	2.25	90.68	35.99	6.31	34.57
PK	7.145G	61.54	88.20	-26.66	8.45	3	Vertical	346	2.25	53.09	36.66	6.55	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	78.25	Inf	-Inf	7.74	3	Horizontal	328	1.03	70.51	36.00	6.32	34.58
AV	7.184G	49.88	68.20	-18.32	8.59	3	Horizontal	328	1.03	41.29	36.77	6.58	34.76
PK	6.699G	88.45	Inf	-Inf	7.73	3	Horizontal	328	1.03	80.72	36.00	6.31	34.58
PK	7.154G	60.93	88.20	-27.27	8.51	3	Horizontal	328	1.03	52.42	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39024G	45.95	54.00	-8.05	15.91	3	Vertical	229	2.67	30.04	39.95	8.83	32.87
PK	13.38877G	58.59	74.00	-15.41	15.90	3	Vertical	229	2.67	42.69	39.94	8.83	32.87

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39063G	45.98	54.00	-8.02	15.91	3	Horizontal	187	1.44	30.07	39.95	8.83	32.87
PK	13.39591G	58.40	74.00	-15.60	15.96	3	Horizontal	187	1.44	42.44	39.98	8.84	32.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8501G	84.11	Inf	-Inf	7.53	3	Vertical	342	2.30	76.58	35.80	6.39	34.66
AV	7.1973G	49.96	68.20	-18.24	8.62	3	Vertical	342	2.30	41.34	36.79	6.59	34.76
PK	6.8599G	94.16	Inf	-Inf	7.53	3	Vertical	342	2.30	86.63	35.80	6.39	34.66
PK	7.1987G	61.87	88.20	-26.33	8.63	3	Vertical	342	2.30	53.24	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8466G	74.59	Inf	-Inf	7.53	3	Horizontal	326	1.09	67.06	35.80	6.39	34.66
AV	7.2043G	49.92	68.20	-18.28	8.63	3	Horizontal	326	1.09	41.29	36.80	6.59	34.76
PK	6.8501G	85.94	Inf	-Inf	7.53	3	Horizontal	326	1.09	78.41	35.80	6.39	34.66
PK	7.1525G	61.33	88.20	-26.87	8.51	3	Horizontal	326	1.09	52.82	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70784G	46.61	68.20	-21.59	16.16	3	Vertical	346	2.42	30.45	40.01	8.92	32.77
PK	13.72356G	58.09	88.20	-30.11	16.17	3	Vertical	346	2.42	41.92	40.02	8.92	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70706G	46.56	68.20	-21.64	16.16	3	Horizontal	144	3.00	30.40	40.01	8.92	32.77
PK	13.7181G	58.45	88.20	-29.75	16.17	3	Horizontal	144	3.00	42.28	40.02	8.92	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8694G	83.76	Inf	-Inf	7.53	3	Vertical	342	2.53	76.23	35.80	6.40	34.67
AV	7.2138G	49.94	68.20	-18.26	8.63	3	Vertical	342	2.53	41.31	36.80	6.60	34.77
PK	6.8694G	95.06	Inf	-Inf	7.53	3	Vertical	342	2.53	87.53	35.80	6.40	34.67
PK	7.1452G	60.95	88.20	-27.25	8.45	3	Vertical	342	2.53	52.50	36.66	6.55	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8701G	74.00	Inf	-Inf	7.53	3	Horizontal	322	1.00	66.47	35.80	6.40	34.67
AV	7.1809G	49.94	68.20	-18.26	8.58	3	Horizontal	322	1.00	41.36	36.76	6.58	34.76
PK	6.8715G	84.03	Inf	-Inf	7.53	3	Horizontal	322	1.00	76.50	35.80	6.40	34.67
PK	7.1977G	61.67	88.20	-26.53	8.63	3	Horizontal	322	1.00	53.04	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74895G	46.46	68.20	-21.74	16.20	3	Vertical	135	1.28	30.26	40.05	8.93	32.78
PK	13.75327G	58.48	88.20	-29.72	16.19	3	Vertical	135	1.28	42.29	40.05	8.93	32.79

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74973G	46.60	68.20	-21.60	16.20	3	Horizontal	286	1.94	30.40	40.05	8.93	32.78
PK	13.75333G	58.43	88.20	-29.77	16.19	3	Horizontal	286	1.94	42.24	40.05	8.93	32.79

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8887G	83.71	Inf	-Inf	7.53	3	Vertical	345	2.45	76.18	35.80	6.41	34.68
AV	7.1722G	49.94	68.20	-18.26	8.55	3	Vertical	345	2.45	41.39	36.74	6.57	34.76
PK	6.8873G	95.03	Inf	-Inf	7.52	3	Vertical	345	2.45	87.51	35.80	6.40	34.68
PK	7.2219G	61.64	88.20	-26.56	8.63	3	Vertical	345	2.45	53.01	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	74.23	Inf	-Inf	7.52	3	Horizontal	326	1.01	66.71	35.80	6.40	34.68
AV	7.2359G	49.97	68.20	-18.23	8.64	3	Horizontal	326	1.01	41.33	36.80	6.61	34.77
PK	6.8859G	84.27	Inf	-Inf	7.52	3	Horizontal	326	1.01	76.75	35.80	6.40	34.68
PK	7.2009G	61.81	88.20	-26.39	8.63	3	Horizontal	326	1.01	53.18	36.80	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80047G	46.36	68.20	-21.84	16.24	3	Vertical	4	2.67	30.12	40.10	8.94	32.80
PK	13.80305G	58.92	88.20	-29.28	16.24	3	Vertical	4	2.67	42.68	40.11	8.94	32.81

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78832G	46.37	68.20	-21.83	16.23	3	Horizontal	285	1.50	30.14	40.09	8.94	32.80
PK	13.79333G	58.31	88.20	-29.89	16.23	3	Horizontal	285	1.50	42.08	40.09	8.94	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.987G	84.61	Inf	-Inf	7.54	3	Vertical	343	2.40	77.07	35.83	6.44	34.73
AV	7.217G	50.08	68.20	-18.12	8.63	3	Vertical	343	2.40	41.45	36.80	6.60	34.77
PK	6.9905G	95.61	Inf	-Inf	7.54	3	Vertical	343	2.40	88.07	35.82	6.45	34.73
PK	7.232G	61.73	88.20	-26.47	8.63	3	Vertical	343	2.40	53.10	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9895G	75.77	Inf	-Inf	7.54	3	Horizontal	185	2.63	68.23	35.82	6.45	34.73
AV	7.2215G	50.01	68.20	-18.19	8.63	3	Horizontal	185	2.63	41.38	36.80	6.60	34.77
PK	6.9905G	86.54	Inf	-Inf	7.54	3	Horizontal	185	2.63	79.00	35.82	6.45	34.73
PK	7.193G	61.56	88.20	-26.64	8.62	3	Horizontal	185	2.63	52.94	36.79	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00308G	46.86	68.20	-21.34	16.42	3	Vertical	244	1.05	30.44	40.31	8.99	32.88
PK	14.00047G	59.44	88.20	-28.76	16.41	3	Vertical	244	1.05	43.03	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00338G	46.84	68.20	-21.36	16.42	3	Horizontal	2	1.50	30.42	40.31	8.99	32.88
PK	13.98169G	59.03	88.20	-29.17	16.42	3	Horizontal	2	1.50	42.61	40.30	8.99	32.87

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1028G	87.12	Inf	-Inf	8.09	3	Vertical	345	2.40	79.03	36.32	6.52	34.75
AV	7.2192G	50.06	68.20	-18.14	8.63	3	Vertical	345	2.40	41.43	36.80	6.60	34.77
PK	7.0935G	98.79	Inf	-Inf	8.03	3	Vertical	345	2.40	90.76	36.26	6.52	34.75
PK	7.2027G	62.20	88.20	-26.00	8.63	3	Vertical	345	2.40	53.57	36.80	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1028G	77.15	Inf	-Inf	8.09	3	Horizontal	326	1.00	69.06	36.32	6.52	34.75
AV	7.2351G	50.07	68.20	-18.13	8.64	3	Horizontal	326	1.00	41.43	36.80	6.61	34.77
PK	7.1004G	88.85	Inf	-Inf	8.07	3	Horizontal	326	1.00	80.78	36.30	6.52	34.75
PK	7.2174G	62.04	88.20	-26.16	8.63	3	Horizontal	326	1.00	53.41	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20323G	46.98	68.20	-21.22	16.43	3	Vertical	84	3.00	30.55	40.50	9.06	33.13
PK	14.20236G	59.63	88.20	-28.57	16.43	3	Vertical	84	3.00	43.20	40.50	9.06	33.13

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19981G	46.93	68.20	-21.27	16.44	3	Horizontal	82	1.38	30.49	40.50	9.06	33.12
PK	14.20026G	59.79	88.20	-28.41	16.44	3	Horizontal	82	1.38	43.35	40.50	9.06	33.12

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1101G	77.24	Inf	-Inf	8.34	3	Vertical	348	2.40	68.90	36.56	6.53	34.75
AV	7.125G	66.51	68.20	-1.69	8.43	3	Vertical	348	2.40	58.08	36.65	6.54	34.76
PK	7.1099G	89.10	Inf	-Inf	8.34	3	Vertical	348	2.40	80.76	36.56	6.53	34.75
PK	7.1251G	77.18	88.20	-11.02	8.43	3	Vertical	348	2.40	68.75	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1097G	67.64	Inf	-Inf	8.34	3	Horizontal	324	1.09	59.30	36.56	6.53	34.75
AV	7.125G	56.34	68.20	-11.86	8.43	3	Horizontal	324	1.09	47.91	36.65	6.54	34.76
PK	7.1141G	79.31	Inf	-Inf	8.36	3	Horizontal	324	1.09	70.95	36.58	6.53	34.75
PK	7.1252G	64.66	88.20	-23.54	8.43	3	Horizontal	324	1.09	56.23	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2074G	46.43	68.20	-21.77	16.42	3	Vertical	5	2.27	30.01	40.49	9.06	33.13
PK	14.2039G	57.94	88.20	-30.26	16.43	3	Vertical	5	2.27	41.51	40.50	9.06	33.13

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2224G	46.42	68.20	-21.78	16.39	3	Horizontal	6	2.15	30.03	40.48	9.06	33.15
PK	14.1979G	57.47	88.20	-30.73	16.44	3	Horizontal	6	2.15	41.03	40.50	9.06	33.12

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	47.07	68.20	-21.13	5.62	3	Vertical	347	2.46	41.45	34.30	5.85	34.53
AV	5.9491G	87.70	Inf	-Inf	5.55	3	Vertical	347	2.46	82.15	34.20	5.87	34.52
PK	5.9017G	59.40	88.20	-28.80	5.62	3	Vertical	347	2.46	53.78	34.30	5.85	34.53
PK	5.9545G	99.09	Inf	-Inf	5.54	3	Vertical	347	2.46	93.55	34.19	5.87	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9092G	46.90	68.20	-21.30	5.60	3	Horizontal	177	2.41	41.30	34.28	5.85	34.53
AV	5.9494G	80.05	Inf	-Inf	5.55	3	Horizontal	177	2.41	74.50	34.20	5.87	34.52
PK	5.8468G	58.96	88.20	-29.24	5.38	3	Horizontal	177	2.41	53.58	34.09	5.82	34.53
PK	5.9545G	91.46	Inf	-Inf	5.54	3	Horizontal	177	2.41	85.92	34.19	5.87	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92532G	43.59	54.00	-10.41	12.38	3	Vertical	163	1.50	31.21	38.63	8.46	34.71
PK	11.95748G	55.89	74.00	-18.11	12.41	3	Vertical	163	1.50	43.48	38.66	8.47	34.72

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92748G	43.59	54.00	-10.41	12.38	3	Horizontal	0	1.34	31.21	38.63	8.46	34.71
PK	11.9402G	55.77	74.00	-18.23	12.39	3	Horizontal	0	1.34	43.38	38.64	8.46	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8866G	46.78	68.20	-21.42	5.56	3	Vertical	349	2.66	41.22	34.25	5.84	34.53
AV	6.1812G	87.14	Inf	-Inf	5.69	3	Vertical	349	2.66	81.45	34.16	6.03	34.50
PK	5.9172G	58.03	88.20	-30.17	5.59	3	Vertical	349	2.66	52.44	34.27	5.85	34.53
PK	6.171G	98.32	Inf	-Inf	5.66	3	Vertical	349	2.66	92.66	34.14	6.02	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8956G	46.69	68.20	-21.51	5.59	3	Horizontal	200	3.00	41.10	34.28	5.84	34.53
AV	6.18G	79.99	Inf	-Inf	5.68	3	Horizontal	200	3.00	74.31	34.16	6.02	34.50
PK	5.9244G	58.36	88.20	-29.84	5.58	3	Horizontal	200	3.00	52.78	34.25	5.86	34.53
PK	6.1812G	91.01	Inf	-Inf	5.69	3	Horizontal	200	3.00	85.32	34.16	6.03	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3135G	42.69	54.00	-11.31	12.94	3	Vertical	0	2.56	29.75	38.89	8.56	34.51
PK	12.3246G	55.67	74.00	-18.33	12.94	3	Vertical	0	2.56	42.73	38.88	8.56	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30084G	42.67	54.00	-11.33	12.94	3	Horizontal	348	1.50	29.73	38.90	8.56	34.52
PK	12.321G	55.61	74.00	-18.39	12.93	3	Horizontal	348	1.50	42.68	38.88	8.56	34.51

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.895G	46.70	68.20	-21.50	5.59	3	Vertical	352	2.50	41.11	34.28	5.84	34.53
AV	6.3918G	86.64	Inf	-Inf	6.38	3	Vertical	352	2.50	80.26	34.70	6.16	34.48
PK	5.9022G	58.51	88.20	-29.69	5.62	3	Vertical	352	2.50	52.89	34.30	5.85	34.53
PK	6.3894G	97.03	Inf	-Inf	6.37	3	Vertical	352	2.50	90.66	34.70	6.15	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	46.71	68.20	-21.49	5.61	3	Horizontal	329	1.09	41.10	34.29	5.85	34.53
AV	6.3894G	76.57	Inf	-Inf	6.37	3	Horizontal	329	1.09	70.20	34.70	6.15	34.48
PK	5.8734G	58.48	88.20	-29.72	5.49	3	Horizontal	329	1.09	52.99	34.19	5.83	34.53
PK	6.3966G	87.01	Inf	-Inf	6.38	3	Horizontal	329	1.09	80.63	34.70	6.16	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81876G	43.77	68.20	-24.43	14.28	3	Vertical	360	2.00	29.49	39.42	8.69	33.83
PK	12.80496G	55.95	88.20	-32.25	14.24	3	Vertical	360	2.00	41.71	39.40	8.69	33.85

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82626G	43.77	68.20	-24.43	14.31	3	Horizontal	28	1.50	29.46	39.43	8.69	33.81
PK	12.79722G	55.62	88.20	-32.58	14.21	3	Horizontal	28	1.50	41.41	39.39	8.68	33.86

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8942G	46.81	68.20	-21.39	5.59	3	Vertical	346	2.36	41.22	34.28	5.84	34.53
AV	6.4354G	86.42	Inf	-Inf	6.61	3	Vertical	346	2.36	79.81	34.91	6.18	34.48
PK	5.8762G	58.06	88.20	-30.14	5.50	3	Vertical	346	2.36	52.56	34.20	5.83	34.53
PK	6.4342G	97.04	Inf	-Inf	6.61	3	Vertical	346	2.36	90.43	34.91	6.18	34.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	46.82	68.20	-21.38	5.60	3	Horizontal	182	2.78	41.22	34.29	5.84	34.53
AV	6.4318G	77.76	Inf	-Inf	6.59	3	Horizontal	182	2.78	71.17	34.89	6.18	34.48
PK	5.8822G	59.21	88.20	-28.99	5.54	3	Horizontal	182	2.78	53.67	34.23	5.84	34.53
PK	6.439G	87.85	Inf	-Inf	6.63	3	Horizontal	182	2.78	81.22	34.93	6.18	34.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.91874G	43.93	68.20	-24.27	14.58	3	Vertical	331	2.43	29.35	39.52	8.71	33.65
PK	12.91772G	55.92	88.20	-32.28	14.58	3	Vertical	331	2.43	41.34	39.52	8.71	33.65

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8891G	43.99	68.20	-24.21	14.50	3	Horizontal	354	2.54	29.49	39.49	8.71	33.70
PK	12.86828G	55.62	88.20	-32.58	14.43	3	Horizontal	354	2.54	41.19	39.47	8.70	33.74

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	46.82	68.20	-21.38	5.54	3	Vertical	348	2.56	41.28	34.23	5.84	34.53
AV	6.492G	86.38	Inf	-Inf	6.91	3	Vertical	348	2.56	79.47	35.17	6.21	34.47
AV	7.157G	49.62	68.20	-18.58	8.51	3	Vertical	348	2.56	41.11	36.71	6.56	34.76
PK	5.8256G	58.83	88.20	-29.37	5.28	3	Vertical	348	2.56	53.55	34.00	5.81	34.53
PK	6.4766G	96.48	Inf	-Inf	6.84	3	Vertical	348	2.56	89.64	35.11	6.20	34.47
PK	7.1822G	60.70	88.20	-27.50	8.58	3	Vertical	348	2.56	52.12	36.76	6.58	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8844G	46.73	68.20	-21.47	5.55	3	Horizontal	188	3.00	41.18	34.24	5.84	34.53
AV	6.4752G	77.81	Inf	-Inf	6.83	3	Horizontal	188	3.00	70.98	35.10	6.20	34.47
AV	7.1766G	49.58	68.20	-18.62	8.56	3	Horizontal	188	3.00	41.02	36.75	6.57	34.76
PK	5.8802G	58.20	88.20	-30.00	5.53	3	Horizontal	188	3.00	52.67	34.22	5.84	34.53
PK	6.478G	88.06	Inf	-Inf	6.84	3	Horizontal	188	3.00	81.22	35.11	6.20	34.47
PK	7.164G	60.50	88.20	-27.70	8.53	3	Horizontal	188	3.00	51.97	36.73	6.56	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.99958G	43.97	68.20	-24.23	14.82	3	Vertical	213	2.90	29.15	39.60	8.73	33.51
PK	12.97348G	55.83	88.20	-32.37	14.74	3	Vertical	213	2.90	41.09	39.57	8.73	33.56

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9637G	43.95	68.20	-24.25	14.72	3	Horizontal	309	1.90	29.23	39.56	8.73	33.57
PK	12.976G	55.68	88.20	-32.52	14.76	3	Horizontal	309	1.90	40.92	39.58	8.73	33.55

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8894G	46.72	68.20	-21.48	5.57	3	Vertical	347	2.42	41.15	34.26	5.84	34.53
AV	6.5376G	85.65	Inf	-Inf	7.09	3	Vertical	347	2.42	78.56	35.35	6.23	34.49
AV	7.2068G	49.61	68.20	-18.59	8.63	3	Vertical	347	2.42	40.98	36.80	6.59	34.76
PK	5.8334G	58.09	88.20	-30.11	5.32	3	Vertical	347	2.42	52.77	34.03	5.82	34.53
PK	6.5348G	96.34	Inf	-Inf	7.08	3	Vertical	347	2.42	89.26	35.34	6.23	34.49
PK	7.2222G	60.86	88.20	-27.34	8.63	3	Vertical	347	2.42	52.23	36.80	6.60	34.77

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	46.71	68.20	-21.49	5.60	3	Horizontal	327	1.05	41.11	34.29	5.84	34.53
AV	6.5334G	75.84	Inf	-Inf	7.07	3	Horizontal	327	1.05	68.77	35.33	6.23	34.49
AV	7.1578G	49.59	68.20	-18.61	8.52	3	Horizontal	327	1.05	41.07	36.72	6.56	34.76
PK	5.9132G	58.78	88.20	-29.42	5.59	3	Horizontal	327	1.05	53.19	34.27	5.85	34.53
PK	6.5264G	85.44	Inf	-Inf	7.05	3	Horizontal	327	1.05	78.39	35.31	6.22	34.48
PK	7.1452G	60.96	88.20	-27.24	8.45	3	Horizontal	327	1.05	52.51	36.66	6.55	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06404G	43.80	68.20	-24.40	14.95	3	Vertical	323	1.50	28.85	39.60	8.75	33.40
PK	13.0614G	56.04	88.20	-32.16	14.94	3	Vertical	323	1.50	41.10	39.60	8.75	33.41

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07046G	43.80	68.20	-24.40	14.96	3	Horizontal	166	1.50	28.84	39.60	8.75	33.39
PK	13.0371G	56.29	88.20	-31.91	14.89	3	Horizontal	166	1.50	41.40	39.60	8.74	33.45

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.577G	86.42	Inf	-Inf	7.30	3	Vertical	348	2.51	79.12	35.56	6.25	34.51
AV	7.1506G	49.51	68.20	-18.69	8.50	3	Vertical	348	2.51	41.01	36.70	6.56	34.76
PK	6.553G	96.67	Inf	-Inf	7.16	3	Vertical	348	2.51	89.51	35.42	6.24	34.50
PK	7.1494G	60.52	88.20	-27.68	8.49	3	Vertical	348	2.51	52.03	36.70	6.55	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5614G	76.15	Inf	-Inf	7.21	3	Horizontal	325	1.04	68.94	35.47	6.24	34.50
AV	7.1638G	49.62	68.20	-18.58	8.53	3	Horizontal	325	1.04	41.09	36.73	6.56	34.76
PK	6.5578G	86.20	Inf	-Inf	7.19	3	Horizontal	325	1.04	79.01	35.45	6.24	34.50
PK	7.1362G	60.84	88.20	-27.36	8.38	3	Horizontal	325	1.04	52.46	36.59	6.55	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.11416G	44.23	68.20	-23.97	15.01	3	Vertical	198	1.50	29.22	39.57	8.76	33.32
PK	13.12658G	56.09	88.20	-32.11	15.02	3	Vertical	198	1.50	41.07	39.55	8.77	33.30

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10924G	44.31	68.20	-23.89	15.01	3	Horizontal	15	2.56	29.30	39.58	8.76	33.33
PK	13.1483G	56.42	88.20	-31.78	15.00	3	Horizontal	15	2.56	41.42	39.50	8.77	33.27

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.676G	88.42	Inf	-Inf	7.68	3	Vertical	345	2.43	80.74	35.95	6.30	34.57
AV	7.172G	49.63	68.20	-18.57	8.55	3	Vertical	345	2.43	41.08	36.74	6.57	34.76
PK	6.674G	99.23	Inf	-Inf	7.69	3	Vertical	345	2.43	91.54	35.95	6.30	34.56
PK	7.164G	61.25	88.20	-26.95	8.53	3	Vertical	345	2.43	52.72	36.73	6.56	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.676G	78.86	Inf	-Inf	7.68	3	Horizontal	325	1.12	71.18	35.95	6.30	34.57
AV	7.176G	49.61	68.20	-18.59	8.56	3	Horizontal	325	1.12	41.05	36.75	6.57	34.76
PK	6.671G	89.02	Inf	-Inf	7.68	3	Horizontal	325	1.12	81.34	35.94	6.30	34.56
PK	7.158G	62.11	88.20	-26.09	8.52	3	Horizontal	325	1.12	53.59	36.72	6.56	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39256G	44.35	54.00	-9.65	15.93	3	Vertical	28	2.17	28.42	39.96	8.84	32.87
PK	13.37324G	56.62	74.00	-17.38	15.80	3	Vertical	28	2.17	40.82	39.87	8.83	32.90

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37972G	44.27	54.00	-9.73	15.84	3	Horizontal	339	1.50	28.43	39.90	8.83	32.89
PK	13.35152G	56.08	74.00	-17.92	15.65	3	Horizontal	339	1.50	40.43	39.76	8.82	32.93

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8408G	84.40	Inf	-Inf	7.54	3	Vertical	345	2.50	76.86	35.80	6.39	34.65
AV	7.1733G	49.59	68.20	-18.61	8.56	3	Vertical	345	2.50	41.03	36.75	6.57	34.76
PK	6.8303G	95.74	Inf	-Inf	7.53	3	Vertical	345	2.50	88.21	35.80	6.38	34.65
PK	7.174G	61.09	88.20	-27.11	8.56	3	Vertical	345	2.50	52.53	36.75	6.57	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8394G	74.74	Inf	-Inf	7.54	3	Horizontal	323	1.00	67.20	35.80	6.39	34.65
AV	7.1747G	49.59	68.20	-18.61	8.56	3	Horizontal	323	1.00	41.03	36.75	6.57	34.76
PK	6.8373G	85.29	Inf	-Inf	7.53	3	Horizontal	323	1.00	77.76	35.80	6.38	34.65
PK	7.1565G	60.78	88.20	-27.42	8.51	3	Horizontal	323	1.00	52.27	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.67116G	45.16	68.20	-23.04	16.21	3	Vertical	232	1.77	28.95	40.06	8.91	32.76
PK	13.69492G	56.89	88.20	-31.31	16.16	3	Vertical	232	1.77	40.73	40.01	8.91	32.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6702G	45.16	68.20	-23.04	16.22	3	Horizontal	176	1.50	28.94	40.06	8.91	32.75
PK	13.7044G	56.90	88.20	-31.30	16.14	3	Horizontal	176	1.50	40.76	40.00	8.91	32.77

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8766G	83.84	Inf	-Inf	7.53	3	Vertical	343	2.53	76.31	35.80	6.40	34.67
AV	7.165G	49.66	68.20	-18.54	8.54	3	Vertical	343	2.53	41.12	36.73	6.57	34.76
PK	6.8787G	95.53	Inf	-Inf	7.53	3	Vertical	343	2.53	88.00	35.80	6.40	34.67
PK	7.2308G	61.15	88.20	-27.05	8.63	3	Vertical	343	2.53	52.52	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8836G	74.30	Inf	-Inf	7.52	3	Horizontal	323	1.09	66.78	35.80	6.40	34.68
AV	7.1909G	49.62	68.20	-18.58	8.60	3	Horizontal	323	1.09	41.02	36.78	6.58	34.76
PK	6.8927G	85.22	Inf	-Inf	7.53	3	Horizontal	323	1.09	77.69	35.80	6.41	34.68
PK	7.1405G	60.82	88.20	-27.38	8.41	3	Horizontal	323	1.09	52.41	36.62	6.55	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75074G	45.00	68.20	-23.20	16.19	3	Vertical	360	1.18	28.81	40.05	8.93	32.79
PK	13.75614G	56.41	88.20	-31.79	16.20	3	Vertical	360	1.18	40.21	40.06	8.93	32.79

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74648G	45.04	68.20	-23.16	16.20	3	Horizontal	203	2.55	28.84	40.05	8.93	32.78
PK	13.76268G	56.61	88.20	-31.59	16.20	3	Horizontal	203	2.55	40.41	40.06	8.93	32.79

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9376G	84.00	Inf	-Inf	7.60	3	Vertical	346	2.42	76.40	35.88	6.43	34.71
AV	7.222G	49.64	68.20	-18.56	8.63	3	Vertical	346	2.42	41.01	36.80	6.60	34.77
PK	6.9292G	95.36	Inf	-Inf	7.58	3	Vertical	346	2.42	87.78	35.86	6.42	34.70
PK	7.141G	61.29	88.20	-26.91	8.42	3	Vertical	346	2.42	52.87	36.63	6.55	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.916G	74.42	Inf	-Inf	7.56	3	Horizontal	325	1.00	66.86	35.83	6.42	34.69
AV	7.1512G	49.68	68.20	-18.52	8.50	3	Horizontal	325	1.00	41.18	36.70	6.56	34.76
PK	6.9178G	85.80	Inf	-Inf	7.56	3	Horizontal	325	1.00	78.24	35.84	6.42	34.70
PK	7.1428G	61.71	88.20	-26.49	8.43	3	Horizontal	325	1.00	53.28	36.64	6.55	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.83968G	44.99	68.20	-23.21	16.31	3	Vertical	0	1.50	28.68	40.18	8.95	32.82
PK	13.85816G	56.69	88.20	-31.51	16.34	3	Vertical	0	1.50	40.35	40.22	8.95	32.83

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8203G	45.04	68.20	-23.16	16.27	3	Horizontal	229	1.50	28.77	40.14	8.94	32.81
PK	13.82486G	56.76	88.20	-31.44	16.29	3	Horizontal	229	1.50	40.47	40.15	8.95	32.81

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0215G	85.26	Inf	-Inf	7.62	3	Vertical	343	2.36	77.64	35.89	6.47	34.74
AV	7.155G	49.69	68.20	-18.51	8.51	3	Vertical	343	2.36	41.18	36.71	6.56	34.76
PK	7.0206G	96.36	Inf	-Inf	7.60	3	Vertical	343	2.36	88.76	35.88	6.46	34.74
PK	7.1388G	61.24	88.20	-26.96	8.40	3	Vertical	343	2.36	52.84	36.61	6.55	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.014G	75.97	Inf	-Inf	7.58	3	Horizontal	323	1.04	68.39	35.86	6.46	34.74
AV	7.1511G	49.58	68.20	-18.62	8.50	3	Horizontal	323	1.04	41.08	36.70	6.56	34.76
PK	7.0122G	88.27	Inf	-Inf	7.57	3	Horizontal	323	1.04	80.70	35.85	6.46	34.74
PK	7.1475G	61.02	88.20	-27.18	8.47	3	Horizontal	323	1.04	52.55	36.68	6.55	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03538G	45.45	68.20	-22.75	16.49	3	Vertical	101	1.50	28.96	40.41	9.00	32.92
PK	13.98474G	57.10	88.20	-31.10	16.42	3	Vertical	101	1.50	40.68	40.30	8.99	32.87

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.03562G	45.46	68.20	-22.74	16.49	3	Horizontal	339	1.50	28.97	40.41	9.00	32.92
PK	14.0007G	56.77	88.20	-31.43	16.41	3	Horizontal	339	1.50	40.36	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0976G	87.75	Inf	-Inf	8.06	3	Vertical	343	2.36	79.69	36.29	6.52	34.75
AV	7.1702G	49.77	68.20	-18.43	8.55	3	Vertical	343	2.36	41.22	36.74	6.57	34.76
PK	7.0985G	99.69	Inf	-Inf	8.06	3	Vertical	343	2.36	91.63	36.29	6.52	34.75
PK	7.1708G	61.69	88.20	-26.51	8.55	3	Vertical	343	2.36	53.14	36.74	6.57	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0928G	78.10	Inf	-Inf	8.02	3	Horizontal	323	1.06	70.08	36.26	6.51	34.75
AV	7.2275G	49.70	68.20	-18.50	8.63	3	Horizontal	323	1.06	41.07	36.80	6.60	34.77
PK	7.0952G	89.60	Inf	-Inf	8.04	3	Horizontal	323	1.06	81.56	36.27	6.52	34.75
PK	7.2185G	61.37	88.20	-26.83	8.63	3	Horizontal	323	1.06	52.74	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16862G	47.15	68.20	-21.05	16.49	3	Vertical	347	2.30	30.66	40.53	9.05	33.09
PK	14.15542G	59.45	88.20	-28.75	16.51	3	Vertical	347	2.30	42.94	40.54	9.04	33.07

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1415G	46.65	68.20	-21.55	16.55	3	Horizontal	34	1.50	30.10	40.56	9.04	33.05
PK	14.14G	58.99	88.20	-29.21	16.55	3	Horizontal	34	1.50	42.44	40.56	9.04	33.05

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.909G	47.19	68.20	-21.01	5.60	3	Vertical	340	2.44	41.59	34.28	5.85	34.53
AV	5.972G	86.84	Inf	-Inf	5.52	3	Vertical	340	2.44	81.32	34.16	5.88	34.52
PK	5.8125G	59.15	88.20	-29.05	5.22	3	Vertical	340	2.44	53.93	33.95	5.81	34.54
PK	5.9745G	98.88	Inf	-Inf	5.51	3	Vertical	340	2.44	93.37	34.15	5.88	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9005G	46.98	68.20	-21.22	5.62	3	Horizontal	177	2.59	41.36	34.30	5.85	34.53
AV	5.9715G	79.69	Inf	-Inf	5.52	3	Horizontal	177	2.59	74.17	34.16	5.88	34.52
PK	5.823G	59.15	88.20	-29.05	5.27	3	Horizontal	177	2.59	53.88	33.99	5.81	34.53
PK	5.966G	91.62	Inf	-Inf	5.52	3	Horizontal	177	2.59	86.10	34.17	5.87	34.52