


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.02832G	43.10	54.00	-10.90	12.54	3	Vertical	88	1.15	30.56	38.76	8.49	34.71
PK	11.99076G	55.42	74.00	-18.58	12.44	3	Vertical	88	1.15	42.98	38.69	8.48	34.73

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.02832G	43.13	54.00	-10.87	12.54	3	Horizontal	177	1.34	30.59	38.76	8.49	34.71
PK	11.99376G	55.11	74.00	-18.89	12.44	3	Horizontal	177	1.34	42.67	38.69	8.48	34.73

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9092G	46.70	68.20	-21.50	5.60	3	Vertical	344	2.50	41.10	34.28	5.85	34.53
AV	6.1606G	86.83	Inf	-Inf	5.63	3	Vertical	344	2.50	81.20	34.12	6.01	34.50
PK	5.8576G	58.48	88.20	-29.72	5.43	3	Vertical	344	2.50	53.05	34.13	5.83	34.53
PK	6.1624G	98.03	Inf	-Inf	5.63	3	Vertical	344	2.50	92.40	34.12	6.01	34.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9008G	46.80	68.20	-21.40	5.62	3	Horizontal	181	3.00	41.18	34.30	5.85	34.53
AV	6.1516G	79.40	Inf	-Inf	5.60	3	Horizontal	181	3.00	73.80	34.10	6.00	34.50
PK	5.8978G	58.34	88.20	-29.86	5.60	3	Horizontal	181	3.00	52.74	34.29	5.84	34.53
PK	6.127G	90.87	Inf	-Inf	5.53	3	Horizontal	181	3.00	85.34	34.05	5.99	34.51

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2558G	44.12	54.00	-9.88	12.94	3	Vertical	270	1.50	31.18	38.94	8.55	34.55
PK	12.27932G	56.29	74.00	-17.71	12.94	3	Vertical	270	1.50	43.35	38.92	8.55	34.53

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.27044G	44.13	54.00	-9.87	12.94	3	Horizontal	312	1.17	31.19	38.93	8.55	34.54
PK	12.3368G	55.70	74.00	-18.30	12.94	3	Horizontal	312	1.17	42.76	38.86	8.57	34.49

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	46.66	68.20	-21.54	5.60	3	Vertical	348	2.47	41.06	34.28	5.85	34.53
AV	6.3622G	86.81	Inf	-Inf	6.36	3	Vertical	348	2.47	80.45	34.70	6.14	34.48
PK	5.8486G	58.25	88.20	-29.95	5.38	3	Vertical	348	2.47	52.87	34.09	5.82	34.53
PK	6.373G	97.85	Inf	-Inf	6.36	3	Vertical	348	2.47	91.49	34.70	6.14	34.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	46.62	68.20	-21.58	5.60	3	Horizontal	180	2.94	41.02	34.28	5.85	34.53
AV	6.3598G	78.63	Inf	-Inf	6.36	3	Horizontal	180	2.94	72.27	34.70	6.14	34.48
PK	5.8966G	58.57	88.20	-29.63	5.60	3	Horizontal	180	2.94	52.97	34.29	5.84	34.53
PK	6.3778G	88.97	Inf	-Inf	6.37	3	Horizontal	180	2.94	82.60	34.70	6.15	34.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.79208G	44.67	68.20	-23.53	14.19	3	Vertical	360	1.50	30.48	39.38	8.68	33.87
PK	12.76532G	56.25	88.20	-31.95	14.09	3	Vertical	360	1.50	42.16	39.33	8.68	33.92

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.79352G	44.62	68.20	-23.58	14.20	3	Horizontal	276	1.50	30.42	39.39	8.68	33.87
PK	12.80104G	56.87	88.20	-31.33	14.22	3	Horizontal	276	1.50	42.65	39.40	8.68	33.86

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8742G	46.75	68.20	-21.45	5.50	3	Vertical	349	2.42	41.25	34.20	5.83	34.53
AV	6.4538G	85.48	Inf	-Inf	6.74	3	Vertical	349	2.42	78.74	35.02	6.19	34.47
AV	7.1538G	49.50	68.20	-18.70	8.51	3	Vertical	349	2.42	40.99	36.71	6.56	34.76
PK	5.7832G	58.56	88.20	-29.64	5.06	3	Vertical	349	2.42	53.50	33.80	5.80	34.54
PK	6.4608G	95.93	Inf	-Inf	6.76	3	Vertical	349	2.42	89.17	35.04	6.19	34.47
PK	7.1594G	61.20	88.20	-27.00	8.52	3	Vertical	349	2.42	52.68	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.884G	46.67	68.20	-21.53	5.55	3	Horizontal	189	2.98	41.12	34.24	5.84	34.53
AV	6.4776G	76.87	Inf	-Inf	6.84	3	Horizontal	189	2.98	70.03	35.11	6.20	34.47
AV	7.165G	49.47	68.20	-18.73	8.54	3	Horizontal	189	2.98	40.93	36.73	6.57	34.76
PK	5.8294G	58.42	88.20	-29.78	5.30	3	Horizontal	189	2.98	53.12	34.02	5.81	34.53
PK	6.472G	87.13	Inf	-Inf	6.82	3	Horizontal	189	2.98	80.31	35.09	6.20	34.47
PK	7.144G	60.50	88.20	-27.70	8.44	3	Horizontal	189	2.98	52.06	36.65	6.55	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95496G	44.77	68.20	-23.43	14.68	3	Vertical	294	1.50	30.09	39.55	8.72	33.59
PK	12.9368G	57.23	88.20	-30.97	14.64	3	Vertical	294	1.50	42.59	39.54	8.72	33.62

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92528G	44.80	68.20	-23.40	14.61	3	Horizontal	64	2.58	30.19	39.53	8.72	33.64
PK	12.90908G	56.72	88.20	-31.48	14.55	3	Horizontal	64	2.58	42.17	39.51	8.71	33.67

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9234G	46.67	68.20	-21.53	5.58	3	Vertical	350	2.63	41.09	34.25	5.86	34.53
AV	6.552G	85.53	Inf	-Inf	7.15	3	Vertical	350	2.63	78.38	35.41	6.24	34.50
AV	7.1652G	49.53	68.20	-18.67	8.54	3	Vertical	350	2.63	40.99	36.73	6.57	34.76
PK	5.8632G	58.44	88.20	-29.76	5.45	3	Vertical	350	2.63	52.99	34.15	5.83	34.53
PK	6.5254G	96.06	Inf	-Inf	7.04	3	Vertical	350	2.63	89.02	35.30	6.22	34.48
PK	7.1694G	60.90	88.20	-27.30	8.55	3	Vertical	350	2.63	52.35	36.74	6.57	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.88G	46.66	68.20	-21.54	5.53	3	Horizontal	329	1.02	41.13	34.22	5.84	34.53
AV	6.5604G	75.51	Inf	-Inf	7.20	3	Horizontal	329	1.02	68.31	35.46	6.24	34.50
AV	7.2352G	49.61	68.20	-18.59	8.64	3	Horizontal	329	1.02	40.97	36.80	6.61	34.77
PK	5.9108G	58.85	88.20	-29.35	5.60	3	Horizontal	329	1.02	53.25	34.28	5.85	34.53
PK	6.5562G	86.76	Inf	-Inf	7.18	3	Horizontal	329	1.02	79.58	35.44	6.24	34.50
PK	7.2184G	61.30	88.20	-26.90	8.63	3	Horizontal	329	1.02	52.67	36.80	6.60	34.77

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13356G	45.14	68.20	-23.06	15.01	3	Vertical	63	3.00	30.13	39.53	8.77	33.29
PK	13.12324G	57.40	88.20	-30.80	15.01	3	Vertical	63	3.00	42.39	39.55	8.77	33.31

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12336G	45.18	68.20	-23.02	15.01	3	Horizontal	128	1.50	30.17	39.55	8.77	33.31
PK	13.14244G	57.40	88.20	-30.80	15.01	3	Horizontal	128	1.50	42.39	39.52	8.77	33.28

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6478G	87.63	Inf	-Inf	7.63	3	Vertical	344	2.34	80.00	35.89	6.29	34.55
AV	7.1626G	49.53	68.20	-18.67	8.53	3	Vertical	344	2.34	41.00	36.73	6.56	34.76
PK	6.6382G	98.15	Inf	-Inf	7.59	3	Vertical	344	2.34	90.56	35.85	6.28	34.54
PK	7.1686G	61.30	88.20	-26.90	8.55	3	Vertical	344	2.34	52.75	36.74	6.57	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.649G	78.27	Inf	-Inf	7.64	3	Horizontal	327	1.06	70.63	35.90	6.29	34.55
AV	7.1662G	49.54	68.20	-18.66	8.54	3	Horizontal	327	1.06	41.00	36.73	6.57	34.76
PK	6.6478G	88.34	Inf	-Inf	7.63	3	Horizontal	327	1.06	80.71	35.89	6.29	34.55
PK	7.1602G	60.50	88.20	-27.70	8.52	3	Horizontal	327	1.06	51.98	36.72	6.56	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.22288G	44.95	68.20	-23.25	15.07	3	Vertical	132	1.50	29.88	39.42	8.79	33.14
PK	13.2236G	57.62	88.20	-30.58	15.07	3	Vertical	132	1.50	42.55	39.42	8.79	33.14

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2254G	44.98	68.20	-23.22	15.08	3	Horizontal	307	1.50	29.90	39.43	8.79	33.14
PK	13.2376G	57.88	88.20	-30.32	15.12	3	Horizontal	307	1.50	42.76	39.44	8.80	33.12

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	88.48	Inf	-Inf	7.71	3	Vertical	344	2.44	80.77	35.97	6.31	34.57
AV	7.169G	49.56	68.20	-18.64	8.55	3	Vertical	344	2.44	41.01	36.74	6.57	34.76
PK	6.691G	99.22	Inf	-Inf	7.72	3	Vertical	344	2.44	91.50	35.98	6.31	34.57
PK	7.185G	60.82	88.20	-27.38	8.59	3	Vertical	344	2.44	52.23	36.77	6.58	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	79.02	Inf	-Inf	7.71	3	Horizontal	326	1.07	71.31	35.97	6.31	34.57
AV	7.158G	49.59	68.20	-18.61	8.52	3	Horizontal	326	1.07	41.07	36.72	6.56	34.76
PK	6.692G	89.78	Inf	-Inf	7.72	3	Horizontal	326	1.07	82.06	35.98	6.31	34.57
PK	7.201G	61.33	88.20	-26.87	8.63	3	Horizontal	326	1.07	52.70	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46292G	45.41	68.20	-22.79	16.10	3	Vertical	330	1.50	29.31	40.00	8.85	32.75
PK	13.4652G	57.44	88.20	-30.76	16.10	3	Vertical	330	1.50	41.34	40.00	8.85	32.75

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45772G	45.42	68.20	-22.78	16.09	3	Horizontal	201	1.16	29.33	40.00	8.85	32.76
PK	13.44692G	57.25	88.20	-30.95	16.07	3	Horizontal	201	1.16	41.18	40.00	8.85	32.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7598G	86.00	Inf	-Inf	7.62	3	Vertical	347	2.64	78.38	35.88	6.35	34.61
AV	7.135G	49.19	68.20	-19.01	8.36	3	Vertical	347	2.64	40.83	36.58	6.54	34.76
PK	6.7598G	97.69	Inf	-Inf	7.62	3	Vertical	347	2.64	90.07	35.88	6.35	34.61
PK	7.1294G	59.92	88.20	-28.28	8.32	3	Vertical	347	2.64	51.60	36.54	6.54	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7717G	76.71	Inf	-Inf	7.59	3	Horizontal	326	1.00	69.12	35.86	6.35	34.62
AV	7.1336G	49.22	68.20	-18.98	8.35	3	Horizontal	326	1.00	40.87	36.57	6.54	34.76
PK	6.7731G	87.88	Inf	-Inf	7.59	3	Horizontal	326	1.00	80.29	35.85	6.36	34.62
PK	7.1273G	61.62	88.20	-26.58	8.30	3	Horizontal	326	1.00	53.32	36.52	6.54	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.59904G	46.40	68.20	-21.80	16.36	3	Vertical	162	1.50	30.04	40.20	8.89	32.73
PK	13.58632G	58.45	88.20	-29.75	16.33	3	Vertical	162	1.50	42.12	40.17	8.88	32.72

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.59124G	46.43	68.20	-21.77	16.35	3	Horizontal	33	1.50	30.08	40.18	8.89	32.72
PK	13.62412G	58.06	88.20	-30.14	16.30	3	Horizontal	33	1.50	41.76	40.15	8.89	32.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8426G	84.00	Inf	-Inf	7.53	3	Vertical	346	2.52	76.47	35.80	6.39	34.66
AV	7.1695G	49.62	68.20	-18.58	8.55	3	Vertical	346	2.52	41.07	36.74	6.57	34.76
PK	6.8545G	95.13	Inf	-Inf	7.53	3	Vertical	346	2.52	87.60	35.80	6.39	34.66
PK	7.1485G	60.89	88.20	-27.31	8.48	3	Vertical	346	2.52	52.41	36.69	6.55	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8601G	74.40	Inf	-Inf	7.53	3	Horizontal	323	1.12	66.87	35.80	6.39	34.66
AV	7.1639G	49.68	68.20	-18.52	8.53	3	Horizontal	323	1.12	41.15	36.73	6.56	34.76
PK	6.8671G	85.32	Inf	-Inf	7.53	3	Horizontal	323	1.12	77.79	35.80	6.40	34.67
PK	7.1702G	61.13	88.20	-27.07	8.55	3	Horizontal	323	1.12	52.58	36.74	6.57	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.67204G	46.08	68.20	-22.12	16.21	3	Vertical	114	2.05	29.87	40.06	8.91	32.76
PK	13.68068G	58.09	88.20	-30.11	16.19	3	Vertical	114	2.05	41.90	40.04	8.91	32.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68944G	46.06	68.20	-22.14	16.17	3	Horizontal	305	2.77	29.89	40.02	8.91	32.76
PK	13.69236G	58.25	88.20	-29.95	16.17	3	Horizontal	305	2.77	42.08	40.02	8.91	32.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9492G	85.65	Inf	-Inf	7.62	3	Vertical	346	2.32	78.03	35.90	6.43	34.71
AV	7.1628G	50.88	68.20	-17.32	8.53	3	Vertical	346	2.32	42.35	36.73	6.56	34.76
PK	6.9552G	97.39	Inf	-Inf	7.60	3	Vertical	346	2.32	89.79	35.89	6.43	34.72
PK	7.1694G	62.90	88.20	-25.30	8.55	3	Vertical	346	2.32	54.35	36.74	6.57	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9468G	76.59	Inf	-Inf	7.61	3	Horizontal	325	1.00	68.98	35.89	6.43	34.71
AV	7.2342G	50.87	68.20	-17.33	8.64	3	Horizontal	325	1.00	42.23	36.80	6.61	34.77
PK	6.9486G	88.22	Inf	-Inf	7.62	3	Horizontal	325	1.00	80.60	35.90	6.43	34.71
PK	7.2258G	62.93	88.20	-25.27	8.63	3	Horizontal	325	1.00	54.30	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.92516G	46.10	68.20	-22.10	16.42	3	Vertical	360.1	1.50	29.68	40.30	8.97	32.85
PK	13.87668G	58.47	88.20	-29.73	16.38	3	Vertical	360.1	1.50	42.09	40.25	8.96	32.83

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.93668G	46.14	68.20	-22.06	16.41	3	Horizontal	260	1.47	29.73	40.30	8.97	32.86
PK	13.89072G	57.59	88.20	-30.61	16.40	3	Horizontal	260	1.47	41.19	40.28	8.96	32.84

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0496G	86.99	Inf	-Inf	7.93	3	Vertical	345	2.34	79.06	36.20	6.48	34.75
AV	7.1726G	50.05	68.20	-18.15	8.70	3	Vertical	345	2.34	41.35	36.89	6.57	34.76
PK	7.0475G	98.96	Inf	-Inf	7.92	3	Vertical	345	2.34	91.04	36.19	6.48	34.75
PK	7.1258G	61.80	88.20	-26.40	8.43	3	Vertical	345	2.34	53.37	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0364G	76.50	Inf	-Inf	7.89	3	Horizontal	328	1.01	68.61	36.15	6.48	34.74
AV	7.1501G	49.87	68.20	-18.33	8.60	3	Horizontal	328	1.01	41.27	36.80	6.56	34.76
PK	7.0319G	87.78	Inf	-Inf	7.86	3	Horizontal	328	1.01	79.92	36.13	6.47	34.74
PK	7.157G	61.86	88.20	-26.34	8.63	3	Horizontal	328	1.01	53.23	36.83	6.56	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.11G	47.79	68.20	-20.41	16.61	3	Vertical	81	1.50	31.18	40.59	9.03	33.01
PK	14.06872G	60.04	88.20	-28.16	16.56	3	Vertical	81	1.50	43.48	40.51	9.01	32.96

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.10304G	47.77	68.20	-20.43	16.61	3	Horizontal	1	1.50	31.16	40.60	9.02	33.01
PK	13.99096G	59.58	88.20	-28.62	16.41	3	Horizontal	1	1.50	43.17	40.30	8.99	32.88

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.908G	49.42	68.20	-18.78	5.60	3	Vertical	346	2.43	43.82	34.28	5.85	34.53
AV	5.973G	87.64	Inf	-Inf	5.51	3	Vertical	346	2.43	82.13	34.15	5.88	34.52
PK	5.8525G	61.96	88.20	-26.24	5.40	3	Vertical	346	2.43	56.56	34.11	5.82	34.53
PK	5.9795G	99.76	Inf	-Inf	5.50	3	Vertical	346	2.43	94.26	34.14	5.88	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9005G	48.49	68.20	-19.71	5.62	3	Horizontal	182	2.94	42.87	34.30	5.85	34.53
AV	5.9725G	79.98	Inf	-Inf	5.52	3	Horizontal	182	2.94	74.46	34.16	5.88	34.52
PK	5.9G	60.23	88.20	-27.97	5.61	3	Horizontal	182	2.94	54.62	34.30	5.84	34.53
PK	6.003G	91.55	Inf	-Inf	5.47	3	Horizontal	182	2.94	86.08	34.10	5.89	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04964G	45.17	54.00	-8.83	12.59	3	Vertical	327	2.78	32.58	38.80	8.49	34.70
PK	12.05483G	55.39	74.00	-18.61	12.61	3	Vertical	327	2.78	42.78	38.81	8.49	34.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04689G	45.18	54.00	-8.82	12.58	3	Horizontal	147	1.51	32.60	38.79	8.49	34.70
PK	12.05331G	55.59	74.00	-18.41	12.61	3	Horizontal	147	1.51	42.98	38.81	8.49	34.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.889G	48.19	68.20	-20.01	5.57	3	Vertical	352	2.36	42.62	34.26	5.84	34.53
AV	6.2218G	89.50	Inf	-Inf	5.84	3	Vertical	352	2.36	83.66	34.29	6.05	34.50
PK	5.8786G	59.49	88.20	-28.71	5.52	3	Vertical	352	2.36	53.97	34.21	5.84	34.53
PK	6.2338G	101.24	Inf	-Inf	5.90	3	Vertical	352	2.36	95.34	34.34	6.06	34.50

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8962G	48.10	68.20	-20.10	5.59	3	Horizontal	199	3.00	42.51	34.28	5.84	34.53
AV	6.2194G	81.68	Inf	-Inf	5.83	3	Horizontal	199	3.00	75.85	34.28	6.05	34.50
PK	5.925G	59.70	88.20	-28.50	5.58	3	Horizontal	199	3.00	54.12	34.25	5.86	34.53
PK	6.2362G	93.42	Inf	-Inf	5.90	3	Horizontal	199	3.00	87.52	34.34	6.06	34.50

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3701G	45.56	54.00	-8.44	12.93	3	Vertical	93	1.86	32.63	38.83	8.57	34.47
PK	12.37486G	56.47	74.00	-17.53	12.94	3	Vertical	93	1.86	43.53	38.83	8.58	34.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36778G	45.58	54.00	-8.42	12.93	3	Horizontal	68	2.44	32.65	38.83	8.57	34.47
PK	12.37033G	56.27	74.00	-17.73	12.93	3	Horizontal	68	2.44	43.34	38.83	8.57	34.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	48.00	68.20	-20.20	5.61	3	Vertical	355	2.47	42.39	34.29	5.85	34.53
AV	6.2946G	89.64	Inf	-Inf	6.10	3	Vertical	355	2.47	83.54	34.49	6.10	34.49
PK	5.9178G	59.20	88.20	-29.00	5.58	3	Vertical	355	2.47	53.62	34.26	5.85	34.53
PK	6.3162G	100.06	Inf	-Inf	6.18	3	Vertical	355	2.47	93.88	34.56	6.11	34.49

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	48.02	68.20	-20.18	5.56	3	Horizontal	187	3.00	42.46	34.25	5.84	34.53
AV	6.2946G	81.94	Inf	-Inf	6.10	3	Horizontal	187	3.00	75.84	34.49	6.10	34.49
PK	5.8602G	59.90	88.20	-28.30	5.44	3	Horizontal	187	3.00	54.46	34.14	5.83	34.53
PK	6.2982G	93.08	Inf	-Inf	6.11	3	Horizontal	187	3.00	86.97	34.50	6.10	34.49

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68596G	46.10	54.00	-7.90	13.76	3	Vertical	313	1.67	32.34	39.17	8.65	34.06
PK	12.68985G	56.40	74.00	-17.60	13.79	3	Vertical	313	1.67	42.61	39.18	8.66	34.05

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68751G	46.01	54.00	-7.99	13.79	3	Horizontal	77	2.34	32.22	39.18	8.66	34.05
PK	12.68747G	56.65	74.00	-17.35	13.78	3	Horizontal	77	2.34	42.87	39.17	8.66	34.05

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.903G	48.09	68.20	-20.11	5.61	3	Vertical	352	2.50	42.48	34.29	5.85	34.53
AV	6.5456G	87.66	Inf	-Inf	7.12	3	Vertical	352	2.50	80.54	35.38	6.23	34.49
AV	7.205G	50.84	68.20	-17.36	8.63	3	Vertical	352	2.50	42.21	36.80	6.59	34.76
PK	5.8498G	59.37	88.20	-28.83	5.39	3	Vertical	352	2.50	53.98	34.10	5.82	34.53
PK	6.4672G	98.74	Inf	-Inf	6.79	3	Vertical	352	2.50	91.95	35.07	6.19	34.47
PK	7.184G	62.18	88.20	-26.02	8.59	3	Vertical	352	2.50	53.59	36.77	6.58	34.76

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8988G	48.12	68.20	-20.08	5.61	3	Horizontal	330	1.00	42.51	34.30	5.84	34.53
AV	6.463G	78.47	Inf	-Inf	6.77	3	Horizontal	330	1.00	71.70	35.05	6.19	34.47
AV	7.2022G	50.86	68.20	-17.34	8.63	3	Horizontal	330	1.00	42.23	36.80	6.59	34.76
PK	5.8498G	59.49	88.20	-28.71	5.39	3	Horizontal	330	1.00	54.10	34.10	5.82	34.53
PK	6.512G	88.90	Inf	-Inf	6.99	3	Horizontal	330	1.00	81.91	35.25	6.22	34.48
PK	7.1644G	62.24	88.20	-25.96	8.54	3	Horizontal	330	1.00	53.70	36.73	6.57	34.76

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01036G	46.66	68.20	-21.54	14.85	3	Vertical	260	1.99	31.81	39.60	8.74	33.49
PK	13.00611G	56.96	88.20	-31.24	14.84	3	Vertical	260	1.99	42.12	39.60	8.74	33.50

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01138G	46.62	68.20	-21.58	14.85	3	Horizontal	37	1.57	31.77	39.60	8.74	33.49
PK	13.01212G	56.83	88.20	-31.37	14.85	3	Horizontal	37	1.57	41.98	39.60	8.74	33.49

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6672G	89.88	Inf	-Inf	7.67	3	Vertical	346	2.39	82.21	35.93	6.30	34.56
AV	7.1457G	50.91	68.20	-17.29	8.46	3	Vertical	346	2.39	42.45	36.67	6.55	34.76
PK	6.7134G	100.66	Inf	-Inf	7.70	3	Vertical	346	2.39	92.96	35.97	6.32	34.59
PK	7.1402G	61.86	88.20	-26.34	8.41	3	Vertical	346	2.39	53.45	36.62	6.55	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6727G	81.20	Inf	-Inf	7.69	3	Horizontal	330	1.05	73.51	35.95	6.30	34.56
AV	7.2007G	50.84	68.20	-17.36	8.63	3	Horizontal	330	1.05	42.21	36.80	6.59	34.76
PK	6.6804G	91.92	Inf	-Inf	7.69	3	Horizontal	330	1.05	84.23	35.96	6.30	34.57
PK	7.149G	62.56	88.20	-25.64	8.48	3	Horizontal	330	1.05	54.08	36.69	6.55	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32578G	46.61	54.00	-7.39	15.47	3	Vertical	77	1.35	31.14	39.63	8.82	32.98
PK	13.33001G	57.46	74.00	-16.54	15.50	3	Vertical	77	1.35	41.96	39.65	8.82	32.97

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32638G	46.61	54.00	-7.39	15.48	3	Horizontal	197	1.59	31.13	39.63	8.82	32.97
PK	13.33267G	59.09	74.00	-14.91	15.52	3	Horizontal	197	1.59	43.57	39.66	8.82	32.96

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.773G	87.41	Inf	-Inf	7.59	3	Vertical	349	2.48	79.82	35.85	6.36	34.62
AV	7.1786G	50.95	68.20	-17.25	8.58	3	Vertical	349	2.48	42.37	36.76	6.58	34.76
PK	6.7802G	99.24	Inf	-Inf	7.58	3	Vertical	349	2.48	91.66	35.84	6.36	34.62
PK	7.2154G	62.20	88.20	-26.00	8.63	3	Vertical	349	2.48	53.57	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7746G	78.82	Inf	-Inf	7.59	3	Horizontal	328	1.03	71.23	35.85	6.36	34.62
AV	7.2162G	50.92	68.20	-17.28	8.63	3	Horizontal	328	1.03	42.29	36.80	6.60	34.77
PK	6.773G	89.22	Inf	-Inf	7.59	3	Horizontal	328	1.03	81.63	35.85	6.36	34.62
PK	7.2202G	62.07	88.20	-26.13	8.63	3	Horizontal	328	1.03	53.44	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64945G	47.97	68.20	-20.23	16.25	3	Vertical	64	1.49	31.72	40.10	8.90	32.75
PK	13.64946G	58.53	88.20	-29.67	16.25	3	Vertical	64	1.49	42.28	40.10	8.90	32.75

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65135G	47.96	68.20	-20.24	16.25	3	Horizontal	133	2.24	31.71	40.10	8.90	32.75
PK	13.64756G	58.68	88.20	-29.52	16.25	3	Horizontal	133	2.24	42.43	40.10	8.90	32.75

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.038G	88.20	Inf	-Inf	7.69	3	Vertical	349	2.47	80.51	35.95	6.48	34.74
AV	7.129G	57.86	68.20	-10.34	8.31	3	Vertical	349	2.47	49.55	36.53	6.54	34.76
PK	7.03G	99.63	Inf	-Inf	7.65	3	Vertical	349	2.47	91.98	35.92	6.47	34.74
PK	7.1295G	70.00	88.20	-18.20	8.32	3	Vertical	349	2.47	61.68	36.54	6.54	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.037G	78.61	Inf	-Inf	7.69	3	Horizontal	331	1.02	70.92	35.95	6.48	34.74
AV	7.1255G	51.99	68.20	-16.21	8.28	3	Horizontal	331	1.02	43.71	36.50	6.54	34.76
PK	7.0335G	89.67	Inf	-Inf	7.66	3	Horizontal	331	1.02	82.01	35.93	6.47	34.74
PK	7.14G	63.67	88.20	-24.53	8.41	3	Horizontal	331	1.02	55.26	36.62	6.55	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96903G	47.66	68.20	-20.54	16.41	3	Vertical	253	1.99	31.25	40.30	8.98	32.87
PK	13.96723G	57.91	88.20	-30.29	16.41	3	Vertical	253	1.99	41.50	40.30	8.98	32.87

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96637G	47.68	68.20	-20.52	16.41	3	Horizontal	301	2.39	31.27	40.30	8.98	32.87
PK	13.96552G	57.72	88.20	-30.48	16.41	3	Horizontal	301	2.39	41.31	40.30	8.98	32.87

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9007G	47.29	68.20	-20.91	5.62	3	Vertical	18	2.42	41.67	34.30	5.85	34.53
AV	5.9475G	87.37	Inf	-Inf	5.56	3	Vertical	18	2.42	81.81	34.21	5.87	34.52
PK	5.8404G	58.74	88.20	-29.46	5.35	3	Vertical	18	2.42	53.39	34.06	5.82	34.53
PK	5.9607G	98.50	Inf	-Inf	5.53	3	Vertical	18	2.42	92.97	34.18	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8989G	47.18	68.20	-21.02	5.61	3	Horizontal	174	2.81	41.57	34.30	5.84	34.53
AV	5.9475G	80.84	Inf	-Inf	5.56	3	Horizontal	174	2.81	75.28	34.21	5.87	34.52
PK	5.9058G	59.67	88.20	-28.53	5.61	3	Horizontal	174	2.81	54.06	34.29	5.85	34.53
PK	5.9487G	91.49	Inf	-Inf	5.55	3	Horizontal	174	2.81	85.94	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92386G	42.38	54.00	-11.62	12.37	3	Vertical	10	2.99	30.01	38.62	8.46	34.71
PK	11.92194G	54.23	74.00	-19.77	12.37	3	Vertical	10	2.99	41.86	38.62	8.46	34.71

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92221G	42.36	54.00	-11.64	12.37	3	Horizontal	225	1.50	29.99	38.62	8.46	34.71
PK	11.91883G	54.19	74.00	-19.81	12.37	3	Horizontal	225	1.50	41.82	38.62	8.45	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8852G	47.04	68.20	-21.16	5.55	3	Vertical	23	2.38	41.49	34.24	5.84	34.53
AV	6.1804G	85.72	Inf	-Inf	5.69	3	Vertical	23	2.38	80.03	34.16	6.03	34.50
PK	5.884G	58.34	88.20	-29.86	5.55	3	Vertical	23	2.38	52.79	34.24	5.84	34.53
PK	6.1828G	96.05	Inf	-Inf	5.70	3	Vertical	23	2.38	90.35	34.17	6.03	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9068G	47.17	68.20	-21.03	5.61	3	Horizontal	176	2.58	41.56	34.29	5.85	34.53
AV	6.1822G	79.31	Inf	-Inf	5.69	3	Horizontal	176	2.58	73.62	34.16	6.03	34.50
PK	5.8762G	58.62	88.20	-29.58	5.50	3	Horizontal	176	2.58	53.12	34.20	5.83	34.53
PK	6.1804G	91.19	Inf	-Inf	5.69	3	Horizontal	176	2.58	85.50	34.16	6.03	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35825G	42.96	54.00	-11.04	12.93	3	Vertical	278	1.50	30.03	38.84	8.57	34.48
PK	12.35726G	54.87	74.00	-19.13	12.93	3	Vertical	278	1.50	41.94	38.84	8.57	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36176G	42.96	54.00	-11.04	12.93	3	Horizontal	344	2.34	30.03	38.84	8.57	34.48
PK	12.3626G	54.73	74.00	-19.27	12.93	3	Horizontal	344	2.34	41.80	38.84	8.57	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.09	68.20	-21.11	5.60	3	Vertical	20	2.51	41.49	34.29	5.84	34.53
AV	6.4186G	86.61	Inf	-Inf	6.50	3	Vertical	20	2.51	80.11	34.81	6.17	34.48
PK	5.8774G	58.08	88.20	-30.12	5.51	3	Vertical	20	2.51	52.57	34.21	5.83	34.53
PK	6.421G	98.19	Inf	-Inf	6.52	3	Vertical	20	2.51	91.67	34.83	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	46.96	68.20	-21.24	5.54	3	Horizontal	173	2.42	41.42	34.23	5.84	34.53
AV	6.4138G	78.53	Inf	-Inf	6.47	3	Horizontal	173	2.42	72.06	34.78	6.17	34.48
PK	5.905G	58.18	88.20	-30.02	5.61	3	Horizontal	173	2.42	52.57	34.29	5.85	34.53
PK	6.4114G	88.34	Inf	-Inf	6.46	3	Horizontal	173	2.42	81.88	34.77	6.17	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82157G	43.77	68.20	-24.43	14.29	3	Vertical	246	1.94	29.48	39.42	8.69	33.82
PK	12.83732G	55.86	88.20	-32.34	14.34	3	Vertical	246	1.94	41.52	39.44	8.69	33.79

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83915G	43.74	68.20	-24.46	14.34	3	Horizontal	360	1.50	29.40	39.44	8.69	33.79
PK	12.82301G	55.56	88.20	-32.64	14.29	3	Horizontal	360	1.50	41.27	39.42	8.69	33.82

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	47.04	68.20	-21.16	5.62	3	Vertical	19	2.37	41.42	34.30	5.85	34.53
AV	6.441G	86.71	Inf	-Inf	6.65	3	Vertical	19	2.37	80.06	34.95	6.18	34.48
PK	5.8494G	59.38	88.20	-28.82	5.39	3	Vertical	19	2.37	53.99	34.10	5.82	34.53
PK	6.4422G	97.05	Inf	-Inf	6.65	3	Vertical	19	2.37	90.40	34.95	6.18	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	46.95	68.20	-21.25	5.61	3	Horizontal	175	2.38	41.34	34.29	5.85	34.53
AV	6.4398G	78.08	Inf	-Inf	6.64	3	Horizontal	175	2.38	71.44	34.94	6.18	34.48
PK	5.8962G	59.03	88.20	-29.17	5.59	3	Horizontal	175	2.38	53.44	34.28	5.84	34.53
PK	6.441G	87.81	Inf	-Inf	6.65	3	Horizontal	175	2.38	81.16	34.95	6.18	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86775G	43.82	68.20	-24.38	14.43	3	Vertical	347	1.04	29.39	39.47	8.70	33.74
PK	12.86605G	55.59	88.20	-32.61	14.43	3	Vertical	347	1.04	41.16	39.47	8.70	33.74

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85608G	43.85	68.20	-24.35	14.40	3	Horizontal	105	1.50	29.45	39.46	8.70	33.76
PK	12.86072G	56.20	88.20	-32.00	14.41	3	Horizontal	105	1.50	41.79	39.46	8.70	33.75

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8996G	46.93	68.20	-21.27	5.61	3	Vertical	19	2.32	41.32	34.30	5.84	34.53
AV	6.4806G	86.86	Inf	-Inf	6.85	3	Vertical	19	2.32	80.01	35.12	6.20	34.47
AV	7.1596G	49.81	68.20	-18.39	8.52	3	Vertical	19	2.32	41.29	36.72	6.56	34.76
PK	5.8926G	58.08	88.20	-30.12	5.58	3	Vertical	19	2.32	52.50	34.27	5.84	34.53
PK	6.4722G	96.80	Inf	-Inf	6.82	3	Vertical	19	2.32	89.98	35.09	6.20	34.47
PK	7.1596G	61.04	88.20	-27.16	8.52	3	Vertical	19	2.32	52.52	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.894G	46.93	68.20	-21.27	5.59	3	Horizontal	175	2.45	41.34	34.28	5.84	34.53
AV	6.4694G	78.83	Inf	-Inf	6.80	3	Horizontal	175	2.45	72.03	35.08	6.19	34.47
AV	7.1624G	49.72	68.20	-18.48	8.52	3	Horizontal	175	2.45	41.20	36.72	6.56	34.76
PK	5.9234G	59.07	88.20	-29.13	5.58	3	Horizontal	175	2.45	53.49	34.25	5.86	34.53
PK	6.4736G	89.51	Inf	-Inf	6.82	3	Horizontal	175	2.45	82.69	35.09	6.20	34.47
PK	7.175G	60.62	88.20	-27.58	8.56	3	Horizontal	175	2.45	52.06	36.75	6.57	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94859G	43.98	68.20	-24.22	14.67	3	Vertical	357	1.79	29.31	39.55	8.72	33.60
PK	12.95156G	56.19	88.20	-32.01	14.68	3	Vertical	357	1.79	41.51	39.55	8.72	33.59

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.935G	44.03	68.20	-24.17	14.63	3	Horizontal	182	2.44	29.40	39.53	8.72	33.62
PK	12.95819G	56.11	88.20	-32.09	14.70	3	Horizontal	182	2.44	41.41	39.56	8.72	33.58

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	46.92	68.20	-21.28	5.61	3	Vertical	17	2.64	41.31	34.29	5.85	34.53
AV	6.5192G	87.33	Inf	-Inf	7.02	3	Vertical	17	2.64	80.31	35.28	6.22	34.48
AV	7.1772G	49.78	68.20	-18.42	8.56	3	Vertical	17	2.64	41.22	36.75	6.57	34.76
PK	5.8892G	58.29	88.20	-29.91	5.57	3	Vertical	17	2.64	52.72	34.26	5.84	34.53
PK	6.5192G	97.33	Inf	-Inf	7.02	3	Vertical	17	2.64	90.31	35.28	6.22	34.48
PK	7.1842G	61.18	88.20	-27.02	8.59	3	Vertical	17	2.64	52.59	36.77	6.58	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	46.97	68.20	-21.23	5.61	3	Horizontal	172	2.95	41.36	34.29	5.85	34.53
AV	6.5206G	80.12	Inf	-Inf	7.02	3	Horizontal	172	2.95	73.10	35.28	6.22	34.48
AV	7.1912G	49.80	68.20	-18.40	8.60	3	Horizontal	172	2.95	41.20	36.78	6.58	34.76
PK	5.913G	58.62	88.20	-29.58	5.59	3	Horizontal	172	2.95	53.03	34.27	5.85	34.53
PK	6.515G	89.41	Inf	-Inf	7.00	3	Horizontal	172	2.95	82.41	35.26	6.22	34.48
PK	7.1814G	60.42	88.20	-27.78	8.58	3	Horizontal	172	2.95	51.84	36.76	6.58	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0342G	44.02	68.20	-24.18	14.89	3	Vertical	3	1.50	29.13	39.60	8.74	33.45
PK	13.0408G	55.86	88.20	-32.34	14.91	3	Vertical	3	1.50	40.95	39.60	8.75	33.44

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0447G	44.07	68.20	-24.13	14.91	3	Horizontal	234	2.04	29.16	39.60	8.75	33.44
PK	13.02592G	55.90	88.20	-32.30	14.87	3	Horizontal	234	2.04	41.03	39.60	8.74	33.47

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	46.97	68.20	-21.23	5.61	3	Vertical	16	2.44	41.36	34.29	5.85	34.53
AV	6.5294G	87.03	Inf	-Inf	7.05	3	Vertical	16	2.44	79.98	35.32	6.22	34.49
AV	7.2168G	49.81	68.20	-18.39	8.63	3	Vertical	16	2.44	41.18	36.80	6.60	34.77
PK	5.877G	58.31	88.20	-29.89	5.51	3	Vertical	16	2.44	52.80	34.21	5.83	34.53
PK	6.5308G	97.25	Inf	-Inf	7.06	3	Vertical	16	2.44	90.19	35.32	6.23	34.49
PK	7.1986G	61.06	88.20	-27.14	8.63	3	Vertical	16	2.44	52.43	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	46.89	68.20	-21.31	5.61	3	Horizontal	172	2.96	41.28	34.29	5.85	34.53
AV	6.5294G	79.30	Inf	-Inf	7.05	3	Horizontal	172	2.96	72.25	35.32	6.22	34.49
AV	7.1692G	49.73	68.20	-18.47	8.55	3	Horizontal	172	2.96	41.18	36.74	6.57	34.76
PK	5.9106G	58.17	88.20	-30.03	5.60	3	Horizontal	172	2.96	52.57	34.28	5.85	34.53
PK	6.5294G	89.29	Inf	-Inf	7.05	3	Horizontal	172	2.96	82.24	35.32	6.22	34.49
PK	7.1426G	61.34	88.20	-26.86	8.43	3	Horizontal	172	2.96	52.91	36.64	6.55	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06403G	44.16	68.20	-24.04	14.95	3	Vertical	326	1.00	29.21	39.60	8.75	33.40
PK	13.07333G	55.83	88.20	-32.37	14.96	3	Vertical	326	1.00	40.87	39.60	8.75	33.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06085G	44.24	68.20	-23.96	14.94	3	Horizontal	212	1.50	29.30	39.60	8.75	33.41
PK	13.08011G	55.72	88.20	-32.48	14.98	3	Horizontal	212	1.50	40.74	39.60	8.76	33.38

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	88.30	Inf	-Inf	7.72	3	Vertical	17	2.54	80.58	35.98	6.31	34.57
AV	7.172G	49.79	68.20	-18.41	8.55	3	Vertical	17	2.54	41.24	36.74	6.57	34.76
PK	6.69G	98.59	Inf	-Inf	7.72	3	Vertical	17	2.54	90.87	35.98	6.31	34.57
PK	7.132G	60.71	88.20	-27.49	8.34	3	Vertical	17	2.54	52.37	36.56	6.54	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.701G	79.01	Inf	-Inf	7.74	3	Horizontal	183	2.30	71.27	36.00	6.32	34.58
AV	7.167G	49.85	68.20	-18.35	8.54	3	Horizontal	183	2.30	41.31	36.73	6.57	34.76
PK	6.699G	89.35	Inf	-Inf	7.73	3	Horizontal	183	2.30	81.62	36.00	6.31	34.58
PK	7.157G	60.80	88.20	-27.40	8.51	3	Horizontal	183	2.30	52.29	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39777G	44.39	54.00	-9.61	15.97	3	Vertical	282	1.50	28.42	39.99	8.84	32.86
PK	13.38727G	56.43	74.00	-17.57	15.90	3	Vertical	282	1.50	40.53	39.94	8.83	32.87

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39495G	44.40	54.00	-9.60	15.95	3	Horizontal	221	2.21	28.45	39.97	8.84	32.86
PK	13.39936G	56.09	74.00	-17.91	15.98	3	Horizontal	221	2.21	40.11	40.00	8.84	32.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.848G	87.10	Inf	-Inf	7.53	3	Vertical	22	2.35	79.57	35.80	6.39	34.66
AV	7.1644G	49.81	68.20	-18.39	8.54	3	Vertical	22	2.35	41.27	36.73	6.57	34.76
PK	6.8494G	97.16	Inf	-Inf	7.53	3	Vertical	22	2.35	89.63	35.80	6.39	34.66
PK	7.1364G	61.54	88.20	-26.66	8.38	3	Vertical	22	2.35	53.16	36.59	6.55	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.848G	78.92	Inf	-Inf	7.53	3	Horizontal	173	2.60	71.39	35.80	6.39	34.66
AV	7.149G	49.81	68.20	-18.39	8.48	3	Horizontal	173	2.60	41.33	36.69	6.55	34.76
PK	6.8501G	90.22	Inf	-Inf	7.53	3	Horizontal	173	2.60	82.69	35.80	6.39	34.66
PK	7.1651G	61.07	88.20	-27.13	8.54	3	Horizontal	173	2.60	52.53	36.73	6.57	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71507G	45.04	68.20	-23.16	16.17	3	Vertical	243	3.00	28.87	40.02	8.92	32.77
PK	13.72473G	56.85	88.20	-31.35	16.16	3	Vertical	243	3.00	40.69	40.02	8.92	32.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71114G	44.97	68.20	-23.23	16.16	3	Horizontal	360	2.18	28.81	40.01	8.92	32.77
PK	13.72023G	57.24	88.20	-30.96	16.17	3	Horizontal	360	2.18	41.07	40.02	8.92	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8743G	85.16	Inf	-Inf	7.53	3	Vertical	18	1.29	77.63	35.80	6.40	34.67
AV	7.2089G	49.11	68.20	-19.09	8.62	3	Vertical	18	1.29	40.49	36.80	6.59	34.77
PK	6.8729G	94.64	Inf	-Inf	7.53	3	Vertical	18	1.29	87.11	35.80	6.40	34.67
PK	7.1697G	60.91	88.20	-27.29	8.55	3	Vertical	18	1.29	52.36	36.74	6.57	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8729G	83.75	Inf	-Inf	7.53	3	Horizontal	283	1.34	76.22	35.80	6.40	34.67
AV	7.2145G	49.07	68.20	-19.13	8.63	3	Horizontal	283	1.34	40.44	36.80	6.60	34.77
PK	6.8778G	94.71	Inf	-Inf	7.53	3	Horizontal	283	1.34	87.18	35.80	6.40	34.67
PK	7.19G	61.14	88.20	-27.06	8.60	3	Horizontal	283	1.34	52.54	36.78	6.58	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74154G	45.04	68.20	-23.16	16.18	3	Vertical	22	1.50	28.86	40.04	8.92	32.78
PK	13.7395G	56.50	88.20	-31.70	16.18	3	Vertical	22	1.50	40.32	40.04	8.92	32.78

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74322G	45.10	68.20	-23.10	16.18	3	Horizontal	49	1.50	28.92	40.04	8.92	32.78
PK	13.74847G	56.88	88.20	-31.32	16.20	3	Horizontal	49	1.50	40.68	40.05	8.93	32.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8873G	86.47	Inf	-Inf	7.52	3	Vertical	21	2.36	78.95	35.80	6.40	34.68
AV	7.2359G	49.93	68.20	-18.27	8.64	3	Vertical	21	2.36	41.29	36.80	6.61	34.77
PK	6.8901G	97.96	Inf	-Inf	7.53	3	Vertical	21	2.36	90.43	35.80	6.41	34.68
PK	7.2268G	61.59	88.20	-26.61	8.63	3	Vertical	21	2.36	52.96	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8943G	78.56	Inf	-Inf	7.53	3	Horizontal	172	2.63	71.03	35.80	6.41	34.68
AV	7.2345G	49.83	68.20	-18.37	8.64	3	Horizontal	172	2.63	41.19	36.80	6.61	34.77
PK	6.8908G	89.76	Inf	-Inf	7.53	3	Horizontal	172	2.63	82.23	35.80	6.41	34.68
PK	7.2303G	61.38	88.20	-26.82	8.63	3	Horizontal	172	2.63	52.75	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78961G	45.01	68.20	-23.19	16.23	3	Vertical	0	2.92	28.78	40.09	8.94	32.80
PK	13.79885G	56.64	88.20	-31.56	16.24	3	Vertical	0	2.92	40.40	40.10	8.94	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78499G	44.91	68.20	-23.29	16.22	3	Horizontal	146	1.50	28.69	40.08	8.94	32.80
PK	13.7773G	57.15	88.20	-31.05	16.21	3	Horizontal	146	1.50	40.94	40.08	8.93	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9925G	82.50	Inf	-Inf	7.52	3	Vertical	15	1.15	74.98	35.81	6.45	34.74
AV	7.228G	49.11	68.20	-19.09	8.63	3	Vertical	15	1.15	40.48	36.80	6.60	34.77
PK	7.0005G	93.63	Inf	-Inf	7.51	3	Vertical	15	1.15	86.12	35.80	6.45	34.74
PK	7.234G	60.29	88.20	-27.91	8.64	3	Vertical	15	1.15	51.65	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.987G	80.49	Inf	-Inf	7.54	3	Horizontal	285	1.46	72.95	35.83	6.44	34.73
AV	7.1995G	49.14	68.20	-19.06	8.63	3	Horizontal	285	1.46	40.51	36.80	6.59	34.76
PK	6.986G	91.13	Inf	-Inf	7.54	3	Horizontal	285	1.46	83.59	35.83	6.44	34.73
PK	7.222G	60.88	88.20	-27.32	8.63	3	Horizontal	285	1.46	52.25	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00371G	45.22	68.20	-22.98	16.42	3	Vertical	292	1.50	28.80	40.31	8.99	32.88
PK	14.00425G	56.89	88.20	-31.31	16.41	3	Vertical	252	1.50	40.48	40.31	8.99	32.89

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00251G	45.30	68.20	-22.90	16.42	3	Horizontal	4	2.43	28.88	40.31	8.99	32.88
PK	13.99981G	58.63	88.20	-29.57	16.41	3	Horizontal	4	2.43	42.22	40.30	8.99	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0875G	80.23	Inf	-Inf	7.98	3	Vertical	20	1.31	72.25	36.22	6.51	34.75
AV	7.2354G	49.00	68.20	-19.20	8.64	3	Vertical	20	1.31	40.36	36.80	6.61	34.77
PK	7.0875G	91.33	Inf	-Inf	7.98	3	Vertical	20	1.31	83.35	36.22	6.51	34.75
PK	7.2336G	61.38	88.20	-26.82	8.64	3	Vertical	20	1.31	52.74	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1007G	78.19	Inf	-Inf	8.08	3	Horizontal	283	1.25	70.11	36.31	6.52	34.75
AV	7.2198G	49.10	68.20	-19.10	8.63	3	Horizontal	283	1.25	40.47	36.80	6.60	34.77
PK	7.0938G	89.32	Inf	-Inf	8.03	3	Horizontal	283	1.25	81.29	36.26	6.52	34.75
PK	7.2018G	60.75	88.20	-27.45	8.63	3	Horizontal	283	1.25	52.12	36.80	6.59	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20476G	45.47	68.20	-22.73	16.43	3	Vertical	268	1.77	29.04	40.50	9.06	33.13
PK	14.20314G	57.98	88.20	-30.22	16.43	3	Vertical	268	1.77	41.55	40.50	9.06	33.13

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.202G	45.47	68.20	-22.73	16.43	3	Horizontal	86	1.50	29.04	40.50	9.06	33.13
PK	14.18727G	56.90	88.20	-31.30	16.45	3	Horizontal	86	1.50	40.45	40.51	9.05	33.11

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1071G	74.21	Inf	-Inf	8.31	3	Vertical	12	2.42	65.90	36.54	6.52	34.75
AV	7.125G	63.56	68.20	-4.64	8.43	3	Vertical	12	2.42	55.13	36.65	6.54	34.76
PK	7.1099G	86.07	Inf	-Inf	8.34	3	Vertical	12	2.42	77.73	36.56	6.53	34.75
PK	7.125G	73.54	88.20	-14.66	8.43	3	Vertical	12	2.42	65.11	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1086G	62.52	Inf	-Inf	8.33	3	Horizontal	194	1.18	54.19	36.55	6.53	34.75
AV	7.125G	52.50	68.20	-15.70	8.43	3	Horizontal	194	1.18	44.07	36.65	6.54	34.76
PK	7.1098G	74.25	Inf	-Inf	8.34	3	Horizontal	194	1.18	65.91	36.56	6.53	34.75
PK	7.125G	63.01	88.20	-25.19	8.43	3	Horizontal	194	1.18	54.58	36.65	6.54	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2217G	46.21	68.20	-21.99	16.57	3	Vertical	163	2.55	29.64	40.66	9.06	33.15
PK	14.22284G	58.54	88.20	-29.66	16.56	3	Vertical	163	2.55	41.98	40.65	9.06	33.15

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2208G	46.20	68.20	-22.00	16.57	3	Horizontal	212	2.19	29.63	40.66	9.06	33.15
PK	14.22002G	58.01	88.20	-30.19	16.57	3	Horizontal	212	2.19	41.44	40.66	9.06	33.15

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9005G	47.12	68.20	-21.08	5.62	3	Vertical	10	2.51	41.50	34.30	5.85	34.53
AV	5.9524G	88.48	Inf	-Inf	5.55	3	Vertical	10	2.51	82.93	34.20	5.87	34.52
PK	5.8411G	59.11	88.20	-29.09	5.35	3	Vertical	10	2.51	53.76	34.06	5.82	34.53
PK	5.9539G	99.51	Inf	-Inf	5.54	3	Vertical	10	2.51	93.97	34.19	5.87	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	46.97	68.20	-21.23	5.61	3	Horizontal	176	2.77	41.36	34.29	5.85	34.53
AV	5.9506G	81.06	Inf	-Inf	5.55	3	Horizontal	176	2.77	75.51	34.20	5.87	34.52
PK	5.8909G	58.63	88.20	-29.57	5.57	3	Horizontal	176	2.77	53.06	34.26	5.84	34.53
PK	5.9518G	92.95	Inf	-Inf	5.55	3	Horizontal	176	2.77	87.40	34.20	5.87	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9534G	42.14	54.00	-11.86	12.40	3	Vertical	275	1.50	29.74	38.65	8.47	34.72
PK	11.93858G	54.02	74.00	-19.98	12.39	3	Vertical	275	1.50	41.63	38.64	8.46	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92622G	42.14	54.00	-11.86	12.38	3	Horizontal	255	1.50	29.76	38.63	8.46	34.71
PK	11.92046G	53.99	74.00	-20.01	12.37	3	Horizontal	255	1.50	41.62	38.62	8.45	34.70

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9022G	46.76	68.20	-21.44	5.62	3	Vertical	22	2.55	41.14	34.30	5.85	34.53
AV	6.153G	86.45	Inf	-Inf	5.61	3	Vertical	22	2.55	80.84	34.11	6.00	34.50
PK	5.889G	59.17	88.20	-29.03	5.57	3	Vertical	22	2.55	53.60	34.26	5.84	34.53
PK	6.1524G	98.03	Inf	-Inf	5.60	3	Vertical	22	2.55	92.43	34.10	6.00	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	46.75	68.20	-21.45	5.59	3	Horizontal	177	2.63	41.16	34.27	5.85	34.53
AV	6.1524G	79.97	Inf	-Inf	5.60	3	Horizontal	177	2.63	74.37	34.10	6.00	34.50
PK	5.925G	58.54	88.20	-29.66	5.58	3	Horizontal	177	2.63	52.96	34.25	5.86	34.53
PK	6.1512G	91.35	Inf	-Inf	5.60	3	Horizontal	177	2.63	85.75	34.10	6.00	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32178G	43.07	54.00	-10.93	12.94	3	Vertical	145	1.49	30.13	38.88	8.56	34.50
PK	12.30636G	55.02	74.00	-18.98	12.93	3	Vertical	145	1.49	42.09	38.89	8.56	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31608G	43.15	54.00	-10.85	12.93	3	Horizontal	164	1.50	30.22	38.88	8.56	34.51
PK	12.30966G	55.30	74.00	-18.70	12.94	3	Horizontal	164	1.50	42.36	38.89	8.56	34.51

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.895G	46.85	68.20	-21.35	5.59	3	Vertical	20	2.60	41.26	34.28	5.84	34.53
AV	6.417G	86.81	Inf	-Inf	6.49	3	Vertical	20	2.60	80.32	34.80	6.17	34.48
PK	5.8854G	58.50	88.20	-29.70	5.55	3	Vertical	20	2.60	52.95	34.24	5.84	34.53
PK	6.4086G	98.21	Inf	-Inf	6.43	3	Vertical	20	2.60	91.78	34.75	6.16	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8986G	46.72	68.20	-21.48	5.60	3	Horizontal	175	2.34	41.12	34.29	5.84	34.53
AV	6.3966G	78.59	Inf	-Inf	6.38	3	Horizontal	175	2.34	72.21	34.70	6.16	34.48
PK	5.8194G	58.29	88.20	-29.91	5.26	3	Horizontal	175	2.34	53.03	33.98	5.81	34.53
PK	6.4002G	89.15	Inf	-Inf	6.38	3	Horizontal	175	2.34	82.77	34.70	6.16	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82158G	43.70	68.20	-24.50	14.29	3	Vertical	111	1.50	29.41	39.42	8.69	33.82
PK	12.80772G	56.52	88.20	-31.68	14.26	3	Vertical	111	1.50	42.26	39.41	8.69	33.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8247G	43.75	68.20	-24.45	14.29	3	Horizontal	35	1.50	29.46	39.42	8.69	33.82
PK	12.81492G	55.92	88.20	-32.28	14.27	3	Horizontal	35	1.50	41.65	39.41	8.69	33.83

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8606G	46.72	68.20	-21.48	5.44	3	Vertical	8	2.64	41.28	34.14	5.83	34.53
AV	6.4414G	87.20	Inf	-Inf	6.65	3	Vertical	8	2.64	80.55	34.95	6.18	34.48
PK	5.8798G	58.76	88.20	-29.44	5.53	3	Vertical	8	2.64	53.23	34.22	5.84	34.53
PK	6.439G	97.89	Inf	-Inf	6.63	3	Vertical	8	2.64	91.26	34.93	6.18	34.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.899G	46.75	68.20	-21.45	5.61	3	Horizontal	164	2.85	41.14	34.30	5.84	34.53
AV	6.4582G	80.06	Inf	-Inf	6.75	3	Horizontal	164	2.85	73.31	35.03	6.19	34.47
PK	5.8714G	58.38	88.20	-29.82	5.49	3	Horizontal	164	2.85	52.89	34.19	5.83	34.53
PK	6.4558G	91.04	Inf	-Inf	6.74	3	Horizontal	164	2.85	84.30	35.02	6.19	34.47

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9005G	43.88	68.20	-24.32	14.53	3	Vertical	280	1.50	29.35	39.50	8.71	33.68
PK	12.9164G	55.76	88.20	-32.44	14.57	3	Vertical	280	1.50	41.19	39.52	8.71	33.66

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89636G	43.96	68.20	-24.24	14.52	3	Horizontal	40	2.35	29.44	39.50	8.71	33.69
PK	12.87608G	55.20	88.20	-33.00	14.45	3	Horizontal	40	2.35	40.75	39.48	8.70	33.73

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.904G	46.71	68.20	-21.49	5.61	3	Vertical	9	2.48	41.10	34.29	5.85	34.53
AV	6.5004G	87.55	Inf	-Inf	6.94	3	Vertical	9	2.48	80.61	35.20	6.21	34.47
AV	7.1752G	49.62	68.20	-18.58	8.56	3	Vertical	9	2.48	41.06	36.75	6.57	34.76
PK	5.9026G	58.41	88.20	-29.79	5.61	3	Vertical	9	2.48	52.80	34.29	5.85	34.53
PK	6.4808G	98.47	Inf	-Inf	6.85	3	Vertical	9	2.48	91.62	35.12	6.20	34.47
PK	7.1598G	61.77	88.20	-26.43	8.52	3	Vertical	9	2.48	53.25	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8704G	46.73	68.20	-21.47	5.48	3	Horizontal	170	2.39	41.25	34.18	5.83	34.53
AV	6.4906G	80.41	Inf	-Inf	6.90	3	Horizontal	170	2.39	73.51	35.16	6.21	34.47
AV	7.1668G	49.55	68.20	-18.65	8.54	3	Horizontal	170	2.39	41.01	36.73	6.57	34.76
PK	5.8802G	58.43	88.20	-29.77	5.53	3	Horizontal	170	2.39	52.90	34.22	5.84	34.53
PK	6.499G	91.15	Inf	-Inf	6.94	3	Horizontal	170	2.39	84.21	35.20	6.21	34.47
PK	7.1668G	60.60	88.20	-27.60	8.54	3	Horizontal	170	2.39	52.06	36.73	6.57	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.99886G	44.02	68.20	-24.18	14.82	3	Vertical	216	1.50	29.20	39.60	8.73	33.51
PK	12.95218G	55.71	88.20	-32.49	14.68	3	Vertical	216	1.50	41.03	39.55	8.72	33.59

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9619G	44.02	68.20	-24.18	14.71	3	Horizontal	315	1.50	29.31	39.56	8.73	33.58
PK	12.97192G	55.94	88.20	-32.26	14.74	3	Horizontal	315	1.50	41.20	39.57	8.73	33.56

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8824G	46.72	68.20	-21.48	5.54	3	Vertical	14	2.45	41.18	34.23	5.84	34.53
AV	6.5292G	87.50	Inf	-Inf	7.05	3	Vertical	14	2.45	80.45	35.32	6.22	34.49
AV	7.2222G	49.55	68.20	-18.65	8.63	3	Vertical	14	2.45	40.92	36.80	6.60	34.77
PK	5.8586G	57.81	88.20	-30.39	5.43	3	Vertical	14	2.45	52.38	34.13	5.83	34.53
PK	6.518G	97.82	Inf	-Inf	7.01	3	Vertical	14	2.45	90.81	35.27	6.22	34.48
PK	7.1634G	60.29	88.20	-27.91	8.53	3	Vertical	14	2.45	51.76	36.73	6.56	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9076G	46.74	68.20	-21.46	5.60	3	Horizontal	164	2.65	41.14	34.28	5.85	34.53
AV	6.5404G	79.36	Inf	-Inf	7.10	3	Horizontal	164	2.65	72.26	35.36	6.23	34.49
AV	7.1536G	49.54	68.20	-18.66	8.51	3	Horizontal	164	2.65	41.03	36.71	6.56	34.76
PK	5.881G	58.64	88.20	-29.56	5.53	3	Horizontal	164	2.65	53.11	34.22	5.84	34.53
PK	6.5376G	90.02	Inf	-Inf	7.09	3	Horizontal	164	2.65	82.93	35.35	6.23	34.49
PK	7.1942G	61.44	88.20	-26.76	8.62	3	Horizontal	164	2.65	52.82	36.79	6.59	34.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06416G	44.25	68.20	-23.95	14.95	3	Vertical	42	2.00	29.30	39.60	8.75	33.40
PK	13.07394G	56.61	88.20	-31.59	14.96	3	Vertical	42	2.00	41.65	39.60	8.75	33.39

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06656G	44.15	68.20	-24.05	14.95	3	Horizontal	304	3.00	29.20	39.60	8.75	33.40
PK	13.03542G	55.82	88.20	-32.38	14.89	3	Horizontal	304	3.00	40.93	39.60	8.74	33.45

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5686G	87.34	Inf	-Inf	7.24	3	Vertical	16	2.42	80.10	35.51	6.24	34.51
AV	7.159G	49.53	68.20	-18.67	8.52	3	Vertical	16	2.42	41.01	36.72	6.56	34.76
PK	6.5542G	97.82	Inf	-Inf	7.17	3	Vertical	16	2.42	90.65	35.43	6.24	34.50
PK	7.1434G	60.99	88.20	-27.21	8.44	3	Vertical	16	2.42	52.55	36.65	6.55	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5698G	77.60	Inf	-Inf	7.25	3	Horizontal	188	2.95	70.35	35.52	6.24	34.51
AV	7.1578G	49.47	68.20	-18.73	8.52	3	Horizontal	188	2.95	40.95	36.72	6.56	34.76
PK	6.571G	87.56	Inf	-Inf	7.27	3	Horizontal	188	2.95	80.29	35.53	6.25	34.51
PK	7.147G	60.32	88.20	-27.88	8.47	3	Horizontal	188	2.95	51.85	36.68	6.55	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10072G	44.24	68.20	-23.96	15.02	3	Vertical	359	1.07	29.22	39.60	8.76	33.34
PK	13.11074G	56.34	88.20	-31.86	15.01	3	Vertical	359	1.07	41.33	39.58	8.76	33.33

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12802G	44.24	68.20	-23.96	15.01	3	Horizontal	55	1.18	29.23	39.54	8.77	33.30
PK	13.12334G	56.40	88.20	-31.80	15.01	3	Horizontal	55	1.18	41.39	39.55	8.77	33.31

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.674G	88.40	Inf	-Inf	7.69	3	Vertical	13	2.57	80.71	35.95	6.30	34.56
AV	7.153G	49.55	68.20	-18.65	8.51	3	Vertical	13	2.57	41.04	36.71	6.56	34.76
PK	6.699G	100.26	Inf	-Inf	7.73	3	Vertical	13	2.57	92.53	36.00	6.31	34.58
PK	7.163G	62.11	88.20	-26.09	8.53	3	Vertical	13	2.57	53.58	36.73	6.56	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.668G	80.57	Inf	-Inf	7.68	3	Horizontal	167	2.97	72.89	35.94	6.30	34.56
AV	7.172G	49.59	68.20	-18.61	8.55	3	Horizontal	167	2.97	41.04	36.74	6.57	34.76
PK	6.68G	91.24	Inf	-Inf	7.69	3	Horizontal	167	2.97	83.55	35.96	6.30	34.57
PK	7.154G	60.88	88.20	-27.32	8.51	3	Horizontal	167	2.97	52.37	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38548G	44.33	54.00	-9.67	15.88	3	Vertical	285	1.50	28.45	39.93	8.83	32.88
PK	13.38836G	56.42	74.00	-17.58	15.90	3	Vertical	285	1.50	40.52	39.94	8.83	32.87

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36556G	44.34	54.00	-9.66	15.75	3	Horizontal	360	1.08	28.59	39.83	8.83	32.91
PK	13.34894G	55.95	74.00	-18.05	15.62	3	Horizontal	360	1.08	40.33	39.74	8.82	32.94

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8338G	87.43	Inf	-Inf	7.53	3	Vertical	11	2.32	79.90	35.80	6.38	34.65
AV	7.1579G	49.63	68.20	-18.57	8.52	3	Vertical	11	2.32	41.11	36.72	6.56	34.76
PK	6.8485G	98.65	Inf	-Inf	7.53	3	Vertical	11	2.32	91.12	35.80	6.39	34.66
PK	7.167G	60.86	88.20	-27.34	8.54	3	Vertical	11	2.32	52.32	36.73	6.57	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8338G	80.60	Inf	-Inf	7.53	3	Horizontal	167	2.31	73.07	35.80	6.38	34.65
AV	7.1642G	49.66	68.20	-18.54	8.53	3	Horizontal	167	2.31	41.13	36.73	6.56	34.76
PK	6.8387G	91.68	Inf	-Inf	7.54	3	Horizontal	167	2.31	84.14	35.80	6.39	34.65
PK	7.1537G	61.08	88.20	-27.12	8.51	3	Horizontal	167	2.31	52.57	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7137G	45.12	68.20	-23.08	16.16	3	Vertical	318	1.50	28.96	40.01	8.92	32.77
PK	13.7143G	56.58	88.20	-31.62	16.16	3	Vertical	318	1.50	40.42	40.01	8.92	32.77

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66102G	45.13	68.20	-23.07	16.23	3	Horizontal	104	1.50	28.90	40.08	8.90	32.75
PK	13.67458G	56.91	88.20	-31.29	16.20	3	Horizontal	104	1.50	40.71	40.05	8.91	32.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8752G	87.27	Inf	-Inf	7.53	3	Vertical	16	2.31	79.74	35.80	6.40	34.67
AV	7.2336G	49.68	68.20	-18.52	8.64	3	Vertical	16	2.31	41.04	36.80	6.61	34.77
PK	6.871G	98.73	Inf	-Inf	7.53	3	Vertical	16	2.31	91.20	35.80	6.40	34.67
PK	7.1468G	61.06	88.20	-27.14	8.46	3	Vertical	16	2.31	52.60	36.67	6.55	34.76

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8696G	79.92	Inf	-Inf	7.53	3	Horizontal	168	2.16	72.39	35.80	6.40	34.67
AV	7.2077G	49.65	68.20	-18.55	8.63	3	Horizontal	168	2.16	41.02	36.80	6.59	34.76
PK	6.8731G	90.71	Inf	-Inf	7.53	3	Horizontal	168	2.16	83.18	35.80	6.40	34.67
PK	7.2112G	61.21	88.20	-26.99	8.63	3	Horizontal	168	2.16	52.58	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74768G	45.06	68.20	-23.14	16.20	3	Vertical	192	1.50	28.86	40.05	8.93	32.78
PK	13.74624G	56.66	88.20	-31.54	16.20	3	Vertical	192	1.50	40.46	40.05	8.93	32.78

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74564G	44.94	68.20	-23.26	16.20	3	Horizontal	39	1.50	28.74	40.05	8.93	32.78
PK	13.74138G	56.43	88.20	-31.77	16.18	3	Horizontal	39	1.50	40.25	40.04	8.92	32.78

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9076G	86.40	Inf	-Inf	7.54	3	Vertical	15	2.46	78.86	35.82	6.41	34.69
AV	7.1986G	49.66	68.20	-18.54	8.63	3	Vertical	15	2.46	41.03	36.80	6.59	34.76
PK	6.9142G	97.91	Inf	-Inf	7.56	3	Vertical	15	2.46	90.35	35.83	6.42	34.69
PK	7.144G	61.10	88.20	-27.10	8.44	3	Vertical	15	2.46	52.66	36.65	6.55	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9094G	78.80	Inf	-Inf	7.54	3	Horizontal	167	2.33	71.26	35.82	6.41	34.69
AV	7.1554G	49.60	68.20	-18.60	8.51	3	Horizontal	167	2.33	41.09	36.71	6.56	34.76
PK	6.913G	89.20	Inf	-Inf	7.56	3	Horizontal	167	2.33	81.64	35.83	6.42	34.69
PK	7.2094G	61.33	88.20	-26.87	8.62	3	Horizontal	167	2.33	52.71	36.80	6.59	34.77

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84727G	45.04	68.20	-23.16	16.32	3	Vertical	256	1.44	28.72	40.19	8.95	32.82
PK	13.84454G	55.61	88.20	-32.59	16.32	3	Vertical	256	1.44	39.29	40.19	8.95	32.82

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85048G	44.96	68.20	-23.24	16.33	3	Horizontal	45	1.16	28.63	40.20	8.95	32.82
PK	13.85963G	54.66	88.20	-33.54	16.34	3	Horizontal	45	1.16	38.32	40.22	8.95	32.83

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9882G	84.77	Inf	-Inf	7.54	3	Vertical	15	2.36	77.23	35.82	6.45	34.73
AV	7.1499G	49.58	68.20	-18.62	8.49	3	Vertical	15	2.36	41.09	36.70	6.55	34.76
PK	6.9954G	95.65	Inf	-Inf	7.52	3	Vertical	15	2.36	88.13	35.81	6.45	34.74
PK	7.1373G	61.27	88.20	-26.93	8.39	3	Vertical	15	2.36	52.88	36.60	6.55	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.99G	75.81	Inf	-Inf	7.54	3	Horizontal	164	2.25	68.27	35.82	6.45	34.73
AV	7.155G	49.59	68.20	-18.61	8.51	3	Horizontal	164	2.25	41.08	36.71	6.56	34.76
PK	6.9921G	88.01	Inf	-Inf	7.53	3	Horizontal	164	2.25	80.48	35.82	6.45	34.74
PK	7.1265G	60.90	88.20	-27.30	8.29	3	Horizontal	164	2.25	52.61	36.51	6.54	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00565G	45.44	68.20	-22.76	16.42	3	Vertical	279	1.58	29.02	40.32	8.99	32.89
PK	14.00244G	56.60	88.20	-31.60	16.42	3	Vertical	279	1.58	40.18	40.31	8.99	32.88

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.02116G	45.45	68.20	-22.75	16.45	3	Horizontal	220	1.60	29.00	40.36	9.00	32.91
PK	14.02338G	55.05	88.20	-33.15	16.46	3	Horizontal	220	1.60	38.59	40.37	9.00	32.91

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.073G	82.88	Inf	-Inf	7.89	3	Vertical	15	2.51	74.99	36.14	6.50	34.75
AV	7.2257G	49.68	68.20	-18.52	8.63	3	Vertical	15	2.51	41.05	36.80	6.60	34.77
PK	7.0673G	94.06	Inf	-Inf	7.85	3	Vertical	15	2.51	86.21	36.10	6.50	34.75
PK	7.2266G	61.54	88.20	-26.66	8.63	3	Vertical	15	2.51	52.91	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0883G	74.40	Inf	-Inf	7.99	3	Horizontal	164	2.98	66.41	36.23	6.51	34.75
AV	7.2314G	49.70	68.20	-18.50	8.63	3	Horizontal	164	2.98	41.07	36.80	6.60	34.77
PK	7.0868G	85.81	Inf	-Inf	7.98	3	Horizontal	164	2.98	77.83	36.22	6.51	34.75
PK	7.205G	61.75	88.20	-26.45	8.63	3	Horizontal	164	2.98	53.12	36.80	6.59	34.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17069G	45.40	68.20	-22.80	16.49	3	Vertical	182	2.17	28.91	40.53	9.05	33.09
PK	14.15758G	54.89	88.20	-33.31	16.51	3	Vertical	182	2.17	38.38	40.54	9.04	33.07

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17423G	45.20	68.20	-23.00	16.49	3	Horizontal	126	1.29	28.71	40.53	9.05	33.09
PK	14.18137G	54.91	88.20	-33.29	16.47	3	Horizontal	126	1.29	38.44	40.52	9.05	33.10

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	47.38	68.20	-20.82	5.61	3	Vertical	9	2.48	41.77	34.29	5.85	34.53
AV	5.9715G	87.69	Inf	-Inf	5.52	3	Vertical	9	2.48	82.17	34.16	5.88	34.52
PK	5.9225G	59.51	88.20	-28.69	5.59	3	Vertical	9	2.48	53.92	34.26	5.86	34.53
PK	5.9615G	99.35	Inf	-Inf	5.53	3	Vertical	9	2.48	93.82	34.18	5.87	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9135G	46.88	68.20	-21.32	5.59	3	Horizontal	176	2.69	41.29	34.27	5.85	34.53
AV	5.9675G	80.77	Inf	-Inf	5.53	3	Horizontal	176	2.69	75.24	34.17	5.88	34.52
PK	5.891G	59.06	88.20	-29.14	5.57	3	Horizontal	176	2.69	53.49	34.26	5.84	34.53
PK	5.968G	92.03	Inf	-Inf	5.52	3	Horizontal	176	2.69	86.51	34.16	5.88	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.99004G	43.26	54.00	-10.74	12.44	3	Vertical	64	1.02	30.82	38.69	8.48	34.73
PK	11.98296G	55.32	74.00	-18.68	12.43	3	Vertical	64	1.02	42.89	38.68	8.47	34.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.02592G	43.28	54.00	-10.72	12.53	3	Horizontal	198	1.50	30.75	38.75	8.49	34.71
PK	11.99784G	55.68	74.00	-18.32	12.45	3	Horizontal	198	1.50	43.23	38.70	8.48	34.73

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9026G	46.82	68.20	-21.38	5.61	3	Vertical	13	2.60	41.21	34.29	5.85	34.53
AV	6.16G	86.06	Inf	-Inf	5.63	3	Vertical	13	2.60	80.43	34.12	6.01	34.50
PK	5.9224G	58.56	88.20	-29.64	5.59	3	Vertical	13	2.60	52.97	34.26	5.86	34.53
PK	6.1306G	97.53	Inf	-Inf	5.54	3	Vertical	13	2.60	91.99	34.06	5.99	34.51

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9014G	46.74	68.20	-21.46	5.62	3	Horizontal	171	2.59	41.12	34.30	5.85	34.53
AV	6.1534G	79.62	Inf	-Inf	5.62	3	Horizontal	171	2.59	74.00	34.11	6.01	34.50
PK	5.9158G	58.70	88.20	-29.50	5.59	3	Horizontal	171	2.59	53.11	34.27	5.85	34.53
PK	6.1528G	91.78	Inf	-Inf	5.61	3	Horizontal	171	2.59	86.17	34.11	6.00	34.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2624G	44.14	54.00	-9.86	12.94	3	Vertical	179	1.50	31.20	38.94	8.55	34.55
PK	12.29108G	56.76	74.00	-17.24	12.93	3	Vertical	179	1.50	43.83	38.91	8.55	34.53

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30512G	44.12	54.00	-9.88	12.93	3	Horizontal	231	1.50	31.19	38.89	8.56	34.52
PK	12.29288G	56.33	74.00	-17.67	12.94	3	Horizontal	231	1.50	43.39	38.91	8.55	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8714G	46.67	68.20	-21.53	5.49	3	Vertical	19	2.48	41.18	34.19	5.83	34.53
AV	6.3634G	86.26	Inf	-Inf	6.36	3	Vertical	19	2.48	79.90	34.70	6.14	34.48
PK	5.8906G	58.40	88.20	-29.80	5.57	3	Vertical	19	2.48	52.83	34.26	5.84	34.53
PK	6.3646G	96.92	Inf	-Inf	6.36	3	Vertical	19	2.48	90.56	34.70	6.14	34.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9002G	46.65	68.20	-21.55	5.62	3	Horizontal	172	2.27	41.03	34.30	5.85	34.53
AV	6.3862G	78.95	Inf	-Inf	6.37	3	Horizontal	172	2.27	72.58	34.70	6.15	34.48
PK	5.9038G	59.15	88.20	-29.05	5.61	3	Horizontal	172	2.27	53.54	34.29	5.85	34.53
PK	6.3754G	89.21	Inf	-Inf	6.37	3	Horizontal	172	2.27	82.84	34.70	6.15	34.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80396G	44.66	68.20	-23.54	14.24	3	Vertical	127	2.71	30.42	39.40	8.69	33.85
PK	12.83256G	56.72	88.20	-31.48	14.32	3	Vertical	127	2.71	42.40	39.43	8.69	33.80

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8264G	44.64	68.20	-23.56	14.31	3	Horizontal	316	1.50	30.33	39.43	8.69	33.81
PK	12.83724G	56.57	88.20	-31.63	14.34	3	Horizontal	316	1.50	42.23	39.44	8.69	33.79

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8784G	46.74	68.20	-21.46	5.52	3	Vertical	12	2.40	41.22	34.21	5.84	34.53
AV	6.4734G	86.51	Inf	-Inf	6.82	3	Vertical	12	2.40	79.69	35.09	6.20	34.47
AV	7.1636G	49.52	68.20	-18.68	8.53	3	Vertical	12	2.40	40.99	36.73	6.56	34.76
PK	5.856G	58.52	88.20	-29.68	5.42	3	Vertical	12	2.40	53.10	34.12	5.83	34.53
PK	6.479G	97.35	Inf	-Inf	6.85	3	Vertical	12	2.40	90.50	35.12	6.20	34.47
PK	7.1608G	60.16	88.20	-28.04	8.52	3	Vertical	12	2.40	51.64	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8784G	46.68	68.20	-21.52	5.52	3	Horizontal	172	2.38	41.16	34.21	5.84	34.53
AV	6.4832G	79.38	Inf	-Inf	6.86	3	Horizontal	172	2.38	72.52	35.13	6.20	34.47
AV	7.165G	49.46	68.20	-18.74	8.54	3	Horizontal	172	2.38	40.92	36.73	6.57	34.76
PK	5.821G	58.26	88.20	-29.94	5.26	3	Horizontal	172	2.38	53.00	33.98	5.81	34.53
PK	6.4888G	90.14	Inf	-Inf	6.89	3	Horizontal	172	2.38	83.25	35.16	6.20	34.47
PK	7.1454G	60.67	88.20	-27.53	8.45	3	Horizontal	172	2.38	52.22	36.66	6.55	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95088G	44.88	68.20	-23.32	14.67	3	Vertical	168	1.50	30.21	39.55	8.72	33.60
PK	12.937G	56.91	88.20	-31.29	14.64	3	Vertical	168	1.50	42.27	39.54	8.72	33.62

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94836G	44.83	68.20	-23.37	14.67	3	Horizontal	302	1.17	30.16	39.55	8.72	33.60
PK	12.96384G	57.12	88.20	-31.08	14.72	3	Horizontal	302	1.17	42.40	39.56	8.73	33.57

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8968G	46.66	68.20	-21.54	5.60	3	Vertical	18	2.54	41.06	34.29	5.84	34.53
AV	6.5492G	86.95	Inf	-Inf	7.13	3	Vertical	18	2.54	79.82	35.40	6.23	34.50
AV	7.2352G	49.52	68.20	-18.68	8.64	3	Vertical	18	2.54	40.88	36.80	6.61	34.77
PK	5.8464G	58.83	88.20	-29.37	5.38	3	Vertical	18	2.54	53.45	34.09	5.82	34.53
PK	6.5534G	98.34	Inf	-Inf	7.16	3	Vertical	18	2.54	91.18	35.42	6.24	34.50
PK	7.1498G	60.35	88.20	-27.85	8.49	3	Vertical	18	2.54	51.86	36.70	6.55	34.76

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	46.66	68.20	-21.54	5.61	3	Horizontal	166	2.64	41.05	34.29	5.85	34.53
AV	6.5548G	80.02	Inf	-Inf	7.17	3	Horizontal	166	2.64	72.85	35.43	6.24	34.50
AV	7.2212G	49.53	68.20	-18.67	8.63	3	Horizontal	166	2.64	40.90	36.80	6.60	34.77
PK	5.8786G	57.97	88.20	-30.23	5.52	3	Horizontal	166	2.64	52.45	34.21	5.84	34.53
PK	6.5478G	90.58	Inf	-Inf	7.12	3	Horizontal	166	2.64	83.46	35.39	6.23	34.50
PK	7.2282G	61.10	88.20	-27.10	8.63	3	Horizontal	166	2.64	52.47	36.80	6.60	34.77

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1482G	45.15	68.20	-23.05	15.00	3	Vertical	17	1.00	30.15	39.50	8.77	33.27
PK	13.12784G	56.70	88.20	-31.50	15.01	3	Vertical	17	1.00	41.69	39.54	8.77	33.30

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1152G	45.14	68.20	-23.06	15.01	3	Horizontal	155	1.56	30.13	39.57	8.76	33.32
PK	13.11864G	56.65	88.20	-31.55	15.01	3	Horizontal	155	1.56	41.64	39.56	8.77	33.32

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6406G	88.38	Inf	-Inf	7.59	3	Vertical	15	2.46	80.79	35.86	6.28	34.55
AV	7.2106G	49.56	68.20	-18.64	8.62	3	Vertical	15	2.46	40.94	36.80	6.59	34.77
PK	6.6406G	98.72	Inf	-Inf	7.59	3	Vertical	15	2.46	91.13	35.86	6.28	34.55
PK	7.2082G	61.09	88.20	-27.11	8.63	3	Vertical	15	2.46	52.46	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6178G	80.60	Inf	-Inf	7.51	3	Horizontal	166	3.00	73.09	35.77	6.27	34.53
AV	7.1998G	49.62	68.20	-18.58	8.63	3	Horizontal	166	3.00	40.99	36.80	6.59	34.76
PK	6.613G	91.59	Inf	-Inf	7.49	3	Horizontal	166	3.00	84.10	35.75	6.27	34.53
PK	7.141G	60.77	88.20	-27.43	8.42	3	Horizontal	166	3.00	52.35	36.63	6.55	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2332G	45.00	68.20	-23.20	15.09	3	Vertical	33	1.50	29.91	39.43	8.79	33.13
PK	13.223G	57.01	88.20	-31.19	15.07	3	Vertical	33	1.50	41.94	39.42	8.79	33.14

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2152G	45.01	68.20	-23.19	15.05	3	Horizontal	288	2.78	29.96	39.42	8.79	33.16
PK	13.2398G	57.32	88.20	-30.88	15.12	3	Horizontal	288	2.78	42.20	39.44	8.80	33.12

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.727G	89.50	Inf	-Inf	7.69	3	Vertical	16	2.49	81.81	35.95	6.33	34.59
AV	7.17G	50.70	68.20	-17.50	8.55	3	Vertical	16	2.49	42.15	36.74	6.57	34.76
PK	6.724G	100.93	Inf	-Inf	7.69	3	Vertical	16	2.49	93.24	35.95	6.33	34.59
PK	7.178G	61.99	88.20	-26.21	8.57	3	Vertical	16	2.49	53.42	36.76	6.57	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.72G	82.01	Inf	-Inf	7.70	3	Horizontal	176	2.66	74.31	35.96	6.33	34.59
AV	7.166G	50.74	68.20	-17.46	8.54	3	Horizontal	176	2.66	42.20	36.73	6.57	34.76
PK	6.719G	93.18	Inf	-Inf	7.70	3	Horizontal	176	2.66	85.48	35.96	6.33	34.59
PK	7.158G	61.94	88.20	-26.26	8.52	3	Horizontal	176	2.66	53.42	36.72	6.56	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46172G	45.43	68.20	-22.77	16.10	3	Vertical	273	2.04	29.33	40.00	8.85	32.75
PK	13.46556G	57.54	88.20	-30.66	16.10	3	Vertical	273	2.04	41.44	40.00	8.85	32.75

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46868G	45.43	68.20	-22.77	16.11	3	Horizontal	227	1.00	29.32	40.00	8.85	32.74
PK	13.38024G	56.94	74.00	-17.06	15.84	3	Horizontal	227	1.00	41.10	39.90	8.83	32.89

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7626G	89.26	Inf	-Inf	7.61	3	Vertical	20	2.50	81.65	35.87	6.35	34.61
AV	7.1287G	50.38	68.20	-17.82	8.31	3	Vertical	20	2.50	42.07	36.53	6.54	34.76
PK	6.7759G	100.61	Inf	-Inf	7.59	3	Vertical	20	2.50	93.02	35.85	6.36	34.62
PK	7.1329G	61.62	88.20	-26.58	8.34	3	Vertical	20	2.50	53.28	36.56	6.54	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7675G	81.85	Inf	-Inf	7.61	3	Horizontal	170	3.00	74.24	35.87	6.35	34.61
AV	7.1294G	50.38	68.20	-17.82	8.32	3	Horizontal	170	3.00	42.06	36.54	6.54	34.76
PK	6.7682G	93.28	Inf	-Inf	7.60	3	Horizontal	170	3.00	85.68	35.86	6.35	34.61
PK	7.1273G	60.59	88.20	-27.61	8.30	3	Horizontal	170	3.00	52.29	36.52	6.54	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.60768G	46.38	68.20	-21.82	16.34	3	Vertical	8	1.50	30.04	40.18	8.89	32.73
PK	13.53532G	58.76	88.20	-29.44	16.24	3	Vertical	8	1.50	42.52	40.07	8.87	32.70

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.59856G	46.36	68.20	-21.84	16.36	3	Horizontal	122	2.06	30.00	40.20	8.89	32.73
PK	13.55656G	58.39	88.20	-29.81	16.28	3	Horizontal	122	2.06	42.11	40.11	8.88	32.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8433G	88.86	Inf	-Inf	7.53	3	Vertical	13	2.37	81.33	35.80	6.39	34.66
AV	7.2143G	50.80	68.20	-17.40	8.63	3	Vertical	13	2.37	42.17	36.80	6.60	34.77
PK	6.8419G	99.86	Inf	-Inf	7.54	3	Vertical	13	2.37	92.32	35.80	6.39	34.65
PK	7.2122G	62.39	88.20	-25.81	8.63	3	Vertical	13	2.37	53.76	36.80	6.60	34.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8566G	81.24	Inf	-Inf	7.53	3	Horizontal	169	3.00	73.71	35.80	6.39	34.66
AV	7.2003G	50.75	68.20	-17.45	8.63	3	Horizontal	169	3.00	42.12	36.80	6.59	34.76
PK	6.8524G	92.39	Inf	-Inf	7.53	3	Horizontal	169	3.00	84.86	35.80	6.39	34.66
PK	7.1751G	63.19	88.20	-25.01	8.56	3	Horizontal	169	3.00	54.63	36.75	6.57	34.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6718G	46.03	68.20	-22.17	16.21	3	Vertical	348	1.50	29.82	40.06	8.91	32.76
PK	13.73288G	57.70	88.20	-30.50	16.17	3	Vertical	348	1.50	41.53	40.03	8.92	32.78

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.67132G	46.05	68.20	-22.15	16.21	3	Horizontal	110	1.90	29.84	40.06	8.91	32.76
PK	13.751G	57.71	88.20	-30.49	16.19	3	Horizontal	110	1.90	41.52	40.05	8.93	32.79

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9228G	86.90	Inf	-Inf	7.57	3	Vertical	21	2.57	79.33	35.85	6.42	34.70
AV	7.2174G	50.81	68.20	-17.39	8.63	3	Vertical	21	2.57	42.18	36.80	6.60	34.77
PK	6.924G	98.76	Inf	-Inf	7.57	3	Vertical	21	2.57	91.19	35.85	6.42	34.70
PK	7.2372G	63.54	88.20	-24.66	8.64	3	Vertical	21	2.57	54.90	36.80	6.61	34.77

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9204G	79.36	Inf	-Inf	7.56	3	Horizontal	171	2.84	71.80	35.84	6.42	34.70
AV	7.2006G	50.85	68.20	-17.35	8.63	3	Horizontal	171	2.84	42.22	36.80	6.59	34.76
PK	6.9522G	90.84	Inf	-Inf	7.62	3	Horizontal	171	2.84	83.22	35.90	6.43	34.71
PK	7.1328G	62.37	88.20	-25.83	8.34	3	Horizontal	171	2.84	54.03	36.56	6.54	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9476G	46.07	68.20	-22.13	16.42	3	Vertical	213	1.50	29.65	40.30	8.98	32.86
PK	13.9476G	57.84	88.20	-30.36	16.42	3	Vertical	213	1.50	41.42	40.30	8.98	32.86

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.93008G	46.12	68.20	-22.08	16.42	3	Horizontal	360	1.50	29.70	40.30	8.97	32.85
PK	13.8462G	57.87	88.20	-30.33	16.32	3	Horizontal	360	1.50	41.55	40.19	8.95	32.82

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0001G	84.54	Inf	-Inf	7.94	3	Vertical	18	2.45	76.60	36.00	6.68	34.74
AV	7.157G	50.09	68.20	-18.11	8.80	3	Vertical	18	2.45	41.29	36.83	6.73	34.76
PK	7.0043G	96.57	Inf	-Inf	7.96	3	Vertical	18	2.45	88.61	36.02	6.68	34.74
PK	7.1561G	62.01	88.20	-26.19	8.79	3	Vertical	18	2.45	53.22	36.82	6.73	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0115G	76.42	Inf	-Inf	7.99	3	Horizontal	169	2.50	68.43	36.05	6.68	34.74
AV	7.1648G	50.03	68.20	-18.17	8.84	3	Horizontal	169	2.50	41.19	36.86	6.74	34.76
PK	7.0103G	87.80	Inf	-Inf	7.98	3	Horizontal	169	2.50	79.82	36.04	6.68	34.74
PK	7.13G	61.79	88.20	-26.41	8.65	3	Horizontal	169	2.50	53.14	36.68	6.73	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.10796G	46.69	68.20	-21.51	16.94	3	Vertical	28	2.14	29.75	40.61	9.34	33.01
PK	14.01772G	58.60	88.20	-29.60	16.77	3	Vertical	28	2.14	41.83	40.35	9.32	32.90

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.10184G	46.72	68.20	-21.48	16.94	3	Horizontal	258	1.50	29.78	40.60	9.34	33.00
PK	14.0746G	58.47	88.20	-29.73	16.88	3	Horizontal	258	1.50	41.59	40.52	9.33	32.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8995G	50.29	68.20	-17.91	5.61	3	Vertical	19	2.48	44.68	34.30	5.84	34.53
AV	5.9725G	89.12	Inf	-Inf	5.52	3	Vertical	19	2.48	83.60	34.16	5.88	34.52
PK	5.912G	61.93	88.20	-26.27	5.60	3	Vertical	19	2.48	56.33	34.28	5.85	34.53
PK	5.974G	100.40	Inf	-Inf	5.51	3	Vertical	19	2.48	94.89	34.15	5.88	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9G	48.58	68.20	-19.62	5.61	3	Horizontal	181	2.62	42.97	34.30	5.84	34.53
AV	5.9725G	81.70	Inf	-Inf	5.52	3	Horizontal	181	2.62	76.18	34.16	5.88	34.52
PK	5.9035G	60.08	88.20	-28.12	5.61	3	Horizontal	181	2.62	54.47	34.29	5.85	34.53
PK	5.99G	92.21	Inf	-Inf	5.49	3	Horizontal	181	2.62	86.72	34.12	5.89	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04947G	43.62	54.00	-10.38	12.59	3	Vertical	210	1.20	31.03	38.80	8.49	34.70
PK	12.04503G	55.36	74.00	-18.64	12.58	3	Vertical	210	1.20	42.78	38.79	8.49	34.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04876G	43.61	54.00	-10.39	12.59	3	Horizontal	332	2.65	31.02	38.80	8.49	34.70
PK	12.05499G	53.82	74.00	-20.18	12.61	3	Horizontal	332	2.65	41.21	38.81	8.49	34.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8994G	48.90	68.20	-19.30	5.61	3	Vertical	20	2.34	43.29	34.30	5.84	34.53
AV	6.1546G	87.25	Inf	-Inf	5.62	3	Vertical	20	2.34	81.63	34.11	6.01	34.50
PK	5.8802G	60.63	88.20	-27.57	5.53	3	Vertical	20	2.34	55.10	34.22	5.84	34.53
PK	6.1442G	99.11	Inf	-Inf	5.58	3	Vertical	20	2.34	93.53	34.09	6.00	34.51

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9186G	48.20	68.20	-20.00	5.58	3	Horizontal	180	2.81	42.62	34.26	5.85	34.53
AV	6.149G	81.07	Inf	-Inf	5.59	3	Horizontal	180	2.81	75.48	34.10	6.00	34.51
PK	5.8402G	59.54	88.20	-28.66	5.35	3	Horizontal	180	2.81	54.19	34.06	5.82	34.53
PK	6.1482G	92.30	Inf	-Inf	5.59	3	Horizontal	180	2.81	86.71	34.10	6.00	34.51

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36761G	44.04	54.00	-9.96	12.93	3	Vertical	297	1.99	31.11	38.83	8.57	34.47
PK	12.37341G	53.80	74.00	-20.20	12.94	3	Vertical	297	1.99	40.86	38.83	8.58	34.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37046G	44.01	54.00	-9.99	12.93	3	Horizontal	69	2.41	31.08	38.83	8.57	34.47
PK	12.37226G	54.14	74.00	-19.86	12.93	3	Horizontal	69	2.41	41.21	38.83	8.57	34.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9034G	48.20	68.20	-20.00	5.61	3	Vertical	23	2.47	42.59	34.29	5.85	34.53
AV	6.3498G	87.84	Inf	-Inf	6.34	3	Vertical	23	2.47	81.50	34.70	6.13	34.49
PK	5.8254G	59.78	88.20	-28.42	5.28	3	Vertical	23	2.47	54.50	34.00	5.81	34.53
PK	6.3666G	99.35	Inf	-Inf	6.36	3	Vertical	23	2.47	92.99	34.70	6.14	34.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8806G	48.00	68.20	-20.20	5.53	3	Horizontal	173	2.78	42.47	34.22	5.84	34.53
AV	6.3498G	80.83	Inf	-Inf	6.34	3	Horizontal	173	2.78	74.49	34.70	6.13	34.49
PK	5.8602G	59.53	88.20	-28.67	5.44	3	Horizontal	173	2.78	54.09	34.14	5.83	34.53
PK	6.3366G	92.54	Inf	-Inf	6.28	3	Horizontal	173	2.78	86.26	34.65	6.12	34.49

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69307G	44.49	54.00	-9.51	13.81	3	Vertical	213	1.73	30.68	39.19	8.66	34.04
PK	12.68516G	54.57	74.00	-19.43	13.76	3	Vertical	213	1.73	40.81	39.17	8.65	34.06

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6885G	44.50	54.00	-9.50	13.79	3	Horizontal	229	2.94	30.71	39.18	8.66	34.05
PK	12.69239G	54.74	74.00	-19.26	13.79	3	Horizontal	229	2.94	40.95	39.18	8.66	34.05

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9044G	48.08	68.20	-20.12	5.61	3	Vertical	20	2.43	42.47	34.29	5.85	34.53
AV	6.5428G	88.85	Inf	-Inf	7.11	3	Vertical	20	2.43	81.74	35.37	6.23	34.49
AV	7.1686G	50.80	68.20	-17.40	8.55	3	Vertical	20	2.43	42.25	36.74	6.57	34.76
PK	5.889G	59.95	88.20	-28.25	5.57	3	Vertical	20	2.43	54.38	34.26	5.84	34.53
PK	6.547G	100.09	Inf	-Inf	7.12	3	Vertical	20	2.43	92.97	35.39	6.23	34.50
PK	7.1532G	61.89	88.20	-26.31	8.51	3	Vertical	20	2.43	53.38	36.71	6.56	34.76

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8988G	48.05	68.20	-20.15	5.61	3	Horizontal	177	3.00	42.44	34.30	5.84	34.53
AV	6.5302G	81.06	Inf	-Inf	7.06	3	Horizontal	177	3.00	74.00	35.32	6.23	34.49
AV	7.1574G	50.89	68.20	-17.31	8.51	3	Horizontal	177	3.00	42.38	36.71	6.56	34.76
PK	5.8666G	59.13	88.20	-29.07	5.47	3	Horizontal	177	3.00	53.66	34.17	5.83	34.53
PK	6.5512G	92.14	Inf	-Inf	7.15	3	Horizontal	177	3.00	84.99	35.41	6.24	34.50
PK	7.1616G	63.85	88.20	-24.35	8.52	3	Horizontal	177	3.00	55.33	36.72	6.56	34.76

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01281G	45.14	68.20	-23.06	14.85	3	Vertical	242	2.15	30.29	39.60	8.74	33.49
PK	13.00564G	55.26	88.20	-32.94	14.84	3	Vertical	242	2.15	40.42	39.60	8.74	33.50

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0082G	45.02	68.20	-23.18	14.84	3	Horizontal	19	2.82	30.18	39.60	8.74	33.50
PK	13.01139G	55.36	88.20	-32.84	14.85	3	Horizontal	19	2.82	40.51	39.60	8.74	33.49

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6738G	89.89	Inf	-Inf	7.69	3	Vertical	20	2.56	82.20	35.95	6.30	34.56
AV	7.193G	50.96	68.20	-17.24	8.62	3	Vertical	20	2.56	42.34	36.79	6.59	34.76
PK	6.6892G	101.43	Inf	-Inf	7.72	3	Vertical	20	2.56	93.71	35.98	6.31	34.57
PK	7.1985G	62.43	88.20	-25.77	8.63	3	Vertical	20	2.56	53.80	36.80	6.59	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7167G	81.86	Inf	-Inf	7.70	3	Horizontal	171	2.86	74.16	35.97	6.32	34.59
AV	7.16G	50.87	68.20	-17.33	8.52	3	Horizontal	171	2.86	42.35	36.72	6.56	34.76
PK	6.6672G	92.79	Inf	-Inf	7.67	3	Horizontal	171	2.86	85.12	35.93	6.30	34.56
PK	7.1556G	62.00	88.20	-26.20	8.51	3	Horizontal	171	2.86	53.49	36.71	6.56	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32502G	45.08	54.00	-8.92	15.47	3	Vertical	27	1.96	29.61	39.63	8.82	32.98
PK	13.33412G	55.30	74.00	-18.70	15.53	3	Vertical	27	1.96	39.77	39.67	8.82	32.96

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32597G	45.13	54.00	-8.87	15.47	3	Horizontal	151	2.84	29.66	39.63	8.82	32.98
PK	13.3287G	55.81	74.00	-18.19	15.49	3	Horizontal	151	2.84	40.32	39.64	8.82	32.97

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7786G	90.16	Inf	-Inf	7.58	3	Vertical	15	2.48	82.58	35.84	6.36	34.62
AV	7.2202G	51.09	68.20	-17.11	8.63	3	Vertical	15	2.48	42.46	36.80	6.60	34.77
PK	6.7922G	101.57	Inf	-Inf	7.56	3	Vertical	15	2.48	94.01	35.82	6.37	34.63
PK	7.1626G	62.90	88.20	-25.30	8.53	3	Vertical	15	2.48	54.37	36.73	6.56	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7818G	81.78	Inf	-Inf	7.58	3	Horizontal	172	2.83	74.20	35.84	6.36	34.62
AV	7.1658G	50.95	68.20	-17.25	8.54	3	Horizontal	172	2.83	42.41	36.73	6.57	34.76
PK	6.7914G	92.94	Inf	-Inf	7.56	3	Horizontal	172	2.83	85.38	35.82	6.37	34.63
PK	7.193G	62.53	88.20	-25.67	8.62	3	Horizontal	172	2.83	53.91	36.79	6.59	34.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64643G	46.48	68.20	-21.72	16.26	3	Vertical	268	2.69	30.22	40.11	8.90	32.75
PK	13.64643G	57.12	88.20	-31.08	16.26	3	Vertical	268	2.69	40.86	40.11	8.90	32.75

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64826G	46.42	68.20	-21.78	16.25	3	Horizontal	170	2.97	30.17	40.10	8.90	32.75
PK	13.6484G	56.93	88.20	-31.27	16.25	3	Horizontal	170	2.97	40.68	40.10	8.90	32.75

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9385G	87.74	Inf	-Inf	7.92	3	Vertical	23	2.26	79.82	35.98	6.65	34.71
AV	7.1265G	52.75	68.20	-15.45	8.62	3	Vertical	23	2.26	44.13	36.66	6.72	34.76
PK	6.9425G	99.13	Inf	-Inf	7.92	3	Vertical	23	2.26	91.21	35.98	6.65	34.71
PK	7.1555G	64.06	88.20	-24.14	8.79	3	Vertical	23	2.26	55.27	36.82	6.73	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9325G	79.34	Inf	-Inf	7.92	3	Horizontal	174	2.58	71.42	35.97	6.65	34.70
AV	7.227G	51.49	68.20	-16.71	9.05	3	Horizontal	174	2.58	42.44	37.05	6.77	34.77
PK	6.9405G	90.47	Inf	-Inf	7.92	3	Horizontal	174	2.58	82.55	35.98	6.65	34.71
PK	7.15G	63.56	88.20	-24.64	8.77	3	Horizontal	174	2.58	54.79	36.80	6.73	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97028G	46.31	68.20	-21.89	16.67	3	Vertical	136	1.38	29.64	40.24	9.30	32.87
PK	13.96637G	57.02	88.20	-31.18	16.66	3	Vertical	136	1.38	40.36	40.23	9.30	32.87

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97454G	46.36	68.20	-21.84	16.68	3	Horizontal	226	1.77	29.68	40.25	9.30	32.87
PK	13.96842G	56.90	88.20	-31.30	16.67	3	Horizontal	226	1.77	40.23	40.24	9.30	32.87

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9163G	47.04	68.20	-21.16	5.93	3	Vertical	353	2.67	41.11	34.20	6.26	34.53
AV	5.9514G	78.45	Inf	-Inf	5.96	3	Vertical	353	2.67	72.49	34.20	6.28	34.52
PK	5.8893G	59.26	88.20	-28.94	5.87	3	Vertical	353	2.67	53.39	34.16	6.24	34.53
PK	5.9493G	89.38	Inf	-Inf	5.95	3	Vertical	353	2.67	83.43	34.20	6.27	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	47.10	68.20	-21.10	5.92	3	Horizontal	187	2.88	41.18	34.20	6.25	34.53
AV	5.9514G	72.72	Inf	-Inf	5.96	3	Horizontal	187	2.88	66.76	34.20	6.28	34.52
PK	5.838G	58.90	88.20	-29.30	5.67	3	Horizontal	187	2.88	53.23	33.98	6.22	34.53
PK	5.9523G	84.27	Inf	-Inf	5.96	3	Horizontal	187	2.88	78.31	34.20	6.28	34.52

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91357G	43.39	54.00	-10.61	12.58	3	Vertical	338	1.68	30.81	38.61	8.67	34.70
PK	11.90521G	55.67	74.00	-18.33	12.58	3	Vertical	338	1.68	43.09	38.61	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90631G	43.34	54.00	-10.66	12.58	3	Horizontal	170	2.85	30.76	38.61	8.67	34.70
PK	11.91111G	55.45	74.00	-18.55	12.58	3	Horizontal	170	2.85	42.87	38.61	8.67	34.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9032G	47.00	68.20	-21.20	5.92	3	Vertical	345	2.54	41.08	34.20	6.25	34.53
AV	6.1816G	80.86	Inf	-Inf	6.04	3	Vertical	345	2.54	74.82	34.20	6.34	34.50
PK	5.8864G	58.35	88.20	-29.85	5.86	3	Vertical	345	2.54	52.49	34.15	6.24	34.53
PK	6.1828G	91.47	Inf	-Inf	6.04	3	Vertical	345	2.54	85.43	34.20	6.34	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8936G	46.95	68.20	-21.25	5.89	3	Horizontal	186	2.60	41.06	34.17	6.25	34.53
AV	6.1828G	74.56	Inf	-Inf	6.04	3	Horizontal	186	2.60	68.52	34.20	6.34	34.50
PK	5.896G	59.05	88.20	-29.15	5.90	3	Horizontal	186	2.60	53.15	34.18	6.25	34.53
PK	6.1678G	84.82	Inf	-Inf	6.03	3	Horizontal	186	2.60	78.79	34.20	6.33	34.50

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35488G	43.00	54.00	-11.00	13.34	3	Vertical	302	1.50	29.66	39.00	8.82	34.48
PK	12.3514G	55.25	74.00	-18.75	13.34	3	Vertical	302	1.50	41.91	39.00	8.82	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35293G	43.00	54.00	-11.00	13.34	3	Horizontal	124	1.66	29.66	39.00	8.82	34.48
PK	12.34781G	55.42	74.00	-18.58	13.32	3	Horizontal	124	1.66	42.10	39.00	8.81	34.49

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8906G	46.94	68.20	-21.26	5.88	3	Vertical	344	2.46	41.06	34.16	6.25	34.53
AV	6.4222G	81.34	Inf	-Inf	6.85	3	Vertical	344	2.46	74.49	34.89	6.44	34.48
PK	5.8594G	58.32	88.20	-29.88	5.74	3	Vertical	344	2.46	52.58	34.04	6.23	34.53
PK	6.4102G	91.43	Inf	-Inf	6.80	3	Vertical	344	2.46	84.63	34.84	6.44	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9026G	46.93	68.20	-21.27	5.92	3	Horizontal	181	2.71	41.01	34.20	6.25	34.53
AV	6.4114G	74.62	Inf	-Inf	6.81	3	Horizontal	181	2.71	67.81	34.85	6.44	34.48
PK	5.8306G	57.89	88.20	-30.31	5.65	3	Horizontal	181	2.71	52.24	33.96	6.22	34.53
PK	6.409G	84.72	Inf	-Inf	6.80	3	Horizontal	181	2.71	77.92	34.84	6.44	34.48

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83364G	44.93	68.20	-23.27	14.59	3	Vertical	177	1.83	30.34	39.43	8.96	33.80
PK	12.83447G	56.74	88.20	-31.46	14.59	3	Vertical	177	1.83	42.15	39.43	8.96	33.80

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83225G	44.86	68.20	-23.34	14.59	3	Horizontal	4	1.28	30.27	39.43	8.96	33.80
PK	12.83241G	57.17	88.20	-31.03	14.59	3	Horizontal	4	1.28	42.58	39.43	8.96	33.80

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8938G	47.02	68.20	-21.18	5.90	3	Vertical	8	2.42	41.12	34.18	6.25	34.53
AV	6.4386G	82.37	Inf	-Inf	6.92	3	Vertical	8	2.42	75.45	34.95	6.45	34.48
PK	5.9046G	58.58	88.20	-29.62	5.92	3	Vertical	8	2.42	52.66	34.20	6.25	34.53
PK	6.4398G	92.96	Inf	-Inf	6.93	3	Vertical	8	2.42	86.03	34.96	6.45	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9142G	47.03	68.20	-21.17	5.93	3	Horizontal	181	3.00	41.10	34.20	6.26	34.53
AV	6.4422G	75.71	Inf	-Inf	6.95	3	Horizontal	181	3.00	68.76	34.97	6.46	34.48
PK	5.8842G	58.48	88.20	-29.72	5.85	3	Horizontal	181	3.00	52.63	34.14	6.24	34.53
PK	6.4386G	85.90	Inf	-Inf	6.92	3	Horizontal	181	3.00	78.98	34.95	6.45	34.48

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87812G	43.44	68.20	-24.76	15.21	3	Vertical	93	1.50	28.23	39.96	8.97	33.72
PK	12.8722G	55.34	88.20	-32.86	15.18	3	Vertical	93	1.50	40.16	39.94	8.97	33.73

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8757G	43.41	68.20	-24.79	15.19	3	Horizontal	214	1.00	28.22	39.95	8.97	33.73
PK	12.87988G	55.61	88.20	-32.59	15.21	3	Horizontal	214	1.00	40.40	39.96	8.97	33.72

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.908G	46.87	68.20	-21.33	5.92	3	Vertical	7	2.35	40.95	34.20	6.25	34.53
AV	6.4792G	82.95	Inf	-Inf	7.13	3	Vertical	7	2.35	75.82	35.12	6.48	34.47
AV	7.1708G	49.77	68.20	-18.43	8.86	3	Vertical	7	2.35	40.91	36.88	6.74	34.76
PK	5.8842G	58.29	88.20	-29.91	5.85	3	Vertical	7	2.35	52.44	34.14	6.24	34.53
PK	6.4792G	92.99	Inf	-Inf	7.13	3	Vertical	7	2.35	85.86	35.12	6.48	34.47
PK	7.1638G	60.48	88.20	-27.72	8.84	3	Vertical	7	2.35	51.64	36.86	6.74	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8996G	46.92	68.20	-21.28	5.92	3	Horizontal	170	3.00	41.00	34.20	6.25	34.53
AV	6.482G	76.79	Inf	-Inf	7.14	3	Horizontal	170	3.00	69.65	35.13	6.48	34.47
AV	7.175G	49.83	68.20	-18.37	8.88	3	Horizontal	170	3.00	40.95	36.90	6.74	34.76
PK	5.8758G	58.80	88.20	-29.40	5.81	3	Horizontal	170	3.00	52.99	34.10	6.24	34.53
PK	6.4764G	85.75	Inf	-Inf	7.12	3	Horizontal	170	3.00	78.63	35.11	6.48	34.47
PK	7.1358G	60.95	88.20	-27.25	8.68	3	Horizontal	170	3.00	52.27	36.71	6.73	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95728G	43.37	68.20	-24.83	15.48	3	Vertical	89	1.50	27.89	40.06	9.00	33.58
PK	12.95942G	56.02	88.20	-32.18	15.48	3	Vertical	89	1.50	40.54	40.06	9.00	33.58

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9582G	43.38	68.20	-24.82	15.48	3	Horizontal	96	2.98	27.90	40.06	9.00	33.58
PK	12.94834G	55.55	88.20	-32.65	15.44	3	Horizontal	96	2.98	40.11	40.05	8.99	33.60

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	46.91	68.20	-21.29	5.89	3	Vertical	348	2.70	41.02	34.17	6.25	34.53
AV	6.522G	83.67	Inf	-Inf	7.40	3	Vertical	348	2.70	76.27	35.38	6.50	34.48
AV	7.201G	49.96	68.20	-18.24	8.99	3	Vertical	348	2.70	40.97	37.00	6.75	34.76
PK	5.8738G	58.55	88.20	-29.65	5.81	3	Vertical	348	2.70	52.74	34.10	6.24	34.53
PK	6.5206G	93.69	Inf	-Inf	7.38	3	Vertical	348	2.70	86.31	35.36	6.50	34.48
PK	7.2122G	61.17	88.20	-27.03	9.01	3	Vertical	348	2.70	52.16	37.02	6.76	34.77

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8962G	46.92	68.20	-21.28	5.90	3	Horizontal	179	2.90	41.02	34.18	6.25	34.53
AV	6.5108G	76.44	Inf	-Inf	7.31	3	Horizontal	179	2.90	69.13	35.29	6.50	34.48
AV	7.201G	50.00	68.20	-18.20	8.99	3	Horizontal	179	2.90	41.01	37.00	6.75	34.76
PK	5.9242G	58.24	88.20	-29.96	5.93	3	Horizontal	179	2.90	52.31	34.20	6.26	34.53
PK	6.5206G	86.43	Inf	-Inf	7.38	3	Horizontal	179	2.90	79.05	35.36	6.50	34.48
PK	7.1758G	61.01	88.20	-27.19	8.88	3	Horizontal	179	2.90	52.13	36.90	6.74	34.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02012G	43.38	68.20	-24.82	15.60	3	Vertical	16	2.67	27.78	40.06	9.02	33.48
PK	13.03736G	56.70	88.20	-31.50	15.60	3	Vertical	16	2.67	41.10	40.03	9.02	33.45

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02074G	43.36	68.20	-24.84	15.60	3	Horizontal	70	2.82	27.76	40.06	9.02	33.48
PK	13.0246G	55.38	88.20	-32.82	15.60	3	Horizontal	70	2.82	39.78	40.05	9.02	33.47

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9148G	46.93	68.20	-21.27	5.93	3	Vertical	13	2.63	41.00	34.20	6.26	34.53
AV	6.5308G	83.21	Inf	-Inf	7.47	3	Vertical	13	2.63	75.74	35.45	6.51	34.49
AV	7.193G	49.96	68.20	-18.24	8.96	3	Vertical	13	2.63	41.00	36.97	6.75	34.76
PK	5.8448G	57.72	88.20	-30.48	5.68	3	Vertical	13	2.63	52.04	33.99	6.22	34.53
PK	6.5308G	93.33	Inf	-Inf	7.47	3	Vertical	13	2.63	85.86	35.45	6.51	34.49
PK	7.221G	61.15	88.20	-27.05	9.03	3	Vertical	13	2.63	52.12	37.04	6.76	34.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9036G	46.93	68.20	-21.27	5.92	3	Horizontal	178	3.00	41.01	34.20	6.25	34.53
AV	6.5294G	76.19	Inf	-Inf	7.46	3	Horizontal	178	3.00	68.73	35.44	6.51	34.49
AV	7.214G	50.02	68.20	-18.18	9.02	3	Horizontal	178	3.00	41.00	37.03	6.76	34.77
PK	5.8686G	57.63	88.20	-30.57	5.77	3	Horizontal	178	3.00	51.86	34.07	6.23	34.53
PK	6.5406G	86.56	Inf	-Inf	7.54	3	Horizontal	178	3.00	79.02	35.52	6.51	34.49
PK	7.137G	61.04	88.20	-27.16	8.69	3	Horizontal	178	3.00	52.35	36.72	6.73	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07374G	43.32	68.20	-24.88	15.59	3	Vertical	290	2.69	27.73	39.95	9.03	33.39
PK	13.07428G	55.11	88.20	-33.09	15.59	3	Vertical	290	2.69	39.52	39.95	9.03	33.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0739G	43.32	68.20	-24.88	15.59	3	Horizontal	12	1.50	27.73	39.95	9.03	33.39
PK	13.0732G	55.23	88.20	-32.97	15.59	3	Horizontal	12	1.50	39.64	39.95	9.03	33.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	82.98	Inf	-Inf	7.99	3	Vertical	348	2.61	74.99	36.00	6.57	34.58
AV	7.195G	49.98	68.20	-18.22	8.97	3	Vertical	348	2.61	41.01	36.98	6.75	34.76
PK	6.691G	92.64	Inf	-Inf	7.99	3	Vertical	348	2.61	84.65	36.00	6.56	34.57
PK	7.159G	62.25	88.20	-25.95	8.82	3	Vertical	348	2.61	53.43	36.84	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.702G	75.84	Inf	-Inf	7.99	3	Horizontal	180	2.80	67.85	36.00	6.57	34.58
AV	7.195G	49.94	68.20	-18.26	8.97	3	Horizontal	180	2.80	40.97	36.98	6.75	34.76
PK	6.702G	86.26	Inf	-Inf	7.99	3	Horizontal	180	2.80	78.27	36.00	6.57	34.58
PK	7.163G	61.52	88.20	-26.68	8.83	3	Horizontal	180	2.80	52.69	36.85	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39488G	43.59	54.00	-10.41	16.55	3	Vertical	150	1.50	27.04	40.28	9.13	32.86
PK	13.3964G	55.90	74.00	-18.10	16.56	3	Vertical	150	1.50	39.34	40.29	9.13	32.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39266G	43.56	54.00	-10.44	16.53	3	Horizontal	153	2.42	27.03	40.27	9.13	32.87
PK	13.39628G	55.24	74.00	-18.76	16.56	3	Horizontal	153	2.42	38.68	40.29	9.13	32.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8571G	82.40	Inf	-Inf	7.85	3	Vertical	20	2.59	74.55	35.90	6.61	34.66
AV	7.191G	49.99	68.20	-18.21	8.95	3	Vertical	20	2.59	41.04	36.96	6.75	34.76
PK	6.8571G	92.92	Inf	-Inf	7.85	3	Vertical	20	2.59	85.07	35.90	6.61	34.66
PK	7.1679G	61.75	88.20	-26.45	8.85	3	Vertical	20	2.59	52.90	36.87	6.74	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8536G	74.01	Inf	-Inf	7.85	3	Horizontal	30	2.60	66.16	35.90	6.61	34.66
AV	7.205G	49.97	68.20	-18.23	9.00	3	Horizontal	30	2.60	40.97	37.01	6.75	34.76
PK	6.8501G	83.85	Inf	-Inf	7.85	3	Horizontal	30	2.60	76.00	35.90	6.61	34.66
PK	7.2022G	60.96	88.20	-27.24	8.99	3	Horizontal	30	2.60	51.97	37.00	6.75	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7116G	43.98	68.20	-24.22	16.65	3	Vertical	313	1.09	27.33	40.20	9.22	32.77
PK	13.71122G	56.00	88.20	-32.20	16.65	3	Vertical	313	1.09	39.35	40.20	9.22	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70068G	43.98	68.20	-24.22	16.65	3	Horizontal	257	1.92	27.33	40.20	9.22	32.77
PK	13.70378G	55.76	88.20	-32.44	16.65	3	Horizontal	257	1.92	39.11	40.20	9.22	32.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.868G	81.76	Inf	-Inf	7.84	3	Vertical	347	2.34	73.92	35.90	6.61	34.67
AV	7.2243G	50.01	68.20	-18.19	9.05	3	Vertical	347	2.34	40.96	37.05	6.77	34.77
PK	6.8715G	92.48	Inf	-Inf	7.85	3	Vertical	347	2.34	84.63	35.90	6.62	34.67
PK	7.2117G	61.30	88.20	-26.90	9.01	3	Vertical	347	2.34	52.29	37.02	6.76	34.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8673G	73.83	Inf	-Inf	7.84	3	Horizontal	29	2.38	65.99	35.90	6.61	34.67
AV	7.2033G	50.05	68.20	-18.15	9.00	3	Horizontal	29	2.38	41.05	37.01	6.75	34.76
PK	6.8673G	83.83	Inf	-Inf	7.84	3	Horizontal	29	2.38	75.99	35.90	6.61	34.67
PK	7.2054G	61.57	88.20	-26.63	9.00	3	Horizontal	29	2.38	52.57	37.01	6.75	34.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74002G	43.89	68.20	-24.31	16.65	3	Vertical	56	1.62	27.24	40.20	9.23	32.78
PK	13.75048G	56.35	88.20	-31.85	16.65	3	Vertical	56	1.62	39.70	40.20	9.24	32.79

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7439G	43.88	68.20	-24.32	16.65	3	Horizontal	7	1.34	27.23	40.20	9.23	32.78
PK	13.74418G	55.24	88.20	-32.96	16.65	3	Horizontal	7	1.34	38.59	40.20	9.23	32.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8929G	81.05	Inf	-Inf	7.85	3	Vertical	348	2.34	73.20	35.90	6.63	34.68
AV	7.217G	50.00	68.20	-18.20	9.02	3	Vertical	348	2.34	40.98	37.03	6.76	34.77
PK	6.8964G	90.87	Inf	-Inf	7.85	3	Vertical	348	2.34	83.02	35.90	6.63	34.68
PK	7.2016G	61.65	88.20	-26.55	8.99	3	Vertical	348	2.34	52.66	37.00	6.75	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8915G	72.90	Inf	-Inf	7.85	3	Horizontal	29	2.37	65.05	35.90	6.63	34.68
AV	7.2219G	50.04	68.20	-18.16	9.03	3	Horizontal	29	2.37	41.01	37.04	6.76	34.77
PK	6.8978G	84.02	Inf	-Inf	7.85	3	Horizontal	29	2.37	76.17	35.90	6.63	34.68
PK	7.1806G	60.99	88.20	-27.21	8.90	3	Horizontal	29	2.37	52.09	36.92	6.74	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78356G	43.75	68.20	-24.45	16.65	3	Vertical	114	1.11	27.10	40.20	9.25	32.80
PK	13.79162G	55.79	88.20	-32.41	16.65	3	Vertical	114	1.11	39.14	40.20	9.25	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7844G	43.76	68.20	-24.44	16.65	3	Horizontal	63	1.66	27.11	40.20	9.25	32.80
PK	13.79214G	55.27	88.20	-32.93	16.65	3	Horizontal	63	1.66	38.62	40.20	9.25	32.80

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.991G	79.08	Inf	-Inf	7.94	3	Vertical	353	2.41	71.14	36.00	6.68	34.74
AV	7.2055G	50.00	68.20	-18.20	9.00	3	Vertical	353	2.41	41.00	37.01	6.75	34.76
PK	7.0025G	89.18	Inf	-Inf	7.95	3	Vertical	353	2.41	81.23	36.01	6.68	34.74
PK	7.2345G	62.00	88.20	-26.20	9.07	3	Vertical	353	2.41	52.93	37.07	6.77	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.991G	70.25	Inf	-Inf	7.94	3	Horizontal	35	2.39	62.31	36.00	6.68	34.74
AV	7.237G	50.01	68.20	-18.19	9.07	3	Horizontal	35	2.39	40.94	37.07	6.77	34.77
PK	6.997G	80.40	Inf	-Inf	7.94	3	Horizontal	35	2.39	72.46	36.00	6.68	34.74
PK	7.2285G	61.44	88.20	-26.76	9.06	3	Horizontal	35	2.39	52.38	37.06	6.77	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9979G	43.99	68.20	-24.21	16.73	3	Vertical	148	2.45	27.26	40.30	9.31	32.88
PK	13.98808G	55.92	88.20	-32.28	16.71	3	Vertical	148	2.45	39.21	40.28	9.31	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99766G	43.96	68.20	-24.24	16.73	3	Horizontal	278	2.87	27.23	40.30	9.31	32.88
PK	13.98756G	55.16	88.20	-33.04	16.71	3	Horizontal	278	2.87	38.45	40.28	9.31	32.88

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0989G	77.26	Inf	-Inf	8.45	3	Vertical	15	2.34	68.81	36.49	6.71	34.75
AV	7.206G	50.02	68.20	-18.18	9.00	3	Vertical	15	2.34	41.02	37.01	6.75	34.76
PK	7.0875G	89.26	Inf	-Inf	8.38	3	Vertical	15	2.34	80.88	36.42	6.71	34.75
PK	7.2213G	61.86	88.20	-26.34	9.03	3	Vertical	15	2.34	52.83	37.04	6.76	34.77

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0986G	70.47	Inf	-Inf	8.45	3	Horizontal	182	2.68	62.02	36.49	6.71	34.75
AV	7.2012G	50.02	68.20	-18.18	8.99	3	Horizontal	182	2.68	41.03	37.00	6.75	34.76
PK	7.0998G	81.07	Inf	-Inf	8.46	3	Horizontal	182	2.68	72.61	36.50	6.71	34.75
PK	7.1946G	61.58	88.20	-26.62	8.97	3	Horizontal	182	2.68	52.61	36.98	6.75	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19164G	44.33	68.20	-23.87	16.95	3	Vertical	288	1.44	27.38	40.69	9.37	33.11
PK	14.1809G	56.20	88.20	-32.00	16.95	3	Vertical	288	1.44	39.25	40.68	9.37	33.10

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19592G	44.35	68.20	-23.85	16.95	3	Horizontal	40	1.38	27.40	40.70	9.37	33.12
PK	14.1892G	56.39	88.20	-31.81	16.95	3	Horizontal	40	1.38	39.44	40.69	9.37	33.11

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1078G	71.99	Inf	-Inf	8.52	3	Vertical	359	2.33	63.47	36.55	6.72	34.75
AV	7.125G	62.67	68.20	-5.53	8.61	3	Vertical	359	2.33	54.06	36.65	6.72	34.76
PK	7.1138G	82.98	Inf	-Inf	8.55	3	Vertical	359	2.33	74.43	36.58	6.72	34.75
PK	7.125G	70.23	88.20	-17.97	8.61	3	Vertical	359	2.33	61.62	36.65	6.72	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1216G	65.07	Inf	-Inf	8.60	3	Horizontal	180	2.90	56.47	36.63	6.72	34.75
AV	7.125G	56.97	68.20	-11.23	8.61	3	Horizontal	180	2.90	48.36	36.65	6.72	34.76
PK	7.1176G	76.63	Inf	-Inf	8.58	3	Horizontal	180	2.90	68.05	36.61	6.72	34.75
PK	7.125G	65.52	88.20	-22.68	8.61	3	Horizontal	180	2.90	56.91	36.65	6.72	34.76

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22244G	44.44	68.20	-23.76	16.89	3	Vertical	209	2.98	27.55	40.66	9.38	33.15
PK	14.23256G	56.31	88.20	-31.89	16.85	3	Vertical	209	2.98	39.46	40.63	9.38	33.16

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22292G	44.48	68.20	-23.72	16.88	3	Horizontal	135	2.43	27.60	40.65	9.38	33.15
PK	14.23124G	55.59	88.20	-32.61	16.86	3	Horizontal	135	2.43	38.73	40.64	9.38	33.16

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	48.49	68.20	-19.71	5.93	3	Vertical	353	2.51	42.56	34.20	6.26	34.53
AV	5.9503G	85.12	Inf	-Inf	5.96	3	Vertical	353	2.51	79.16	34.20	6.28	34.52
PK	5.9227G	60.90	88.20	-27.30	5.93	3	Vertical	353	2.51	54.97	34.20	6.26	34.53
PK	5.977G	96.97	Inf	-Inf	5.92	3	Vertical	353	2.51	91.05	34.15	6.29	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	47.46	68.20	-20.74	5.93	3	Horizontal	186	2.87	41.53	34.20	6.26	34.53
AV	5.9539G	79.64	Inf	-Inf	5.95	3	Horizontal	186	2.87	73.69	34.19	6.28	34.52
PK	5.9221G	58.74	88.20	-29.46	5.93	3	Horizontal	186	2.87	52.81	34.20	6.26	34.53
PK	5.9521G	90.64	Inf	-Inf	5.96	3	Horizontal	186	2.87	84.68	34.20	6.28	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93302G	43.22	54.00	-10.78	12.60	3	Vertical	170	1.88	30.62	38.63	8.68	34.71
PK	11.93147G	55.68	74.00	-18.32	12.60	3	Vertical	170	1.88	43.08	38.63	8.68	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93312G	43.24	54.00	-10.76	12.60	3	Horizontal	125	2.76	30.64	38.63	8.68	34.71
PK	11.93384G	55.48	74.00	-18.52	12.60	3	Horizontal	125	2.76	42.88	38.63	8.68	34.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	46.95	68.20	-21.25	5.93	3	Vertical	346	2.34	41.02	34.20	6.26	34.53
AV	6.1818G	85.58	Inf	-Inf	6.04	3	Vertical	346	2.34	79.54	34.20	6.34	34.50
PK	5.8968G	57.71	88.20	-30.49	5.91	3	Vertical	346	2.34	51.80	34.19	6.25	34.53
PK	6.1716G	96.35	Inf	-Inf	6.03	3	Vertical	346	2.34	90.32	34.20	6.33	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8998G	46.95	68.20	-21.25	5.92	3	Horizontal	181	3.00	41.03	34.20	6.25	34.53
AV	6.159G	79.36	Inf	-Inf	6.03	3	Horizontal	181	3.00	73.33	34.20	6.33	34.50
PK	5.8674G	58.09	88.20	-30.11	5.77	3	Horizontal	181	3.00	52.32	34.07	6.23	34.53
PK	6.1548G	90.35	Inf	-Inf	6.03	3	Horizontal	181	3.00	84.32	34.20	6.33	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32559G	43.95	54.00	-10.05	13.18	3	Vertical	259	2.46	30.77	38.87	8.81	34.50
PK	12.33259G	56.77	74.00	-17.23	13.18	3	Vertical	259	2.46	43.59	38.87	8.81	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33001G	43.96	54.00	-10.04	13.18	3	Horizontal	244	2.77	30.78	38.87	8.81	34.50
PK	12.3303G	56.28	74.00	-17.72	13.18	3	Horizontal	244	2.77	43.10	38.87	8.81	34.50

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	46.98	68.20	-21.22	5.93	3	Vertical	348	2.70	41.05	34.20	6.26	34.53
AV	6.3882G	84.78	Inf	-Inf	6.69	3	Vertical	348	2.70	78.09	34.75	6.42	34.48
PK	5.901G	58.26	88.20	-29.94	5.92	3	Vertical	348	2.70	52.34	34.20	6.25	34.53
PK	6.4062G	94.85	Inf	-Inf	6.77	3	Vertical	348	2.70	88.08	34.82	6.43	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	46.94	68.20	-21.26	5.92	3	Horizontal	181	2.86	41.02	34.20	6.25	34.53
AV	6.4062G	78.09	Inf	-Inf	6.77	3	Horizontal	181	2.86	71.32	34.82	6.43	34.48
PK	5.8914G	57.93	88.20	-30.27	5.89	3	Horizontal	181	2.86	52.04	34.17	6.25	34.53
PK	6.3942G	88.24	Inf	-Inf	6.73	3	Horizontal	181	2.86	81.51	34.78	6.43	34.48

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80952G	44.69	68.20	-23.51	14.52	3	Vertical	290	1.85	30.17	39.41	8.95	33.84
PK	12.80913G	57.16	88.20	-31.04	14.52	3	Vertical	290	1.85	42.64	39.41	8.95	33.84

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80634G	44.65	68.20	-23.55	14.51	3	Horizontal	89	1.01	30.14	39.41	8.95	33.85
PK	12.80619G	56.81	88.20	-31.39	14.51	3	Horizontal	89	1.01	42.30	39.41	8.95	33.85

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8918G	46.95	68.20	-21.25	5.89	3	Vertical	348	2.33	41.06	34.17	6.25	34.53
AV	6.4354G	84.15	Inf	-Inf	6.91	3	Vertical	348	2.33	77.24	34.94	6.45	34.48
PK	5.8534G	57.57	88.20	-30.63	5.71	3	Vertical	348	2.33	51.86	34.01	6.23	34.53
PK	6.4462G	94.80	Inf	-Inf	6.96	3	Vertical	348	2.33	87.84	34.98	6.46	34.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8942G	46.93	68.20	-21.27	5.90	3	Horizontal	31	2.53	41.03	34.18	6.25	34.53
AV	6.4414G	74.23	Inf	-Inf	6.94	3	Horizontal	31	2.53	67.29	34.97	6.45	34.48
PK	5.875G	58.57	88.20	-29.63	5.81	3	Horizontal	31	2.53	52.76	34.10	6.24	34.53
PK	6.433G	85.10	Inf	-Inf	6.90	3	Horizontal	31	2.53	78.20	34.93	6.45	34.48

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90676G	43.21	68.20	-24.99	15.32	3	Vertical	76	1.52	27.89	40.01	8.98	33.67
PK	12.90984G	54.66	88.20	-33.54	15.32	3	Vertical	76	1.52	39.34	40.01	8.98	33.67

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90552G	43.21	68.20	-24.99	15.32	3	Horizontal	350	2.53	27.89	40.01	8.98	33.67
PK	12.87648G	54.62	88.20	-33.58	15.20	3	Horizontal	350	2.53	39.42	39.95	8.97	33.72